

F-PLACE1003923//HISTIDYL-TRNA SYNTHETASE (EC 6.1.1.21) (HISTIDINE-TRNA LIGASE) (HISRS).//0.94:65:29//STREPTOCOCCUS EQUISIMILIS.//P30053
 F-PLACE1003932//HYPOTHETICAL 17.3 KD PROTEIN IN SEC15-SAP4 INTERGENIC REGION.//0.098:79:31//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53074
 5 F-PLACE1003936
 F-PLACE1003968//5'-AMP-ACTIVATED PROTEIN KINASE, GAMMA-1 SUBUNIT (AMPK GAMMA-1 CHAIN).//4.7e-68:164:78//RATTUS NORVEGICUS (RAT).//P80385
 F-PLACE1004103//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!//1.9e-14:60:73//HOMO SAPIENS (HUMAN).//P39192
 10 F-PLACE1004104//EXOCYST COMPLEX COMPONENT SEC5.//0.020:202:20//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P89102
 F-PLACE1004114//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//2.1e-15:69:60//HOMO SAPIENS (HUMAN).//P39188
 F-PLACE1004118//REGULATORY PROTEIN E2.//0.73:58:36//CANINE ORAL PAPILLOMAVIRUS (COPV).//Q89420
 15 F-PLACE1004128//GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT 4 (TRANSDUCIN BETA CHAIN 4).//7.7e-62:108:100//MUS MUSCULUS (MOUSE).//P29387
 F-PLACE1004149//PROBABLE NUCLEAR ANTIGEN.//0.0011:73:42//PSEUDORABIES VIRUS (STRAIN KAPLAN) (PRV).//P33485
 20 F-PLACE1004156//HYPOTHETICAL PROLINE-RICH PROTEIN (FRAGMENT).//0.00061:39:48//OWENIA FUSIFORMIS.//P21260
 F-PLACE1004161//PLASMINOGEN-BINDING PROTEIN PAM PRECURSOR (FRAGMENT).//0.033:108:27//STREPTOCOCCUS PYOGENES.//P49054
 F-PLACE1004183//HYPOTHETICAL 64.3 KD PROTEIN IN CDC12-ERP5 INTERGENIC REGION.//4.0e-07:146:35//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38817
 25 F-PLACE1004197//BUTYROPHILIN PRECURSOR (BT).//5.9e-11:208:27//MUS MUSCULUS (MOUSE).//Q62556
 F-PLACE1004203//PROTEIN A39.//8.5e-18:139:33//VACCINIA VIRUS (STRAIN COPENHAGEN).//P21062
 F-PLACE1004242//PHOTOSYSTEM II REACTION CENTRE J PROTEIN.//1.0:28:42//PISUM SATIVUM (GARDEN PEA).//P13555
 30 F-PLACE1004256//MYOSIN HEAVY CHAIN D (MHC D).//0.73:134:25//CAENORHABDITIS ELEGANS.//P02567
 F-PLACE1004257//HYPOTHETICAL PROTEIN HI0490.//0.13:75:29//HAEMOPHILUS INFLUENZAE.//P44006
 F-PLACE1004258//COLLAGEN ALPHA 2(VIII) CHAIN (ENDOTHELIAL COLLAGEN) (FRAGMENT).//0.027:128:35//HOMO SAPIENS (HUMAN).//P25067
 35 F-PLACE1004270//LARGE TEGUMENT PROTEIN.//1.8e-10:100:44//EPSTEIN-BARR VIRUS (STRAIN B95-8) (HUMAN HERPESVIRUS 4).//P03186
 F-PLACE1004274//HYPOTHETICAL PROTEIN E-95.//0.44:61:42//HUMAN ADENOVIRUS TYPE 2.//P03286
 F-PLACE1004277//COLLAGEN ALPHA 1(XII) CHAIN (FRAGMENTS).//0.0013:55:38//BOS TAURUS (BOVINE).//P25508
 40 F-PLACE1004284//7 KD PROTEIN (ORF 4).//1.0:63:23//CHRYSANTHEMUM VIRUS B (CVB).//P37990
 F-PLACE1004289//SPERM PROTAMINE P3.//0.00057:22:77//MUS MUSCULUS (MOUSE).//Q62100
 F-PLACE1004302//SERINE/THREONINE PROTEIN KINASE AFSK (EC 2.7.1.-).//0.0065:148:29//STREPTOMYCES COELICOLOR.//P54741
 45 F-PLACE1004316//AUTOPHAGY PROTEIN APG5.//8.8e-06:117:29//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//Q12380
 F-PLACE1004336//COLLAGEN ALPHA 4(IV) CHAIN PRECURSOR.//0.0027:83:36//HOMO SAPIENS (HUMAN).//P53420
 F-PLACE1004358//PROCOLLAGEN ALPHA 1(I) CHAIN PRECURSOR.//2.9e-05:200:33//GALLUS GALLUS (CHICKEN).//P02457
 50 F-PLACE1004376//AXONEME-ASSOCIATED PROTEIN MST101(2).//2.4e-05:179:29//DROSOPHILA HYDEI (FRUIT FLY).//Q08696
 F-PLACE1004384//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//1.6e-28:46:76//HOMO SAPIENS (HUMAN).//P39194
 F-PLACE1004388//HYPOTHETICAL 75.2 KD PROTEIN IN ACS1-GCV3 INTERGENIC REGION.//5.7e-34:202:37//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P39722
 55 F-PLACE1004405//NEURAMINYLLACTOSE-BINDING HEMAGGLUTININ (N-ACETYLNEURAMINYLLACTOSE-BINDING FIBRILLAR HEMAGGLUTININ RECEPTOR-BINDING SUBUNIT) (NLBH) (FLAGELLAR SHEATH ADHESIN) (ADHESIN A) (FRAGMENT).//0.93:74:33//HELICOBACTER ACINONYX.//Q47947

F-PLACE1004425//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/0.81:70:42//HOMO SAPIENS (HUMAN).//
P39195
F-PLACE1004428//PRISTANOYL-COA OXIDASE (EC 1.3.3.-)//1.9e-31:203:39//RATTUS NORVEGICUS
(RAT).//Q63448
5 F-PLACE1004437//ISOCITRATE DEHYDROGENASE [NAD], MITOCHONDRIAL SUBUNIT BETA PRECURSOR
(EC 1.1.1.41) (ISOCITRIC DEHYDROGENASE) (NAD+-SPECIFIC ICDH) (FRAGMENT).//4.2e-93:140:100//
MACACA FASCICULARIS (CRAB EATING MACAQUE) (CYNOMOLGUS MONKEY).//Q28479
F-PLACE1004451//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/0.00013:40:62//HOMO SAPIENS (HUMAN).//
P39188
10 F-PLACE1004460//MATERNAL TUDOR PROTEIN.//0.0066:218:23//DROSOPHILA MELANOGASTER (FRUIT
FLY).//P25823
F-PLACE1004467//!!!! ALU SUBFAMILY SP WARNING ENTRY !!!!!/7.8e-10:33:87//HOMO SAPIENS (HUMAN).//
P39193
F-PLACE1004471//ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1).//7.0e-56:92:58//HOMO SAPI-
15 ENS (HUMAN).//P51522
F-PLACE1004473//HYPOTHETICAL 54.3 KD PROTEIN C23D3.03C IN CHROMOSOME I.//0.019:136:27//
SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09844
F-PLACE1004491//LYSIS PROTEIN.//0.95:53:30//BACTERIOPHAGE FR.//P19903
F-PLACE1004506//AUTOIMMUNOGENIC CANCER/TESTIS ANTIGEN NY-ESO-1 (LAGE-1).//0.58:66:34//HO-
20 MO SAPIENS (HUMAN).//P78358
F-PLACE1004510//TRANSCRIPTION INITIATION FACTOR TFIID 150 KD SUBUNIT (TAFII-150) (TAFII150).//
3.0e-07:63:46//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q24325
F-PLACE1004516//HYPOTHETICAL PROTEIN 5' TO ASP-RICH AND HIS-RICH PROTEINS (FRAGMENT).//
0.95:62:29//PLASMODIUM FALCIPARUM (ISOLATE FCM17 / SENEGAL).//P14587
25 F-PLACE1004518//METALLOTHIONEIN 10-III (MT-10-III).//0.91:28:42//MYTILUS EDULIS (BLUE MUSSEL).//
P80248
F-PLACE1004548//DIHYDROPYRIDINE-SENSITIVE L-TYPE, SKELETAL MUSCLE CALCIUM CHANNEL GAM-
MA SUBUNIT.//0.94:75:32//ORYCTOLAGUS CUNICULUS (RABBIT).//P19518
F-PLACE1004550//CUTICLE COLLAGEN 2.//0.90:155:31//CAENORHABDITIS ELEGANS.//P17656
30 F-PLACE1004564//CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSF 100
KD SUBUNIT).//3.2e-70:121:100//BOS TAURUS (BOVINE).//Q10568
F-PLACE1004629//PROTEIN OS-9 PRECURSOR.//1.7e-10:132:36//HOMO SAPIENS (HUMAN).//Q13438
F-PLACE1004645//TRANSCRIPTION INITIATION FACTOR IIB HOMOLOG (TFIIB).//0.00036:100:30//PYRO-
COCCUS FURIOSUS.//Q51731
35 F-PLACE1004646//PROBABLE UDP-GALACTOPYRANOSE MUTASE (EC 5.4.99.9).//0.91:58:29//KLEBSIELLA
PNEUMONIAE.//Q48481
F-PLACE1004658//GLUTAMATE [NMDA] RECEPTOR SUBUNIT EPSILON 4 PRECURSOR (N-METHYL D-AS-
PARTATE RECEPTOR SUBTYPE 2D) (NR2D) (NMDAR2D).//0.031:134:32//MUS MUSCULUS (MOUSE).//
Q03391
40 F-PLACE1004664//HYPOTHETICAL 180.2 KD PROTEIN IN FAA4-HOR7 INTERGENIC REGION.//0.025:125:
20//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//Q04781
F-PLACE1004672//HYPOTHETICAL 36.7 KD PROTEIN C2F7:14C IN CHROMOSOME I.//7.6e-52:158:56//
SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09704
F-PLACE1004674//PROBABLE CALCIUM-BINDING PROTEIN ALG-2 (PMP41) (ALG-257).//1.4e-88:144:93//
45 MUS MUSCULUS (MOUSE).//P12815
F-PLACE1004681//CCR4-ASSOCIATED FACTOR 1 (CAF1).//1.0e-34:70:100//MUS MUSCULUS (MOUSE).//
Q60809
F-PLACE1004686//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!/3.4e-08:48:62//HOMO SAPIENS (HUMAN).//
P39192
50 F-PLACE1004691//METALLOTHIONEIN (MT).//0.064:24:45//ARIANTA ARBUSTORUM.//P55946
F-PLACE1004693
F-PLACE1004716//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L).//1.0:27:37//PAN PANISCUS (PYGMY
CHIMPANZEE) (BONOBO).//Q35587
F-PLACE1004722//HYPOTHETICAL 61.5 KD PROTEIN IN CLA4-MID1 INTERGENIC REGION.//0.95:53:33//
55 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P48565
F-PLACE1004736//NEURONAL AXONAL MEMBRANE PROTEIN NAP-22.//0.014:163:30//RATTUS NORVEGI-
CUS (RAT).//Q05175
F-PLACE1004740//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/1.9e-09:37:70//HOMO SAPIENS (HUMAN).//

P39194

F-PLACE1004743//HYPOTHETICAL 12.6 KD PROTEIN IN ALGR3 3'REGION.//0.99:72:33//PSEUDOMONAS AERUGINOSA.//P21484

F-PLACE1004751//CMP-N-ACETYLNEURAMINATE-BETA-GALACTOSAMIDE-ALPHA-2,3-SIALYLTRANSFERASE (EC 2.4.99.-) (BETA-GALACTOSIDE ALPHA-2,3-SIALYLTRANSFERASE) (ST3GALIII) (ALPHA 2,3-ST) (GAL-NAC6S) (STZ) (SIAT4-C) (SAT-3) (ST-4).//2.2e-08:90:38//HOMO SAPIENS (HUMAN).//Q11206

F-PLACE1004773//ANKYRIN R (ANKYRINS 2.1 AND 2.2) (ERYTHROCYTE ANKYRIN).//3.2e-25:233:32//HOMO SAPIENS (HUMAN).//P16157

F-PLACE1004777//N-CHIMAERIN (NC) (N-CHIMERIN) (ALPHA CHIMERIN) (A-CHIMAERIN).//8.1e-26:210:30//RATTUS NORVEGICUS (RAT).//P30337

F-PLACE1004793//ENV POLYPROTEIN [CONTAINS: COAT PROTEIN GP52; COAT PROTEIN GP36].//0.00062:106:25//MOUSE MAMMARY TUMOR VIRUS (STRAIN BR6).//P10259

F-PLACE1004804

F-PLACE1004813//HYPOTHETICAL PROTEIN UL12.//1.0:22:40//HUMAN CYTOMEGALOVIRUS (STRAIN AD169).//P16777

F-PLACE1004814//HYPOTHETICAL 37.0 KD PROTEIN B0495.8 IN CHROMOSOME II.//2.8e-06:136:25//CAENORHABDITIS ELEGANS.//Q09217

F-PLACE1004815

F-PLACE1004824//HYPOTHETICAL 106.7 KD PROTEIN IN MUP1-SPR3 INTERGENIC REGION.//2.3e-09:70:38//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53236

F-PLACE1004827//HYPOTHETICAL 9.4 KD PROTEIN IN FLAL 3'REGION (ORF3).//0.54:25:56//BACILLUS LICHENIFORMIS.//P22754

F-PLACE1004836//ANNEXIN VII (SYNEXIN) (FRAGMENT).//0.0066:12:66//BOS TAURUS (BOVINE).//P20072

F-PLACE1004838

F-PLACE1004840

F-PLACE1004868//MALE STERILITY PROTEIN 2.//4.0e-16:172:30//ARABIDOPSIS THALIANA (MOUSE-EAR CRESS).//Q08891

F-PLACE1004885

F-PLACE1004900//MAST CELL DEGRANULATING PEPTIDE PRECURSOR (MCDP) (MCD) (PEPTIDE 401).//1.0:23:47//APIS MELLIFERA (HONEYBEE).//P01499

F-PLACE1004902//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE SPAC10F6.02C.//7.3e-15:94:47//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//O42643

F-PLACE1004913//HYPOTHETICAL 7.2 KD PROTEIN IN BCSA-DEGR INTERGENIC REGION.//1.0:42:33//BACILLUS SUBTILIS.//P54165

F-PLACE1004918//HYPOTHETICAL 12.4 KD PROTEIN IN RPS21B-MRS3 INTERGENIC REGION.//0.98:50:34//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P47012

F-PLACE1004930//HYPOTHETICAL PROTEIN MJ0562.//0.82:44:36//METHANOCOCCUS JANNASCHII.//Q57982

F-PLACE1004934

F-PLACE1004937//HYPOTHETICAL 67.1 KD TRP-ASP REPEATS CONTAINING PROTEIN C57A10.05C IN CHROMOSOME I.//9.0e-10:87:33//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//P87053

F-PLACE1004969//HYPOTHETICAL 55.1 KD PROTEIN B0416.5 IN CHROMOSOME X.//4.0e-14:184:25//CAENORHABDITIS ELEGANS.//Q11073

F-PLACE1004972//BROMELAIN INHIBITOR 2 (BI-II) (BROMELAIN INHIBITOR VI) (BI-VI).//1.0:35:37//ANANAS COMOSUS (PINEAPPLE).//P27478

F-PLACE1004979//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!//5.3e-30:55:72//HOMO SAPIENS (HUMAN).//P39192

F-PLACE1004982//M PROTEIN, SEROTYPE 12 PRECURSOR (FRAGMENT).//0.00049:124:27//STREPTOCOCCUS PYOGENES.//P19401

F-PLACE1004985//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L).//1.0:26:34//LUMBRICUS TERRESTRIS (COMMON EARTHWORM).//Q34942

F-PLACE1005026//TELOMERE-BINDING PROTEIN HOMOLOG.//0.0011:179:27//EUPLOTES CRASSUS.//Q06183

F-PLACE1005027

F-PLACE1005046//ANNEXIN VII (SYNEXIN) (FRAGMENT).//0.082:44:36//BOS TAURUS (BOVINE).//P20072

F-PLACE1005052//MALE SPECIFIC SPERM PROTEIN MST84DD.//0.38:36:44//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q01645

F-PLACE1005055

F-PLACE1005066//RING CANAL PROTEIN (KELCH PROTEIN)//2.9e-38:194:39//DROSOPHILA MELANOGASTER (FRUIT FLY)//Q04652
 F-PLACE1005077
 5 F-PLACE1005085//INSECT TOXIN 1 (BOT IT1)//0.85:36:33//BUTHUS OCCITANUS TUNETANUS (COMMON EUROPEAN SCORPION)//P55902
 F-PLACE1005086//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//8.5e-38:93:76//HOMO SAPIENS (HUMAN)//P39194
 F-PLACE1005101//HYPOTHETICAL PROTEIN ZAP128 (FRAGMENT)//1.6e-11:35:100//HOMO SAPIENS (HUMAN)//P49753
 10 F-PLACE1005102//ZINC FINGER PROTEIN 151 (POLYOMAVIRUS LATE INITIATOR PROMOTER BINDING PROTEIN) (LP-1) (ZINC FINGER PROTEIN Z13)//3.0e-14:110:38//MUS MUSCULUS (MOUSE)//Q60821
 F-PLACE1005108//METALLOTHIONEIN-III (MT-III) (GROWTH INHIBITORY FACTOR) (GIF)//0.41:35:34//BOS TAURUS (BOVINE)//P37359
 15 F-PLACE1005111//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L) (CHARGERIN II)//1.0:29:41//RATTUS NORVEGICUS (RAT)//P11608
 F-PLACE1005128//RABPHILIN-3A (FRAGMENT)//5.9e-05:95:36//MUS MUSCULUS (MOUSE)//P47708
 F-PLACE1005146//FIBROBLAST GROWTH FACTOR INDUCIBLE PROTEIN 15 (FIN15)//0.17:48:35//MUS MUSCULUS (MOUSE)//Q61075
 20 F-PLACE1005162//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!//1.0e-31:60:76//HOMO SAPIENS (HUMAN)//P39189
 F-PLACE1005176
 F-PLACE1005181//HYPOTHETICAL 7 KD PROTEIN//1.0:31:45//MEASLES VIRUS (STRAIN HALLE) (SUBACUTE SCLEROSE PANENCEPHALITIS VIRUS)//P06831
 25 F-PLACE1005187//GLUCAN SYNTHASE-1 (EC 2.4.1.34) (1,3-BETA-GLUCAN SYNTHASE) (UDP-GLUCOSE-1,3-BETA-D-GLUCAN GLUCOSYLTRANSFERASE)//0.0025:58:34//NEUROSPORA CRASSA//P38678
 F-PLACE1005206//HYPOTHETICAL 10.7 KD PROTEIN//0.34:57:42//VACCINIA VIRUS (STRAIN COPENHAGEN)//P20511
 F-PLACE1005232//AMELOGENIN, Y ISOFORM PRECURSOR//0.70:60:35//HOMO SAPIENS (HUMAN)//Q99218
 30 F-PLACE1005243//SERINE/THREONINE PROTEIN KINASE PKPA (EC 2.7.1.-)//0.0017:114:27//PHYCOMYCES BLAKESLEEANUS//Q01577
 F-PLACE1005261//HYPOTHETICAL 90.8 KD PROTEIN T05H10.7 IN CHROMOSOME II//1.2e-38:206:41//CAENORHABDITIS ELEGANS//Q10003
 F-PLACE1005266
 35 F-PLACE1005277//PROTEIN GURKEN PRECURSOR//0.58:95:29//DROSOPHILA MELANOGASTER (FRUIT FLY)//P42287
 F-PLACE1005287//INNER CENTROMERE PROTEIN (INCENP)//2.0e-12:211:29//GALLUS GALLUS (CHICKEN)//P53352
 F-PLACE1005305//GTP:AMP PHOSPHOTRANSFERASE MITOCHONDRIAL (EC 2.7.4.10) (AK3)//1.8e-78:205:78//BOS TAURUS (BOVINE)//P08760
 40 F-PLACE1005308//WOUND-INDUCED BASIC PROTEIN//0.99:40:40//PHASEOLUS VULGARIS (KIDNEY BEAN) (FRENCH BEAN)//Q09020
 F-PLACE1005313//HYPOTHETICAL 8.7 KD PROTEIN IN LEUX-FECE INTERGENIC REGION (O67)//0.15:36:41//ESCHERICHIA COLI//P39355
 45 F-PLACE1005327//DNA-BINDING P52/P100 COMPLEX, 100 KD SUBUNIT (FRAGMENTS)//1.0:19:52//HOMO SAPIENS (HUMAN)//P30808
 F-PLACE1005331//BREAKPOINT CLUSTER REGION PROTEIN//0.00021:98:35//HOMO SAPIENS (HUMAN)//P11274
 F-PLACE1005335//IROQUOIS-CLASS HOMEODOMAIN PROTEIN IRX-3//0.37:98:33//MUS MUSCULUS (MOUSE)//P81067
 50 F-PLACE1005373//PSEUDOURIDYLATE SYNTHASE 4 (EC 4.2.1.70) (PSEUDOURIDINE SYNTHASE 4) (TRNA PSEUDOURIDINE 55 SYNTHASE) (PSI55 SYNTHASE) (PSEUDOURIDYLATE SYNTHASE) (URACIL HYDROLASE)//0.010:96:28//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST)//P48567
 F-PLACE1005374
 55 F-PLACE1005409
 F-PLACE1005453//LICHENASE PRECURSOR (EC 3.2.1.73) (ENDO-BETA-1,3-1,4 GLUCANASE)//1.0:50:32//NICOTIANA PLUMBAGINIFOLIA (LEADWORT-LEAVED TOBACCO)//P07979
 F-PLACE1005467//KERATIN, FEATHER (F-KER)//0.0095:42:35//LARUS NOVAE-HOLLANDIAE (SILVER

GULL).//P02451
 F-PLACE1005471//NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4L (EC 1.6.5.3).//0.23:49:32//PHYTOPH-
 THORA INFESTANS (POTATO LATE BLIGHT FUNGUS).//Q37598
 F-PLACE1005477//HYPOTHETICAL PROTEIN ORF-1137.//9.6e-13:115:38//MUS MUSCULUS (MOUSE).//
 5 P11260
 F-PLACE1005480//C-HORDEIN (CLONE PC HOR1-3) (FRAGMENT).//0.97:33:30//HORDEUM VULGARE (BAR-
 LEY).//P17991
 F-PLACE1005481//HUNCHBACK PROTEIN (FRAGMENT).//0.30:52:38//APIS MELLIFERA (HONEYBEE).//
 P31504
 10 F-PLACE1005494//TRANSIENT-RECEPTOR-POTENTIAL PROTEIN.//3.9e-05:87:33//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY).//P19334
 F-PLACE1005502
 F-PLACE1005526//IMMEDIATE-EARLY PROTEIN IE180.//4.6e-05:132:32//PSEUDORABIES VIRUS (STRAIN
 KAPLAN) (PRV).//P33479
 15 F-PLACE1005528//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!//3.4e-09:31:74//HOMO SAPIENS (HUMAN).//
 P39195
 F-PLACE1005530//HYPOTHETICAL 47.6 KD PROTEIN C16C10.5 IN CHROMOSOME III.//9.7e-50:148:58//
 CAENORHABDITIS ELEGANS.//Q09251
 F-PLACE1005550//HYPOTHETICAL 40.2 KD PROTEIN K12H4.3 IN CHROMOSOME III.//3.0e-21:127:37//
 20 CAENORHABDITIS ELEGANS.//P34524
 F-PLACE1005554//CYTOCHROME B (EC 1.10.2.2) (FRAGMENT).//0.84:38:31//DIPODOMYS CALIFORNICUS
 (KANGAROO RAT).//P16359
 F-PLACE1005557//60S RIBOSOMAL PROTEIN L27.//4.8e-09:60:48//CRYPTOCOCCUS NEOFORMANS (FILO-
 BASIDIELLA NEOFORMANS).//P46288
 25 F-PLACE1005574//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L).//0.89:44:29//BOS TAURUS (BOVINE).//
 P03929
 F-PLACE1005584//MALE SPECIFIC SPERM PROTEIN MST87F.//0.00030:33:48//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY).//P08175
 F-PLACE1005595//IMMEDIATE-EARLY PROTEIN IE180.//0.00048:162:30//PSEUDORABIES VIRUS (STRAIN
 30 INDIANA-FUNKHAUSER / BECKER) (PRV).//P11675
 F-PLACE1005603//HIGH-MOBILITY-GROUP PROTEIN (NONHISTONE CHROMOSOMAL PROTEIN).//
 0.00034:83:30//TETRAHYMENA PYRIFORMIS.//P40625
 F-PLACE1005611//DNAJ PROTEIN.//8.6e-20:108:48//CLOSTRIDIUM ACETOBUTYLICUM.//P30725
 F-PLACE1005623//EXTRACELLULAR SIGNAL-REGULATED KINASE 5 (EC 2.7.1.-) (ERK5) (ERK4) (BMK1 KI-
 35 NASE).//0.80:116:31//HOMO SAPIENS (HUMAN).//Q13164
 F-PLACE1005630//INTERLEUKIN-14 PRECURSOR (IL-14) (HIGH MOLECULAR WEIGHT B-CELL GROWTH
 FACTOR) (HMW-BCGF).//0.0024:74:39//HOMO SAPIENS (HUMAN).//P40222
 F-PLACE1005639//EXTRACELLULAR MATRIX PROTEIN 1 (SECRETORY COMPONENT P85) (FRAGMENT).//
 0.72:18:61//RATTUS NORVEGICUS (RAT).//Q62894
 40 F-PLACE1005646//RNA HELICASE-LIKE PROTEIN DB10.//4.8e-29:172:45//NICOTIANA SYLVESTRIS (WOOD
 TOBACCO).//P46942
 F-PLACE1005656//RIBONUCLEOSIDE-DIPHOSPHATE REDUCTASE M2 CHAIN (EC 1.17.4.1) (RIBONUCLE-
 OTIDE REDUCTASE).//3.7e-64:133:75//MESOCRICETUS AURATUS (GOLDEN HAMSTER).//Q60561
 F-PLACE1005666//CHLOROPLAST 50S RIBOSOMAL PROTEIN L28.//0.57:36.41//PORPHYRA PURPUREA.//
 45 P51224
 F-PLACE1005698//HYPOTHETICAL PROTEIN IN SIGD 3'REGION (ORFC) (FRAGMENT).//0.50:61:29//BACIL-
 LUS SUBTILIS.//P40405
 F-PLACE1005727//ANTER-SPECIFIC PROLINE-RICH PROTEIN APG (PROTEIN CEX) (FRAGMENT).//0.46:
 27:51//BRASSICA NAPUS (RAPE).//P40603
 50 F-PLACE1005730//COLLAGEN ALPHA 1(I) CHAIN (FRAGMENT).//0.95:21:52//ORYCTOLAGUS CUNICULUS
 (RABBIT).//P02456
 F-PLACE1005739//INTERFERON-GAMMA INDUCIBLE PROTEIN MG11.//3.4e-46:111:53//MUS MUSCULUS
 (MOUSE).//Q60710
 F-PLACE1005755//HYPOTHETICAL 70.2 KD PROTEIN IN GSH1-CHS6 INTERGENIC REGION.//2.6e-12:66:
 55 51//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P42951
 F-PLACE1005763//S-ACYL FATTY ACID SYNTHASE THIOESTERASE, MEDIUM CHAIN (EC 3.1.2.14)
 (THIOESTERASE II).//1.5e-26:69:57//RATTUS NORVEGICUS (RAT).//P08635
 F-PLACE1005799//KERATIN, ULTRA HIGH-SULFUR MATRIX PROTEIN (UHS KERATIN).//0.028:96:32//HOMO

SAPIENS (HUMAN).//P26371
 F-PLACE1005802//PROTEIN PROSPERO.//0.86:64:42//DROSOPHILA MELANOGASTER (FRUIT FLY).//
 P29617
 5 F-PLACE1005803//MYELOID DIFFERENTIATION PRIMARY RESPONSE PROTEIN MYD116.//1.0:95:25//MUS
 MUSCULUS (MOUSE).//P17564
 F-PLACE1005804//PROCESSING ALPHA-1,2-MANNOSIDASE (EC 3.2.1.-) (ALPHA-1,2-MANNOSIDASE 1B).//
 2.8e-73:198:73//MUS MUSCULUS (MOUSE).//P39098
 F-PLACE1005813//HYPOTHETICAL 49.0 KD PROTEIN IN NSP1-KAR2 INTERGENIC REGION.//0.022:78:38//
 10 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P47057
 F-PLACE1005828//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!1.8e-23:56:76//HOMO SAPIENS (HUMAN).//
 P39195
 F-PLACE1005834//LATE CONTROL GENE B PROTEIN (GPB).//0.97:33:39//BACTERIOPHAGE 186.//P08711
 F-PLACE1005845
 15 F-PLACE1005850//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!5.5e-28:96:73//HOMO SAPIENS (HUMAN).//
 P39194
 F-PLACE1005851
 F-PLACE1005876//CLEAVAGE AND POLYADENYLATION SPECIFICITY FACTOR, 100 KD SUBUNIT (CPSF 100
 KD SUBUNIT).//2.2e-99:155:95//BOS TAURUS (BOVINE).//Q10568
 F-PLACE1005884
 20 F-PLACE1005890//BEM46 PROTEIN (FRAGMENT).//1.8e-33:137:49//SCHIZOSACCHAROMYCES POMBE
 (FISSION YEAST).//P54069
 F-PLACE1005898//NADH-UBIQUINONE OXIDOREDUCTASE MLRQ SUBUNIT (EC 1.6.5.3) (EC 1.6.99.3)
 (COMPLEX I-MLRQ) (CI-MLRQ).//0.77:58:34//HOMO SAPIENS (HUMAN).//O00483
 F-PLACE1005921//AIG1 PROTEIN.//1.4e-23:165:38//ARABIDOPSIS THALIANA (MOUSE-EAR CRESS).//
 25 P54120
 F-PLACE1005923//HYPOTHETICAL 22.4 KD PROTEIN (ORF16).//0.90:118:28//PARAMECIUM TETRAURE-
 LIA.//P15617
 F-PLACE1005925//HYPOTHETICAL GENE 30 PROTEIN.//0.94:57:29//HERPESVIRUS SAIMIRI (STRAIN 11).//
 Q01010
 30 F-PLACE1005932//EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN).//
 0.42:128:32//NICOTIANA TABACUM (COMMON TOBACCO).//P13983
 F-PLACE1005934//DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT (EC 2.7.7.6)(RBP1) (FRAG-
 MENT).//0.40:76:35//CRICETULUS GRISEUS (CHINESE HAMSTER).//P11414
 F-PLACE1005936//TAT PROTEIN (TRANSACTIVATING REGULATORY PROTEIN).//0.50:15:66//HUMAN IMMU-
 35 NODEFICIENCY VIRUS TYPE 1 (CLONE 12) (HIV-1).//P04326
 F-PLACE1005951//EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN).//
 0.0025:135:32//NICOTIANA TABACUM (COMMON TOBACCO).//P13983
 F-PLACE1005953//HIGH POTENTIAL IRON-SULFUR PROTEIN (HIPIP).//0.64:57:33//RHODOFERAX FER-
 40 MENTANS.//P80882
 F-PLACE1005955//HYPOTHETICAL 54.2 KD PROTEIN IN ERP5-ORC6 INTERGENIC REGION.//1.0e-32:110:
 50//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38821
 F-PLACE1005966//TACHYPLESIN II PRECURSOR.//0.97:31:35//TACHYPLEUS TRIDENTATUS (JAPANESE
 HORSESHOE CRAB).//P14214
 F-PLACE1005968//GATA FACTOR SREP.//0.17:52:40//PENICILLIUM CHRYSOGENUM.//Q92259
 45 F-PLACE1005990//CELL PATTERN FORMATION-ASSOCIATED PROTEIN.//0.36:55:36//EMERICELLA NIDU-
 LANS (ASPERGILLUS NIDULANS).//P36011
 F-PLACE1006002//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!1.5e-36:102:75//HOMO SAPIENS (HU-
 MAN).//P39192
 F-PLACE1006003//HYPOTHETICAL 6.8 KD PROTEIN IN COX3-NAD1 INTERGENIC REGION (ORF 61).//1.0:
 50 22:40//MARCHANTIA POLYMORPHA (LIVERWORT).//P38473
 F-PLACE1006011//POLY [ADP-RIBOSE] POLYMERASE (EC 2.4.2.30) (PARP) (ADPRT) (NAD(+)) ADP- RIBO-
 SYLTRANSFERASE) (POLY[ADP-RIBOSE] SYNTHETASE).//2.8e-21:163:36//ARABIDOPSIS THALIANA
 (MOUSE-EAR CRESS).//Q11207
 F-PLACE1006017//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!1.1e-10:43:67//HOMO SAPIENS (HUMAN).//
 55 P39192
 F-PLACE1006037//VITELLOGENIN I PRECURSOR (VTG I) [CONTAINS: LIPOVITELLIN 1 (LV1); PHOSVITIN
 (PV); LIPOVITELLIN 2 (LV2)].//0.00019:123:37//FUNDULUS HETEROCLITUS (KILLIFISH) (MUMMICHOG).//
 Q90508

F-PLACE1006040//CAMP-REGULATED PHOSPHOPROTEIN 19 (ARPP-19).//3.2e-40:110:76//HOMO SAPIENS (HUMAN).//P56211
 F-PLACE1006076//BOWMAN-BIRK TYPE PROTEINASE INHIBITOR A-II.//0.99:30:40//ARACHIS HYPOGAEA (PEANUT).//P01066
 5 F-PLACE1006119//IMPORTIN BETA-3 SUBUNIT (KARYOPHERIN BETA-3 SUBUNIT) (RAN-BINDING PROTEIN 5).//8.8e-94:218:76//HOMO SAPIENS (HUMAN).//O00410
 F-PLACE1006129//A-AGGLUTININ ATTACHMENT SUBUNIT PRECURSOR.//0.00092:228:26//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P32323
 F-PLACE1006139//HYPOTHETICAL 52.9 KD PROTEIN IN SAP155-YMR31 INTERGENIC REGION.//5.9e-55:128:50//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P43616
 10 F-PLACE1006143//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//1.4e-25:107:63//HOMO SAPIENS (HUMAN).//P39194
 F-PLACE1006157//E-SELECTIN PRECURSOR (ENDOTHELIAL LEUKOCYTE ADHESION MOLECULE 1) (ELAM-1) (LEUKOCYTE-ENDOTHELIAL CELL ADHESION MOLECULE 2) (LECAM2) (CD62E).//1.3e-21:168:32//SUS SCROFA (PIG).//P98110
 15 F-PLACE1006159//COLD SHOCK INDUCED PROTEIN TIR1 PRECURSOR (SERINE-RICH PROTEIN 1).//0.46:98:29//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P10863
 F-PLACE1006164//NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4L (EC 1.6.5.3).//0.70:28:42//ARTEMIA SALINA (BRINE SHRIMP).//P19049
 20 F-PLACE1006167//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//8.9e-05:167:32//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P08640
 F-PLACE1006170//ALPHA-ADAPTIN C (CLATHRIN ASSEMBLY PROTEIN COMPLEX 2 ALPHA-C LARGE CHAIN) (100 KD COATED VESICLE PROTEIN C) (PLASMA MEMBRANE ADAPTOR HA2/AP2 ADAPTIN ALPHA C SUBUNIT).//1.1e-67:157:88//MUS MUSCULUS (MOUSE).//P17427
 25 F-PLACE1006187//G1/S-SPECIFIC CYCLIN E.//5.6e-75:224:62//HOMO SAPIENS (HUMAN).//P24864
 F-PLACE1006195//T-RELATED PROTEIN (TRP) (BRACHYENTERON PROTEIN).//0.99:177:29//DROSOPHILA MELANOGASTER (FRUIT FLY).//P55965
 F-PLACE1006196//PUTATIVE ATP-DEPENDENT RNA HELICASE C12C2.06.//2.0e-33:183:46//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09747
 30 F-PLACE1006205
 F-PLACE1006223//SPERM MITOCHONDRIAL CAPSULE SELENOPROTEIN (MCS).//0.00015:22:50//MUS MUSCULUS (MOUSE).//P15265
 F-PLACE1006225//VIRION INFECTIVITY FACTOR (SOR PROTEIN).//1.0:63:34//HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (NDK ISOLATE) (HIV-1).//P18805
 35 F-PLACE1006236
 F-PLACE1006239//60S ACIDIC RIBOSOMAL PROTEIN P2 (FRAGMENT).//0.48:23:52//ARABIDOPSIS THALIANA (MOUSE-EAR CRESS).//P51407
 F-PLACE1006246//CMP-SIALIC ACID TRANSPORTER (CMP-SIA-TR).//0.012:84:30//MUS MUSCULUS (MOUSE).//Q61420
 40 F-PLACE1006248//140 KD NUCLEOLAR PHOSPHOPROTEIN (NOPP140).//0.017:203:22//RATTUS NORVEGICUS (RAT).//P41777
 F-PLACE1006262//L-FUCULOSE PHOSPHATE ALDOLASE (EC 4.1.2.17).//0.84:25:52//HAEMOPHILUS INFLUENZAE.//P44777
 45 F-PLACE1006288
 F-PLACE1006318//CYSTEINE-RICH ANTIFUNGAL PROTEIN 1 (AFP1) (M1).//1.0:29:48//SINAPIS ALBA (WHITE MUSTARD) (BRASSICA HIRTA).//P30231
 F-PLACE1006325//CYCLIN-DEPENDENT KINASE INHIBITOR 1C (CYCLIN-DEPENDENT KINASE INHIBITOR P57) (P57KIP2).//0.99:97:32//HOMO SAPIENS (HUMAN).//P49918
 50 F-PLACE1006335//PROLINE-RICH PEPTIDE P-B.//0.56:19:52//HOMO SAPIENS (HUMAN).//P02814
 F-PLACE1006357
 F-PLACE1006360
 F-PLACE1006368//NUF1 PROTEIN (SPINDLE POLY BODY SPACER PROTEIN SPC110).//0.0057:122:31//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P32380
 55 F-PLACE1006371//ARS BINDING PROTEIN 1.//0.00030:142:30//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//P49777
 F-PLACE1006382//NEUROTOXIN V.//0.85:28:39//ANDROCTONUS MAURETANICUS MAURETANICUS (SCORPION).//P01482

- F-PLACE1006385//HYPOTHETICAL 45.1 KD PROTEIN IN RPS5-ZMS1 INTERGENIC REGION.//3.1e-35:165:47//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P47160
 F-PLACE1006412//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//4.3e-08:40:47//HOMO SAPIENS (HUMAN).//P08547
- 5 F-PLACE1006414//FORKHEAD-RELATED TRANSCRIPTION FACTOR 4 (FREAC-4).//3.8e-05:123:39//HOMO SAPIENS (HUMAN).//Q16676
 F-PLACE1006438//ZINC FINGER PROTEIN 165.//2.8e-21:76:64//HOMO SAPIENS (HUMAN).//P49910
 F-PLACE1006445//SUPPRESSOR OF HAIRY WING PROTEIN.//0.058:99:29//DROSOPHILA VIRILIS (FRUIT FLY).//Q08876
- 10 F-PLACE1006469//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- ACTIVATING ENZYME).//1.8e-64:177:50//ESCHERICHIA COLI.//P27550
 F-PLACE1006470
 F-PLACE1006482//TRANSCRIPTION FACTOR MAFF.//2.0e-47:120:85//GALLUS GALLUS (CHICKEN).//Q90595
- 15 F-PLACE1006488//SIGNAL RECOGNITION PARTICLE 68 KD PROTEIN (SRP68).//1.8e-85:173:95//CANIS FAMILIARIS (DOG).//Q00004
 F-PLACE1006492//VERY HYPOTHETICAL 11.2 KD PROTEIN C56F8.13 IN CHROMOSOME I.//0.75:32:56//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q10261
 F-PLACE1006506
- 20 F-PLACE1006521
 F-PLACE1006531//HYPOTHETICAL 115.4 KD PROTEIN ZK757.3 IN CHROMOSOME III.//1.3e-53:167:61//CAENORHABDITIS ELEGANS.//P34681
 F-PLACE1006534
 F-PLACE1006540
- 25 F-PLACE1006552//MYOSIN HEAVY CHAIN, CLONE 203 (FRAGMENT).//1.3e-07:242:23//HYDRA ATTENUATA (HYDRA) (HYDRA VULGARIS).//P39922
 F-PLACE1006598//!!!! ALU SUBFAMILY SB1 WARNING ENTRY !!!!!//0.17:43:51//HOMO SAPIENS (HUMAN).//P39190
 F-PLACE1006615//ACROSIN PRECURSOR (EC 3.4.21.10).//3.6e-05:66:43//ORYCTOLAGUS CUNICULUS (RABBIT).//P48038
- 30 F-PLACE1006617//HYPOTHETICAL 14.6 KD PROTEIN (READING FRAME C) (REPUCATION).//1.0:74:29//STAPHYLOCOCCUS AUREUS.//P03861
 F-PLACE1006626//HYPOTHETICAL HELICASE K12H4.8 IN CHROMOSOME III.//2.9e-10:73:46//CAENORHABDITIS ELEGANS.//P34529
- 35 F-PLACE1006629//HYPOTHETICAL PROTEIN BB0410.//1.0:23:43//BORRELIA BURGDORFERI (LYME DISEASE SPIROCHETE).//O51371
 F-PLACE1006640
 F-PLACE1006673
 F-PLACE1006678//COLLAGEN ALPHA 1(I) CHAIN (FRAGMENT).//1.0:36:41//ORYCTOLAGUS CUNICULUS (RABBIT).//P02456
- 40 F-PLACE1006704//BROAD-COMPLEX CORE-TNT1-Q1-Z1 PROTEIN (BRCORE-TNT1-Q1-Z1) [CONTAINS: BROAD-COMPLEX CORE-Q1-Z1 PROTEIN].//0.00062:157:26//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q01295
 F-PLACE1006731//RIBOFLAVIN KINASE (EC 2.7.1.26) (FLAVOKINASE) / FMN ADENYLYLTRANSFERASE (EC 2.7.7.2) (FAD PYROPHOSPHORYLASE) (FAD SYNTHETASE).//1.3e-07:127:36//CORYNEBACTERIUM AMMONIAGENES (BREVIBACTERIUM AMMONIAGENES).//Q59263
- 45 F-PLACE1006754//CARCINOEMBRYONIC ANTIGEN CGM1 PRECURSOR (CD66D ANTIGEN).//1.9e-19:78:53//HOMO SAPIENS (HUMAN).//P40198
 F-PLACE1006760//COLLAGEN ALPHA 1(III) CHAIN (FRAGMENT).//0.21:107:30//RATTUS NORVEGICUS (RAT).//P13941
- 50 F-PLACE1006779//CYTOTOXIN 5 (CTXV).//1.0:20:30//NAJA MOSSAMBICA (MOZAMBIQUE COBRA).//P25517
 F-PLACE1006782//ZINC FINGER PROTEIN 1.//0.00052:178:28//CANDIDA ALBICANS (YEAST).//P28875
 F-PLACE1006792
 F-PLACE1006795//VOLTAGE-GATED POTASSIUM CHANNEL PROTEIN SHAW (SHAW2).//1:0:80:30//DROSOPHILA MELANOGASTER (FRUIT FLY).//P17972
- 55 F-PLACE1006800//HYPOTHETICAL 9.4 KD PROTEIN.//0.99:62:33//VACCINIA VIRUS (STRAIN COPENHAGEN).//P20569
 F-PLACE1006805

- F-PLACE1006815//HYPOTHETICAL PROTEIN UL61.//0.038:146:32//HUMAN CYTOMEGALOVIRUS (STRAIN AD169).//P16818
- F-PLACE1006819//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//7.3e-98:239:76//HOMO SAPIENS (HUMAN).//P08547
- 5 F-PLACE1006829//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 8 (EC 3.1.2.15) (UBIQUITIN THIOLESTERASE 8) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 8) (DEUBIQUITINATING ENZYME 8).//0.061:34:58//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P50102
- F-PLACE1006860
- F-PLACE1006867
- 10 F-PLACE1006878//HYPOTHETICAL 8.2 KD PROTEIN IN MOBL 3'REGION (ORF 3).//0.85:27:37//THIOBACILLUS FERROOXIDANS.//P20087
- F-PLACE1006883//VITAMIN D3 RECEPTOR (VDR) (1,25-DIHYDROXYVITAMIN D3 RECEPTOR).//0.78:51:37//MUS MUSCULUS (MOUSE).//P48281
- F-PLACE1006901//HYPOTHETICAL 8.1 KD PROTEIN.//0.99:55:23//VACCINIA VIRUS (STRAIN COPENHAGEN).//P20567
- 15 F-PLACE1006904//MATING-TYPE LOCUS ALLELE B1 PROTEIN.//0.95:86:26//USTILAGO MAYDIS (SMUT FUNGUS).//P22015
- F-PLACE1006917//HYPOTHETICAL 40.9 KD PROTEIN C08B11.5 IN CHROMOSOME II.//6.9e-15:101:45//CAENORHABDITIS ELEGANS.//Q09442
- 20 F-PLACE1006932//HISTIDINE-RICH, METAL BINDING POLYPEPTIDE.//0.089:28:39//HELICOBACTER PYLORI (CAMPYLOBACTER PYLORI).//Q48251
- F-PLACE1006935//HYPOTHETICAL 95.2 KD PROTEIN R144.6 IN CHROMOSOME III.//0.93:35:48//CAENORHABDITIS ELEGANS.//Q10000
- F-PLACE1006956//TRANSCRIPTION INITIATION FACTOR TFIID 135 KD SUBUNIT (TAFII-135) (TAFII135) (TAFII-130) (TAFII130).//0.00079:122:36//HOMO SAPIENS (HUMAN).//O00268
- 25 F-PLACE1006958//OSMOTIC STRESS PROTEIN 94 (HEAT SHOCK 70-RELATED PROTEIN APG-1).//8.8e-70:140:98//MUS MUSCULUS (MOUSE).//P48722
- F-PLACE1006961
- F-PLACE1006962//APOLIPOPROTEIN C-I PRECURSOR (APO-C1).//1.0:25:40//PAPIO HAMADRYAS (HAMADRYAS BABOON).//P34929
- 30 F-PLACE1006966//HYPOTHETICAL 49.1 KD PROTEIN IN SSB2-SPX18 INTERGENIC REGION.//1.6e-47:221:45//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P40160
- F-PLACE1006989//HYPOTHETICAL 13.1 KD HIT-LIKE PROTEIN IN P37 5'REGION.//0.15:46:32//MYCOPLASMA HYORHINIS.//P32083
- 35 F-PLACE1007014//36 KD NUCLEOLAR PROTEIN HNP36 (DELAYED-EARLY RESPONSE PROTEIN 12) (DER12).//3.4e-09:120:29//HOMO SAPIENS (HUMAN).//Q14542
- F-PLACE1007021//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!//0.00046:42:59//HOMO SAPIENS (HUMAN).//P39188
- F-PLACE1007045//HYPOTHETICAL PROTEIN ORF-1137.//8.1e-14:115:35//MUS MUSCULUS (MOUSE).//P11260
- 40 F-PLACE1007053//SMALL PROLINE RICH PROTEIN II (SPR-II) (CLONE 930).//0.038:48:39//HOMO SAPIENS (HUMAN).//P22531
- F-PLACE1007068//PROTEIN-LYSINE 6-OXIDASE PRECURSOR (EC 1.4.3.13) (LYSYL OXIDASE).//0.0040:113:39//GALLUS GALLUS (CHICKEN).//Q05063
- 45 F-PLACE1007097//HYPOTHETICAL 6.8 KD PROTEIN IN HE65-PK2 INTERGENIC REGION.//0.97:47:29//AUTOGRAPHAL CALIFORNICA NUCLEAR POLYHEDROSIS VIRUS (ACMNPV).//P41663
- F-PLACE1007105//HYPOTHETICAL 83.6 KD PROTEIN C15A10.10 IN CHROMOSOME L//2.9e-33:219:37//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//O13730
- F-PLACE1007111
- 50 F-PLACE1007112//HYPOTHETICAL 9.2 KD PROTEIN.//0.47:75:28//ESCHERICHIA COLI.//P03853
- F-PLACE1007132//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!//1.8e-11:56:57//HOMO SAPIENS (HUMAN).//P39188
- F-PLACE1007140//GAR2 PROTEIN.//0.72:185:24//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//P41891
- 55 F-PLACE1007178//HYPOTHETICAL 8.5 KD PROTEIN CY274.40C.//0.97:79:30//MYCOBACTERIUM TUBERCULOSIS.//Q10826
- F-PLACE1007226//HYPOTHETICAL 42.6 KD PROTEIN IN GSHB-ANSB INTERGENIC REGION (O378).//1.9e-15:123:32//ESCHERICHIA COLI.//P52062

F-PLACE1007238//MYOSIN HEAVY CHAIN IB (MYOSIN HEAVY CHAIN IL).//5.5e-10:98:44//ACANTHAMOEBA
 CASTELLANII (AMOEBA).//P19706
 F-PLACE1007239//TRANSCRIPTION ELONGATION FACTOR S-II (TRANSCRIPTION ELONGATION FACTOR
 A).//3.9e-19:96:57//HOMO SAPIENS (HUMAN).//P23193
 5 F-PLACE1007242//GUANINE NUCLEOTIDE DISSOCIATION STIMULATOR RALGDS FORM B (RALGEF).//1.0:
 132:30//RATTUS NORVEGICUS (RAT).//Q03386
 F-PLACE1007243//HYPOTHETICAL 53.3 KD PROTEIN IN HXT8-CAN1 INTERGENIC REGION.//0.041:114:29//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P39981
 F-PLACE1007257//DIAPHANOUS PROTEIN.//1.3e-42:205:46//DROSOPHILA MELANOGASTER (FRUIT
 10 FLY).//P48608
 F-PLACE1007274//CADMIUM-METALLOTHIONEIN (CD-MT).//0.054:60:30//HELIX POMATIA (ROMAN SNAIL)
 (EDIBLE SNAIL).//P33187
 F-PLACE1007276//BETA-DEFENSIN 1 PRECURSOR (RHBD-1) (DEFENSIN, BETA 1).//1.0:42:28//SUS SCRO-
 FA (PIG).//O62697
 15 F-PLACE1007282//OUTER CAPSID PROTEIN VP4 (HEMAGGLUTININ) (OUTER LAYER PROTEIN VP4) [CON-
 TAINS: OUTER CAPSID PROTEINS VP5 AND VP8].//0.070:126:27//HUMAN ROTAVIRUS (SEROTYPE 4 /
 STRAIN ST. THOMAS 3).//P11200
 F-PLACE1007286
 F-PLACE1007301//HYPOTHETICAL PROTEIN KIAA0168.//0.042:61:39//HOMO SAPIENS (HUMAN).//P50749
 20 F-PLACE1007317
 F-PLACE1007342//PROTEIN GRAINY-HEAD (DNA-BINDING PROTEIN ELF-1) (ELEMENT I-BINDING ACTIV-
 ITY) (TRANSCRIPTION FACTOR NTF-1).//1.7e-06:77:36//DROSOPHILA MELANOGASTER (FRUIT FLY).//
 P13002
 F-PLACE1007346//TRANSCRIPTION INTERMEDIARY FACTOR 1-BETA (KRAB-A INTERACTING PROTEIN)
 25 (KRIP-1).//0.0026:147:27//MUS MUSCULUS (MOUSE).//Q62318
 F-PLACE1007367//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!//1.3e-37:110:76//HOMO SAPIENS (HU-
 MAN).//P39189
 F-PLACE1007375//PHORBOL ESTER/DIACYLGLYCEROL-BINDING PROTEIN UNC-13.//4.7e-07:71:39//
 CAENORHABDITIS ELEGANS.//P27715
 30 F-PLACE1007386//HYPOTHETICAL 7.6 KD PROTEIN IN FLO1-PHO11 INTERGENIC REGION.//0.74:48:29//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P39561
 F-PLACE1007402//TRANSCRIPTIONAL REGULATORY PROTEIN ENTR (ENTERICIDIN R).//0.99:63:36//CIT-
 ROBACTER FREUNDII.//O69280
 F-PLACE1007409//WHITE PROTEIN.//7.9e-38:179:41//DROSOPHILA MELANOGASTER (FRUIT FLY).//
 35 P10090
 F-PLACE1007416//DIPEPTIDYL PEPTIDASE IV (EC 3.4.14.5) (DPP IV) (T-CELL ACTIVATION ANTIGEN CD26)
 (TP103) (ADENOSINE DEAMINASE COMPLEXING PROTEIN-2) (ADABP).//0.031:159:23//HOMO SAPIENS
 (HUMAN).//P27487
 F-PLACE1007450//ZINC FINGER PROTEIN 39 (ZINC FINGER PROTEIN KOX27) (FRAGMENT).//0.023:36:50//
 40 HOMO SAPIENS (HUMAN).//P17038
 F-PLACE1007452//HYPOTHETICAL 22.1 KD PROTEIN IN CCP1-MET1 INTERGENIC REGION.//2.2e-18:85:
 54//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P36149
 F-PLACE1007454//PHOTOSYSTEM II REACTION CENTRE N PROTEIN.//0.66:13:53//CHLAMYDOMONAS RE-
 INHARDTII.//Q06480
 45 F-PLACE1007460//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L).//0.93:45:33//SUS SCROFA (PIG).//Q35914
 F-PLACE1007478//RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE
 (EC 2.7.7.49); ENDONUCLEASE].//5.3e-08:50:56//MUS MUSCULUS (MOUSE).//P11369
 F-PLACE1007484//HYPOTHETICAL 6.8 KD PROTEIN IN REPLICATION ORIGIN REGION.//0.87:43:37//ES-
 CHERICHIA COLI.//P03849
 50 F-PLACE1007488//PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR (RHO/RAC GEF) (FA-
 CIOGENITAL DYSPLASIA PROTEIN).//1.2e-25:202:31//HOMO SAPIENS (HUMAN).//P98174
 F-PLACE1007507//HYPOTHETICAL 16.0 KD PROTEIN IN TAF60-G4P1 INTERGENIC REGION.//0.12:128:25//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53139
 F-PLACE1007511//KERATIN, TYPE I CYTOSKELETAL 19 (CYTOKERATIN 19) (K19) (CK 19).//2.1e-45:209:48//
 55 BOS TAURUS (BOVINE).//P08728
 F-PLACE1007524//HYPOTHETICAL 9.2 KD PROTEIN.//0.74:80:30//VACCINIA VIRUS (STRAIN COPENHA-
 GEN).//P20550
 F-PLACE1007525

F-PLACE1007537//MYOTROPHIN (V-1 PROTEIN) (GRANULE CELL DIFFERENTIATION PROTEIN).//0.045:92:
 30//MUS MUSCULUS (MOUSE), AND RATTUS NORVEGICUS (RAT).//P80144
 F-PLACE1007544//IMMEDIATE-EARLY PROTEIN IE180.//1.5e-07:59:50//PSEUDORABIES VIRUS (STRAIN
 KAPLAN) (PRV).//P33479
 5 F-PLACE1007547//HYPOTHETICAL 97.1 KD PROTEIN R05D3.4 IN CHROMOSOME III.//2.5e-16:188:34//
 CAENORHABDITIS ELEGANS.//P34537
 F-PLACE1007557
 F-PLACE1007583//PROLINE RICH 33 KD EXTENSIN-RELATED PROTEIN PRECURSOR (FRAGMENT).//0.98:
 72:33//DAUCUS CAROTA (CARROT) .//P06600
 10 F-PLACE1007598//ZINC FINGER PROTEIN 92 (ZINC FINGER PROTEIN HTF12) (FRAGMENT).//1.7e-11:88:
 43//HOMO SAPIENS (HUMAN).//Q03936
 F-PLACE1007618//ANION EXCHANGE PROTEIN 2 (NON-ERYTHROID BAND 3-LIKE PROTEIN) (B3RP).//0.19:
 109:27//MUS MUSCULUS (MOUSE).//P13808
 F-PLACE1007621//PHOSPHATE REGULON SENSOR PROTEIN PHOR (EC 2.7.3.-) (FRAGMENT).//0.98:34:
 15 41//PSEUDOMONAS AERUGINOSA.//P23621
 F-PLACE1007632//COLLAGEN ALPHA 2(I) CHAIN (FRAGMENT).//0.70:110:34//BOS TAURUS (BOVINE).//
 P02465
 F-PLACE1007645//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L).//0.99:20:45//STRUTHIO CAMELUS (OS-
 TRICH).//O21401
 20 F-PLACE1007649//GLUCOAMYLASE S1/S2 PRECURSOR (EC 3.2.1.3) (GLUCAN 1,4-ALPHA- GLUCOSI-
 DASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE).//8.1e-06:197:26//SACCHAROMYCES CEREVISIAE
 (BAKER'S YEAST).//P08640
 F-PLACE1007677//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!//1.0:47:46//HOMO SAPIENS (HUMAN).//
 P39192
 25 F-PLACE1007688//LA PROTEIN HOMOLOG (LA RIBONUCLEOPROTEIN) (LA AUTOANTIGEN HOMOLOG).//
 2.7e-06:116:28//AEDES ALBOPICTUS (FOREST DAY MOSQUITO).//Q26457
 F-PLACE1007690//SPERM PROTAMINE P1.//0.12:26:50//TACHYGLOSSUS ACULEATUS ACULEATUS (AUS-
 TRALIAN ECHIDNA).//P35311
 F-PLACE1007697//SPERM PROTAMINE P1.//0.19:34:52//DIDELPHIS MARSUPIALIS VIRGINIANA (NORTH
 30 AMERICAN OPOSSUM), AND MONODELPHIS DOMESTICA (SHORT-TAILED GREY OPOSSUM).//P35305
 F-PLACE1007705//BIOH PROTEIN.//0.015:97:29//ESCHERICHIA COLI.//P13001
 F-PLACE1007706//HYPOTHETICAL 112.2 KD PROTEIN IN TIF35-NPL3 INTERGENIC REGION (ORF1).//5.3e-
 55:190:56//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P32898
 F-PLACE1007725
 35 F-PLACE1007729//PROTEASE (EC 3.4.23.-).//1.8e-21:136:42//MOUSE MAMMARY TUMOR VIRUS (STRAIN
 BR6).//P10271
 F-PLACE1007730//SALIVARY PROLINE-RICH PROTEIN II-1 (FRAGMENT).//0.0031:77:40//HOMO SAPIENS
 (HUMAN).//P81489
 F-PLACE1007737//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!//0.78:39:56//HOMO SAPIENS (HUMAN).//
 40 P39195
 F-PLACE1007743
 F-PLACE1007746//RRP5 PROTEIN HOMOLOG (KIAA0185) (FRAGMENT).//0.0066:168:25//HOMO SAPIENS
 (HUMAN).//Q14690
 F-PLACE1007791//KRUEPPEL PROTEIN (FRAGMENT).//0.62:17:41//LITHOBIUS FORFICATUS.//Q01872
 45 F-PLACE1007807//HYPOTHETICAL 6.4 KD PROTEIN IN BLTR-SPOIIC INTERGENIC REGION.//1.0:40:30//BA-
 CILLUS SUBTILIS.//P54446
 F-PLACE1007810//ANTHOPLEURIN A (TOXIN AP-A).//0.79:28:46//ANTHOPLEURA XANTHOGRAMMICA (GI-
 ANT GREEN SEA ANEMONE).//P01530
 F-PLACE1007829//SPORE COAT PROTEIN G.//1.0:65:38//BACILLUS SUBTILIS.//P39801
 50 F-PLACE1007843
 F-PLACE1007846//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//1.5e-32:37:94//HOMO SAPIENS (HU-
 MAN).//P08547
 F-PLACE1007852//RHO-RELATED GTP-BINDING PROTEIN RHOH (GTP-BINDING PROTEIN TTF).//8.7e-05:
 138:30//HOMO SAPIENS (HUMAN).//Q15669
 55 F-PLACE1007858//ANAPHASE SPINDLE ELONGATION PROTEIN.//0.0039:127:25//SACCHAROMYCES CER-
 EVISIAE (BAKER'S YEAST).//P50275
 F-PLACE1007866
 F-PLACE1007877

F-PLACE1007897//CD44 ANTIGEN PRECURSOR (PHAGOCYtic GLYCOPROTEIN I) (PGP-1) (HUTCH-I) (EX-
TRACELLULAR MATRIX RECEPTOR-III) (ECMR-III) (GP90 LYMPHOCYTE HOMING/ADHESION RECEPTOR)
(HERMES ANTIGEN) (HYALURONATE RECEPTOR) (HEPARAN SULFATE PROTEOGLYCAN) (HAM1 ANTI-
GEN).//0.44:128:28//MESOCRICETUS AURATUS (GOLDEN HAMSTER).//Q60522

5 F-PLACE1007908//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!//5.5e-28:61:65//HOMO SAPIENS (HUMAN).//
P39192

F-PLACE1007946//HYPOTHETICAL MERCURIC RESISTANCE PROTEIN MERC.//0.84:48:37//PSEU-
DOMONAS AERUGINOSA.//P04139

10 F-PLACE1007954//HYPOTHETICAL 45.5 KD PROTEIN IN FIG1-GIP1 INTERGENIC REGION.//0.00070:96:29//
SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38226

F-PLACE1007955//HYPOTHETICAL 84.3 KD PROTEIN ZK945.10 IN CHROMOSOME II.//0.00027:255:23//
CAENORHABDITIS ELEGANS.//Q09625

F-PLACE1007958//HIGH-AFFINITY CAMP-SPECIFIC 3',5'-CYCLIC PHOSPHODIESTERASE (EC 3.1.4.17).//
1.7e-09:127:30//MUS MUSCULUS (MOUSE).//P70453

15 F-PLACE1007969//HYPOTHETICAL 24.1 KD PROTEIN IN LEF4-P33 INTERGENIC REGION.//2.4e-05:104:37//
AUTOGRAPHIA CALIFORNICA NUCLEAR POLYHEDROSIS VIRUS (ACMNPV).//P41479

F-PLACE1007990//SPERM PROTAMINE P1.//0.78:36:47//ORNITHORHYNCHUS ANATINUS (DUCKBILL PLAT-
YPUS).//P35307

20 F-PLACE1008000//CHANNEL ASSOCIATED PROTEIN OF SYNAPSE-110 (CHAPSYN-110) (SYNAPTIC DEN-
SITY PROTEIN PSD-93).//1.2e-16:128:39//RATTUS NORVEGICUS (RAT).//Q63622

F-PLACE1008002

F-PLACE1008044//NUCLEAR PORE COMPLEX PROTEIN NUP107 (NUCLEOPORIN NUP107) (107 KD NU-
CLEOPORIN) (P105).//3.9e-106:208:93//RATTUS NORVEGICUS (RAT).//P52590

25 F-PLACE1008045//COLLAGEN ALPHA 1(XII) CHAIN (FRAGMENTS).//3.9e-09:49:53//BOS TAURUS (BO-
VINE).//P25508

F-PLACE1008080//RNA REPLICASE POLYPROTEIN (EC 2.7.7.48).//0.00025:100:27//EGGPLANT MOSAIC VI-
RUS.//P20126

F-PLACE1008095//PROTOPORPHYRINOGEN OXIDASE (EC 1.3.3.4) (PPO).//0.90:74:25//MYCOBACTERIUM
TUBERCULOSIS.//O53230

30 F-PLACE1008111//HYPOTHETICAL PROTEIN MJEC512.//0.30:38:42//METHANOCOCCUS JANNASCHII.//
Q60311

F-PLACE1008122//PEA2 PROTEIN (PPF2 PROTEIN).//0.0085:117:34//SACCHAROMYCES CEREVISIAE
(BAKER'S YEAST).//P40091

35 F-PLACE1008129//PROCOLLAGEN ALPHA 2(I) CHAIN PRECURSOR (FRAGMENTS).//1.8e-06:154:36//GAL-
LUS GALLUS (CHICKEN).//P02467

F-PLACE1008132//HYPOTHETICAL 127.4 KD PROTEIN F07F6.4 IN CHROMOSOME III.//1.4e-13:227:36//
CAENORHABDITIS ELEGANS.//Q09531

F-PLACE1008177//TRICHOHYALIN.//2.7e-10:230:26//OVIS ARIES (SHEEP).//P22793

F-PLACE1008181

40 F-PLACE1008198//SKIN SECRETORY PROTEIN XP2 PRECURSOR (APEG PROTEIN).//0.00044:121:34//
XENOPUS LAEVIS (AFRICAN CLAWED FROG).//P17437

F-PLACE1008201//ZINC FINGER PROTEIN ZFMSA12A.//3.0e-05:82:37//MICROPTERUS SALMOIDES
(LARGEMOUTH BASS).//P38621

45 F-PLACE1008209//METALLOTHIONEIN-I (MT-I).//0.95:39:35//CERCOPITHECUS AETHIOPS (GREEN MON-
KEY) (GRIVET).//P02797

F-PLACE1008231//PROCYCLIC FORM SPECIFIC POLYPEPTIDE B1-ALPHA PRECURSOR (PROCYCLIN)
(PARP).//0.028:23:52//TRYPANOSOMA BRUCEI BRUCEI.//P08469

F-PLACE1008244//VEGETATIBLE INCOMPATIBILITY PROTEIN HET-E-1.//2.2e-23:148:38//PODOSPORA AN-
SERINA.//Q00808

50 F-PLACE1008273//COATOMER GAMMA SUBUNIT (GAMMA-COAT PROTEIN) (GAMMA-COP).//1.1e-97:222:
81//BOS TAURUS (BOVINE).//P53620

F-PLACE1008275//DNA REPAIR PROTEIN REV1 (EC 2.7.7.-).//5.8e-20:161:37//SACCHAROMYCES CEREVI-
SIAE (BAKER'S YEAST).//P12689

55 F-PLACE1008280//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//6.1e-23:124:42//HOMO SAPIENS (HU-
MAN).//P08547

F-PLACE1008309//HYPOTHETICAL 98.3 KD PROTEIN C9G1.06C IN CHROMOSOME I.//0.47:99:37//
SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//O14302

F-PLACE1008329//PUTATIVE Z PROTEIN.//0.73:52:28//OVIS ARIES (SHEEP).//P08105

F-PLACE1008330!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/9.0e-37:75:81//HOMO SAPIENS (HUMAN).//
 P39194
 F-PLACE1008331!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/4.1e-08:70:50//HOMO SAPIENS (HUMAN).//
 P39188
 5 F-PLACE1008356//FRUIT PROTEIN PKIWI501.//0.0037:148:29//ACTINIDIA CHINENSIS (KIWI) (YANGTAO).//
 P43393
 F-PLACE1008368//RING CANAL PROTEIN (KELCH PROTEIN).//3.5e-18:205:30//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY).//Q04652
 F-PLACE1008369
 10 F-PLACE1008392
 F-PLACE1008398//GENE 33 POLYPEPTIDE.//1.5e-102:225:84//RATTUS NORVEGICUS (RAT).//P05432
 F-PLACE1008401//PROLINE-RICH PROTEIN MP-3 (FRAGMENT).//2.9e-08:186:34//MUS MUSCULUS
 (MOUSE).//P05143
 F-PLACE1008402//GENERAL VESICULAR TRANSPORT FACTOR P115 (TRANSCYTOSIS ASSOCIATED
 15 PROTEIN) (TAP).//9.4e-105:207:98//BOS TAURUS (BOVINE).//P41541
 F-PLACE1008405
 F-PLACE1008424//PROTEIN UL56.//1.0:65:33//HERPES SIMPLEX VIRUS (TYPE 1 / STRAIN HFEM).//P36297
 F-PLACE1008426//MYOSIN HEAVY CHAIN, NON-MUSCLE (ZIPPER PROTEIN) (MYOSIN II).//4.4e-05:185:28//
 DROSOPHILA MELANOGASTER (FRUIT FLY).//Q99323
 20 F-PLACE1008429//NEURONAL AXONAL MEMBRANE PROTEIN NAP-22.//0.00054:172:25//RATTUS NOR-
 VEGICUS (RAT).//Q05175
 F-PLACE1008437//HYPOTHETICAL 115.4 KD PROTEIN ZK757.3 IN CHROMOSOME III.//1.9e-23:226:34//
 CAENORHABDITIS ELEGANS.//P34681
 F-PLACE1008455//DNA-BINDING PROTEIN (AGNOPROTEIN).//0.97:23:52//BUDGERIGAR FLEDGLING DIS-
 25 EASE VIRUS (BFDV).//P13893
 F-PLACE1008457!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/2.1e-12:89:47//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE1008465//ZINC FINGER PROTEIN 31 (ZINC FINGER PROTEIN KOX29) (FRAGMENT).//0.00017:23:
 43//HOMO SAPIENS (HUMAN).//P17040
 30 F-PLACE1008488//HYPOTHETICAL PROTEIN UL61.//9.1e-05:204:30//HUMAN CYTOMEGALOVIRUS
 (STRAIN AD169).//P16818
 F-PLACE1008524//HOMEBOX PROTEIN HLX1 (HOMEBOX PROTEIN HB24).//0.95:74:36//HOMO SAPIENS
 (HUMAN).//Q14774
 F-PLACE1008531!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!/3.1e-05:86:45//HOMO SAPIENS (HUMAN).//
 35 P39192
 F-PLACE1008532//HYPOTHETICAL 36.4 KD PROTEIN IN SMP1-MBA1 INTERGENIC REGION.//3.9e-21:62:
 45//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38298
 F-PLACE1008533//HYPOTHETICAL 86.2 KD PROTEIN C4G8.04 IN CHROMOSOME I.//3.5e-06:118:29//
 SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09830
 40 F-PLACE1008568//NEURONATIN.//0.046:34:52//HOMO SAPIENS (HUMAN).//Q16517
 F-PLACE1008584//HUNCHBACK PROTEIN (FRAGMENT).//0.94:30:43//LITHOBIUS FORFICATUS.//Q02030
 F-PLACE1008603//NUCLEAR PORE COMPLEX PROTEIN NUP155 (NUCLEOPORIN NUP155) (155 KD NU-
 CLEOPORIN) (P140).//3.9e-123:224:96//RATTUS NORVEGICUS (RAT).//P37199
 F-PLACE1008621//B-CELL GROWTH FACTOR PRECURSOR (BCGF-12 KD).//5.0e-05:31:67//HOMO SAPIENS
 45 (HUMAN).//P20931
 F-PLACE1008625//DISAGREGIN (PLATELET AGGREGATION ACTIVATION INHIBITOR).//0.87:17:52//ORNI-
 THODOROS MOUBATA (SOFT TICK).//P36235
 F-PLACE1008626//METALLOTHIONEIN-I (MT-I).//0.77:33:36//SCYLLA SERRATA (MUD CRAB).//P02805
 F-PLACE1008627//METALLOTHIONEIN-III (MT-III) (GROWTH INHIBITORY FACTOR) (GIF) (GIFB).//0.14:44:
 50 31//HOMO SAPIENS (HUMAN).//P25713
 F-PLACE1008629
 F-PLACE1008630//PROTAMINE Z3 (SCYLLIORHININE Z3).//0.78:33:36//SCYLLIORHINUS CANICULA (SPOT-
 TED DOGFISH) (SPOTTED CATSHARK).//P30258
 F-PLACE1008643//INTER-ALPHA-TRYPSIN INHIBITOR HEAVY CHAIN H4 PRECURSOR (ITI HEAVY CHAIN
 55 H4) (INTER-ALPHA-TRYPSIN INHIBITOR FAMILY HEAVY CHAIN-RELATED PROTEIN) (PLASMA KALLIKREIN
 SENSITIVE GLYCOPROTEIN 120) (PK-120).//1.7e-30:220:41//HOMO SAPIENS (HUMAN).//Q14624
 F-PLACE1008650//PP1/PP2A PHOSPHATASES PLEIOTROPIC REGULATOR PRL1.//2.5e-10:106:31//ARABI-
 DOPSIS THALIANA (MOUSE-EAR CRESS).//Q42384

F-PLACE1008693//BOWMAN-BIRK TYPE PROTEINASE INHIBITOR (MSTI).//1.0:36:38//MEDICAGO SCUTEL-
 LATA (SNAIL MEDIC).//P80321
 F-PLACE1008696//NADH-UBIQUINONE OXIDOREDUCTASE 23 KD SUBUNIT PRECURSOR (EC 1.6.5.3) (EC
 1.6.99.3) (COMPLEX I-23KD) (CI-23KD) (TYKY SUBUNIT).//4.8e-14:47:80//HOMO SAPIENS (HUMAN).//
 5 O00217
 F-PLACE1008715//HYPOTHETICAL 13.4 KD PROTEIN IN ACT5-YCK1 INTERGENIC REGION.//0.66:105:24//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38834
 F-PLACE1008748//HYPOTHETICAL 57.5 KD PROTEIN IN VMA7-RPS25A INTERGENIC REGION.//0.10:178:
 26//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53214
 10 F-PLACE1008757//HYPOTHETICAL 10.1 KD PROTEIN IN RHSD-GCL INTERGENIC REGION (ORFD3).//0.60:
 44:34//ESCHERICHIA COLI.//P33669
 F-PLACE1008790//IMPORTIN ALPHA-6 SUBUNIT (KARYOPHERIN ALPHA-6 SUBUNIT) (IMPORTIN ALPHA
 S2).//3.0e-69:191:80//MUS MUSCULUS (MOUSE).//O35345
 F-PLACE1008798//BACTERIOCIN LACTOBIN A.//1.0:34:41//LACTOBACILLUS AMYLOVORUS.//P80696
 15 F-PLACE1008807//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//0.91:77:36//HOMO SAPIENS (HU-
 MAN).//P08547
 F-PLACE1008808//REC1 PROTEIN.//0.45:39:30//USTILAGO MAYDIS (SMUT FUNGUS).//P14746
 F-PLACE1008813
 F-PLACE1008851//VERY HYPOTHETICAL 11.8 KD PROTEIN IN KTR3-DUR1,2 INTERGENIC REGION.//1.0:
 20 62:30//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38309
 F-PLACE1008854//HYPOTHETICAL 182.0 KD PROTEIN IN NMD5-HOM6 INTERGENIC REGION.//1.0:82:26//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P47170
 F-PLACE1008867//PATATIN T5 PRECURSOR (POTATO TUBER PROTEIN).//0.65:61:36//SOLANUM TUBERO-
 SUM (POTATO).//P15478
 25 F-PLACE1008887//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//1.5e-56:180:54//NYCTICEBUS COU-
 CANG (SLOW LORIS).//P08548
 F-PLACE1008902
 F-PLACE1008920
 F-PLACE1008925//HYPOTHETICAL 41.2 KD PROTEIN IN GAPA-RND INTERGENIC REGION.//0.90:77:33//ES-
 30 CHERICHIA COLI.//P76242
 F-PLACE1008934//HYPOTHETICAL PROTEIN IN ADHS 5'REGION (ORF3) (FRAGMENT).//0.14:77:45//GLU-
 CONOBACTER SUBOXYDANS.//O05543
 F-PLACE1008941//ZINC FINGER PROTEIN 141.//1.1e-17:45:95//HOMO SAPIENS (HUMAN).//Q15928
 F-PLACE1008947//MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B).//4.1e-
 35 14:136:39//MUS MUSCULUS (MOUSE).//P27790
 F-PLACE1009020//ANNEXIN VII (SYNEXIN) (FRAGMENT).//0.74:37:48//BOS TAURUS (BOVINE).//P20072
 F-PLACE1009027//NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4L (EC 1.6.5.3).//0.39:57:36//BALAENOP-
 TERA MUSCULUS (BLUE WHALE).//P41301
 F-PLACE1009039
 40 F-PLACE1009045//HYPOTHETICAL 9.5 KD PROTEIN IN SPEA-METK INTERGENIC REGION (F83).//0.48:32:
 43//ESCHERICHIA COLI.//P46879
 F-PLACE1009048
 F-PLACE1009050
 F-PLACE1009060//HYPOTHETICAL 98.3 KD PROTEIN R10E12.1 IN CHROMOSOME III.//4.9e-23:244:31//
 45 CAENORHABDITIS ELEGANS.//P34552
 F-PLACE1009090//50S RIBOSOMAL PROTEIN L35.//1.0:27:51//MYCOPLASMA GENITALIUM.//P47439
 F-PLACE1009091
 F-PLACE1009094//NEL-LIKE PROTEIN (FRAGMENT).//3.6e-15:180:30//HOMO SAPIENS (HUMAN).//Q92832
 F-PLACE1009099//ZINC FINGER PROTEIN 27 (ZFP-27) (MKR4 PROTEIN) (FRAGMENT).//1.4e-94:228:71//
 50 MUS MUSCULUS (MOUSE).//P10077
 F-PLACE1009110//HIRUDIN HV1 (BUFRUDIN).//1.0:49:34//HIRUDINARIA MANILLENSIS (BUFFALO LEECH).//
 P81492
 F-PLACE1009111//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!//1.4e-05:30:83//HOMO SAPIENS (HUMAN).//
 P39195
 55 F-PLACE1009113//ANNEXIN VII (SYNEXIN) (FRAGMENT).//0.032:40:52//BOS TAURUS (BOVINE).//P20072
 F-PLACE1009130//HYPOTHETICAL PROTEIN KIAA0032.//3.3e-37:214:38//HOMO SAPIENS (HUMAN).//
 Q15034
 F-PLACE1009150//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!//1.6e-32:56:76//HOMO SAPIENS (HUMAN).//

P39195
 F-PLACE1009155/////ALU SUBFAMILY SQ WARNING ENTRY !!!!!/1.2e-17:101:57//HOMO SAPIENS (HUMAN).//P39194
 5 F-PLACE1009158//HYPOTHETICAL PROTEIN HKRFX (J11).//0.0058:73:42//HUMAN CYTOMEGALOVIRUS (STRAIN AD169).//P09711
 F-PLACE1009166//CYTOSOLIC PURINE 5'-NUCLEOTIDASE (EC 3.1.3.5).//0.0086:96:30//HOMO SAPIENS (HUMAN).//P49902
 F-PLACE1009172//HYPOTHETICAL 8.7 KD PROTEIN IN GAPA-RND INTERGENIC REGION.//1.0:19:52//ESCHERICHIA COLI.//P76246
 10 F-PLACE1009174/////ALU SUBFAMILY SQ WARNING ENTRY !!!!!/3.1e-17:47:82//HOMO SAPIENS (HUMAN).//P39194
 F-PLACE1009183
 F-PLACE1009186//HYPOTHETICAL 11.4 KD PROTEIN C13G6.04 IN CHROMOSOME I.//0.019:62:24//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09783
 15 F-PLACE1009190//PALMITOYL-COA HYDROLASE (EC 3.1.2.2) (LONG-CHAIN FATTY-ACYL-COA HYDROLASE) (FRAGMENT).//0.027:53:28//RATTUS NORVEGICUS (RAT).//P80250
 F-PLACE1009200/////ALU SUBFAMILY SQ WARNING ENTRY !!!!!/5.4e-28:84:71//HOMO SAPIENS (HUMAN).//P39194
 F-PLACE1009230/////ALU SUBFAMILY SB WARNING ENTRY !!!!!/2.8e-12:50:74//HOMO SAPIENS (HUMAN).//P39189
 20 F-PLACE1009246//UBIQUINOL-CYTOCHROME C REDUCTASE COMPLEX 7.8 KD PROTEIN (EC 1.10.2.2) (MITOCHONDRIAL HINGE PROTEIN) (CR7).//1.0:17:52//SOLANUM TUBEROSUM (POTATO).//P48504
 F-PLACE1009298//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS35.//6.6e-41:177:53//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P34110
 25 F-PLACE1009308//KERATIN, ULTRA HIGH-SULFUR MATRIX PROTEIN (UHS KERATIN).//0.00034:108:33//HOMO SAPIENS (HUMAN).//P26371
 F-PLACE1009319//PRESYNAPTIC DENSITY PROTEIN 95 (PSD-95).//5.3e-16:84:50//HOMO SAPIENS (HUMAN).//P78352
 F-PLACE1009328//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//6.9e-82:263:67//HOMO SAPIENS (HUMAN).//P08547
 30 F-PLACE1009335//60S RIBOSOMAL PROTEIN L32.//0.95:71:36//HOMO SAPIENS (HUMAN), MUS MUSCULUS (MOUSE), AND RATTUS NORVEGICUS (RAT).//P02433
 F-PLACE1009338//TRANSCRIPTION FACTOR HES-5 (HAIRY AND ENHANCER OF SPLIT 5).//0.90:42:40//MUS MUSCULUS (MOUSE).//P70120
 35 F-PLACE1009368//BASIC PROLINE-RICH PEPTIDE IB-1.//0.013:33:48//HOMO SAPIENS (HUMAN).//P04281
 F-PLACE1009375//HYPOTHETICAL 88.1 KD PROTEIN K02D10.1 IN CHROMOSOME III.//0.0022:135:21//CAENORHABDITIS ELEGANS.//P34492
 F-PLACE1009388/////ALU SUBFAMILY SX WARNING ENTRY !!!!!/4.8e-22:73:65//HOMO SAPIENS (HUMAN).//P39195
 40 F-PLACE1009398//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//8.1e-83:223:65//HOMO SAPIENS (HUMAN).//P51523
 F-PLACE1009404//GLUTENIN, HIGH MOLECULAR WEIGHT SUBUNIT PW212 PRECURSOR.//0.047:145:29//TRITICUM AESTIVUM (WHEAT).//P08489
 45 F-PLACE1009410//TOXIN C13S1C1 PRECURSOR.//0.22:21:47//DENDROASPIS ANGUSTICEPS (EASTERN GREEN MAMBA).//P18329
 F-PLACE1009434//NADH-UBIQUINONE OXIDOREDUCTASE SUBUNIT K (EC 1.6.5.3) (FRAGMENT).//0.81:61:29//ANTHOCEROS FORMOSAE.//Q31791
 F-PLACE1009443//SPLICEOSOME ASSOCIATED PROTEIN 62 (SAP 62) (SF3A66).//9.1e-05:93:32//MUS MUSCULUS (MOUSE).//Q62203
 50 F-PLACE1009444//PHOSPHATIDYLINOSITOL 4-KINASE ALPHA (EC 2.7.1.67) (PI4-KINASE) (PTDINS-4-KINASE) (PI4K-ALPHA).//6.4e-15:41:97//HOMO SAPIENS (HUMAN).//P42356
 F-PLACE1009459//HYPOTHETICAL 42.3 KD PROTEIN C12G12.11C IN CHROMOSOME I.//0.0011:119:31//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09874
 55 F-PLACE1009468//PHOSPHOLIPASE A-2-ACTIVATING PROTEIN (PLAP).//4.2e-34:101:75//RATTUS NORVEGICUS (RAT).//P54319
 F-PLACE1009476//DNA-BINDING P52/P100 COMPLEX, 100 KD SUBUNIT (FRAGMENTS).//0.086:21:52//HOMO SAPIENS (HUMAN).//P30808
 F-PLACE1009477

F-PLACE1009493//HYPOTHETICAL 127.3 KD PROTEIN B0416.1 IN CHROMOSOME X.//1.4e-18:138:39//
 CAENORHABDITIS ELEGANS.//Q11069
 F-PLACE1009524//ARF NUCLEOTIDE-BINDING SITE OPENER (ARNO PROTEIN) (ARF EXCHANGE FAC-
 TOR).//9.4e-80:155:85//HOMO SAPIENS (HUMAN).//Q99418
 5 F-PLACE1009539//GTP-BINDING NUCLEAR PROTEIN RAN/TC4.//1.0:76:26//GIARDIA LAMBLIA (GIARDIA IN-
 TESTINALIS).//P38543
 F-PLACE1009542//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/0.00016:31:77//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE1009571//ATP SYNTHASE B CHAIN (EC 3.6.1.34) (SUBUNIT I).//0.88:116:29//STREPTOCOCCUS
 10 PNEUMONIAE.//Q59952
 F-PLACE1009581//50S RIBOSOMAL PROTEIN L32.//0.00023:37:51//RHODOBACTER CAPSULATUS (RHO-
 DOPSEUDOMONAS CAPSULATA).//P30788
 F-PLACE1009595
 F-PLACE1009596//HYPOTHETICAL 40.4 KD TRP-ASP REPEATS CONTAINING PROTEIN C14B1.4 IN CHRO-
 15 MOSOME III.//2.1e-36:116:49//CAENORHABDITIS ELEGANS.//Q17963
 F-PLACE1009607//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/1.8e-43:73:69//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE1009613
 F-PLACE1009621//TRANSCRIPTION FACTOR BTF3 HOMOLOG 2.//0.91:29:44//HOMO SAPIENS (HUMAN).//
 20 Q13891
 F-PLACE1009622//MATERNAL EFFECT PROTEIN STAUFEN.//1.3e-22:132:47//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY).//P25159
 F-PLACE1009637//HYPOTHETICAL 18.1 KD PROTEIN IN CFXA 3'REGION.//0.30:28:57//BACTEROIDES VUL-
 GATUS.//P30905
 25 F-PLACE1009639//LIPASE MODULATOR PRECURSOR (LIPASE HELPER PROTEIN).//0.23:79:31//PSEU-
 DOMONAS AERUGINOSA.//Q04591
 F-PLACE1009659//MEMBRANE-ASSOCIATED PROTEIN HEM-2 (BRAIN PROTEIN H19) (MH19) (FRAG-
 MENT).//3.9e-126:227:96//MUS MUSCULUS (MOUSE).//P28660
 F-PLACE1009665//IG KAPPA CHAIN V-I REGION (HAU).//0.52:89:35//HOMO SAPIENS (HUMAN).//P01600
 30 F-PLACE1009670//CYCLOMALTODEXTRIN GLUCANOTRANSFERASE PRECURSOR (EC 2.4.1.19) (CYCLO-
 DEXTRIN-GLYCOSYLTRANSFERASE) (CGTASE).//0.16:114:29//PAENIBACILLUS MACERANS (BACILLUS
 MACERANS).//P31835
 F-PLACE1009708//HYPOTHETICAL 143.3 KD TRP-ASP REPEATS CONTAINING PROTEIN C12G12.13C IN
 CHROMOSOME I.//9.6e-19:156:36//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09876
 35 F-PLACE1009721//MSF1 PROTEIN.//7.7e-23:176:33//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//
 P35200
 F-PLACE1009731//AIG1 PROTEIN.//1.1e-09:91:43//ARABIDOPSIS THALIANA (MOUSE-EAR CRESS).//
 P54120
 F-PLACE1009763//HYPOTHETICAL 48.9 KD PROTEIN C24H6.12C IN CHROMOSOME I.//8.3e-42:171:51//
 40 SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09765
 F-PLACE1009794//C-HORDEIN (CLONE PC HOR1-3) (FRAGMENT).//0.99:36:33//HORDEUM VULGARE (BAR-
 LEY).//P17991
 F-PLACE1009798//HYPOTHETICAL PROTEIN C22F3.14C IN CHROMOSOME I (FRAGMENT).//2.6e-34:191:
 38//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09779
 45 F-PLACE1009845//WEB1 PROTEIN (PROTEIN TRANSPORT PROTEIN SEC31).//2.2e-19:190:33//SACCHA-
 ROMYCES CEREVISIAE (BAKER'S YEAST).//P38968
 F-PLACE1009861//CATHEPSIN B PRECURSOR (EC 3.4.22.1).//4.4e-20:171:33//BOS TAURUS (BOVINE).//
 P07688
 F-PLACE1009879//HYPOTHETICAL 8.7 KD PROTEIN IN RPL22-RPL23 INTERGENIC REGION (ORF70).//0.99:
 50 30:33//ASTASIA LONGA (EUGLENOPHYCEAN ALGA).//P34779
 F-PLACE1009886
 F-PLACE1009888//NONSTRUCTURAL POLYPROTEIN [CONTAINS: NONSTRUCTURAL PROTEIN NSP4]
 (FRAGMENT).//1.0:33:42//WESTERN EQUINE ENCEPHALITIS VIRUS.//P13896
 F-PLACE1009908//HYPOTHETICAL GTP-BINDING PROTEIN C3F10.16C IN CHROMOSOME I.//3.1e-42:205:
 55 46//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q10190
 F-PLACE1009921
 F-PLACE1009924//ATP SYNTHASE A CHAIN (EC 3.6.1.34) (PROTEIN 6).//0.70:128:29//TRYPANOSOMA BRU-
 CEI BRUCEI.//P24499

F-PLACE1009925//ATP SYNTHASE D CHAIN, MITOCHONDRIAL (EC 3.6.1.34).//0.99:111:27//SACCHAROMY-
 CES CEREVISIAE (BAKER'S YEAST).//P30902
 F-PLACE1009935//HYPOTHETICAL PROTEIN MJ0258.//0.063:75:32//METHANOCOCCUS JANNASCHII.//
 Q57706
 5 F-PLACE1009947//NEUROGRANIN (NG) (P17) (B-50 IMMUNOREACTIVE C-KINASE SUBSTRATE) (BICKS)
 (FRAGMENT).//0.33:51:45//BOS TAURUS (BOVINE).//P35722
 F-PLACE1009971//MIPP PROTEIN (MURINE IAP-PROMOTED PLACENTA-EXPRESSED PROTEIN).//0.022:
 84:27//MUS MUSCULUS (MOUSE).//P28575
 F-PLACE1009992//BONE MORPHOGENETIC PROTEIN 1 PRECURSOR (EC 3.4.24.-) (BMP-1).//0.00011:35:
 10 51//HOMO SAPIENS (HUMAN).//P13497
 F-PLACE1009995//TROPOMYOSIN, SMOOTH MUSCLE/FIBROBLAST CTM1.//0.052:185:22//CIONA INTESTI-
 NALIS.//Q07068
 F-PLACE1009997//TRANSCRIPTION ELONGATION FACTOR S-II (RNA POLYMERASE II ELONGATION FAC-
 TOR DMS-II) (TFIIS).//0.68:98:28//DROSOPHILA MELANOGASTER (FRUIT FLY).//P20232
 15 F-PLACE1010023//HYPOTHETICAL 83.8 K D PROTEIN C27F2.7 IN CHROMOSOME III.//6.6e-06:111:32//
 CAENORHABDITIS ELEGANS.//Q18262
 F-PLACE1010031//HYPOTHETICAL 24.1 K D PROTEIN IN LEF4-P33 INTERGENIC REGION.//0.0024:72:33//
 AUTOGRAPHA CALIFORNICA NUCLEAR POLYHEDROSIS VIRUS (ACMNPV).//P41479
 F-PLACE1010053//HYPOTHETICAL PROTEIN HI0593.//0.83:24:45//HAEMOPHILUS INFLUENZAE.//P44022
 20 F-PLACE1010069
 F-PLACE1010074//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS5.//0.00027:192:28//SAC-
 CHAROMYCES CEREVISIAE (BAKER'S YEAST).//Q92331
 F-PLACE1010076//HUNCHBACK PROTEIN (FRAGMENT).//0.80:39:30//SCIARA COPROPHILA (FUNGUS
 GNAT).//Q01790
 25 F-PLACE1010083//RHO-GAP HEMATOPOIETIC PROTEIN C1 (P115) (KIAA0131).//2.7e-48:177:46//HOMO SA-
 PIENS (HUMAN).//P98171
 F-PLACE1010089//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 11 (EC 3.1.2.15) (UBIQUITIN THI-
 OLESTERASE 11) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 13) (DEUBIQUITINATING ENZYME 11)
 (KIAA0055).//7.9e-07:55:43//HOMO SAPIENS (HUMAN).//P40818
 30 F-PLACE1010096//100 K D PROTEIN (EC 6.3.2.-).//1.0e-107:232:90//RATTUS NORVEGICUS (RAT).//Q62671
 F-PLACE1010102//DNA-DIRECTED RNA POLYMERASE SUBUNIT N (EC 2.7.7.6).//1.0:33:45//METHANOCOC-
 CUS JANNASCHII.//Q57649
 F-PLACE1010105//RING CANAL PROTEIN (KELCH PROTEIN).//1.2e-47:200:46//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY).//Q04652
 35 F-PLACE1010106//RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE
 (EC 2.7.7.49); ENDONUCLEASE].//1.2e-14:94:41//MUS MUSCULUS (MOUSE).//P11369
 F-PLACE1010134//HYPOTHETICAL 171.5 K D HELICASE IN NUT1-ARO2 INTERGENIC REGION.//4.0e-28:78:
 76//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53115
 F-PLACE1010148//GAR2 PROTEIN.//2.6e-05:180:26//SCHIZOSACCHAROMYCES POMBE (FISSION
 40 YEAST).//P41891
 F-PLACE1010152//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 64E (EC 3.1.2.15) (UBIQUITIN THI-
 OLESTERASE 64E) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 64E) (DEUBIQUITINATING ENZYME
 64E).//2.1e-59:227:54//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q24574
 F-PLACE1010181//MALE SPECIFIC SPERM PROTEIN MST87F.//0.39:12:58//DROSOPHILA MELANOGASTER
 45 (FRUIT FLY).//P08175
 F-PLACE1010194//SPLICING FACTOR, ARGININE/SERINE-RICH 2 (SPLICING FACTOR SC35) (SC-35)
 (SPLICING COMPONENT, 35 K D) (PR264 PROTEIN).//1.4e-07:95:43//GALLUS GALLUS (CHICKEN).//P30352
 F-PLACE1010202//TRISTETRAPROLINE (TTP) (TIS11A) (TIS11) (ZFP-36).//0.094:109:29//RATTUS NORVEGI-
 CUS (RAT).//P47973
 50 F-PLACE1010231//LANTIBIOTIC NISIN A PRECURSOR.//0.99:42:35//LACTOCOCCUS LACTIS (SUBSP. LAC-
 TIS) (STREPTOCOCCUS LACTIS).//P13068
 F-PLACE1010261//SEGREGATION DISTORTER PROTEIN.//6.0e-71:201:62//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY).//P25722
 F-PLACE1010270
 55 F-PLACE1010274//HYPOTHETICAL 16.2 K D PROTEIN C4F8.01 IN CHROMOSOME I.//4.4e-08:100:26//
 SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//O14177
 F-PLACE1010293//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//3.9e-26:94:64//HOMO SAPIENS (HUMAN).//
 P39188

F-PLACE1010310//SYNAPSINS IA AND IB.//5.7e-09:89:37//RATTUS NORVEGICUS (RAT).//P09951
 F-PLACE1010321//IMMEDIATE-EARLY PROTEIN IE180.//0.033:145:31//PSEUDORABIES VIRUS (STRAIN KA-
 PLAN) (PRV).//P33479
 5 F-PLACE1010324//MAST CELL DEGRANULATING PEPTIDE (MCDP) (MCD).//0.60:25:48//MEGABOMBUS
 PENNSYLVANICUS (AMERICAN COMMON BUMBLEBEE).//P04567
 F-PLACE1010329//TOXIN S5C10.//1.0:39:33//DENDROASPIS JAMESONI KAIMOSAE (EASTERN JAMESON'S
 MAMBA).//P01419
 F-PLACE1010341//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!//0.0049:49:55//HOMO SAPIENS (HUMAN).//
 P39189
 10 F-PLACE1010362//VARIANT-SURFACE-GLYCOPROTEIN PHOSPHOLIPASE C (EC 3.1.4.47) (VSG LIPASE)
 (GLYCOSYLPHOSPHATIDYLINOSITOL-SPECIFIC PHOSPHOLIPASE C) (GPI-PLC).//0.0034:89:30//
 TRYPANOSOMA CRUZI.//015886
 F-PLACE1010364//NADH-UBIQUINONE OXIDOREDUCTASE B17 SUBUNIT (EC 1.6.5.3) (EC 1.6.99.3) (COM-
 PLEX I-B17) (CI-B17).//1.0:40:35//SUS SCROFA (PIG).//Q29259
 15 F-PLACE1010383
 F-PLACE1010401//140 KD NUCLEOLAR PHOSPHOPROTEIN (NOPP140).//0.10:174:22//RATTUS NORVEGI-
 CUS (RAT).//P41777
 F-PLACE1010481//HYPOTHETICAL 71.9 KD PROTEIN B0285.5 IN CHROMOSOME III.//1.5e-21:170:35//
 CAENORHABDITIS ELEGANS.//P46555
 20 F-PLACE1010491//HYPOTHETICAL 13.5 KD PROTEIN IN MOB1-SGA1 INTERGENIC REGION.//1.0:31:41//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P40490
 F-PLACE1010492//HYPOTHETICAL 42.3 KD PROTEIN C12G12.11C IN CHROMOSOME I.//0.77:97:30//
 SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q09874
 F-PLACE1010522//SMALL PROLINE RICH PROTEIN II (SPR-II) (CLONE 930).//0.74:45:37//HOMO SAPIENS
 25 (HUMAN).//P22531
 F-PLACE1010529//DELTA 1-PYRROLINE-5-CARBOXYLATE SYNTHETASE (P5CS) [CONTAINS: GLUTAMATE
 5-KINASE (EC 2.7.2.11) (GAMMA-GLUTAMYL KINASE) (GK); GAMMA-GLUTAMYL PHOSPHATE REDUCTASE
 (GPR) (EC 1.2.1.41) (GLUTAMATE-5-SEMIALDEHYDE DEHYDROGENASE) (GLUTAMYL-GAMMA-SEMIAL-
 DEHYDE DEHYDROGENASE)].//0.70:58:39//VIGNA ACONITIFOLIA (MOTHBEAN).//P32296
 30 F-PLACE1010547//HYPOTHETICAL 31.0 KD PROTEIN IN BUD9-RME1 INTERGENIC REGION.//0.17:68:39//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53227
 F-PLACE1010562//CHLOROPLAST 50S RIBOSOMAL PROTEIN L33.//0.50:48:29//PORPHYRA PURPUREA.//
 P51255
 F-PLACE1010579//HYPOTHETICAL PROTEIN HI1571.//0.29:37:43//HAEMOPHILUS INFLUENZAE.//P44260
 35 F-PLACE1010580//PUTATIVE ATP-DEPENDENT RNA HELICASE C12C2.06.//3.3e-38:178:48//SCHIZOSAC-
 CHAROMYCES POMBE (FISSION YEAST).//Q09747
 F-PLACE1010599//PEROXISOMAL MEMBRANE PROTEIN PER10 (PEROXIN-14).//4.6e-17:192:31//PICHIA
 ANGUSTA (YEAST) (HANSENULA POLYMORPHA).//P78723
 F-PLACE1010616//HYPOTHETICAL 9.2 KD PROTEIN IN RNPA 3'REGION.//0.44:32:37//PSEUDOMONAS PUT-
 40 IDA.//P25753
 F-PLACE1010622//A-AGGLUTININ ATTACHMENT SUBUNIT PRECURSOR.//5.0e-06:102:42//SACCHAROMY-
 CES CEREVISIAE (BAKER'S YEAST).//P32323
 F-PLACE1010624//SALIVARY PROLINE-RICH PROTEIN PO (ALLELE K) [CONTAINS: PEPTIDE P-D] (FRAG-
 MENT).//0.00036:134:321//HOMO SAPIENS (HUMAN).//P10162
 45 F-PLACE1010628
 F-PLACE1010629//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//2.7e-12:37:81//HOMO SAPIENS (HUMAN).//
 P39194
 F-PLACE1010630
 F-PLACE1010631//WNT-5B PROTEIN (FRAGMENT).//0.49:62:30//EUMECES SKILTONIANUS (WESTERN
 50 SKINK).//P28118
 F-PLACE1010661//MATERNAL EXUPERANTIA 2 PROTEIN.//1.0:95:30//DROSOPHILA PSEUDOOBSCURA
 (FRUIT FLY).//Q24617
 F-PLACE1010662//UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE PRECURSOR (EC 2.4.1.-)
 (DUGT).//3.2e-05:117:24//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q09332
 55 F-PLACE1010702//ZINC FINGER PROTEIN 195.//1.4e-62:117:62//HOMO SAPIENS (HUMAN).//O14628
 F-PLACE1010714
 F-PLACE1010720//CHROMOSOME ASSEMBLY PROTEIN XCAP-C.//1.1e-64:176:76//XENOPUS LAEVIS (AF-
 RICAN CLAWED FROG).//P50532

F-PLACE1010739//TAT PROTEIN (TRANSACTIVATING REGULATORY PROTEIN) (FRAGMENT).//0.97:31:41//
 HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (BH5 ISOLATE) (HIV-1).//P04612
 F-PLACE1010743//PROLINE-RICH PROTEIN MP-3 (FRAGMENT).//3.8e-05:253:30//MUS MUSCULUS
 (MOUSE).//P05143
 5 F-PLACE1010761//HYPOTHETICAL 37.0 KD PROTEIN B0495.8 IN CHROMOSOME II.//1.5e-14:175:25//
 CAENORHABDITIS ELEGANS.//Q09217
 F-PLACE1010771//TRANSCRIPTIONAL REGULATOR PROTEIN HCNGP.//1.3e-120:216:89//MUS MUSCULUS
 (MOUSE).//Q02614
 F-PLACE1010786//CENTROSOMIN (ARROW PROTEIN).//0.97:133:24//DROSOPHILA MELANOGASTER
 10 (FRUIT FLY).//P54623
 F-PLACE1010800//HYPOTHETICAL 31.7 KD PROTEIN IN TRAX-FINO INTERGENIC REGION (ORFC).//
 0.0060:111:31//ESCHERICHIA COLI.//Q99390
 F-PLACE1010802//UREASE ACCESSORY PROTEIN UREI.//0.82:44:29//BACILLUS SP. (STRAIN TB-90).//
 Q07415
 15 F-PLACE1010811//CYTOCHROME C-551 (C551).//0.99:42:38//ECTOTHIORHODOSPIRA HALOCHLORIS.//
 P38587
 F-PLACE1010833//CALTRACTIN, ISOFORM 1 (CENTRIN).//2.8e-09:90:34//HOMO SAPIENS (HUMAN).//
 P41208
 F-PLACE1010856//MOLT-INHIBITING HORMONE (MIH).//1.0:32:37//PROCAMBARUS CLARKII (RED SWAMP
 20 CRAYFISH).//P55848
 F-PLACE1010857//IG ALPHA-1 CHAIN C REGION.//0.49:73:34//GORILLA GORILLA GORILLA (LOWLAND GO-
 RILLA).//P20758
 F-PLACE1010870//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//1.2e-56:173:58//HO-
 MO SAPIENS (HUMAN).//Q05481
 25 F-PLACE1010877//HEAT SHOCK PROTEIN 82.//0.13:130:25//ZEA MAYS (MAIZE).//Q08277
 F-PLACE1010891//HYPOTHETICAL 8.2 KD PROTEIN IN BLTR-SPOIIC INTERGENIC REGION.//0.95:51:27//
 BACILLUS SUBTILIS.//P54436
 F-PLACE1010896//SERINE/THREONINE-PROTEIN KINASE PTK1/STK1 (EC 2.7.1.).//0.98:71:30//SACCHA-
 ROMYCES CEREVISIAE (BAKER'S YEAST).//P36002
 30 F-PLACE1010900//HYPOTHETICAL PROTEIN HI0840.//1.0:42:30//HAEMOPHILUS INFLUENZAE.//P44897
 F-PLACE1010916//KERATIN, HIGH-SULFUR MATRIX PROTEIN, IIB3.//0.060:59:35//OVIS ARIES (SHEEP).//
 P02444
 F-PLACE1010917//E2 GLYCOPROTEIN PRECURSOR (SPIKE GLYCOPROTEIN) (PEPLOMER PROTEIN).//
 0.71:141:24//BOVINE CORONAVIRUS (STRAIN L9).//P25191
 35 F-PLACE1010925//HYPOTHETICAL 8.1 KD PROTEIN.//1.0:17:58//THERMOPROTEUS TENAX VIRUS 1
 (STRAIN KRA1) (TTV1).//P19285
 F-PLACE1010926//HYPOTHETICAL PROLINE-RICH PROTEIN KIAA0269.//0.011:51:45//HOMO SAPIENS (HU-
 MAN).//Q92558
 F-PLACE1010942//EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15 (PROTEIN
 40 EPS15).//3.1e-09:64:37//MUS MUSCULUS (MOUSE).//P42567
 F-PLACE1010944//GAP JUNCTION ALPHA-3 PROTEIN (CONNEXIN 44) (CX44).//0.17:71:38//BOS TAURUS
 (BOVINE).//P41987
 F-PLACE1010947
 F-PLACE1010954//TROPOMYOSIN ALPHA CHAIN, SKELETAL MUSCLE.//0.011:144:26//HOMO SAPIENS
 45 (HUMAN).//P09493
 F-PLACE1010960//ACTIN-LIKE PROTEIN 13E.//1.1 e-60:136:52//DROSOPHILA MELANOGASTER (FRUIT
 FLY).//P45890
 F-PLACE1010965
 F-PLACE1011026//PERIOD CLOCK PROTEIN (FRAGMENT).//1.0:64:31//DROSOPHILA ANANASSAE (FRUIT
 50 FLY).//Q03293
 F-PLACE1011032//RIBONUCLEASE HI (EC 3.1.26.4) (RNASE HI) (RIBONUCLEASE H) (RNASE H).//1.0:32:37//
 SALMONELLA TYPHIMURIUM.//P23329
 F-PLACE1011041//HOMEBOX PROTEIN VAB-7.//0.36:65:30//CAENORHABDITIS ELEGANS.//Q93899
 F-PLACE1011046//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE BETA 1 (EC
 55 3.1.4.11) (PLC-BETA-1) (PHOSPHOLIPASE C-BETA-1) (PLC-I) (PLC-154).//1.3e-22:58:93//RATTUS NORVEGI-
 CUS (RAT).//P10687
 F-PLACE1011054//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!//1.6e-07:38:73//HOMO SAPIENS (HUMAN).//
 P39195

F-PLACE1011056//HISTONE H1.//2.2e-10:109:41//PISUM SATIVUM (GARDEN PEA).//P08283
 F-PLACE1011057
 F-PLACE1011090//HYPOTHETICAL 33.8 KD PROTEIN IN TWT1-FLO5 INTERGENIC REGION.//1.8e-07:133:
 32//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38892
 5 F-PLACE1011109//ELONGATION FACTOR G, MITOCHONDRIAL PRECURSOR (MEF-G).//5.4e-25:63:88//RAT-
 TUS NORVEGICUS (RAT).//Q07803
 F-PLACE1011114//PUTATIVE ATP-DEPENDENT RNA HELICASE C1F7.02C.//8.4e-31:157:45//SCHIZOSAC-
 CHAROMYCES POMBE (FISSION YEAST).//Q09916
 F-PLACE1011133//SERUM AMYLOID P-COMPONENT PRECURSOR (SAP) (9.5S ALPHA-1-GLYCOPRO-
 10 TEIN).//0.92:58:31//HOMO SAPIENS (HUMAN).//P02743
 F-PLACE1011143//PROBABLE E5 PROTEIN.//0.24:42:35//HUMAN PAPILLOMAVIRUS TYPE31.//P17385
 F-PLACE1011160//EARLY NODULIN 55-2 PRECURSOR (N-55-2) (NODULIN-315).//0.88:98:27//GLYCINE MAX
 (SOYBEAN).//Q02917
 F-PLACE1011165//HISTIDINE-RICH PROTEIN.//0.013:13:76//PLASMODIUM FALCIPARUM (ISOLATE FCM17 /
 15 SENEGAL).//P14586
 F-PLACE1011185//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!1.4e-13:98:50//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE1011203
 F-PLACE1011214//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L).//1.0:48:27//EQUUS ASINUS (DONKEY).//
 20 P92479
 F-PLACE1011219//PROBABLE OXIDOREDUCTASE (EC 1.-.-.-).//1.9e-15:162:31//STREPTOMYCES ANTIBI-
 OTICUS.//Q03326
 F-PLACE1011221//ANTITHROMBIN-III HOMOLOG.//0.84:74:33//FOWLPOX VIRUS (ISOLATE HP-438[MU-
 NICH]).//P14369
 25 F-PLACE1011229//UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 4 (EC 3.1.2.15) (UBIQUITIN THIOLESTE-
 RASE 4) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 4) (DEUBIQUITINATING ENZYME 4) (UBIQUI-
 TOUS NUCLEAR PROTEIN HOMOLOG).//3.5e-86:218:68//HOMO SAPIENS (HUMAN).//Q13107
 F-PLACE1011263//ANKYRIN, BRAIN VARIANT 2 (ANKYRIN B) (ANKYRIN, NONERYTHROID) (FRAGMENT).//
 3.0e-07:99:36//HOMO SAPIENS (HUMAN).//Q01485
 30 F-PLACE1011273
 F-PLACE1011291//PROTEIN KINASE C SUBSTRATE 80 KD PROTEIN (FRAGMENTS).//0.011:36:50//RATTUS
 NORVEGICUS (RAT).//P20468
 F-PLACE1011296//HOMEBOX PROTEIN DLX-6.//0.76:55:32//BRACHYDANIO RERIO (ZEBRAFISH) (ZEBRA
 DANIO).//Q98877
 35 F-PLACE1011310//ATP SYNTHASE PROTEIN 9, MITOCHONDRIAL (EC 3.6.1.34) (LIPID-BINDING PROTEIN).//
 0.46:43:44//PETUNIA SP. (PETUNIA).//Q07060
 F-PLACE1011325//HYPOTHETICAL 222.8 KD PROTEIN C1F3.06C IN CHROMOSOME I.//0.00021:171:27//
 SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q10411
 F-PLACE1011332//DNA-DAMAGE-REPAIR/TOLERATION PROTEIN DRT101 PRECURSOR.//7.3e-27:113:52//
 40 ARABIDOPSIS THALIANA (MOUSE-EAR CRESS).//Q05211
 F-PLACE1011340//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!2.6e-07:40:62//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE1011371//INTER-ALPHA-TRYPSIN INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN
 H2).//2.2e-54:227:44//MUS MUSCULUS (MOUSE).//Q61703
 45 F-PLACE1011375//PROBABLE E5 PROTEIN.//0.93:28:57//HUMAN PAPILLOMAVIRUS TYPE 51.//P26553
 F-PLACE1011399//HISTONE H2B-IV.//0.19:129:27//VOLVOX CARTERI.//P16868
 F-PLACE1011419
 F-PLACE1011433//ZINC FINGER PROTEIN GLI3 (FRAGMENT).//3.4e-05:133:24//GALLUS GALLUS (CHICK-
 EN).//P55879
 50 F-PLACE1011452//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//3.9e-25:76:63//HOMO SAPIENS (HU-
 MAN).//P08547
 F-PLACE1011465//ECTODERMAL DYSPLASIA PROTEIN (EDA PROTEIN).//0.97:36:41//HOMO SAPIENS (HU-
 MAN).//Q92838
 F-PLACE1011472//METALLOTHIONEIN-1 (CUMT-1).//0.084:55:30//HOMARUS AMERICANUS (AMERICAN
 55 LOBSTER).//P29499
 F-PLACE1011477//CELL SURFACE GLYCOPROTEIN 1 PRECURSOR (OUTER LAYER PROTEIN B) (S-LAYER
 PROTEIN 1).//0.028:129:34//CLOSTRIDIUM THERMOCELLUM.//Q06852
 F-PLACE1011492//NON-GREEN PLASTID TRIOSE PHOSPHATE TRANSLOCATOR PRECURSOR (CTPT).//

2.9e-13:147:31//BRASSICA OLERACEA (CAULIFLOWER).//P52178
 F-PLACE1011503//PUTATIVE FERREDOXIN-LIKE PROTEIN IN PURL-DPJ INTERGENIC REGION (086).//0.66:
 32:40//ESCHERICHIA COLI.//P52102
 F-PLACE1011520
 5 F-PLACE1011563//LORICRIN.//0.00023:112:39//HOMO SAPIENS (HUMAN).//P23490
 F-PLACE1011567//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!//9.2e-31:78:76//HOMO SAPIENS (HUMAN).//
 P39195
 F-PLACE1011576//ZINC FINGER PROTEIN 91 (ZINC FINGER PROTEIN HTF10) (HPF7).//1.5e-32:45:86//HO-
 MO SAPIENS (HUMAN).//Q05481
 10 F-PLACE1011586//N-TYPE CALCIUM CHANNEL ALPHA-1B SUBUNIT (OMEGA-CONOTOXIN-SENSITIVE N-
 TYPE, BRAIN CALCIUM CHANNEL ALPHA-1 SUBUNIT).//0.26:81:37//HOMO SAPIENS (HUMAN).//Q00975
 F-PLACE1011635//IMMEDIATE-EARLY PROTEIN IE180.//0.00045:170:30//PSEUDORABIES VIRUS (STRAIN
 INDIANA-FUNKHAUSER/BECKER) (PRV).//P11675
 F-PLACE1011641
 15 F-PLACE1011643//CUTICLE COLLAGEN 40.//1.0:128:32//CAENORHABDITIS ELEGANS.//P34804
 F-PLACE1011646//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//1.1e-15:44:63//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE1011649//HYPOTHETICAL PROTEIN F-215.//0.48:106:34//HUMAN ADENOVIRUS TYPE 2.//P03291
 F-PLACE1011650
 20 F-PLACE1011664//CROOKED NECK PROTEIN.//1.2e-79:201:68//DROSOPHILA MELANOGASTER (FRUIT
 FLY).//P17886
 F-PLACE1011675//FERREDOXIN.//1.0:44:29//METHANOCOCCUS THERMOLITHOTROPHICUS.//P21305
 F-PLACE1011682//HYPOTHETICAL 7.0 KD PROTEIN IN RPS26A-COX4 INTERGENIC REGION.//1.0:40:22//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53098
 25 F-PLACE1011719//NEUROTOXIN TX2-6.//0.90:31:35//PHONEUTRIA NIGRIVENTER (BRAZILIAN ARMED SPI-
 DER).//P29425
 F-PLACE1011725//NUCLEOBINDIN PRECURSOR (NUCB1) (BONE 63 KD CALCIUM-BINDING PROTEIN).//
 0.0065:125:25//RATTUS NORVEGICUS (RAT).//Q63083
 F-PLACE1011729//SRY-RELATED PROTEIN LG27 (FRAGMENT).//0.97:48:39//EUBLEPHARIS MACULAR-
 30 IUS.//P40654
 F-PLACE1011749
 F-PLACE1011762//D-BINDING PROTEIN (DBP) (ALBUMIN D BOX-BINDING PROTEIN).//0.028:91:39//MUS
 MUSCULUS (MOUSE).//Q60925
 F-PLACE1011778
 35 F-PLACE1011783//EMBRYONIC GROWTH/DIFFERENTIATION FACTOR 1 PRECURSOR (GDF-1).//0.97:48:
 43//MUS MUSCULUS (MOUSE).//P20863
 F-PLACE1011858//COLLAGEN 1(X) CHAIN PRECURSOR.//0.0027:154:33//BOS TAURUS (BOVINE).//P23206
 F-PLACE1011874//BACTERIOCHLOROPHYLL A PROTEIN (BCHL A PROTEIN) (BCP).//1.0:60:26//PROSTHE-
 COCHLORIS AESTUARII.//P11741
 40 F-PLACE1011875//HYPOTHETICAL 6.6 KD PROTEIN IN GP54-ALT INTERGENIC REGION.//0.99:34:35//AC-
 TERIOPHAGE T4.//P39495
 F-PLACE1011891//SMOOTHELIN.//0.018:122:31//HOMO SAPIENS (HUMAN).//P53814
 F-PLACE1011896//SKIN SECRETORY PROTEIN XP2 PRECURSOR (APEG PROTEIN).//6.3e-09:203:35//
 XENOPUS LAEVIS (AFRICAN CLAWED FROG).//P17437
 45 F-PLACE1011922//CRYPTDIN-RELATED PROTEIN 4C-2 PRECURSOR (CRS4C).//0.067:37:48//MUS MUSCU-
 LUS (MOUSE).//P50715
 F-PLACE1011923//SERINE/THREONINE-PROTEIN KINASE SNK (EC 2.7.1.-) (SERUM INDUCIBLE KINASE).//
 1.5e-83:175:89//MUS MUSCULUS (MOUSE).//P53351
 F-PLACE1011962//MATING-TYPE PHEROMONE BAP1(2) PRECURSOR.//0.50:46:41//SCHIZOPHYLLUM
 50 COMMUNE (BRACKET FUNGUS).//Q02593
 F-PLACE1011964//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//1.6e-05:47:51//NYCTICEBUS COU-
 CANG (SLOW LORIS).//P08548
 F-PLACE1011982//APICAL MEMBRANE ANTIGEN 1 PRECURSOR (MEROZOITE SURFACE ANTIGEN).//0.98:
 83:31//PLASMODIUM FRAGILE.//P22622
 55 F-PLACE1011995
 F-PLACE1012031//HYPOTHETICAL PROTEIN KIAA0254.//0.032:62:33//HOMO SAPIENS (HUMAN).//Q92543
 F-PLACE2000003//!!!! ALU SUBFAMILY SP WARNING ENTRY !!!!!//5.4e-18:63:73//HOMO SAPIENS (HUMAN).//
 P39193

F-PLACE2000006//ANNEXIN VII (SYNEXIN) (FRAGMENT).//0.14:20:50//BOS TAURUS (BOVINE).//P20072
 F-PLACE2000007//PROLINE-RICH PROTEIN MP-3 (FRAGMENT).//0.0045:176:30//MUS MUSCULUS (MOUSE).//P05143
 5 F-PLACE2000011//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//3.6e-25:57:78//HOMO SAPIENS (HUMAN).//P39194
 F-PLACE2000014//HYPOTHETICAL HELICASE C28H8.3 IN CHROMOSOME III.//0.00013:237:27//CAENORHABDITIS ELEGANS.//Q09475
 F-PLACE2000015//!!!! ALU SUBFAMILY SP WARNING ENTRY !!!!!//1.4e-33:60:80//HOMO SAPIENS (HUMAN).//P39193
 10 F-PLACE2000017//FOLATE RECEPTOR BETA PRECURSOR (FR-BETA) (FOLATE RECEPTOR 2) (FOLATE RECEPTOR, FETAL/PLACENTAL) (PLACENTAL FOLATE-BINDING PROTEIN) (FBP).//1.0:83:31//HOMO SAPIENS (HUMAN).//P14207
 F-PLACE2000021//EPHRIN TYPE-A RECEPTOR 4 PRECURSOR (EC 2.7.1.112) (TYROSINE-PROTEIN KINASE RECEPTOR CEK8).//0.99:103:26//GALLUS GALLUS (CHICKEN).//Q07496
 15 F-PLACE2000030//MALE SPECIFIC SPERM PROTEIN MST84DA.//0.69:29:44//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q01642
 F-PLACE2000033//PROBABLE OXIDOREDUCTASE (EC 1.-.-).//1.1e-05:74:41//STREPTOMYCES ANTIBIOTICUS.//Q03326
 F-PLACE2000034//AXONIN-1 PRECURSOR (AXONAL GLYCOPROTEIN TAG-1) (TRANSIENT AXONAL GLYCOPROTEIN 1).//6.7e-18:191:35//HOMO SAPIENS (HUMAN).//Q02246
 20 F-PLACE2000039//DYNEIN HEAVY CHAIN, CYTOSOLIC (DYHC) (MAP 1C).//4.7e-80:163:96//RATTUS NORVEGICUS (RAT).//P38650
 F-PLACE2000047//!!!! ALU SUBFAMILY SB2 WARNING ENTRY !!!!!//6.4e-06:63:49//HOMO SAPIENS (HUMAN).//P39191
 25 F-PLACE2000050//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!//3.2e-22:74:64//HOMO SAPIENS (HUMAN).//P39192
 F-PLACE2000061
 F-PLACE2000062//GLUCOSE STARVATION-INDUCIBLE PROTEIN B (GENERAL STRESS PROTEIN B).//1.9e-06:108:37//BACILLUS SUBTILIS.//P26907
 30 F-PLACE2000072//ZINC FINGER PROTEIN 165.//3.5e-34:175:49//HOMO SAPIENS (HUMAN).//P49910
 F-PLACE2000097//RIBONUCLEASE PANCREATIC (EC 3.1.27.5) (RNASE 1) (RNASE A).//0.36:39:38//ONDATRA ZIBETHICUS (MUSKRAT).//P00681
 F-PLACE2000100
 F-PLACE2000103//TUBULIN ALPHA-4 CHAIN (FRAGMENTS).//0.18:32:37//ZEA MAYS (MAIZE).//P33626
 35 F-PLACE2000111//CMRF35 ANTIGEN PRECURSOR.//0.056:107:27//HOMO SAPIENS (HUMAN).//Q08708
 F-PLACE2000115//DIAMINOPIMELATE EPIMERASE (EC 5.1.1.7) (DAP EPIMERASE) (FRAGMENT).//1.0:21:52//CLOSTRIDIUM PERFRINGENS.//Q46185
 F-PLACE2000124//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//3.4e-37:108:68//HOMO SAPIENS (HUMAN).//P39194
 40 F-PLACE2000132//PROBABLE MEMBRANE ANTIGEN GP85.//0.99:133:29//EPSTEIN-BARR VIRUS (STRAIN B95-8) (HUMAN HERPESVIRUS 4).//P03224
 F-PLACE2000136//VASOACTIVE INTESTINAL POLYPEPTIDE RECEPTOR 2 PRECURSOR (VIP-R-2) (PITUITARY ADENYLATE CYCLASE ACTIVATING POLYPEPTIDE TYPE III RECEPTOR) (PACAP TYPE III RECEPTOR) (PACAP-R-3).//0.83:65:32//MUS MUSCULUS (MOUSE).//P41588
 45 F-PLACE2000140
 F-PLACE2000164//TIPD PROTEIN.//5.7e-12:190:28//DICTYOSTELIUM DISCOIDEUM (SLIME MOLD).//O15736
 F-PLACE2000170//BACTERIOCIN CARNOBACTERIOCIN BM1 PRECURSOR (CARNOBACTERIOCIN B1).//1.0:30:26//CARNOBACTERIUM PISCICOLA.//P38579
 50 F-PLACE2000172
 F-PLACE2000176//HYPOTHETICAL PROTEIN AF0526.//0.76:44:43//ARCHAEOGLOBUS FULGIDUS.//O29724
 F-PLACE2000187//EM-LIKE PROTEIN GEA6.//0.84:42:35//ARABIDOPSIS THALIANA (MOUSE-EAR CRESS).//Q02973
 F-PLACE2000216
 55 F-PLACE2000223//NEUROTOXIN III (LQQ III).//0.99:38:34//LEIURUS QUINQUESTRIATUS QUINQUESTRIATUS (EGYPTIAN SCORPION).//P01487
 F-PLACE2000235
 F-PLACE2000246//RING CANAL PROTEIN (KELCH PROTEIN).//5.1e-37:121:42//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q01642

NOGASTER (FRUIT FLY).//Q04652
 F-PLACE2000264//!!!! ALU SUBFAMILY SB2 WARNING ENTRY !!!!!/2.4e-05:77:42//HOMO SAPIENS (HUMAN).//P39191
 5 F-PLACE2000274//DYNEIN BETA CHAIN, CILIARY.//5.3e-46:232:45//TRIPNEUSTES GRATILLA (HAWAIIAN SEA URCHIN).//P23098
 F-PLACE2000302//TRICHOHYALIN.//1.5e-06:215:29//ORYCTOLAGUS CUNICULUS (RABBIT).//P37709
 F-PLACE2000305//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/5.3e-06:33:66//HOMO SAPIENS (HUMAN).//P39188
 10 F-PLACE2000317//TOXIN C13S1C1 PRECURSOR.//0.44:45:33//DENDROASPIS ANGUSTICEPS (EASTERN GREEN MAMBA).//P18329
 F-PLACE2000335//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/7.9e-08:35:71//HOMO SAPIENS (HUMAN).//P39195
 F-PLACE2000341//SODIUM/GLUCOSE COTRANSPORTER 1 (NA(+)/GLUCOSE COTRANSPORTER 1) (HIGH AFFINITY SODIUM-GLUCOSE COTRANSPORTER).//0.014:141:24//ORYCTOLAGUS CUNICULUS (RABBIT).//P11170
 15 F-PLACE2000342//HYPOTHETICAL 24.1 KD PROTEIN IN LEF4-P33 INTERGENIC REGION.//5.7e-09:96:38//AUTOGRAPHIA CALIFORNICA NUCLEAR POLYHEDROSIS VIRUS (ACMNPV).//P41479
 F-PLACE2000347//ZINC FINGER PROTEIN 177.//5.9e-05:49:53//HOMO SAPIENS (HUMAN).//Q13360
 F-PLACE2000359//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/7.5e-10:69:52//HOMO SAPIENS (HUMAN).//P39194
 20 F-PLACE2000366
 F-PLACE2000371//ATROPHIN-1 (DENTATORUBRAL-PALLIDOLUYSIAN ATROPHY PROTEIN).//1.5e-05:216:29//HOMO SAPIENS (HUMAN).//P54259
 F-PLACE2000373//MAX BINDING PROTEIN MNT (ROX PROTEIN) (MYC ANTAGONIST MNT).//0.27:63:33//HOMO SAPIENS (HUMAN).//Q99583
 25 F-PLACE2000379//HYPOTHETICAL GENE 1 PROTEIN.//0.72:120:31//EQUINE HERPESVIRUS TYPE 1 (STRAIN AB4P) (EHV-1).//P28978
 F-PLACE2000394//BASIC PROLINE-RICH PEPTIDE P-E (IB-9).//0.95:40:42//HOMO SAPIENS (HUMAN).//P02811
 30 F-PLACE2000398//RIBONUCLEASE PRECURSOR (EC 3.1.27.-).//0.88:88:31//AEROMONAS HYDROPHILA.//Q07465
 F-PLACE2000399//T-CELL SURFACE GLYCOPROTEIN E2 PRECURSOR (E2 ANTIGEN) (CD99) (MIC2 PROTEIN) (12E7).//7.6e-16:180:39//HOMO SAPIENS (HUMAN).//P14209
 F-PLACE2000404//PROBABLE LEUCYL-TRNA SYNTHETASE (EC 6.1.1.4) (LEUCINE-TRNA LIGASE) (LEURS).//1.7e-94:243:64//CAENORHABDITIS ELEGANS.//Q09996
 35 F-PLACE2000411//SERINE/THREONINE PROTEIN PHOSPHATASE 5 (EC 3.1.3.16) (PP5) (PROTEIN PHOSPHATASE T) (PPT) (FRAGMENT).//1.2e-09:78:39//MUS MUSCULUS (MOUSE).//Q60676
 F-PLACE2000419//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/2.6e-20:61:62//HOMO SAPIENS (HUMAN).//P39188
 40 F-PLACE2000425//HYPOTHETICAL 11.9 KD PROTEIN IN MSB2-UGA1 INTERGENIC REGION.//0.98:75:32//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53211
 F-PLACE2000427//INSULIN PRECURSOR.//0.98:55:34//CERCOPITHECUS AETHIOPS (GREEN MONKEY) (GRIVET).//P30407
 F-PLACE2000433//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/7.5e-07:65:50//HOMO SAPIENS (HUMAN).//P39188
 45 F-PLACE2000435
 F-PLACE2000438//HYPOTHETICAL 67.9 KD PROTEIN ZK688.8 IN CHROMOSOME III.//4.7e-66:178:47//CAENORHABDITIS ELEGANS.//P34678
 F-PLACE2000450//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/2.1e-23:88:62//HOMO SAPIENS (HUMAN).//P39195
 50 F-PLACE2000455//TOXIN II (TOXIN II.10.9.2) (FRAGMENT).//0.093:18:44//CENTRUROIDES LIMPIDUS LIMPIDUS (MEXICAN SCORPION).//P45630
 F-PLACE2000458//CADHERIN-RELATED TUMOR SUPPRESSOR PRECURSOR (FAT PROTEIN).//3.1e-23:165:40//DROSOPHILA MELANOGASTER (FRUIT FLY).//P33450
 55 F-PLACE2000465//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/3.6e-23:73:63//HOMO SAPIENS (HUMAN).//P39188
 F-PLACE2000477//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/4.4e-37:90:78//HOMO SAPIENS (HUMAN).//P39194

F-PLACE3000004//EYES ABSENT HOMOLOG 3.//1.1e-09:27:100//MUS MUSCULUS (MOUSE).//P97480
 F-PLACE3000009//PUTATIVE CUTICLE COLLAGEN C09G5.6.//0.0061:148:34//CAENORHABDITIS ELE-
 GANS.//Q09457
 5 F-PLACE3000020//ADENYLATE CYCLASE, OLFACTIVE TYPE (EC 4.6.1.1) (TYPE III) (ATP PYROPHOS-
 PHATE-LYASE) (ADENYL CYCLASE).//8.8e-93:193:92//RATTUS NORVEGICUS (RAT).//P21932
 F-PLACE3000029//50S RIBOSOMAL PROTEIN L31E.//0.15:50:38//METHANOCOCCUS JANNASCHII.//P54009
 F-PLACE3000059//TCP1-CHAPERONIN COFACTOR A.//0.96:50:34//BOS TAURUS (BOVINE).//P48427
 F-PLACE3000070//HYPOTHETICAL 17.1 KD PROTEIN IN PUR5 3'REGION.//0.29:22:59//SACCHAROMYCES
 CEREVISIAE (BAKER'S YEAST).//P38898
 10 F-PLACE3000103//LYSIS PROTEIN (E PROTEIN) (GPE).//0.99:53:32//BACTERIOPHAGE ALPHA-3.//P31280
 F-PLACE3000119//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!//5.4e-41:87:78//HOMO SAPIENS (HUMAN).//
 P39189
 F-PLACE3000121//VESICULAR TRAFFIC CONTROL PROTEIN SEC151/1.0e-07:269:22//SACCHAROMYCES
 CEREVISIAE (BAKER'S YEAST).//P22224
 15 F-PLACE3000124//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//1.2e-29:97:73//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE3000136//PARS INTERCEREBRALIS MAJOR PEPTIDE D1 (PMP-D1).//0.77:26:42//LOCUSTA MIGRA-
 TORIA (MIGRATORY LOCUST).//P80059
 F-PLACE3000142//HYPOTHETICAL 7.1 KD PROTEIN IN NAD2 3'REGION (ORF 63).//0.82:34:41//MARCHAN-
 20 TIA POLYMORPHA (LIVERWORT).//P38468
 F-PLACE3000145//TENSIN.//3.5e-91:238:74//GALLUS GALLUS (CHICKEN).//Q04205
 F-PLACE3000147//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//4.4e-30:61:65//HOMO SAPIENS (HUMAN).//
 P39194
 F-PLACE3000148//POL POLYPROTEIN [CONTAINS: PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE
 25 (EC 2.7.7.49); ENDONUCLEASE].//1.4e-18:226:34//GIBBON APE LEUKEMIA VIRUS.//P21414
 F-PLACE3000155//EXTENSIN PRECURSOR (PROLINE-RICH GLYCOPROTEIN).//0.00014:107:33//ZEA MAYS
 (MAIZE).//P14918
 F-PLACE3000156//POL POLYPROTEIN [CONTAINS: PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE
 (EC 2.7.7.49); ENDONUCLEASE].//2.7e-19:169:30//BABOON ENDOGENOUS VIRUS (STRAIN M7).//P10272
 30 F-PLACE3000157//PROBABLE SERINE/THREONINE-PROTEIN KINASE CY50.16 (EC 2.7.1.-).//0.0061:92:30//
 MYCOBACTERIUM TUBERCULOSIS.//Q11053
 F-PLACE3000158//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!//5.7e-49:56:80//HOMO SAPIENS (HUMAN).//
 P39189
 F-PLACE3000160//DNA TRANSFORMATION PROTEIN TFOX (COMPETENCE ACTIVATOR) (PROTEIN SXY).//
 35 0.39:94:34//HAEMOPHILUS INFLUENZAE.//P43779
 F-PLACE3000169//!!!! ALU SUBFAMILY SP WARNING ENTRY !!!!!//5.6e-28:99:59//HOMO SAPIENS (HUMAN).//
 P39193
 F-PLACE3000194//PROLINE-RICH PROTEIN LAS17.//0.91:80:36//SACCHAROMYCES CEREVISIAE (BAK-
 ER'S YEAST).//Q12446
 40 F-PLACE3000197//NEUROFILAMENT TRIPLET M PROTEIN (160 KD NEUROFILAMENT PROTEIN) (NF-M).//
 0.24:119:32//GALLUS GALLUS (CHICKEN).//P16053
 F-PLACE3000199//EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN).//
 0.76:87:37//NICOTIANA TABACUM (COMMON TOBACCO).//P13983
 F-PLACE3000207//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//4.5e-09:32:78//HOMO SAPIENS (HUMAN).//
 45 P39188
 F-PLACE3000208
 F-PLACE3000218//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//7.2e-34:96:70//HOMO SAPIENS (HUMAN).//
 P39194
 F-PLACE3000220//OSTEOCALCIN (GAMMA-CARBOXYGLUTAMIC ACID-CONTAINING PROTEIN) (BONE
 50 GLA- PROTEIN) (BGP).//0.46:13:53//CANIS FAMILIARIS (DOG).//P81455
 F-PLACE3000221//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//2.8e-24:178:45//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE3000226//30S RIBOSOMAL PROTEIN S18.//0.98:38:34//NEISSERIA GONORRHOEA.//O07815
 F-PLACE3000230//METALLOTHIONEIN (MT).//0.97:25:48//OREOCHROMIS MOSSAMBICUS (MOZAMBIQUE
 55 TILAPIA) (TILAPIA MOSSAMBICA).//P52726
 F-PLACE3000242//MELANOMA-ASSOCIATED ANTIGEN 8 (MAGE-8 ANTIGEN).//8.0e-21:121:39//HOMO SA-
 PIENS (HUMAN).//P43361
 F-PLACE3000244//PROTEIN TSG24 (MEIOTIC CHECK POINT REGULATOR).//2.3e-125:264:87//MUS MUS-

CULUS (MOUSE).//P53995
 F-PLACE3000254//RTOA PROTEIN (RATIO-A).//0.99:142:23//DICTYOSTELIUM DISCOIDEUM (SLIME MOLD).//P54681
 5 F-PLACE3000271//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//2.2e-12:63:53//HOMO SAPIENS (HUMAN).//P39188
 F-PLACE3000276//COLLAGEN ALPHA 1(VIII) CHAIN PRECURSOR (ENDOTHELIAL COLLAGEN).//1.0:55:38//HOMO SAPIENS (HUMAN).//P27658
 F-PLACE3000304//DNA-BINDING P52/P100 COMPLEX, 100 KD SUBUNIT (FRAGMENTS).//0.0028:31:54//HOMO SAPIENS (HUMAN).//P30808
 10 F-PLACE3000310//ATROPHIN-1 (DENTATORUBRAL-PALLIDOLUYSIAN ATROPHY PROTEIN).//0.98:82:34//RATTUS NORVEGICUS (RAT).//P54258
 F-PLACE3000320
 F-PLACE3000322//GLYCINE-RICH CELL WALL STRUCTURAL PROTEIN 1 PRECURSOR.//2.2e-22:61:52//ORYZA SATIVA (RICE).//P25074
 15 F-PLACE3000331//SMALL PROLINE-RICH PROTEIN II (SPR-II) (CLONE 174N).//0.32:15:53//HOMO SAPIENS (HUMAN).//P22532
 F-PLACE3000339//CHORION PROTEIN S19.//0.34:89:37//DROSOPHILA VIRILIS (FRUIT FLY).//P24516
 F-PLACE3000341//NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1 (EC 1.6.5.3) (FRAGMENT).//1.0:47:38//COTURNIX COTURNIX JAPONICA (JAPANESE QUAIL).//P24968
 20 F-PLACE3000350//SERINE/THREONINE-PROTEIN KINASE SULU (EC 2.7.1.-).//3.9e-50:168:60//CAENORHABDITIS ELEGANS.//P46549
 F-PLACE3000352//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!//7.8e-29:76:71//HOMO SAPIENS (HUMAN).//P39194
 F-PLACE3000353//POLYPEPTIDE N-ACETYLGALACTOSAMINYLTRANSFERASE (EC 2.4.1.41) (PROTEIN-UDP ACETYLGALACTOSAMINYLTRANSFERASE) (UDP-GALNAC:POLYPEPTIDE, N- ACETYLGALACTOSAMINYLTRANSFERASE) (GALNAC-T1).//3.0e-09:100:41//HOMO SAPIENS (HUMAN).//Q10472
 25 F-PLACE3000362//HYPOTHETICAL PROTEIN TP0064.//1.0:75:26//TREPONEMA PALLIDUM.//O83103
 F-PLACE3000363//METALLOTHIONEIN (MT).//0.067:42:33//ASTACUS FLUVIATILIS (BROAD-FINGERED CRAYFISH) (ASTACUS ASTACUS).//P55951
 30 F-PLACE3000365//LYSIS PROTEIN (E PROTEIN) (GPE).//1.0:65:27//BACTERIOPHAGE PHI-K.//Q38040
 F-PLACE3000373//RETROVIRUS-RELATED ENV POLYPROTEIN.//1.5e-18:90:47//HOMO SAPIENS (HUMAN).//P10267
 F-PLACE3000388
 35 F-PLACE3000399//!!!!ALU SUBFAMILY SP WARNING ENTRY !!!!!//6.3e-45:60:75//HOMO SAPIENS (HUMAN).//P39193
 F-PLACE3000400
 F-PLACE3000401//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//3.6e-09:46:73//HOMO SAPIENS (HUMAN).//P39188
 F-PLACE3000402//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//0.036:43:44//HOMO SAPIENS (HUMAN).//P39188
 40 F-PLACE3000405//POSTERIOR PITUITARY PEPTIDE.//0.70:25:40//BOS TAURUS (BOVINE).//P01154
 F-PLACE3000406//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!//4.3e-09:49:67//HOMO SAPIENS (HUMAN).//P39195
 F-PLACE3000413//MALE SPECIFIC SPERM PROTEIN MST87F.//0.12:42:40//DROSOPHILA MELANOGASTER (FRUIT FLY).//P08175
 45 F-PLACE3000416//CYLICIN I (MULTIPLE-BAND POLYPEPTIDE I).//0.67:236:21//BOS TAURUS (BOVINE).//P35662
 F-PLACE3000425//PROLINE-RICH PEPTIDE P-B.//0.45:19:42//HOMO SAPIENS (HUMAN).//P02814
 F-PLACE3000455//AMELOGENIN, CLASS I PRECURSOR.//0.0073:81:43//BOS TAURUS (BOVINE).//P02817
 50 F-PLACE3000475//8.6 KD TRANSGLUTAMINASE SUBSTRATE.//1.0:53:32//TACHYPLEUS TRIDENTATUS (JAPANESE HORSESHOE CRAB).//P81281
 F-PLACE3000477//MUSCARINIC TOXIN 7 (MT-7).//0.13:55:32//DENDROASPIS ANGUSTICEPS (EASTERN GREEN MAMBA).//P80970
 F-PLACE4000009//MYOSIN HEAVY CHAIN, SMOOTH MUSCLE ISOFORM (SMMHC) (FRAGMENT).//7.0e-19:180:27//HOMO SAPIENS (HUMAN).//P35749
 55 F-PLACE4000014//X-LINKED HELICASE II (X-LINKED NUCLEAR PROTEIN) (XNP).//3.2e-15:193:30//HOMO SAPIENS (HUMAN).//P46100
 F-PLACE4000034//BRIDE OF SEVENLESS PROTEIN PRECURSOR.//0.0024:97:29//DROSOPHILA MELA-

NOGASTER (FRUIT FLY).//P22815
 F-PLACE4000049//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/3.8e-32:79:75//HOMO SAPIENS (HUMAN).//
 P39194
 5 F-PLACE4000052//ATP-BINDING CASSETTE TRANSPORTER 1.//2.2e-99:178:97//MUS MUSCULUS
 (MOUSE).//P41233
 F-PLACE4000063//IMMEDIATE-EARLY PROTEIN.//0.0017:159:25//HERPESVIRUS SAIMIRI (STRAIN 11).//
 Q01042
 F-PLACE4000089
 F-PLACE4000093
 10 F-PLACE4000100//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/1.5e-14:68:60//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE4000106//1A PROTEIN [CONTAINS: HELICASE; METHYLTRANSFERASE].//1.0:46:41//BROAD BEAN
 MOTTLE VIRUS.//Q00020
 F-PLACE4000128//HYPOTHETICAL PROTEIN E-115.//0.00020:101:30//HUMAN ADENOVIRUS TYPE 2.//
 15 P03290
 F-PLACE4000129//CORNIFIN B (SMALL PROLINE-RICH PROTEIN IB) (SPR-IB) (14.9 KD PANCORNULIN).//
 0.15:57:31//HOMO SAPIENS (HUMAN).//P22528
 F-PLACE4000131
 F-PLACE4000147//COMPETENCE PHEROMONE PRECURSOR.//1.0:45:24//BACILLUS SUBTILIS.//P45453
 20 F-PLACE4000156//ZINC FINGER PROTEIN 136.//2.1e-88:194:59//HOMO SAPIENS (HUMAN).//P52737
 F-PLACE4000192//ZINC FINGER PROTEIN 142 (KIAA0236) (HA4654).//0.083:148:26//HOMO SAPIENS (HU-
 MAN).//P52746
 F-PLACE4000211//CALPHOTIN.//0.20:43:39//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q02910
 F-PLACE4000222//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/1.1e-05:20:85//HOMO SAPIENS (HUMAN).//
 25 P39188
 F-PLACE4000230//DIHYDROFOLATE REDUCTASE (EC 1.5.1.3) / THYMIDYLATE SYNTHASE (EC 2.1.1.45)
 (DHFR-TS).//1.0:96:28//TRYPANOSOMA BRUCEI BRUCEI.//Q27783
 F-PLACE4000233
 F-PLACE4000247//METALLOTHIONEIN (MT).//1.0e-05:34:41//PLEURONECTES PLATESSA (PLAICE).//
 30 P07216
 F-PLACE4000250//VPU PROTEIN (ORF-X PROTEIN) (UPX PROTEIN).//0.99:33:42//CAPRINE ARTHRITIS EN-
 CEPHALITIS VIRUS (CAEV).//P31834
 F-PLACE4000252//MALE SPECIFIC SPERM PROTEIN MST84DB.//0.42:24:45//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY).//Q01643
 35 F-PLACE4000259//PRE-MRNA SPLICING HELICASE BRR2 (EC 3.6.1.-).//3.5e-09:189:32//SACCHAROMYCES
 CEREVISIAE (BAKER'S YEAST).//P32639
 F-PLACE4000261//PEREGRIN (BR140 PROTEIN).//5.0e-11:103:37//HOMO SAPIENS (HUMAN).//P55201
 F-PLACE4000269//INTRACELLULAR PROTEIN TRANSPORT PROTEIN USO1.//0.037:181:25//SACCHARO-
 MYCES CEREVISIAE (BAKER'S YEAST).//P25386
 40 F-PLACE4000270//COAGULATION FACTOR VII PRECURSOR (EC 3.4.21.21).//1.0:46:39//MUS MUSCULUS
 (MOUSE).//P70375
 F-PLACE4000300//50S RIBOSOMAL PROTEIN L32.//0.81:28:46//THERMUS AQUATICUS (SUBSP. THER-
 MOPHILUS).//P80339
 F-PLACE4000320//FKBP-RAPAMYCIN ASSOCIATED PROTEIN (FRAP) (RAPAMYCIN TARGET PROTEIN).//
 45 1.6e-29:44:93//HOMO SAPIENS (HUMAN).//P42345
 F-PLACE4000323
 F-PLACE4000326//PARATHYMOSIN.//0.0018:54:48//HOMO SAPIENS (HUMAN).//P20962
 F-PLACE4000344//EPIDERMAL GROWTH FACTOR (EGF) (FRAGMENT).//0.97:28:42//SUS SCROFA (PIG).//
 Q00968
 50 F-PLACE4000367//NEUROTOXIN 1 (TOXIN SHP-I) (SHNA) (NEUROTOXIN SHI).//1.0:33:36//STOICHACTIS
 HELIANTHUS (CARRIBEAN SEA ANEMONE) (STICHODACTYLA HELIANTHUS).//P19651
 F-PLACE4000369//EXTENSIN PRECURSOR (PROLINE-RICH GLYCOPROTEIN).//0.071:42:42//SORGHUM
 VULGARE (SORGHUM).//P24152
 F-PLACE4000379//!!!! ALU SUBFAMILY SP WARNING ENTRY !!!!!/1.4e-16:54:77//HOMO SAPIENS (HUMAN).//
 55 P39193
 F-PLACE4000387//PHOTOSYSTEM II 4 KD REACTION CENTRE PROTEIN PRECURSOR.//0.25:21:52//HOR-
 DEUM VULGARE (BARLEY), AND SECALE CEREALE (RYE).//P25877
 F-PLACE4000392//FERROCHELATASE (EC 4.99.1.1) (PROTOHEME FERRO-LYASE) (HEME SYNTHETASE)

(FRAGMENT).//0.91:36:50//YERSINIA PSEUDOTUBERCULOSIS.//Q05338
 F-PLACE4000401//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/4.4e-29:96:67//HOMO SAPIENS (HUMAN).//
 P39194
 5 F-PLACE4000411//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/2.3e-18:41:73//HOMO SAPIENS (HUMAN).//
 P39188
 F-PLACE4000431//PRE-MRNA SPLICING HELICASE BRR2 (EC 3.6.1.-).//5.4e-21:237:33//SACCHAROMYCES
 CEREVISIAE (BAKER'S YEAST).//P32639
 F-PLACE4000445//HYPOTHETICAL 99.7 KD PROTEIN IN SDL1 5'REGION PRECURSOR.//0.00081:210:26//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P40442
 10 F-PLACE4000450//TRANSCRIPTION FACTOR HBP-1A (HISTONE-SPECIFIC TRANSCRIPTION FACTOR
 HBP1).//0.020:87:33//TRITICUM AESTIVUM (WHEAT).//P23922
 F-PLACE4000465//METALLOTHIONEIN-IL (MT-1L) (MT1X).//0.20:18:38//HOMO SAPIENS (HUMAN).//P80297
 F-PLACE4000487//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/1.5e-19:73:52//HOMO SAPIENS (HUMAN).//
 P39188
 15 F-PLACE4000489
 F-PLACE4000494//NPC DERIVED PROLINE RICH PROTEIN 1 (NDPP-1).//0.17:130:30//MUS MUSCULUS
 (MOUSE).//Q03173
 F-PLACE4000521//RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS REVERSE TRANSCRIPTASE
 (EC 2.7.7.49); ENDONUCLEASE] (FRAGMENT).//3.0e-05:50:36//MUS MUSCULUS (MOUSE).//P10400
 20 F-PLACE4000522//NEUROGENIC LOCUS NOTCH HOMOLOG PROTEIN 1 PRECURSOR.//1.8e-45:231:47//
 RATTUS NORVEGICUS (RAT).//Q07008
 F-PLACE4000548//CYTOCHROME C-551 (C551).//0.96:50:34//ECTOTHIORHODOSPIRA HALOPHILA.//
 P00122
 F-PLACE4000558//PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE FAF (EC 3.1.2.15) (UBIQUI-
 25 TIN THIOLESTERASE FAF) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE FAF) (DEUBIQUITINATING EN-
 ZYME FAF) (FAT FACETS PROTEIN).//1.6e-28:223:36//DROSOPHILA MELANOGASTER (FRUIT FLY).//P55824
 F-PLACE000581//P-SELECTIN PRECURSOR (GRANULE MEMBRANE PROTEIN 140) (GMP-140) (PADGEM)
 (CD62P) (LEUKOCYTE-ENDOTHELIAL CELL ADHESION MOLECULE 3) (LECAM3).//9.7e-11:166:281/HOMO
 SAPIENS (HUMAN).//P16109
 30 F-PLACE4000590//POL POLYPROTEIN [CONTAINS: PROTEASE (EC 3.4.23.-); REVERSE TRANSCRIPTASE
 (EC 2.7.7.49); ENDONUCLEASE].//1.6e-17:134:35//GIBBON APE LEUKEMIA VIRUS.//P21414
 F-PLACE4000593//GONADOTROPIN-RELEASING HORMONE RECEPTOR (GNRH-R).//1.0:54:29//RATTUS
 NORVEGICUS (RAT).//P30969
 35 F-PLACE4000612//GAG POLYPROTEIN [CONTAINS: CORE PROTEIN P15; INNER COAT PROTEIN P12;
 CORE SHELL PROTEIN P30].//2.6e-14:221:32//MOLONEY MURINE SARCOMA VIRUS (STRAIN TS110).//
 P32594
 F-PLACE4000638//HYPOTHETICAL 9.3 KD PROTEIN IN NRDB-INAA INTERGENIC REGION.//0.65:37:40//ES-
 CHERICHIA COLI.//P37910
 F-PLACE4000650//ZINC FINGER PROTEIN 16 (ZINC FINGER PROTEIN KOX9) (FRAGMENT).//1.0:33:33//HO-
 40 MO SAPIENS (HUMAN).//P17020
 F-PLACE4000654
 F-PLACE4000670//HYPOTHETICAL 44.1 KD PROTEIN IN RPB5-CDC28 INTERGENIC REGION.//1.6e-07:161:
 25//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P33313
 F-SKNMC1000011//PUTATIVE IMPORTIN BETA-4 SUBUNIT (KARYOPHERIN BETA-4 SUBUNIT).//7.4e-15:223:
 45 31//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//O60100
 F-SKNMC1000013//TRANSCRIPTION FACTOR BF-2 (BRAIN FACTOR 2) (BF2) (CBF-2) (T-14-6).//0.0013:128:
 35//GALLUS GALLUS (CHICKEN).//Q98937
 F-SKNMC1000046//CUTICLE COLLAGEN 1.//0.0010:154:33//CAENORHABDITIS ELEGANS.//P08124
 F-SKNMC1000050//CALPAIN 2, LARGE [CATALYTIC] SUBUNIT (EC 3.4.22.17) (CALCIUM-ACTIVATED NEU-
 50 TRAL PROTEINASE) (CANP) (M-TYPE).//3.2e-41:87:98//HOMO SAPIENS (HUMAN).//P17655
 F-SKNMC1000091//INTAK PROTEIN (NEURAL- AND THYMUS- DERIVED ACTIVATOR FOR ERBB KINASES).//
 0.0032:154:35//HOMO SAPIENS (HUMAN).//O14511
 F-THYRO1000017//PUTATIVE PYRIDOXAMINE 5'-PHOSPHATE OXIDASE (EC 1.4.3.5) (PNP/PMP OXI-
 DASE).//1.6e-23:124:37//CAENORHABDITIS ELEGANS.//Q20939
 55 F-THYRO1000026//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!/3.0e-13:54:66//HOMO SAPIENS (HUMAN).//
 P39192
 F-THYRO1000034//HYPOTHETICAL 10.4 KD PROTEIN.//0.16:44:34//HEPATITIS B VIRUS (SUBTYPE AYW).//
 P03163

F-THYRO1000035//CAMPATH-1 ANTIGEN PRECURSOR (CD52 ANTIGEN) (CDW52) (CAMBRIDGE PATHOL-
 OGY 1 ANTIGEN).//0.83:59:37//MACACA FASCICULARIS (CRAB EATING MACAQUE) (CYNOMOLGUS MON-
 KEY).//P32763
 5 F-THYRO1000040//60S RIBOSOMAL PROTEIN L37 (FRAGMENT).//0.25:23:39//BOS TAURUS (BOVINE).//
 P79244
 F-THYRO1000070//HYPOTHETICAL 29.3 KD PROTEIN (ORF92).//2.3e-11:133:36//ORGYIA PSEUDOTSUGA-
 TA MULTICAPSID POLYHEDROSIS VIRUS (OPMNPV).//O10341
 F-THYRO1000072//C-PROTEIN, SKELETAL MUSCLE SLOW-ISOFORM.//1.5e-14:205:29//HOMO SAPIENS
 (HUMAN).//Q00872
 10 F-THYRO1000085
 F-THYRO1000092//SPERM MITOCHONDRIAL CAPSULE SELENOPROTEIN (MCS).//0.063:59:33//HOMO SA-
 PIENS (HUMAN).//P49901
 F-THYRO1000107
 F-THYRO1000111//LINE-1 REVERSE TRANSCRIPTASE HOMOLOG.//5.0e-58:110:67//NYCTICEBUS COU-
 15 CANG (SLOW LORIS).//P08548
 F-THYRO1000121//SPLICEOSOME ASSOCIATED PROTEIN 62 (SAP 62) (SF3A66).//2.6e-06:134:35//MUS
 MUSCULUS (MOUSE).//Q62203
 F-THYRO1000124//TENECIN 3 PRECURSOR.//0.047:76:35//TENEbrio MOLITOR (YELLOW MEALWORM).//
 Q27270
 20 F-THYRO1000129//FBROSIN (FRAGMENT).//0.35:43:34//MUS MUSCULUS (MOUSE).//Q60791
 F-THYRO1000132//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!//8.7e-14:104:42//HOMO SAPIENS (HUMAN).//
 P39188
 F-THYRO1000156
 F-THYRO1000163//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!//3.7e-20:71:71//HOMO SAPIENS (HUMAN).//
 25 P39189
 F-THYRO1000173//CLATHRIN COAT ASSEMBLY PROTEIN AP47 (CLATHRIN COAT ASSOCIATED PROTEIN
 AP47) (GOLGI ADAPTOR AP-1 47 KD PROTEIN) (HA1 47 KD SUBUNIT) (CLATHRIN ASSEMBLY PROTEIN
 ASSEMBLY PROTEIN COMPLEX 1 MEDIUM CHAIN).//6.7e-88:216:76//MUS MUSCULUS (MOUSE).//P35585
 F-THYRO1000186//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!//2.9e-24:72:77//HOMO SAPIENS (HUMAN).//
 30 P39192
 F-THYRO1000187
 F-THYRO1000190//PROTEIN TRANSPORT PROTEIN SEC61 BETA 2 SUBUNIT.//0.060:50:42//SACCHARO-
 MYCES CEREVISIAE (BAKER'S YEAST).//P52871
 F-THYRO1000197
 35 F-THYRO1000199//HYPOTHETICAL 49.8 KD PROTEIN D2007.5 IN CHROMOSOME III.//2.0e-06:88:35//
 CAENORHABDITIS ELEGANS.//34379
 F-THYRO1000206
 F-THYRO1000221
 F-THYRO1000241//HYPOTHETICAL 11.8 KD PROTEIN IN HE65-PK2 INTERGENIC REGION.//1.0:51:35//
 40 AUTOGRAPHAL CALIFORNICA NUCLEAR POLYHEDROSIS VIRUS (ACMNPV).//P41661
 F-THYRO1000242//ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2).//7.4e-37:137:36//HOMO SA-
 PIENS (HUMAN).//P51523
 F-THYRO1000253//DNA-BINDING P52/P100 COMPLEX, 100 KD SUBUNIT (FRAGMENTS).//0.11:21:52//HO-
 MO SAPIENS (HUMAN).//P30808
 45 F-THYRO1000270//WDNM1 PROTEIN PRECURSOR.//0.40:52:32//MUS MUSCULUS (MOUSE).//Q62477
 F-THYRO1000279//BETA CRYSTALLIN A4.//0.97:64:26//BOS TAURUS (BOVINE).//P11842
 F-THYRO1000288//POTENTIAL CAAX PRENYL PROTEASE 1 (EC 3.4.24.-) (PRENYL PROTEIN- SPECIFIC
 ENDOPROTEASE 1) (PPSEP 1).//3.4e-48:142:42//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//
 Q10071
 50 F-THYRO1000320//ZINC FINGER PROTEIN 14 (ZFP-14) (KROX-9 PROTEIN) (FRAGMENT).//0.87:35:45//MUS
 MUSCULUS (MOUSE).//P10755
 F-THYRO1000327//HYPOTHETICAL 64.7 KD PROTEIN F26E4.11 IN CHROMOSOME I.//0.00010:75:26//
 CAENORHABDITIS ELEGANS.//P90859
 F-THYRO1000343//CHROMOGRANIN A PRECURSOR (CGA) [CONTAINS: PANCREASTATIN; BETA-GRANIN;
 55 WE-14].//0.88:107:26//MUS MUSCULUS (MOUSE).//P26339
 F-THYRO1000358//SELENIUM-BINDING LIVER PROTEIN.//4.6e-25:49:81//MUS MUSCULUS (MOUSE).//
 P17563
 F-THYRO1000368//LOCOMOTION-RELATED PROTEIN HIKARU GENKI PRECURSOR.//1.0:136:26//DRO-

SOPHILA MELANOGASTER (FRUIT FLY).//Q09101
 F-THYRO1000381//GAG POLYPROTEIN [CONTAINS: CORE PROTEIN P15; INNER COAT PROTEIN P12;
 CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10].//0.032:99:35//SIMIAN SARCOMA VIRUS.//P03330
 5 F-THYRO1000387//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L).//0.90:46:30//HALICHOERUS GRYPUS
 (GRAY SEAL).//P38592
 F-THYRO1000394//SMALL PROLINE RICH PROTEIN II (SPR-II) (CLONE 930).//0.00019:48:37//HOMO SAPI-
 ENS (HUMAN).//P22531
 F-THYRO1000395//RING CANAL PROTEIN (KELCH PROTEIN).//1.2e-33:186:38//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY).//Q04652
 10 F-THYRO1000401//50S RIBOSOMAL PROTEIN L7/L12 (FRAGMENT).//0.57:67:31//STAPHYLOCOCCUS AU-
 REUS.//P48860
 F-THYRO1000438//ATP SYNTHASE PROTEIN 8 (EC 3.6.1.34) (A6L).//1.0:42:38//STRONGYLOCENTROTUS
 PURPURATUS (PURPLE SEA URCHIN).//P15997
 F-THYRO1000452//BACTERIOCIN CARNOBACTERIOCIN A PRECURSOR (PISCICOLIN 61).//0.31:34:44//
 15 CARNOBACTERIUM PISCICOLA.//P38578
 F-THYRO1000471//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/2,1e-31:94:72//HOMO SAPIENS (HUMAN).//
 P39194
 F-THYRO1000484//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/5,9e-08:30:86//HOMO SAPIENS (HUMAN).//
 P39195
 20 F-THYRO1000488//EARLY NODULIN 55-2 PRECURSOR (N-55-2) (NODULIN-315).//0.93:98:27//GLYCINE MAX
 (SOYBEAN).//Q02917
 F-THYRO1000501//DOWN REGULATORY PROTEIN OF INTERLEUKIN 2 RECEPTOR.//2.4e-51:198:50//MUS
 MUSCULUS (MOUSE).//P15533
 F-THYRO1000502//HUNCHBACK PROTEIN (FRAGMENT).//0.84:41:43//APIS MELLIFERA (HONEYBEE).//
 25 P31504
 F-THYRO1000505//HYPOTHETICAL BHLF1 PROTEIN.//0.99:231:33//EPSTEIN-BARR VIRUS (STRAIN B95-8)
 (HUMAN HERPESVIRUS 4).//P03181
 F-THYRO1000558//ANTITHROMBIN-III PRECURSOR (ATIII) (FRAGMENT).//0.47:58:37//GALLUS GALLUS
 (CHICKEN).//Q03352
 30 F-THYRO1000569//COLLAGEN ALPHA 1(I) CHAIN (FRAGMENTS).//0.00048:64:42//RATTUS NORVEGICUS
 (RAT).//P02454
 F-THYRO1000570//HYPOTHETICAL 11.6 KD PROTEIN IN ACS1-GCV3 INTERGENIC REGION.//0.94:61:32//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P39725
 F-THYRO1000585//SPLICING FACTOR, ARGININE/SERINE-RICH 6 (PRE-MRNA SPLICING FACTOR
 35 SRP55).//0.050:104:36//HOMO SAPIENS (HUMAN).//Q13247
 F-THYRO1000596//INFECTED CELL PROTEIN ICP34.5 (NEUROVIRULENCE FACTOR ICP34.5).//0.99:37:40//
 HERPES SIMPLEX VIRUS (TYPE 1 / STRAIN MGH-10).//P37319
 F-THYRO1000602//EAMZP30-47 PROTEIN (FRAGMENT).//0.88:61:34//EIMERIA ACERVULINA.//P21959
 F-THYRO1000605//SUPPRESSOR PROTEIN SRP40.//0.0016:116:26//SACCHAROMYCES CEREVISIAE
 40 (BAKER'S YEAST).//P32583
 F-THYRO1000625//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/3.4e-33:88:78//HOMO SAPIENS (HUMAN).//
 P39194
 F-THYRO1000637//METALLOTHIONEIN A (MT A).//1.0:23:43//SPARUS AURATA (GILTHEAD SEA BREAM).//
 P52727
 45 F-THYRO1000641//PHOTOSYSTEM II 10 KD PHOSPHOPROTEIN.//0.99:26:46//CYANIDIUM CALDARIUM
 (GALDIERIA SULPHURARIA).//O19925
 F-THYRO1000658//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!/1.5e-49:116:69//HOMO SAPIENS (HU-
 MAN).//P39189
 F-THYRO1000662//DNA-DAMAGE-INDUCIBLE PROTEIN P.//3.7e-15:119:43//ESCHERICHIA COLI.//Q47155
 50 F-THYRO1000666//KINESIN-LIKE PROTEIN KLP1.//1.0e-44:232:41//CHLAMYDOMONAS REINHARDTII.//
 P46870
 F-THYRO1000676//!!!! ALU SUBFAMILY SP WARNING ENTRY !!!!!/2.1e-15:144:39//HOMO SAPIENS (HU-
 MAN).//P39193
 F-THYRO1000684//HYPOTHETICAL 73.5 KD PROTEIN IN SCS3-RPS2 INTERGENIC REGION.//0.00033:84:
 55 30//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53129
 F-THYRO1000699//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!/0.97:20:85//HOMO SAPIENS (HUMAN).//
 P39192
 F-THYRO1000712//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/4.2e-10:69:59//HOMO SAPIENS (HUMAN).//

P39188
 F-THYRO1000715//SALIVARY PROLINE-RICH PROTEIN PRECURSOR (CLONES CP3, CP4 AND CP5) [CONTAINS: BASIC PEPTIDE IB-6; PEPTIDE P-H]//4.6e-10:204:32//HOMO SAPIENS (HUMAN)//P04280
 F-THYRO1000734
 5 F-THYRO1000748//HYPOTHETICAL PROTEIN KIAA0411 (FRAGMENT)//1.8e-46:130:70//HOMO SAPIENS (HUMAN)//O43295
 F-THYRO1000756//ALPHA-N-ACETYL GALACTOSAMINIDE ALPHA-2,6-SIALYLTRANSFERASE (EC 2.4.99.-) (ST6GALNACIII) (STY)//1.1e-06:95:31//RATTUS NORVEGICUS (RAT)//Q64686
 F-THYRO1000777//CUTICLE COLLAGEN 2C (FRAGMENT)//0.0031:119:34//HAEMONCHUS CONTORTUS//
 10 P16252
 F-THYRO1000783//MYOSIN IC HEAVY CHAIN//0.0014:121:37//ACANTHAMOEBA CASTELLANII (AMOEBA)//P10569
 F-THYRO1000787//HUNCHBACK PROTEIN (FRAGMENT)//0.54:25:52//PHOLCUS PHALANGIODES//Q02031
 15 F-THYRO1000793//PRE-MRNA SPLICING FACTOR PRP9//0.91:3 0:36//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST)//P19736
 F-THYRO1000796
 F-THYRO1000805//HYPOTHETICAL 7.3 KD PROTEIN IN 100 KD PROTEIN REGION//0.081:31:38//HUMAN ADENOVIRUS TYPE 41//P23691
 20 F-THYRO1000815//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/6.0e-30:81:70//HOMO SAPIENS (HUMAN)//P39195
 F-THYRO1000829//NEUROTOXIN III (BOM III)//0.022:32:34//BUTHUS OCCITANUS MARDOCHEI (MOROCCAN SCORPION)//P13488
 F-THYRO1000843//HYPOTHETICAL 7.7 KD PROTEIN IN GENES 5-4 INTERGENIC REGION (ORF 109)//0.98:25:44//BACTERIOPHAGE P22//P26750
 25 F-THYRO1000852//SULFATED SURFACE GLYCOPROTEIN 185 (SSG 185)//7.3e-09:83:42//VOLVOX CARTERI//P21997
 F-THYRO1000855//ANTIFREEZE PEPTIDE 4 PRECURSOR//1.0:54:35//PSEUDOPLEURONECTA AMERICANUS (WINTER FLOUNDER)//P02734
 30 F-THYRO1000865//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/5.2e-17:66:57//HOMO SAPIENS (HUMAN)//P39188
 F-THYRO1000895//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!/1.0e-12:58:62//HOMO SAPIENS (HUMAN)//P39189
 F-THYRO1000916//!!!! ALU SUBFAMILY SB WARNING ENTRY !!!!!/2.0e-32:101:69//HOMO SAPIENS (HUMAN)//P39189
 35 F-THYRO1000926//NITROGEN FIXATION REGULATORY PROTEIN//5.5e-05:108:27//KLEBSIELLA OXYTACA//P56267
 F-THYRO1000934//PYRROLINE-5-CARBOXYLATE REDUCTASE (EC 1.5.1.2) (P5CR) (P5C REDUCTASE)//3.9e-50:147:40//HOMO SAPIENS (HUMAN)//P32322
 40 F-THYRO1000951//DIHYDROXYACETONE KINASE (EC 2.7.1.29) (GLYCERONE KINASE)//1.8e-31:136:56//CITROBACTER FREUNDII//P45510
 F-THYRO1000952//HYPOTHETICAL 182.0 KD PROTEIN IN NMD5-HOM6 INTERGENIC REGION//2.4e-05:91:34//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST)//P47170
 F-THYRO1000974//MITOCHONDRIAL ATP-DEPENDENT RNA HELICASE SUV3 PRECURSOR//1.0:35:40//
 45 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST)//P32580
 F-THYRO1000975
 F-THYRO1000983//HYPOTHETICAL 48.1 KD PROTEIN B0403.2 IN CHROMOSOME X//1.3e-20:96:51//CAENORHABDITIS ELEGANS//Q11076
 F-THYRO1000984//GTP-BINDING ADP-RIBOSYLATION FACTOR HOMOLOG 1 PROTEIN//0.011:76:34//DROSOPHILA MELANOGASTER (FRUIT FLY)//P25160
 50 F-THYRO1000988
 F-THYRO1001003//HYPOTHETICAL 8.1 KD PROTEIN IN MSCL-RPLQ INTERGENIC REGION//0.97:60:31//ESCHERICHIA COLI//P36675
 F-THYRO1001031//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/9.5e-18:56:66//HOMO SAPIENS (HUMAN)//P39195
 55 F-THYRO1001033//TRANSFORMATION-SENSITIVE PROTEIN IEF SSP 3521//5.0e-13:126:35//HOMO SAPIENS (HUMAN)//P31948
 F-THYRO1001062//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/1.1e-35:97:79//HOMO SAPIENS (HUMAN)//

P39194
 F-THYRO1001093/////ALU SUBFAMILY SQ WARNING ENTRY !!!!!/6.4e-13:70:57//HOMO SAPIENS (HUMAN).//
 P39194
 5 F-THYRO1001100//ZINC FINGER X-LINKED PROTEIN ZXDA (FRAGMENT).//4.2e-63:219:63//HOMO SAPIENS
 (HUMAN).//P98168
 F-THYRO1001120//SPLICEOSOME ASSOCIATED PROTEIN 49 (SAP 49) (SF3B53).//0.00068:160:31//HOMO
 SAPIENS (HUMAN).//Q15427
 F-THYRO1001121//VERY HYPOTHETICAL 20.6 KD PROTEIN C56F8.15 IN CHROMOSOME I.//0.37:158:28//
 10 SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q10263
 F-THYRO1001133/////ALU SUBFAMILY J WARNING ENTRY !!!!!/7.3e-15:59:66//HOMO SAPIENS (HUMAN).//
 P39188
 F-THYRO1001134//SALIVARY PROLINE-RICH PROTEIN PO (ALLELE M) [CONTAINS: PEPTIDE P-D] (FRAG-
 MENT).//0.00088:159:29//HOMO SAPIENS (HUMAN).//P10161
 F-THYRO1001142/////ALU SUBFAMILY SQ WARNING ENTRY !!!!!/3.0e-29:81:71//HOMO SAPIENS (HUMAN).//
 15 P39194
 F-THYRO1001173//CYTOCHROME C OXIDASE POLYPEPTIDE VIIS (EC 1.9.3.1).//0.88:51:35//DICTYOSTEL-
 IUM DISCOIDEUM (SLIME MOLD).//P20610
 F-THYRO1001177/////ALU SUBFAMILY SC WARNING ENTRY !!!!!/3.0e-24:91:68//HOMO SAPIENS (HUMAN).//
 P39192
 20 F-THYRO1001189//MKR2 PROTEIN (ZINC FINGER PROTEIN 2).//7.3e-27:165:39//MUS MUSCULUS
 (MOUSE).//P08043
 F-THYRO1001204//BASIC PROLINE-RICH PEPTIDE P-E (IB-9).//0.67:42:42//HOMO SAPIENS (HUMAN).//
 P02811
 F-THYRO1001213/////ALU SUBFAMILY SQ WARNING ENTRY !!!!!/2.9e-16:61:68//HOMO SAPIENS (HUMM).//
 25 P39194
 F-THYRO1001262/////ALU SUBFAMILY SP WARNING ENTRY !!!!!/1.4e-36:50:84//HOMO SAPIENS (HUMAN).//
 P39193
 F-THYRO1001271//HYPOTHETICAL 35.5 KD PROTEIN IN TRANSPOSON TN4556.//0.62: 126:30//STREPTO-
 MYCES FRADIAE.//P20186
 30 F-THYRO1001287//HYPOTHETICAL 91.2 KD PROTEIN IN RPS4B-SCH9 INTERGENIC REGION.//1.9e-26:208:
 37//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38888
 F-THYRO1001290//GIANT HEMOGLOBIN AIV CHAIN (FRAGMENT).//1.0:31:38//LAMELLIBRACHIA SP.
 (DEEP-SEA GIANT TUBE WORM).//P20413
 F-THYRO1001313//VACUOLAR PROTEIN SORTING-ASSOCIATED PROTEIN VPS5.//0.00042:105:31//SAC-
 35 CHAROMYCES CEREVISIAE (BAKER'S YEAST).//Q92331
 F-THYRO1001320//COLLAGEN ALPHA 1(III) CHAIN.//0.27:57:38//BOS TAURUS (BOVINE).//P04258
 F-THYRO1001321/////ALU SUBFAMILY J WARNING ENTRY !!!!!/5.5e-20:74:64//HOMO SAPIENS (HUMAN).//
 P39188
 F-THYRO1001322//HYPOTHETICAL 7.2 KD PROTEIN.//0.66:49:30//VACCINIA VIRUS (STRAIN COPENHA-
 40 GEN).//P21123
 F-THYRO1001347//TOXIN F-VIII PRECURSOR (TOXIN TA2) (TOXIN DAF8).//0.94:61:36//DENDROASPIS AN-
 GUSTICEPS (EASTERN GREEN MAMBA).//P01404
 F-THYRO1001363/////ALU SUBFAMILY J WARNING ENTRY !!!!!/0.0025:23:73//HOMO SAPIENS (HUMAN).//
 P39188
 45 F-THYRO1001365//MERSACIDIN PRECURSOR.//0.35:38:42//BACILLUS SP. (STRAIN HIL-Y85/54728).//
 P43683
 F-THYRO1001374//PROTEIN VDLD.//1.6e- 3:140:31//HELICOBACTER PYLORI (CAMPYLOBACTER PY-
 LORI).//O05729
 F-THYRO1001401/////ALU SUBFAMILY SC WARNING ENTRY !!!!!/0.047:43:48//HOMO SAPIENS (HUMAN).//
 50 P39192
 F-THYRO1001403
 F-THYRO1001405//SMALL PROLINE RICH PROTEIN II (SPR-II) (CLONE 930).//0.0068:26:42//HOMO SAPIENS
 (HUMAN).//P22531
 F-THYRO1001406//PUTATIVE STEROID DEHYDROGENASE KIK-I (EC 1.1.1.-).//3.1e-81:97:83//MUS MUSCU-
 55 LUS (MOUSE).//O70503
 F-THYRO1001411/////ALU SUBFAMILY SP WARNING ENTRY !!!!!/1.9e-26:89:74//HOMO SAPIENS (HUMAN).//
 P39193
 F-THYRO1001426/////ALU SUBFAMILY SP WARNING ENTRY !!!!!/1.4e-09:55:61//HOMO SAPIENS (HUMAN).//

P39193
 F-THYRO1001434//BETA-DEFENSIN 4 PRECURSOR (BNDB-4)//0.68:44:34//BOS TAURUS (BOVINE)//
 P46162
 5 F-THYRO1001458//MYOSIN HEAVY CHAIN, NONMUSCLE TYPE B (CELLULAR MYOSIN HEAVY CHAIN, TYPE
 B) (NMMHC-B)//3.8e-64:216:62//HOMO SAPIENS (HUMAN)//P35580
 F-THYRO1001480//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/9.3e-29:88:75//HOMO SAPIENS (HUMAN)//
 P39194
 F-THYRO1001487//HOMEBOX PROTEIN HOX-B4 (HOX-2.6)//0.99:59:37//MUS MUSCULUS (MOUSE)//
 P10284
 10 F-THYRO1001534//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/1.4e-14:40:82//HOMO SAPIENS (HUMAN)//
 P39194
 F-THYRO1001537//HYPOTHETICAL 33.8 KD PROTEIN IN TWT1-FLO5 INTERGENIC REGION//2.4e-07:142:
 32//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST)//P38892
 F-THYRO1001541//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/0.98:26:61//HOMO SAPIENS (HUMAN)//
 15 P39195
 F-THYRO1001559//PROTEIN Q300//2.6e-05:20:75//MUS MUSCULUS (MOUSE)//Q02722
 F-THYRO1001570
 F-THYRO1001573//SPERM MITOCHONDRIAL CAPSULE SELENOPROTEIN (MCS)//0.033:71:36//MUS MUS-
 CULUS (MOUSE)//P15265
 20 F-THYRO1001584//SUPPRESSOR PROTEIN SRP40//2.1e-05:188:27//SACCHAROMYCES CEREVISIAE
 (BAKER'S YEAST)//P32583
 F-THYRO1001595//RAS SUPPRESSOR PROTEIN 1 (RSU-1) (RSP-1 PROTEIN) (RSP-1)//6.1e-21:35:91//HO-
 MO SAPIENS (HUMAN)//Q15404
 F-THYRO1001602//TRK SYSTEM POTASSIUM UPTAKE PROTEIN TRKH//1.0:57:42//HAEMOPHILUS INFLU-
 25 ENZAE//P44843
 F-THYRO1001605//VENOM BASIC PROTEASE INHIBITORS IX AND VIIIB//1.0:34:38//BUNGARUS FASCIA-
 TUS (BANDED KRAIT)//P25660
 F-THYRO1001617//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/7.0e-18:55:81//HOMO SAPIENS (HUMAN)//
 P39194
 30 F-THYRO1001637//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/0.00020:25:80//HOMO SAPIENS (HU-
 MAN)//P39195
 F-THYRO1001656//PROLINE-RICH PROTEIN MP-2 PRECURSOR//0.0091:54:42//MUS MUSCULUS
 (MOUSE)//P05142
 F-THYRO1001661//HYPOTHETICAL 21.1 KD PROTEIN IN SSR-SERA INTERGENIC REGION (O182)//0.033:
 35 77:35//ESCHERICHIA COLI//P09160
 F-THYRO1001671//((2'-5')OLIGOADENYLATE SYNTHETASE 1 (EC 2.7.7.-) ((2'-5')OLIGO(A) SYNTHETASE 1)
 (2-5A SYNTHETASE 1) (P46/P41) (E18/E16)//4.3e-34:207:34//HOMO SAPIENS (HUMAN)//P00973
 F-THYRO1001673//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/3.9e-08:49:65//HOMO SAPIENS (HUMAN)//
 P39194
 40 F-THYRO1001703//HYPOTHETICAL 69.8 KD PROTEIN IN BDF1-SFP1 INTERGENIC REGION//6.4e-16:134:
 35//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST)//Q06053
 F-THYRO1001706
 F-THYRO1001721//RING CANAL PROTEIN (KELCH PROTEIN)//2.7e-27:191:36//DROSOPHILA MELA-
 NOGASTER (FRUIT FLY)//Q04652
 45 F-THYRO1001738//MATING PROCESS PROTEIN MID2 (SERINE-RICH PROTEIN SMS1) (PROTEIN KINASE
 A INTERFERENCE PROTEIN)//0.0032:105:32//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST)//P36027
 F-THYRO1001745
 F-THYRO1001746//GENE 10 PROTEIN//1.0:55:30//SPIROPLASMA VIRUS SPV1-R8A2 B.//P15901
 F-THYRO1001772//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/1.2e-05:41:63//HOMO SAPIENS (HUMAN)//
 50 P39188
 F-THYRO1001793//HYPOTHETICAL 21.6 KD PROTEIN F37A4.2 IN CHROMOSOME III//1.5e-26:161:42//
 CAENORHABDITIS ELEGANS//P41880
 F-THYRO1001809//LATENCY-RELATED PROTEIN 2//0.49:74:27//HERPES SIMPLEX VIRUS (TYPE 1 /
 STRAIN F)//P17589
 55 F-THYRO1001828//PROTEINASE INHIBITOR//0.11:34:50//SOLANUM MELONGENA (EGGPLANT) (AUBER-
 GINE)//P01078
 F-THYRO1001854//ACYL-COA-BINDING PROTEIN HOMOLOG (ACBP) (DIAZEPAM BINDING INHIBITOR HO-
 MOLOG) (DBI)//0.63:50:38//RANA RIDIBUNDA (LAUGHING FROG) (MARSH FROG)//P45883

F-THYRO1001895//!!!! ALU SUBFAMILY J WARNING ENTRY !!!!!/6.1e-09:72:47//HOMO SAPIENS (HUMAN).//
 P39188
 F-THYRO1001907//TRYPOMASTIGOTE DECAY-ACCELERATING FACTOR (T-DAF) (FRAGMENT).//0.79:36:
 44//TRYPANOSOMA CRUZI.//Q26327
 5 F-VESEN1000122//HOMEBOX PROTEIN HB9.//0.57:64:32//HOMO SAPIENS (HUMAN).//P50219
 F-Y79AA1000013//METALLOTHIONEIN B (MT-B).//0.034:35:48//SALMO SALAR (ATLANTIC SALMON).//
 P52720
 F-Y79AA1000033//CHOLECYSTOKININ.//0.97:49:30//PSEUDEMYMYS SCRIPTA (SLIDER TURTLE).//P80345
 F-Y79AA1000037//DNA-BINDING PROTEIN BMI-1.//1.4e-23:80:60//HOMO SAPIENS (HUMAN).//P35226
 10 F-Y79AA1000059//HYPOTHETICAL 35.5 KD PROTEIN IN TRANSPOSON TN4556.//0.0075:127:36//STREPTO-
 MYCES FRADIAE.//P20186
 F-Y79AA1000065//SALIVARY PROLINE-RICH PROTEIN PO (ALLELE K) [CONTAINS: PEPTIDE P-D] (FRAG-
 MENT).//0.022:135:29//HOMO SAPIENS (HUMAN).//P10162
 F-Y79AA1000131//REGULATORY PROTEIN E2.//1.1e-05:175:26//HUMAN PAPILLOMAVIRUS TYPE 24.//
 15 P50770
 F-Y79AA1000181//PROLINE-RICH PROTEIN MP-3 (FRAGMENT).//1.4e-06:187:29//MUS MUSCULUS
 (MOUSE).//P05143
 F-Y79AA1000202//HYPOTHETICAL PROLINE-RICH PROTEIN (FRAGMENT).//6.2e-09:47:53//OWENIA FUSI-
 FORMIS.//P21260
 20 F-Y79AA1000214//HISTONE H2A VARIANT.//1.7e-50:107:100//GALLUS GALLUS (CHICKEN).//P02272
 F-Y79AA1000230//GONADOLIBERIN I PRECURSOR (LHRH I) (LUTEINIZING HORMONE RELEASING HOR-
 MONE I) (GONADOTROPIN RELEASING HORMONE I) (GNRH I) (LULIBERIN I).//0.27:64:34//HOMO SAPIENS
 (HUMAN).//P01148
 F-Y79AA1000231//HYPOTHETICAL 47.9 KD PROTEIN M021B04.12.//2.5e-72:277:53//ARABIDOPSIS THAL-
 25 IANA (MOUSE-EAR CRESS).//O04658
 F-Y79AA1000258//PROLINE-RICH PROTEIN MP-2 PRECURSOR.//2.8e-08:174:35//MUS MUSCULUS
 (MOUSE).//P05142
 F-Y79AA1000268//COLLAGEN ALPHA 1(III) CHAIN (FRAGMENT).//0.00020:176:33//RATTUS NORVEGICUS
 (RAT).//P13941
 30 F-Y79AA1000313//HYPOTHETICAL 54.0 KD PROTEIN C32A3.1 IN CHROMOSOME III.//0.092:127:21//
 CAENORHABDITIS ELEGANS.//Q09260
 F-Y79AA1000328//SEL-10 PROTEIN.//5.3e-05:129:28//CAENORHABDITIS ELEGANS.//Q93794
 F-Y79AA1000342//KERATIN, ULTRA HIGH-SULFUR MATRIX PROTEIN (UHS KERATIN).//1.0:73:30//OVIS AR-
 35 IES (SHEEP).//P26372
 F-Y79AA1000346//COATOMER GAMMA SUBUNIT (GAMMA-COAT PROTEIN) (GAMMA-COP).//1.8e-95:205:
 83//BOS TAURUS (BOVINE).//P53620
 F-Y79AA1000349//ANTIFREEZE PEPTIDE 4 PRECURSOR.//0.036:37:54//PSEUDOPLEURONECTA AMERI-
 CANUS (WINTER FLOUNDER).//P02734
 F-Y79AA1000355//HYPOTHETICAL 18.2 KD PROTEIN ZK632.13 IN CHROMOSOME III.//0.0031:106:28//
 40 CAENORHABDITIS ELEGANS.//Q10120
 F-Y79AA1000368//REDUCED VIABILITY UPON STARVATION PROTEIN 161.//1.4e-16:208:28//SACCHARO-
 MYCES CEREVISIAE (BAKER'S YEAST).//P25343
 F-Y79AA1000405//LIGHT-HARVESTING PROTEIN B-800-850, ALPHA CHAIN C (ANTENNA PIGMENT PRO-
 TEIN, ALPHA CHAIN C) (LH II-C ALPHA).//0.98:50:30//RHODOPSEUDOMONAS PALUSTRIS.//P35103
 45 F-Y79AA1000410//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!!/7.9e-20:62:79//HOMO SAPIENS (HUMAN).//
 P39194
 F-Y79AA1000420//HYPOTHETICAL 27.7 KD PROTEIN IN UME3-HDA1 INTERGENIC REGION.//1.4e-06:86:38//
 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53970
 F-Y79AA1000469//HYPOTHETICAL 48.4 KD PROTEIN F44B9.5 IN CHROMOSOME III.//2.8e-34:211:40//
 50 CAENORHABDITIS ELEGANS.//P34426
 F-Y79AA1000480//HYPOTHETICAL 63.2 KD PROTEIN C1F3.09 IN CHROMOSOME I.//3.9e-15:90:32//
 SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q10414
 F-Y79AA1000538//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!/0.37:41:48//HOMO SAPIENS (HUMAN).//
 P39195
 55 F-Y79AA1000539//SPLICING FACTOR, ARGININE/SERINE-RICH 4 (PRE-MRNA SPLICING FACTOR SRP75).//
 1.8e-21:190:37//HOMO SAPIENS (HUMAN).//Q08170
 F-Y79AA1000540//SPERM PROTAMINE P1.//0.00045:66:45//DASYURUS VIVERRINUS (SOUTHEASTERN
 QUOLL), AND DASYURUS HALLUCATUS.//P42135

F-Y79AA1000560//ALPHA-ADAPTIN C (CLATHRIN ASSEMBLY PROTEIN COMPLEX 2 ALPHA-C LARGE CHAIN) (100 KD COATED VESICLE PROTEIN C) (PLASMA MEMBRANE ADAPTOR HA2/AP2 ADAPTIN ALPHA C SUBUNIT).//1.6e-79:186:87//MUS MUSCULUS (MOUSE).//P17427
 F-Y79AA1000574//AKLAVINONE C-11 HYDROXYLASE (EC 1.-.-) (FRAGMENT).//0.010:35:60//STREPTOMYCES PEUCETIUS.//P32009
 5 F-Y79AA1000589//32.3 KD PROTEIN IN CWP1-MBR1 INTERGENIC REGION.//4.5e-27:197:36//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P28320
 F-Y79AA1000627//ZINC FINGER PROTEIN 134.//1.6e-34:191:35//HOMO SAPIENS (HUMAN).//P52741
 F-Y79AA1000705//HYPOTHETICAL 128.5 KD HELICASE IN ATS1-TPD3 INTERGENIC REGION.//8.7e-36:250:40//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P31380
 10 F-Y79AA1000734//PEROXISOMAL MEMBRANE PROTEIN PMP30A (PMP31) (PEROXIN-11A).//0.00037:108:27//CANDIDA BOIDINII (YEAST).//Q00316
 F-Y79AA1000748//HYPOTHETICAL 61.3 KD PROTEIN F25B5.5 IN CHROMOSOME III.//1.0e-23:210:34//CAENORHABDITIS ELEGANS.//Q09316
 15 F-Y79AA1000752//PUTATIVE HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN X (HNRNP X) (CBP).//1.4e-53:156:68//MUS MUSCULUS (MOUSE).//Q61990
 F-Y79AA1000774//HYPOTHETICAL 77.9 KD PROTEIN IN RRN10-MCM2 INTERGENIC REGION.//1.2e-11:231:26//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38205
 F-Y79AA1000782//CUTICLE COLLAGEN 2.//0.012:56:35//CAENORHABDITIS ELEGANS.//P17656
 20 F-Y79AA1000784//HISTIDINE-RICH GLYCOPROTEIN PRECURSOR.//1.3e-08:82:39//PLASMODIUM LOPHURAE.//P04929
 F-Y79AA1000794//DNA-BINDING P52/P100 COMPLEX, 100 KD SUBUNIT (FRAGMENTS).//0.043:13:53//HOMO SAPIENS (HUMAN).//P30808
 F-Y79AA1000800//PRIA PROTEIN PRECURSOR.//0.031:94:34//LENTINULA EDODES (SHIITAKE MUSHROOM) (LENTINUS EDODES).//Q01200
 25 F-Y79AA1000802//HYPOTHETICAL 67.4 KD PROTEIN IN RPS3-PSD1 INTERGENIC REGION.//0.26:186:23//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53882
 F-Y79AA1000805//AMP DEAMINASE (EC 3.5.4.6) (MYOADENYLATE DEAMINASE).//0.99:78:35//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//P50998
 30 F-Y79AA1000824//HYPOTHETICAL 81.7 KD PROTEIN IN MOL1-NAT2 INTERGENIC REGION.//3.4e-44:111:49//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P48234
 F-Y79AA1000827//HYPOTHETICAL BHLF1 PROTEIN.//0.0046:187:33//EPSTEIN-BARR VIRUS (STRAIN B95-8) (HUMAN HERPESVIRUS 4).//P03181
 F-Y79AA1000833//TUBULIN ALPHA-1 CHAIN.//1.0e-75:239:66//CRICETULUS GRISEUS (CHINESE HAMSTER).//P05209
 35 F-Y79AA1000850//SMALL PROLINE-RICH PROTEIN II (SPR-II) (CLONE 174N).//0.0078:57:31//HOMO SAPIENS (HUMAN).//P22532
 F-Y79AA1000962//MYOSIN HEAVY CHAIN, GIZZARD SMOOTH MUSCLE.//8.5e-11:241:26//GALLUS GALLUS (CHICKEN).//P10587
 40 F-Y79AA1000966//ATP SYNTHASE A CHAIN (EC 3.6.1.34) (PROTEIN 6).//0.69:122:31//TRYPANOSOMA BRUCEI BRUCEI.//P24499
 F-Y79AA1000968//TRANSLATION INITIATION FACTOR EIF-2B GAMMA SUBUNIT (EIF-2B GDP-GTP EXCHANGE FACTOR).//3.3e-102:211:93//RATTUS NORVEGICUS (RAT).//P70541
 F-Y79AA1000969//PROCOLLAGEN ALPHA 1(I) CHAIN PRECURSOR.//1.0:67:38//GALLUS GALLUS (CHICKEN).//P02457
 45 F-Y79AA1000976//INVOLUCRIN.//0.99:66:31//CEBUS ALBIFRONS (WHITE-FRONTED CAPUCHIN).//P24709
 F-Y79AA1000985//PERICENTRIN.//1.1e-24:116:59//MUS MUSCULUS (MOUSE).//P48725
 F-Y79AA1001023//HYPOTHETICAL 105.9 KD PROTEIN IN AAC3-RFC5 INTERGENIC REGION.//0.37:79:27//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38250
 50 F-Y79AA1001041//SPERMATID-SPECIFIC PROTEIN T1 [CONTAINS: SPERM PROTAMINE SP1].//0.93:43:39//SEPIA OFFICINALIS (COMMON CUTTLEFISH).//P80001
 F-Y79AA1001048//ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC PRECURSOR (EC 1.3.99.-) (VLCAD).//1.5e-51:211:52//BOS TAURUS (BOVINE).//P48818
 F-Y79AA1001061//!!!! ALU SUBFAMILY SQ WARNING ENTRY !!!!.//3.8e-25:85:69//HOMO SAPIENS (HUMAN).//P39194
 55 F-Y79AA1001068//PROCOLLAGEN ALPHA 1(II) CHAIN PRECURSOR [CONTAINS: CHONDROCALCIN].//0.0015:207:33//MUS MUSCULUS (MOUSE).//P28481
 F-Y79AA1001077//ADULT-SPECIFIC RIGID CUTICULAR PROTEIN 11.9 (ACP 11.9).//0.99:36:41//ARANEUS DI-

ADEMATUS (SPIDER).//P80515
 F-Y79AA1001078//HYPOTHETICAL 88.1 KD PROTEIN K02D10.1 IN CHROMOSOME III.//1.0e-06:197:23//
 CAENORHABDITIS ELEGANS.//P34492
 F-Y79AA1001105//HOMEBOX PROTEIN OTX2.//2.9e-62:163:79//MUS MUSCULUS (MOUSE).//P80206
 5 F-Y79AA1001145//!!!! ALU SUBFAMILY SX WARNING ENTRY !!!!!//0.024:42:59//HOMO SAPIENS (HUMAN).//
 P39195
 F-Y79AA1001167//HYPOTHETICAL 7.1 KD PROTEIN IN IAP2-VLF1 INTERGENIC REGION.//0.96:20:50//
 AUTOGRAPHA CALIFORNICA NUCLEAR POLYHEDROSIS VIRUS (ACMNPV).//P41471
 F-Y79AA1001177//HYPOTHETICAL BHLF1 PROTEIN.//3.9e-05:135:34//EPSTEIN-BARR VIRUS (STRAIN
 10 B95-8) (HUMAN HERPESVIRUS 4).//P03181
 F-Y79AA1001185//PUTATIVE CUTICLE COLLAGEN C09G5.5.//0.00017:93:38//CAENORHABDITIS ELE-
 GANS.//Q09456
 F-Y79AA1001211
 F-Y79AA1001216//TENSIN.//0.012:134:32//GALLUS GALLUS (CHICKEN).//Q04205
 15 F-Y79AA1001228//MUCIN 2 PRECURSOR (INTESTINAL MUCIN 2).//0.088:75:34//HOMO SAPIENS (HUMAN).//
 Q02817
 F-Y79AA1001233//ESTRADIOL 17 BETA-DEHYDROGENASE 1 (EC 1.1.1.62) (17-BETA-HSD 1) (17-BETA-HY-
 DROXYSTEROID DEHYDROGENASE 1).//1.1e-40:139:51//RATTUS NORVEGICUS (RAT).//P51657
 F-Y79AA1001236//HYPOTHETICAL 34.7 KD PROTEIN IN ORC2-TIP1 INTERGENIC REGION.//2.0e-22:108:53//
 20 SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P38238
 F-Y79AA1001281
 F-Y79AA1001299//PROLINE-RICH PROTEIN MP-3 (FRAGMENT).//0.0022:49:44//MUS MUSCULUS
 (MOUSE).//P05143
 F-Y79AA1001312//50S RIBOSOMAL PROTEIN L24, CHLOROPLAST PRECURSOR.//0.98:117:25//ARABIDOP-
 25 SIS THALIANA (MOUSE-EAR CRESS).//P92959
 F-Y79AA1001323//CORNIFIN (SMALL PROLINE-RICH PROTEIN I) (SPR-I) (SMALL PROLINE-RICH SQUA-
 MOUS CELL MARKER) (SPRP).//0.082:44:40//SUS SCROFA (PIG).//P35323
 F-Y79AA1001384//APOLIPOPROTEIN C-III PRECURSOR (APO-CIII).//0.99:47:40//MUS MUSCULUS
 (MOUSE).//P33622
 30 F-Y79AA1001391//HOMEBOX PROTEIN HOX-A13 (HOX-1J).//9.8e-58:157:62//HOMO SAPIENS (HUMAN).//
 P31271
 F-Y79AA1001394//TRICHOHYALIN.//4.7e-08:121:36//HOMO SAPIENS (HUMAN).//Q07283
 F-Y79AA1001402//ETS-DOMAIN TRANSCRIPTION FACTOR ERF.//0.0087:81:33//MUS MUSCULUS
 (MOUSE).//P70459
 35 F-Y79AA1001493//HYPOTHETICAL 48.1 KD PROTEIN B0403.2 IN CHROMOSOME X.//4.5e-21:125:44//
 CAENORHABDITIS ELEGANS.//Q11076
 F-Y79AA1001511//HYPOTHETICAL 86.6 KD PROTEIN IN PFK1-TDS4 INTERGENIC REGION.//2.3e-17:249:
 31//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53313
 F-Y79AA1001533//DNA-DIRECTED RNA POLYMERASE I49 KD POLYPEPTIDE (EC 2.7.7.6) (A49).//0.0099:
 40 155:23//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//Q01080
 F-Y79AA1001541
 F-Y79AA1001548//!!!! ALU SUBFAMILY SC WARNING ENTRY !!!!!//1.1e-17:53:83//HOMO SAPIENS (HUMAN).//
 P39192
 F-Y79AA1001555//MAJOR SURFACE ANTIGEN.//0.046:62:29//HEPATITIS B VIRUS.//P31873
 45 F-Y79AA1001581//ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL- AC-
 TIVATING ENZYME).//8.6e-11:144:31//ESCHERICHIA COLI.//P27550
 F-Y79AA1001585//SPERM MITOCHONDRIAL CAPSULE SELENOPROTEIN (MCS).//0.012:64:40//MUS MUS-
 CULUS (MOUSE).//P15265
 F-Y79AA1001594//CORNIFIN BETA.//0.61:88:31//MUS MUSCULUS (MOUSE).//O09116
 50 F-Y79AA1001603//TRANSCRIPTION INITIATION FACTOR TFIID 135 KD SUBUNIT (TAFII-135) (TAFII135)
 (TAFII-130) (TAFII130).//0.024:170:30//HOMO SAPIENS (HUMAN).//O00268
 F-Y79AA1001613//ZINC FINGER PROTEIN 42 (MYELOID ZINC FINGER 1) (MZF-1).//4.5e-09:136:27//HOMO
 SAPIENS (HUMAN).//P28698
 F-Y79AA1001647//HYPOTHETICAL 23.1 KD PROTEIN CY277.20C.//0.093:94:26//MYCOBACTERIUM TUBER-
 55 CULOSIS.//P71779
 F-Y79AA1001665//HOMEBOX PROTEIN DLX-2 (HOMEBOX PROTEIN TES-1).//0.79:90:26//MUS MUSCU-
 LUS (MOUSE).//P40764
 F-Y79AA1001679//LAMBDA-CRYSTALLIN.//1.6e-95:224:81//ORYCTOLAGUS CUNICULUS (RABBIT).//P14755

F-Y79AA1001692//GERM CELL-LESS PROTEIN.//3.5e-08:78:38//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q01820
 F-Y79AA1001696//INSULIN.//1.0:33:27//ANGUILLA ROSTRATA (AMERICAN EEL).//P42633
 5 F-Y79AA1001705//HYPOTHETICAL BHLF1 PROTEIN.//0.0013:192:33//EPSTEIN-BARR VIRUS (STRAIN B95-8) (HUMAN HERPESVIRUS 4).//P03181
 F-Y79AA1001711//PARATHYMOSIN (ZINC-BINDING 11.5 KD PROTEIN).//0.032:38:34//RATTUS NORVEGICUS (RAT).//P04550
 F-Y79AA1001781
 10 F-Y79AA1001805//VASODILATOR-STIMULATED PHOSPHOPROTEIN (VASP).//0.0063:128:30//HOMO SAPIENS (HUMAN).//P50552
 F-Y79AA1001827//SPERM PROTAMINE P1.//0.015:45:40//DIDELPHIS MARSUPIALIS VIRGINIANA (NORTH AMERICAN OPOSSUM), AND MONODELPHIS DOMESTICA (SHORT-TAILED GREY OPOSSUM).//P35305
 F-Y79AA1001846//!!!! ALU SUBFAMILY J WARNING ENTRY!!!!//2.4e-09:42:73//HOMO SAPIENS (HUMAN).//P39188
 15 F-Y79AA1001848//KRUEPPEL PROTEIN (FRAGMENT).//1.8e-10:63:44//PSYCHODA CINEREA.//Q02035
 F-Y79AA1001866//ZINC FINGER PROTEIN 90 (ZFP-90) (ZINC FINGER PROTEIN NK10).//0.00036:108:37//MUS MUSCULUS (MOUSE).//Q61967
 F-Y79AA1001874//OX40L RECEPTOR PRECURSOR (ACT35 ANTIGEN) (TAX-TRANSCRIPTIONALLY ACTIVATED GLYCOPROTEIN-1 RECEPTOR) (CD134 ANTIGEN).//3.2e-07:100:35//HOMO SAPIENS (HUMAN).//P43489
 20 F-Y79AA1001875//B-CELL GROWTH FACTOR PRECURSOR (BCGF-12 KD).//0.020:25:64//HOMO SAPIENS (HUMAN).//P20931
 F-Y79AA1001923//SALIVARY PROLINE-RICH PROTEIN PO (ALLELE K) [CONTAINS: PEPTIDE P-D] (FRAGMENT).//0.016:83:36//HOMO SAPIENS (HUMAN).//P10162
 25 F-Y79AA1001963//PUTATIVE PRE-MRNA SPLICING FACTOR ATP-DEPENDENT RNA HELICASE SPAC10F6.02C.//8.1e-13:94:47//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//O42643
 F-Y79AA1002027//UBIQUITIN-CONJUGATING ENZYME E2-18 KD (EC 6.3.2.19) (UBIQUITIN- PROTEIN LIGASE) (UBIQUITIN CARRIER PROTEIN) (PM42).//9.8e-39:143:52//ARABIDOPSIS THALIANA (MOUSE-EAR CRESS).//P42743
 30 F-Y79AA1002083//DNA-BINDING P52/P100 COMPLEX, 100 KD SUBUNIT (FRAGMENTS).//0.036:53:45//HOMO SAPIENS (HUMAN).//P30808
 F-Y79AA1002089//HYPOTHETICAL 49.1 KD PROTEIN F02A9.4 IN CHROMOSOME III.//0.12:171:22//CAENORHABDITIS ELEGANS.//P34384
 F-Y79AA1002093//MAX PROTEIN.//3.1e-07:111:29//BRACHYDANIO RERIO (ZEBRAFISH) (ZEBRA DANIO).//P52161
 35 F-Y79AA1002103//SHORT NEUROTOXIN C.//0.040:21:47//AIPYSURUS LAEVIS (OLIVE SEA SNAKE).//P19958
 F-Y79AA1002115//HYPOTHETICAL PROTEIN MJ0827.//0.84:68:30//METHANOCOCCUS JANNASCHII.//Q58237
 40 F-Y79AA1002125//HYPOTHETICAL 24.7 KD PROTEIN IN POM152-REC114 INTERGENIC REGION.//3.4e-29:197:39//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P40206
 F-Y79AA1002139//DNAJ PROTEIN HOMOLOG 1 (DROJ1).//1.9e-19:120:45//DROSOPHILA MELANOGASTER (FRUIT FLY).//Q24133
 45 F-Y79AA1002204//TBX6 PROTEIN (T-BOX PROTEIN 6).//0.0011:162:32//MUS MUSCULUS (MOUSE).//P70327
 F-Y79AA1002208//ANKYRIN.//2.9e-08:231:29//MUS MUSCULUS (MOUSE).//Q02357
 F-Y79AA1002209//TYROSYL-TRNA SYNTHETASE, MITOCHONDRIAL PRECURSOR (EC 6.1.1.1) (TYROSINE-TRNA LIGASE) (TYRRS).//3.7e-23:170:32//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P48527
 50 F-Y79AA1002210//CORNIFIN A (SMALL PROLINE-RICH PROTEIN IA) (SPR-IA) (SPRK).//0.0061:69:31//HOMO SAPIENS (HUMAN).//P35321
 F-Y79AA1002211//!!!! ALU SUBFAMILY SP WARNING ENTRY !!!!//9.2e-10:43:62//HOMO SAPIENS (HUMAN).//P39193
 F-Y79AA1002220
 55 F-Y79AA1002229//HYPOTHETICAL 60.7 KD PROTEIN C56F8.17C IN CHROMOSOME I.//1.9e-21:147:40//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//Q10264
 F-Y79AA1002234
 F-Y79AA1002246//MYOSIN IC HEAVY CHAIN.//0.00066:131:34//ACANTHAMOEBA CASTELLANII (AMOEBA).//P10569

F-Y79AA1002258//HYPOTHETICAL 103.9 KD PROTEIN ZK370.3 IN CHROMOSOME III.//4.3e-45:164:48//
 CAENORHABDITIS ELEGANS.//Q02328
 F-Y79AA1002298//SALIVARY PROLINE-RICH PROTEIN PO (ALLELE M) [CONTAINS: PEPTIDE P-D] (FRAG-
 5 MENT).//0.0063:99:31//HOMO SAPIENS (HUMAN).//P10161
 F-Y79AA1002307
 F-Y79AA1002311//HYPOTHETICAL 105.3 KD PROTEIN C01G6.5 IN CHROMOSOME III.//0.75:198:24//
 CAENORHABDITIS ELEGANS.//P46012
 F-Y79AA1002351//CUTICLE COLLAGEN 34.//0.74:128:35//CAENORHABDITIS ELEGANS.//P34687
 F-Y79AA1002361//GLC7-INTERACTING PROTEIN 2.//0.050:71:29//SACCHAROMYCES CEREVISIAE (BAK-
 10 ER'S YEAST).//P40036
 F-Y79AA1002399//NEUROMODULIN (AXONAL MEMBRANE PROTEIN GAP-43) (PP46) (B-50) (PROTEIN F1)
 (CALMODULIN-BINDING PROTEIN P-57).//1.0:89:30//CARASSIUS AURATUS (GOLDFISH).//P17691
 F-Y79AA1002407//HYPOTHETICAL 31.5 KD PROTEIN IN YGP1-YCK2 INTERGENIC REGION.//3.7e-16:232:
 28//SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).//P53899
 15 F-Y79AA1002416//CTP SYNTHASE (EC 6.3.4.2) (UTP--AMMONIA LIGASE) (CTP SYNTHETASE).//6.7e-72:
 162:84//HOMO SAPIENS (HUMAN).//P17812
 F-Y79AA1002431//SMALL PROLINE RICH PROTEIN II (SPR-II) (CLONE 930).//0.81:34:41//HOMO SAPIENS
 (HUMAN).//P22531
 F-Y79AA1002433//CELL DIVISION CONTROL PROTEIN 68.//0.00024:85:27//SACCHAROMYCES CEREVI-
 20 SIAE (BAKER'S YEAST).//P32558
 F-Y79AA1002472//ZINC FINGER PROTEIN 35 (ZFP-35).//2.3e-60:217:44//MUS MUSCULUS (MOUSE).//
 P15620
 F-Y79AA1002482//ZINC FINGER PROTEIN 141.//2.0e-31:90:55//HOMO SAPIENS (HUMAN).//Q15928
 F-Y79AA1002487//HYPOTHETICAL 67.1 KD TRP-ASP REPEATS CONTAINING PROTEIN C57A10.05C IN
 25 CHROMOSOME I.//0.18:41:36//SCHIZOSACCHAROMYCES POMBE (FISSION YEAST).//P87053

Homology Search Result Data 2.

[0300] The result of the homology search of the GenBank using the clone sequence of 5'-end except EST and STS.
 30 [0301] Data include

the name of clone,
 definition of the top hit data,
 the P-value: the length of the compared sequence: identity (%), and
 35 the Accession No. of the top hit data, as in the order separated by //.
 [0302] Data are not shown for the clones in which the P-value was higher than 1.

F-HEMBA1000005//Mouse tumor cell dnaJ-like protein 1 mRNA, complete cds.//3.4e-106:695:86//L16953
 F-HEMBA1000012//Caenorhabditis-elegans cosmid C16C10, complete sequence.//1.5e-24:374:66//Z46787
 40 F-HEMBA1000020//Homo sapiens beta 2 gene.//3.5e-112:529:90//X02344
 F-HEMBA1000030//Rattus norvegicus G protein-coupled receptor kinase-associated ADP ribosylation factor GT-
 Pase-activating protein (GIT1) mRNA, complete cds.//5.6e-124:743:88//AF085693
 F-HEMBA1000042//Human Chromosome 15q26.1 PAC clone pDJ460g16, WORKING DRAFT SEQUENCE, 3
 unordered pieces.//1.1e-25:529:65//AC004581
 45 F-HEMBA1000046//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 12513, WORKING
 DRAFT SEQUENCE.//3.2e-11:330:63//AL033528
 F-HEMBA1000050//Homo sapiens DNA sequence from PAC 172K10 on chromosome 6q24. Contains STS, GSS
 and chromosome 6 fragment, complete sequence.//0.32:407:59//AL022477
 F-HEMBA1000076//Homo sapiens full-length insert cDNA clone ZB97G06.//6.2e-135:594:98//AF086182
 50 F-HEMBA1000111//CIT-HSP-2291M18.TF CIT-HSP Homo sapiens genomic clone 2291M18 genomic survey se-
 quence.//2.8e-16:132:79//AQ004134
 F-HEMBA1000129//Homo sapiens chromosome 17, clone HCIT48C15, complete sequence.//8.6e-98:230:93//
 AC003104
 F-HEMBA1000141//Homo sapiens mRNA for KIAA0797 protein, partial cds.//2.1e-167:791:98//AB018340
 55 F-HEMBA1000150//Homo sapiens mRNA for KIAA0788 protein, partial cds.//2.2e-44:242:96//AB018331
 F-HEMBA1000156//Rattus norvegicus scaffold attachment factor B mRNA, complete cds.//1.1e-10:409:60//
 AF056324
 F-HEMBA1000158//Homo sapiens CAGH44 mRNA, partial cds.//1.6e-35:365:73//U80741

- F-HEMBA1000168//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 321D2, WORKING DRAFT SEQUENCE.//0.99:290:61//AL031033
- F-HEMBA1000180//rat u2 small nuclear rna gene and flanks.//3.7e-18:112:98//K00034
- F-HEMBA1000185
- 5 F-HEMBA1000193//Human FMR1 gene, 5' end.//0.0012:191:67//L19476
- F-HEMBA1000201//Human Ini1 mRNA, complete cds.//2.0e-73:440:92//U04847
- F-HEMBA1000213//Plasmodium falciparum MAL3P7, complete sequence.//0.90:332:59//AL034559
- F-HEMBA1000216//Mus musculus hypoxia inducible factor three alpha mRNA, complete cds.//4.8e-117:585:83//AF060194
- 10 F-HEMBA1000227//H.sapiens CpG island DNA genomic Mse1 fragment, clone 179h6, reverse read cpg179h6.rt1a.//1.9e-14:95:98//Z64921
- F-HEMBA1000231//H.sapiens CpG island DNA genomic Mse1 fragment, clone 90a5, reverse read cpg90a5.rt1a.//5.1e-34:186:97//Z56144
- F-HEMBA1000243//Human DNA sequence from PAC 440O21 on chromosome X contains ESTs and STS.//4.1e-67:291:82//Z84481
- 15 F-HEMBA1000244//M.musculus Ank-1 mRNA for erythroid ankydn.//0.029:316:59//X69065
- F-HEMBA1000251//Homo sapiens PAC clone DJ0988L12 from 7q11.23-q21.1, complete sequence.//0.35:467:60//AC004454
- F-HEMBA1000264
- 20 F-HEMBA1000280//Homo sapiens clone DJ0292L20, WORKING DRAFT SEQUENCE, 2 unordered pieces.//8.9e-20:218:78//AC004825
- F-HEMBA1000282//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//4.2e-08:134:77//AC004617
- F-HEMBA1000288//345L5.TPB CIT978SKA1 Homo sapiens genomic clone A-345L05, genomic survey sequence.//1.1e-06:152:73//B17459
- 25 F-HEMBA1000290//Human ornithine decarboxylase gene, complete cds.//3.2e-11:507:62//M33764
- F-HEMBA1000302//CIT-HSP-2169N13.TF CIT-HSP Homo sapiens genomic clone 2169N13, genomic survey sequence.//5.4e-06:86:88//B90730
- F-HEMBA1000303//Mus musculus Plenty of SH3s (POSH) mRNA, complete cds.//7.9e-111:701:86//AF030131
- 30 F-HEMBA1000304//HS_3006_A1_A09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3006 Col=17 Row=A, genomic survey sequence.//5.2e-40:240:92//AQ118226
- F-HEMBA1000307//Mus musculus mRNA for CDV-1R protein.//7.9e-127:815:84//Y10495
- F-HEMBA1000327//HS_3124_B2_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3124 Col=16 Row=P, genomic survey sequence.//1.4e-11:87:96//AQ187492
- 35 F-HEMBA1000333
- F-HEMBA1000338//Homo sapiens chromosome X, PAC 671D9, complete sequence.//4.0e-66:271:84//AF031078
- F-HEMBA1000351//Homo sapiens PAC clone DJ0649P17 from 7q11.23-q21, complete sequence.//0.64:334:60//AC004848
- F-HEMBA1000355//Pseudorabies virus serine/threonine kinase (ULPK) gene, partial cds and alkaline nuclease (AN) gene, complete cds.//0.017:313:63//U25056
- 40 F-HEMBA1000356//Oryctolagus cuniculus troponin T cardiac isoform mRNA, 3' end of cds.//0.87:198:61//L40178
- F-HEMBA1000357//HS_3194_A1_D05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3194 Col=9 Row=G, genomic survey sequence.//6.5e-90:436:98//AQ173748
- F-HEMBA1000366//HS_3027_B2_G06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3027 Col=12 Row=N, genomic survey sequence.//0.0074:192:64//AQ128843
- 45 F-HEMBA1000369//Human DNA sequence from clone 1039K5 on chromosome 22q12.3-13.2 Contains gene similar to PICK1 perinuclear binding protein, gene similar to monocarboxylate transporter (MCT3), ESTs, STS, GSS and a CpG island, complete sequence.//4.2e-106:133:99//AL031587
- F-HEMBA1000376//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//1.6e-22:659:63//AC006116
- 50 F-HEMBA1000387//Homo sapiens chromosome 12p13.3 clone RPC11-264F23, WORKING DRAFT SEQUENCE, 90 unordered pieces.//3.2e-06:136:75//AC006122
- F-HEMBA1000390//Homo sapiens BAC clone RG119C02 from 7p15, complete sequence.//3.5e-111:284:95//AC004520
- 55 F-HEMBA1000392//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 173D1, WORKING DRAFT SEQUENCE.//1.8e-39:332:80//AL031984
- F-HEMBA1000396//Human Xq13 3' end of PAC 92E23 containing the X inactivation transcript (XIST) gene, complete sequence.//9.5e-35:364:73//U80460

- F-HEMBA1000411//Human Xp22 contig of 3 PACS (R7-39D12, R7-134G1, R7-185L21) from the Roswell Park Cancer Institute, complete sequence.//8.1e-18:424:64//U96409
- F-HEMBA1000418//Drosophila melanogaster Oregon-R mitochondrial A+T region.//0.0026:564:59//U11584
- 5 F-HEMBA1000422//Human DNA from chromosome 19 specific cosmid R30292, genomic sequence, complete sequence.//9.2e-14:232:70//AC003112
- F-HEMBA1000428//Homo sapiens Xp22 BAC GSHB-590J6 (Genome Systems Human BAC library) complete sequence.//3.8e-37:408:69//AC004554
- F-HEMBA1000434//Caenorhabditis elegans cosmid Y48E1B, complete sequence.//0.73:454:57//Z93393
- F-HEMBA1000442
- 10 F-HEMBA1000456//RPCI11-30J5.TV RPCI-11 Homo sapiens genomic clone RPCI-11-30J5, genomic survey sequence.//6.3e-06:62:96//B85188
- F-HEMBA1000459//Mus musculus hemin-sensitive initiation factor 2 alpha kinase mRNA, complete cds.//6.8e-70:580:79//AF028808
- F-HEMBA1000460//Homo sapiens PAC clone DJ0593H12 from 7p31, complete sequence.//2.8e-154:746:98//AC004839
- 15 F-HEMBA1000464//Homo sapiens, clone hRPK.15_A_1, complete sequence.//4.8e-25:397:72//AC006213
- F-HEMBA1000469//CIT-HSP-2167P21.TF CIT-HSP Homo sapiens genomic clone 2167P21, genomic survey sequence.//4.0e-83:406:99//B94160
- F-HEMBA1000488//Homo sapiens Chromosome 22q11.2 PAC Clone p_m11 In BCRL2-GGT Region, complete sequence.//4.2e-53:312:93//AC004033
- 20 F-HEMBA1000490//Campylobacter jejuni groES, groEL genes.//0.59:451:62//Y13334
- F-HEMBA1000491//Murine sarcoma virus (Harvey-strain) H-ras transforming p21 gene.//8.6e-06:338:58//X00740
- F-HEMBA1000501//Homo sapiens chromosome 17, clone hRPK.264_B_14, complete sequence.//9.4e-41:591:69//AC005884
- 25 F-HEMBA1000504//Homo sapiens mRNA for osteoblast specific factor 2 (OSF-2os).//4.0e-07:57:100//D13666
- F-HEMBA1000505
- F-HEMBA1000508//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0135005; HTGS phase 1, WORKING DRAFT SEQUENCE, 23 unordered pieces.//0.035:329:61//AC004661
- F-HEMBA1000518//Caenorhabditis elegans cosmid C17H12.//0.96:425:58//AF045642
- 30 F-HEMBA1000519//Homo sapiens Xp22 BAC GSHB-536K7 (Genome Systems Human BAC library) complete sequence.//1.6e-53:300:89//AC004616
- F-HEMBA1000520//Homo sapiens clone DJ0813F11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.7e-10:117:86//AC006006
- F-HEMBA1000523
- 35 F-HEMBA1000531//Mus musculus Hsp70-related NST-1 (hsr.1) mRNA, complete cds.//3.9e-35:290:80//U08215
- F-HEMBA1000534//Homo sapiens chromosome 17, clone hRPK.177_H_5, WORKING DRAFT SEQUENCE, 2 ordered pieces.//1.7e-36:328:77//AC005973
- F-HEMBA1000540//Arabidopsis thaliana DNA chromosome 4, BAC clone F7K2 (ESSAI project).//0.057:265:63//AL033545
- 40 F-HEMBA1000542//Rattus norvegicus mRNA for dipeptidyl peptidase III, complete cds.//1.2e-110:572:88//D89340
- F-HEMBA1000545//Human DNA from cosmid L27h9, Huntington's Disease Region, chromosome 4p16.3 contains CpG island.//7.5e-130:780:89//Z49237
- F-HEMBA1000555//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 134O19, WORKING DRAFT SEQUENCE.//3.2e-175:838:98//AL034555
- 45 F-HEMBA1000557//CIT-HSP-2369F15.TF CIT-HSP Homo sapiens genomic clone 2369F15, genomic survey sequence.//2.8e-32:315:78//AQ074611
- F-HEMBA1000561//Rattus norvegicus Olf-1/EBF associated Zn finger protein Roaz mRNA, alternatively spliced form, complete cds.//3.4e-69:665:72//U92564
- F-HEMBA1000563//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.59:261:61//AC005504
- 50 F-HEMBA1000568//HS_3243_B2_A12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3243 Col=24 Row=B, genomic survey sequence.//3.1e-54:323:91//AQ219628
- F-HEMBA1000569//M.musculus mRNA for GPI-anchored protein.//1.4e-19:440:61//X89571
- F-HEMBA1000575//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.0016:557:57//AC005506
- 55 F-HEMBA1000588//Mus musculus FLI-LRR associated protein-1 mRNA, complete cds.//1.7e-11:132:79//AF045573
- F-HEMBA1000591//Homo sapiens mRNA for E1B-55kDa-associated protein.//7.3e-43:228:97//AJ007509

- F-HEMBA1000592//Mus musculus clone OST7314, genomic survey sequence.//7.3e-07:68:94//AF046733
 F-HEMBA1000594//Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.//8.7e-71:553:79//Z83822
- 5 F-HEMBA1000604//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 237J2, WORKING DRAFT SEQUENCE.//2.9e-21:158:75//AL021394
 F-HEMBA1000608//Homo sapiens mRNA for KIAA0456 protein, partial cds.//1.1e-118:561:99//AB007925
 F-HEMBA1000622//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, complete sequence.//2.2e-28:426:70//AC004382
- 10 F-HEMBA1000636//Human CpG island sequence, clone Q28B8.//1.0e-15:274:68//D85773
 F-HEMBA1000637//Homo sapiens mRNA for KIAA0690 protein, partial cds.//6.7e-137:639:99//AB014590
 F-HEMBA1000655//, complete sequence.//5.1e-83:685:80//AC005815
 F-HEMBA1000657//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//1.1e-91:597:84//U35776
- 15 F-HEMBA1000662//Homo sapiens clone DJ0853H20, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.019:695:57//AC004907
 F-HEMBA1000673//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 229A8, WORKING DRAFT SEQUENCE.//1.5e-48:325:85//Z86090
 F-HEMBA1000682//Homo sapiens (subclone 5_g5 from P1 H25) DNA sequence.//7.7e-61:615:74//L43411
 F-HEMBA1000686
- 20 F-HEMBA1000702
 F-HEMBA1000705//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.0037:569:57//AC005507
 F-HEMBA1000719//Streptomyces coelicolor cosmid 1C2.//2.0e-09:483:62//AL031124
 F-HEMBA1000722//Toxoplasma gondii chloroplast, complete genome.//0.00058:762:57//U87145
- 25 F-HEMBA1000726//H.sapiens HLA-DRB1*15 gene.//9.8e-49:189:89//X88791
 F-HEMBA1000727//CIT-HSP-387P22.TRB CIT-HSP Homo sapiens genomic clone 387P22, genomic survey sequence.//0.0054:206:67//B60158
 F-HEMBA1000747
- 30 F-HEMBA1000749//Human DNA sequence from clone 522P13 on chromosome 6p21.31-22.3. Contains a 60S Ribosomal Protein L21 pseudogene and an HNRNP A3 (Heterogenous Nuclear Riboprotein A3, FBRNP) pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//3.3e-05:124:75//AL024509
 F-HEMBA1000752//Human Chromosome X, complete sequence.//5.9e-48:502:75//AC004073
 F-HEMBA1000769//Homo sapiens clone NH0576N21, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.011:179:67//AC005043
- 35 F-HEMBA1000773//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y59A8, WORKING DRAFT SEQUENCE.//0.070:231:63//Z98870
 F-HEMBA1000774//Homo sapiens PAC clone DJ1059M17 from 7q21-q31.1, complete sequence.//6.2e-40:385:75//AC004953
 F-HEMBA1000791
- 40 F-HEMBA1000817//Myrmecia pilosula HI87-135 mitochondrion cytochrome b gene, partial cds.//0.99:244:58//U15678
 F-HEMBA1000822//Human DNA sequence from PAC 179D3, between markers DXS6791 and DXS8038 on chromosome X contains S10 GTP-binding protein, ESTs and CpG island.//0.033:294:62//Z81370
 F-HEMBA1000827//Borrelia burgdorferi (section 50 of 70) of the complete genome.//9.7e-05:463:58//AE001164
- 45 F-HEMBA1000843//Homo sapiens DNA sequence from clone 511B24 on chromosome 20q11.2-12. Contains the TOP1 gene for Topoisomerase I, the PLCG1 gene for 1-Phosphatidylinositol-4,5-Bisphosphate Phosphodiesterase Gamma 1 (EC 3.1.4.11, PLC-Gamma-1, Phospholipase C-Gamma-1 PLC-II, PLC-148), the KIAA0395 gene for a probable Zinc Finger Homeobox protein and a 60S Ribosomal Protein L23 LIKE pseudogene. Contains a predicted CpG island, ESTs, STSs and GSSs, complete sequence.//3.0e-153:732:98//AL022394
- 50 F-HEMBA1000851//Rattus norvegicus glucocorticoid modulatory element binding protein 2 mRNA, complete cds.//1.6e-31:386:72//AF059273
 F-HEMBA1000852//Homo sapiens Xp22 bins 3-5 PAC RPCI4-617A9 (Roswell Park Cancer Institute Human PAC Library) containing Arylsulfatase D and E genes, complete sequence.//8.5e-115:455:98//AC005295
 F-HEMBA1000867
- 55 F-HEMBA1000869//Human DNA sequence from cosmid J138O17, between markers DXS6791 and DXS8038 on chromosome X contains EST CA repeat and an endogenous retroviral like element.//6.6e-41:424:75//Z72519
 F-HEMBA1000870//Gnamptodon pumilio cytochrome oxidase II gene, partial cds; and tRNA-Asp, tRNA-His, and tRNA-Lys genes, complete sequence, mitochondrial genes for mitochondrial products.//0.0049:211:66//AF034598

F-HEMBA1000872//CIT-HSP-2355D20.TF CIT-HSP Homo sapiens genomic clone 2355D20, genomic survey sequence.//3.7e-33:180:98//AQ059583
 F-HEMBA1000876//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 473B4, WORKING DRAFT SEQUENCE.//5.6e-37:262:72//Z83826

5 F-HEMBA1000908//Triticum aestivum low-affinity cation transporter (LCT1) mRNA, complete cds.//1.0:304:59//AF015523
 F-HEMBA1000910//M.musculus necdin mRNA, complete cds.//6.1e-08:256:61//M80840
 F-HEMBA1000918//Tetrahymena thermophila micronuclear developmentally eliminated sequence region.//0.13:232:63//U88158

10 F-HEMBA1000919//Gallus domesticus filamin mRNA, complete cds.//1.0:213:65//U00147
 F-HEMBA1000934//CIT-HSP-2053H24.TR CIT-HSP Homo sapiens genomic clone 2053H24, genomic survey sequence.//5.5e-11:275:64//B69224
 F-HEMBA1000942//Homo sapiens clone DJ0754G14, WORKING DRAFT SEQUENCE, 15 unordered pieces.//9.7e-05:78:83//AC004878

15 F-HEMBA1000943//Homo sapiens chromosome 17, clone hRPK.640_I_15, complete sequence.//5.8e-140:661:99//AC005324
 F-HEMBA1000946
 F-HEMBA1000960//Homo sapiens clone DJ1111F22, WORKING DRAFT SEQUENCE, 12 unordered pieces.//8.3e-16:181:75//AC004967

20 F-HEMBA1000968//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 69M21, WORKING DRAFT SEQUENCE.//4.4e-117:398:86//AL031735
 F-HEMBA1000971//H.sapiens CpG island DNA genomic Mse1 fragment, clone 182f4, forward read cpG182f4 ft1a.//1.5e-20:126:96//Z57528
 F-HEMBA1000972//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 1/11.//0.34:642:59//AB020858

25 F-HEMBA1000974//Homo sapiens clone DA0091H08, complete sequence.//5.1e-183:865:98//AC004817
 F-HEMBA1000975//Orf virus homologue of retroviral pseudoprotease gene, complete cds.//0.00065:391:62//M30023
 F-HEMBA10009851//Human DNA sequence from clone 272E8 on chromosome Xp22.13-22.31. Contains a pseudogene similar to MDM2-Like P53-binding protein gene. Contains STSs, GSSs and a CA repeat polymorphism, complete sequence.//3.4e-05:243:65//Z93929

30 F-HEMBA1000986//Homo sapiens DNA from chromosome 19-cosmid R31491, genomic sequence.//6.6e-06:508:61//AD000813
 F-HEMBA1000991//Homo sapiens mRNA for Hrs, complete cds.//1.2e-22:193:84//D84064 F-HEMBA1001007
 F-HEMBA1001008//Human DNA sequence from clone 391O22 on chromosome 6p21.2-21.31 Contains pseudogenes similar to ribosomal protein, ESTs, GSSs, complete sequence.//7.8e-46:532:73//AL031577

35 F-HEMBA1001009//Human mRNA for IgM heavy chain complete sequence.//0.97:369:59//X17115
 F-HEMBA1001017//Homo sapiens mRNA for KIAA0468 protein, complete cds.//4.4e-139:661:98//AB007937
 F-HEMBA1001019//Homo sapiens, clone hRPK.15_A_1, complete sequence.//1.6e-16:521:64//AC006213

40 F-HEMBA1001020//Homo sapiens chromosome 17, clone hRPK.178_C_3, complete sequence.//3.8e-50:367:72//AC005702
 F-HEMBA1001022
 F-HEMBA1001024//Homo sapiens T-cell receptor alpha delta locus from bases 1 to 250529 (section 1 of 5) of the Complete Nucleotide Sequence.//5.0e-23:378:69//AE000658

45 F-HEMBA1001026//Homo sapiens DNA sequence from PAC 435D1 on chromosome Xq25. Contains ESTs and STS.//7.6e-19:867:60//Z86064
 F-HEMBA1001043//HS_2219_B1_A10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2219 Col=19 Row=B, genomic survey sequence.//3.0e-15:124:88//AQ301521
 F-HEMBA1001051//Human Chromosome X clone bWXD342, complete sequence.//4.8e-79:308:84//AC004072

50 F-HEMBA1001052//Homo sapiens chromosome 17, clone hRPK.146_P_2, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.53:384:61//AC005341
 F-HEMBA1001059//Human N-acetylgalactosamine 6-sulphatase (GALNS) gene, exon 10.//2.8e-26:397:71//U06084
 F-HEMBA1001060//Homo sapiens chromosome 17, clone hRPK.855_D_21 complete sequence.//0.98:280:62//AC006079

55 F-HEMBA1001071//Human mRNA for pro alpha 1 (III) collagen C-terminal propeptide.//1.1e-31:181:96//X01742
 F-HEMBA1001077//nuclear protein TIF1 [mice, mRNA, 3951 nt].//3.6e-13:338:65//S78219
 F-HEMBA1001080//Streptomyces coelicolor cosmid 1A9.//0.00012:364:63//AL034446

- F-HEMBA1001085//Human Chromosome 15q26.1 PAC clone pDJ290i21 containing fur, fes, and alpha mannosidase IIx genes, WORKING DRAFT SEQUENCE, 9 unordered pieces.//8.5e-134:476:96//AC004586
- F-HEMBA1001088//Sequence 1 from patent US 5552529.//2.2e-71:303:78//I25863
- F-HEMBA1001094//Homo sapiens clone RG491N20, complete sequence.//8.9e-119:609:96//AC005105
- 5 F-HEMBA1001099
- F-HEMBA1001109//Homo sapiens BAC clone RG318M05 from 7q22-q31.1, complete sequence.//2.4e-58:347:87//AC005250
- F-HEMBA1001121//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 90G24, WORKING DRAFT SEQUENCE.//3.4e-21:226:65//AL008723
- 10 F-HEMBA1001122//Plasmodium falciparum chromosome 2, section 20 of 73 of the complete sequence.//9.2e-07:732:57//AE001383
- F-HEMBA1001123//Homo sapiens full-length insert cDNA clone ZD38E12.//1.1e-11:231:68//AF086247
- F-HEMBA1001133//Homo sapiens clone DJ0856O24, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.011:163:69//AC004909
- 15 F-HEMBA1001137//Homo sapiens mRNA for KIAA0798 protein, complete cds.//6.9e-72:527:77//AB018341
- F-HEMBA1001140//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//2.3e-120:578:98//AC005077
- F-HEMBA1001172//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.010:520:59//AC005507
- 20 F-HEMBA1001174//R.norvegicus (Sprague Dawley) ARL5 mRNA for ARF-like protein 5.//1.0e-59:565:73//X78604
- F-HEMBA1001197//Homo sapiens clone 82F9, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.0037:151:70//AC004815
- F-HEMBA1001208//Human BAC clone RG264L19 from 7p15-p21, complete sequence.//7.4e-35:195:81//AC002410
- 25 F-HEMBA1001213//Homo sapiens clone DJ0892G19, complete sequence.//1.9e-171:826:98//AC004917
- F-HEMBA1001226//Homo sapiens clone DJ0850101, WORKING DRAFT SEQUENCE, 1 unordered pieces.//0.00010:557:57//AC006009
- F-HEMBA1001235//Homo sapiens chromosome 17, clone hRPK.601_N_13, complete sequence.//0.0086:372:58//AC005389
- 30 F-HEMBA1001247//H.sapiens CpG island DNA genomic MseI fragment, clone 11b11, reverse read cpg11b11.r1a.//2.0e-24:154:93//Z64441
- F-HEMBA1001257//Homo sapiens alpha-methylacyl-CoA racemase mRNA, complete cds.//1.9e-88:659:81//AF047020
- F-HEMBA1001265//Human 18S ribosomal RNA.//1.0e-32:180:97//X03205
- 35 F-HEMBA1001281
- F-HEMBA1001286//B.taurus mRNA for RF-36-DNA-binding protein.//7.7e-26:236:81//X15543
- F-HEMBA1001289//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-69G12, complete sequence.//5.5e-28:530:64//AC004131
- F-HEMBA1001294//Yeast mitochondrial aapl gene for ATPase subunit 8.//2.8e-15:722:60//X00960
- 40 F-HEMBA1001299//Human DNA sequence from clone 422G23 on chromosome 6q24 Contains EST, STS, GSS, CpG island, complete sequence.//4.2e-24:288:76//AL031003
- F-HEMBA1001302//cDNA encoding a human homologue of a mouse novel polypeptide derived from stromal cell.//7.2e-121:439:96//E12260
- F-HEMBA1001303//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.011:637:56//AC005505
- 45 F-HEMBA1001310//HS_3252_B2_B12_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3252 Col=24 Row=D, genomic survey sequence.//1.2e-16:166:82//AQ217054
- F-HEMBA1001319//CIT-HSP-2034J6.TF CIT-HSP Homo sapiens genomic clone 2034J6, genomic survey sequence.//0.33:256:59//B79408
- 50 F-HEMBA1001323//Homo sapiens proto-oncogene (Wnt-5a) mRNA, complete cds.//7.8e-30:165:99//L20861
- F-HEMBA1001326//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs(BAC end sequences) and a CA repeat polymorphism, complete sequence.//5.4e-19:347:68//AL021368
- 55 F-HEMBA1001327//CIT-HSP-2354E10.TR CIT-HSP Homo sapiens genomic clone 2354E10, genomic survey sequence.//0.012:152:65//AQ075713
- F-HEMBA1001330//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-103, com-

plete sequence.//0.0037:254:62//AL010208
 F-HEMBA1001351//Homo sapiens VAMP-associated protein of 33 kDa (VAP-33) mRNA, complete cds.//1.1e-103:516:97//AF057358
 5 F-HEMBA1001361//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//1.7e-150:706:99//AC006241
 F-HEMBA1001375//Streptomyces coelicolor cosmid 1E6.//1.0:375:59//AL033505
 F-HEMBA1001377//HS_3020_B1_D12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3020 Col=23 Row=H, genomic survey sequence.//0.00022:63:77//AQ105297
 F-HEMBA1001383//Plasmodium falciparum chromosome 2, section 68 of 73 of the complete sequence.//0.00035:317:60//AE001431
 10 F-HEMBA1001387//HS_3039_B1_D01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3039 Col=1 Row=H, genomic survey sequence.//5.0e-90:437:98//AQ155035
 F-HEMBA1001388//Homo sapiens clone RG189J21, WORKING DRAFT SEQUENCE, 15 unordered pieces.//4.2e-47:159:89//AC005073
 15 F-HEMBA1001391//Human DNA sequence from clone 409O10 on chromosome 20q12 Contains CA repeat, GSS, STS, complete sequence.//2.0e-06:495:60//AL031256
 F-HEMBA1001398//H.sapiens CpG island DNA genomic Mse1 fragment, clone 70d11, forward read cpg70d11.ft1b.//0.018:46:97//Z62591
 F-HEMBA1001405//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50024, WORKING DRAFT SEQUENCE.//2.3e-74:623:71//AL034380
 20 F-HEMBA1001407//Mus musculus domesticus Torino (Sry) gene, complete cds.//0.36:363:57//U03645
 F-HEMBA1001411//Homo sapiens genomic DNA, 21q region, clone: S39BG29, genomic survey sequence.//8.4e-12:516:60//AG001050
 F-HEMBA1001413
 25 F-HEMBA1001415//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 410I8, WORKING DRAFT SEQUENCE.//0.98:177:64//AL031732
 F-HEMBA1001432//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7 unordered pieces.//8.0e-177:859:97//AC006146
 F-HEMBA1001433//Homo sapiens clone DJ0892G19, complete sequence.//2.0e-35:376:64//AC004917
 30 F-HEMBA1001435//Homo sapiens chromosome 17, clone hRPK.63_A_1, complete sequence.//1.2e-74:284:84//AC005670
 F-HEMBA1001442//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-66, complete sequence.//0.056:194:63//AL010138
 F-HEMBA1001446//Homo sapiens chromosome 4 clone B150J4 map 4q25, complete sequence.//0.96:328:61//AC004047
 35 F-HEMBA1001450
 F-HEMBA1001454//Human DNA sequence from clone 598A24 on chromosome Xp11.1-11.23 Contains zinc finger X-linked proteins ZXDA, ZXDB, ESTs and STS, complete sequence.//2.0e-47:468:73//AL031115
 F-HEMBA1001455//CIT978SK-32J2.TV CIT978SK Homo sapiens genomic clone 32J2, genomic survey sequence.//1.5e-05:223:65//B78859
 40 F-HEMBA1001463//cSRL-69d1-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-69d1, genomic survey sequence.//5.1e-66:564:77//B05652
 F-HEMBA1001476//Homo sapiens mRNA for KIAA0572 protein, partial cds.//1.9e-102:489:99//AB011144
 F-HEMBA1001478//HS_2228_A2_B03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2228 Col=6 Row=C, genomic survey sequence.//4.5e-40:275:88//AQ032041
 45 F-HEMBA1001497//Human DNA sequence from clone 281H8 on chromosome 6q25.1-25.3. Contains up to four novel genes, one with similarity to KIAA0323 and worm C30F12.1 and another with Ubiquitin-Like protein gene SMT3 (the latter in an intron of a novel gene). Contains ESTs, STSs, GSSs, a putative CpG island and genomic marker D6S1553, complete sequence.//7.7e-47:311:85//AL031133
 50 F-HEMBA1001510//Human HLA class III region containing cAMP response element binding protein-related protein (CREB-RP) and tenascin X (tenascin-X) genes, complete cds, complete sequence.//2.0e-130:699:93//U89337
 F-HEMBA1001515//Homo sapiens chromosome 19, cosmid F24866, complete sequence.//4.1e-114:711:85//AC005794
 F-HEMBA1001517//Homo sapiens BAC clone RG459N13 from 7p15, complete sequence.//5.7e-162:769:98//AC004549
 55 F-HEMBA1001522//Caenorhabditis elegans cosmid ZK328.//8.6e-17:498:61//U50193
 F-HEMBA1001526//Human DNA sequence from cosmid 444G9 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3 Contains ESTs and CpG islands.//0.31:120:69//Z98258

- F-HEMBA1001533
F-HEMBA1001557//Chionoecetes opilio (clone COP41) DNA microsatellite repeat regions.//7.0e-25:303:72//L49136
- 5 F-HEMBA1001566//Homo sapiens DNA sequence from PAC 127D3 on chromosome 1q23-25. Contains FMO2 and FMO3 genes for Flavin-containing Monooxygenase 2 and Flavin-containing Monooxygenase 3 (Dimethylaniline Monooxygenase (N-Oxide 3, EC1.14.13.8, Dimethylaniline Oxidase 3, FMO II, FMO 3), and a gene for another, unknown, Flavin-containing Monooxygenase family protein. Contains ESTs and GSSs, complete sequence.//7.2e-18:805:60//AL021026
- 10 F-HEMBA1001569//Homo sapiens mRNA for vesicle associated membrane protein 2 (VAMP2).//1.1e-64:338:95//AJ225044
- F-HEMBA1001570//Homo sapiens PAC clone DJ0844F09 from 7p12-p13, complete sequence.//2.1e-148:698:99//AC004453
- F-HEMBA1001579//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//2.2e-173:678:99//AJ012449
- 15 F-HEMBA1001581//Homo sapiens clone DJ1158B01, WORKING DRAFT SEQUENCE, 23 unordered pieces.//0.30:484:59//AC004980
- F-HEMBA1001585
F-HEMBA1001589//Human BAC clone RG317G18 from 7q31, complete sequence.//0.98:197:63//AC002432
- F-HEMBA1001595//Human mRNA for KIAA0128 gene, partial cds.//8.2e-109:855:78//D50918
- 20 F-HEMBA1001608//RPCI11-72E2.TJ RPCI11 Homo sapiens genomic clone R-72E2, genomic survey sequence.//3.8e-05:235:64//AQ267131
- F-HEMBA1001620//Oryza sativa RINO1 mRNA for myo-inositol phosphate synthase, complete cds.//3.8e-40:719:64//AB012107
- F-HEMBA1001635//HS_3208_A1_D07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3208 Col=13 Row=G, genomic survey sequence.//1.4e-15:120:90//AQ176944
- 25 F-HEMBA1001636//Homo sapiens 12q24 PAC RPCI1-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//0.15:221:64//AC004216
- F-HEMBA1001640//HS_3253_B2_D03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3253 Col=6 Row=H, genomic survey sequence.//9.1e-52:278:95//AQ216058
- F-HEMBA1001647//H.sapiens gene for plectin.//0.00052:629:61//Z54367
- 30 F-HEMBA1001651//Salmo salar DNA for a cryptic repeat.//7.9e-08:270:64//AJ012206
- F-HEMBA1001655//Homo sapiens chromosome 5, BAC clone 194j18 (LBNL H158), complete sequence.//5.9e-164:802:97//AC005368
- F-HEMBA1001658//M.musculus COL3A1 gene for collagen alpha-I.//2.4e-30:742:62//X52046
- 35 F-HEMBA1001661//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//2.2e-144:682:99//AC005740
- F-HEMBA1001672//Homo sapiens methyl-CpG binding protein MBD3 (MBD3) mRNA, complete cds.//6.1e-152:725:98//AF072247
- F-HEMBA1001675//RPCI11-54F8.TV RPCI11 Homo sapiens genomic clone R-54F8, genomic survey sequence.//5.3e-75:341:85//AQ082126
- 40 F-HEMBA1001678//Homo sapiens Xp22 PAC RPCI1-167A22 (from Roswell Park Cancer Center) complete sequence.//8.4e-54:551:74//AC002349
- F-HEMBA1001681
F-HEMBA1001702//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//0.94:676:54//AE001398
- 45 F-HEMBA1001709//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 702J19, WORKING DRAFT SEQUENCE.//0.74:659:58//AL033531
- F-HEMBA1001711//Lysiphlebus melandriicola NADH dehydrogenase 1 gene, mitochondrial gene encoding mitochondrial protein, partial cds.//3.0e-07:413:60//AF069178
- 50 F-HEMBA1001712//Homo sapiens BAC clone RG041H04 from 7q21-q22, complete sequence.//0.091:315:61//AC004519
- F-HEMBA1001714//Rattus norvegicus mitochondrial ATPase inhibitor gene, complete cds.//1.6e-28:218:75//U12250
- F-HEMBA1001718//HS_3056_A2_H08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3056 Col=16 Row=O, genomic survey sequence.//2.0e-79:383:99//AQ106367
- 55 F-HEMBA1001723//HS_2188_A2_D02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2188 Col=4 Row=G, genomic survey sequence.//3.8e-28:174:94//AQ116793
- F-HEMBA1001731//HS_3021_A1_A11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3021 Col=21 Row=A, genomic survey sequence.//2.5e-11:420:62//AQ154658

EP 1 074 617 A2

F-HEMBA1001734//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//0.00060:392:60//AC004617

F-HEMBA1001744//HS_3194_A1_D05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3194 Col=9 Row=G, genomic survey sequence.//5.8e-29:163:97//AQ252295

5 F-HEMBA1001745//Homo sapiens chromosome 9q34, clone 280C11, complete sequence.//0.66:627:59//AC002102

F-HEMBA1001746//HS_2163_B1_F04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2163 Col=7 Row=L, genomic survey sequence.//1.4e-16:238:70//AQ085995

F-HEMBA1001761//Genomic sequence from Mouse 9, complete sequence.//3.5e-52:198:86//AC002109

10 F-HEMBA1001781

F-HEMBA1001784//Genomic sequence from Human 9q34, WORKING DRAFT SEQUENCE, 2 unordered-pieces.//5.5e-13:296:65//AC002099

F-HEMBA1001791//Homo sapiens DNA from chromosome 19-cosmids R31158, R31874, and R28125, genomic sequence, complete sequence.//0.18:534:59//AF038458

15 F-HEMBA1001800//CrT-HFP-2049N5.TF CIT-HSP Homo sapiens genomic clone 2049N5, genomic survey sequence.//2.2e-40:335:80//AQ009222

F-HEMBA1001803//M.musculus (Ba1b/C) P/L01 mRNA.//1.7e-25:286:74//Z31360

F-HEMBA1001804//Mouse interleukin 2 receptor (p55 IL-2R) mRNA, 5' end.//1.9e-58:358:89//M21977

F-HEMBA1001808//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0500.//7.8e-174:809:98//AB007969

20 F-HEMBA1001809//Bovine herpesvirus 1 complete genome.//9.0e-09:639:57//AJ004801

F-HEMBA1001815

F-HEMBA1001819//HS_3079_B1_E04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3079 Col=7 Row=J, genomic survey sequence.//1.4e-79:396:97//AQ186616

25 F-HEMBA1001820//Homo sapiens BAC clone GS165L15 from 7p15, complete sequence.//0.00026:436:60//AC005013

F-HEMBA1001822//Homo sapiens intersectin short form mRNA, complete cds.//1.2e-40:510:65//AF064243

F-HEMBA1001824//Homo sapiens expanded SCA7 CAG repeat.//6.1e-20:344:68//AF020275

F-HEMBA1001835//Homo sapiens BAC clone RG017K18 from 7q31, complete sequence.//0.0094:553:58//AC005161

30 F-HEMBA1001844//Homo sapiens chromosome Xp22-135-136 clone GSHB-56711, WORKING DRAFT SEQUENCE, 35 unordered pieces.//1.2e-22:316:70//AC005867

F-HEMBA1001847//M.musculus Zfp-29 gene for zinc finger protein.//5.3e-27:397:69//X55126

F-HEMBA1001861//Homo sapiens mRNA for KIAA0617 protein, complete cds.//8.8e-184:865:98//AB014517

35 F-HEMBA1001864//Arabidopsis thaliana chromosome II BAC F17H15 genomic sequence, complete sequence.//0.38:337:62//AC005395

F-HEMBA1001866//Caenorhabditis elegans cosmid F48E3.//1.4e-10:224:63//U28735

F-HEMBA1001869//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//6.7e-98:288:91//AC005065

40 F-HEMBA1001888//Human Chromosome 11p15.5 PAC clone pDJ915f1 containing KvLQT1 gene, complete sequence.//4.9e-114:476:84//AC003693

F-HEMBA1001896//Bos taurus pyruvate dehydrogenase phosphatase regulatory subunit precursor, mRNA, complete cds.//2.2e-137:839:86//AF026954

F-HEMBA1001910//Homo sapiens Chromosome 2p13 BAC Clone h173, complete sequence.//0.90:221:63//AC003065

45 F-HEMBA1001912//HS_2237_A1_C10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2237 Col=19 Row=E, genomic survey sequence.//9.7e-76:364:100//AQ033732

F-HEMBA1001913//Leishmania major chromosome 3 clone L4625 strain Friedlin, WORKING DRAFT SEQUENCE, 6 unordered pieces.//0.00063:219:65//AC005766

50 F-HEMBA1001915//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 5/10.//0.00011:366:63//AB020873

F-HEMBA1001918//Pneumocystis carinii gene for major surface glycoprotein MSG105, exon1-2, complete cds.//0.00024:562:58//D82031

F-HEMBA1001921//Homo sapiens germinal center kinase related protein kinase mRNA, complete cds.//2.1e-184:855:99//AF000145

55 F-HEMBA1001939//Human DNA sequence from clone 395P12 on chromosome 1q24-25. Contains the TXGP1 gene for tax-transcriptionally activated glycoprotein 1 (34kD) (OX40 ligand, OX40L) and a GOT2 (Aspartate Aminotransferase, mitochondrial precursor, EC 2.6.1.1, Transaminase A, Glutamate Oxaloacetate Transaminase-2)

- pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//1.1e-42:380:80//AL022310
 F-HEMBA1001940//Homo sapiens clone DJ1093116, WORKING DRAFT SEQUENCE, 5 unordered pieces.//7.5e-175:861:97//AC005629
- 5 F-HEMBA1001942//Homo sapiens chromosome 12p13.3 clone RPC11-96H9, WORKING DRAFT SEQUENCE, 66 unordered pieces.//0.097:107:71//AC006057
 F-HEMBA1001945//Drosophila F family transposable element F12 3' region.//0.94:140:65//X01934
 F-HEMBA1001950//H.sapiens CpG island DNA genomic Mse1 fragment, clone 15b5, forward read cpg15b5.ft1q.//1.4e-27:168:95//Z54728
- 10 F-HEMBA1001960//Locusta migratoria mRNA for nAChR alpha1 subunit.//0.010:108:71//AJ000390
 F-HEMBA1001962//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//9.7e-05:494:60//AC005507
 F-HEMBA1001964
 F-HEMBA1001967//Human DNA sequence from clone 341E18 on chromosome 6p11.2-12.3. Contains a Serine/Threonine Protein Kinase gene (presumptive isolog of a Rat gene) and a novel alternatively spliced gene. Contains a putative CpG island, ESTs and GSSs, complete sequence.//9.6e-122:373:99//AL031178
- 15 F-HEMBA1001979//HS_3067_B1_A06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3067 Col=11 Row=B, genomic survey sequence.//0.43:193:64//AQ143506
 F-HEMBA1001987//Plasmodium falciparum MAL3P6, complete sequence.//1.0:428:56//Z98551
 F-HEMBA1001991//HS_2237_A2_G09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2237 Col=18 Row=M, genomic survey sequence.//4.3e-05:240:64//AQ067283
- 20 F-HEMBA1002003//protein phosphatase 2C isoform [rats, liver, mRNA, 1950 nt].//2.7e-33:364:74//S90449
 F-HEMBA1002008//WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.00032:214:68//AC005948
 F-HEMBA1002018
 F-HEMBA10020227//Human p37NB mRNA, complete cds.//0.014:58:96//U32907
- 25 F-HEMBA1002035//Mouse transcriptional control element.//7.8e-07:200:69//M17284
 F-HEMBA1002039//Human DNA sequence from clone 267M20 on chromosome Xq22.2-22.3. Contains part of the DIAPH2 gene and a pseudogene, ESTs, STSs and GSSs, complete sequence.//0.31:497:58//AL031053
 F-HEMBA1002049//Homo sapiens chromosome 5, BAC clone 282B7 (LBNL H192), complete sequence.//4.5e-42:532:63//AC005216
- 30 F-HEMBA1002084//Homo sapiens chromosome 19 cosmid F15386, genomic sequence, complete sequence.//0.81:435:59//AF025422
 F-HEMBA1002092//Mus musculus Olf-1/EBF-like-3 transcription factor (O/E-3) mRNA, complete cds.//7.2e-130:769:87//U92703
 F-HEMBA1002100//Homo sapiens PAC clone DJ0991G20, complete sequence.//1.3e-47:124:96//AC004943
- 35 F-HEMBA1002102//Xenopus laevis mRNA for xSox7 protein, complete cds.//2.7e-13:132:71//D83649
 F-HEMBA1002113//F.rubripes GSS sequence, clone 063K10bB4, genomic survey sequence.//0.029:142:66//Z88840
 F-HEMBA1002119//Human Chromosome 11 pac pDJ1173a5, complete sequence.//1.3e-14:515:62//AC000378
 F-HEMBA1002125//Homo sapiens calcium-activated potassium channel (KCNN3) mRNA, complete cds.//0.98:222:61//AF031815
- 40 F-HEMBA1002139//Caenorhabditis elegans cosmid F55C9, complete sequence.//0.0081:371:60//Z81549
 F-HEMBA1002144//Saccharomyces cerevisiae mitochondrion transfer RNA-Met (tRNA-Met) gene, oxil gene, and ORF1.//4.9e-06:341:61//L36888
 F-HEMBA1002150//Homo sapiens mRNA for KIAA0720 protein, partial cds.//0.00017:353:62//AB018263
- 45 F-HEMBA1002151
 F-HEMBA1002153//CITBI-E1-2519120.TR CITBI-E1 Homo sapiens genomic clone 2519120, genomic survey sequence.//8.5e-61:334:94//AQ277613
 F-HEMBA1002160//Homo sapiens clone DJ1189D06, complete sequence.//8.5e-44:385:77//AC005232
 F-HEMBA1002161//Coturnix coturnix slow myosin heavy chain 2 (qmyhc2) mRNA, partial cds.//2.1e-59:571:74//AF006829
- 50 F-HEMBA1002162//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//5.3e-53:698:67//AC006210
 F-HEMBA1002166//Human DNA sequence from PAC 84F12 on chromosome Xq25-Xq26.3. Contains glypican-3 precursor (intestinal protein OCI-5) (GTR2-2), ESTs and CA repeat.//1.2e-50:319:78//AL008712
- 55 F-HEMBA1002177//Homo sapiens BAC clone RG293F11 from 7q21-7q22, complete sequence.//2.5e-18:150:88//AC000066
 F-HEMBA1002185//Homo sapiens clone DJ0292L20, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.00066:466:59//AC004825

EP 1 074 617 A2

- F-HEMBA1002189//Homo sapiens clone GS166C05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.3e-23:176:77//AC005015
- F-HEMBA1002191//Homo sapiens mRNA for KIAA0689 protein, partial cds.//1.0:382:59//AB014589
- 5 F-HEMBA1002199//Homo sapiens chromosome 4 clone B55B24 map 4q25, complete sequence.//1.8e-20:368:66//AC005150
- F-HEMBA1002204//HS_2055_A1_H09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2055 Col=17 Row=O, genomic survey sequence.//1.2e-06:178:65//AQ235350
- F-HEMBA1002212//S.cerevisiae chromosome IV reading frame ORF YDL101c.//0.035:345:60//Z74149
- F-HEMBA1002215//M.musculus mRNA for testin.//4.6e-80:504:87//X78989
- 10 F-HEMBA1002226//Homo sapiens Xp22 bins 87-93 PAC RPC11-122K4 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//5.7e-63:336:74//AC003035
- F-HEMBA1002229//Homo sapiens BAC clone NH0539B24 from 7p15.1-p14, complete sequence.//2.6e-39:311:81//AC006044
- F-HEMBA1002237//Homo sapiens PAC clone DJ0696N01 from 7p21-p22, complete sequence.//1.6e-12:397:64//AC004861
- 15 F-HEMBA1002241
- F-HEMBA1002253
- F-HEMBA1002257//Homo sapiens diacylglycerol kinase iota (DGKi) mRNA, complete cds.//3.5e-151:731:97//AF061936
- 20 F-HEMBA1002265//Human DNA sequence from cosmid N28H9 on chromosome 22q11.2-qter contains ESTs, STS and endogenous retrovirus.//1.3e-09:313:62//Z71183
- F-HEMBA1002267
- F-HEMBA1002270//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//0.069:495:58//AC006210
- 25 F-HEMBA1002321//Homo sapiens PAC clone DJ0991O23, complete sequence.//0.019:564:58//AC004944
- F-HEMBA1002328//CIT-HSP-2387N15.TF.1 CIT-HSP Homo sapiens genomic clone 2387N15, genomic survey sequence.//1.8e-71:346:99//AQ240836
- F-HEMBA1002337//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MYN8, complete sequence.//0.84:547:57//AB020754
- 30 F-HEMBA1002341//Homo sapiens mRNA for KIAA0771 protein, partial cds.//2.4e-185:872:98//AB018314
- F-HEMBA1002348//CIT-HSP-2372K24.TR CIT-HSP Homo sapiens genomic clone 2372K24, genomic survey sequence.//9.1e-33:230:75//AQ110676
- F-HEMBA1002349//Plasmodium falciparum histidine-rich protein II (HRP II) gene, complete cds.//9.4e-06:504:57//U69551
- 35 F-HEMBA1002363//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds.//7.3e-188:872:99//AF092563
- F-HEMBA1002381//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 11/11.//2.1e-20:262:72//AB020868
- F-HEMBA1002389//D.discoideum spore coat 60 (sp60) gene, 5' flank.//0.010:95:73//M34546
- 40 F-HEMBA1002417//Canis familiaris ZO-3 (zo-3) mRNA, complete cds.//6.2e-120:767:85//AF023617
- F-HEMBA1002419//HS-1047-A1-F01-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 830 Col=1 Row=K, genomic survey sequence.//7.6e-06:111:76//B38165
- F-HEMBA1002430//HS_3137_B2_F10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3137 Col=20 Row=L, genomic survey sequence.//1.6e-56:367:88//AQ148697
- 45 F-HEMBA1002439//Dictyostelium discoideum actin 8 gene, 3' UTR.//0.67:129:64//M25216
- F-HEMBA1002458//Mus musculus REX-3 mRNA, complete cds.//1.1e-30:274:72//AF051347
- F-HEMBA1002460//Homo sapiens clone DJ1137M13, complete sequence.//4.0e-173:822:98//AC005378
- F-HEMBA1002462//Sequence 41 from patent US 5708157.//9.8e-51:519:73//I80067
- F-HEMBA1002469//Human mRNA for KIAA0122 gene, partial cds.//4.0e-108:603:92//D50912
- 50 F-HEMBA1002475//Streptomyces coelicolor cosmid 2H4.//0.0068:626:57//AL031514
- F-HEMBA1002477//Homo sapiens BAC clone NH0342K06 from 2, complete sequence.//1.5e-40:349:78//AC005034
- F-HEMBA1002486
- F-HEMBA1002495//HS_3218_B1_A12_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3218 Col=23 Row=B, genomic survey sequence.//1.0:179:67//AQ181410
- 55 F-HEMBA1002498//Homo sapiens full-length insert cDNA clone ZD76B01.//1.4e-129:619:98//AF086404
- F-HEMBA1002503//Homo sapiens clone DJ0742P04, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.9e-24:306:68//AC004873

F-HEMBA1002508//Homo sapiens chromosome 19, cosmid R33516, complete sequence.//2.9e-76:464:83//AC004799

F-HEMBA1002513//Homo sapiens mRNA for histone deacetylase-like protein (JM21).//2.8e-157:738:98//AJ011972

5 F-HEMBA1002515//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 407F11, WORKING DRAFT SEQUENCE.//2.6e-07:307:64//AL022329

F-HEMBA1002538//HS_2185_B2_B04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2185 Col=8 Row=D, genomic survey sequence.//4.7e-37:339:78//AQ298315

10 F-HEMBA1002542//HS_3197_B2_B10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3197 Col=20 Row=D, genomic survey sequence.//3.2e-70:372:95//AQ188792

F-HEMBA1002547//Homo sapiens agrin precursor mRNA, partial cds.//3.5e-137:655:98//AF016903

F-HEMBA1002552//Human Hep27 protein mRNA, complete cds.//8.8e-07:173:68//U31875

F-HEMBA1002555//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0190L06; HTGS phase 1, WORKING DRAFT SEQUENCE, 21 unordered pieces.//2.2e-15:628:60//AC004670

15 F-HEMBA1002558//Human Xp22 BAC CT-285I15 (from CalTech/Research Genetics), PAC RPCI1-27C22 (from Roswell Park Cancer Center), and Cosmid U35B5 (from Lawrence Livermore), complete sequence.//2.3e-41:353:76//AC002366

F-HEMBA1002561//Homo sapiens chromosome 17, clone HRPC29G21, complete sequence.//1.1e-39:538:66//AC003687

20 F-HEMBA1002569//Homo sapiens protein associated with Myc mRNA, complete cds.//1.3e-140:457:99//AF075587

F-HEMBA1002583//CIT-HSP-2321D3.TR CIT-HSP Homo sapiens genomic clone 2321D3, genomic survey sequence.//5.1e-79:385:99//AQ038102

F-HEMBA1002590//Homo sapiens chromosome 17, clone hRPK.167_N_20, complete sequence.//1.9e-35:430:70//AC005940

25 F-HEMBA1002592//Human genomic DNA sequence from clone 308O1 on chromosome Xp11.3-11.4. Contains EST, CA repeat, STS, GSS, CpG island.//4Ae-19:303:71//Z93403

F-HEMBA1002609//Homo sapiens mRNA for KIAA0597 protein, partial cds.//4.4e-175:820:99//AB011169

F-HEMBA1002621//Homo sapiens PAC clone DJ0650P09 from 7q21, complete sequence.//0.14:353:58//AC004413

30 F-HEMBA1002624//Homo sapiens mRNA for KIAA0808 protein, complete cds.//2.9e-187:632:97//AB018351

F-HEMBA1002628//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.5e-05:792:58//AC004153

F-HEMBA1002629//Streptomyces coelicolor cosmid 1A9.//8.4e-08:576:58//AL034446

35 F-HEMBA1002645//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 153G14, WORKING DRAFT SEQUENCE.//5.6e-47:222:86//AL031118

F-HEMBA1002651//Homo sapiens PAC clone DJ0593H12 from 7p31, complete sequence.//3.8e-182:859:99//AC004839

F-HEMBA1002659//Z.mobilis alcohol dehydrogenase I (adhA) gene, complete cds.//0.97:144:66//M32100

40 F-HEMBA1002661//Homo sapiens PAC clone DJ0698G21 from 7p21-p22, complete sequence.//1.3e-116:774:84//AC004535

F-HEMBA1002666

F-HEMBA1002678//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1137F22, WORKING DRAFT SEQUENCE.//5.7e-156:750:98//AL034421

45 F-HEMBA1002679//nxbx0002cC12r CUGI Rice BAC Library Oryza sativa genomic clone nxbx0002F23r, genomic survey sequence.//4.3e-09:517:58//AQ051621

F-HEMBA1002688//Herpes simplex virus type 2 (strain HG52), complete genome.//8.3e-20:651:61//Z86099

F-HEMBA1002696//Mus musculus proteasome regulator PA28 beta subunit gene, complete cds.//7.6e-62:306:81//AF060195

50 F-HEMBA1002703//Homo sapiens mRNA for KIAA0455 protein, complete cds.//1.9e-10:327:62//AB007924

F-HEMBA1002712

F-HEMBA1002716//HS_3064_A1_C10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=19 Row=E, genomic survey sequence.//8.4e-97:491:96//AQ142980

F-HEMBA1002728//Homo sapiens chromosome 5, BAC clone 205e20 (LBNL H170), complete sequence.//6.1e-21:217:77//AC004782

55 F-HEMBA1002730//Human platelet glycoprotein IIIa (GPIIIa) gene, exon 1.//0.57:125:67//M57481

F-HEMBA1002742//RPCI11-39J10.TP RPCI-11 Homo sapiens genomic clone RPCI-11-39J10, genomic survey sequence.//1.1e-86:414:99//AQ029102

F-HEMBA1002746//Mus musculus chromosome 19, clone CIT282B21, complete sequence.//7.1e-70:303:82//AC003694

F-HEMBA1002748//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 410I8, WORKING DRAFT SEQUENCE.//0.096:212:62//AL031732

5 F-HEMBA1002750//Homo sapiens chromosome 5, PAC clone 170m10 (LBNL H89), complete sequence.//6.7e-40:232:70//AC004622

F-HEMBA1002768//Homo sapiens mRNA for KIAA0554 protein, partial cds.//9.0e-177:834:98//AB011126

F-HEMBA1002770//cDNA encoding novel rat protein TIP120 which is formed of complex with TBP (TATA binding protein).//1.3e-140:840:88//E12829

10 F-HEMBA1002777//F.rubripes GSS sequence, clone 189C06dB12, genomic survey sequence.//1.1e-28:263:77//AL007965

F-HEMBA1002779//CIT-HSP-2333I1.TF CIT-HSP Homo sapiens genomic clone 2333I1, genomic survey sequence.//1.8e-32:180:98//AQ036891

F-HEMBA1002780//Homo sapiens PAC clone DJ0244J05 from 5q31, complete sequence.//7.0e-06:199:67//AC004592

15 F-HEMBA1002794//H.sapiens mRNA for protein kinase C mu.//0.00015:244:67//X75756

F-HEMBA1002801//Plasmodium falciparum MAL3P2, complete sequence.//0.0010:534:57//AL034558

F-HEMBA1002810//Homo sapiens formin binding protein 21 mRNA, complete cds.//1.1e-167:820:97//AF071185

F-HEMBA1002816//Homo sapiens clone NH0576N21, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.1e-113:254:90//AC005043

20 F-HEMBA1002818//Cricetulus griseus H411 precursor (H411) mRNA, complete cds.//1.2e-122:760:86//AF046870

F-HEMBA1002826//Human DNA sequence from clone 23K20 on chromosome Xq25-26.2 Contains EST, STS, GSS, complete sequence.//0.0055:235:65//AL022153

F-HEMBA1002833//Homo sapiens chromosome 17, clone hRPC.117_B_12, complete sequence.//1.4e-170:744:99//AC004707

25 F-HEMBA1002850//Ephedrus persicae NADH dehydrogenase 1 gene, mitochondrial gene encoding mitochondrial protein, partial cds.//1.3e-05:334:59//AF069186

F-HEMBA1002863//CIT-HSP-2323A16.TF CIT-HSP Homo sapiens genomic clone 2323A16, genomic survey sequence.//2.9e-140:750:93//AQ028419

30 F-HEMBA1002876//HS_2270_B1_H03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2270 Col=5 Row=P, genomic survey sequence.//0.44:163:64//AQ164031

F-HEMBA1002886

F-HEMBA1002896//Homo sapiens chromosome 5, P1 clone 793C5 (LBNL H58), complete sequence.//0.00015:277:61//AC005195

35 F-HEMBA1002921

F-HEMBA1002924//CIT-HSP-2171H4.TR CIT-HSP Homo sapiens genomic clone 2171H4, genomic survey sequence.//0.0016:175:66//B89715

F-HEMBA1002934//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//1.2e-169:797:98//AL031681

40 F-HEMBA1002935//Homo sapiens mRNA for KIAA0576 protein, partial cds.//4.9e-173:803:99//AB011148

F-HEMBA1002937//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 702J19, WORKING DRAFT SEQUENCE.//1.2e-163:411:99//AL033531

F-HEMBA1002939//RPCI11-74O14.TJ RPCI11 Homo sapiens genomic clone R-74O14, genomic survey sequence.//1.7e-41:215:99//AQ266676

45 F-HEMBA1002944//RPCI11-55C2.TV RPCI11 Homo sapiens genomic clone R-55C2, genomic survey sequence.//1.7e-37:375:74//AQ082240

F-HEMBA1002951//Homo sapiens chromosome 19, cosmid F20887, complete sequence.//0.00074:683:58//AC005578

F-HEMBA1002954//RPCI11-79F7.TV RPCI11 Homo sapiens genomic clone R-79F7, genomic survey sequence.//6.1e-24:250:78//AQ284146

50 F-HEMBA1002968//HS_2262_B2_G04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2262 Col=8 Row=N, genomic survey sequence.//0.99:270:60//AQ217059

F-HEMBA1002970//RPCI11-5L24.TV RPCI-11 Homo sapiens genomic clone RPCI-11-5L24, genomic survey sequence.//1.4e-10:189:71//B49289

55 F-HEMBA1002971//CIT-HSP-2363L16.TF CIT-HSP Homo sapiens genomic clone 2363L16, genomic survey sequence.//4.3e-21:181:80//AQ080538

F-HEMBA1002973//Rattus norvegicus Wistar 3',5'-cyclic AMP phosphodiesterase (PDE4-10) gene, exon 10.//2.5e-40:257:89//U01290

- F-HEMBA1002997//CIT-HSP-2387H15.TF.1 CIT-HSP Homo sapiens genomic clone 2387H15, genomic survey sequence.//9.5e-17:128:92//AQ240797
- F-HEMBA1002999//Rattus norvegicus lamina associated polypeptide 1C (LAP1C) mRNA, complete cds.//3.1e-62:713:73//U20286
- 5 F-HEMBA1003021//Homo sapiens clone DJ0847008, WORKING DRAFT SEQUENCE, 3 unordered pieces.//7.5e-50:331:85//AC005484
- F-HEMBA1003033//Drosophila melanogaster, chromosome 3L, region 62A10-62B5, P1 clones DS02777, DS03222, DS02345, and DS04808, complete sequence.//2.6e-20:357:66//AC005557
- 10 F-HEMBA1003034//Human DNA sequence from 4PTTEL, Huntington's Disease Region, chromosome 4p16.3.//4.5e-60:415:73//Z95704
- F-HEMBA1003035//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//2.3e-05:591:57//AC004617
- F-HEMBA1003037//RPC111-88F2.TJ RPC111 Homo sapiens genomic clone R-88F2, genomic survey sequence.//0.68:230:60//AQ286677
- 15 F-HEMBA1003041//Homo sapiens PAC clone DJ1163J12 from 7q21.2-q31.1, complete sequence.//8.1e-128:550:94//AC004983
- F-HEMBA1003046//Homo sapiens mitochondrial processing peptidase beta-subunit mRNA, complete cds.//1.0e-164:777:98//AF054182
- 20 F-HEMBA1003064//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.5e-07:744:59//AC005505
- F-HEMBA1003067//Rat dynorphin gene, exon 3.//1.0:140:63//M32783
- F-HEMBA1003071//Homo sapiens alpha2-C4-adrenergic receptor gene, complete cds.//1.5e-20:595:65//U72648
- F-HEMBA1003077//CIT-HSP-2366J21.TF CIT-HSP Homo sapiens genomic clone 2366J21, genomic survey sequence.//4.4e-33:176:99//AQ080257
- 25 F-HEMBA1003078//Homo sapiens DNA sequence from PAC 262D12 on chromosome 1q23.3-24.3. Contains a Tenascin (Hexabrachion, Cytotactin, Neuroneclin, Myotendinous antigen)-LIKE gene and a mitochondrial/chloroplast 30S ribosomal protein S14-LIKE gene preceded by a CpG island. Contains ESTs, genomic marker D1S2691 and STSs.//9.4e-43:478:70//Z99297
- F-HEMBA1003079//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//0.96:57:85//AC004673
- 30 F-HEMBA1003083//Homo sapiens PAC clone DJ1182N03 from 7q11.23-q21.1, complete sequence.//8.0e-74:359:81//AC004548
- F-HEMBA1003086//Homo sapiens chromosome 16 BAC clone CIT987SK-334D11 complete sequence.//3.6e-11:734:58//AF001550
- 35 F-HEMBA1003096//Sequence 4 from patent US 5440017.//5.7e-56:594:71//I13750
- F-HEMBA1003098//Human DNA sequence from cosmid SRL11M20, chromosome region 11p13. Contains EST and STS.//1.9e-09:230:69//Z83308
- F-HEMBA1003117//Mouse TIS11 primary response gene, complete cds.//0.00054:480:60//M58564
- 40 F-HEMBA1003129//HS_3139_B2_F05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3139 Col=10 Row=L, genomic survey sequence.//2.3e-100:510:97//AQ187635
- F-HEMBA1003133//Mouse BAC CitbCJ7 219m7, genomic sequence, complete sequence.//1.3e-78:370:90//AC005259
- F-HEMBA1003136
- 45 F-HEMBA1003142//Homo sapiens full-length insert cDNA clone ZC39B06.//6.9e-121:563:100//AF086197
- F-HEMBA1003148//Homo sapiens mRNA for dachshund protein.//6.7e-183:850:99//AJ005670
- F-HEMBA1003166//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-345G4 ~complete genomic sequence, complete sequence.//3.8e-27:229:76//AC002302
- F-HEMBA1003175//Homo sapiens genomic DNA for centromeric end of MHC class I region on chromosome 6, WORKING DRAFT SEQUENCE.//9.4e-09:837:58//AB000882
- 50 F-HEMBA1003179//Homo sapiens DNA sequence from Fosmid 27C3 on chromosome 22q11.2-qter. Contains two possibly alternatively spliced unknown genes, one with homology to a worm protein. Contains ESTs, complete sequence.//5.4e-115:174:98//AL022325
- F-HEMBA1003197//Arabidopsis thaliana chromosome II BAC F15K20 genomic sequence, complete sequence.//1.1e-05:473:59//AC005824
- 55 F-HEMBA1003199//Rattus norvegicus Sprague-Dawley thyroid hormone receptor alpha gene, exon 1.//1.6e-05:367:61//U09302
- F-HEMBA1003202//Homo sapiens BAC clone RG437L15 from 8q21, complete sequence.//9.0e-23:247:73//AC004003

- F-HEMBA1003204//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 409J21, WORKING DRAFT SEQUENCE.//4.7e-26:141:83//Z83824
- F-HEMBA1003212//Human Chromosome 11 Overlapping Cosmids cSRL72g7 and cSRL140b8, complete sequence.//1.9e-31:158:86//AC002037
- 5 F-HEMBA1003220//Homo sapiens chromosome 17, clone hRPC.971_F_3, WORKING DRAFT SEQUENCE, 1 ordered pieces.//3.4e-24:284:75//AC004150
- F-HEMBA1003222//RPC111 Homo sapiens genomic clone R-47P17, genomic survey sequence.//8.7e-39:202:99//AQ202885
- 10 F-HEMBA1003229//Arabidopsis thaliana genomic DNA, chromosome 3, P1 clone: MEB5, complete sequence.//0.86:227:62//AB019230
- F-HEMBA1003235//Plasmodium falciparum chromosome 2, section 10 of 73 of the complete sequence.//8.6e-05:372:61//AE001373
- F-HEMBA1003250//HS-1063-A1-H02-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 796 Col=3 Row=O, genomic survey sequence.//0.00032:57:96//B46142
- 15 F-HEMBA1003257//H.sapiens mRNA for RDC-1 POU domain containing protein.//2.2e-08:531:59//X64624
- F-HEMBA1003273//H.sapiens flow-sorted chromosome 6 HindIII-fragment, SC6pA19H4.//0.070:267:64//Z78949
- F-HEMBA1003276//CIT-HSP Homo sapiens genomic clone 2301B4, genomic survey sequence.//5.2e-08:295:63//AQ015073
- 20 F-HEMBA1003278//HS_3075_A1_G09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3075 Col=17 Row=M, genomic survey sequence.//0.98:399:58//AQ120599
- F-HEMBA1003281//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1 ordered pieces.//4.8e-101:277:97//AC005840
- F-HEMBA1003286//Homo sapiens chromosome 3q13 beta-1,4-galactosyltransferase mRNA, complete cds.//9.0e-145:539:97//AF038662
- 25 F-HEMBA1003291//Homo sapiens mRNA for KIAA0537 protein, complete cds.//5.0e-166:799:98//AB011109
- F-HEMBA1003296//CITBI-E1-2507M8.TR CITBI-E1 Homo sapiens genomic clone 2507M8, genomic survey sequence.//1.9e-05:388:63//AQ262551
- F-HEMBA1003304//Budworm mitochondrial partial transfer RNA-Met (tRNA-Met) gene, and partial 12S ribosomal RNA (12S rRNA) gene.//8.0e-05:388:62//L17343
- 30 F-HEMBA1003309//Crassostrea gigas clone CN20 microsatellite sequence.//0.0017:210:64//AF051177
- F-HEMBA1003314//Homo sapiens mRNA for leucine zipper bearing kinase, complete cds.//4.6e-188:865:99//AB001872
- F-HEMBA1003322//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 169I5, WORKING DRAFT SEQUENCE.//2.4e-54:316:87//Z93015
- 35 F-HEMBA1003327//CIT-HSP-2024C24.TRB CIT-HSP Homo sapiens genomic clone 2024C24, genomic survey sequence.//8.4e-12:166:76//B67147
- F-HEMBA1003328//HS_2230_B2_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2230 Col=16 Row=P, genomic survey sequence.//0.026:128:71//AQ153313
- 40 F-HEMBA1003330//Homo sapiens wbscr1 (WBSCR1) and replication factor C subunit 2 (RFC2) genes, complete cds.//4.0e-160:745:99//AF045555
- F-HEMBA1003348//HS_3194_A1_G05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3194 Col=9 Row=M, genomic survey sequence.//5.0e-79:381:99//AQ173779
- F-HEMBA1003369//H.vulgare GAA-satellite DNA.//0.12:89:71//Z50100
- 45 F-HEMBA1003370//Homo sapiens cosmid 123E15, complete sequence.//3.5e-32:199:80//AF024533
- F-HEMBA1003373//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 537K23, WORKING DRAFT SEQUENCE.//0.019:117:71//AL034405
- F-HEMBA1003376//Human clone HS4.66 Alu-Ya5 sequence.//4.2e-30:196:85//U67229
- F-HEMBA1003380//Homo sapiens DNA sequence from clone 394P21 on chromosome 1p36.12-36.13. Contains the PAX7 gene, locus D1S2644, ESTs and STSs, complete sequence.//4.6e-22:206:81//AL021528
- 50 F-HEMBA1003384//Homo sapiens clone GS096J14, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.00094:72:90//AC006026
- F-HEMBA1003395//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.00041:826:57//AL031744
- 55 F-HEMBA1003402//CIT-HSP-2339K16.TR CIT-HSP Homo sapiens genomic clone 2339K16, genomic survey sequence.//2.4e-05:265:64//AQ056234
- F-HEMBA1003403//Homo sapiens chromosome 4 clone B353C18 map 4q25, complete sequence.//4.3e-135:780:90//AC004066
- F-HEMBA1003408

EP 1 074 617 A2

- F-HEMBA1003417//Human DNA sequence from clone 496N17 on chromosome 6p11.2-12.3 Contains EST, GSS, complete sequence.//1.9e-41:239:95//AL031321
- F-HEMBA1003418//Rattus norvegicus Wistar polymeric immunoglobulin receptor (PIGR) gene, 3'UTR and trinucleotide repeat microsatellites.//2.2e-06:247:64//U08273
- 5 F-HEMBA1003433//Homo sapiens nibrin (NBS) mRNA, complete cds.//1.4e-149:697:99//AF051334
- F-HEMBA1003447//Homo sapiens chromosome 4 clone B353C18 map 4q25, complete sequence.//1.7e-77:461:90//AC004066
- F-HEMBA1003461//Rhodobacter sphaeroides FliH (fliH) gene, partial cds, F1il (fliI) and FliJ (fliJ) genes, complete cds.//8.6e-08:752:58//U31090
- 10 F-HEMBA1003463//Homo sapiens chromosome 17, clone HCIT305D20, complete sequence.//0.089:172:68//AC004098
- F-HEMBA1003480//Homo sapiens clone NH0523H20, complete sequence.//4.5e-150:562:97//AC005041
- F-HEMBA1003528//Streptomyces fradiae gene for trypsinogen precursor, complete cds.//4.7e-09:433:60//D16687
- F-HEMBA1003531//Homo sapiens PAC clone DJ1185I07 from 7q11.23-q21, complete sequence.//2.3e-48:297:90//AC004990
- 15 F-HEMBA1003538//Human complement C1r mRNA, complete cds.//4.3e-22:474:63//M14058
- F-HEMBA1003545//Rattus norvegicus (clone 1.6kB) islet-2 mRNA, complete cds.//3.5e-143:805:91//L35571
- F-HEMBA1003548
- F-HEMBA1003555//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 447E6, WORKING DRAFT SEQUENCE.//3.4e-58:331:83//AL031724
- 20 F-HEMBA1003556//Homo sapiens Xp22-175-176 BAC GSHB-484017 (Genome Systems Human BAC Library) complete sequence.//6.0e-99:703:84//AC005913
- F-HEMBA1003560//Bovine GTP-binding regulatory protein gamma-6 subunit mRNA, complete cds.//1.3e-99:587:89//J05071
- 25 F-HEMBA1003568//HS_3149_A1_C04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3149 Col=7 Row=E, genomic survey sequence.//4.1e-05:389:57//AQ166810
- F-HEMBA1003569//Homo sapiens BAC clone NH0335J18 from 2, complete sequence.//1.6e-102:669:85//AC005539
- F-HEMBA1003571//Dictyostelium discoideum RegA (regA) gene, complete cds.//0.00033:649:58//U60170
- 30 F-HEMBA1003579//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.00034:623:56//AL031744
- F-HEMBA1003581//Mouse mRNA for talin.//3.3e-41:181:86//X56123
- F-HEMBA1003591//Homo sapiens chromosome 16, BAC clone RPCI-11_192K18, complete sequence.//4.4e-70:273:94//AC006075
- 35 F-HEMBA1003595//Plasmodium falciparum chromosome 2, section 32 of 73 of the complete sequence.//6.0e-17:768:58//AE001395
- F-HEMBA1003597//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//4.0e-09:777:56//AE001398
- F-HEMBA1003598//Homo sapiens PAC clone DJ0537P09 from 7p11.2-p12, complete sequence.//1.3e-146:692:98//AC005153
- 40 F-HEMBA1003615//HS_2010_A2_A07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2010 Col=14 Row=A, genomic survey sequence.//1.1e-22:137:97//AQ226592
- F-HEMBA1003617//Homo sapiens HRIHFB2157 mRNA, partial cds.//2.4e-169:501:97//AB015344
- F-HEMBA1003621//Mus musculus PIAS3 mRNA, complete cds.//4.7e-37:165:92//AF034080
- 45 F-HEMBA1003622//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.0024:514:58//AC005139
- F-HEMBA1003630//CIT-HSP-2168N15.TR CIT-HSP Homo sapiens genomic clone 2168N15, genomic survey sequence.//6.5e-15:358:63//B92984
- F-HEMBA1003637//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//5.0e-21:238:76//AC005077
- 50 F-HEMBA1003640//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 112K5, WORKING DRAFT SEQUENCE.//2.3e-15:371:63//Z85987
- F-HEMBA1003645//A.thaliana 81kb genomic sequence.//1.0:529:57//X98130
- F-HEMBA1003646
- 55 F-HEMBA1003656
- F-HEMBA1003662//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//1.6e-175:824:98//AC005746
- F-HEMBA1003667//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE, 21 unordered pieces.

- es.//1.1e-24:190:87//AC004765
 F-HEMBA1003679//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//1.7e-162:579:99//AC005065
 F-HEMBA1003680//H.sapiens DNA sequence.//7.3e-22:172:87//Z22322
 5 F-HEMBA1003684//H.sapiens mRNA for Miz-1 protein.//0.0054:146:70//Y09723
 F-HEMBA1003690//Homo sapiens antigen NY-CO-9 (NY-CO-9) mRNA, partial cds.//2.9e-72:606:77//AF039691
 F-HEMBA1003692
 F-HEMBA1003711//Homo sapiens chromosome 17, clone HRPC41C23, complete sequence.//0.55:450:60//AC003101
 10 F-HEMBA1003714
 F-HEMBA1003715//Human DNA sequence from clone 931E15 on chromosome Xq25. Contains STSs, GSSs and genomic marker DXS8098, complete sequence.//3.0e-16:316:68//AL023575
 F-HEMBA1003720//Homo sapiens chromosome 4 clone B227H22 map 4q25, complete sequence.//1.3e-41:483:73//AC004056
 15 F-HEMBA1003725//CIT-HSP-2351H9.TF CIT-HSP Homo sapiens genomic clone 2351H9, genomic survey sequence.//1.1e-112:532:99//AQ079348
 F-HEMBA1003729//HS_3043_A1_E07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3043 Col=13 Row=I, genomic survey sequence.//1.6e-12:87:98//AQ129345
 F-HEMBA1003733//Homo sapiens, clone hRPK.15_A_1, complete sequence.//4.7e-104:761:82//AC006213
 20 F-HEMBA1003742//HS_3027_A2_B02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3027 Col=4 Row=C, genomic survey sequence.//3.4e-08:67:97//AQ154731
 F-HEMBA1003758//CIT-HSP-2379D18.TR CIT-HSP Homo sapiens genomic clone 2379D18, genomic survey sequence.//2.9e-10:310:63//AQ113513
 F-HEMBA1003760//Mus musculus hypoxia inducible factor three alpha mRNA, complete cds.//6.4e-114:714:86//AF060194
 25 F-HEMBA1003773//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.078:378:58//AC005139
 F-HEMBA1003783//Human DNA sequence from PAC 509L4 on chromosome 6q22.1-6q22.33. Contains SSX3 like pseudogene, EST, STS.//9.0e-135:804:89//Z99496
 30 F-HEMBA1003784//Caenorhabditis elegans cosmid C55B6.//0.054:463:58//U88181
 F-HEMBA1003799//Homo sapiens Chromosome 22q11.2 Cosmid Clone 105a In DGCR Region, complete sequence.//1.9e-44:425:76//AC000070
 F-HEMBA1003803//Oryctolagus cuniculus troponin T cardiac isoform mRNA, 3' end of cds.//0.95:198:62//L40178
 35 F-HEMBA1003804//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//1.2e-138:275:99//AC004596
 F-HEMBA1003805//Mus musculus quaking type I (QKI) mRNA, complete cds.//6.6e-148:753:95//U44940
 F-HEMBA1003807//HS-1068-B1-G06-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 278 Col=11 Row=N, genomic survey sequence.//6.7e-07:241:67//B47212
 F-HEMBA1003827//Homo sapiens mRNA for KIAA0616 protein, partial cds.//1.0e-83:586:87//AB014516
 40 F-HEMBA1003836//S.cerevisiae chromosome IX cosmid 9150.//5.1e-16:368:63//Z38125
 F-HEMBA1003838//CIT-HSP-384J15.TR CIT-HSP Homo sapiens genomic clone 384J15, genomic survey sequence.//1.4e-45:180:90//B54810
 F-HEMBA1003856//Homo sapiens chromosome 10 clone CIT9875K-1188B12 map 10p12.1, complete sequence.//0.0014:574:58//AC005875
 45 F-HEMBA1003864//, complete sequence.//2.1e-91:234:95//AC005300
 F-HEMBA1003866//Mus musculus semaphorin VIa mRNA, complete cds.//5.9e-81:853:71//AF030430
 F-HEMBA1003879//H.sapiens CBP80 mRNA.//2.0e-08:87:95//X80030
 F-HEMBA1003880//Homo sapiens genomic DNA, chromosome 21q11.1, segment 7/28, WORKING DRAFT SEQUENCE.//1.7e-180:853:98//AP000036
 50 F-HEMBA1003885//Homo sapiens PAC clone DJ0167F23 from 7p15, complete sequence.//4.5e-39:376:67//AC004079
 F-HEMBA1003893//H.sapiens CpG island DNA genomic MseI fragment, clone 11b6, forward read cpg11b6.ft1a.//3.6e-32:173:99//Z59012
 F-HEMBA1003902//RPCI11-26M20.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-26M20, genomic survey sequence.//8.2e-12:422:61//AQ003455
 55 F-HEMBA1003908//Plasmodium falciparum chromosome 2, section 38 of 73 of the complete sequence.//0.0063:468:58//AE001401
 F-HEMBA1003926//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 310O13, WORKING

DRAFT SEQUENCE.//3.6e-27:278:76//AL031658
 F-HEMBA1003937//Homo sapiens chromosome 3 subtelomeric region.//1.4e-55:315:81//AF109718
 F-HEMBA1003939//HS-1047-A1-G04-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone
 Plate=CT 830 Col=7 Row=M, genomic survey sequence.//6.1e-09:413:63//B38195
 5 F-HEMBA1003942//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING
 DRAFT SEQUENCE, 14 unordered pieces.//0.42:205:65//AC005140
 F-HEMBA1003950//M.capricolum DNA for CONTIG MC072.//0.029:458:58//Z33058
 F-HEMBA1003953//HS_2268_A1_B04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2268 Col=7 Row=C, genomic survey sequence.//9.0e-07:239:64//AQ085098
 10 F-HEMBA1003958//Homo sapiens PAC clone DJ0808G16 from 7q11.23-q21, complete sequence.//2.8e-57:424:
 74//AC004894
 F-HEMBA1003959//RPCI11-78E8.TV RPCI11 Homo sapiens genomic clone R-78E8, genomic survey sequence.//
 4.3e-86:441:9611AQ285498
 F-HEMBA1003976//HS_3146_A1_H09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3146 Col=17 Row=O, genomic survey sequence.//6.3e-10:129:80//AQ141146
 15 F-HEMBA1003978
 F-HEMBA1003985//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y105C5,
 WORKING DRAFT SEQUENCE.//1.0:258:60//Z98855
 F-HEMBA1003987
 20 F-HEMBA1003989//Streptomyces coelicolor cosmid 1A9.//0.40:238:61//AL034446
 F-HEMBA1004000//Rattus norvegicus satellite sequence d0Mco2.//2.0e-07:116:70//U19354
 F-HEMBA1004011//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING
 DRAFT SEQUENCE, 2 unordered pieces.//0.098:286:60//AC004710
 F-HEMBA1004012//Homo sapiens chromosome 17, clone hRPK.63_A_1, complete sequence.//2.8e-185:896:97//
 25 AC005670
 F-HEMBA1004015//Homo sapiens chromosome 17, clone hRPK.721_K_1, complete sequence.//6.3e-68:417:80//
 AC005411
 F-HEMBA1004024//Homo sapiens Xp22-83 BAC GSHB-324M7 (Genome Systems Human BAC Library) complete
 sequence.//2.0e-47:418:77//AC005859
 30 F-HEMBA1004038//Homo sapiens genomic DNA, chromosome 21q11.1, segment 23/28, WORKING DRAFT SE-
 QUENCE.//1.6e-51:564:74//AP000052
 F-HEMBA1004042//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//1.2e-05:
 636:55//AE001398
 F-HEMBA1004045//Homo sapiens (subclone 1_g7 from BAC H76) DNA sequence, complete sequence.//1.9e-31:
 373:76//AC002252
 35 F-HEMBA1004048//Homo sapiens DNA for P35-related protein, exon 2.//0.039:234:63//D63393
 F-HEMBA1004049//Homo sapiens Xp22 GS-524I1 (Genome Systems Human BAC library), complete sequence.//
 4.8e-135:780:89//AC003106
 F-HEMBA1004055//Human chromosome 3p21.1 gene sequence.//4.7e-09:457:58//L13435
 40 F-HEMBA1004056//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 447C4, WORKING
 DRAFT SEQUENCE.//3.3e-25:246:77//AL021977
 F-HEMBA1004074//CIT-HSP-2053J5.TF CIT-HSP Homo sapiens genomic clone 2053J5, genomic survey se-
 quence.//7.8e-24:233:76//B68555
 F-HEMBA1004086//Saccharomyces douglasii mitochondrial tRNA-Ser and tRNA-Phe genes, partial sequence,
 45 and Var1p (var1) gene, mitochondrial gene encoding mitochondrial protein, complete cds.//4.5e-08:614:59//
 U49822
 F-HEMBA1004097//Mus musculus putative transcription factor mRNA, complete cds.//5.9e-121:502:85//
 AF091234
 F-HEMBA1004111//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0481P14;
 50 HTGS phase 1, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.0e-36:317:80//AC006160
 F-HEMBA1004131//Mus musculus clone OST2067, genomic survey sequence.//8.7e-24:320:71//AF046393
 F-HEMBA1004132//HS_3226_B1_D10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3226 Col=19 Row=H, genomic survey sequence.//9.7e-13:232:71//AQ182017
 F-HEMBA1004133
 55 F-HEMBA1004138//HS_3036_B1_G11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3036 Col=21 Row=N, genomic survey sequence.//0.0035:165:64//AQ294763
 F-HEMBA1004143
 F-HEMBA1004146

- F-HEMBA1004150//Human DNA sequence from PAC 52D1 on chromosome Xq21. Contains CA repeats, STS.//0.00011:618:60//Z96811
- F-HEMBA1004164//Homo sapiens Xp22-175-176 BAC GSHB-484O17 (Genome Systems Human BAC Library) complete sequence.//2.9e-30:454:68//AC005913
- 5 F-HEMBA1004168//Homo sapiens geminin mRNA, complete cds.//4.5e-133:649:97//AF067855
- F-HEMBA1004199
- F-HEMBA1004200//HS_2015_A1_B05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2015 Col=9 Row=C, genomic survey sequence.//8.5e-34:236:87//AQ247957
- 10 F-HEMBA1004202//Mus musculus chromosome 11, clone mCIT.268_P_23, complete sequence.//7.8e-59:216:83//AC004807
- F-HEMBA1004203//Homo sapiens clone NH0313P13, WORKING DRAFT SEQUENCE, 15 unordered pieces.//6.3e-98:173:98//AC005488
- F-HEMBA1004207//Homo sapiens leptin receptor short form (db) mRNA, complete cds.//3.2e-166:791:98//U50748
- 15 F-HEMBA1004225//Plasmodium falciparum chromosome 2, section 61 of 73 of the complete sequence.//6.5e-08:584:60//AE001424
- F-HEMBA1004227//Rattus norvegicus protein phosphatase 2C mRNA, complete cds.//8.0e-115:713:86//AF095927
- F-HEMBA1004238
- 20 F-HEMBA1004241//CIC5B11.1 check: 4870 from: 1 to: 167234, complete sequence.//0.57:552:58//AC004708
- F-HEMBA1004246//Human DNA sequence from clone 422F24 on chromosome 6q24.1-25.2. Contains a novel gene similar to C. elegans C02C2.5. Contains ESTs, STSs and GSSs, complete sequence.//6.1e-21:254:77//AL031010
- 25 F-HEMBA1004248//Rattus rattus insulin-induced growth-respons protein (CL-6) mRNA, complete cds.//1.7e-30:315:74//L13619
- F-HEMBA1004264//Homo sapiens cosmid clone LUCA20 from 3p21.3, complete sequence.//4.4e-07:674:60//AC004693
- F-HEMBA1004267//Homo sapiens chromosome 17, clone hRPC.117_B_12, complete sequence.//3.1e-78:335:87//AC004707
- 30 F-HEMBA1004272//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.4e-176:856:97//AC005831
- F-HEMBA1004274//HS_3064_B2_A04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=8 Row=B, genomic survey sequence.//3.1e-28:153:100//AQ136993
- 35 F-HEMBA1004275//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 501A4, WORKING DRAFT SEQUENCE.//5.2e-17:109:99//Z98051
- F-HEMBA1004276//CIT-HSP-2387K6.TF.1 CIT-HSP Homo sapiens genomic clone 2387K6, genomic survey sequence.//5.0e-07:63:98//AQ240477
- F-HEMBA1004286//Homo sapiens TGF beta receptor associated protein-1 mRNA, complete cds.//2.1e-185:868:99//AF022795
- 40 F-HEMBA1004289//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MQN23, complete sequence.//1.0:387:59//AB013395
- F-HEMBA1004295//Homo sapiens DNA, anonymous heat-stable fragment RP11-3A.//7.8e-06:92:89//AB012254
- F-HEMBA1004306//Homo sapiens clone DJ0811N16, complete sequence.//0.00037:413:59//AC004897
- 45 F-HEMBA1004312//Rickettsia prowazekii strain Madrid E, complete genome; segment 2/4.//0.28:522:57//AJ235271
- F-HEMBA1004321//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete sequence.//7.1e-136:548:92//AC006130
- F-HEMBA1004323//Human DNA sequence from PAC 450C20 on chromosome X.//1.3e-32:320:65//Z84720
- 50 F-HEMBA1004327//Homo sapiens mRNA for KIAA0522 protein, partial cds.//0.93:222:62//AB011094
- F-HEMBA1004330//Homo sapiens clone DJ1196H06, WORKING DRAFT SEQUENCE, 4 unordered pieces.//7.0e-168:895:93//AC004995
- F-HEMBA1004334//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//4.6e-73:713:75//AC002980
- 55 F-HEMBA1004335//Human DNA-sequence *** SEQUENCING IN PROGRESS *** from clone 417M14, WORKING DRAFT SEQUENCE.//1.3e-25:121:85//AL024498
- F-HEMBA1004341
- F-HEMBA1004353//***ALU WARNING: Human Alu-Sc subfamily consensus sequence.//6.4e-38:278:85//U14571
- F-HEMBA1004354//Human clone C3 CHL1 protein (CHLR1) mRNA, alternatively spliced, complete cds.//4.1e-45:

190:92//U75968
 F-HEMBA1004356
 F-HEMBA1004366//P.falciparum complete gene map of plastid-like DNA (IR-A).//2.2e-07:736:57//X95275
 F-HEMBA1004372//H.sapiens dystrophin gene intron 44.//1.0:129:62//X77644
 5 F-HEMBA1004389//Mouse interleukin 2 receptor (p55 IL-2R) mRNA, 5' end.//4.7e-42:237:94//M21977
 F-HEMBA1004394//Plasmodium falciparum chromosome 2, section 39 of 73 of the complete sequence.//5.2e-05:
 519:59//AE001402
 F-HEMBA1004396//Human BAC clone RG302F04 from 7q31, complete sequence.//4.0e-32:261:76//AC002463
 F-HEMBA1004405//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING
 10 DRAFT SEQUENCE, 9 unordered pieces.//1.4e-07:693:58//AC005507
 F-HEMBA1004408//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//
 1.2e-69:195:100//AC005037
 F-HEMBA1004429//HS_3193_A1_B06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3193 Col=11 Row=C, genomic survey sequence.//5.1e-67:386:91//AQ172942
 15 F-HEMBA1004433//Human Chromosome 11p11.2 PAC clone pDJ404m15, complete sequence.//3.2e-27:242:82//
 AC002554
 F-HEMBA1004460//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21 unordered pieces.//
 1.7e-75:590:81//AC004846
 F-HEMBA1004461//Human DNA sequence from clone 657J8 on chromosome Xq26.1-26.3 Contains GSS, com-
 20 plete sequence.//0.045:215:66//AL034407
 F-HEMBA1004479//Mus musculus hypoxia inducible factor three alpha mRNA, complete cds.//5.2e-43:364:79//
 AF060194
 F-HEMBA1004482//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING
 DRAFT SEQUENCE, 8 unordered pieces.//6.8e-17:791:59//AC005505
 25 F-HEMBA1004499//Homo sapiens chromosome 17, clone hRPC.1073_F_15, complete sequence.//4.4e-125:251:
 94//AC004686
 F-HEMBA1004502//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING
 DRAFT SEQUENCE, 3 unordered pieces.//0.012:635:57//AC004709
 F-HEMBA1004506//Homo sapiens PAC clone DJ0844F09 from 7p12-p13, complete sequence.//2.8e-127:766:
 30 88//AC004453
 F-HEMBA1004507
 F-HEMBA1004509//Arabidopsis thaliana DNA chromosome 4, BAC clone T10114 (ESSAll project).//1.0e-13:244:
 67//AL021712
 F-HEMBA1004534//Human mRNA for actin-binding protein (filamin) (ABP-280).//1.6e-72:678:74//X53416
 35 F-HEMBA1004538//Sequence 1 from patent US 5612190.//0.00015:416:59//I36871
 F-HEMBA1004542//Homo sapiens clone NH0486I22, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.95:
 202:64//AC005038
 F-HEMBA1004554//Arabidopsis thaliana BAC T26D22.//0.45:624:56//AFO58826
 F-HEMBA1004560//Human mRNA for KIAA0281 gene, complete cds.//9.1e-10:173:70//D87457
 40 F-HEMBA1004573//Human BAC clone RG114A06 from 7q31, complete sequence.//6.1e-23:134:73//AC002542
 F-HEMBA1004577//Homo sapiens Chromosome 16 BAC clone CIT987SK-582J2, complete sequence.//1.6e-15:
 190:77//AC004525
 F-HEMBA1004586//Homo sapiens clone DJ0810E06, WORKING DRAFT SEQUENCE, 8 unordered pieces.//
 3.1e-31:388:76//AC004895
 45 F-HEMBA1004596//RPC111-81O21.TJ RPC111 Homo sapiens genomic clone R-81O21, genomic survey se-
 quence.//2.2e-90:458:90//AQ285136
 F-HEMBA1004604//Mus musculus COP9 complex subunit 7a (COPS7a) mRNA, complete cds.//8.6e-105:699:
 84//AF071316
 F-HEMBA1004610//Homo sapiens PAC clone DJ1163J12 from 7q21.2-q31.1, complete sequence.//5.4e-20:267:
 50 72//AC004983
 F-HEMBA1004617//CIT-HSP-2319H15.TF CIT-HSP Homo sapiens genomic clone 2319H15, genomic survey se-
 quence.//6.2e-26:147:99//AQ034944
 F-HEMBA1004629//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING
 DRAFT SEQUENCE, 3 unordered pieces.//5.6e-06:766:56//AC005504
 55 F-HEMBA1004631//Human DNA sequence from PAC 368A4 on chromosome X. Contains ESTs, CELLULAR NU-
 CLEIC ACID BINDING PROTEIN (CNBP) like gene and STSs.//4.7e-73:412:92//Z83843
 F-HEMBA1004632//Canine herpesvirus DNA for gene homolog of HSV1 UL16, EHV1 ORF 46, VZV ORF 44.//
 0.92:181:61//X90418

- F-HEMBA1004637//G.gallus mRNA for LRP/alpha-2-macroglobulin receptor.//7.8e-47:784:65//X74904
 F-HEMBA1004638//Rattus norvegicus homeodomain protein Nkx6.1 (nkx6.1) mRNA, complete cds.//6.4e-06:458:61//AF004431
- 5 F-HEMBA1004666//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y47D3, WORKING DRAFT SEQUENCE.//0.30:733:55//Z98865
 F-HEMBA1004669//Human DNA sequence from clone 465N24 on chromosome 1p35.1-36.13. Contains two novel genes, ESTs, GSSs and CpG islands, complete sequence.//7.5e-136:521:98//AL031432
 F-HEMBA1004670//Homo sapiens Chromosome 22q12 Cosmid Clone p90g5, complete sequence.//0.43:365:59//AC000045
- 10 F-HEMBA1004672
 F-HEMBA1004693//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.096:651:54//AC005308
 F-HEMBA1004697//CIT-HSP-2326C13.TR CIT-HSP Homo sapiens genomic clone 2326C13, genomic survey sequence.//0.23:238:65//AQ040642
- 15 F-HEMBA1004705//Homo sapiens Xp22 Cosmid U151G1 (from Lawrence Livermore X library) and PAC RPC11-93D11 (from Roswell Park Cancer Center) complete sequence.//2.1e-27:375:72//AC002357
 F-HEMBA1004709//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//1.6e-36:191:91//AC006210
 F-HEMBA1004711//Homo sapiens chromosome 17, clone hRPK.271_K_11, complete sequence.//1.1e-133:639:99//AC005562
- 20 F-HEMBA1004725//RPC11-75013.TJ RPC11 Homo sapiens genomic clone R-75O13, genomic survey sequence.//6.2e-32:169:100//AQ266512
 F-HEMBA1004730//Human BAC clone RG035E18 from 7q31, complete sequence.//8.0e-68:732:72//AC004029
 F-HEMBA1004733//CIT-HSP-2305M23.TF CIT-HSP Homo sapiens genomic clone 2305M23, genomic survey sequence.//4.9e-18:209:69//AQ017556
- 25 F-HEMBA1004734//Arabidopsis thaliana ubiquitin-conjugating enzyme 17 (UBC17) mRNA, complete cds.//1.8e-13:451:62//AF028340
 F-HEMBA1004736//Human DNA Sequence from PAC 436M11 on chromosome Xp22.11-22.2. Contains the serine threonine protein phosphatase gene PPEF1, and the first coding exon of the RS1 gene for retinoschisis (X-linked, juvenile) 1 (XLR51). Contains ESTs, an STS and GSSs, complete sequence.//5.0e-87:646:78//Z94056
 F-HEMBA1004748//Human BAC clone RG204I16 from 7q31, complete sequence.//0.24:526:57//AC002461
 F-HEMBA1004751//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.4e-25:268:76//AC004913
- 30 F-HEMBA1004752//R.norvegicus mRNA for leucocyte common antigen-related protein (3941 bp).//1.1e-07:503:61//X83546
 F-HEMBA1004753//Homo sapiens Chromosome 12 Cosmid Clone 6e5, complete sequence.//4.5e-38:314:81//AC000028
 F-HEMBA1004756//Homo sapiens, complete sequence.//1.4e-111:326:84//AC005854
 F-HEMBA1004758//Sequence 29 from patent US 5534410.//3.9e-135:769:91//I23472
- 40 F-HEMBA1004763//Homo sapiens apoptosis inhibitor survivin gene, complete cds.//3.6e-47:404:79//U75285
 F-HEMBA1004768//Homo sapiens PAC clone DJ0979P20 from 7q33-q35, complete sequence.//6.7e-107:890:78//AC004941
 F-HEMBA1004770//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//7.9e-09:806:59//AC004709
- 45 F-HEMBA1004771//G.muris ribosomal RNA operon DNA encoding 16S, 23S and 5.8S ribosomal RNA.//0.69:239:61//X65063
 F-HEMBA1004776
 F-HEMBA1004778
 F-HEMBA1004795//Drosophila melanogaster A-kinase anchor protein DAKAP550 mRNA, partial cds.//3.4e-46:778:64//AF003622
- 50 F-HEMBA1004803//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//4.3e-82:580:82//AC004617
 F-HEMBA1004806//Homo sapiens BAC clone RG281G05 from 7p15-p21, complete sequence.//5.4e-07:642:59//AC005083
- 55 F-HEMBA1004807//Human HIV1 tata element modulatory factor mRNA sequence from chromosome 3.//1.4e-46:171:92//L01042
 F-HEMBA1004816//Homo sapiens calpastatin (CAST) gene, exons 10-14.//3.5e-31:546:66//M86257
 F-HEMBA1004820//C.botulinum progenitor toxin complex genes.//0.0014:343:62//X87972

- F-HEMBA1004847//Canine mRNA for 68kDA subunit of signal recognition particle (SRP68).//1.5e-85:512:88//X53744
- F-HEMBA1004850//Homo sapiens TGF-beta type I receptor (TGFB1) gene, exon 1.//0.0065:284:61//AF054590
- F-HEMBA1004863//Genomic sequence from Mouse 11, complete sequence.//0.92:250:59//AC000400
- 5 F-HEMBA1004864
- F-HEMBA1004865//Human DNA sequence from clone 459L4 on chromosome 6p22.3-24.1 Contains EST, STS, GSS, complete sequence.//3.6e-12:214:72//AL031120
- F-HEMBA1004880//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-319E8, complete sequence.//1.1e-08:255:69//AC004020
- 10 F-HEMBA1004889//Schistocerca americana Antennapedia homeotic protein (Antp) mRNA, complete cds.//0.062:155:69//U32943
- F-HEMBA1004900//Plasmodium falciparum unidentified mRNA sequence.//0.00055:323:60//L12043
- F-HEMBA1004909//Homo sapiens chromosome 17, clone 289A8, complete sequence.//9.6e-16:166:80//AC003051
- 15 F-HEMBA1004918//Turritella communis mitochondrial 16S ribosomal RNA gene, partial.//0.81:146:65//M94003
- F-HEMBA1004923//Human DNA from overlapping chromosome 19-specific cosmid R32543,, and F15613 containing ZNF gene family member, genomic sequence, complete sequence.//1.4e-36:338:78//AC003006
- F-HEMBA1004929//CIT-HSP-2373116.TR CIT-HSP Homo sapiens genomic clone 2373116, genomic survey sequence.//2.4e-86:443:96//AQ108676
- 20 F-HEMBA1004930//Homo sapiens PAC clone DJ0608H12 from 7q21, complete sequence.//4.6e-20:219:73//AC004109
- F-HEMBA1004933//HS-1003-A1-E10-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 497 Col=19 Row=I, genomic survey sequence.//1.4e-28:216:85//B30726
- F-HEMBA1004934//Homo sapiens chromosome 21q22.3 PAC 267O10, complete sequence.//0.53:222:61//AF042091
- 25 F-HEMBA1004944//Homo sapiens clone DJ0736H05, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.2e-58:509:78//AC005482
- F-HEMBA1004954//HS_2033_A2_A08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2033 Col=16 Row=A, genomic survey sequence.//3.7e-47:243:99//AQ229758
- 30 F-HEMBA1004956//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.048:421:58//X95276
- F-HEMBA1004960//Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No. 8.//0.89:333:58//Z97343
- F-HEMBA1004972
- F-HEMBA1004973//RPCI11-66P8.TK RPCI11 Homo sapiens genomic clone R-66P8, genomic survey sequence.//3.5e-22:245:77//AQ238471
- 35 F-HEMBA1004977//Homo sapiens full-length insert cDNA clone YZ83B08.//9.0e-11:84:98//AF086080
- F-HEMBA1004978//CIT-HSP-2354E10.TR CIT-HSP Homo sapiens genomic clone 2354E10, genomic survey sequence.//0.0021:152:66//AQ075713
- F-HEMBA1004980//HS_3018_A2_E04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3018 Col=8 Row=I, genomic survey sequence.//1.9e-77:392:97//AQ071873
- 40 F-HEMBA1004983//Albinaria corrugata isolate cor. Prn1.1 16S ribosomal RNA gene, mitochondrial gene for mitochondrial RNA, partial sequence.//0.0030:276:61//AF031680
- F-HEMBA1004995//Homo sapiens chromosome 16, cosmid bridge clone 306E6 (LANL), complete sequence.//4.2e-138:640:99//AC005590
- 45 F-HEMBA1005008//Human mariner1 transposase gene, complete consensus sequence.//6.8e-20:160:88//U52077
- F-HEMBA1005009//Homo sapiens BAF53a (BAF53a) mRNA, complete cds.//2.0e-144:668:99//AF041474
- F-HEMBA1005019//Homo sapiens mRNA for KIAA0648 protein, partial cds.//1.4e-146:693:98//AB014548
- F-HEMBA1005029//Homo sapiens DNA sequence from PAC 97D16 on chromosome 6p21.3-22.2. Contains an unknown pseudogene, a 60S Ribosomal protein L24 (L30) LIKE pseudogene and histone genes H2BFC (H2B/c), H4FFP (H4/f pseudogene), H2AFC (H2A/c), H3F1K (H3.1/k) and a tRNA-Val pseudogene and tRNA-Thr gene. Contains ESTs, STSs, GSSs and genomic marker D6S464, complete sequence.//2.2e-115:668:90//AL009179
- 50 F-HEMBA1005035//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//4.6e-138:591:98//AC004596
- 55 F-HEMBA1005039//CIT-HSP-2338L5.TR CIT-HSP Homo sapiens genomic clone 2338L5, genomic survey sequence.//3.7e-61:271:88//AQ055486
- F-HEMBA1005047//Mus musculus mRNA for Rab24 protein.//3.8e-17:218:73//Z22819
- F-HEMBA1005050//Human Tis11d gene, complete cds.//0.079:251:63//U07802

- F-HEMBA1005062//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.018:560:56//AC004688
- F-HEMBA1005066//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 774G10, WORKING DRAFT SEQUENCE.//3.4e-97:432:84//AL034410
- 5 F-HEMBA1005075//H.sapiens DNA 3' flanking simple sequence region clone wg2c3.//6.9e-07:176:68//X76589
- F-HEMBA1005079//CIT-HSP-2325M21.TRB CIT-HSP Homo sapiens genomic clone 2325M21, genomic survey sequence.//2.1e-48:274:93//AQ038720
- F-HEMBA1005083//HS_2248_B1_D05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2248 Col=9 Row=H, genomic survey sequence.//3.4e-06:230:64//AQ129575
- 10 F-HEMBA1005101//Homo sapiens SYT interacting protein SIP mRNA, complete cds.//1.3e-161:762:98//AF080561
- F-HEMBA1005113//L.esculentum microsatellite repeat DNA region.//0.0038:742:57//X90770
- F-HEMBA1005123//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//9.6e-83:479:78//AC004854
- 15 F-HEMBA1005133//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//3.9e-24:576:64//AL023808
- F-HEMBA1005149//Homo sapiens PAC clone DJ430N08 from 22q12.1-qter, complete sequence.//4.7e-36:283:80//AC004542
- F-HEMBA1005152//Homo sapiens chromosome Xp22-67-68, WORKING DRAFT SEQUENCE, 99 unordered pieces.//5.0e-10:332:64//AC004469
- 20 F-HEMBA1005159//Homo sapiens genomic DNA, chromosome 21q11.1, segment 1/5, WORKING DRAFT SEQUENCE.//4.0e-10:734:58//AP000023
- F-HEMBA1005185//H.sapiens CpG island DNA genomic Mse1 fragment, clone 91b2, forward read cpg91b2.ft1a./12.2e-14:93:100//Z63847
- 25 F-HEMBA1005201//Drosophila melanogaster cosmid 152A3.//4.7e-35:679:64//AL009194
- F-HEMBA1005202//Canine mRNA for 68kDa subunit of signal recognition particle (SRP68).//6.7e-138:778:90//X53744
- F-HEMBA1005206//Drosophila melanogaster Su(P) and anon-73B1 genes and partial o25 gene and Pros26 gene.//7.1e-12:376:62//AJ011320
- 30 F-HEMBA1005219//Homo sapiens mRNA for KIAA0445 protein, complete cds.//7.1e-05:411:60//AB007914
- F-HEMBA1005223//Homo sapiens PAC clone DJ430N08 from 22q12.1-qter, complete sequence.//3.5e-06:212:66//AC004542
- F-HEMBA1005232//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.7e-07:625:57//AC005308
- 35 F-HEMBA1005241//Homo sapiens PAC clone DJ0777O23 from 7p14-p15, complete sequence.//8.7e-45:567:72//AC005154
- F-HEMBA1005244//Homo sapiens chromosome X clone U177G4, U152H5, U168D5, 174A6, U172D6, and U186B3 from Xp22, complete sequence.//0.96:298:62//AC002365
- F-HEMBA1005251
- 40 F-HEMBA1005252//Homo sapiens chromosome 17, clone hRPK.318_A_15, complete sequence.//4.5e-160:392:99//AC005837
- F-HEMBA1005274//Homo sapiens BAC clone 255A7 from 8q21 containing NBS1 gene, complete sequence.//2.3e-05:496:60//AF069291
- F-HEMBA1005275//Human DNA sequence from clone 444C7 on chromosome 6p22.3-23. Contains an EST, an STS and GSSs, complete sequence.//5.7e-05:220:64//AL033521
- 45 F-HEMBA1005293//Homo sapiens echinoderm microtubule-associated protein homolog HuEMAP mRNA, complete cds.//2.4e-20:338:65//U97018
- F-HEMBA1005296
- F-HEMBA1005304//Human DNA sequence from clone 364I22 on chromosome Xq21.31-22.3. Contains an STS and GSSs, complete sequence.//1.6e-51:381:78//AL031012
- 50 F-HEMBA1005311
- F-HEMBA1005314//Homo sapiens genomic DNA, chromosome 21q11.1, segment 2/28, WORKING DRAFT SEQUENCE.//0.94:226:63//AP000031
- F-HEMBA1005315//Homo sapiens BAC810, complete sequence.//9.5e-15:684:62//U85198
- 55 F-HEMBA1005318//Human DNA sequence from PAC 394F12 on chromosome X contains EST, STS, CpG island clone.//2.6e-05:472:59//Z83823
- F-HEMBA1005331//Homo sapiens chromosome 17, clone hRPK.214_C_8, complete sequence.//3.3e-90:300:90//AC005803

- F-HEMBA1005338//Homo sapiens mRNA for matrilin-4, partial.//1.4e-151:740:97//AJ007581
- F-HEMBA1005353//CIT-HSP-2310N10.TR CIT-HSP Homo sapiens genomic clone 2310N10, genomic survey sequence.//2.1e-86:438:97//AQ016145
- 5 F-HEMBA1005359//Human zinc finger protein ZNF137 mRNA, complete cds.//1.8e-98:500:88//U09414
- F-HEMBA1005367//Mus musculus melastatin mRNA, complete cds.//8.3e-72:577:73//AF047714
- F-HEMBA1005372//Human DNA sequence from PAC 293E14 contains ESTs, STS.//1.3e-07:274:66//Z82900
- F-HEMBA1005374//Homo sapiens clone 277F10, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.9e-48:611:69//AC004813
- 10 F-HEMBA1005382//HS_3063_B2_F11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3063 Col=22 Row=L, genomic survey sequence.//1.6e-27:154:98//AQ103204
- F-HEMBA1005389//Plasmodium falciparum telomere nucleotide sequence.//4.0e-07:443:61//M23175
- F-HEMBA1005394//CIT-HSP-2368B11.TR CIT-HSP Homo sapiens genomic clone 2368B11, genomic survey sequence.//7.6e-17:225:71//AQ076749
- 15 F-HEMBA1005403//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//4.5e-131:278:98//AL034379
- F-HEMBA1005408//HS_3007_B2_G04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3007 Col=8 Row=N, genomic survey sequence.//8.0e-06:218:66//AQ294366
- F-HEMBA1005410//Human DNA sequence from cosmid cU120E2, on chromosome X contains Lowe oculocerebrorenal syndrome (OCRL) ESTs and STS.//1.5e-41:432:76//Z73496
- 20 F-HEMBA1005411
- F-HEMBA1005423//Homo sapiens cyclin-dependent kinase inhibitor (CDKN2C) mRNA, complete cds.//1.0e-169:537:99//AF041248
- F-HEMBA1005426
- 25 F-HEMBA1005443//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete sequence.//7.1e-37:260:76//AC006130
- F-HEMBA1005447//CIT-HSP-2173N7.TR CIT-HSP Homo sapiens genomic clone 2173N7, genomic survey sequence.//5.0e-133:631:98//B93234
- F-HEMBA1005468//Human DNA sequence from clone 20J23 on chromosome Xq26.2-27.2 Contains ras-related C3 botulinum toxin substrate 1 (P21-RAC1) (ras-like protein TC25) EST, CA repeat, STS, CpG island, complete sequence.//1.5e-118:868:83//AL022576
- 30 F-HEMBA1005469//Homo sapiens chromosome 16, P1 clone 96-4B (LANL), complete sequence.//1.2e-179:838:99//AC005212
- F-HEMBA1005472//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING DRAFT SEQUENCE.//3.4e-20:187:74//AL031985
- 35 F-HEMBA1005474//Homo sapiens genomic DNA, chromosome 21q11.1, segment 12/28, WORKING DRAFT SEQUENCE.//4.1e-22:445:65//AP000041
- F-HEMBA1005475//CIT-HSP-2322D14.TR CIT-HSP Homo sapiens genomic clone 2322D14, genomic survey sequence.//6.7e-51:269:97//AQ026941
- 40 F-HEMBA1005497//HS_3097_A2_G05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3097 Col=10 Row=M, genomic survey sequence.//1.4e-66:345:96//AQ103810
- F-HEMBA1005500//Homo sapiens PAC clone DJ1093017 from 7q11.23-q21, complete sequence.//5.4e-178:818:98//AC004957
- F-HEMBA1005506//Mus musculus (clone 0EBF17) early B-cell factor (EBF) mRNA, complete cds.//2.6e-06:73:98//L12147
- 45 F-HEMBA1005508//Homo sapiens clone hRPK.1_A_1, complete sequence.//0.00012:455:60//AC006196
- F-HEMBA1005511//Homo sapiens MHC class 1 region.//3.3e-43:421:77//AF055066
- F-HEMBA1005513//Drosophila melanogaster males-absent on the first (mof) gene, complete cds.//2.3e-20:352:69//U71219
- 50 F-HEMBA1005517//Homo sapiens DNA for (CGG)_n trinucleotide repeat region, isolate E7.//2.5e-08:431:62//AJ001216
- F-HEMBA1005518//M.musculus mRNA for paladin gene.//8.2e-90:651:81//X99384
- F-HEMBA1005520//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//7.8e-167:755:99//AC004913
- 55 F-HEMBA1005526//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//2.4e-42:475:73//AC006241
- F-HEMBA1005528//Mus musculus mCAF1 protein mRNA, complete cds.//1.2e-94:512:92//U21855
- F-HEMBA1005530
- F-HEMBA1005548//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 970A17, WORKING

DRAFT SEQUENCE.//9.4e-87:422:99//AL034431
 F-HEMBA1005552//Homo sapiens PAC clone DJ0807C15 from 7q34-q36, complete sequence.//6.1e-41:486:68//
 AC004743
 5 F-HEMBA1005558//Drosophila melanogaster DNA sequence (P1 DS00837 (D87)), complete sequence.//2.9e-19:
 306:68//AC004377
 F-HEMBA1005568//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING
 DRAFT SEQUENCE, 8 unordered pieces.//0.0093:345:60//AC004153
 F-HEMBA1005570//Plasmodium falciparum chromosome 2, section 44 of 73 of the complete sequence.//4.2e-09:
 592:59//AE001407
 10 F-HEMBA1005576//Homo sapiens mRNA for KIAA0463 protein, partial cds.//5.9e-127:610:98//AB007932
 F-HEMBA1005577//HS-1004-A1-E11 -MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic
 clone Plate=CT 498 Col=21 Row=I, genomic survey sequence.//0.00034:254:64//B30971
 F-HEMBA1005581//Rattus norvegicus mRNA for MEGF5, complete cds.//4.0e-57:826:65//AB011531
 F-HEMBA1005582//HS_3242_A1_B07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 15 nomic clone Plate=3242 Col=13 Row=C, genomic survey sequence.//1.1e-13:91:98//AQ211275
 F-HEMBA1005583
 F-HEMBA1005588//Homo sapiens PAC clone DJ1188N21 from 7q11.23-q21.1, complete sequence.//8.7e-31:283:
 75//AC006025
 F-HEMBA1005593//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//8.3e-158:748:
 20 99//AC005746
 F-HEMBA1005595//CIT-HSP-2309F14.TF CIT-HSP Homo sapiens genomic clone 2309F14, genomic survey se-
 quence.//6.4e-30:194:91//AQ016527
 F-HEMBA1005606//CIT-HSP-2326I6.TR CIT-HSP Homo sapiens genomic clone 2326I6, genomic survey se-
 quence.//0.0014:132:70//AQ041484
 25 F-HEMBA1005609//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.9e-
 33:249:85//AC005089
 F-HEMBA1005616//Homo sapiens DNA sequence from PAC 43C13 on chromosome Xq21.1-Xq21.3. rab proteins
 geranylgeranyltransferase component A 1 (rab escort protein 1) (REP-1) (choroideraemia protein) (TCD protein).//
 6.5e-29:279:69//AL009175
 30 F-HEMBA1005621//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 330012, WORKING
 DRAFT SEQUENCE.//6.4e-90:158:87//AL031731
 F-HEMBA1005627//RPCI11-34P9 TJ RPCI-11 Homo sapiens genomic clone RPCI-11-34P9, genomic survey se-
 quence.//0.014:168:67//AQ045110
 F-HEMBA1005631//Homo sapiens PAC clone DJ1086D14, complete sequence.//1.0e-149:736:93//AC004460
 35 F-HEMBA1005632
 F-HEMBA1005634//Human DNA sequence from PAC 187N21 on chromosome 6p21.2-6p21.33. Contains ESTs.//
 6.6e-38:452:67//Z98036
 F-HEMBA1005666
 F-HEMBA1005670//Homo sapiens PAC clone DJ0665C04 from 7p14-p13, complete sequence.//5.1e-59:687:74//
 40 AC004850
 F-HEMBA1005679//Homo sapiens clone DJ0425I02, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.0e-
 47:357:85//AC005478
 F-HEMBA1005680
 45 F-HEMBA1005685//RPCI11-23D19.TKBR RPCI-11 Homo sapiens genomic clone RPCI-11-23D19, genomic sur-
 vey sequence.//0.99:228:63//AQ013742
 F-HEMBA1005699//Human ligand for eph-related receptor tyrosine kinases (EPLG8) mRNA, complete cds.//1.4e-
 72:406:92//U57001
 F-HEMBA1005705//Human (D21S172) DNA segment containing (CA) repeat.//0.00040:190:66//X56513
 F-HEMBA1005717//Plasmodium falciparum MAL3P1, complete sequence.//0.0099:260:63//Z97348
 50 F-HEMBA1005732//Human mRNA for KIAA0003 gene, complete cds.//8.1e-19:151:88//D14697
 F-HEMBA1005737//Homo sapiens PAC clone DJ1099C19 from 7q21-q22, complete sequence.//5.6e-15:157:79//
 AC005156
 F-HEMBA1005746//RPCI11-63N8.TK RPCI11 Homo sapiens genomic clone R-63N8, genomic survey sequence.//
 1.3e-18:113:100//AQ238535
 55 F-HEMBA1005755//Homo sapiens DNA sequence from PAC 95C20 on chromosome Xp11.3-11.4. Contains STSs
 and the DXS7 locus with GT and GTG repeat polymorphisms, complete sequence.//3.6e-56:764:70//Z97181
 F-HEMBA1005765//Human DNA sequence from PAC 288L1 on chromosome 22q12-qter contains ESTs and pol-
 ymorphic CA repeat (D22S1152).//1.1e-30:275:77//Z82196

- F-HEMBA1005780//RPCI11-74E19.TJ RPCI11 Homo sapiens genomic clone R-74E19, genomic survey sequence.//0.0011:283:62//AQ268432
- F-HEMBA1005813//Homo sapiens PAC clone DJ0167F23 from 7p15, complete sequence.//0.14:326:61//AC004079
- 5 F-HEMBA1005815//M.musculus mRNA for skeletal muscle-specific calpain.//6.3e-10:706:59//X92523
- F-HEMBA1005822//Mouse Bac 291G16, WORKING DRAFT SEQUENCE, 19 unordered pieces.//0.87:417:56//AC003020
- F-HEMBA1005829//Homo sapiens Chromosome 22q11.2 Fosmid Clone f39e1 In DGCR Region, complete sequence.//8.8e-42:370:79//AC000094
- 10 F-HEMBA1005834//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//2.1e-42:690:67//AL022577
- F-HEMBA1005852//F.rubripes GSS sequence, clone 163A22aE9, genomic survey sequence.//4.3e-07:253:59//AL018749
- 15 F-HEMBA1005853//CIT-HSP-2289L23.TR CIT-HSP Homo sapiens genomic clone-2289L23, genomic survey sequence.//2.2e-68:333:99//B98952
- F-HEMBA1005884//Homo sapiens chromosome 5, BAC clone 78c6 (LBNL H191), complete sequence.//1.9e-57:331:87//AC005351
- 20 F-HEMBA1005891//Homo sapiens PAC clone DJ0997N05 from 7q11.23-q21.1, complete sequence.//5.1e-182:864:98//AC004945
- F-HEMBA1005894//Homo sapiens, WORKING DRAFT SEQUENCE, 52 unordered pieces.//3.0e-44:340:80//AC004086
- F-HEMBA1005909//Homo sapiens DNA sequence from PAC 127D3 on chromosome 1q23-25. Contains FMO2 and FMO3 genes for Flavin-containing Monooxygenase 2 and Flavin-containing Monooxygenase 3 (Dimethylaniline Monooxygenase (N-Oxide 3, EC1.14.13.8, Dimethylaniline Oxidase 3, FMO II, FMO 3), and a gene for another, unknown, Flavin-containing Monooxygenase family protein. Contains ESTs and GSSs, complete sequence.//8.3e-12:828:57//AL021026
- 25 F-HEMBA1005911//Human DNA sequence from clone 1158E12 on chromosome Xp11.23-11.4 Contains EST, STS, GSS, CpG island, complete sequence.//1.0e-44:328:77//AL031584
- 30 F-HEMBA1005921//Homo sapiens chromosome 17, clone hRPK.112_H_10, complete sequence.//1.3e-41:431:77//AC005666
- F-HEMBA1005931//Homo sapiens chromosome 12p13.3 clone RPCI4-761J14, WORKING DRAFT SEQUENCE, 60 unordered pieces.//1.1e-29:394:70//AC006086
- 35 F-HEMBA1005934//Homo sapiens PAC clone DJ1140G11 from 14q24.3, complete sequence.//8.1e-06:115:80//AC004974
- F-HEMBA1005962//RPCI11-17015.TV RPCI-11 Homo sapiens genomic clone RPCI-11-17015, genomic survey sequence.//9.5e-36:315:84//B82821
- 40 F-HEMBA1005963//HS_3055_A1_E08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3055 Col=15 Row=I, genomic survey sequence.//9.3e-73:372:97//AQ147357
- F-HEMBA1005990//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//1.3e-149:697:99//AF082516
- F-HEMBA1005991//Plasmodium falciparum chromosome 2, section 45 of 73 of the complete sequence.//6.3e-07:423:60//AE001408
- 45 F-HEMBA1005999//Homo sapiens chromosome 4 clone C0026P05 map 4P16, complete sequence.//3.8e-09:360:64//AC005599
- F-HEMBA1006002
- F-HEMBA1006005//Homo sapiens MLL (MLL) gene, exons 1-3, and partial cds.//4.5e-83:495:90//AF036405
- F-HEMBA1006031
- 50 F-HEMBA1006035
- F-HEMBA1006036//Human (lambda) DNA for immunoglobulin light chain.//2.4e-59:652:74//D87009
- F-HEMBA1006042//Homo sapiens chromosome 10 clone CIT987SK-1057L21 map 10q25, complete sequence.//2.1e-43:330:7011AC005386
- 55 F-HEMBA1006067//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.11:433:59//AC004153
- F-HEMBA1006081
- F-HEMBA1006090//, complete sequence.//4.5e-139:748:92//AC005500
- F-HEMBA1006091//Homo sapiens gene encoding telethonin, exons 1 to 2, partial.//0.0091:346:62//AJ011098

- F-HEMBA1006100//Homo sapiens chromosome 10 clone CIT987SK-1143A11 map 10q25, complete sequence.//2.8e-18:180:78//AC005880
- F-HEMBA1006108//Human DNA sequence from clone 889N15 on chromosome Xq22.1-22.3. Contains part of the gene for a novel protein similar to X. laevis Cortical Thymocyte-Marker CTX, the possibly alternatively spliced gene for 26S Proteasome subunit p28 (Ankyrin repeat protein), a novel gene and exons 36 through 45 of the COL4A6 for Collagen Alpha 6(IV). Contains ESTs, STSs, GSSs and a putative CpG island, complete sequence.//0.26:84:71//AL031177
- F-HEMBA1006121//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 691N24, WORKING DRAFT SEQUENCE.//5.2e-18:147:87//AL031672
- F-HEMBA1006124//CIT-HSP-2355B17.TF CIT-HSP Homo sapiens genomic clone 2355B17, genomic survey sequence.//0.044:225:61//AQ058966
- F-HEMBA1006130//CIT-HSP-386A20.TF CIT-HSP Homo sapiens genomic clone 386A20, genomic survey sequence.//8.8e-07:173:69//B55085
- F-HEMBA1006138//Homo sapiens DNA sequence from PAC 454M7 on chromosome Xq25-26.3. Contains the OCRL1 gene for Lowe Oculocerebrorenal Syndrome protein OCRL-1. Contains ESTs, STSs and GSSs, complete sequence.//7.5e-22:164:75//AL022162
- F-HEMBA1006142//, complete sequence.//7.9e-125:586:99//AC005500
- F-HEMBA1006155//H.sapiens CpG island DNA genomic Mse1 fragment, clone 119b6, forward read cpg119b6.ft1a.//1.0:85:72//Z64428
- F-HEMBA1006158//Homo sapiens transcription factor forkhead-like 7 (FKHL7) gene, complete cds.//1.1e-185:852:99//AF048693
- F-HEMBA1006173//striatum enriched phosphatase=protein-tyrosine-phosphatase [rat, striata, mRNA, 2815 nt].//8.4e-50:642:73//S49400
- F-HEMBA1006182//Homo sapiens Chromosome 15q26.1 PAC clone pDJ105i19, complete sequence.//1.4e-22:194:74//AC005318
- F-HEMBA1006198
- F-HEMBA1006235//Homo sapiens clone 24422 mRNA sequence.//2.6e-175:836:98//AF070557
- F-HEMBA1006248//Pinctada fucata mRNA for insoluble protein, complete cds.//8.2e-05:359:61//D86074
- F-HEMBA1006252//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 531H16, WORKING DRAFT SEQUENCE.//0.98:397:58//AL031664
- F-HEMBA1006253
- F-HEMBA1006259//HS_2231_A1_D10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2231 Col=19 Row=G, genomic survey sequence.//1.2e-11:233:68//AQ152722
- F-HEMBA1006268//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//5.2e-27:156:85//AC004673
- F-HEMBA1006272//Human endogenous retrovirus gag mRNA.//8.1e-115:847:80//X72791
- F-HEMBA1006278//Mus musculus poly(A) polymerase VI mRNA, complete cds.//2.1e-57:665:70//U58134
- F-HEMBA1006283
- F-HEMBA1006284//Streptomyces fradiae ty lactone synthase, starter module and modules 1-7, (tylG) gene, complete cds.//9.6e-06:623:60//U78289
- F-HEMBA1006291//HS_2208_A1_C03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2208 Col=5 Row=E, genomic survey sequence.//1.2e-13:105:92//AQ091804
- F-HEMBA1006293//Sequence 8 from patent US 5721351.//5.6e-77:580:75//I89415
- F-HEMBA1006309//Caenorhabditis elegans cosmid F01F1.//1.1e-21:420:63//U13070
- F-HEMBA1006310//Rattus norvegicus cytosolic sorting protein PACS-1a (PACS-1) mRNA, complete cds.//6.8e-120:748:85//AF076183
- F-HEMBA1006328//Homo sapiens fragile X mental retardation protein (FMR-1) gene (6 alternative splices), complete cds.//1.5e-46:485:73//L29074
- F-HEMBA1006334//HS-1051-B2-F01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 773 Col=2 Row=L, genomic survey sequence.//0.0032:61:91//B40563
- F-HEMBA1006344//HS-1009-A2-B02-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 331 Col=4 Row=C, genomic survey sequence.//3.3e-09:218:66//B31420
- F-HEMBA1006347//Drosophila melanogaster males-absent on the first (mof) gene, complete cds.//1.6e-31:484:68//U71219
- F-HEMBA1006349//HS-1054-A1-G06-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 776 Col=11 Row=M, genomic survey sequence.//5.4e-15:95:100//B41671
- F-HEMBA1006359//Human ZNF43 mRNA.//1.4e-115:823:81//X59244
- F-HEMBA1006364//Mouse mRNA for transforming growth factor-beta2.//2.7e-10:247:71//X57413

- F-HEMBA1006377//Mus musculus chromosome 7, clone 19K5, complete sequence.//3.0e-57:401:81//AC002327
- F-HEMBA1006380//CIT-HSP-2172K18.TF CIT-HSP Homo sapiens genomic clone 2172K18, genomic survey sequence.//1.3e-110:525:99//B92570
- 5 F-HEMBA1006381//HS-1045-B2-F10-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 828 Col=20 Row=L, genomic survey sequence.//4.4e-05:163:70//B37813
- F-HEMBA1006398//Homo sapiens 12q24.2 BAC RPC11-360E11 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//3.8e-62:370:86//AC004806
- F-HEMBA1006416//Homo sapiens chromosome 5, P1 clone 1041F10 (LBNL H88), complete sequence.//3.7e-15:157:78//AC005179
- 10 F-HEMBA1006419//Human DNA sequence from clone 71L16 on chromosome Xp11. Contains a probable Zinc Finger protein (pseudo)gene, an unknown putative gene, a pseudogene with high similarity to part of antigen KI-67, a putative Chondroitin 6-Sulfotransferase LIKE gene and a KIAA0267 LIKE putative Na(+)/H(+) exchanger protein gene. Contains a predicted CpG island, ESTs, STSs and GSSs and genomic markers DXS1003 and DXS1055, complete sequence.//1.2e-39:752:63//AL022165
- 15 F-HEMBA1006421//Homo sapiens chromosome 14q24.3 clone BAC270M14 transforming growth factor-beta 3 (TGF-beta 3) gene, complete cds; and unknown genes.//2.4e-41:438:76//AF107885
- F-HEMBA1006424//Human DNA sequence from clone 51J12 on chromosome 6q26-27. Contains the 3' part of the alternatively spliced gene for the human orthologs of mouse QKI-7 and QKI-7B (KH Domain RNA Binding proteins) and zebrafish ZKQ-1 (Quaking protein homolog). Contains ESTs, STSs and GSSs, complete sequence.//0.027:293:64//AL031781
- 20 F-HEMBA1006426//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 292E10, WORKING DRAFT SEQUENCE.//1.7e-50:310:80//Z93930
- F-HEMBA1006438//Liverwort Marchantia polymorpha chloroplast genome DNA.//0.051:440:59//X04465
- F-HEMBA1006445//Felis catus ras p21 (H-ras) mRNA, partial cds.//1.0:238:59//U62088
- 25 F-HEMBA1006446//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P6, WORKING DRAFT SEQUENCE.//2.4e-05:702:58//AL031749
- F-HEMBA1006461//Homo sapiens chromosome 19, cosmid R30676, complete sequence.//8.6e-55:409:83//AC004560
- F-HEMBA1006467//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//1.0:293:59//AC006120
- 30 F-HEMBA1006471//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.4e-05:731:59//AC004709
- F-HEMBA1006474//CIT-HSP-2017H3.TF CIT-HSP Homo sapiens genomic clone 2017H3, genomic survey sequence.//5.2e-60:435:83//B54247
- 35 F-HEMBA1006483//Homo sapiens chromosome 5, BAC clone 8e5 (LBNL H167), complete sequence.//2.9e-48:286:84//AC004752
- F-HEMBA1006485//Homo sapiens BAC clone NH0044G14 from 7q11.23-21.1, complete sequence.//0.96:283:59//AC006031
- F-HEMBA1006486//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//1.8e-14:259:67//AL022577
- 40 F-HEMBA1006489//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 467K16, WORKING DRAFT SEQUENCE.//6.6e-11:595:61//AL031283
- 45 F-HEMBA1006492//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//6.0e-122:337:100//AC005828
- F-HEMBA1006494//Homo sapiens chromosome 7qtel0 BAC E3, complete sequence.//3.8e-23:459:68//AF093117
- F-HEMBA1006497//HS_3023_B2_H03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3023 Col=6 Row=P, genomic survey sequence.//2.3e-81:433:95//AQ093846
- 50 F-HEMBA1006502//H.sapiens 7SL repeat (clones 2-19b).//1.6e-13:86:87//X62364
- F-HEMBA1006507//Homo sapiens mRNA for KIAA0666 protein, partial cds.//2.3e-139:470:98//AB014566
- F-HEMBA1006521//Human BAC clone RG167B05 from 7q21, complete sequence.//4.3e-27:406:71//AC003991
- F-HEMBA1006530//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//2.9e-27:408:65//AL031650
- 55 F-HEMBA1006535//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.028:599:60//AL034557
- F-HEMBA1006540//Homo sapiens multi PDZ domain protein MUPP1 (MUPP1) mRNA, complete cds.//1.4e-171:654:98//AF093419

- F-HEMBA1006546//Human DNA sequence from cosmid 232L22, between markers DXS366 and DXS87 on chromosome X contains ESTs glycerol kinase pseudogene.//3.8e-104:811:80//Z73986
- F-HEMBA1006559//Mus musculus PRAJA1 (Praja1) mRNA, complete cds.//4.8e-99:386:82//U06944
- F-HEMBA1006562//Human fructose-1,6-biphosphatase (FBP1) gene, exon 1.//0.012:322:60//U21925
- 5 F-HEMBA1006566//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.0026:580:58//AC005504
- F-HEMBA1006569//Ovis aries beta actin mRNA, complete cds.//6.3e-08:231:70//U39357
- F-HEMBA1006579//CIT-HSP-2380A22.TR CIT-HSP Homo sapiens genomic clone 2380A22, genomic survey sequence.//0.036:250:62//AQ197107
- 10 F-HEMBA1006583//Mycobacterium tuberculosis H37Rv complete genome; segment 143/162.//1.0:225:63//AL021841
- F-HEMBA1006595//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30A23, WORKING DRAFT SEQUENCE.//3.6e-50:689:69//AL022156
- F-HEMBA1006597//Homo sapiens Chromosome 7 BAC Clone 239c10, WORKING DRAFT SEQUENCE, 9 unordered pieces.//1.9e-42:253:84//AC004166
- 15 F-HEMBA1006612//RPC11-88F20.TJ RPC11 Homo sapiens genomic clone R-88F20, genomic survey sequence.//1.1e-51:266:98//AQ286726
- F-HEMBA1006617//HS_2193_B2_H07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2193 Col=14 Row=P, genomic survey sequence.//1.1e-59:413:85//AQ299685
- 20 F-HEMBA1006624//Human DNA sequence from clone 406A7 on chromosome 6q23-24. Contains three pseudogenes similar to Elongation Factor 1-Alpha (EF-1-ALPHA, Statin S1), 60S Acidic Ribosomal Protein P1 and NADH-Ubiquinone Oxidoreductase 15 kDa subunit, and part of the Microtubule Associated Protein E-MAP-115 gene. Contains ESTs, STSs and GSSs, complete sequence.//1.4e-35:257:89//AL023284
- F-HEMBA1006631//Homo sapiens Chromosome 11q23 PAC clone pDJ356d6, complete sequence.//9.6e-112:800:83//AC002036
- 25 F-HEMBA1006635//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P2, WORKING DRAFT SEQUENCE.//0.15:393:58//AL031745
- F-HEMBA1006639//Petromyzon marinus polyadenylate binding protein (PABP) mRNA, complete cds.//9.6e-15:318:68//AF032896
- 30 F-HEMBA1006643//Homo sapiens clone DJ0902E20, WORKING DRAFT SEQUENCE, 1 unordered pieces.//0.58:254:65//AC006148
- F-HEMBA1006648//Mus musculus integrin binding protein kinase mRNA, complete cds.//1.5e-37:108:88//U94479
- F-HEMBA1006652//Homo sapiens chromosome 5, BAC clone 343g16 (LBNL H180), complete sequence.//1.3e-154:671:96//AC005601
- 35 F-HEMBA1006653
- F-HEMBA1006659//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//5.2e-110:254:93//AC005189
- F-HEMBA1006665//Homo sapiens Xp22 BAC GSHB-590J6 (Genome Systems Human BAC library) complete sequence.//1.4e-14:177:76//AC004554
- 40 F-HEMBA1006674//Homo sapiens mRNA for nucleolar protein hNop56.//5.5e-15:122:90//Y12065
- F-HEMBA1006676//Homo sapiens chromosome 19, fosmid 37502, complete sequence.//0.098:218:63//AC004755
- F-HEMBA1006682//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 668J24, WORKING DRAFT SEQUENCE.//1.4e-05:719:57//AL034346
- 45 F-HEMBA1006695//Homo sapiens clone DJ0935K16, complete sequence.//3.1e-22:151:78//AC006011
- F-HEMBA1006696//CITBI-E1-2522D16.TF CITBI-E1 Homo sapiens genomic clone 2522D16, genomic survey sequence.//5.6e-17:324:66//AQ280738
- F-HEMBA1006708
- F-HEMBA1006709
- 50 F-HEMBA1006717//Homo sapiens clone GS308H05, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.3e-08:136:79//AC005537
- F-HEMBA1006737//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//5.8e-162:497:98//AC005828
- F-HEMBA1006744//Homo sapiens Chromosome 11p14.3 PAC clone pDJ1034g4, complete sequence.//7.4e-48:320:87//AC004796
- 55 F-HEMBA1006754//Human DNA sequence from PAC 82J11 and cosmid U134E6 on chromosome Xq22. Contains NIK like and Thyroxin-binding globulin precursor (T4-binding globulin, TBG) genes, ESTs and STSs.//4.1e-129:804:85//Z83850

- F-HEMBA1006758//Homo sapiens chromosome 5, BAC clone 182a8 (LBNL H161), complete sequence.//2.2e-162:766:99//AC005752
- F-HEMBA1006767//Human Xq28 cosmid U247A3 from LLOXNC01 X chromosome library, complete sequence.//1.2e-19:326:69//U73465
- 5 F-HEMBA1006779//Human DNA sequence from clone 80119 on chromosome 6p21.31-22.2 Contains genes and pseudogenes for olfactory receptor-like proteins, STS, GSS, complete sequence.//1.4e-103:355:87//AL022727
- F-HEMBA1006780//CIT-HSP-2359P7.TR CIT-HSP Homo sapiens genomic clone 2359P7, genomic survey sequence.//0.072:147:68//AQ077208
- 10 F-HEMBA1006789//nbxb0037113r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0037113r, genomic survey sequence.//0.00011:288:63//AQ290474
- F-HEMBA1006795//CIT-HSP-2307E3.TF CIT-HSP Homo sapiens genomic clone 2307E3, genomic survey sequence.//5.1e-80:420:96//AQ020511
- F-HEMBA1006796//Human clone 23803 mRNA, partial cds.//4.5e-06:202:68//U79298
- F-HEMBA1006807//Homo sapiens mRNA for SPOP.//1.2e-66:651:73//AJ000644
- 15 F-HEMBA1006821//Homo sapiens chromosome 17, clone hRPC.62_O_9, complete sequence.//6.0e-116:541:99//AC004797
- F-HEMBA1006824//Homo sapiens chromosome 19, cosmid R29368, complete sequence.//0.40:159:66//AC004262
- 20 F-HEMBA1006832//Homo sapiens (subclone 3_g8 from P1 H25) DNA sequence, complete sequence.//1.8e-24:323:71//AC002196
- F-HEMBA1006849//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 4/10.//0.15:403:60//AB020872
- F-HEMBA1006865//Plasmodium falciparum chromosome 2, section 6 of 73 of the complete sequence.//0.20:472:57//AE001369
- 25 F-HEMBA1006877//Mus musculus clone OST9241, genomic survey sequence.//3.4e-79:641:76//AF046757
- F-HEMBA1006885//HS_2208_B2_G06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2208 Col=12 Row=N, genomic survey sequence.//4.9e-18:206:76//AQ089246
- F-HEMBA1006900//Human DNA sequence from clone 496N17 on chromosome 6p11.2-12.3 Contains EST, GSS, complete sequence.//5.4e-07:298:65//AL031321
- 30 F-HEMBA1006914//S.pombe chromosome II cosmid c16H5.//0.00040:194:66//AL022104
- F-HEMBA1006921//Homo sapiens BAC clone GS114I09 from 7p14-p15, complete sequence.//1.1e-174:813:99//AC006027
- F-HEMBA1006926//Caenorhabditis elegans cosmid ZK185.//0.0075:183:65//AF036704
- 35 F-HEMBA1006929//P.falciparum complete gene map of plastid-like DNA (IR-A).//4.0e-06:739:57//X95275
- F-HEMBA1006936
- F-HEMBA1006938//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P4, WORKING DRAFT SEQUENCE.//1.1e-05:733:57//AL031747
- F-HEMBA1006941//Homo sapiens mRNA for putative thioredoxin-like protein.//1.3e-90:437:98//AJ010841
- F-HEMBA1006949//Human DNA sequence from PAC 363L9 on chromosome X. contains STS and polymorphic CA repeat.//0.67:217:62//Z82205
- 40 F-HEMBA1006973//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//5.6e-143:740:94//AF004828
- F-HEMBA1006976//cDNA encoding alpha 2 to 3 sialyltransferase.//2.8e-101:338:89//E06058
- 45 F-HEMBA1006993//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//7.1e-31:536:66//AC003071
- F-HEMBA1006996//Human DNA sequence from clone J428A131, WORKING DRAFT SEQUENCE.//9.5e-07:285:60//Z82209
- F-HEMBA1007002//Genomic sequence for Arabidopsis thaliana BAC F20N2, complete sequence.//0.99:388:58//AC002328
- 50 F-HEMBA1007017//Sequence 3 from Patent WO9416067.//0.96:220:62//A39358
- F-HEMBA1007018//G.gallus mRNA for dynein light chain-A.//1.3e-124:838:83//X79088
- F-HEMBA1007045
- F-HEMBA1007051//Caenorhabditis elegans cosmid Y57G11C, complete sequence.//0.17:343:60//Z99281
- F-HEMBA1007052//Homo sapiens FSHD-associated repeat DNA, proximal region.//4.3e-67:659:74//U85056
- 55 F-HEMBA1007062//Tubulin gene.//1.0:113:67//A18572
- F-HEMBA1007066//HS_3116_A2_A03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3116 Col=6 Row=A, genomic survey sequence.//0.80:214:62//AQ140467
- F-HEMBA1007073//Homo sapiens 12q13 PAC RPC11-316M24 (Roswell Park Cancer Institute Human PAC library)

complete sequence.//9.3e-54:519:68//AC004242
 F-HEMBA1007078//CIT-HSP-2318N6.TF CIT-HSP Homo sapiens genomic clone 2318N6, genomic survey sequence.//8.7e-80:387:98//AQ044076
 F-HEMBA1007080
 5 F-HEMBA1007085//Streptomyces coelicolor cosmid 7A1.//3.5e-06:496:59//AL034447
 F-HEMBA1007087//Plasmodium falciparum MAL3P6, complete sequence.//7.4e-07:553:56//Z98551
 F-HEMBA1007112//HS_2171_A1_B01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2171 Col=1 Row=C, genomic survey sequence.//1.0:172:61//AQ091865
 F-HEMBA1007113//Human DNA sequence from clone 1044O17 on chromosome Xp11.3-11.4 Contains GSS and
 10 STS, complete sequence.//0.54:502:56//AL023875
 F-HEMBA1007121//Caenorhabditis elegans cosmid ZK430.//1.4e-08:265:64//U42833
 F-HEMBA1007129//CITBI-E1-2504A5.TF CITBI-E1 Homo sapiens genomic clone 2504A5, genomic survey sequence.//0.97:267:62//AQ264035
 F-HEMBA1007147//HS_3208_A2_C04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3208 Col=8 Row=E, genomic survey sequence.//9.1e-90:466:95//AQ176696
 15 F-HEMBA1007149//Homo sapiens chromosome 19, cosmid F23149, complete sequence.//6.0e-138:524:98//AC005239
 F-HEMBA1007151//CITBI-E1-2522H6.TF CITBI-E1 Homo sapiens genomic clone 2522H6, genomic survey sequence.//2.0e-20:157:87//AQ280780
 20 F-HEMBA1007174//Homo sapiens epsin 2a mRNA, complete cds.//2.0e-62:318:97//AF062085
 F-HEMBA1007178//Homo sapiens chromosome 12p13.3 clone RPC11-372B4, WORKING DRAFT SEQUENCE, 129 ordered pieces.//1.6e-21:205:80//AC005911
 F-HEMBA1007194//HS_3124_B2_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3124 Col=16 Row=P, genomic survey sequence.//1.3e-11:87:96//AQ187492
 25 F-HEMBA1007203//Homo sapiens mRNA for KIAA0214 protein, complete cds.//1.7e-156:478:98//D86987
 F-HEMBA1007206//Homo sapiens chromosome 17, clone HRPC837J1, complete sequence.//0.024:342:63//AC004223
 F-HEMBA1007224//Homo sapiens mRNA for KIAA0797 protein, partial cds.//5.0e-176:839:98//AB018340
 F-HEMBA1007243//Chinese hamster hprt mRNA, complete cds.//4.3e-58:687:68//J00060
 30 F-HEMBA1007251//Rabbit troponin T messenger fragment (aa 49 to 129).//0.084:177:62//V00899
 F-HEMBA1007256//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 328E19, WORKING DRAFT SEQUENCE.//1.3e-75:490:88//AL022240
 F-HEMBA1007267//HS_3218_A1_F07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3218 Col=13 Row=K, genomic survey sequence.//2.9e-62:393:87//AQ181128
 35 F-HEMBA1007273//CIT-HSP-2171B10.TF CIT-HSP Homo sapiens genomic clone 2171B10, genomic survey sequence.//1.1e-63:314:99//B95401
 F-HEMBA1007279//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-116A10, complete sequence.//3.1e-31:401:72//AC004638
 F-HEMBA1007281//HS_3115_A1_A11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3115 Col=21 Row=A, genomic survey sequence.//5.0e-70:372:96//AQ186691
 40 F-HEMBA1007288//Human DNA sequence from clone 422G23 on chromosome 6q24 Contains EST, STS, GSS, CpG island, complete sequence.//1.2e-152:727:98//AL031003
 F-HEMBA1007300//Canis familiaris PDE5 mRNA for 3',5'-Cyclic GMP Phosphodiesterase, complete cds.//2.1e-21:542:63//AB008467
 45 F-HEMBA1007301//COL1A1=type I collagen pro alpha 1(I) chain propeptide {3' region} [human, fetal cells 86-237, 86-146, 88-251, mRNA Partial Mutant, 855 nt].//1.7e-08:388:61//S64596
 F-HEMBA1007319//Genomic sequence from Mouse 9, complete sequence.//6.0e-84:390:75//AC000399
 F-HEMBA1007320
 F-HEMBA1007322//Homo sapiens BAC clone RG118E13 from 7p15-p21, complete sequence.//0.091:260:64//AC004485
 50 F-HEMBA1007327//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.12:472:59//AC005140
 F-HEMBA1007341//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//1.5e-18:408:64//AC006120
 55 F-HEMBA1007342//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//8.7e-25:500:62//AC005377
 F-HEMBA1007347//Homo sapiens chromosome 5, BAC clone 7g12 (LBNL H126), complete sequence.//0.75:269:61//AC005738

- F-HEM BB1000005//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//5.0e-05:441:60//AC004617
- F-HEM BB1000008//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete sequence.//1.0e-44:417:77//AC004491
- 5 F-HEM BB1000018//HS_2179_B2_E04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2179 Col=8 Row=J, genomic survey sequence.//0.012:87:77//AQ023250
- F-HEM BB1000024//Human DNA sequence from PAC 106120 on chromosome 22q12-qter contains NADH pseudogene, ESTs, STS.//8.1e-11:461:61//Z81369
- 10 F-HEM BB1000025//CIT-HSP-2348F3.TR CIT-HSP Homo sapiens genomic clone 2348F3, genomic survey sequence.//0.96:198:62//AQ062938
- F-HEM BB1000030//Homo sapiens DNA sequence from PAC 32F7 on chromosome X. Contains NUCLEOSOME ASSEMBLY PROTEIN 1-LIKE 3, ESTs.//0.00049:276:64//AL009173
- F-HEM BB1000036//H.sapiens chromosome 22 CpG island DNA genomic Mse1 fragment, clone 302e2, reverse read 302e2.r.//0.0057:66:81//Z79857
- 15 F-HEM BB1000037//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//1.9e-100:450:98//AF084928
- F-HEM BB1000039//HS_2167_B1_F12_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2167 Col=23 Row=L, genomic survey sequence.//0.022:108:69//AQ092404
- 20 F-HEM BB1000044//Borrelia burgdorferi (section 50 of 70) of the complete genome.//1.0e-07:486:61//AE001164
- F-HEM BB1000048//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//5.3e-05:585:58//AC005507
- F-HEM BB1000050//Homo sapiens DNA sequence from clone 501N12 on chromosome 6p22.1-22.3 Contains a gene almost identical to four genes of unknown function, a pseudogene, three (pseudo?) genes similar to genes of unknown function, an unknown gene similar to a rat EST, a PX19 LIKE pseudogene and another unknown gene.
- 25 Contains ESTs, STSs and GSSs, complete sequence.//5.8e-38:549:67//AL022170
- F-HEM BB1000054//Homo sapiens Xp22 PAC RPC11-167A22 (from Roswell Park Cancer Center) complete sequence.//7.0e-98:328:83//AC002349
- F-HEM BB1000055//Homo sapiens genomic DNA for centromeric end of MHC class I region on chromosome 6, cosmid clone: TY2F10, WORKING DRAFT SEQUENCE.//3.7e-05:600:58//AB000880
- 30 F-HEM BB1000059//Homo sapiens clone RG339C12, WORKING DRAFT SEQUENCE, 10 unordered pieces.//1.3e-48:472:78//AC005096
- F-HEM BB1000083
- F-HEM BB1000089//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.0036:679:56//AL031744
- 35 F-HEM BB1000099//Homo sapiens chromosome 18 BAC RPC11-128D14 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//1.1e-15:312:68//AC005909
- F-HEM BB1000103//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//1.0e-37:316:74//AC006210
- F-HEM BB1000113//Homo sapiens chromosome 21q22.3 cosmid Q11M15, complete sequence.//3.1e-25:259:76//AF045450
- 40 F-HEM BB1000119//Homo sapiens ASMTL gene.//1.2e-137:654:98//Y15521
- F-HEM BB1000136//Mycobacterium tuberculosis H37Rv complete genome; segment 127/162.//0.59:217:66//Z74697
- F-HEM BB1000141//Homo sapiens DNA from chromosome 19q13.1 cosmid f14121 containing ATP4A and GADPH-2 genes, genomic sequence.//8.4e-31:113:88//AD000090
- 45 F-HEM BB1000144//Human BAC clone RG114A06 from 7q31, complete sequence.//4.4e-58:339:87//AC002542
- F-HEM BB1000173//Homo sapiens 12q24 BAC RPC11-162P23 (Roswell Park Cancer Institute Human BAC library) complete sequence.//9.4e-160:562:93//AC002996
- F-HEM BB1000175
- 50 F-HEM BB1000198//HS_3071_A2_A10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3071 Col=20 Row=A, genomic survey sequence.//0.99:261:61//AQ137388
- F-HEM BB1000215//Homo sapiens chromosome 17, clone hRPK.481_C_4, complete sequence.//6.7e-17:138:86//AC005839
- F-HEM BB1000217//Arabidopsis thaliana ubiquitin activating enzyme (UBA1) gene, complete cds.//0.00083:287:60//U80808
- 55 F-HEM BB1000218//Caenorhabditis elegans cosmid C52A11, complete sequence.//0.90:337:56//Z46792
- F-HEM BB1000226//Human DNA sequence from cosmid RJ14 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3. Contains ESTs and CpG island.//1.7e-90:175:92//Z69890

- F-HEMBB1000240//Human G-protein-coupled inwardly rectifying potassium channel (KCNJ3) gene, polymorphic repeat sequence.//0.16:171:62//U07918
- F-HEMBB1000244//Homo sapiens clone DJ1129E22, WORKING DRAFT SEQUENCE, 7 unordered pieces.//4.8e-08:355:63//AC005522
- 5 F-HEMBB1000250//Homo sapiens protein associated with Myc mRNA, complete cds.//6.6e-155:735:98//AF075587
- F-HEMBB1000258//Human adenosine monophosphate deaminase 1 (AMPD1) gene, exons 1-16.//0.58:396:59//M98818
- 10 F-HEMBB1000264//Human clone C3 CHL1 protein (CHLR1) mRNA, alternatively spliced, complete cds.//4.4e-32:100:100//U75968
- F-HEMBB1000266//Homo sapiens Xp22 BAC GSHB-433024 (Genome Systems Human BAC library) complete sequence.//3.8e-16:176:78//AC004470
- F-HEMBB1000272//Plasmodium falciparum chromosome 2, section 6 of 73 of the complete sequence.//0.011:379:58//AE001369
- 15 F-HEMBB1000274//Arabidopsis thaliana DNA chromosome 4, BAC clone T5K18 (ESSAll project).//0.92:272:61//AL022580
- F-HEMBB1000284//Human Xp22 BAC CT-285115 (from CalTech/Research Genetics), PAC RPC11-27C22 (from Roswell Park Cancer Center), and Cosmid U35B5 (from Lawrence Livermore), complete sequence.//0.00071:568:57//AC002366
- 20 F-HEMBB1000307//Human DNA sequence from PAC 29K1 on chromosome 6p21.3-22.2. Contains glutathione peroxidase-like; zinc finger, ESTs, mRNA, STS, tRNAs, olfactory receptor pseudogene.//3.0e-13:439:65//Z98745
- F-HEMBB1000312//Homo sapiens clone GS051M12, complete sequence.//0.031:252:65//AC005007
- F-HEMBB1000317//Fugu rubripes GSS sequence, clone 060J22aE10, genomic survey sequence.//0.00033:173:65//AL026242
- 25 F-HEMBB1000318//HS_3244_B2_H10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3244 Col=20 Row=P, genomic survey sequence.//3.9e-85:438:95//AQ252951
- F-HEMBB1000335//Homo sapiens chromosome 18, clone hRPK.24_A_23, complete sequence.//0.63:285:61//AC005968
- F-HEMBB1000336
- 30 F-HEMBB1000337//Homo sapiens chromosome 4 clone B208G5 map 4q25, complete sequence.//0.0014:309:64//AC004051
- F-HEMBB1000338//HS_3108_A2_F07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3108 Col=14 Row=K, genomic survey sequence.//3.8e-09:331:63//AQ140356
- 35 F-HEMBB1000339//Homo sapiens 12q24 PAC RPC11-46F2 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.2e-52:295:77//AC002351
- F-HEMBB1000341
- F-HEMBB1000343//Plasmodium falciparum MAL3P3, complete sequence.//0.00081:397:61//Z98547
- F-HEMBB1000354//Human DNA sequence from clone 192P9 on chromosome Xp11.23-11.4. Contains a pseudo-gene similar to rat Plasmolipin, ESTs and GSSs, complete sequence.//9.1e-34:596:66//AL020989
- 40 F-HEMBB1000369//Genomic sequence from Human 17, complete sequence.//0.012:298:60//AC002090
- F-HEMBB1000374//Human Xp22 contig of 3 PACS (R7-39D12, R7-134G1, R7-185L21) from the Roswell Park Cancer Institute, complete sequence.//9.3e-69:294:89//U96409
- F-HEMBB1000376//Human DNA sequence from clone 751H9 on chromosome 6q13. Contains part of an unknown gene, ESTs, STSs and GSSs, complete sequence.//3.5e-54:352:88//AL034377
- 45 F-HEMBB1000391//Trichothecium roseum internal transcribed spacer 1, 5.8S ribosomal RNA gene; and internal transcribed spacer 2, complete sequence.//0.011:168:67//U51982
- F-HEMBB1000399//Homo sapiens Rad17-like protein (RAD17) mRNA, complete cds.//2.6e-163:762:98//AF076838
- F-HEMBB1000402//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3, complete sequence.//7.7e-15:466:63//AC002368
- 50 F-HEMBB1000404//Homo sapiens mRNA for myosin-IXA.//3.5e-65:324:98//AJ001714
- F-HEMBB1000420//244Kb Contig from Human Chromosome 11p15.5 spanning D11S1 through D11S25, complete sequence.//0.013:399:62//AC001228
- F-HEMBB1000434//Homo sapiens PAC clone 278C19 from 12q, complete sequence.//6.1e-83:571:84//AC004263
- 55 F-HEMBB1000438//RPC11-21E14.TP RPC11-11 Homo sapiens genomic clone RPC11-21E14, genomic survey sequence.//0.0030:295:63//B83110
- F-HEMBB1000441//Homo sapiens Chromosome 22q12 Cosmid Clone ll47g11, complete sequence.//2.5e-33:372:72//AC000035

- F-HEM BB1000449//Human DNA sequence from PAC 296K21 on chromosome X contains cytokeratin exon, delta-aminolevulinic acid synthase (erythroid); 5-aminolevulinic acid synthase.(EC 2.3.1.37). 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (EC 2.7.1.105, EC 3.1.3.46), ESTs and STS.//1.3e-51:534:72//Z83821
- 5 F-HEM BB1000455//Saccharomyces cerevisiae mitochondrion origin of replication (ori6) and oli1 gene, complete cds.//0.016:522:58//L36899
- F-HEM BB1000472
- F-HEM BB1000480
- F-HEM BB1000487//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 128O3, WORKING DRAFT SEQUENCE.//0.00013:314:64//Z98742
- 10 F-HEM BB1000490//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING DRAFT SEQUENCE.//4.1e-110:529:98//AL034423
- F-HEM BB1000491//Plasmodium falciparum chromosome 2, section 25 of 73 of the complete sequence.//0.10:187:65//AE001388
- 15 F-HEM BB1000493//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//3.7e-06:637:58//AL022577
- F-HEM BB1000510//Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.//3.1e-96:737:81//AC005553
- 20 F-HEM BB1000518//Homo Sapiens Chromosome X clone bWXD171, WORKING DRAFT SEQUENCE, 1 ordered pieces.//0.00014:163:68//AC004676
- F-HEM BB1000523//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-105, complete sequence.//0.41:349:56//AL010212
- F-HEM BB1000530//H.sapiens mRNA for extracellular matrix protein collagen type XIV, C-terminus.//6.6e-37:138:96//Y11710
- 25 F-HEM BB1000550//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//3.9e-56:683:71//AB020860
- F-HEM BB1000554//Homo sapiens *** SEQUENCING IN PROGRESS *** , WORKING DRAFT SEQUENCE.//2.2e-51:282:84//AJ011929
- 30 F-HEM BB1000556//Homo sapiens mRNA for KIAA0750 protein, complete cds.//6.1e-32:537:65//AB018293
- F-HEM BB1000564
- F-HEM BB1000573//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//8.2e-33:268:73//AC005077
- F-HEM BB1000575//Human DNA sequence from clone 323M22 on chromosome 22q13.1-13.2. Contains the 5' part of the human ortholog of chicken P52 and mouse H74, and a novel gene coding for a protein similar to KIAA0173 and worm Tubulin Tyrosine Ligase. Contains ESTs, STSs, GSSs, genomic marker D22S418 and putative CpG islands, complete sequence.//5.8e-47:734:66//AL022476
- 35 F-HEM BB1000586//H.sapiens highly polymorphic microsatellite DNA.//0.030:147:67//X79883
- F-HEM BB1000589//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-279B10, complete sequence.//6.3e-41:278:83//AC002300
- 40 F-HEM BB1000591//Homo sapiens Xp22 bins 45-47 BAC GSHB-665N22 (Genome Systems Human BAC Library) complete sequence.//1.1e-182:871:98//AC005184
- F-HEM BB1000592//Hepatitis C virus genomic RNA, 3' nontranslated region, partial sequence. clone #19.//0.012:185:64//AF009074
- 45 F-HEM BB1000593//Homo sapiens chromosome 7q22 sequence, complete sequence.//1.2e-131:353:93//AF053356
- F-HEM BB1000598//Homo sapiens 12p13.3 BAC RPCI3-488H23 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//9.1e-58:600:72//AC006207
- F-HEM BB1000623//cDNA encoding Coliolum manganese peroxidase.//0.89:284:62//E12284
- 50 F-HEM BB1000630//Mus musculus clone NSAT47 nonsatellite RNA sequence.//1.9e-15:129:87//U26231
- F-HEM BB1000631//Sequence 26 from patent US 5708157.//3.2e-27:180:88//I80057
- F-HEM BB1000632//Human mRNA for KIAA0351 gene, complete cds.//1.6e-48:811:65//AB002349
- F-HEM BB1000637//Homo sapiens clone DJ0425I02, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.1e-58:649:73//AC005478
- 55 F-HEM BB1000638//HS_3051_A1_G01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3051 Col=1 Row=M, genomic survey sequence.//0.0032:497:56//AQ155234
- F-HEM BB1000643//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//2.4e-50:791:68//AC005077

- F-HEM BB1000649//Homo sapiens Chromosome 16 BAC clone CIT987-SK502C10, complete sequence.//5.2e-64:775:69//AC003009
- F-HEM BB1000652//Homo sapiens chromosome 10 clone CRI-JC2048 map 10q22.1, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.7e-52:334:89//AC006186
- 5 F-HEM BB1000665//Human DNA sequence from clone 452M16 on chromosome Xq21.1-21.33 Contains capping protein alpha subunit isoform 1 pseudogene, STS, GSS, and CA repeat, complete sequence.//0.0062:426:60//AL024493
- F-HEM BB1000671//Human DNA sequence from PAC 93H18 on chromosome 6 contains ESTs heterochromatin protein HP1Hs-gamma pseudogene, STS and CpG island.//9.6e-95:399:78//Z84488
- 10 F-HEM BB1000673//HS_3039_A2_C08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3039 Col=16 Row=E, genomic survey sequence.//3.8e-50:293:92//AQ155121
- F-HEM BB1000684//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 222E13, WORKING DRAFT SEQUENCE.//8.0e-65 :282:83//Z93241
- F-HEM BB1000693//Homo sapiens neuroan1 mRNA, complete cds.//1.6e-118:575:97//AF040723
- 15 F-HEM BB1000705//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//8.6e-07:251:61//AC005507
- F-HEM BB1000706//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 153G14, WORKING DRAFT SEQUENCE.//2.9e-20:434:64//AL031118
- F-HEM BB1000709//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 994L9, WORKING DRAFT SEQUENCE.//0.26:184:65//AL034554
- 20 F-HEM BB1000725//Rattus norvegicus GTPase Rab8b (Rab8b) mRNA, complete cds.//1.8e-129:692:93//U53475
- F-HEM BB1000726//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//2.7e-40:304:80//U91321
- F-HEM BB1000738//Human Xq28 cosmids U126G1, U142F2, U69B6, U145C10, U169A5, U84H1, U24D12, U80A7, U153E6, L35485, and R7-163A8 containing iduronate 2-sulfatase gene and pseudogene, complete sequence.//8.9e-35:582:63//AF011889
- 25 F-HEM BB1000749//Homo sapiens chromosome 11 clone CIT-HSP-1337H24, WORKING DRAFT SEQUENCE, 9 unordered pieces.//6.2e-46:262:89//AC005849
- F-HEM BB1000763//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 537K23, WORKING DRAFT SEQUENCE.//1.6e-99:316:98//AL034405
- 30 F-HEM BB1000770//Human DNA sequence from clone 80I19 on chromosome 6p21.31-22.2 Contains genes and pseudogenes for olfactory receptor-like proteins, STS, GSS, complete sequence.//0.044:325:60//AL022727
- F-HEM BB1000774
- F-HEM BB1000781//Sequence 3 from patent US 5753446.//1.2e-92:599:86//AR008277
- 35 F-HEM BB1000789//Homo sapiens mRNA for KIAA0677 protein, complete cds.//9.3e-64:672:71//AB014577
- F-HEM BB1000790//Homo sapiens 12q13.1 PAC RPC11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.4e-41:460:74//AC004801
- F-HEM BB1000794//HS_3034_B2_D12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3034 Col=24 Row=H, genomic survey sequence.//1.8e-74:378:97//AQ117099
- 40 F-HEM BB1000807//H.sapiens CpG island DNA genomic Mse1 fragment, clone 39d7, reverse read cpg39d7.r1a.//8.5e-14:95:97//Z58412
- F-HEM BB1000810//H.sapiens chromosome 22 CpG island DNA genomic Mse1 fragment, clone 303a8, complete read.//3.2e-05:138:71//Z79983
- F-HEM BB1000821//HS_2168_B1_A12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2168 Col=23 Row=B, genomic survey sequence.//0.85 :208:60//AQ086361
- 45 F-HEM BB1000822//Human BAC clone GS113H23 from 5p15.2, complete sequence.//3.0e-06:361:60//AC003015
- F-HEM BB1000826//Human BAC clone RG180F08 from 7q31, complete sequence.//1.1e-27:360:69//AC002431
- F-HEM BB1000827
- F-HEM BB1000831
- 50 F-HEM BB1000835//Human DNA sequence from clone 45I4 on chromosome 6q24.1-24.3. Contains two putative unknown genes, ESTs, STSs and GSSs, complete sequence.//0.00098:234:63//AL023581
- F-HEM BB1000840//Human Chromosome 11 Cosmid cSRL97a6, complete sequence.//4.5e-61:328:79//U73649
- F-HEM BB1000848//Homo sapiens DNA sequence from PAC 206D15 on chromosome 1q24. Contains a Reduced Folate Carrier protein (RFC) LIKE gene, a mitochondrial ATP Synthetase protein 8 (ATP8, MTATP8) LIKE pseudogene, an unknown gene and the last exon of the JEM1 gene coding for the Basic-Leucine Zipper nuclear factor JEM-1. Contains ESTs, an STS and a BAC end sequence (GSS), complete sequence.//9.7e-144:809:87//AL021068
- 55 F-HEM BB1000852//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING

EP 1 074 617 A2

DRAFT SEQUENCE, 9 unordered pieces.//0.12:492:58//AC004157
 F-HEM BB1000870//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING
 DRAFT SEQUENCE, 9 unordered pieces.//0.0024:212:67//AC004157
 F-HEM BB1000876//Homo sapiens ELISC-1 mRNA, partial cds.//1.5e-32:200:94//AF085351
 5 F-HEM BB1000883//HS_3065_B2_C04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3065 Col=8 Row=F, genomic survey sequence.//0.0017:152:66//AQ137687
 F-HEM BB1000887
 F-HEM BB1000888//CIT-HSP-2329A10.TR CIT-HSP Homo sapiens genomic clone 2329A10, genomic survey se-
 quence.//1.5e-31:172:98//AQ044369
 10 F-HEM BB1000890
 F-HEM BB1000893//Plasmodium falciparum MAL3P2, complete sequence.//9.5e-06:768:56//AL034558
 F-HEM BB1000908//Homo sapiens clone DJ1119N05, complete sequence.//4.5e-21:199:82//AC004968
 F-HEM BB1000910//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING
 DRAFT SEQUENCE.//0.72:366:59//AL034557
 15 F-HEM BB1000913//HS_3078_B1_C02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3078 Col=3 Row=F, genomic survey sequence.//9.9e-12:221:63//AQ144507
 F-HEM BB1000915//Homo sapiens DNA for (CGG)n trinucleotide repeat region, isolate P4.//1.2e-49:252:99//
 AJ001215
 F-HEM BB1000917//Homo sapiens chromosome 5, P1 clone 254f11 (LBNL H62), complete sequence.//2.3e-42:
 20 316:76//AC006077
 F-HEM BB1000927//Human BDR-2 mRNA for hippocalcin, complete cds.//3.6e-30:528:65/D16593
 F-HEM BB1000947//CpG0856B CplOWAgDNA1 Cryptosporidium parvum genomic, genomic survey sequence.//
 0.81:262:62//AQ254493
 F-HEM BB1000959//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 346O6, WORKING
 25 DRAFT SEQUENCE.//1.2e-43:454:75//Z84487
 F-HEM BB1000973//Mus musculus schlafen2 (Slfn2) mRNA, complete cds.//8.3e-42:458:72//AF099973
 F-HEM BB1000975//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MBK5, complete sequence.//
 0.98:196:63//AB005234
 F-HEM BB1000981
 30 F-HEM BB1000985//Homo sapiens chromosome 19, cosmid R29388, complete sequence.//2.9e-06:566:57//
 AC004476
 F-HEM BB1000991//Human DNA sequence from PAC 238J17 on chromosome 6q22. Contains EST and STS.//
 0.099:391:57//Z98753
 F-HEM BB1000996//Human DNA sequence from BAC 999D10 on chromosome 22q13.3. Contains two BAC end-
 35 sequences (GSSs).//6.2e-33:227:80//Z94802
 F-HEM BB1001004
 F-HEM BB1001008//Human Chromosome 16 BAC clone CIT987SK-A-951C11, complete sequence.//4.0e-13:164:
 79//AC002551
 F-HEM BB1001011//Human Chromosome 16 BAC clone CIT987SK-A-635H12, complete sequence.//7.5e-13:229:
 40 69//AC002310
 F-HEM BB1001014//Homo sapiens chromosome 16, BAC clone 375G12 (LANL), complete sequence.//0.32:474:
 58//AC005751
 F-HEM BB1001020//Homo sapiens BAC clone 255A7 from 8q21 containing NBS1 gene, complete sequence.//
 2.6e-39:218:80//AF069291
 45 F-HEM BB1001024//Homo sapiens BAC clone 393I22 from 8q21, complete sequence.//5.3e-05:656:59//AF070717
 F-HEM BB1001037//CIT-HSP-2358K16.TF CIT-HSP Homo sapiens genomic clone 2358K16, genomic survey se-
 quence.//6.6e-05:228:64//AQ080539
 F-HEM BB1001047//Homo sapiens cosmids Qc14E2, Qc12H12, Qc11F9, Qc10G9, LA1733 and Qc17B8 from
 Xq28, complete sequence.//4.0e-27:385:71//U82671
 50 F-HEM BB1001051//H.sapiens mRNA for FAN protein.//1.2e-27:160:98//X96586
 F-HEM BB1001056//Homo sapiens clone DJ0953A04, WORKING DRAFT SEQUENCE, 5 unordered pieces.//
 2.3e-89:180:91//AC006014
 F-HEM BB1001058//Homo sapiens 3p22-8 PAC RPCI4-736H12 (Roswell Park Cancer Institute Human PAC Li-
 brary) complete sequence.//1.2e-41:468:74//AC006060
 55 F-HEM BB1001060//Human Tigger1 transposable element, complete consensus sequence.//4.3e-122:785:86//
 U49973
 F-HEM BB1001063//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 523G1, WORKING
 DRAFT SEQUENCE.//7.1e-162:770:99//AL034375

- F-HEM BB1001068//Homo sapiens liprin-beta2 mRNA, partial cds.//3.1e-146:736:95//AF034803
- F-HEM BB1001096//Buchnera aphidicola genomic fragment containing (chaperone Hsp60) groEL, DNA biosynthesis initiating protein (dnaA), ATP operon (atpCDGAHFEB), and putative chromosome replication protein (gidA) genes, complete cds; and termination factor Rho (rho) gene, partial cds.//0.00088:690:57//AF008210
- 5 F-HEM BB1001102//Homo sapiens huntingtin interacting protein HYPH mRNA, partial cds.//2.1e-76:368:99//AF049612
- F-HEM BB1001105//CIT-HSP-2185N1.TR CIT-HSP Homo sapiens genomic clone 2185N1, genomic survey sequence.//1.0e-09:136:76//AQ002987
- F-HEM BB1001112//Rattus rattus sec61 homologue mRNA, complete cds.//1.0e-108:909:76//M96630
- 10 F-HEM BB1001114//Homo sapiens chromosome 17, clone hRPK.795_F_17, complete sequence.//7.2e-07:459:59//AC005284
- F-HEM BB1001117//HS_2178_B1_E12_MR CIT Approved-Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2178 Col=23 Row=J, genomic survey sequence.//7.8e-50:331:86//AQ068244
- F-HEM BB1001119//Human collagen type XII alpha-1 precursor (COL12A1) mRNA, complete cds.//1.6e-25:150:98//U73778
- 15 F-HEM BB1001126
- F-HEM BB1001133//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//2.8e-24:228:80//AC004673
- F-HEM BB1001137
- 20 F-HEM BB1001142//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//1.0e-40:231:76//AC004617
- F-HEM BB1001151//Rattus norvegicus golgi peripheral membrane protein p65 (GRASP65) mRNA, complete cds.//2.9e-47:640:67//AF015264
- F-HEM BB1001153//CIT-HSP-2359K11.TR CIT-HSP Homo sapiens genomic clone 2359K11, genomic survey sequence.//0.76:136:67//AQ075724
- 25 F-HEM BB1001169//Human DNA sequence from PAC 84F12 on chromosome Xq25-Xq26.3. Contains glypican-3 precursor (intestinal protein OCI-5) (GTR2-2), ESTs and CA repeat.//9.9e-63:259:79//AL008712
- F-HEM BB1001175//Human mRNA for ankyrin motif, complete cds.//2.2e-34:509:66//D78334
- F-HEM BB1001177//CIT-HSP-2321I17.TR CIT-HSP Homo sapiens genomic clone 2321I17, genomic survey sequence.//5.9e-27:320:75//AQ036473
- 30 F-HEM BB1001182//RPCI11-30J5.TV RPCI-11 Homo sapiens genomic clone RPCI-11-30J5, genomic survey sequence.//5.7e-06:62:96//B85188
- F-HEM BB1001199
- F-HEM BB1001208//HS_2026_B1_C07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2026 Col=13 Row=F, genomic survey sequence.//0.00018:134:70//AQ229237
- 35 F-HEM BB1001209//CITBI-E1-2521F23.TF CITBI-E1 Homo sapiens genomic clone 2521F23, genomic survey sequence.//1.4e-95:464:98//AQ278357
- F-HEM BB1001210//HS_3102_A2_F09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3102 Col=18 Row=K, genomic survey sequence.//2.6e-90:446:98//AQ119196
- 40 F-HEM BB1001218//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 796F18, WORKING DRAFT SEQUENCE.//1.0e-31:315:72//AL031291
- F-HEM BB1001221//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//9.7e-17:770:59//AC005504
- F-HEM BB1001234//H.sapiens CpG island DNA genomic MseI fragment, clone 39f9, forward read cpg39f9.ft1e//4.0e-30:171:97//Z65435
- 45 F-HEM BB1001242//Homo sapiens mRNA for LAK-1, complete cds.//3.8e-30:458:67//AB005754
- F-HEM BB1001249//CIT-HSP-2375N19.TF CIT-HSP Homo sapiens genomic clone 2375N19, genomic survey sequence.//0.0076:250:63//AQ109087
- F-HEM BB1001253//Homo sapiens genomic DNA, chromosome 21q11.1, segment 3/28, WORKING DRAFT SEQUENCE.//0.0097:89:80//AP000032
- 50 F-HEM BB1001254//CIT-HSP-2320E5.TF CIT-HSP Homo sapiens genomic clone 2320E5, genomic survey sequence.//3.7e-54:284:97//AQ037173
- F-HEM BB1001267//Homo sapiens chromosome 17, clone hRPK.488_L_1, complete sequence.//3.5e-30:236:78//AC005303
- 55 F-HEM BB1001271//HS_3011_A1_G02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3011 Col=3 Row=M, genomic survey sequence.//5.2e-07:364:62//AQ214217
- F-HEM BB1001282//CIT-HSP-2356J20.TF CIT-HSP Homo sapiens genomic clone 2356J20; genomic survey sequence.//1.8e-16:109:97//AQ060969

EP 1 074 617 A2

F-HEM BB1001288//R.norvegicus mRNA for gephyrin.//3.4e-18:194:77//X66366
 F-HEM BB1001289//Genomic sequence from Human 9q34, complete sequence.//4.8e-66:434:74//AC000387
 F-HEM BB1001294//HS_3039_B1_D01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3039 Col=1 Row=H, genomic survey sequence.//2.0e-90:437:99//AQ155035
 5 F-HEM BB1001302
 F-HEM BB1001304//CIT-HSP-2053E15.TF CIT-HSP Homo sapiens genomic clone 2053E15, genomic survey se-
 quence.//2.2e-07:370:61//B69144
 F-HEM BB1001314//Mus musculus Olf-1/EBF-like-3 transcription factor (O/E-3) mRNA, complete cds.//5.7e-116:
 663:85//U92703
 10 F-HEM BB1001315//Homo sapiens chromosome 10 clone LA10NC01_40_G_3 map 10q26.1-10q26.2, WORKING
 DRAFT SEQUENCE, 1 ordered pieces.//2.5e-33:328:77//AC006096
 F-HEM BB1001317//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) com-
 plete sequence.//1.4e-122:680:91//AC006210
 F-HEM BB1001326//Homo sapiens BAC clone RG136N17 from 7p15-p21, complete sequence.//2.8e-09:518:60//
 15 AC004129
 F-HEM BB1001331//Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain:BALB/c.//3.7e-
 56:458:79//D63850
 F-HEM BB1001335//HS_3055_A1_H10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3055 Col=19 Row=O, genomic survey sequence.//1.0:222:63//AQ147384
 20 F-HEM BB1001337//Human PAC clone DJ0093I03 from Xq23, complete sequence.//1.0e-74:319:85//AC003983
 F-HEM BB1001339//Homo sapiens FSHD-associated repeat DNA, proximal region.//4.0e-135:856:87//U85056
 F-HEM BB1001346//Human familial Alzheimer's disease (STM2) gene, complete cds.//3.3e-44:481:74//U50871
 F-HEM BB1001348//Homo sapiens BAC clone NH0491B03 from 7p21-p15, complete sequence.//1.8e-17:210:73//
 AC006041
 25 F-HEM BB1001356//Homo sapiens clone RG252P22, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.0:
 386:59//AC005079
 F-HEM BB1001364//Homo sapiens chromosome 17, clone hRPC.842_A_23, complete sequence.//0.97:349:61//
 AC004662
 F-HEM BB1001366//Homo sapiens chromosome 10 clone CIT987SK-1188I5 map 10p11.2-10p12.1, complete se-
 30 quence.//5.5e-161:766:98//AC005876
 F-HEM BB1001367//Homo sapiens chromosome 17, clone hRPC.906_A_24, complete sequence.//3.0e-55:510:
 76//AC004408
 F-HEM BB1001369//Homo sapiens BAC clone RG163K11 from 7q31, complete sequence.//0.048:244:64//
 AC005192
 35 F-HEM BB1001380//Homo sapiens PAC clone DJ1102B04 from 7q11.23-7q21, complete sequence.//2.5e-26:257:
 78//AC006204
 F-HEM BB1001384//Mus musculus COP9 complex subunit 4 (COPS4) mRNA, complete cds.//5.1e-99:571:89//
 AF071314
 F-HEM BB1001387//Leishmania tarentolae mitochondrial 12S ribosomal RNA gene.//7.1e-05:546:58//X02354
 40 F-HEM BB1001394//Homo sapiens BAC clone GS421I03 from Xq25-q26, complete sequence.//4.0e-129:788:88//
 AC005023
 F-HEM BB1001410//Homo sapiens wbscr1 (WBSCR1) and replication factor C subunit 2 (RFC2) genes, complete
 cds.//4.8e-11:632:59//AF045555
 F-HEM BB1001424//Mus musculus Chromosome 4 BAC clone BacB6, complete sequence.//0.0012:435:59//
 45 AC003019
 F-HEM BB1001426//Homo sapiens clone DJ0736H05, WORKING DRAFT SEQUENCE, 5 unordered pieces.//
 3.8e-17:360:64//AC005482
 F-HEM BB1001429//leucine aminopeptidase [cattle, kidney, mRNA, 2056 nt].//4.1e-114:668:88//S65367
 F-HEM BB1001436//Homo sapiens FUT2 gene, intron 1, complete sequence.//2.3e-37:438:74//AB000931
 50 F-HEM BB1001443//Bos taurus pyruvate dehydrogenase phosphatase mRNA, complete cds.//9.1e-92:550:88//
 L18966
 F-HEM BB1001449//Homo sapiens chromosome 5, PAC clone 228g9 (LBNL H142), complete sequence.//0.00024:
 385:62//AC004768
 F-HEM BB1001454//Homo sapiens chromosome 19, cosmid R34169, complete sequence.//0.84:577:57//
 55 AC005790
 F-HEM BB1001458//Human Chromosome 11 pac pDJ197h17, WORKING DRAFT SEQUENCE, 11 unordered
 pieces.//8.0e-40:377:78//AC000382
 F-HEM BB1001463//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete sequence.//0.011:482:

- 59//AF001549
F-HEM BB1001464//Human chromosome 16p13 BAC clone CIT987SK-3H8 complete sequence.//0.019:263:61//U91320
- 5 F-HEM BB1001482//Rattus norvegicus Olf-1/EBF associated Zn finger protein Roaz mRNA, alternatively spliced form, complete cds.//1.0e-30:521:66//U92564
F-HEM BB1001500//Homo sapiens clone DJ0742P04, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.3e-31:479:71//AC004873
F-HEM BB1001521//Homo sapiens clone RG269P13, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.7e-51:680:70//AC005080
- 10 F-HEM BB1001527
F-HEM BB1001531//Homo sapiens Chromosome 22q11.2 Cosmid Clone 89h In DGCR Region, complete sequence.//1.3e-79:696:79//AC000089
F-HEM BB1001535//O.aries DNA for polymorphic marker 'OVINRA01' (339 bp).//0.00034:217:62//X89268
F-HEM BB1001536//Homo sapiens PAC clone DJ1182N03 from 7q11.23-q21.1, complete sequence.//0.54:266:60//AC004548
- 15 F-HEM BB1001537//Homo sapiens chromosome 19, cosmid R29368, complete sequence.//4.6e-25:784:61//AC004262
F-HEM BB1001555//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//6.9e-50:213:80//AC004605
- 20 F-HEM BB1001562//Homo sapiens clone NH0523H20, complete sequence.//0.46:269:60//AC005041
F-HEM BB1001564//Human DNA sequence from clone 192P9 on chromosome Xp11.23-11.4. Contains a pseudo-gene similar to rat Plasmolipin, ESTs and GSSs, complete sequence.//1.7e-107:620:83//AL020989
F-HEM BB1001565//Homo sapiens BAC clone RG437L15 from 8q21, complete sequence.//2.4e-50:734:67//AC004003
- 25 F-HEM BB1001585//Human DNA sequence from clone 790B6 on chromosome 20p11.22-12.2. Contains STSs and GSSs, complete sequence.//1.4e-166:816:97//AL031677
F-HEM BB1001586
F-HEM BB1001588//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//1.6e-21:419:65//AC005261
- 30 F-HEM BB1001603
F-HEM BB1001618//Homo sapiens DNA sequence from PAC 142L7 on chromosome 6q21. Contains a Laminin Alpha 4 (LAMA4) LIKE gene coding for two alternatively spliced transcripts, a Tubulin Beta LIKE pseudogene, a Connective tissue growth factor (NOV, GIG) LIKE gene, A predicted CpG island, ESTs, STSs and genomic marker D6S416, complete sequence.//4.5e-29:422:72//Z99289
- 35 F-HEM BB1001619//HS_3079_B1_A04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3079 Col=7 Row=B, genomic survey sequence.//0.0010:77:79//AQ123388
F-HEM BB1001630//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.2e-12:667:59//AC005089
F-HEM BB1001635//Plasmodium falciparum MAL3P7, complete sequence.//3.8e-05:475:57//AL034559
- 40 F-HEM BB1001637//Homo sapiens DNA sequence from PAC 934G17 on chromosome 1p36.21. Contains the alternatively spliced CLCN6 gene for chloride channel proteins CLC-6A (KIAA0046) -B, -C and -D, the alternatively spliced NPPA gene coding for Atrial Natriuretic Factor ANF precursor (Atrial Natriuretic peptide ANP, Prepronatriodilatin), the NPPB gene for Brain Natriuretic Protein BNP, and a pseudogene similar to SBF1 (and other Myotubularin-related protein genes). Contains ESTs, STSs and the genomic marker D1S2740, complete sequence.//9.2e-13:168:76//AL021155
- 45 F-HEM BB1001641//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MPO12, complete sequence.//0.00097:721:58//AB006702
F-HEM BB1001653//Homo sapiens chromosome 2 clone 101B6 map 2p11, complete sequence.//0.15:276:63//AC002038
- 50 F-HEM BB1001665//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//0.43:393:61//L14320
F-HEM BB1001668//F16C15-T7 IGF Arabidopsis thaliana genomic clone F16C15, genomic survey sequence.//0.040:275:60//B12308
- 55 F-HEM BB1001673//Homo sapiens mRNA for KIAA0646 protein, complete cds.//7.2e-171:803:98//AB014546
F-HEM BB1001684//Sequence 1 from patent US 5700927.//7.5e-124:883:81//I86429
F-HEM BB1001685//CIT-HSP-2287O9.TF CIT-HSP Homo sapiens genomic clone 2287O9, genomic survey sequence.//2.3e-34:191:97//B99261
F-HEM BB1001695//Human DNA sequence from clone 431P23 on chromosome 6q27. Contains the first coding

- exon of the MLLT4 gene for myeloid/lymphoid or mixed-lineage leukemia (trithorax (*Drosophila*) homolog); translocated to, 4 (AF-6, Afadin, MLLT-4, ALL-1 fusion partner), and a Serine Palmitoyltransferase 2 (EC 2.3.1.50, Long Chain Base Biosynthesis protein 2, LCB-2, SPT-2) pseudogene. Contains ESTs, STss, GSSs, and a putative CpG island, complete sequence.//0.0091:334:63//AL009178
- 5 F-HEMBB1001704//Human DNA sequence from clone 931E15 on chromosome Xq25. Contains STSs, GSSs and genomic marker DXS8098, complete sequence.//1.2e-17:144:87//AL023575
F-HEMBB1001706
F-HEMBB1001707//Guinea pig CD19 mRNA, complete cds.//0.57:232:62//M62543
F-HEMBB1001717//*Saccharomyces cerevisiae* mitochondrial tRNA-Tyr, tRNA-Asn, & amp; tRNA-Met genes.//1.1e-13:723:58//AJ223323
- 10 F-HEMBB1001735//Human PAC clone DJ0596O09 from 7p15, complete sequence.//1.3e-36:427:73//AC003074
F-HEMBB1001736//*S.pombe* chromosome II cosmid c4B4.//0.0085:479:57//AL023706
F-HEMBB1001747//Homo sapiens PAC clone DJ1002N02 from 7p21-p22, complete sequence.//4.0e-112:532:84//AC005376
- 15 F-HEMBB1001749//Homo sapiens chromosome 17, clone hRPK.259_G_18, complete sequence.//1.3e-98:395:82//AC005829
F-HEMBB1001753//*S.maximus* repeat region, 342bp.//4.2e-11:69:85//Z78099
F-HEMBB1001756//Homo sapiens full-length insert cDNA clone ZD86A11.//0.0015:302:62//AF088064
F-HEMBB1001760//*P.falciparum* complete gene map of plastid-like DNA (IR-A).//0.011:615:56//X95275
- 20 F-HEMBB1001762//CIT-HSP-2290J16.TF CIT-HSP Homo sapiens genomic clone 2290J16, genomic survey sequence.//0.84:208:64//AQ005184
F-HEMBB1001785//*Plasmodium falciparum* DNA *** SEQUENCING IN PROGRESS *** from MAL1P3, WORKING DRAFT SEQUENCE.//0.0019:469:60//AL031746
F-HEMBB1001797//Human heterogenous nuclear RNA W16W.//0.00012:83:86//X17272
- 25 F-HEMBB1001802//*Plasmodium falciparum* MAL3P7, complete sequence.//1.8e-11:538:60//AL034559
F-HEMBB1001812//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 356B8, WORKING DRAFT SEQUENCE.//1.0e-56:304:84//Z98882
F-HEMBB1001816//Homo sapiens chromosome 19, cosmid F24083, complete sequence.//3.6e-75:300:87//AC005204
- 30 F-HEMBB1001831//Homo sapiens PAM COOH-terminal interactor protein 1 (PCIP1) mRNA, complete cds.//2.3e-162:763:98//AF056209
F-HEMBB1001834//CIT-HSP-2291012.TF CIT-HSP Homo sapiens genomic clone 2291O12, genomic survey sequence.//7.6e-08:73:94//AQ004168
F-HEMBB1001836//Homo sapiens 12q13.1 PAC RPC11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//5.7e-30:297:79//AC004801
- 35 F-HEMBB1001839//Human Chromosome X, complete sequence.//0.016:293:63//AC004073
F-HEMBB1001850//*Plasmodium falciparum* 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.0027:812:58//AC005504
F-HEMBB1001863//Human Chromosome 15q26.1 PAC clone pDJ460g16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//8.3e-43:520:72//AC004581
- 40 F-HEMBB1001867//Human proto-oncogene tyrosine-protein kinase (ABL) gene, exon 1a and exons 2-10, complete cds.//1.7e-56:399:86//U07563
F-HEMBB1001868//*Rattus norvegicus* clone 923 polymeric immunoglobulin receptor mRNA 3' untranslated region, GA rich region, and microsatellites with GGA-triplet and GAA-triplet repeats.//6.1e-08:234:67//U01145
- 45 F-HEMBB1001869//Homo sapiens full-length insert cDNA clone YT86F01.//7.4e-87:432:97//AF085974
F-HEMBB1001872
F-HEMBB1001874//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.4e-14:631:61//AC005000
F-HEMBB1001875//Human DNA sequence from clone J428A131, WORKING DRAFT SEQUENCE.//0.93:415:57//Z82209
- 50 F-HEMBB1001880//Human genomic DNA sequence from clone 308O1 on chromosome Xp11.3-11.4. Contains EST, CA repeat, STS, GSS, CpG island.//1.0e-18:729:60//Z93403
F-HEMBB1001899//*Plasmodium falciparum* DNA *** SEQUENCING IN PROGRESS *** from contig 4-10, complete sequence.//0.0038:425:58//AL010216
- 55 F-HEMBB1001905//*S.pombe* chromosome III cosmid c330.//1.1e-23:520:62//AL031603
F-HEMBB1001906
F-HEMBB1001908//Human monocytic leukaemia zinc finger protein (MOZ) mRNA, complete cds.//3.7e-82:672:81//U47742

EP 1 074 617 A2

F-HEM BB1001910//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.0033:566:55//AC005505

F-HEM BB1001911//Arabidopsis thaliana chromosome II BAC F26C24 genomic sequence, complete sequence.//1.0:581:58//AC004705

5 F-HEM BB1001915//Caenorhabditis elegans cosmid T05H10, complete sequence.//1.2e-16:283:67//Z47812

F-HEM BB1001921//Homo sapiens chromosome 17, clone hCIT.123_J_14, complete sequence.//3.4e-07:803:58//AC003950

F-HEM BB1001922//Plasmodium falciparum chromosome 2, section 28 of 73 of the complete sequence.//5.0e-06:756:56//AE001391

10 F-HEM BB1001925//Human DNA sequence from PAC 212P9 on chromosome 1p34.1-1p35. Contains delta opiate receptor, CpG island, CA repeat.//3.1e-45:609:73//AL009181

F-HEM BB1001930//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 10/11.//3.2e-158:745:99//AB020867

F-HEM BB1001944//, complete sequence.//4.1e-60:638:73//AC005815

15 F-HEM BB1001945//HS_3185_B1_G05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3185 Col=9 Row=N, genomic survey sequence.//1.0:280:58//AQ188882

F-HEM BB1001947//Human mRNA for KIAA0392 gene, partial cds.//5.6e-20:333:66//AB002390

F-HEM BB1001950//Human lipocortin (LIP) 2 gene, upstream region.//0.0094:180:63//M62899

F-HEM BB1001952//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 101A4, WORKING DRAFT SEQUENCE.//5.4e-19:329:70//Z93341

20 F-HEM BB1001953//Homo sapiens chromosome 17, clone hRPK.795_F_17, complete sequence.//0.11:589:58//AC005284

F-HEM BB1001957//Human DNA sequence from PAC 204E5 on chromosome 12. Contains exon similar to Wilms' Tumour-related protein QM-like P2X-like receptor, ATP ligand gated ion channel, ESTs, CpG island.//9.8e-25:446:67//Z98941

25 F-HEM BB1001962//Homo sapiens chromosome 16, BAC clone 462G18 (LANL), complete sequence.//2.8e-147:727:97//AC005736

F-HEM BB1001967//Homo sapiens clone DJ1102A12, WORKING DRAFT SEQUENCE, 15 unordered pieces.//3.2e-56:650:71//AC004963

30 F-HEM BB1001973//Homo sapiens chromosome 12p13.3-clone RPCI11-350L7, WORKING DRAFT SEQUENCE, 72 unordered pieces.//1.2e-42:327:84//AC005844

F-HEM BB1001983//CIT-HSP-2315M4.TF CIT-HSP Homo sapiens genomic clone 2315M4, genomic survey sequence.//8.8e-35:198:96//AQ028071

F-HEM BB1001988//D.polychroa microsatellite sequence (clone Dp 1C e12).//4.5e-07:337:62//X92189

35 F-HEM BB1001990//HS_3234_A1_G08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3234 Col=15 Row=M, genomic survey sequence.//0.039:279:59//AQ204689

F-HEM BB1001996//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 191J18, WORKING DRAFT SEQUENCE.//0.18:392:58//AL024507

F-HEM BB1001997//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 unordered pieces.//1.3e-43:446:71//AC005069

40 F-HEM BB1002002//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.077:444:58//AC004153

F-HEM BB1002005//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 963K23, WORKING DRAFT SEQUENCE.//3.4e-16:173:78//AL031685

45 F-HEM BB1002009//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.00033:790:56//AC005506

F-HEM BB1002015//Homo sapiens genomic DNA, chromosome 21q11.1, segment 27/28, WORKING DRAFT SEQUENCE.//6.7e-05:126:76//AP000056

F-HEM BB1002042//Oncorhynchus mykiss cytochrome P450 (CYP4V1) mRNA, partial cds.//6.4e-33:402:69//AF046012

50 F-HEM BB1002043

F-HEM BB1002044//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//3.0e-167:809:97//AC005740

F-HEM BB1002045

55 F-HEM BB1002049//Homo sapiens chromosome 17, clone hRPC.161_P_9, complete sequence.//0.87:177:65//AC006237

F-HEM BB1002050//Streptomyces coelicolor cosmid D78.//8.5e-08:644:58//AL034355

F-HEM BB1002068//Homo sapiens mRNA for KIAA0612 protein, partial cds.//2.5e-05:402:61//AB014512

- F-HEMBB1002069
F-HEMBB1002092//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone B331O8; HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//7.8e-104:550:83//AC004064
F-HEMBB1002094//Homo sapiens genomic DNA, 21q region, clone: 125H6N2, genomic survey sequence.//2.9e-49:302:83//AG001476
- 5 F-HEMBB1002115//Homo sapiens chromosome 16, cosmid clone 378E2 (LANL), complete sequence.//0.00023:542:61//AC004035
F-HEMBB1002134//Human h-neuro-d4 protein mRNA, complete cds.//7.3e-43:533:70//U43843
F-HEMBB1002139//HS-1048-A2-B02-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 831 Col=4 Row=C, genomic survey sequence.//0.055:228:66//B38714
- 10 F-HEMBB1002142//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P5, WORKING DRAFT SEQUENCE.//0.0095:276:64//AL031748
F-HEMBB1002152//Human Chromosome X, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.055:520:57//AC002421
- 15 F-HEMBB1002189//Homo sapiens cosmid ICRFc104I0935Q8 from Xq28, complete sequence.//2.6e-05:311:63//AF002998
F-HEMBB1002190//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//5.4e-05:647:59//AC005140
F-HEMBB1002193//Sequence 5 from patent US 5709858.//1.8e-34:179:100//I80846
- 20 F-HEMBB1002217//Homo sapiens mRNA for zinc finger protein 10.//1.2e-23:405:67//X52332
F-HEMBB1002218//HS_2056_B1_C09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2056 Col=17 Row=F, genomic survey sequence.//3.3e-45:245:97//AQ244711
F-HEMBB1002232//Human chromosome 11 72g7 cosmid, complete sequence.//1.9e-21:314:70//U73648
F-HEMBB1002247
- 25 F-HEMBB1002249//Homo sapiens DNA sequence from BAC 34I8 on chromosome 6p21.3-22.1. Contains ZNF184 gene coding for Kruppel related Zinc Finger protein 184, a hnRNP core protein A1 (mouse Fli-2, rat helix destabilizing protein, mouse Topoisomerase-inhibitor suppressed gene TIS) LIKE pseudogene, a HB15 (CD83 antigen precursor) LIKE pseudogene, Ser-tRNA, Glu-tRNA and Met-tRNA (Met-tRNA-i gene 1) genes. Contains ESTs, STSs and GSSs, complete sequence.//4.1e-45:327:83//AL021918
- 30 F-HEMBB1002254//Human chromosome 16 BAC clone LANL cosmid-440E5, WORKING DRAFT SEQUENCE, 2 unordered pieces.//9.8e-40:315:82//AC002506
F-HEMBB1002255//Plasmodium falciparum MAL3P3, complete sequence.//0.0035:312:62//Z98547
F-HEMBB1002266//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.013:469:59//AC005504
- 35 F-HEMBB1002280//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-259H10, complete sequence.//5.3e-18:527:61//AC004682
F-HEMBB1002300//Human Chromosome 11 Cosmid cSRL30h11, complete sequence.//8.6e-139:818:88//U73642
F-HEMBB1002306//HS_3109_A2_H01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3109 Col=2 Row=O, genomic survey sequence.//1.3e-75:371:98//AQ148164
- 40 F-HEMBB1002327//HS_3235_B2_G10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3235 Col=20 Row=N, genomic survey sequence.//3.3e-83:418:97//AQ209752
F-HEMBB1002329//CITBI-E1-2503J7.TR CITBI-E1 Homo sapiens genomic clone 2503J7, genomic survey sequence.//3.3e-31:220:88//AQ263402
- 45 F-HEMBB1002340
F-HEMBB1002342//Homo sapiens mRNA for putative thioredoxin-like protein.//4.1e-154:724:98//AJ010841
F-HEMBB1002358//Human thymidylate kinase (CDC8) mRNA, complete cds.//3.3e-36:192:98//L16991
F-HEMBB1002359//Human Rev interacting protein Rip-1 mRNA, complete cds.//1.8e-13:96:96//U55766
F-HEMBB1002364//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 376D21, WORKING DRAFT SEQUENCE.//7.5e-24:202:71//Z98946
- 50 F-HEMBB1002371//Plasmodium falciparum 3D7. chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.9e-06:674:56//AC004153
F-HEMBB1002381//Homo sapiens chromosome 16, cosmid clone RT163 (LANL), complete sequence.//0.34:238:61//AC005222
- 55 F-HEMBB1002383
F-HEMBB1002387//CIT-HSP-2173E20.TR CIT-HSP Homo sapiens genomic clone 2173E20, genomic survey sequence.//5.2e-17:434:66//B91052
F-HEMBB1002409//Human DNA sequence from PAC 84F12 on chromosome Xq25-Xq26.3. Contains glypican-3

precursor (intestinal protein OCI-5) (GTR2-2), ESTs and CA repeat.//1.2e-56:324:88//AL008712
 F-HEM BB1002415//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 36411, WORKING
 DRAFT SEQUENCE.//8.9e-35:334:75//AL031319
 5 F-HEM BB1002425//Chromosome 22q13 BAC Clone CIT987SK-384D8 complete sequence.//1.0e-36:317:76//
 U62317
 F-HEM BB1002442//Rattus norvegicus lin-10 protein homolog (lin-10) mRNA, complete cds.//4.3e-88:296:92//
 U92010
 F-HEM BB1002453//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 86D1, WORKING
 DRAFT SEQUENCE.//2.7e-43:419:78//AL034349
 10 F-HEM BB1002457//Homo sapiens clone DJ0982E09, WORKING DRAFT SEQUENCE, 3 unordered pieces.//
 1.3e-27:542:68//AC005534
 F-HEM BB1002458//HS_3246_A2_G05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3246 Col=10 Row=M, genomic survey sequence.//3.2e-51:257:99//AQ217993
 F-HEM BB1002477//Human Grb2-associated binder-1 mRNA, complete cds.//1.9e-87:493:92//U43885
 15 F-HEM BB1002489
 F-HEM BB1002492//Arabidopsis thaliana BAC T15B16.//0.028:516:57//AF104919
 F-HEM BB1002495//Homo sapiens chromosome 17, clone hRPK.421_E_14, complete sequence.//1.1e-16:297:
 68//AC006141
 F-HEM BB1002502//Homo sapiens clone DJ1163L11, complete sequence.//1.1e-91:675:82//AC005230
 20 F-HEM BB1002509//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//2.7e-
 11:648:60//AC004605
 F-HEM BB1002510//HS_3236_B1_H11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3236 Col=21 Row=P, genomic survey sequence.//1.2e-06:67:94//AQ205992
 F-HEM BB1002520//Homo sapiens BAC clone NH0004N07 from Y, complete sequence.//1.2e-70:580:72//
 25 AC006152
 F-HEM BB1002522//Homo sapiens Xp22 bin 150 clone GSHB-223P11 (Genome Systems Human BAC library)
 complete sequence.//5.6e-22:516:64//AC004553 F-HEM BB1002531
 F-HEM BB1002534//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 668J24, WORKING
 DRAFT SEQUENCE.//6.9e-62:265:87//AL034346
 30 F-HEM BB1002545//Human BAC clone RG128M16 from 7q21-7q22, complete sequence.//2.7e-44:200:82//
 AC000059
 F-HEM BB1002550//Homo sapiens PAC clone DJ0910I17 from 7q11.21-q11.23, complete sequence.//0.22:161:
 68//AC004927
 F-HEM BB1002556//Homo sapiens PAC clone DJ0696N01 from 7p21-p22, complete sequence.//7.5e-43:306:77//
 35 AC004861
 F-HEM BB1002579
 F-HEM BB1002582//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 349A12, WORKING
 DRAFT SEQUENCE.//0.00018:431:61//AL033520
 F-HEM BB1002590//Yeast (S.cerevisiae) mitochondrial apocytochrome b gene, 3' flank.//0.78:147:64//J01471
 40 F-HEM BB1002596//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 9E21, WORKING
 DRAFT SEQUENCE.//3.6e-50:692:69//AL008639
 F-HEM BB1002600//Homo sapiens tetraspan NET-5 mRNA, complete cds.//9.1e-151:710:98//AF089749
 F-HEM BB1002601//Human BAC clone RG020D02 from 7q22, complete sequence.//1.5e-07:416:60//AC002381
 F-HEM BB1002603//Human BAC clone GS552A01 from 7q21-q22, complete sequence.//0.40:341:60//AC002454
 45 F-HEM BB1002607//Mus musculus homeobox containing nuclear transcriptional factor Hmx1 (Hmx1) gene, com-
 plete cds.//0.0042:460:60//AF009614
 F-HEM BB1002610//Homo sapiens Chromosome 12q24 PAC RPCI3-462E2 (Roswell Park Cancer Institute Human
 PAC library) complete sequence.//6.3e-23:559:63//AC003029
 F-HEM BB1002613//Homo sapiens Chromosome 22q12 BAC Clone 566c1, complete sequence.//4.2e-17:441:63//
 50 AC000025
 F-HEM BB1002614//Plasmodium falciparum chromosome 2, section 54 of 73 of the complete sequence.//0.013:
 324:56//AE001417
 F-HEM BB1002617//Homo sapiens chromosome 16 BAC clone CIT987SK-334D11 complete sequence.//2.1e-07:
 441:60//AF001550
 55 F-HEM BB1002623//C.hyalina microsatellite marker DNA (id ATCC4).//0.57:106:66//Z95304
 F-HEM BB1002635//Human JNK3 alpha2 protein kinase (JNK3A2) mRNA, complete cds.//4.8e-22:127:100//
 U34819
 F-HEM BB1002664//HS_2265_A1_H06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-

nomic clone Plate=2265 Col=11 Row=O, genomic survey sequence.//0.54:115:67//AQ101557
 F-HEMBB1002677//Homo sapiens (subclone 3_d1 from P1 H25) DNA sequence, complete sequence.//2.2e-49:
 784:68//L81774
 F-HEMBB1002683//Homo sapiens type IV collagen 5a chain (COL4A5) gene, exon 23.//1.0:112:63//U04492
 5 F-HEMBB1002684//HS-1050-A2-G06-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone
 Plate=CT 772 Col=12 Row=M, genomic survey sequence.//4.4e-07:86:84//B39748
 F-HEMBB1002686//HS-1023-B2-F10-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone
 Plate=CT 802 Col=20 Row=L, genomic survey sequence.//0.98:183:61//B34077
 F-HEMBB1002692//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1108H3, WORKING
 10 DRAFT SEQUENCE.//0.00039:408:60//AL033525
 F-HEMBB1002697//Homo sapiens clone DJ1087M19, WORKING DRAFT SEQUENCE, 7 unordered pieces.//
 7.3e-35:323:74//AC004955
 F-HEMBB1002699//Mus musculus D6MM5e protein (D6Mm5e) and DOK protein (Dok) genes, complete cds; and
 LOR2 protein (Lor2) gene, partial cds.//0.031:325:62//AF084363
 15 F-HEMBB1002702//HS-1025-A2-D01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic
 clone Plate=CT 804 Col=2 Row=G, genomic survey sequence.//1.8e-25:158:95//B34720
 F-HEMBB1002705//Homo sapiens DNA, chromosome 21q22.2, PAC clone 25P16 complete sequence, encoding
 carbonyl reductase and carbonyl reductase 3 (complete cds).//1.7e-137:534:96//AB003151
 F-HEMBB1002712//Human DNA sequence from cosmid cU115G11, between markers DXS6791 and DXS8038
 20 on chromosome X contains ESTs and STS.//0.0019:612:58//Z71187
 F-MAMMA1000009//Human chromosome 1 BAC 308G1 genomic sequence, WORKING DRAFT SEQUENCE, 3
 unordered pieces.//6.1e-43:354:81//AC003117
 F-MAMMA1000019
 F-MAMMA1000020//H.sapiens mRNA for flavin-containing monooxygenase 5 (FMO5).//2.0e-40:185:97//Z47553
 25 F-MAMMA1000025//Homo sapiens PAC clone DJ0806A17 from 7p13-p14, complete sequence.//1.0:211:65//
 AC005483
 F-MAMMA1000043//Human angiotensin I-converting enzyme (ACE) gene, intron 12.//0.075:204:65//M73275
 F-MAMMA1000045//Human DNA sequence from clone 142F18 on chromosome Xq26.3-27.2 Contains part of a
 gene similar to melanoma-associated antigen, EST, GSS and an inverted repeat, complete sequence.//4.1e-122:
 30 495:79//AL031073
 F-MAMMA1000055//M.musculus mRNA for testin.//2.1e-35:559:66//X78989
 F-MAMMA1000057//Homo sapiens chromosome 17, clone hRPK.259_G_18, complete sequence.//5.5e-121:703:
 89//AC005829
 F-MAMMA1000069//Homo sapiens minisatellite ceb1 repeat region.//0.00013:329:60//AF048727
 35 F-MAMMA1000084//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains
 ESTs STS and CpG island.//2.1e-53:445:79//Z93023
 F-MAMMA1000085//Caenorhabditis elegans cosmid Y23H5A.//0.0017:164:64//AF077541
 F-MAMMA1000092//Homo sapiens BAC clone GS465N13 from 7p15-p21, complete sequence.//1.2e-70:598:78//
 AC004744
 40 F-MAMMA1000103//Homo sapiens chromosome 17, clone hCIT.91_J_4, complete sequence.//1.1e-156:857:92//
 AC003976
 F-MAMMA1000117//HS_3223_B2_D08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3223 Col=16 Row=H, genomic survey sequence.//5.4e-100:527:94//AQ221160
 F-MAMMA1000129//ryanodine receptor.//0.055 :492:59//A20359
 45 F-MAMMA1000133
 F-MAMMA1000134//HS_3078_B1_C02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3078 Col=3 Row=F, genomic survey sequence.//2.1e-93:462:97//AQ144362
 F-MAMMA1000139//Homo sapiens Xp22 PAC RPC11-5G11 (from Roswell Park Cancer Center) complete se-
 quence.//3.3e-14:322:65//AC002369
 50 F-MAMMA1000143//Homo sapiens mRNA for KIAA0685 protein, complete cds.//6.9e-25:148:97//AB014585
 F-MAMMA1000155//Homo sapiens homeobox transcription factor barx2 (BARX2) mRNA, complete cds.//1.0e-29:
 219:87//AF031924
 F-MAMMA1000163
 F-MAMMA1000171//Homo sapiens chromosome 19, CIT-HSP BAC 470n8, complete sequence.//6.3e-14:92:88//
 55 AC005393
 F-MAMMA1000173//Mus musculus SH3-containing protein SH3P7 mRNA, complete cds. similar to Human
 Drebrin.//2.2e-114:698:87//U58884
 F-MAMMA1000175//HS_3050_B1_B03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-

nomic clone Plate=3050 Col=5 Row=D, genomic survey sequence.//6.2e-73:357:99//AQ102678
 F-MAMMA1000183//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING
 DRAFT SEQUENCE.//4.6e-94:904:73//AL023808
 F-MAMMA1000198//Z.diploperennis repetitive DNA (clone ZEAR 266).//0.18:152:70//X53610
 5 F-MAMMA1000221//Human Chromosome 15q11-q13 PAC clone pDJ778a2, complete sequence.//0.017:99:75//
 AC004583
 F-MAMMA1000227//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 467K16, WORKING
 DRAFT SEQUENCE.//0.36:312:62//AL031283
 F-MAMMA1000241//HS_3217_B1_B02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 10 nomic clone Plate=3217 Col=3 Row=D, genomic survey sequence.//1.9e-94:456:98//AQ193401
 F-MAMMA1000251//Homo sapiens NF2 gene.//0.00092:270:64//Y18000
 F-MAMMA1000254//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING
 DRAFT SEQUENCE, 14 unordered pieces.//0.0034:777:57//AC005140
 F-MAMMA1000257//Homo sapiens DNA sequence from PAC 201D7 on chromosome 6p22.1-22.3. Contains EST
 15 and STS.//0.00036:230:65//AL022717
 F-MAMMA1000264//Homo sapiens (subclone 9_f5 from P1 H17) DNA sequence, complete sequence.//1.5e-30:
 499:68//L81612
 F-MAMMA1000266//Bacillus lynceorum strain pMEL12 Bag320 satellite DNA.//0.28:218:64//AF034430
 F-MAMMA1000270//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete sequence.//1.4e-157:
 20 788:96//AF001549
 F-MAMMA1000277//Mycobacterium tuberculosis H37Rv complete genome; segment 48/162.//0.70:320:61//
 AL021897
 F-MAMMA1000278//Sequence 23 from patent US 5708157.//9.3e-103:540:95//I80055
 F-MAMMA1000279//Human DNA sequence from clone 769D20 on chromosome Xp21.1-21.3 Contains EST, STS,
 25 GSS, complete sequence.//2.4e-49:262:77//AL031643
 F-MAMMA1000284//cSRL-165E12-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic
 clone cSRL-165E12, genomic survey sequence.//1.1e-30:324:75//B03004
 F-MAMMA1000287//Homo sapiens, clone hRPK.15_A_1, complete sequence.//2.7e-54:401:83//AC006213
 F-MAMMA1000302//Drosophila melanogaster complete mitochondrial genome.//0.0051:307:61//U37541
 30 F-MAMMA1000307//Homo sapiens chromosome 12p13.3 clone RPCI5-1154L15, WORKING DRAFT SE-
 QUENCE, 67 unordered pieces.//0.15:449:59//AC006205
 F-MAMMA1000309//cDNA coding human apolipoprotein E3.//0.00010:691:58//E00359
 F-MAMMA1000312//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 798A17, WORKING
 DRAFT SEQUENCE.//0.27:301:60//AL031274
 35 F-MAMMA1000313
 F-MAMMA1000331//Human Chromosome 16 BAC clone CIT987SK-A-735G6, complete sequence.//9.8e-06:151:
 71//AC002400
 F-MAMMA1000339
 F-MAMMA1000340//HS_2181_B2_F07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 40 nomic clone Plate=2181 Col=14 Row=L, genomic survey sequence.//4.3e-05:181:68//AQ024288
 F-MAMMA1000348//Homo sapiens chromosome 17, clone HRPC843B9, complete sequence.//5.3e-30:575:66//
 AC004139
 F-MAMMA1000356//Homo sapiens clone RG038K21, WORKING DRAFT SEQUENCE, 3 unordered pieces.//
 1.8e-52:264:76//AC005052
 45 F-MAMMA1000360//Homo sapiens PAC clone DJ0755G17 from 7p21-p22, complete sequence.//6.5e-91:569:88//
 AC004879
 F-MAMMA1000361//Human DNA sequence from PAC 507I15 on chromosome Xq26.3-27.3. Contains 60S ribos-
 omal protein L44 (L41, L36) like gene, ESTs, STSs and a polymorphic CA repeat.//1.4e-42:315:83//Z98950
 F-MAMMA1000372//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING
 50 DRAFT SEQUENCE.//2.9e-114:516:89//AL022345
 F-MAMMA1000385//CITBI-E1-2517E13.TF CITBI-E1 Homo sapiens genomic clone 2517E13, genomic survey
 sequence.//6.9e-26:377:71//AQ279944
 F-MAMMA1000388//Homo sapiens UKLF mRNA for ubiquitous Kruppel like factor, complete cds.//3.7e-148:710:
 98//AB015132
 55 F-MAMMA1000395
 F-MAMMA1000402//Homo sapiens clone DJ0718N17, complete sequence.//4.0e-115:845:85//AC005999
 F-MAMMA1000410//HS_3245_A1_C02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3245 Col=3 Row=E, genomic survey sequence.//9.6e-42:350:80//AQ205768

- F-MAMMA1000413//HS_3223_B2_F01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3223 Col=2 Row=L, genomic survey sequence.//1.6e-48:318:89//AQ188456
- F-MAMMA1000414//HS_2027_B2_C04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2027 Col=8 Row=F, genomic survey sequence.//1.4e-46:286:92//AQ231369
- 5 F-MAMMA1000416//Drosophila melanogaster DNA sequence (P1s DS07528 (D169) and DS06665 (D220)), complete sequence.//9.4e-33:310:72//AC004640
- F-MAMMA1000421//Homo sapiens clone DJ1129D05, complete sequence.//3.3e-29:223:84//AC005630
- F-MAMMA1000422
- F-MAMMA1000423//Drosophila yakuba mitochondrial DNA molecule.//2.2e-10:639:57//X03240
- 10 F-MAMMA1000424//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//4.6e-47:556:68//AC003973
- F-MAMMA1000429//Mus musculus SDP8 mRNA, complete cds.//8.0e-99:545:92//AF062484
- F-MAMMA1000431//Homo sapiens clone DJ1039L24, WORKING DRAFT SEQUENCE, 3 unordered pieces.//4.8e-41:289:79//AC005283
- 15 F-MAMMA1000444//Human DNA sequence from clone 714B7 on chromosome 22q12.2-13.2 Contains CYTOCHROME C OXIDASE VIIB precursor like pseudogene and ESTs, complete sequence.//2.3e-34:291:80//Z99755
- F-MAMMA1000446
- F-MAMMA1000458//Mus musculus clone OST9003, genomic survey sequence.//5.0e-53:231:84//AF046620
- F-MAMMA1000468//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 291J10, WORKING DRAFT SEQUENCE.//0.75:303:60//Z93017
- 20 F-MAMMA1000472//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 414D7, WORKING DRAFT SEQUENCE.//4.0e-41:403:77//AL033543
- F-MAMMA1000478//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18 unordered pieces.//9.5e-54:369:77//AC005081
- 25 F-MAMMA1000483//Homo sapiens Chromosome 16 BAC clone CIT987SK-44M2, complete sequence.//3.6e-34:332:77//AC004381
- F-MAMMA1000490//Homo sapiens 12q13.1 PAC RPC11-90J4 (Roswell Park Cancer Institute Human PAC library) complete sequence.//8.9e-128:822:87//AC003686
- F-MAMMA1000500//CIT-HSP-231905.TF CIT-HSP Homo sapiens genomic clone 2319O5, genomic survey sequence.//4.8e-29:175:94//AQ044812
- 30 F-MAMMA1000501//Homo sapiens DNA sequence from clone 78F24 on chromosome 22q12.1-12.3. Contains one exon of an Oxysterol-binding protein (OSBP) LIKE gene. Contains GSSs and an STS, complete sequence.//5.7e-45:334:82//AL022336
- F-MAMMA1000516//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATPSG1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//2.9e-43:529:69//Z92545
- 35 F-MAMMA1000522//Human DNA sequence from clone 20J23 on chromosome Xq26.2-27.2 Contains ras-related C3 botulinum toxin substrate 1 (P21-RAC1) (ras-like protein TC25) EST, CA repeat, STS, CpG island, complete sequence.//2.0e-14:380:63//AL022576
- 40 F-MAMMA1000524//Homo sapiens chromosome 10 clone CIT-HSP-1338F24 map 10p11.2-10p12.1, complete sequence.//1.4e-22:420:66//AC006101
- F-MAMMA1000559//Human HepG2 3' region cDNA, clone hmd3f08.//5.4e-29:168:97//D16922
- F-MAMMA1000565//RPC111-61K6.TJ RPC111 Homo sapiens genomic clone R-61K6, genomic survey sequence.//1.7e-120:561:100//AQ194238
- 45 F-MAMMA1000567//Human DNA sequence from PAC 179D3, between markers DXS6791 and DXS8038 on chromosome X contains S10 GTP-binding protein, ESTs and CpG island.//3.1e-43:387:80//Z81370
- F-MAMMA1000576//Homo sapiens BAC clone RG442F18 from 2, complete sequence.//1.2e-30:237:75//AC005104
- F-MAMMA1000583//RPC111-60M22.TJ RPC111 Homo sapiens genomic clone R-60M22, genomic survey sequence.//9.6e-102:487:99//AQ198091
- 50 F-MAMMA1000585//Homo sapiens clone UWGC:djs14 from 7p14-15, complete sequence.//5.2e-39:370:78//AC006195
- F-MAMMA1000594//Homo sapiens chromosome 19, cosmid R31646, complete sequence.//3.9e-43:328:83//AC005338
- 55 F-MAMMA1000597//Homo sapiens chromosome 17, clone hRPK.481_C_4, complete sequence.//1.5e-32:259:82//AC005839
- F-MAMMA1000605//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 97P20, WORKING DRAFT SEQUENCE.//2.4e-59:318:83//AL031297

F-MAMMA1000612//HS_2188_A2_D02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2188 Col=4 Row=G, genomic survey sequence.//4.8e-30:171:96//AQ116793
 F-MAMMA1000616//HS_3176_A1_E06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3176 Col=11 Row=I, genomic survey sequence.//4.7e-28:287:79//AQ300310
 5 F-MAMMA1000621//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 273F20, WORKING DRAFT SEQUENCE.//0.015:478:58//AL034371
 F-MAMMA1000623
 F-MAMMA1000625//DNA encoding Hepatitis C virus antigen.//0.93:196:61//E06898
 F-MAMMA1000643//Homo sapiens nephrocystin (NPHP1) mRNA, partial cds.//0.95:365:59//AF023674
 10 F-MAMMA1000664//HS_3096_B1_C02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3096 Col=3 Row=F, genomic survey sequence.//2.7e-51:257:99//AQ145137
 F-MAMMA1000669//Homo sapiens chromosome 19, cosmid R26908, complete sequence.//2.0e-66:586:67//AC004785
 F-MAMMA1000670//HS_2243_B2_A08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2243 Col=16 Row=B, genomic survey sequence.//8.7e-05:94:80//AQ153650
 15 F-MAMMA1000672//Mus musculus clone OST8270, genomic survey sequence.//3.9e-64:471:81//AF046705
 F-MAMMA1000684//Suid herpesvirus 1 Rsp40 mRNA, partial cds.//1.2e-07:186:67//U27489
 F-MAMMA1000696//Human oligodendrocyte myelin glycoprotein (OMG) exons 1-2; neurofibromatosis 1 (NF1) exons 28-49; ecotropic viral integration site 2B (EVI2B) exons 1-2; ecotropic viral integration site 2A (EVI2A) exons 1-2; adenylate kinase (AK3) exons 1-2.//3.0e-53:653:70//L05367
 20 F-MAMMA1000707//CIT-HSP-2302019.TR CIT-HSP Homo sapiens genomic clone 2302019, genomic survey sequence.//1.8e-08:131:77//AQ017947
 F-MAMMA1000713//Rattus norvegicus clone1 polymeric immunoglobulin receptor mRNA 3' untranslated region, GA rich region, and microsatellites with GGA-triplet and GAA-triplet repeats.//0.062:134:67//U00762
 25 F-MAMMA1000714//Chicken hsp90 gene for 90 kDa-heat shock protein 5'-end.//1.0:266:61//X15028
 F-MAMMA1000718//CIT-HSP-2171B10.TF CIT-HSP Homo sapiens genomic clone 2171B10, genomic survey sequence.//3.6e-05:289:60//B95401
 F-MAMMA1000720//Homo sapiens chromosome 19, cosmid R33632, complete sequence.//4.4e-184:842:98//AC005781
 30 F-MAMMA1000723//Homo sapiens clone DJ0892G19, complete sequence.//8.8e-05:430:60//AC004917
 F-MAMMA1000731//Drosophila melanogaster DNA sequence (P1 DS07049 (D133)), complete sequence.//3.8e-55:796:66//AC004274
 F-MAMMA1000732//Homo sapiens chromosome 21q22.3 PAC 141B3, complete sequence, containing ribosomal protein homologue pseudogene L23a.//6.6e-77:555:74//AF064859
 35 F-MAMMA1000733//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P6, WORKING DRAFT SEQUENCE.//0.98:479:58//AL031749
 F-MAMMA1000734//Homo sapiens SEC63 (SEC63) mRNA, complete cds.//7.3e-168:802:98//AF100141
 F-MAMMA1000738//S.cerevisiae chromosome XIV reading frame ORF YNL132w.//8.6e-31:626:63//Z71408
 F-MAMMA1000744//Gorilla Alu-repetitive sequence in beta-globin gene cluster.//2.7e-54:410:82//X06123
 40 F-MAMMA1000746//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-10F4, complete sequence.//3.7e-109:779:83//AC004158
 F-MAMMA1000752//Homo sapiens clone RG219E16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.2e-20:444:63//AC005075
 F-MAMMA1000760//Homo sapiens clone RG015P03, complete sequence.//1.5e-44:403:79//AC005048
 45 F-MAMMA1000761//Homo sapiens Chromosome 7 BAC Clone 239c10, WORKING DRAFT SEQUENCE, 9 unordered pieces.//2.3e-22:159:81//AC004166
 F-MAMMA1000775//Homo sapiens chromosome 17, clone hRPK.849_N_15, complete sequence.//1.3e-51:789:68//AC005703
 F-MAMMA1000776//Human DNA sequence from BAC 57G9 on chromosome 22q12.1 Contains ESTs, CA repeat, GSS.//5.7e-40:238:78//Z95116
 50 F-MAMMA1000778//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 153G14, WORKING DRAFT SEQUENCE.//7.6e-29:222:84//AL031118
 F-MAMMA1000782//Human 2,4-dienoyl-CoA reductase gene, exon 9.//0.90:137:62//U94987
 F-MAMMA1000798//*** SEQUENCING IN PROGRESS *** EPM1/APECED region of chromosome 21, clones A68E8, B127P21, B173L3, B23N8, C1242C9, C579E2, A70B6, B159G9, B175D10, B52C10, C124G1 Note: Sequencing in this region has been discontinued by the Stanford Human Genome Center, WORKING DRAFT SEQUENCE, 50 unordered pieces.//0.00058:163:71//AC003656
 55 F-MAMMA1000802//Homo sapiens chromosome 19, cosmid R33729, complete sequence.//6.3e-151:714:99//

AC005339
 F-MAMMA1000824//Homo sapiens 12p13.3 BAC RPC11-543P15 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//4.2e-104:503:99//AC005912
 F-MAMMA1000831//Homo sapiens clone UWGC:g1211a139, complete sequence.//0.76:302:58//AC005502
 5 F-MAMMA1000839//Human BAC clone RG013L03 from 7q21, complete sequence.//1.9e-54:322:68//AC002456
 F-MAMMA1000841//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING DRAFT SEQUENCE.//6.7e-140:647:92//AL023755
 F-MAMMA1000842//, complete sequence.//0.0068:499:59//AC005817
 F-MAMMA1000843//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.13:439:59//AC004710
 10 F-MAMMA1000845//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//2.2e-05:208:64//AL034557
 F-MAMMA1000851//Gallus domesticus filamin gene 5' region, partial cds.//0.86:193:63//U00146
 F-MAMMA1000855//Human minisatellite region detected by myoglobin 33-repeat probe, clone lambda 33.10.//0.081:229:62//M30549
 15 F-MAMMA1000856//B.taurus microsatellite marker ETH8 (D6S3) DNA.//0.0024:253:60//Z22747
 F-MAMMA1000859//Sequence 6 from Patent WO9722695.//2.3e-79:533:82//A63553
 F-MAMMA1000862
 F-MAMMA1000863//Homo sapiens genomic DNA, chromosome 21q11.1, segment 21/28, WORKING DRAFT SEQUENCE.//1.0e-28:439:64//AP000050
 20 F-MAMMA1000865
 F-MAMMA1000867//CIT-HSP-2385J8.TR.1 CIT-HSP Homo sapiens genomic clone 2385J8, genomic survey sequence.//0.00017:158:70//AQ240906
 F-MAMMA1000875//Homo sapiens DNA sequence from PAC 232G24 on chromosome Xq27.1-q27.3. Contains two exons similar to MAGE gene family, EST, CA repeat, STS, complete sequence.//1.0:121:68//AL022152
 25 F-MAMMA1000876//Homo sapiens clone HS19.6 Alu-Ya5 sequence.//8.4e-41:185:90//AF015152
 F-MAMMA1000877//Homo sapiens DNA sequence from clone 78F24 on chromosome 22q12.1-12.3. Contains one exon of an Oxysterol-binding protein (OSBP) LIKE gene. Contains GSSs and an STS, complete sequence.//8.3e-57:522:75//AL022336
 30 F-MAMMA1000880//Homo sapiens full-length insert cDNA clone ZD54A10.//5.2e-26:143:100//AF086327
 F-MAMMA1000883//Human DNA sequence from clone 786D3 on chromosome 22q13.31-33 Contains GSS, complete sequence.//0.99:225:63//AL023801
 F-MAMMA1000897//R.norvegicus mRNA for plasma protein.//4.8e-07:479:58//Y11283
 F-MAMMA1000905//F26L5TRB IGF Arabidopsis thaliana genomic clone F26L5, genomic survey sequence.//0.94:115:66//B61433
 35 F-MAMMA1000906//HS_3110_B2_A11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3110 Col=22 Row=B, genomic survey sequence.//2.5e-63:548:78//AQ182819
 F-MAMMA1000908//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 27K12, WORKING DRAFT SEQUENCE.//5.2e-80:480:90//AL033397
 40 F-MAMMA1000914//Plasmodium falciparum MAL3P8, complete sequence.//7.6e-09:596:58//AL034560
 F-MAMMA1000921//CIT-HSP-2171D8.TR CIT-HSP Homo sapiens genomic clone 2171D8, genomic survey sequence.//6.6e-07:249:66//889575
 F-MAMMA1000931//Homo sapiens clone DJ0892G19, complete sequence.//2.9e-43:415:66//AC004917
 F-MAMMA1000940//HS-1056-A2-E02-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 778 Col=4 Row=I, genomic survey sequence.//6.1e-44:235:78//B47296
 45 F-MAMMA1000941//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-113A6 complete genomic sequence, complete sequence.//9.4e-48:443:75//AC002299
 F-MAMMA1000942//Human DNA sequence from clone 914P14 on chromosome Xq23 Contains calpain-like protease gene, DCX (doublecortin) ESTs, CA repeat, GSS, complete sequence.//1.8e-14:175:76//AL031117
 50 F-MAMMA1000943//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.0082:684:56//AC005308
 F-MAMMA1000956//Homo sapiens chromosome 16, cosmid clone 363E3 (LANL), complete sequence.//3.3e-30:530:67//AC004643
 F-MAMMA1000957//HS_3039_A2_C08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3039 Col=16 Row=E, genomic survey sequence.//1.3e-72:390:94//AQ155121
 55 F-MAMMA1000962//Homo sapiens clone DJ0756H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.8e-58:318:86//AC006001
 F-MAMMA1000968//Homo sapiens DNA sequence from clone 511B24 on chromosome 20q11.2-12. Contains the

TOP1 gene for Topoisomerase I, the PLCG1 gene for 1-Phosphatidylinositol-4,5-Bisphosphate Phosphodiesterase Gamma 1 (EC 3.1.4.11, PLC-Gamma-1, Phospholipase C-Gamma-1 PLC-II, PLC-148), the KIAA0395 gene for a probable Zinc Finger Homeobox protein and a 60S Ribosomal Protein L23 LIKE pseudogene. Contains a predicted CpG island, ESTs, STSs and GSSs, complete sequence.//1.4e-18:396:65//AL022394

5 F-MAMMA1000975//Human DNA sequence from clone 34417 on chromosome Xp11.21-11.3. Contains a Keratin, Type II Cytoskeletal 8 (Cytokeratin 8, CYK8, KRT8) pseudogene, ESTs and a GSS, complete sequence.//1.4e-79:690:77//AL024458

F-MAMMA1000979//Homo sapiens PAC clone DJ1186C01 from 7q21.2-q31.1, complete sequence.//0.089:214:66//AC004991

10 F-MAMMA1000987//Human PAC clone DJ527C21 from Xq23, complete sequence.//1.1e-58:458:82//AC000114
F-MAMMA1000998//Human DNA sequence from PAC 997K18 on chromosome 20p12. Contains ESTs and CA repeat.//1.1e-05:439:62//AL021406

F-MAMMA1001003//Homo sapiens DNA sequence from PAC 93L7 on chromosome Xq21. Contains part of the CHM (TCD, REP1) gene coding for RAB Escort protein 1 (REP-1, RAB proteins geranylgeranyltransferase component A 1, Choroideraemia protein, Tapetochoroidal Dystrophy (TCD) protein). Contains ESTs and an STS, complete sequence.//0.24:166:68//AL022401

15 F-MAMMA1001008//Homo sapiens *** SEQUENCING IN PROGRESS *** WORKING DRAFT SEQUENCE.//1.6e-103:139:99//AJ011929

F-MAMMA1001021//Homo sapiens clone 24544 beta-dystrobrevin mRNA, partial cds.//6.5e-48:465:76//AF070567

20 F-MAMMA1001024//CITBI-E1-2501L21.TF.1 CITBI-E1 Homo sapiens genomic clone 2501L21, genomic survey sequence.//1.0:175:62//AQ241701

F-MAMMA1001030//Homo sapiens G protein-coupled receptor LGR5 (LGR5) mRNA, complete cds.//1.1e-30:753:6//1AF061444

25 F-MAMMA1001035//Human Chromosome 16 BAC clone CIT987SK-A-1000D7, complete sequence.//7.9e-24:256:76//AC002990

F-MAMMA1001038//CIT-HSP-2284N21.TF CIT-HSP Homo sapiens genomic clone 2284N21, genomic survey sequence.//0.96:78:75//AQ000903

F-MAMMA1001041//chicken mRNA for alpha-actinin, complete cds.//2.8e-09:355:63//D26597

30 F-MAMMA1001050//Homo sapiens BAC clone RG060P12 from 7q21, complete sequence.//2.6e-40:378:76//AC002457

F-MAMMA1001059//Mouse RNA helicase and RNA-dependent ATPase from the DEAD box family mRNA, complete cds.//4.8e-97:661:83//L25125

35 F-MAMMA1001067//Homo sapiens genomic intron breakpoint sequence of MLL rearrangement, 285 bp.//2.8e-18:110:100//AJ000169

F-MAMMA1001073//HS_3046_A2_G08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3046 Col=16 Row=M, genomic survey sequence.//1.0:142:68//AQ098420

F-MAMMA1001074//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 455J7, WORKING DRAFT SEQUENCE.//1.2e-23:386:70//AL031733

40 F-MAMMA1001075//Homo sapiens (clone F4) transmembrane protein mRNA sequence.//1.1e-27:559:65//L09749

F-MAMMA1001078//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//2.0e-22:334:69//AC006120

F-MAMMA1001080//Human immunoglobulin heavy chain variable region (VH III family) from IgM rheumatoid factor.//6.4e-58:327:92//L29155

45 F-MAMMA1001082//Homo sapiens Xp22 GSHB-314C4 (Genome Systems Human BAC library) complete sequence.//3.8e-87:695:77//AC004087

F-MAMMA1001091//Homo sapiens chromosome 19, cosmid F21967, complete sequence.//7.0e-05:594:60//AC005256

F-MAMMA1001092//Human DNA sequence from PAC 49C23 on chromosome X contains malate dehydrogenase pseudogene and STS.//1.6e-91:174:87//Z93019

50 F-MAMMA1001105//Homo sapiens OVO-like 1 binding protein (OVOL1) mRNA, complete cds.//6.4e-23:507:66//AF016045

F-MAMMA1001110//Homo sapiens chromosome 19, cosmid F16815, complete sequence.//0.77:316:60//AC004637

55 F-MAMMA1001126//Homo sapiens PAC 50H2 in the CUTL1 locus, complete sequence.//3.3e-21:237:73//AF047825

F-MAMMA1001133//Human DNA sequence from BAC 57G9 on chromosome 22q12.1 Contains ESTs, CA repeat, GSS.//0.97:202:63//Z95116

- F-MAMMA1001139//tricarboxylate carrier [rats, liver, mRNA Partial, 2986 nt]//1.6e-84:406:82//S70011
 F-MAMMA1001143//Homo sapiens DNA sequence from cosmid N75B3 on chromosome 22 Contains EST, exon trap, complete sequence.//1.3e-14:182:76//AL022339
 F-MAMMA1001145//Human DNA sequence from cosmid cU115G11, between markers DXS6791 and DXS8038 on chromosome X contains ESTs and STS.//5.2e-87:714:78//Z71187
 5 F-MAMMA1001154//CIT-HSP-2341D13.TF CIT-HSP Homo sapiens genomic clone 2341D13 genomic survey sequence.//0.00051:249:61//AQ055735
 F-MAMMA1001161//Homo sapiens chromosome 14, BAC CITB-135H17 containing the RAD51L1 gene, complete sequence.//2.2e-30:410:70//AC004518
 10 F-MAMMA1001162//Homo sapiens full-length insert cDNA clone ZA79C01.//2.4e-13:87:100//AF086123
 F-MAMMA1001181//Mus musculus C2C12 unknown mRNA, partial cds.//9.3e-15:432:60//U31629
 F-MAMMA1001186//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete sequence.//6.8e-57:670:72//AC005696
 F-MAMMA1001191
 15 F-MAMMA1001198//Mus musculus eps15R mRNA, complete cds.//1.5e-117:759:84//U29156
 F-MAMMA1001202
 F-MAMMA1001203//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//1.5e-161:764:98//AC005412
 F-MAMMA1001206//Homo sapiens chromosome 17, clone HCIT421K24, complete sequence.//5.1e-30:535:65//AC004099
 20 F-MAMMA1001215//Homo sapiens chromosome 19, CIT-HSP BAC 470n8, complete sequence.//8.4e-182:860:98//AC005393
 F-MAMMA1001220//Homo sapiens PAC clone DJ0745K06 from 7q31, complete sequence.//7.7e-58:690:70//AC004875
 25 F-MAMMA1001222//Mouse loricrin mRNA, complete cds.//2.7e-07:624:58//M34398
 F-MAMMA1001243//Homo sapiens chromosome 17, clone hRPK.192_H_23, complete sequence.//0.91:177:66//AC005726
 F-MAMMA1001244
 F-MAMMA1001249//Human 28S ribosomal RNA psuedogenes and alu repeat region sequence.//6.7e-09:502:58//U67616
 30 F-MAMMA1001256//Human DNA sequence from clone 441J1 on chromosome 6p24 Contains STS, GSS, complete sequence.//5.0e-37:342:80//Z99495
 F-MAMMA1001259
 F-MAMMA1001260//Homo sapiens mRNA for KIAA0661 protein, complete cds.//8.7e-40:659:64//AB014561
 35 F-MAMMA1001268//Homo sapiens PAC clone DJ0844F09 from 7p12-p13, complete sequence.//4.9e-43:265:81//AC004453
 F-MAMMA1001271//Salmo salar DNA for a cryptic repeat.//2.6e-06:311:63//AJ012206
 F-MAMMA1001274//Homo sapiens clone DJ0607J02, WORKING DRAFT SEQUENCE, 12 unordered pieces.//6.6e-70:327:83//AC004840
 40 F-MAMMA1001280//Homo sapiens Xp22 bins 87-93 PAC RPCI1-122K4 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.0e-05:276:66//AC003035
 F-MAMMA1001292//Human DNA sequence from clone 1170K4 on chromosome 22q12.2-13.1. Contains three novel genes, one of which codes for a Trypsin family protein with class A LDL receptor domains, and the IL2RB gene for Interleukin 2 Receptor, Beta (IL-2 Receptor, CD122 antigen). Contains a putative CpG island, ESTs, and GSSs, complete sequence.//3.6e-98:199:98//AL022314
 45 F-MAMMA1001296//RPCI11-38B4.TV RPCI-11 Homo sapiens genomic clone RPCI-11-38B4, genomic survey sequence.//4.7e-33:292:71//AQ030084
 F-MAMMA1001298//Homo sapiens chromosome 17, clone hRPK.849_N_15, complete sequence.//1.6e-182:860:98//AC005703
 50 F-MAMMA1001305//Human DNA sequence from clone 116F5 on chromosome 22q13. Contains part of an unknown gene and part of a RhoGAP (CDC42 GTPase Activating Protein) LIKE gene. Contains ESTs, STSs, GSSs, genomic marker D22S1168 and a CA repeat polymorphism, complete sequence.//1.9e-70:163:97//Z93244
 F-MAMMA1001322//Human DNA sequence from clone 774I24 on chromosome 1q24.1-24.3 Contains protein similar to pregnancy-associated plasma protein A precursor neuronal migration protein astrotactin, ESTs, STS and GSS, complete sequence.//2.6e-19:379:68//AL031290
 55 F-MAMMA1001324//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 197L1, WORKING DRAFT SEQUENCE.//4.5e-131:751:90//AL031390
 F-MAMMA1001330

F-MAMMA1001341//Sus scrofa.//1.6e-36:420:73//Z46906
 F-MAMMA1001343//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORK-
 ING DRAFT SEQUENCE.//1.1e-05:818:58//AL031744
 F-MAMMA1001346
 5 F-MAMMA1001383//Homo sapiens, WORKING DRAFT SEQUENCE, 52 unordered pieces.//2.0e-44:505:74//
 AC004086
 F-MAMMA1001388//Human IGF binding protein complex acid-labile subunit a mRNA, complete cds.//1.5e-07:415:
 58//M86826
 F-MAMMA1001397//Human DNA sequence from clone 462D8 on chromosome 22q11.21-12.1 Contains EST, STS
 10 and GSS, complete sequence.//1.6e-23 :209:75//AL022332
 F-MAMMA1001408//HS_3242_A1_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3242 Col=21 Row=O, genomic survey sequence.//2.7e-07:181:69//AQ207300
 F-MAMMA1001411//Homo sapiens autosomal dominant polycystic kidney disease type II protein (PKD2) gene,
 exon 14.//0.98:120:68//AF004872
 15 F-MAMMA1001419//HS_2053_B1_F12_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2053 Col=23 Row=L, genomic survey sequence.//1.9e-75 :424:93//AQ244585
 F-MAMMA1001420//Homo sapiens chromosome 4 clone B203C23 map 4q25, complete sequence.//2.4e-09:199:
 70//AC004049
 F-MAMMA1001435//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-2011O4, WORKING DRAFT SE-
 20 QUENCE, 4 unordered pieces.//5.1e-42:558:69//AC004529 F-MAMMA1001442//Plasmodium falciparum chromo-
 some 2, section 37 of 73 of the complete sequence.//0.0019:516:56//AE001400
 F-MAMMA1001446//Homo sapiens Xp22 BAC GSHB-519E5 (Genome Systems Human BAC library) complete
 sequence.//3.6e-42:486:70//AC003684
 F-MAMMA1001452//RPC111-48022.TJ RPC111 Homo sapiens genomic clone R-48O22, genomic survey se-
 25 quence.//5.3e-87:423:98//AQ199294
 F-MAMMA1001465//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 414D7, WORKING
 DRAFT SEQUENCE.//0.00038:114:75//AL033543
 F-MAMMA1001476//Mus musculus uridine kinase mRNA, partial cds.//4.1e-99:604:87//L31783
 F-MAMMA1001487//Homo sapiens clone DJ1070G24, WORKING DRAFT SEQUENCE, 12 unordered pieces.//
 30 1.0e-13:158:77//AC005486
 F-MAMMA1001501//Human mRNA for calcium activated neutral protease large subunit (muCANP, calpain, EC
 3.4.22.17).//9.6e-52:438:81//X04366
 F-MAMMA1001502//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 356B7, WORKING
 DRAFT SEQUENCE.//3.7e-152:720:99//AL031714
 35 F-MAMMA1001510//Human PAC clone DJ438O4 from 22q12.1-qter, complete sequence.//1.1e-05:371:61//
 AC002378
 F-MAMMA1001522
 F-MAMMA1001547
 F-MAMMA1001551//Homo sapiens mRNA for KIAA0462 protein, partial cds.//2.3e-128:614:98//AB007931
 40 F-MAMMA1001575//Human Chromosome 16 BAC clone CIT987SK-A-815A9, complete sequence.//0.97:154:68//
 AF001548
 F-MAMMA1001576//Human gamma-tubulin mRNA, complete cds.//1.8e-95:529:91//M61764
 F-MAMMA1001590//Human DNA sequence from clone 125H2 on chromosome 22q11-12 Contains part of myosin
 heavy chain gene, EST, CA repeat, STS, GSS, complete sequence.//1.8e-07:104:84//Z98949
 45 F-MAMMA1001600//HS_3022_A2_H01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3022 Col=2 Row=O, genomic survey sequence.//1.6e-66:405:90//AQ163791
 F-MAMMA1001604//Human DNA sequence from clone 1114G22 on chromosome 1q24-25 Contains EST, CA re-
 peat, Ninenin like sequence, complete sequence.//0.00043:715:58//AL008626
 F-MAMMA1001606//Jd114 Trypanosome Shotgun M13 genomic Trypanosoma brucei brucei genomic clone 2G6,
 50 genomic survey sequence.//0.19:266:62//B13685
 F-MAMMA1001620//Homo sapiens monocyte/neutrophil elastase inhibitor gene, complete cds.//9.7e-54:442:69//
 AF053630
 F-MAMMA1001627//X.borealis ribosomal spacer DNA, with a DNaseI-hypersensitive site.//0.14:221:62//M29833
 F-MAMMA1001630//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2
 55 ordered pieces.//2.0e-47:611:71//AC005412
 F-MAMMA1001633//Human zinc finger protein (LD5-1) mRNA, complete cds.//1.1e-42:611:67//U57796
 F-MAMMA1001635//Human BAC clone RG072E11 from 7q21-7q22, complete sequence.//4.0e-35:407:70//
 AC000118

- F-MAMMA1001649//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//0.44:245:63//AL022577
- 5 F-MAMMA1001654//Mouse transcriptional control element.//0.0025:189:63//M17284
- F-MAMMA1001663//CIT-HSP-2165E16. TR CIT-HSP Homo sapiens genomic clone 2165E16, genomic survey sequence.//9.7e-05:146:66//B95491
- F-MAMMA1001670//HS_3136_A1_G06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3136 Col=11 Row=M, genomic survey sequence.//3.1e-28:237:85//AQ148779
- 10 F-MAMMA1001671//Homo sapiens chromosome 19, cosmid F23269, complete sequence.//3.3e-181:863:98//AC005614
- F-MAMMA1001679//HS_3054_A1_H11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3054 Col=21 Row=O, genomic survey sequence.//1.0:89:70//AQ106118
- F-MAMMA1001683//Spermatogenesis similis mRNA for 90 kD basal apparatus-protein.//8.3e-07:480:62//AJ224970
- 15 F-MAMMA1001686//HS_3219_B1_A03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3219 Col=5 Row=B, genomic survey sequence.//0.00072:180:65//AQ180345
- F-MAMMA1001692//HS_3047_B1_B10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3047 Col=19 Row=D, genomic survey sequence.//2.5e-94:459:98//AQ134228
- 20 F-MAMMA1001711//Homo sapiens clone DJ0635O05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.2e-42:316:82//AC004845
- F-MAMMA1001715//CIT-HSP-2347A14. TF CIT-HSP Homo sapiens genomic clone 2347A14, genomic survey sequence.//1.1e-60:413:87//AQ059125
- F-MAMMA1001730//Homo sapiens brain and nasopharyngeal carcinoma susceptibility protein NSG-x mRNA, partial cds.//1.8e-133:646:97//AF095687
- 25 F-MAMMA1001735//chicken brain tubulin beta chain mrna.//3.5e-110:740:84//J00913
- F-MAMMA1001740//Human DNA sequence from PAC 136017 on chromosome X contains ESTs and STS.//0.98:416:57//Z72001
- F-MAMMA1001743//Homo sapiens clone DJ0981O07, complete sequence.//3.2e-16:194:75//AC006017
- 30 F-MAMMA1001744//Homo sapiens DNA sequence from clone 46618 on chromosome Xq11.1-13.2. Contains an unknown gene similar to Coagulation Factor V (Activated Protein C Cofactor), Coagulation Factor VIII (Procoagulant Component) and Ceruloplasmin (EC 1.16.3.1, Ferroxidase). Contains ESTs and an STS, complete sequence.//0.0036:181:66//AL030998
- F-MAMMA1001745//Homo sapiens BAC clone 529F11 from 8q21, complete sequence.//1.2e-60:822:68//AF070718
- 35 F-MAMMA1001751//Human potassium channel KCNO1 mRNA, complete cds.//1.2e-35:583:65//U90065
- F-MAMMA1001754//Bos taurus vacuolar proton pump subunit SFD alpha isoform (SFD) mRNA, complete cds.//8.4e-102:627:87//AF041338
- F-MAMMA1001757//HS_2058_B2_C04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=8 Row=F, genomic survey sequence.//1.7e-24:173:88//AQ243865
- 40 F-MAMMA1001760//Human DNA sequence from clone 354N19 on chromosome 6q22. Contains the 3' part of the gene for Mannosyl-Oligosaccharide Alpha-1,2-Mannosidase (Man(9)-alpha-mannosidase, EC 3.2.1.113), a Cytochrome C Oxidase Polypeptide I (EC 1.9.3.1) pseudogene and a pseudogene similar to 60S Ribosomal Protein L13A. Contains genomic markers D6S287 and D6S1696, ESTs, STSs, GSSs and two CA repeat polymorphisms, complete sequence.//6.6e-76:349:87//AL022722
- 45 F-MAMMA1001764//Saccharomyces douglasii mitochondrial cytochrome c oxidase subunit I (COXI) gene, complete cds.//0.23:633:57//M97514
- F-MAMMA1001768//Bovine herpesvirus 1 complete genome.//2.3e-11:547:60//AJ004801
- F-MAMMA1001769//Homo sapiens 12q13.1 PAC RPC11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.1e-76:509:78//AC004801
- 50 F-MAMMA1001771//M.musculus mRNA for semaphorin B.//2.7e-106:744:82//X85991
- F-MAMMA1001783//Human PAC clone 127H14 from 12q, complete sequence.//6.0e-20:228:75//AC002563
- F-MAMMA1001785
- 55 F-MAMMA1001788//Human DNA sequence from clone 425C14 on chromosome 6q22 Contains the HSF2 gene for Heat Shock Factor 2 (Heat Shock Transcription Factor 2, HSTF 2) and an unknown gene similar to the placental protein DIFF33 gene. Contains ESTs, STSs and GSSs, complete sequence.//5.0e-05:152:74//Z99129
- F-MAMMA1001790//Homo sapiens chromosome 12p13.3 clone RPC13-454B23, WORKING DRAFT SEQUENCE, 48 unordered pieces.//4.5e-53:318:80//AC005845

F-MAMMA1001806//Homo sapiens chromosome 19, cosmid R29368, complete sequence.//1.0:131:67//AC004262
 F-MAMMA1001812//Human Chromosome X clone bWXD187, complete sequence.//3.0e-34:257:83//AC004383
 5 F-MAMMA1001815//Homo sapiens PAC clone DJ0850G01 from 7q21.2-q22, complete sequence.//5.2e-61:516:79//AC004128
 F-MAMMA1001817//Homo sapiens 12q24 PAC RPCI1-261P5 (Roswell Park Cancer Institute Human PAC library) complete sequence.//3.1e-32:295:78//AC004031
 F-MAMMA1001818//Homo sapiens chromosome 21q22.3, PAC clones 314N7, 225L15, BAC clone 7B7, complete sequence bases 1.333303.//0.71:179:67//AJ011930
 10 F-MAMMA1001820//Rattus norvegicus mRNA for PAG608 gene.//3.0e-91:726:79//Y13148
 F-MAMMA1001824//HS_3108_A1_G12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3108 Col=23 Row=M, genomic survey sequence.//3.4e-05:119:74//AQ107508
 F-MAMMA1001836//Homo sapiens chromosome 18, clone hRPK.537_E_1, complete sequence.//3.4e-45:312:85//AC006211
 15 F-MAMMA1001837//Rattus norvegicus zinc finger protein Y1 (RLZF-Y) mRNA, complete cds.//4.5e-51:480:75//AF052042
 F-MAMMA1001848//CITBI-E1-2516P17.TF CITBI-E1 Homo sapiens genomic clone 2516P17, genomic survey sequence.//1.0e-100:486:98//AQ279620
 F-MAMMA1001851//Human DNA from overlapping chromosome 19-specific cosmids R30072 and R28588, genomic sequence, complete sequence.//5.1e-07:197:67//AC002390
 20 F-MAMMA1001854
 F-MAMMA1001858//RPCI11-11L22.TP RPCI-11 Homo sapiens genomic clone RPCI-11-11L22, genomic survey sequence.//0.091:161:65//B75631
 F-MAMMA1001864//Human PAC clone DJ0205E24 from Xq23, complete sequence.//2.6e-09:397:61//AC003013
 25 F-MAMMA1001868//HS_2196_B2_A12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2196 Col=24 Row=B, genomic survey sequence.//5.8e-13:86:100//AQ032455
 F-MAMMA1001874//H.sapiens CpG island DNA genomic MseI fragment, clone 63h5, reverse read cpg63h5.rta.//1.0:127:63//Z62129
 F-MAMMA1001878//Human DNA sequence from BAC 999D10 on chromosome 22q13.3. Contains two BAC end-sequences (GSSs).//1.7e-19:372:67//Z94802
 30 F-MAMMA1001880//RPCI11-90K3.TJ RPCI11 Homo sapiens genomic clone R-90K3, genomic survey sequence.//6.6e-11:362:62//AQ283465
 F-MAMMA1001890//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508I15, WORKING DRAFT SEQUENCE.//1.8e-45:317:86//AL021707
 35 F-MAMMA1001907//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//2.7e-23:255:77//Z82207
 F-MAMMA1001908//HS_2225_A1_A03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2225 Col=5 Row=A, genomic survey sequence.//5.4e-08:264:62//AQ301597
 F-MAMMA1001931//HS_3049_B2_D09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3049 Col=18 Row=H, genomic survey sequence.//1.7e-47:295:90//AQ100157
 40 F-MAMMA1001956//H.sapiens DNA sequence.//0.056:233:66//Z22493
 F-MAMMA1001963//Homo sapiens adenylosuccinate lyase gene, complete cds.//0.99:173:68//AF106656
 F-MAMMA1001969//Human DNA sequence from cosmid 232L22, between markers DXS366 and DXS87 on chromosome X contains ESTs glycerol kinase pseudogene.//5.3e-63:479:78//Z73986
 45 F-MAMMA1001970//Homo Sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//1.4e-126:699:93//AC003071
 F-MAMMA1001992//HS_3078_A1_A09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3078 Col=17 Row=A, genomic survey sequence.//3.3e-08:257:65//AQ143646
 F-MAMMA1002009//Homo sapiens chromosome 17, clone hRPK.214_O_I, complete sequence.//1.5e-07:244:62//AC005224
 50 F-MAMMA1002011//HS_3252_B1_B05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3252 Col=9 Row=D, genomic survey sequence.//1.3e-07:170:69//AQ304711
 F-MAMMA1002032//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE, 37 unordered pieces.//2.1e-34:315:79//AC004803
 55 F-MAMMA1002033//HS_3023_A2_G04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3023 Col=8 Row=M, genomic survey sequence.//4.3e-69:366:94//AQ105493
 F-MAMMA1002041//Genomic sequence from Human 9q34, complete sequence.//5.3e-85:439:82//AC001227
 F-MAMMA1002042//Homo sapiens chromosome 3, clone hRPK.165_I_16, complete sequence.//1.4e-20:314:70//

AC005669

F-MAMMA1002047//Homo sapiens 12p13.3 BAC RPCII1-429A20 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//6.8e-14:526:62//AC005906

F-MAMMA1002056//Human DNA sequence from clone 1189B24 on chromosome Xq25-26.3. Contains NADH-Ubiquinone Oxidoreductase MLRQ subunit (EC 1.6.5.3, EC 1.6.99.3, CI-MLRQ), Tubulin Beta and Proto-oncogene Tyrosine-protein Kinase FER (EC 2.7.1.112, P94-FER, C-FER, TYK3) pseudogenes, and part of a novel gene similar to hypothetical proteins S. pombe C22F3.14C and C. elegans C16A3.8. Contains ESTs, an STS and GSSs, complete sequence.//1.1e-47:648:71//AL030996

F-MAMMA1002058//Homo sapiens PAC clone DJ0732C22 from 7p11.2-p13, complete sequence.//2.4e-19:256:74//AC004869

F-MAMMA1002068//Homo sapiens, clone hRPK.2_A_1, complete sequence.//5.4e-41:407:78//AC006197

F-MAMMA1002078//Human DNA sequence from PAC 106I20 on chromosome 22q12 Contains ESTs and STS, complete sequence.//0.021:333:64//Z81313

F-MAMMA1002082

F-MAMMA1002084//Caenorhabditis elegans cosmid F28C12, complete sequence.//0.032:469:58//Z93380

F-MAMMA1002093//HS_3050_B1_F06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3050 Col=11 Row=L, genomic survey sequence.//1.0:77:71//AQ105997

F-MAMMA1002108//Homo sapiens anion exchanger 3 gene, exons 1 and 2 and complete 5'UTR.//8.3e-10:464:60//AF017308

F-MAMMA1002118

F-MAMMA1002125//Homo sapiens chromosome 17, clone HCIT217L10, complete sequence.//1.0e-35:619:68//AC003962

F-MAMMA1002132//RPCII1-78F11.TJ RPCII1 Homo sapiens genomic clone R-78F11, genomic survey sequence.//1.0e-90:357:97//AQ286460

F-MAMMA1002140//Homo sapiens 12q24 PAC RPCII1-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.6e-45:583:64//AC004216

F-MAMMA1002143//Human serum constituent protein (MSE55) mRNA, complete cds.//6.0e-11:192:70//M88338

F-MAMMA1002145//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 102D24, WORKING DRAFT SEQUENCE.//0.0028:570:59//AL021391

F-MAMMA1002153//HS_3005_A1_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3005 Col=7 Row=G, genomic survey sequence.//4.9e-41:213:99//AQ132213

F-MAMMA1002155//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 462O23, WORKING DRAFT SEQUENCE.//1.2e-45:303:78//AL031431

F-MAMMA1002156

F-MAMMA1002158//CITBI-E1-2508P18.TR CITBI-E1 Homo sapiens genomic clone 2508P18, genomic survey sequence.//7.1e-42:255:92//AQ266165

F-MAMMA1002170//Homo sapiens chromosome 17, clone HCIT187M2, complete sequence.//2.0e-81:604:81//AC004448

F-MAMMA1002174//Homo sapiens clone UWGC:y67c126 from 6p21, complete sequence.//3.2e-43:333:83//AC004212

F-MAMMA1002198//H.sapiens thiol-specific antioxidant protein mRNA.//1.0e-34:121:98//Z22548

F-MAMMA1002209//HS_2197_B1_E07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2197 Col=13 Row=J, genomic survey sequence.//9.6e-18:163:84//AQ210058

F-MAMMA1002215//Homo sapiens anion exchanger 3 gene, exons 1 and 2 and complete 5'UTR.//6.3e-08:435:60//AF017308

F-MAMMA1002219//Rattus norvegicus rexo70 mRNA, complete cds.//1.8e-124:752:87//AF032667

F-MAMMA1002230//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.67:356:59//AC004710

F-MAMMA1002236//Rattus norvegicus initiation factor eIF-2B gamma subunit (eIF-2B gamma) mRNA, complete cds.//9.3e-140:836:87//U38253

F-MAMMA1002243//Homo sapiens chromosome 17, clone hRPK.112_H_10, complete sequence.//1.4e-145:691:98//AC005666

F-MAMMA1002250//Homo sapiens chromosome 16, P1 clone 109-9G (LANL), complete sequence.//6.0e-138:660:98//AC005600

F-MAMMA1002267//Homo sapiens chromosome 2, P1 clone 777H5 (LBNL H27), complete sequence.//0.066:333:60//AC003676

F-MAMMA1002268//Mus musculus sphingosine kinase (SPHK1a) mRNA, partial cds.//1.1e-39:404:74//AF068748

F-MAMMA1002269//HS_3163_B1_D03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-

nomic clone Plate=3163 Col=5 Row=H, genomic survey sequence.//1.0:150:63//AQ171576
 F-MAMMA1002282//Human Chromosome 16 BAC clone CIT987SK-327O24, complete sequence.//1.5e-22:315:
 67//AC003108
 F-MAMMA1002292//B.garinii (strain TIs1) p83/100 gene (partial).//0.73:200:64//X81533
 5 F-MAMMA1002293//Homo sapiens clone DJ1147A01, WORKING DRAFT SEQUENCE, 25 unordered pieces.//
 1.6e-56:408:75//AC006023
 F-MAMMA1002294//Sequence 2 from Patent WO9516779.//1.8e-06:401:62//A45258
 F-MAMMA1002297
 F-MAMMA1002298//Homo sapiens DNA from chromosome 19, cosmid R29144, complete sequence.//0.0056:
 10 525:61//AC004221
 F-MAMMA1002299//CIT-HSP-2345B2.TR CIT-HSP Homo sapiens genomic clone 2345B2, genomic survey se-
 quence.//1.2e-90:446:98//AQ053994
 F-MAMMA1002308//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 850H21, WORKING
 DRAFT SEQUENCE.//1.3e-35:329:78//AL031680
 15 F-MAMMA1002310//Human gastric (H* * K*)-ATPase gene, complete cds.//0.0060:301:60//J05451
 F-MAMMA1002311//Human Chromosome 15q11-q13 clone pDJ276c12 from the Prader-Willi/Angelman syn-
 drome region, WORKING DRAFT SEQUENCE, 3 unordered pieces.//8.6e-50:327:69//AC004737
 F-MAMMA1002312//Homo sapiens DNA sequence from PAC 435D1 on chromosome Xq25. Contains ESTs and
 STS.//1.3e-09:741:58//Z86064
 20 F-MAMMA1002317
 F-MAMMA1002319//Homo sapiens chromosome 19, fosmid 39347, complete sequence.//1.9e-158:746:99//
 AC005756
 F-MAMMA1002322//Homo sapiens Chromosome 11p14.3 PAC clone pDJ1034g4, complete sequence.//5.3e-52:
 617:70//AC004796
 25 F-MAMMA1002329//Homo sapiens RaP2 interacting protein 8 (RPIP8) mRNA, complete cds.//0.22:143:67//
 U93871
 F-MAMMA1002332//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30G7, WORKING
 DRAFT SEQUENCE.//1.6e-31:287:74//AL034402
 F-MAMMA1002333//Mycobacterium tuberculosis H37Rv complete genome; segment 148/162.//2.5e-09:674:59//
 30 AL022022
 F-MAMMA1002339//Homo sapiens chromosome 21q22.3, cosmid clone Q4H9 complete sequence bases
 1.41604.//2.1e-57:522:77//AJ011932
 F-MAMMA1002347//Homo sapiens BAC clone RG136N17 from 7p15-p21, complete sequence.//2.0e-14:258:69//
 AC004129
 35 F-MAMMA1002351//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1059H15, WORK-
 ING DRAFT SEQUENCE.//7.8e-132:723:91//AL022100
 F-MAMMA1002352//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 128O3, WORKING
 DRAFT SEQUENCE.//5.8e-17:326:70//Z98742
 F-MAMMA1002353//Homo sapiens clone DJ0292L20, WORKING DRAFT SEQUENCE, 2 unordered pieces.//
 40 1.1e-14:399:63//AC004825
 F-MAMMA1002355//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 109G6, WORKING
 DRAFT SEQUENCE.//3.7e-43:420:75//AL023879
 F-MAMMA1002356//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING
 DRAFT SEQUENCE, 8 unordered pieces.//0.0022:534:59//AC004153
 45 F-MAMMA1002359//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC
 Library) complete sequence.//5.3e-18:156:75//AC005831
 F-MAMMA1002360//Human DNA sequence from cosmid L21F12B, Huntington's Disease Region, chromosome
 4p16.3, contains EST.//4.9e-43:353:69//Z68885
 F-MAMMA1002361//Human DNA sequence from clone 342B11 on chromosome 22q12.1-12.3. Contains ESTs
 50 and a GSS, complete sequence.//1.8e-22:282:74//AL008719
 F-MAMMA1002362//Platemys spixii CR1-like LINE, partial sequence.//0.00058:83:79//D82938
 F-MAMMA1002380//CIT-HSP-2383K24.TF CIT-HSP Homo sapiens genomic clone 2383K24, genomic survey se-
 quence.//4.4e-10:85:92//AQ196889
 F-MAMMA1002384//RPCI11-80J20.TV RPCI11 Homo sapiens genomic clone R-80J20, genomic survey se-
 55 quence.//2.7e-56:286:98//AQ284134
 F-MAMMA1002385//CIT-HSP-2328G13.TF CIT-HSP Homo sapiens genomic clone 2328G13, genomic survey se-
 quence.//5.5e-46:335:84//AQ043985
 F-MAMMA1002392//Homo sapiens PAC clone DJ0797C05 from 7q31, complete sequence.//8.5e-29:273:78//

AC004888
 F-MAMMA1002411//Human DNA sequence from clone 1044017 on chromosome Xp11.3-11.4 Contains GSS and STS, complete sequence.//8.2e-09:287:63//AL023 875
 F-MAMMA1002413//Plasmodium falciparum (strain Dd2) variant-specific surface protein (var1) gene, complete cds.//9.6e-08:730:57//L40608
 5 F-MAMMA1002417//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30G7, WORKING DRAFT SEQUENCE.//4.1e-06:181:72//AL034402
 F-MAMMA1002427//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0366H07; HTGS phase 1, WORKING DRAFT SEQUENCE, 28 unordered pieces.//1.3e-51:593:72//AC004604
 10 F-MAMMA1002428
 F-MAMMA1002434//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains ESTs STS and CpG island.//7.3e-56:388:81//Z93023
 F-MAMMA1002446//CIT-HSP-2324O22.TR CIT-HSP Homo sapiens genomic clone 2324O22, genomic survey sequence.//2.3e-56:302:95//AQ027479
 15 F-MAMMA1002454//Homo sapiens PAC clone DJ1136G13 from 7q35-q36, complete sequence.//1.1e-54:190:94//AC005229
 F-MAMMA1002461//Rattus norvegicus calcium channel alpha-1 subunit gene, partial cds.//0.00045:457:60//U14005
 F-MAMMA1002470//Saccharomyces cerevisiae chromosome VIII cosmid 9205.//9.7e-33:709:60//U10556
 20 F-MAMMA1002475//Homo sapiens 12p13.3 PAC RPCI3-340I3 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.092:506:58//AC004671
 F-MAMMA1002480//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2-unordered pieces.//0.025:100:76//AC005077
 F-MAMMA1002485//Homo sapiens stanniocalcin-2 (STC-2) mRNA, complete cds.//2.9e-118:560:98//AF055460
 25 F-MAMMA1002494//Homo sapiens Xp22-175-176 BAC GSHB-484O17 (Genome Systems Human BAC Library) complete sequence.//1.5e-22:297:73//AC005913
 F-MAMMA1002498//Human PAC clone DJ327A19 from Xq25-q26, complete sequence.//7.2e-10:330:64//AC002477
 F-MAMMA1002524//Homo sapiens huntingtin gene, partial exon.//0.0080:124:72//L49359
 30 F-MAMMA1002530//Homo sapiens cytosolic phospholipase A2 gamma (cPLA2 gamma) mRNA, complete cds.//1.4e-160:775:97//AF065214
 F-MAMMA1002545//Homo sapiens chromosome 17; clone hRPK.74_E_22 complete sequence.//1.9e-41:345:80//AC005696
 F-MAMMA1002554
 35 F-MAMMA1002556
 F-MAMMA1002566
 F-MAMMA1002571//CIT-HSP-2296N17.TR CIT-HSP Homo sapiens genomic clone 2296N17, genomic survey sequence.//1.7e-07:76:90//AQ006579
 F-MAMMA1002573//Homo sapiens DNA, trinucleotide repeats region, clone GAA C27.//2.7e-08:195:70//AB018507
 40 F-MAMMA1002585
 F-MAMMA1002590//Homo sapiens BAC clone GS250A16 from 7p21-p22, complete sequence.//2.1e-26:361:69//AC005019
 F-MAMMA1002597//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1103G7, WORKING DRAFT SEQUENCE.//1.3e-34:550:69//AL034548
 45 F-MAMMA1002598//H.sapiens mRNA for ribosomal protein L7.//1.1e-21:123:100//X57958
 F-MAMMA1002603//Homo sapiens chromosome 20, BAC clone 99 (LBNL H80), complete sequence.//0.0018:358:61//AC005220
 F-MAMMA1002612//Homo sapiens PAC clone DJ0696N01 from 7p21-p22, complete sequence.//2.1e-13:336:63//AC004861
 50 F-MAMMA1002617//Homo sapiens clone DJ1070G24, WORKING DRAFT SEQUENCE, 12 unordered pieces.//0.14:229:64//AC005486
 F-MAMMA1002618
 F-MAMMA1002619//Homo sapiens chromosome 21 PAC RPCIP704E14135Q2.//9.5e-71:319:85//AJ010598
 55 F-MAMMA1002622//Homo sapiens advillin mRNA, complete cds.//1.5e-20:157:90//AF041449
 F-MAMMA1002623//Homo sapiens T-cell receptor alpha delta locus from bases 501613 to 752736 (section 3 of 5) of the Complete Nucleotide Sequence.//8.3e-06:137:72//AE000660
 F-MAMMA1002625//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1056L3, WORKING

DRAFT SEQUENCE.//1.9e-171:819:98//AL031727
 F-MAMMA1002629//Human BAC clone RG385F02 from 7p15, complete sequence.//4.8e-85:478:78//AC003093
 F-MAMMA1002636//Human POU domain factor (Brn-3a) gene, exon 2, complete cds.//5.6e-09:499:62//U10063
 F-MAMMA1002637//Mus musculus kinesin light chain 2 (Klc2) mRNA, complete cds.//3.6e-115:785:82//AF055666
 5 F-MAMMA1002646//Homo sapiens chromosome 2 clone 101B6 map 2p11, complete sequence.//1.5e-45:291:90//
 AC002038
 F-MAMMA1002650//Homo sapiens candidate tumor suppressor HIC-1 (HIC-1) gene, complete cds.//6.6e-06:661:
 59//L41919
 F-MAMMA1002655//HS_2003_A2_A11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 10 nomic clone Plate=2003 Col=22 Row=A, genomic survey sequence.//9.0e-15:198:74//AQ224233
 F-MAMMA1002662
 F-MAMMA1002665//Homo sapiens BAC clone GS588G18 from 7p12-p14, complete sequence.//1.4e-37:235:84//
 AC005029
 F-MAMMA1002671//Human Cdk-inhibitor p57KIP2 (KIP2) mRNA, complete cds.//0.00027:272:64//U22398
 15 F-MAMMA1002673
 F-MAMMA1002684//Homo sapiens mRNA for KIAA0214 protein, complete cds.//3.7e-161:752:99//D86987
 F-MAMMA1002685//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 39417, WORKING
 DRAFT SEQUENCE.//6.2e-45:510:70//AL023585
 F-MAMMA1002698//HS_3024_B1_C06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 20 nomic clone Plate=3024 Col=11 Row=F, genomic survey sequence.//1.7e-10:155:75//AQ072214
 F-MAMMA1002699//Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds.//5.9e-75:509:83//
 AF018261
 F-MAMMA1002701//Homo sapiens gene for AF-6, complete cds.//1.2e-159:749:99//AB011399
 F-MAMMA1002708//Human DNA sequence from clone 267M20 on chromosome Xq22.2-22.3. Contains part of
 25 the DIAPH2 gene and a pseudogene, ESTs, STSs and GSSs, complete sequence.//3.0e-57:347:79//AL031053
 F-MAMMA1002711//Homo sapiens BAC clone GS589P19 from 7p13-p14, complete sequence.//3.4e-31:484:69//
 AC005030
 F-MAMMA1002721//CIT-HSP-2350M5.TR CIT-HSP Homo sapiens genomic clone 2350M5, genomic survey se-
 quence.//1.4e-06:265:63//AQ061245
 30 F-MAMMA1002727//Human DNA sequence from clone 67K17 on chromosome 6q24.1-24.3. Contains the HIVP2
 (Schnurri-2) gene for HIV type 1 Enhancer-binding Protein 2, and a possible pseudogene in an intron of this gene.
 Contains STSs and GSSs and an AAAT repeat polymorphism, complete sequence.//0.18:386:58//AL023584
 F-MAMMA1002728//Human DNA sequence from PAC 296K21 on chromosome X contains cytokeratin exon, delta-
 aminolevulinic synthase (erythroid); 5-aminolevulinic acid synthase.(EC 2.3.1.37). 6-phosphofructo-2-kinase/
 35 fructose-2,6-bisphosphatase (EC 2.7.1.105, EC 3.1.3.46), ESTs and STS.//3.2e-05:362:63//Z83821
 F-MAMMA1002744//Plasmodium falciparum chromosome 2, section 5 of 73 of the complete sequence.//0.00010:
 535:58//AE001368
 F-MAMMA1002746//Homo sapiens chromosome 17, clone hRPK.136_H_19, complete sequence.//1.2e-182:880:
 97//AC005856
 40 F-MAMMA1002748//Homo sapiens 3p22 Contig 7 PAC RPCI4-672N11 (Roswell Park Cancer Institute Human
 PAC Library) complete sequence.//2.7e-175:829:98//AC006055
 F-MAMMA1002754//Homo Sapiens Chromosome X clone bWXD171, WORKING DRAFT SEQUENCE, 1 ordered
 pieces.//3.1e-31:372:75//AC004676
 F-MAMMA1002758//Homo sapiens KIAA0442 mRNA, partial cds.//3.3e-26:151:98//AB007902
 45 F-MAMMA1002764//Human Chromosome 11 Cosmid cSRL166a1, complete sequence.//5.2e-49:355:81//U73636
 F-MAMMA1002765//RPCI11-20A22.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-20A22, genomic survey
 sequence.//6.7e-13:155:76//B92153
 F-MAMMA1002769//CIT-HSP-2323G1.TF CIT-HSP Homo sapiens genomic clone 2323G1, genomic survey se-
 quence.//9.7e-21:151:90//AQ028244
 50 F-MAMMA1002775//Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene,
 complete cds.//5.6e-105:179:99//U07561
 F-MAMMA1002780//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-08, com-
 plete sequence.//0.071:277:58//Z98546
 F-MAMMA1002782//HS_3213_B2_B08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 55 nomic clone Plate=3213 Col=16 Row=D; genomic survey sequence.//0.00018:219:63//AQ175845
 F-MAMMA1002796
 F-MAMMA1002807//Human Chromosome X PAC RPCI1-290C9 from the Pieter de Jong Human PAC library; com-
 plete sequence.//6.9e-22:332:69//AC002404

EP 1 074 617 A2

F-MAMMA1002820//Homo sapiens Xp22 bins 87-93 PAC RPCI1-122K4 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//5.9e-11:483:62//AC003035

F-MAMMA1002830//Homo sapiens chromosome 17, clone hCIT529I10, complete sequence.//1.0e-64:320:83//AC002553

5 F-MAMMA1002833//Homo sapiens PAC clone DJ0745K06 from 7q31, complete sequence.//2.8e-47:413:80//AC004875

F-MAMMA1002835

F-MAMMA1002838//A-916H10.TP CIT978SK Homo sapiens genomic clone A-916H10, genomic survey sequence.//1.1e-39:164:83//B14462

10 F-MAMMA1002842//Mus musculus c-Cbl associated protein CAP mRNA, complete cds.//1.9e-62:373:81//U58883

F-MAMMA1002843//Homo sapiens mRNA for KIAA0810 protein, partial cds.//1.7e-135:635:99//AB018353

F-MAMMA1002844//F1707-T7 IGF Arabidopsis thaliana genomic clone F1707, genomic survey sequence.//6.7e-17:383:66//B11616

F-MAMMA1002858

15 F-MAMMA1002868//RPCI11-54F9.TJ RPCI11 Homo sapiens genomic clone R-54F9, genomic survey sequence.//8.3e-81:392:99//AQ081566

F-MAMMA1002869//Sequence 1 from patent US 5552529.//2.2e-86:696:78//I25863

F-MAMMA1002871//Lupinus angustifolius nodulin-45 gene, complete cds.//0.029:370:59//L12388

F-MAMMA1002880//RPCI11-23M23.TV RPCI-11 Homo sapiens genomic clone RPCI-11-23M23, genomic survey sequence.//1.8e-20:271:74//B86518

20 F-MAMMA1002881//Homo sapiens mRNA for 25 kDa trypsin inhibitor, complete cds.//1.2e-28:680:61//D45027

F-MAMMA1002886//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 380A1, WORKING DRAFT SEQUENCE.//0.00040:505:57//Z97653

F-MAMMA1002887//HS_3238_B2_G08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3238 Col=16 Row=N, genomic survey sequence.//5.5e-79:401:97//AQ219814

25 F-MAMMA1002890//Mus musculus MHC class III region RD gene, partial cds; Bf, C2, G9A, NG22, G9, HSP70, HSP70, HSC70t, and smRNP genes, complete cds; G7A gene, partial cds; and unknown genes.//4.6e-35:136:73//AF109906

F-MAMMA1002892//Mouse Cosmid ma66a100 from 14D1-D2, complete sequence.//5.7e-14:450:60//AC004096

30 F-MAMMA1002895//H.sapiens CpG island DNA genomic Mse1 fragment, clone 46b6, forward read cpg46b6.ft1a.//3.7e-36:190:100//Z58616

F-MAMMA1002908//Penaeus monodon microsatellite locus Pmo27.//1.1e-05:195:62//AF068828

F-MAMMA1002909//Human Chromosome 11 pac pDJ205d23, complete sequence.//1.0e-13:457:61//AC002402

F-MAMMA1002930//Homo sapiens Xp22 BAC GSHB-512P14 (Genome Systems Human BAC library) complete sequence.//0.25:260:62//AC004467

35 F-MAMMA1002937//H.sapiens ZNF74-1 mRNA.//6.3e-13:577:59//X71623

F-MAMMA1002938//Homo sapiens mRNA for KIAA0698 protein, complete cds.//5.1e-193:910:98//AB014598

F-MAMMA1002941//Homo sapiens Chromosome 22q11.2 BAC Clone b437g10 In BCRL2-GGT Region, complete sequence.//2.7e-23:174:77//AC004032

40 F-MAMMA1002947//Rhodobacter capsulatus strain SB1003, partial genome.//1.3e-09:475:61//AF010496

F-MAMMA1002964//Human thiopurine methyltransferase (TPMT) gene, exon 5.//0.0029:314:60//AF019366

F-MAMMA1002970//Human DNA sequence from PAC 436M11 on chromosome Xp22.11-22.2. Contains the serine threonine protein phosphatase gene PPEF1, and the first coding exon of the RS1 gene for retinoschisis (X-linked, juvenile) 1 (XLR51). Contains ESTs, an STS and GSSs, complete sequence.//4.0e-10:194:71//Z94056

45 F-MAMMA1002972//H.sapiens CpG island DNA genomic Mse1 fragment, clone 2g10, forward read cpg2g10.ft1aa.//0.38:156:66//Z55272

F-MAMMA1002973//Homo sapiens chromosome 17, clone hRPK.142_H_19, complete sequence.//2.9e-41:234:79//AC005919

F-MAMMA1002982//Homo sapiens DNA sequence from PAC 510L9 on chromosome 6p24.1-p25.3.//1.7e-05:322:63//AL022098

50 F-MAMMA1002987//CITBI-E1-2514J12.TR CITBI-E1 Homo sapiens genomic clone 2514J12, genomic survey sequence.//0.0064:135:66//AQ275871

F-MAMMA1003003//cSRL-145D12-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-145D12, genomic survey sequence.//2.8e-31:201:89//B01998

55 F-MAMMA1003004//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y237C10, WORKING DRAFT SEQUENCE.//1.6e-10:180:73//AL031601

F-MAMMA1003007//Homo sapiens (clone cosmid c11q-8D1) tetranucleotide repeat polymorphism at the D11S488 locus.//3.5e-12:435:61//L04732

F-MAMMA1003011//Rattus norvegicus histone macroH2A1.2 mRNA, complete cds.//2.3e-50:734:67//U79139
 F-MAMMA1003013//Mus musculus chromosome 19, clone CIT282B21, complete sequence.//1.2e-86:341:79//
 AC003694
 5 F-MAMMA1003015//Homo sapiens Chromosome 16 BAC clone CIT987SK-591M7, complete sequence.//2.6e-
 13:443:61//AC003661
 F-MAMMA1003019//HS_3221_A1_A01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3221 Col=1 Row=A, genomic survey sequence.//2.8e-51:299:92//AQ184271
 F-MAMMA1003026
 10 F-MAMMA1003031//Homo sapiens chromosome 5, BAC clone 319C17 (LBNL H159), complete sequence.//
 0.0037:134:73//AC005214
 F-MAMMA1003035//RPCI11-11P4.TP RPCI-11 Homo sapiens genomic clone RPCI-11-11P4, genomic survey se-
 quence.//1.1e-07:66:100//B74936
 F-MAMMA1003039//Homo sapiens 12p13.3 PAC RPCI3-340I3 (Roswell Park Cancer Institute Human PAC Li-
 brary) complete sequence.//2.1e-19:220:76//AC004671
 15 F-MAMMA1003040//Human DNA sequence from PAC 340N1 on chromosome 1p35-36.2. Contains ESTs, poly-
 morphic CA repeat, trna and endogenous retrovirus.//9.5e-91:469:78//Z98257
 F-MAMMA1003044//Human DNA sequence from clone 496N17 on chromosome 6p11.2-12.3 Contains EST, GSS,
 complete sequence.//0.21:289:61//AL031321
 F-MAMMA1003047//Homo sapiens protein inhibitor of activated STAT protein PIASy mRNA, complete cds.//1.7e-
 20 139:663:98//AF077952
 F-MAMMA1003049
 F-MAMMA1003055//HS_3014_B2_F10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3014 Col=20 Row=L, genomic survey sequence.//4.2e-05:215:64//AQ164940
 F-MAMMA1003056//HS_3221_B2_D12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 25 nomic clone Plate=3221 Col=24 Row=H, genomic survey sequence.//1.4e-16:206:74//AQ302772
 F-MAMMA1003057//M.domesticus MD6 mRNA.//8.5e-128:654:94//X54352
 F-MAMMA1003066//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 273F20, WORKING
 DRAFT SEQUENCE.//1.0:142:71//AL034371
 F-MAMMA1003089//Homo sapiens Chromosome 11p14.3 PAC clone pDJ1034g4, complete sequence.//1.7e-42:
 30 373:78//AC004796
 F-MAMMA1003099//Homo sapiens beta-filamin mRNA, complete cds.//2.6e-42:288:88//AF042166
 F-MAMMA1003104//Mus musculus rostral cerebellar malformation protein (rcm) mRNA, complete cds.//1.6e-12:
 477:64//U72634
 F-MAMMA1003113//Mus musculus COP9 complex subunit 7a (COPS7a) mRNA, complete cds.//3.4e-121:789:
 35 85//AF071316
 F-MAMMA1003127//R.norvegicus MYR1 mRNA for myosin I heavy chain.//9.4e-58:423:83//X68199
 F-MAMMA1003135//Mus musculus dentin sialophosphoprotein precursor (DSPP) mRNA, complete cds.//0.62:
 676:58//U67916
 F-MAMMA1003140
 40 F-MAMMA1003146//Homo sapiens mRNA for GalT3 protein.//2.2e-80:397:97//Y15062
 F-MAMMA1003150//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 598F2, WORKING
 DRAFT SEQUENCE.//7.3e-123:266:88//AL021579
 F-MAMMA1003166//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 250D10, WORKING
 DRAFT SEQUENCE.//1.6e-33:143:82//Z99716
 45 F-NT2RM1000001//Human DNA sequence from clone 393P23 on chromosome Xq21.1-21.33. Contains GSSs,
 complete sequence.//0.50:216:61//Z95400
 F-NT2RM1000018//Human mRNA for KIAA0066 gene, partial cds.//4.8e-65:385:92//D31886
 F-NT2RM1000032
 F-NT2RM1000035//Cricetulus griseus SREBP cleavage activating protein (SCAP) mRNA, complete cds.//6.3e-
 50 135:565:84//U67060
 F-NT2RM1000037//Homo sapiens mRNA for KIAA0690 protein, partial cds.//1.1 e-106:542:95//AB014590
 F-NT2RM1000039//Mouse genetic suppressor element mRNA.//0.080:239:60//L27155
 F-NT2RM1000055//Rattus norvegicus mRNA for TIP120, complete cds.//8.4e-96:535:91//D87671
 F-NT2RM1000059//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 390E6, WORKING
 55 DRAFT SEQUENCE.//1.0:257:59//AL031600
 F-NT2RM1000062//Nephila clavipes dragline silk protein spidroin 1 gene, partial cds.//0.54:306:63//U37520
 F-NT2RM1000080//Sequence 2 from patent US 5763589.//1.5e-115:566:97//AR012692
 F-NT2RM1000086//Homo sapiens mRNA for KIAA0661 protein, complete cds.//1.8e-114:550:97//AB014561

EP 1 074 617 A2

F-NT2RM1000092//Homo sapiens chromosome 19, cosmid R26894, complete sequence.//0.63:180:65//AC005594

F-NT2RM1000118//Homo sapiens clone 23763 unknown mRNA, partial cds.//0.027:126:70//AF007155

5 F-NT2RM1000119//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 466N1, WORKING DRAFT SEQUENCE.//0.022:644:58//Z97630

F-NT2RM1000127//RPC111-44E5.TJ RPC111 Homo sapiens genomic clone R-44E5, genomic survey sequence.//1.6e-45:254:94//AQ195884

F-NT2RM1000131//Homo sapiens mRNA for KIAA0792 protein, complete cds.//5.5e-153:778:95//AB018335

10 F-NT2RM1000132//Homo sapiens NADH:ubiquinone oxidoreductase NDUF56 subunit mRNA, nuclear gene encoding mitochondrial protein, complete cds.//1.1e-90:448:97//AF044959

F-NT2RM1000153//Human NotI linking clone 924A081D, genomic survey sequence.//5.9e-07:66:96//U49890

F-NT2RM1000186//Homo sapiens clone 23763 unknown mRNA, partial cds.//0.025:126:70//AF007155

F-NT2RM1000187//CITBI-E1-2510J4.TR CITBI-E1 Homo sapiens genomic clone 2510J4, genomic survey sequence.//1.1e-05:56:98//AQ261184

15 F-NT2RM1000199//Mouse mRNA for seizure-related gene product 6 type 2 precursor, complete cds.//1.6e-38:711:65//D64009

F-NT2RM1000242

F-NT2RM1000244//HS_2229_A1_C04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2229 Col=7 Row=E, genomic survey sequence.//2.0e-13:95:95//AQ298474

20 F-NT2RM1000252//Homo sapiens chromosome 17, clone hRPK.206_C_20, complete sequence.//0.023:225:61//AC006070

F-NT2RM1000256//Caenorhabditis elegans cosmid F22B3, complete sequence.//8.5e-24:473:64//Z68336

F-NT2RM1000257//Homo sapiens MAGOH mRNA, complete cds.//6.4e-69:455:85//AF035940

F-NT2RM1000260//Human mRNA for KIAA0130 gene, complete cds.//6.5e-57:460:80//D50920

25 F-NT2RM1000271

F-NT2RM1000272

F-NT2RM1000280//Bos gaurus vacuolar H-ATPase subunit D (VATD) mRNA, complete cds.//6.7e-97:430:92//U11927

F-NT2RM1000300//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 92N15, WORKING DRAFT SEQUENCE.//2.1e-96:170:100//Z93097

30 F-NT2RM1000314//Human mRNA for KIAA0159 gene, complete cds.//8.1e-127:708:92//D63880

F-NT2RM1000318//Homo sapiens mRNA for ribosomal protein L39, complete cds.//5.7e-34:182:99//D79205

F-NT2RM1000341//Homo sapiens full-length insert cDNA clone YP11F06.//1.3e-100:504:97//AF085879

F-NT2RM1000354//HS_2001_B1_E06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2001 Col=11 Row=J, genomic survey sequence.//1.6e-11:201:73//AQ218494

35 F-NT2RM1000355//Mus musculus E25B protein mRNA, complete cds.//1.8e-77:578:82//U76253

F-NT2RM1000365//Homo sapiens clone DJ0098022, WORKING DRAFT SEQUENCE, 5 unordered pieces.//9.4e-113:367:97//AC004821

F-NT2RM1000377//H.sapiens mRNA for MAP kinase phosphatase 4.//6.1e-14:362:62//Y08302

40 F-NT2RM1000388//Azospirillum brasilense lateral flagellin (laf1) gene, complete cds.//1.0:482:58//U26679

F-NT2RM1000394//M.musculus mRNA for histone H3.3A.//1.7e-94:549:89//Z85979

F-NT2RM1000399

F-NT2RM1000421//HS_2213_B1_E01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2213 Col=1 Row=J, genomic survey sequence.//3.6e-08:195:72//AQ032737

45 F-NT2RM1000430//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//3.7e-84:418:97//AF084928

F-NT2RM1000499//Human mRNA for KIAA0167 gene, complete cds.//1.3e-35:525:69//D79989

F-NT2RM1000539//Homo sapiens PAC clone DJ1194E14 from 7p21, complete sequence.//4.6e-73:533:83//AC004993

50 F-NT2RM1000553

F-NT2RM1000555//Homo sapiens clone 24514 unknown mRNA.//2.3e-110:555:97//AF070542

F-NT2RM1000563//Homo sapiens clone DJ0742P04, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.3e-123:477:100//AC004873

F-NT2RM1000623//HS_2213_B1_E01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2213 Col=1 Row=J, genomic survey sequence.//8.2e-06:75:89//AQ032737

55 F-NT2RM1000648//Halobium cutirubrum L11, L1, L10 and L12 equivalent ribosomal protein gene cluster.//1.3e-06:414:61//X15078

F-NT2RM1000661//Homo sapiens cap-binding protein 4EHP mRNA, complete cds.//9.3e-54:275:97//AF047695

F-NT2RM1000666//HS_2016_B2_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2016 Col=16 Row=P, genomic survey sequence.//5.7e-13:199:73//AQ227865

F-NT2RM1000669//Human DNA sequence from clone 281H8 on chromosome 6q25.1-25.3. Contains up to four novel genes, one with similarity to KIAA0323 and worm C30F12.1 and another with Ubiquitin-Like protein gene SMT3 (the latter in an intron of a novel gene). Contains ESTs, STSs, GSSs, a putative CpG island and genomic marker D6S1553, complete sequence.//2.7e-94:499:94//AL031133

5 F-NT2RM1000672

F-NT2RM1000691//Homo sapiens HRIHFB2060 mRNA, partial cds.//2.2e-119:582:98//AB015348

F-NT2RM1000699//Caenorhabditis elegans cosmid Y41C4A, complete sequence.//0.95:284:61//AL032627

10 F-NT2RM1000702//HS_3005_A1_A02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3005 Col=3 Row=A, genomic survey sequence.//0.073:290:58//AQ089514

F-NT2RM1000725//Homo sapiens mRNA for neuropathy target esterase.//4.8e-65:435:85//AJ004832

F-NT2RM1000741//Homo sapiens mRNA for KIAA0567 protein, partial cds.//8.0e-126:690:92//AB011139

F-NT2RM1000742//Homo sapiens AC133 antigen mRNA, complete cds.//2.5e-66:524:83//AF027208

15 F-NT2RM1000746//Homo sapiens chromosome 21q22.3, PAC clones 314N7, 225L15, BAC clone 7B7, complete sequence bases 1.333303.//0.92:395:58//AJ011930

F-NT2RM1000770//Homo sapiens inosine monophosphate dehydrogenase type II gene, complete cds.//2.1e-70:407:92//L39210

F-NT2RM1000772//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE, 2 unordered pieces.//6.6e-36:98:93//AC000380

20 F-NT2RM1000780//Human DNA for 5' terminal region of LINE-1 transposable element clone CGL1-4.//9.3e-22:126:99//X52233

F-NT2RM1000781//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//7.1e-09:540:59//AC004153

25 F-NT2RM1000800//Mus musculus mRNA for B-IND1 protein.//4.0e-81:497:88//Z97207

F-NT2RM1000802

F-NT2RM1000811//Homo sapiens AC133 antigen mRNA, complete cds.//3.7e-63:490:84//AF027208

F-NT2RM1000826//Homo sapiens clone 24514 unknown mRNA.//7.2e-153:749:96//AF070542

F-NT2RM1000829//HS_3047_A1_A05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3047 Col=9 Row=A, genomic survey sequence.//0.74:215:67//AQ099134

30 F-NT2RM1000833//Canis familiaris sec61 homologue mRNA, complete cds.//5.1e-114:683:88//M96629

F-NT2RM1000850//F.rubripes GSS sequence, clone 163A22aF11, genomic survey sequence.//1.1e-26:279:74//AL018762

F-NT2RM1000852//Homo sapiens mRNA for ATP-dependent RNA helicase, partial.//9.3e-148:726:97//AJ010840

35 F-NT2RM1000857//Rattus norvegicus gene for cytochrome P450/6 beta B, exon 2.//0.97:124:65//AB008378

F-NT2RM1000867//H.sapiens DNA sequence surrounding NotI site, clone NRLA143D.//1.2e-31:172:98//K95834

F-NT2RM1000874//Homo sapiens KE05 protein mRNA, complete cds.//2.8e-131:632:97//AF064605

F-NT2RM1000882//Homo sapiens Chromosome 11q12.2 PAC clone pDJ519o13 containing human gene for ferritin heavy chain (FTH), complete sequence.//1.2e-98:214:99//AC004228

40 F-NT2RM1000883//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//2.7e-156:762:97//AF082516

F-NT2RM1000885//Homo sapiens mRNA for KIAA0661 protein, complete cds.//2.0e-17:310:67//AB014561

F-NT2RM1000894//Mus musculus second largest subunit of RNA polymerase I (RPA2) mRNA, complete cds.//3.2e-95:469:83//U58280

45 F-NT2RM1000898

F-NT2RM1000905//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 466N1, WORKING DRAFT SEQUENCE.//1.8e-74:188:98//Z97630

F-NT2RM1000924//Homo sapiens clone DJ0742P04, WORKING DRAFT SEQUENCE, 6 unordered pieces.//5.7e-148:601:98//AC004873

50 F-NT2RM1000927//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21 unordered pieces.//0.071:392:60//AC004846

F-NT2RM1000962//H.sapiens CpG island DNA genomic MseI fragment, clone 140d1, forward read cpg140d1.ft1a.//4.1e-35:187:99//Z56803

F-NT2RM1000978//Homo sapiens Chromosome 15q22.3-23 PAC 88m3, WORKING DRAFT SEQUENCE, 2 ordered pieces.//1.1e-23:266:77//AC005959

55 F-NT2RM1001003//Homo sapiens alpha-catenin-like protein mRNA, complete cds.//4.0e-160:760:98//U97067

F-NT2RM1001008//Kaposi's sarcoma-associated herpes-like virus ORF73 homolog gene, complete cds.//1.7e-11:602:61//U52064

EP 1 074 617 A2

F-NT2RM1001043//Human DNA sequence from PAC 27K14 on chromosome Xp11.3-Xp11.4. Contains monoamine oxidase B (MAOB), ESTs and polymorphic CA repeats.//3.9e-93:645:86//Z95125
F-NT2RM1001044//S.pombe chromosome III cosmid c320.//0.90:128:66//AL022245
F-NT2RM1001059//Homo sapiens chromosome 5, Bac clone 58g14 (LBNL H76), complete sequence.//3.8e-53:261:80//AC005915
F-NT2RM1001066//CIT-HSP-2172N17.TF CIT-HSP Homo sapiens genomic clone 2172N17, genomic survey sequence.//0.64:285:59//B94391
F-NT2RM1001072//HS_3115_B1_D07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3115 Col=13 Row=H, genomic survey sequence.//7.3e-23:140:95//AQ147905
F-NT2RM1001074//Homo sapiens chromosome 19, cosmid F20489, complete sequence.//5.0e-50:186:98//AC005263
F-NT2RM1001082//Sequence 1 from Patent WO9718303.//2.1e-144:736:95//A62731
F-NT2RM1001085//CIT-HSP-2310F21.TR CIT-HSP Homo sapiens genomic clone 2310F21, genomic survey sequence.//8.8e-45:235:97//AQ020757
F-NT2RM1001092//HS_3055_B1_G05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3055 Col=9 Row=N, genomic survey sequence.//1.1e-89:471:95//AQ155489
F-NT2RM1001102//Human HEM45 mRNA, complete cds.//1.2e-28:482:63//U88964
F-NT2RM1001105//Homo sapiens hRED1 gene, exon 1 (5'UTR).//0.0014:349:61//Z95973
F-NT2RM1001112//Homo sapiens chromosome 19, cosmid R34094, complete sequence.//0.060:429:58//AC004678
F-NT2RM1001115//Plasmodium falciparum merozoite surface protein 3 (MSP-3) gene, partial cds.//0.93:156:62//AF024624
F-NT2RM1001139//Homo sapiens chromosome 19, fosmid 37502, complete sequence.//1.2e-10:466:59//AC004755
F-NT2RM2000006//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 796F18, WORKING DRAFT SEQUENCE.//5.3e-150:724:98//AL031291
F-NT2RM2000013//D.melanogaster DmRP128 gene for RNA polymerase III second-largest subunit.//1.5e-58:749:69//X58826
F-NT2RM2000030//Homo sapiens clone DJ0708P22, WORKING DRAFT SEQUENCE, 11 unordered pieces.//2.1e-97:270:77//AC004863
F-NT2RM2000032//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//1.9e-25:172:76//AL034379
F-NT2RM2000042//Human DNA sequence from cosmid U55E4, between markers DXS6791 and DXS8038 on chromosome X contains ESTs.//5.0e-05:325:65//Z73418
F-NT2RM2000092//Homo sapiens (D8S321 locus) DNA sequence, tetranucleotide repeat polymorphism.//0.63:117:68//L12269
F-NT2RM2000093//Mus musculus major histocompatibility locus class III regions Hsc70t gene, partial cds; smRNP, G7A, NG23, MutS homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes.//0.38:312:62//AF109905
F-NT2RM2000101
F-NT2RM2000124//Mouse cAMP-dependent protein kinase catalytic subunit mRNA, complete cds.//3.8e-58:297:97//M12303
F-NT2RM2000191//Homo sapiens cGMP phosphodiesterase A2 (PDE9A) mRNA, complete cds.//3.8e-138:653:98//AF067224
F-NT2RM2000192//CIT-HSP-2172B3.TF CIT-HSP Homo sapiens genomic clone 2172B3, genomic survey sequence.//2.2e-33:191:95//B93289
F-NT2RM2000239//F rubripes GSS sequence, clone 156P04aG12, genomic survey sequence.//8.9e-44:445:69//AL018549
F-nnnnnnnnnnnn//Homo sapiens fibroblast growth factor 18 (FGF18) mRNA, complete cds.//0.00020:380:61//AF075292
F-NT2RM2000250//Homo sapiens mRNA for KIAA0590 protein, complete cds.//3.1e-128:615:98//AB011162
F-NT2RM2000259//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 310O13, WORKING DRAFT SEQUENCE.//0.0013:305:63//AL031658
F-NT2RM2000260//Mus musculus WW domain binding protein 15 mRNA, partial sequence.//3.0e-14:645:61//AF073934
F-NT2RM2000287//*** SEQUENCING IN PROGRESS *** EPM1/APECED region of chromosome 21, clones A68E8, B127P21, B173L3, B23N8, C1242C9, C579E2, A70B6, B159G9, B175D10, B52C10, C124G1 Note: Sequencing in this region has been discontinued by the Stanford Human Genome Center. WORKING DRAFT SE-

- QUENCE, 50 unordered pieces.//1.3e-11:96:86//AC003656
 F-NT2RM2000322//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//8.5e-115:233:97//AL031864
- 5 F-NT2RM2000359//Homo sapiens mRNA for KIAA0560 protein, complete cds.//8.8e-175:805:99//AB011132
 F-NT2RM2000363//RPCI11-90B10.TJ RPCI11 Homo sapiens genomic clone R-90B10, genomic survey sequence.//6.7e-15:96:98//AQ285300
 F-NT2RM2000368//Homo sapiens protein kinase C-binding protein RACK7 mRNA, partial cds.//1.2e-94:599:86//U48251
- 10 F-NT2RM2000371//RPCI11-57I4.TJ RPCI11 Homo sapiens genomic clone R-57I4, genomic survey sequence.//1.1e-52:312:91//AQ083343
 F-NT2RM2000374//M. musculus nodal gene, a TGF-beta-like gene.//6.7e-31:196:91//X70514
 F-NT2RM2000395//Leishmania major chromosome 1, complete sequence.//0.99:345:58//AE001274
 F-NT2RM2000402//Arabidopsis thaliana BAC T19D16 genomic sequence.//2.1e-23:414:63//U95973
- 15 F-NT2RM2000407//Mus musculus semaphorin VIa mRNA, complete cds.//1.4e-131:439:88//AF030430
 F-NT2RM2000420//HS_3063_B2_F11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3063 Col=22 Row=L, genomic survey sequence.//3.2e-25:154:95//AQ103204
 F-NT2RM2000422//Rat orphan transporter v7-3 (NTT73) mRNA, complete cds.//1.7e-128:782:86//L22022
 F-NT2RM2000452//HS_3009_B2_D05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3009 Col=10 Row=H, genomic survey sequence.//1.2e-16:122:90//AQ130794
- 20 F-NT2RM2000469//HS_2019_A1_G02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2019 Col=3 Row=M, genomic survey sequence.//9.6e-22:176:85//AQ229041
 F-NT2RM2000490//Homo sapiens mRNA for KIAA0747 protein, partial cds.//7.5e-15:386:63//AB018290
 F-NT2RM2000502
- 25 F-NT2RM2000504//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//5.1e-171:824:97//AF061243
 F-NT2RM2000522
 F-NT2RM2000540
 F-NT2RM2000556//Homo sapiens 12q13.1 PAC RPCI5-1057I20 (Roswell Park Cancer Institute Human PAC library) complete sequence.//2.9e-42:344:82//AC004466
- 30 F-NT2RM2000566//Homo sapiens integrin alpha-7 mRNA, complete cds.//2.8e-154:751:97//AF072132
 F-NT2RM2000567//Pseudomonas aeruginosa enoyl-CoA hydratase gene, partial cds; pilin biosynthetic protein (fimL) gene, complete cds; and unknown gene.//3.0e-06:664:58//AF083252
 F-NT2RM2000569//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//1.3e-15:348:67//AL031681
- 35 F-NT2RM2000577//RPCI11-43G22.TJ RPCI11 Homo sapiens genomic clone R-43G22, genomic survey sequence.//1.6e-14:155:80//AQ199391
 F-NT2RM2000581//Homo sapiens mRNA for KIAA0214 protein, complete cds.//5.4e-174:820:98//D86987
 F-NT2RM2000588//Homo sapiens 12q13.1 PAC RPCI5-1057I20 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.1e-60:344:82//AC004466
- 40 F-NT2RM2000594//Mus musculus DNA cytosine-5 methyltransferase 3B1 (Dnmt3b) mRNA, alternatively spliced, complete cds.//4.9e-118:761:85//AF068626
 F-NT2RM2000599//O.sativa osr40g3 gene.//0.30:585:56//Y08988
 F-NT2RM2000609
- 45 F-NT2RM2000612//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//7.8e-102:709:83//U35776
 F-NT2RM2000623//Homo sapiens chromosome 19, cosmid F19847, complete sequence.//3.4e-17:450:65//AC005952
 F-NT2RM2000624
 2.9e-06:231:64//Z82061
- 50 F-NT2RM2000635//Homo sapiens mRNA for KIAA0729 protein, partial cds.//6.3e-142:664:98//AB018272
 F-NT2RM2000636//Homo sapiens mRNA for KIAA0658 protein, partial cds.//7.4e-138:664:98//AB014558
 F-NT2RM2000639//RPCI11-69E5.TJ RPCI11 Homo sapiens genomic clone R-69E5, genomic survey sequence.//3.7e-14:97:97//AQ267491
- 55 F-NT2RM2000649//Homo sapiens mRNA for KIAA0676 protein, partial cds.//1.1e-167:518:99//AB014576
 F-NT2RM2000669
 F-NT2RM2000691//Homo sapiens chromosome 2 clone 101B6 map 2p11, complete sequence.//1.1e-106:748:82//AC002038
 F-NT2RM2000714//Human mRNA for KIAA0231 gene, partial cds.//6.8e-49:748:64//D86984

- F-NT2RM2000718//Homo sapiens HRIHFB2436 mRNA, partial cds.//2.4e-124:594:98//AB015342
 F-NT2RM2000735//Human ZNF43 mRNA.//8.4e-111:756:82//X59244
 F-NT2RM2000740//Mus musculus lymphocyte specific helicase mRNA, complete cds.//1.3e-141:815:89//U25691
 5 F-NT2RM2000795//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 439F8, WORKING DRAFT SEQUENCE.//1.0e-78:723:76//AL021392
 F-NT2RM2000821//Rat mRNA for beta COP.//2.0e-150:879:88//X57228
 F-NT2RM2000837//Homo sapiens BAC clone GS214N13 from 7p14-p15, complete sequence.//1.1e-05:361:62//AC005017
 F-NT2RM2000951//Homo sapiens XYLB mRNA for xylulokinase, complete cds.//8.7e-184:847:99//AB015046
 10 F-NT2RM2000952
 F-NT2RM2000984//Mus musculus major histocompatibility locus class III regions Hsc70t gene, partial cds; sm-RNP, G7A, NG23, MutS homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes.//7.6e-41:239:76//AF109905
 F-NT2RM2001004//CIT-HSP-2333N18.TR CIT-HSP Homo sapiens genomic clone 2333N18, genomic survey sequence.//1.1e-11:298:66//AQ035862
 15 F-NT2RM2001035//Mus musculus mCAF1 protein mRNA, complete cds.//1.4e-120:627:91//U21855
 F-NT2RM2001065//Mus musculus COP9 complex subunit 4 (COPS4) mRNA, complete cds.//6.8e-118:690:88//AF071314
 F-NT2RM2001100//Homo sapiens clone DJ0742P04, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.3e-145:614:99//AC004873
 20 F-NT2RM2001105//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50O24, WORKING DRAFT SEQUENCE.//2.7e-95:461:99//AL034380
 F-NT2RM2001131//Kaposi's sarcoma-associated herpes-like virus ORF73 homolog gene, complete cds.//7.2e-24:726:62//U52064
 25 F-NT2RM2001141
 F-NT2RM2001152//Homo sapiens DNA sequence from PAC 93L7 on chromosome Xq21. Contains part of the CHM (TCD, REP1) gene coding for RAB Escort protein 1 (REP-1, RAB proteins geranylgeranyltransferase component A 1, Choroideraemia protein, Tapetochoroidal Dystrophy (TCD) protein). Contains ESTs and an STS, complete sequence.//0.98:300:62//AL022401
 30 F-NT2RM2001177//Homo sapiens clone NH0313P13, WORKING DRAFT SEQUENCE, 15 unordered pieces.//1.2e-147:741:96//AC005488
 F-NT2RM2001194//Suid herpesvirus 1 UL5 gene, partial cds, UL6 and UL7 genes, complete cds, UL8 gene, partial cds.//0.026:408:59//U66829
 F-NT2RM2001196//Homo sapiens clone DJ1173I20, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.2e-135:627:98//AC004987
 35 F-NT2RM2001201//Mus musculus clone OST431, genomic survey sequence.//6.1e-80:503:86//AF046700
 F-NT2RM2001221//Chimpanzee (P.paniscus) involucrin, complete cds.//0.53:670:55//M26514
 F-NT2RM2001238//Rat glutaminase mRNA, complete cds.//3.4e-128:719:90//M65150
 F-NT2RM2001243
 40 F-NT2RM2001247//CITBI-E1-2521M18.TR CITBI-E1 Homo sapiens genomic clone 2521M18, genomic survey sequence.//0.0011:274:59//AQ276184
 F-NT2RM2001256//M.musculus mRNA for 200 kD protein.//2.3e-129:742:90//X80169
 F-NT2RM2001291//CIT-HSP-2010I15.TR CIT-HSP Homo sapiens genomic clone 2010I15, genomic survey sequence.//4.6e-09:156:72//B57734
 45 F-NT2RM2001306//RPCI11-28I5.TP RPCI-11 Homo sapiens genomic clone RPCI-11-28I5, genomic survey sequence.//0.069:234:64//B84850
 F-NT2RM2001312//Homo sapiens chromosome 17, clone hRPK.142_H_19, complete sequence.//1.1e-22:111:81//AC005919
 F-NT2RM2001319//Borrelia burgdorferi (section 4 of 70) of the complete genome.//0.99:340:58//AE001118
 50 F-NT2RM2001324//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 209H1, WORKING DRAFT SEQUENCE.//3.7e-44:340:85//Z84465
 F-NT2RM2001345//HS_3005_A1_A02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3005 Col=3 Row=A, genomic survey sequence.//0.042:290:58//AQ089514
 F-NT2RM2001360//Human HeLa mRNA isolated as a false positive in a two-hybrid-screen.//5.0e-60:365:87//U56429
 55 F-NT2RM2001370//Homo sapiens PAC clone DJ0815D20 from 7p11-p13, complete sequence.//0.98:415:58//AC004899
 F-NT2RM2001393//Homo sapiens Chromosome 22q11.2 PAC Clone p_m11 In BCRL2-GGT Region, complete

sequence.//4.0e-54:394:75//AC004033
 F-NT2RM2001420//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 349A12, WORKING DRAFT SEQUENCE.//2.8e-169:789:99//AL033520
 F-NT2RM2001424//Homo sapiens mRNA for E1B-55kDa-associated protein.//7.1e-96:453:99//AJ007509
 5 F-NT2RM2001499//Rattus norvegicus mRNA for cationic amino acid transporter 3, complete cds.//7.1e-91:601:83//AB000113
 F-NT2RM2001504//Homo sapiens chromosome 19, cosmid R30017, complete sequence.//0.81:200:69//AC005624
 F-NT2RM2001524//Arabidopsis thaliana DNA chromosome 4, ESSA I AP2 contig fragment No. 2.//3.8e-16:316:65//Z99708
 10 F-NT2RM2001544
 F-NT2RM2001547//Caenorhabditis elegans cosmid Y47H9C, complete sequence.//3.3e-24:318:67//AL032657
 F-NT2RM2001575//Human 52-kD ribonucleoprotein Ro/SSA mRNA, complete cds.//2.1e-26:582:64//M34551
 F-NT2RM2001582//M.musculus red-1 gene.//1.4e-102:581:90//X92750
 15 F-NT2RM2001588//Homo sapiens KIAA0442 mRNA, partial cds.//7.0e-10:282:65//AB007902
 F-NT2RM2001592//Rattus norvegicus rexo70 mRNA, complete cds.//9.6e-131:736:90//AF032667
 F-NT2RM2001605//RBP2=retinoblastoma binding protein 2 [human, Nalm-6 pre-B cell leukemia, mRNA, 6455 nt].//2.3e-85:749:75//S66431
 F-NT2RM2001613//Rattus rattus sec61 homologue mRNA, complete cds.//8.6e-118:779:85//M96630
 20 F-NT2RM2001632//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete sequence.//1.5e-50:561:71//AC004691
 F-NT2RM2001635//Homo sapiens mRNA for KIAA0618 protein, complete cds.//9.2e-153:740:98//AB014518
 F-NT2RM2001637//F.rubripes GSS sequence, clone 155D22bD8, genomic survey sequence.//2.5e-13:224:64//Z91020
 25 F-NT2RM2001641//CIT-HSP-2347F23.TF CIT-HSP Homo sapiens genomic clone 2347F23, genomic survey sequence.//1.3e-67:340:98//AQ060913
 F-NT2RM2001648//Canis familiaris sec61 homologue mRNA, complete cds.//1.4e-110:459:89//M96629
 F-NT2RM2001652//Bos taurus guanine nucleotide-exchange protein (ARF-GEP1) mRNA, complete cds.//1.2e-153:807:93//AF023451
 30 F-NT2RM2001659//nbxb0002cE07f CUGI Rice BAC Library Oryza sativa genomic clone nbxb0002J13f, genomic survey sequence.//1.0:485:56//AQ051653
 F-NT2RM2001664//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//3.7e-172:802:99//AF044195
 F-NT2RM2001668
 35 F-NT2RM2001670//Homo sapiens complete genomic sequence between D16S3070 and D16S3275, containing Familial Mediterranean Fever gene disease.//3.2e-18:279:70//AJ003147
 F-NT2RM2001671//Oryctolagus cuniculus sarcolemmal associated protein-3 mRNA; complete cds.//1.6e-137:683:94//U21157
 F-NT2RM2001675//RPC111-51J16.TJ RPC111 Homo sapiens genomic clone R-51J16, genomic survey sequence.//1.0:394:58//AQ053677
 40 F-NT2RM2001681//Arabidopsis thaliana DNA chromosome 4, BAC clone T8O5 (ESSAII project).//0.87:220:61//AL021890
 F-NT2RM2001688//B.parapertussis bvg locus (transcription regulators of virulence factors) with bvgA and bvgS genes.//1.0:286:62//X52948
 45 F-NT2RM2001695//CIT-HSP-345H13.TVB CIT-HSP Homo sapiens genomic clone 345H13, genomic survey sequence.//3.2e-53:241:82//B59854
 F-NT2RM2001696//Mouse DNA with homology to EBV IR3 repeat, segment 2, clone Mu2.//1.2e-05:306:58//M10668
 F-NT2RM2001698//Homo sapiens DNA sequence from PAC 163M9 on chromosome 1p35.1-p36.21. Contains protein synthesis factor (eIF-4C), D1F15S1A pseudogene, ESTs, STS, GSS, complete sequence.//6.0e-06:548:59//AL021920
 50 F-NT2RM2001699//HS_3195_8B2_DO1_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3195 Col=2 Row=H, genomic survey sequence.//2.7e-07:322:61//AQ189056
 F-NT2RM2001700//Mycobacterium tuberculosis H37Rv complete genome; segment 109/162.//7.8e-05:354:58//Z95556
 55 F-NT2RM2001706//Homo sapiens chromosome Xp22-67-68, WORKING DRAFT SEQUENCE, 99 unordered pieces.//7.5e-42:335:81//AC004469
 F-NT2RM2001716

- F-NT2RM2001718//Drosophila melanogaster DNA sequence (P1 DS04106 (D172)), complete sequence.//4.2e-08:536:58//AC004290
- F-NT2RM2001723//Homo sapiens clone 23770 mRNA sequence.//1.4e-26:163:95//AF052123
- F-NT2RM2001727//Homo sapiens mRNA for KIAA0462 protein, partial cds.//6.2e-111:530:98//AB007931
- 5 F-NT2RM2001730//Homo sapiens chromosome 21 PAC RPCIP704E14135Q2.//3.1e-102:248:95//AJ010598
- F-NT2RM2001743
- F-NT2RM2001753//Caenorhabditis elegans cosmid F45E6, complete sequence.//0.11:138:66//Z68117
- F-NT2RM2001760//Canis familiaris sec61 homologue mRNA, complete cds.//9.4e100:418:88//M96629
- F-NT2RM2001768//HS_3064_B2_A04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
- 10 nomic clone Plate=3064 Col=8 Row=B, genomic survey sequence.//3.1e-28:153:100//AQ136993
- F-NT2RM2001771//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//1.3e-66:680:72//AC006116
- F-NT2RM2001782
- F-NT2RM2001784//Bovine herpesvirus type 1 (Cooper) DNA (30 kb).//0.027:384:60//Z48053
- 15 F-NT2RM2001785//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1 gene, complete sequence.//1.6e-18:229:65//AC004770
- F-NT2RM2001797//HS_3045_AT_D01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
- nomic clone Plate=3045 Col=1 Row=G, genomic survey sequence.//1.4e-74:381:97//AQ129456
- F-NT2RM2001800
- 20 F-NT2RM2001803//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//8.3e-178:827:99//AF044195
- F-NT2RM2001805//Malus domestica leucine-rich receptor-like protein kinase (LRPKm1) gene, 5' flanking region and 5' UTR.//1.0:290:58//AF053126
- F-NT2RM2001813//CIT-HSP-2169F21.TR CIT-HSP Homo sapiens genomic clone 2169F21, genomic survey se-
- 25 quence.//3.3e-16:109:95//B89870
- F-NT2RM2001823//Drosophila melanogaster DNA sequence (P1 DS07049 (D133)), complete sequence.//5.8e-62:819:68//AC004274
- F-NT2RM2001839//Homo sapiens calumein (Calu) mRNA, complete cds.//3.6e-131:738:90//AF013759
- F-NT2RM2001840//Homo sapiens chromosome 17, clone 297N7, complete sequence.//1.1e-57:422:79//
- 30 AC002347
- F-NT2RM2001855//HS_3224_A1_H07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
- nomic clone Plate=3224 Col=13 Row=O, genomic survey sequence.//0.00012:68:91//AQ205285
- F-NT2RM2001867//Human DNA sequence from clone 889N15 on chromosome Xq22.1-22.3. Contains part of the
- 35 gene for a novel protein similar to X. laevis Cortical Thymocyte Marker CTX, the possibly alternatively spliced gene for 26S Proteasome subunit p28 (Ankyrin repeat protein), a novel gene and exons 36 through 45 of the COL4A6 for Collagen Alpha 6(IV). Contains ESTs, STSs, GSSs and a putative CpG island, complete sequence.//0.068:102:70//AL031177
- F-NT2RM2001879//Human DNA sequence from cosmid cU72E5, between markers DXS366 and DXS87 on chromosome X.//0.0029:500:59//Z68328
- 40 F-NT2RM2001886//Homo sapiens mRNA for KIAA0710 protein, complete cds.//1.9e-187:866:97//AB014610
- F-NT2RM2001896//S.cerevisiae chromosome III complete DNA sequence.//8.6e-30:613:63//X59720
- F-NT2RM2001903//Homo sapiens mRNA for KIAA0462 protein, partial cds.//2.9e-176:859:97//AB007931
- F-NT2RM2001930//M.musculus mRNA for semaphorin G.//4.7e-117:730:85//X97818
- F-NT2RM2001935//Sequence 11 from Patent WO9610637.//1.0:356:60//A50028
- 45 F-NT2RM2001936//Homo sapiens clone 614 unknown mRNA, complete sequence.//6.9e-138:653:98//AF091080
- F-NT2RM2001950//RPCI11-24L12.TP RPCI-11 Homo sapiens genomic clone RPCI-11-24L12, genomic survey sequence.//2.7e-19:188:81//B86700
- F-NT2RM2001982//Arabidopsis thaliana chromosome II BAC T24I21 genomic sequence, complete sequence.//0.42:179:65//AC005825
- 50 F-NT2RM2001983//Homo sapiens RGS-GAIP interacting protein GIPC mRNA, complete cds.//3.8e-20:123:98//AF089816
- F-NT2RM2001989//Sequence 3 from patent US 5747317.//1.9e-167:786:98//AR004981
- F-NT2RM2001997//Human HepG2 partial cDNA, clone hmd1b08m5.//9.6e-25:160:95//D16955
- F-NT2RM2001998//Homo sapiens DNA, chromosome 21q22.2, PAC clone 25P16 complete sequence, encoding
- 55 carbonyl reductase and carbonyl reductase 3 (complete cds).//0.88:380:60//AB003151
- F-NT2RM2002004//Human Chromosome X, complete sequence.//5.0e-88:831:77//AC002407
- F-NT2RM2002014
- F-NT2RM2002030//Mus musculus glutamine:fructose-6-phosphate amidotransferase mRNA, complete cds.//

1.5e-89:822:74//U00932
 F-NT2RM2002049//Bovine elastin mRNA, partial cds.//8.8e-11:125:81//M26132
 F-NT2RM2002055
 5 F-NT2RM2002088//Mus musculus WW domain binding protein 17 mRNA, partial sequence.//1.4e-15:421:63//
 AF073936
 F-NT2RM2002091//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50O24, WORKING
 DRAFT SEQUENCE.//4.6e-160:771:98//AL034380
 F-NT2RM2002100//Homo sapiens mRNA for ATP-dependent RNA helicase, partial.//7.7e-164:776:98//AJ010840
 10 F-NT2RM2002109//Homo sapiens glioma amplified on chromosome 1 protein (GAC1) mRNA, complete cds.//
 2.4e-143:684:98//AF030435
 F-NT2RM2002128//Mesocricetus auratus guanine nucleotide-binding protein beta 5 (Gnb5) mRNA, complete
 cds.//7.0e-27:330:73//U13152
 F-NT2RM2002142//Danio rerio gastrulation specific (G12) mRNA, complete cds.//6.3e-10:135:80//U27121
 15 F-NT2RM2002145//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//4.2e-143:800:
 92//AF084928
 F-NT2RM2002178//Homo sapiens mRNA for KIAA0467 protein, partial cds.//5.2e-164:787:97//AB007936
 F-NT2RM2002580//Drosophila melanogaster DNA sequence (P1 DS02110 (D147)), complete sequence.//7.4e-
 13:337:62//AC004423
 20 F-NT2RM4000024//D.melanogaster DmRP128 gene for RNA polymerase III second-largest subunit.//1.2e-62:
 801:70//X58826
 F-NT2RM4000027//Caenorhabditis elegans cosmid F09E5.//0.36:336:60//U37429
 F-NT2RM4000030//H.sapiens CpG island DNA genomic Mse1 fragment, clone 56h10, forward read
 cpg56h10.ft1a.//9.3e-22:127:100//Z55685
 25 F-NT2RM4000046//Curcubita maxima 25S - 18S rDNA intergenic spacer.//4.1e-05:386:60//X13059
 F-NT2RM4000061
 F-NT2RM4000085//B.taurus mRNA for nuclear DNA helicase II.//1.9e-10:485:59//X82829
 F-NT2RM4000086
 F-NT2RM4000104//Homo sapiens chromosome 16 zinc finger protein ZNF210 (ZNF210) mRNA, complete cds.//
 4.2e-23:345:69//AF060865
 30 F-NT2RM4000139//R.norvegicus trg mRNA.//1.4e-56:708:69//X68101
 F-NT2RM4000155//CIT-HSP-2282N15.TR CIT-HSP Homo sapiens genomic clone 2282N15, genomic survey se-
 quence.//3.0e-09:88:90//AQ000070
 F-NT2RM4000156//H.sapiens HPBRII-7 gene.//2.0e-21:586:60//X67336
 35 F-NT2RM4000167//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//2.7e-143:810:
 90//D12646
 F-NT2RM4000169//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING
 DRAFT SEQUENCE, 9 unordered pieces.//0.0054:746:57//AC004157
 F-NT2RM4000191//Mus musculus cathepsin S (CatS) gene, promoter region and exons 1 and 2.//0.00018:468:
 60//AF051726
 40 F-NT2RM4000197
 F-NT2RM4000199//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 620E11, WORKING
 DRAFT SEQUENCE.//0.67:461:60//AL031667
 F-NT2RM4000200
 45 F-NT2RM4000202//H.sapiens CpG island DNA genomic Mse1 fragment, clone 34c2, forward read cpg34c2.ft1a.//
 1.7e-27:190:90//Z65361
 F-NT2RM4000210//Homo sapiens mRNA for KIAA0712 protein, complete cds.//1.4e-182:856:98//AB018255
 F-NT2RM4000215//S.cerevisiae MAK16 protein gene, complete cds, and LTE1 protein gene, 3' end.//3.1e-31:731:
 62//J03852
 F-NT2RM4000229//Homo sapiens chromosome 10 clone CIT987SK-1144G6 map 10q25.1, complete sequence.//
 4.6e-102:233:94//AC005383
 50 F-NT2RM4000233//Mus musculus semaphorin VIa mRNA, complete cds.//1.6e-135:835:86//AF030430
 F-NT2RM4000244//RPCI11-24P15.TV RPCI-11 Homo sapiens genomic clone RPCI-11-24P15, genomic survey
 sequence.//5.5e-08:422:62//B86757
 F-NT2RM4000251//Mus musculus clone UWGC:mbac92 from 14D1-D2 (T-Cell Receptor Alpha Locus), complete
 55 sequence.//0.98:207:60//AC005855
 F-NT2RM4000265//Homo sapiens Chromosome 11q12.2 PAC clone pDJ1081b4 containing human mRNA for T-
 cell glycoprotein CD6, complete sequence.//5.2e-41:707:65//AC003689
 F-NT2RM4000290//Human transducin-like enhancer protein (TLE3) mRNA, complete cds.//7.9e-153:609:93//

M99438

F-NT2RM4000324

F-NT2RM4000327//Rattus norvegicus guanine nucleotide binding protein beta 4 subunit mRNA, partial cds.//3.9e-44:727:68//AF022085

5 F-NT2RM4000344//Mus musculus ATP-dependent metalloprotease FtsH1 mRNA, complete cds.//1.0e-143:801:90//AF090430

F-NT2RM4000349//Mus musculus clone OST431, genomic survey sequence.//6.1e-80:503:86//AF046700

F-NT2RM4000354//HS_2221_A2_C07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2221 Col=14 Row=E, genomic survey sequence.//1.0e-20:180:83//AQ253449

10 F-NT2RM4000356

F-NT2RM4000366//Homo sapiens mRNA for KIAA0642 protein, partial cds.//1.6e-133:628:99//AB014542

F-NT2RM4000368//RPCI11-91B5.TJ RPCI11 Homo sapiens genomic clone R-91B5, genomic survey sequence.//5.0e-12:431:61//AQ283217

F-NT2RM4000386//Mus musculus DOC4 (Doc4) mRNA, complete cds.//7.4e-86:845:72//AF059485

15 F-NT2RM4000395//Saccharomyces cerevisiae chromosome VI cosmid 9965.//2.5e-34:767:61//D44597

F-NT2RM4000414//Homo sapiens XYLB mRNA for xylulokinase, complete cds.//1.5e-15:114:94//AB015046

F-NT2RM4000421

F-NT2RM4000425//Homo sapiens chromosome 17, clone hRPK.294_J_22, complete sequence.//1.5e-37:295:82//AC005921

20 F-NT2RM4000433//Mus musculus retinoic acid-responsive protein (Stra6) mRNA, complete cds.//3.9e-94:740:78//AF062476

F-NT2RM4000457//CIT-HSP-2346B17.TR CIT-HSP Homo sapiens genomic clone 2346B17, genomic survey sequence.//1.5e-22:149:92//AQ062111

F-NT2RM4000471//Homo sapiens mRNA for putative tRNA splicing protein, partial.//1.3e-76:386:97//AJ010952

25 F-NT2RM4000486//Homo sapiens mRNA, complete cds, clone:RES4-22A, //1.1e-22:356:67//AB000459

F-NT2RM4000496//Homo sapiens 12p13.3 BAC RPCI11-476M19 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//0.53:198:70//AC005908

F-NT2RM4000511

F-NT2RM4000514

30 F-NT2RM4000515//CIT-HSP-2285L3.TR CIT-HSP Homo sapiens genomic clone 2285L3, genomic survey sequence.//0.0012:200:66//AQ000113

F-NT2RM4000520

F-NT2RM4000531//Human zinc finger protein 42 (MZF-1) mRNA, complete cds.//2.9e-31:732:64//M58297

35 F-NT2RM4000532//HS_3231_B1_C05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3231 Col=9 Row=F, genomic survey sequence.//1.3e-59:362:90//AQ192093

F-NT2RM4000534

F-NT2RM4000585//CITBI-E1-2508I18.TR CITBI-E1 Homo sapiens genomic clone 2508I18, genomic survey sequence.//1.1e-34:208:93//AQ260706

F-NT2RM4000590//CIT-HSP-2291M14.TF CIT-HSP Homo sapiens genomic clone 2291M14, genomic survey sequence.//8.3e-34:180:99//AQ004125

40 F-NT2RM4000595//Homo sapiens chromosome 17, clone hCIT.131_K_11, complete sequence.//1.2e-09:203:66//AC005288

F-NT2RM4000603//Human mRNA for KIAA0392 gene, partial cds.//5.3e-14:305:68//AB002390

45 F-NT2RM4000611//CIT-HSP-2169F21.TR CIT-HSP Homo sapiens genomic clone 2169F21, genomic survey sequence.//8.4e-16:109:94//B89870

F-NT2RM4000616//D.melanogaster mRNA for acetyl-CoA synthetase.//2.3e-59:721:68//Z46786

F-NT2RM4000674

F-NT2RM4000689//CIT-HSP-2381O13.TF CIT-HSP Homo sapiens genomic clone 2381O13, genomic survey sequence.//2.6e-31:174:97//AQ110303

50 F-NT2RM4000698

F-NT2RM4000700

F-NT2RM4000712//Homo sapiens ubiquitin hydrolyzing enzyme I (UBH1) mRNA, partial cds.//1.1e-89:744:77//AF022789

F-NT2RM4000717

55 F-NT2RM4000733//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//2.1e-140:299:99//AL034379

F-NT2RM4000734//Homo sapiens mRNA for KIAA0760 protein, partial cds.//3.8e-158:743:98//AB018303

F-NT2RM4000741

- F-NT2RM4000751//Human zinc finger protein 20 (ZNF20) pentanucleotide repeat polymorphism.//7.1e-95:754:77//M99593
- F-NT2RM4000764
- F-NT2RM4000778//Caenorhabditis elegans cosmid F36H12.//0.30:523:60//AF078790
- 5 F-NT2RM4000779//Homo sapiens mRNA for KIAA0451 protein, complete cds.//5.5e-172:810:98//AB007920
- F-NT2RM4000787//Human DNA sequence from PAC 370M22 on chromosome 22q12-qter. contains GRB2 ADAPTOR LIKE PROTEIN, UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT PRECURSOR (UQCRFS1) exon, ESTs, STS, CA repeat and CpG island.//0.0057:163:69//Z82206
- F-NT2RM4000790//Homo sapiens chromosome 19, cosmid R27216, complete sequence.//6.9e-39:237:94//AC005306
- 10 F-NT2RM4000795//Rattus norvegicus neuroligin 3 mRNA, complete cds.//5.9e-97:857:74//U41663
- F-NT2RM4000796//HS_3214_B1_F11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3214 Col=21 Row=L, genomic survey sequence.//1.1e-14:254:68//AQ175988
- F-NT2RM4000798//Bos taurus guanine nucleotide-exchange protein (ARF-GEP1) mRNA, complete cds.//6.2e-78:816:72//AF023451
- 15 F-NT2RM4000813//Leishmania major glycoprotein 96-92 (GP 96-92) gene, partial cds.//0.33:276:63//M63109
- F-NT2RM4000820//, complete sequence.//2.6e-142:450:97//AC005406
- F-NT2RM4000833//Drosophila melanogaster DNA sequence (P1 DS05273 (D80)), complete sequence.//1.9e-52:501:71//AC004373
- 20 F-NT2RM4000848//Homo sapiens chromosome 17, clone hRPK.167_N_20, complete sequence.//1.0:477:56//AC005940
- F-NT2RM4000852
- F-NT2RM4000855//Homo sapiens chromosome 17, clone hCIT.457_L_16, complete sequence.//3.4e-29:229:83//AC003957
- 25 F-NT2RM4000887
- F-NT2RM4000895//Homo sapiens HuUAP1 mRNA for UDP-N-acetylglucosamine pyrophosphorylase, complete cds.//2.1e-20:407:64//AB011004
- F-NT2RM4000950//Homo sapiens clone DJ0917G04, WORKING DRAFT SEQUENCE, 35 unordered pieces.//0.41:311:64//AC004929
- 30 F-NT2RM4000971//RPCI11-53H3.TJ RPCI11 Homo sapiens genomic clone R-53H3, genomic survey sequence.//1.0:208:64//AQ053735
- F-NT2RM4000979//Homo sapiens chromosome 17, clone hRPK.642_C_21, complete sequence.//1.3e-19:207:78//AC005245
- 35 F-NT2RM4000996//CITBI-E1-2506B10.TF CITBI-E1 Homo sapiens genomic clone 2506B10, genomic survey sequence.//1.4e-73:361:98//AQ263651
- F-NT2RM4001002//Homo sapiens mRNA for KIAA0729 protein, partial cds.//5.1e-170:803:98//AB018272
- F-NT2RM4001016//Homo sapiens mRNA for KIAA0639 protein, partial cds.//3.3e-125:584:99//AB014539
- F-NT2RM4001032//Gallus gallus chicken brain factor-2 (CBF-2) mRNA, complete cds.//0.00034:777:58//U47276
- F-NT2RM4001047//MO25 gene [mice, embryos, mRNA, 2322 nt].//2.5e-92:776:74//S51858
- 40 F-NT2RM4001054//Canis familiaris sec61 homologue mRNA, complete cds.//3.1e-102:859:76//M96629
- F-NT2RM4001084//CIT-HSP-2330F9.TR CIT-HSP Homo sapiens genomic clone 2330F9, genomic survey sequence.//4.6e-78:379:99//AQ044479
- F-NT2RM4001092//cSRL-71b1-u cSRL flow sorted Chromosome 11 specific cosmid Homosapiens genomic clone cSRL-71b1, genomic survey sequence.//1.1e-12:152:75//B05776
- 45 F-NT2RM4001116
- F-NT2RM4001140//Homo sapiens PAC clone DJ0964C11 from 7p14-p15, complete sequence.//1.9e-136:717:93//AC004593
- F-NT2RM4001151//Streptomyces antibioticus ATP-binding protein and membrane protein (oleC-ORF1, oleC-ORF2, oleC-ORF3, oleC-ORF4, and oleC-PRF5) genes, complete cds; 3427 base-pairs.//0.0083:368:60//L06249
- 50 F-NT2RM4001155//Bos taurus 50 kDa protein (adp50) mRNA, complete cds.//3.9e-120:764:85//U04706
- F-NT2RM4001160
- F-NT2RM4001187
- F-NT2RM4001191//CIT-HSP-2010E7.TF CIT-HSP Homo sapiens genomic clone 2010E7, genomic survey sequence.//6.2e-12:181:72//B53378
- 55 F-NT2RM4001200//H.sapiens HZF10 mRNA for zinc finger protein.//1.3e-66:799:69//X78933
- F-NT2RM4001203//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//4.2e-152:707:99//AF004828
- F-NT2RM4001204

- F-NT2RM4001217//Homo sapiens ectoderm-neural cortex-1 protein (ENC-1) mRNA, complete cds.//1.6e-62:715:70//AF005381
- F-NT2RM4001256//Human NotI linking clone 924A058R, genomic survey sequence.//7.6e-14:109:90//U49884
- 5 F-NT2RM4001258//HS_3171_B2_G09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3171 Col=18 Row=N, genomic survey sequence.//2.5e-18:215:77//AQ149676
- F-NT2RM4001309//Human DNA sequence from clone 551E13 on chromosome Xp11.2-11.3 Contains farnesyl pyrophosphate synthetase pseudogene, VT4 protein pseudogene, EST, GSS, complete sequence.//4.9e-28:526:66//AL022163
- 10 F-NT2RM4001313//H.sapiens mRNA for phosphatidylinositol 3-kinase.//2.5e-77:474:89//Z46973
- F-NT2RM4001316//Caenorhabditis elegans cosmid K09H11.//1.2e-16:230:73//U97002
- F-NT2RM4001320//Homo sapiens mRNA for Neuroblastoma, complete cds.//1.1e-41:642:66//D89016
- F-NT2RM4001340//EP(3)0614 Drosophila melanogaster EP line Drosophila melanogaster genomic Sequence recovered from 5' end of P element, genomic survey sequence.//0.0040:141:68//AQ025127
- 15 F-NT2RM4001344//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y1E3, WORKING DRAFT SEQUENCE.//5.5e-06:469:60//AL021388
- F-NT2RM4001347
- F-NT2RM4001371//Arabidopsis thaliana chromosome II BAC T20K9 genomic sequence, complete sequence.//0.10:400:61//AC004786
- 20 F-NT2RM4001382//Homo sapiens RanBP7/importin 7 mRNA, complete cds.//2.2e-167:790:98//AF098799
- F-NT2RM4001384//Homo sapiens DNA sequence from BAC 747E2 on chromosome 22q12.1. Contains ESTs, STSs and GSSs and genomic marker D22S56, complete sequence.//0.99:255:59//AL021393
- F-NT2RM4001410//Homo sapiens genomic DNA, chromosome 21q11.1, segment 1/5, WORKING DRAFT SEQUENCE.//0.027:336:58//AP000023
- 25 F-NT2RM4001411//Mus musculus Pro-rich, PH, SH2 domain-containing signaling mediator (PSM) mRNA, complete cds.//5.9e-124:783:85//AF020526
- F-NT2RM4001412//Rattus norvegicus GTPase activating protein SynGAP-c mRNA, complete cds.//2.2e-34:418:71//AF050183
- F-NT2RM4001414//Homo sapiens full-length insert cDNA clone ZE16C11.//9.1e-76:363:100//AF086563
- 30 F-NT2RM4001437//Homo sapiens chromosome 5, BAC clone 313n8 (LBNL H146), complete sequence.//2.0e-47:623:69//AC004226
- F-NT2RM4001444//Streptococcus pneumoniae penicillin-binding protein 2b (pbp2b), RecM (recM), D-Ala-D-Ala ligase (ddl), D-Ala-D-Ala adding enzyme (murF), MutT (mutT), cell division protein FtsA (ftsA), cell division protein FtsZ (ftsZ), YlmE (ylmE), YlmF (ylmF), YlmG (ylmG), YlmH (ylmH), cell division protein DivIVA (divIVA), and isoleucine-tRNA synthetase (ileS) genes, complete cds; and unknown gene.//3.6e-09:566:58//AF068901
- 35 F-NT2RM4001454
- F-NT2RM4001455
- F-NT2RM4001483//Human zinc finger protein ZNF136.//3.2e-36:329:78//U09367
- F-NT2RM4001489//Homo sapiens mRNA for KIAA0685 protein, complete cds.//1.2e-155:724:99//AB014585
- 40 F-NT2RM4001519//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.00019:418:59//AC004688
- F-NT2RM4001522//Human HepG2 3' region Mbol cDNA, clone hmd6a08m3.//1.4e-16:130:88//D17274
- F-NT2RM4001557
- F-NT2RM4001565
- F-NT2RM4001566
- 45 F-NT2RM4001569//HS_2050_B1_C08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2050 Col=15 Row=F, genomic survey sequence.//2.7e-09:109:84//AQ234720
- F-NT2RM4001582//Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//1.2e-127:740:89//AF071317
- F-NT2RM4001592//M.musculus mRNA of enhancer-trap-locus 1.//7.3e-117:710:88//X69942
- 50 F-NT2RM4001594//Homo sapiens chromosome 9q34, clone 107G20, WORKING DRAFT SEQUENCE, 2 ordered pieces.//0.34:388:59//AC002355
- F-NT2RM4001597//M.musculus red-1 gene.//6.2e-139:788:90//X92750
- F-NT2RM4001605//Homo sapiens mRNA for KIAA0791 protein, complete cds.//3.3e-162:750:99//AB018334
- 55 F-NT2RM4001611//Synechocystis sp. PCC6803 complete genome, 12/27, 1430419-1576592.//2.5e-05:490:58//D90910
- F-NT2RM4001629//Mus musculus palmytoylated protein p55 mRNA, complete cds.//0.65:186:64//U38196
- F-NT2RM4001650//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0435P12; HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//0.99:422:59//AC004689

F-NT2RM4001662//Human mRNA for KIAA0322 gene, partial cds.//2.6e-81:449:93//AB002320
 F-NT2RM4001666
 F-NT2RM4001682//Mus musculus clone OST9187, genomic survey sequence.//3.2e-35:240:87//AF046699
 F-NT2RM4001710//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING
 5 DRAFT SEQUENCE.//1.9e-151:564:97//AL031447
 F-NT2RM4001714//Human mRNA for KIAA0202 gene, partial cds.//7.0e-85:748:74//D86957
 F-NT2RM4001715//Human DNA sequence from clone 931K24 on chromosome 20p12 Contains ESTs and GSSs,
 complete sequence.//1.2e-91:488:94//AL034430
 F-NT2RM4001731//Orang-utan in volucrin gene, complete cds.//0.40:530:59//M25312
 10 F-NT2RM4001741//Mouse mRNA for talin.//1.1e-129:737:90//X56123
 F-NT2RM4001746//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 316G12, WORKING
 DRAFT SEQUENCE.//2.3e-49:320:89//AL031709
 F-NT2RM4001754//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Li-
 brary) complete sequence.//6.3e-64:379:76//AC005831
 15 F-NT2RM4001758//R.norvegicus mRNA for serine/threonine kinase MARK1.//3.7e-146:871:87//Z83868
 F-NT2RM4001776//Homo sapiens mRNA for KIAA0727 protein, partial cds.//2.3e-173:803:99//AB018270
 F-NT2RM4001783//Homo sapiens clone DJ0981007, complete sequence.//2.0e-165:593:99//AC006017
 F-NT2RM4001810
 F-NT2RM4001813//Homo sapiens BAC clone NH0364H22 from 2, complete sequence.//7.1e-31:176:84//
 20 AC005036
 F-NT2RM4001819//Human p58/GTA (galactosyltransferase associated protein kinase) mRNA, complete cds.//
 4.4e-34:195:95//M37712
 F-NT2RM4001823//Mus musculus zinc finger protein (Zfp64) mRNA, complete cds.//3.3e-51:490:75//U49046
 F-NT2RM4001828//Human zinc finger containing protein ZNF157 (ZNF157) mRNA, complete cds.//5.6e-74:688:
 25 72//U28687
 F-NT2RM4001836//Homo sapiens Chromosome 22q11.2 Cosmid Clone 2h In DGCR Region, complete se-
 quence.//1.0:406:60//AC000076
 F-NT2RM4001841//Mus musculus A kinase anchor protein (AKAP-KL) mRNA, alternatively spliced isoform 2,
 complete cds.//1.6e-131:831:86//AF033275
 30 F-NT2RM4001842//HS_3163_A2_G10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3163 Col=20 Row=M, genomic survey sequence.//1.5e-05:355:60//AQ168513
 F-NT2RM4001856//Caenorhabditis elegans cosmid K08F11.//4.0e-23:823:60//U70855
 F-NT2RM4001858//Notophthalmus viridescens NvTbox1 mRNA, partial cds.//6.4e-11:266:66//U64433
 F-NT2RM4001865//Homo sapiens mRNA for atopy related autoantigen CALC.//6.9e-149:704:98//Y17711
 35 F-NT2RM4001876//F.rubripes GSS sequence, clone 060E22bA4, genomic survey sequence.//5.7e-48:600:68//
 Z88651
 F-NT2RM4001880//CIT-HSP-2348J1.TF CIT-HSP Homo sapiens genomic clone 2348J1, genomic survey se-
 quence.//0.0025:61:88//AQ060809
 F-NT2RM4001905//R.norvegicus CYP3A1 gene, 5' flanking region.//2.5e-29:535:67//X98335
 40 F-NT2RM4001922//HS_2237_A1_C10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2237 Col=19 Row=E, genomic survey sequence.//2.2e-73:364:98//AQ033732
 F-NT2RM4001930//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MXI10, complete sequence.//
 4.9e-10:269:63//AB005248
 F-NT2RM4001938//Homo sapiens chromosome 17, clone hRPC.1081_P_3, complete sequence.//7.6e-152:311:
 45 100//AC005207
 F-NT2RM4001940//Homo sapiens timeless homolog mRNA, complete cds.//1.1e-170:808:98//AF098162
 F-NT2RM4001953//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone B13E4;
 HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//2.7e-45:310:86//AC004046
 F-NT2RM4001965//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and
 50 non-small cell lung cancer, segment 11/11.//1.6e-107:622:90//AB020868
 F-NT2RM4001969//R.norvegicus mRNA for IP63 protein.//3.9e-24:221:76//X99330
 F-NT2RM4001979//Homo sapiens mRNA for KIAA0798 protein, complete cds.//1.0e-61:527:76//AB018341
 F-NT2RM4001984//Human DNA sequence from cosmid U151E3, between markers on chromosome X.//5.8e-07:
 502:60//Z82253
 55 F-NT2RM4001987//RPCI11-49L11.TJ RPCI11 Homo sapiens genomic clone R-49L11, genomic survey se-
 quence.//2.6e-33:177:99//AQ051701
 F-NT2RM4002013//Homo sapiens chromosome 17, clone hRPK.294_J_22, complete sequence.//0.019:65:90//
 AC005921

F-NT2RM4002018//Human high molecular weight B cell growth factor mRNA sequence.//1.0:527:57//L15344
 F-NT2RM4002034//Human DNA sequence from PAC 84F12 on chromosome Xq25-Xq26.3. Contains glypican-3 precursor (intestinal protein OCI-5) (GTR2-2), ESTs and CA repeat.//0.11:322:60//AL008712
 F-NT2RM4002044//Homo sapiens SS-A/Ro autoantigen 52 kda component gene, complete cds.//0.015:513:61//
 5 U01882
 F-NT2RM4002054//Homo sapiens clone DJ1039L24, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.0e-44:473:76//AC005283
 F-NT2RM4002055//Homo sapiens mRNA for KIAA0640 protein, partial cds.//1.0e-171:803:98//AB014540
 F-NT2RM4002062//Drosophila melanogaster; Chromosome 2L; Region 36B1-36B3; P1 clone DS02528, WORK-
 10 ING DRAFT SEQUENCE, 8 unordered pieces.//0.0031:298:59//AC005122
 F-NT2RM4002063//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds.//1.1e-147:705:98//
 U82267
 F-NT2RM4002066//Human mRNA for KIAA0192 gene, partial cds.//3.4e-73:889:69//D83783
 F-NT2RM4002067//Homo sapiens chromosome 5, BAC clone 282B7 (LBNL H192), complete sequence.//1.1e-53:295:76//AC005216
 15 F-NT2RM4002073//Mus musculus fatty acid transport protein 3 mRNA, partial cds.//7.8e-25:277:75//AF072758
 F-NT2RM4002075//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//9.0e-23:588:61//
 AF059569
 F-NT2RM4002093//Rat PYBP1 mRNA for pyrimidine binding protein 1.//3.1e-68:544:69//X60789
 20 F-NT2RM4002109//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//2.0e-121:762:86//D12646
 F-NT2RM4002128//HS_3084_A1_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3084 Col=7 Row=G, genomic survey sequence.//7.7e-18:117:95//AQ186312
 F-NT2RM4002140
 25 F-NT2RM4002145//Homo sapiens chromosome 19, fosmid 37308, complete sequence.//1.8e-49:736:65//
 AC004152
 F-NT2RM4002146//Homo sapiens MAGOH mRNA, complete cds.//6.5e-70:454:85//AF035940
 F-NT2RM4002161//Homo sapiens mRNA for LAFPTase, isoform 1, partial.//4.2e-151:763:96//AJ130763
 F-NT2RM4002174//Helicobacter pylori 26695 section 18 of 134 of the complete genome.//2.1e-16:580:60//
 30 AE000540
 F-NT2RM4002189//Homo sapiens DNA sequence from BAC 722E9 on chromosome 22q13.2-13.33. Contains
 ESTs.//1.0e-07:792:61//AL008636
 F-NT2RM4002194//Mus musculus semaphorin VIa mRNA, complete cds.//3.2e-132:782:87//AF030430
 F-NT2RM4002205//Rattus norvegicus nuclear-encoded mitochondrial elongation factor G mRNA, complete cds.//
 35 1.5e-40:292: 84//L14684
 F-NT2RM4002213
 F-NT2RM4002226//Mus musculus p190-B gene, complete cds.//0.099:350:59//U67160
 F-NT2RM4002251//Homo sapiens chromosome 17, clone HCIT187M2, complete sequence.//1.0:428:58//
 AC004448
 40 F-NT2RM4002256//Mouse genomic DNA, chromosome 17, clone cosmid 49.1, genomic survey sequence.//9.4e-60:294:81//AB005959
 F-NT2RM4002266//Fugu rubripes GSS sequence, clone 006118aG12, genomic survey sequence.//3.3e-12:217:67//AL024779
 F-NT2RM4002278//HS_3089_A1_E05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 45 nomic clone Plate=3089 Col=9 Row=I, genomic survey sequence.//1.9e-64:381:92//AQ121653
 F-NT2RM4002281
 F-NT2RM4002287//CIT-HSP-2327E14.TF CIT-HSP Homo sapiens genomic clone 2327E14, genomic survey se-
 quence.//9.0e-49:336:86//AQ042515
 F-NT2RM4002294//Human mRNA for KIAA0281 gene, complete cds.//2.1e-48:511:72//D87457
 50 F-NT2RM4002301//Human NotI linking clone 924A053D, genomic survey sequence.//8.9e-05:62:91//U49881
 F-NT2RM4002323//Human DNA sequence from clone 59B16 on chromosome 6p22.1-22.3. Contains a pseudo-
 gene similar to GPIISG20 and other exonucleases). Contains ESTs, STSs, GSSs, genomic markers D6S1691 and
 D6S299 and a ca repeat polymorphism, complete sequence.//4.9e-115:729:87//AL032822
 F-NT2RM4002339//Homo sapiens PAC clone DJ0728D04, complete sequence.//1.1e-97:457:93//AC004865
 55 F-NT2RM4002344//Caenorhabditis elegans cosmid K04A8.//2.2e-06:190:69//U64849
 F-NT2RM4002373//Homo sapiens mRNA for KIAA0649 protein, complete cds.//2.8e-149:708:98//AB014549
 F-NT2RM4002374//Homo sapiens 12q24 PAC P336P3 (Research Park Cancer Institute Human Genome PAC
 library) complete sequence.//0.00040:312:63//AC002978

F-NT2RM4002383//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 469D22, WORKING DRAFT SEQUENCE.//6.8e-29:378:66//AL031284

F-NT2RM4002390

5 F-NT2RM4002398//CIT-HSP-2288N22.TR CIT-HSP Homo sapiens genomic clone 2288N22, genomic survey sequence.//3.4e-35:184:100//AQ001110

F-NT2RM4002409//Archaeoglobus fulgidus section 15 of 172 of the complete genome.//2.0e-16:468:59//AE001092

10 F-NT2RM4002438//Human HLA class III region containing NOTCH4 gene, partial sequence, homeobox PBX2 (HPBX) gene, receptor for advanced glycosylation end products (RAGE) gene, complete cds, and 6 unidentified cds, complete sequence.//1.6e-16:123:91//U89336

F-NT2RM4002446//Human DNA sequence from cosmid 443D9 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3 Contains ESTs, STS and CpG islands.//9.6e-64:467:84//Z92845

F-NT2RM4002452

15 F-NT2RM4002457//Human DNA sequence from PAC 151B14 on chromosome 22, complete sequence.//2.2e-24:201:86//Z85988

F-NT2RM4002460//Homo sapiens PAC clone DJ0630C24 from 7q31-q32, complete sequence.//1.3e-45:487:70//AC004690

F-NT2RM4002479//Homo sapiens RNA helicase-related protein mRNA, complete cds.//2.7e-163:777:98//AF083255

20 F-NT2RM4002482//Homo sapiens mRNA for KIAA0691 protein, complete cds.//2.3e-93:464:97//AB014591

F-NT2RM4002493

F-NT2RM4002499//Homo sapiens clone DJ0847008, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.5e-41:442:75//AC005484

F-NT2RM4002504//Human DNA sequence from clone 391O22 on chromosome 6p21.2-21.31 Contains pseudo-genes similar to ribosomal protein, ESTs, GSSs, complete sequence.//3.8e-31:233:87//AL031577

25 F-NT2RM4002527//Fugu rubripes GSS sequence, clone 096G17aC8, genomic survey sequence.//7.7e-08:274:62//AL027162

F-NT2RM4002532

F-NT2RM4002534

30 F-NT2RM4002558//Mus musculus fatty acid transport protein 4 mRNA, partial cds.//3.8e-53:394:81//AF072759

F-NT2RM4002565//Mus musculus Sec8 mRNA, complete cds.//6.4e-160:902:89//AF022962

F-NT2RM4002567//CITBI-E1-2503J7.TR CITBI-E1 Homo sapiens genomic clone 2503J7, genomic survey sequence.//8.5e-31:220:88//AQ263402

F-NT2RM4002571//Rattus norvegicus UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase T5 mRNA, complete cds.//5.2e-05:199:65//AF049344

35 F-NT2RM4002593//Homo sapiens PAC clone DJ0745K06 from 7q31, complete sequence.//0.89:275:61//AC004875

F-NT2RM4002594//Drosophila melanogaster, chromosome 2R, region 31C1-31D6, P1 clone DS08879, complete sequence.//3.7e-44:768:64//AC005454

40 F-NT2RM4002623//Drosophila melanogaster; Chromosome 2L; Region 36B1-36B3; P1 clone DS02528, WORKING DRAFT SEQUENCE, 8 unordered pieces.//7.8e-34:574:65//AC005122

F-NT2RP1000018//Homo sapiens mRNA for NIK, partial cds.//3.9e-111:582:95//AB013385

F-NT2RP1000035//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//1.1e-153:747:96//AJ012449

F-NT2RP1000040//Homo sapiens genomic DNA, chromosome 21q11.1, segment 18/28, WORKING DRAFT SEQUENCE.//1.6e-125:243:88//AP000047

45 F-NT2RP1000063//Caenorhabditis elegans cosmid F31C3, complete sequence.//9.6e-09:414:59//Z92784

F-NT2RP1000086//H.sapiens mRNA for zinc finger protein, Hsa12.//2.8e-183:548:91//X98834

F-NT2RP1000101//H.sapiens CpG island DNA genomic Mse1 fragment, clone 28b4, forward read cpg28b4.ft1a.//6.0e-27:163:95//Z60555

50 F-NT2RP1000111//CIT-HSP-2307O14.TR CIT-HSP Homo sapiens genomic clone 2307O14, genomic survey sequence.//1.2e-11:128:81//AQ016069

F-NT2RP1000112//Human kinase (TTK) mRNA, complete cds.//1.0e-38:324:81//M86699

F-NT2RP1000124//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.59:476:59//AL034557

55 F-NT2RP1000130//DNA encoding human Hepatoma-derived Growth Factor.//2.7e-35:535:681//E08546

F-NT2RP1000163//Homo sapiens cell cycle progression 2 protein (CPR2) mRNA, complete cds.//6.7e-05:77:90//AF011792

F-NT2RP1000170//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//

1.9e-20:431:64//AC006030
 F-NT2RP1000174//Homo sapiens clone 24432 mRNA sequence.//2.5e-138:679:97//AF070535
 F-NT2RP1000191
 5 F-NT2RP1000202//Porcine mRNA for M130 of smooth muscle myosin phosphatase, partial cds.//5.3e-05:220:61//D89496
 F-NT2RP1000243//Drosophila melanogaster DNA sequence (P1 DS05273 (D80)), complete sequence.//4.7e-51:508:69//AC004373
 F-NT2RP1000259
 10 F-NT2RP1000272//Mus musculus TLS-associated protein with SR repeats mRNA, complete cds.//7.8e-142:866:88//AF042383
 F-NT2RP1000324//RPC11-81O21.TJ RPC11 Homo sapiens genomic clone R-81O21, genomic survey sequence.//2.8e-29:182:92//AQ285136
 F-NT2RP1000326//Homo sapiens metaxin 2 (MTX2) mRNA, nuclear gene encoding mitochondrial protein, complete cds.//4.2e-147:693:98//AF053551
 15 F-NT2RP1000333//Caenorhabditis elegans cosmid C03D6, complete sequence.//1.4e-08:281:61//Z75525
 F-NT2RP1000348//H.sapiens CpG island DNA genomic Mse1 fragment, clone 12f1, reverse read cpg12f1.rt1c.//1.7e-09:71:100//Z56610
 F-NT2RP1000357
 F-NT2RP1000358 5.7e-16:403:61//AC005456
 20 F-NT2RP1000363//Homo sapiens mRNA for KIAA0638 protein, partial cds.//9.8e-125:497:86//AB014538
 F-NT2RP1000376//Homo sapiens calcium-independent phospholipase A2 mRNA, complete cds.//1.8e-176:877:96//AF064594
 F-NT2RP1000409//Homo sapiens repetitive sequences, alphoid DNA, 2482bp.//4.6e-106:700:84//AJ001558
 F-NT2RP1000413//Homo sapiens mRNA for KIAA0587 protein, complete cds.//9.4e-178:710:98//AB011159
 25 F-NT2RP1000416
 F-NT2RP1000418//Oryctolagus cuniculus troponin T cardiac isoform mRNA, 3' end of cds.//1.0:198:60//L40178
 F-NT2RP1000439//HS_2182_A1_D06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2182 Col=11 Row=G, genomic survey sequence.//2.1e-68:441:87//AQ024305
 F-NT2RP1000443//Homo sapiens genomic DNA, chromosome 21q11.1, segment 18/28, WORKING DRAFT SE-
 30 QUENCE.//3.8e-57:185:88//AP000047
 F-NT2RP1000460//Homo sapiens PAC clone DJ0844F09 from 7p12-p13, complete sequence.//2.7e-132:204:99//AC004453
 F-NT2RP1000470//Human DNA from chromosome 19-specific cosmid R27090, genomic sequence, complete sequence.//4.9e-80:196:95//AC002985
 35 F-NT2RP1000478//Human beta-tubulin class III isotype (beta-3) mRNA, complete cds.//1.9e-55:440:80//U47634
 F-NT2RP1000481//Homo sapiens DNA sequence from PAC 262D12 on chromosome 1q23.3-24.3. Contains a Tenascin (Hexabrachion, Cytotactin, Neuronectin, Myotendinous antigen)-LIKE gene and a mitochondrial/chloroplast 30S ribosomal protein S14-LIKE gene preceded by a CpG island. Contains ESTs, genomic marker D1S2691 and STSs.//2.6e-92:562:88//Z99297
 40 F-NT2RP1000493//Homo sapiens mRNA for KIAA0017 protein, complete cds.//2.0e-130:622:98//D87686
 F-NT2RP1000513//Xanthomonas campestris campestris xpsD, xpsM, and xpsN genes, complete cds's.//0.11:360:58//M81648
 F-NT2RP1000522//Homo sapiens clone DJ0810E06, WORKING DRAFT SEQUENCE, 8 unordered pieces.//4.9e-34:209:93//AC004895
 45 F-NT2RP1000547//Cricetulus griseus COP-coated vesicle membrane protein CHOp24 mRNA, partial cds.//1.2e-08:331:63//U26264
 F-NT2RP1000574//Homo sapiens homeobox protein MEIS2 (MEIS2) mRNA, partial cds.//4.4e-81:295:92//AF017418
 F-NT2RP1000577//HS_2228_B2_C05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2228 Col=10 Row=F, genomic survey sequence.//1.9e-31:179:75//AQ185128
 50 F-NT2RP1000581//Pan troglodytes von Willebrand factor (vWF) gene, partial cds.//4.7e-34:223:90//U31620
 F-NT2RP1000609//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1 gene, complete sequence.//1.6e-18:229:65//AC004770
 F-NT2RP1000629//Mouse clathrin-associated protein (AP47) mRNA, complete cds.//9.3e-89:584:84//M62419
 55 F-NT2RP1000630//Human DNA sequence from PAC 151B14 on chromosome 22 Contains EST, complete sequence.//1.0:203:63//Z85989
 F-NT2RP1000677//Homo sapiens chromosome 19, cosmid R30538, complete sequence.//0.0034:350:61//AC005943

- F-NT2RP1000688//H.sapiens gene for mitochondrial ATP synthase c subunit (P1 form).//5.2e-10:120:80//X69907
 F-NT2RP1000695
 F-NT2RP1000701//Sequence 1 from patent US 5580968.//2.4e-99:624:86//I30536
 F-NT2RP1000721//Homo sapiens clone DJ0943F02, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.1e-19:188:81//AC004932
 5 F-NT2RP1000730
 F-NT2RP1000733//Human chromosome 16p13-1 BAC clone CIT987SK-551G9 complete sequence.//1.3e-30:315:75//U95742
 F-NT2RP1000738//Homo sapiens Wolf-Hirschhorn syndrome candidate 2 protein (WHSC2) mRNA, complete
 10 cds.//8.0e-122:604:96//AF101434
 F-NT2RP1000746//HS_3084_A1_H03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3084 Col=5 Row=O, genomic survey sequence.//1.5e-83:466:92//AQ186344
 F-NT2RP1000767//Homo sapiens full-length insert cDNA clone ZD81B04.//2.8e-21:144:91//AF086442
 F-NT2RP1000782//Homo sapiens tetraspan TM4SF (TSPAN-3) mRNA, complete cds.//2.1e-121:591:97//
 15 AF054840
 F-NT2RP1000796//T.thermophilus phosphofructokinase 1 (PFK1) gene, complete cds.//0.76:263:64//M71213
 F-NT2RP1000825//Human DNA sequence from clone 116F5 on chromosome 22q13. Contains part of an unknown gene and part of a RhoGAP (CDC42 GTPase Activating Protein) LIKE gene. Contains ESTs, STSs, GSSs, genomic marker D22S1168 and a CA repeat polymorphism, complete sequence.//1.5e-77:163:96//Z93244
 20 F-NT2RP1000833//Homo sapiens cGMP-specific phosphodiesterase (PDE9A2) mRNA, complete cds.//1.3e-147:424:96//AF048837
 F-NT2RP1000834//Homo sapiens alpha-methylacyl-CoA racemase mRNA, complete cds.//1.9e-89:702:79//AF047020
 F-NT2RP1000836//Homo sapiens DNA sequence from PAC 434O14 on chromosome 1q32.3.41. Contains the
 25 HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs, complete sequence.//8.7e-169:842:96//AL022398
 F-NT2RP1000846//Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.//3.3e-15:196:76//U96629
 30 F-NT2RP1000851//Homo sapiens PAC clone 267D11 from 12, complete sequence.//1.6e-144:724:96//AC004812
 F-NT2RP1000856//Homo sapiens tetraspan TM4SF (TSPAN-3) mRNA, complete cds.//2.1e-121:591:97//AF054840
 F-NT2RP1000860//Homo sapiens KLO4P mRNA, complete cds.//6.7e-106:551:95//AF064094
 F-NT2RP1000902//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 316D5, WORKING
 35 DRAFT SEQUENCE.//0.0097:55:100//Z82199
 F-NT2RP1000915//H.sapiens genomic DNA fragment (clone J32A032R).//1.3e-30:174:97//Z94761
 F-NT2RP1000916
 F-NT2RP1000943//Hylobates lar huntingtin gene, partial exon.//0.19:103:72//L49362
 F-NT2RP1000944//HS_2179_B2_C12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2179 Col=24 Row=F, genomic survey sequence.//0.032:140:63//AQ065269
 40 F-NT2RP1000947//Mus musculus ubiquitin conjugating enzyme (ubc4) mRNA, complete cds.//3.7e-53:461:78//U62483
 F-NT2RP1000954//cSRL-143G4-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-143G4, genomic survey sequence.//0.030:89:78//B01950
 45 F-NT2RP1000958//Caenorhabditis elegans cosmid K01C8, complete sequence.//3.9e-11:445:61//Z49068
 F-NT2RP1000959//Homo sapiens PAC clone 278C19 from 12q, complete sequence.//3.3e-57:326:92//AC004263
 F-NT2RP1000966//Human nucleolin gene, complete cds.//3.4e-64:197:981//M60858
 F-NT2RP1000980//CIT-HSP-2314B10.TF CIT-HSP Homo sapiens genomic clone 2314B10, genomic survey sequence.//0.32:137:68//AQ017126
 50 F-NT2RP1000988//Human chromosome 3p21.1 gene sequence.//8.0e-72:665:80//L13435
 F-NT2RP1001011//Drosophila melanogaster DNA repair protein (mei-41) gene, complete cds, and TH1 gene, partial cds.//1.3e-31:497:65//U34925
 F-NT2RP1001013//HS_3068_B1_809_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3068 Col=17 Row=D, genomic survey sequence.//1.0e-24:414:66//AQ127667
 55 F-NT2RP1001014//HS_3252_B1_B05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3252 Col=9 Row=D, genomic survey sequence.//0.00052:83:81//AQ304711
 F-NT2RP1001033//Homo sapiens chromosome 17, clone hRPC-1073_F_15, complete sequence.//1.3e-134:241:99//AC004686

- F-NT2RP1001073//Homo sapiens PAC clone DJ1194E14 from 7p21, complete sequence.//2.5e-59:451:83//AC004993
- F-NT2RP1001079//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds.//4.5e-93:476:96//U82267
- 5 F-NT2RP1001080//Homo sapiens clone DJ0971C03, WORKING DRAFT SEQUENCE, 18 unordered pieces.//6.6e-54:217:89//AC004938
- F-NT2RP1001113
- F-NT2RP1001173
- F-NT2RP1001177//Rattus norvegicus histone macroH2A1.2 mRNA, complete cds.//8.1e-26:373:681//U79139
- 10 F-NT2RP1001185//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.5e-32:388:73//AC006039
- F-NT2RP1001199
- F-NT2RP1001247//Homo sapiens signaling molecule LEFTY-A gene, exon 1.//2.0e-29:166:96//AF081508
- F-NT2RP1001248//Homo sapiens Chromosome 11q23 PAC clone pDJ356d6, complete sequence.//7.3e-50:128:99//AC002036
- 15 F-NT2RP1001253//Homo sapiens oscillin (hLn) mRNA, complete cds.//4-3e-91:344:93//AF029914
- F-NT2RP1001286//Homo sapiens chromosome X region from filamin (FLN) gene to glucose-6-phosphate dehydrogenase (G6PD) gene, complete cds's.//0.54:292:63//L44140
- F-NT2RP1001294
- 20 F-NT2RP1001302
- F-NT2RP1001310//Rabbit skeletal muscle mRNA for ryanodine receptor.//1.5e-07:335:64//X15750
- F-NT2RP1001311//RPC11-67O14.TK RPC11 Homo sapiens genomic clone R-67O14, genomic survey sequence.//0.26:80:75//AQ239291
- F-NT2RP1001313//Homo sapiens Chromosome 11q12.2 PAC clone pDJ519o13 containing human gene for ferritin heavy chain (FTH), complete sequence.//8.8e-75:304:98//AC004228
- 25 F-NT2RP1001361//B.taurus Cl-B14.5b mRNA for NADH dehydrogenase (ubiquinone).//2.7e-57:412:84//X68647
- F-NT2RP1001385
- F-NT2RP1001395//Mus musculus COP9 complex subunit 7a (COPS7a) mRNA, complete cds.//1.4e-72:535:83//AF071316
- 30 F-NT2RP1001410//Homo sapiens DNA sequence from PAC 257I20 on chromosome 22q13.1-13.2. Contains cytochrome P450 pseudogenes CYP2D7P, CYP2D8P, CYP2D6(D),TCF20, NADH ubiquinone oxidoreductase B14 subunit, ESTs, CA repeat, STS, GSS.//5.8e-105:570:94//AL021878
- F-NT2RP1001424
- 35 F-NT2RP1001432
- F-NT2RP1001449//Homo sapiens clone 24733 mRNA sequence.//1.7e-84:422:97//AF052149
- F-NT2RP1001457//Xenopus laevis notchless (nle) mRNA, complete cds.//1.3e-47:471:73//AF069737
- F-NT2RP1001466//HS_3006_A2_D08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3006 Col=16 Row=G, genomic survey sequence.//0.56:289:60//AQ154336
- 40 F-NT2RP1001475//H.sapiens genomic DNA fragment (clone NLMA194R).//0.00011:91:79//Z95375
- F-NT2RP1001482//Mouse oncogene (ect2) mRNA, complete cds.1/4-0e-87:563:85//L11316
- F-NT2RP1001494
- F-NT2RP10015431//Drosophila melanogaster DNA sequence (P1 DS01142 (D148)), complete sequence.//1.9e-27:387:67//AC004280
- 45 F-NT2RP1001546//Homo sapiens tetraspan TM4SF (TSPAN-3) mRNA, complete cds.//8.0e-63:314:98//AF054840
- F-NT2RP1001569//Mus musculus signal recognition particle receptor beta subunit mRNA, complete cds.//1.2e-68:514:81//U17343
- F-NT2RP100T616//Human clone 23665 mRNA sequence.//7.6e-40:496:74//U90913
- 50 F-NT2RP1001665//CIT-HSP-2059N5.TF CIT-HSP Homo sapiens genomic clone 2059N5, genomic survey sequence.//2.4e-45:305:88//B69912
- F-NT2RP2000001//Homo sapiens clone 617 unknown mRNA, complete sequence.//1.5e-135:685:96//AF091081
- F-NT2RP2000006//HS_3061_B2_C03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3061 Col=6 Row=F, genomic survey sequence.//1.9e-17:394:67//AQ178856
- 55 F-NT2RP2000007//Human mRNA for KIAA0392 gene, partial cds.//3.5e-14:241:68//AB002390
- F-NT2RP2000008//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 257E24, WORKING DRAFT SEQUENCE.//1.7e-34:147:99//AL034424
- F-NT2RP2000027//Homo sapiens BAC clone RG118P15 from 8q21, complete sequence.//1.4e-32:345:75//

AC005066

F-NT2RP2000032//F.rubripes GSS sequence, clone 060E22aG10, genomic survey sequence.//5.0e-41:445:72//Z88655

F-NT2RP2000040//Homo sapiens mRNA for KIAA0747 protein, partial cds.//1.9e-76:383:97//AB018290

F-NT2RP2000045//Homo sapiens tumorous imaginal discs protein Tid56 homolog (TID1) mRNA, complete cds.//2.4e-95:467:97//AF061749

F-NT2RP2000054//CIT-HSP-2328J24.TF CIT-HSP Homo sapiens genomic clone 2328J24, genomic survey sequence.//3.3e-39:236:91//AQ043092

F-NT2RP2000056//Rat mRNA for protein tyrosine phosphatase epsilon C, partial cds.//3.2e-50:311:90//D78610

F-NT2RP2000067//Mus musculus DOC4 (Doc4) mRNA, complete cds.//3.0e-55:766:66//AF059485

F-NT2RP2000070//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//2.0e-118:597:95//AC005754

F-NT2RP2000076//Homo sapiens clone NH0263G22, complete sequence.//0.0017:423:60//AC006037

F-NT2RP2000077//Homo sapiens growth arrest specific 11 (GAS11) mRNA, complete cds.//2.1e-77:278:97//AF050079

F-NT2RP2000079//H.sapiens CpG island DNA genomic Mse1 fragment, clone 40c2, forward read cpg40c2.ft1k.//3.2e-33:197:95//Z55440

F-NT2RP2000088//Homo sapiens mRNA for KIAA0795 protein, partial cds.//2.2e-158:752:98//AB018338

F-NT2RP2000091//HS_2228_A2_B02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2228 Col=4 Row=C, genomic survey sequence.//0.26:55:90//AQ146363

F-NT2RP2000097

F-NT2RP2000098//Homo sapiens clone DJ1098J04, WORKING DRAFT SEQUENCE, 2 unordered pieces.//2.5e-05:482:60//AC004961

F-NT2RP2000108//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//1.0e-22:274:69//AC003973

F-NT2RP2000114//Homo sapiens mRNA for GM3 synthase, complete cds.//4.9e-114:551:97//AB018356

F-NT2RP2000120//HS_3000_B1_E03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3000 Col=5 Row=J, genomic survey sequence.//1.8e-21:129:97//AQ090365

F-NT2RP2000126//Homo sapiens chromodomain-helicase-DNA-binding protein mRNA, complete cds.//4.2e-119:607:96//AF054177

F-NT2RP2000133//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequence.//1.3e-07:339:63//AC004827

F-NT2RP2000147//Mouse clathrin-associated protein (AP47) mRNA, complete cds.//9.0e-101:638:85//M62419

F-NT2RP2000153//Human DNA sequence from clone 218J18 on chromosome Xp11.3-11.4. Contains the NDP (Norrie Disease (Pseudoglioma)) gene and a CC1.3 Splicing Factor pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//0.45:377:58//AL034370

F-NT2RP2000157//Homo sapiens Chr.14 PAC RPC14-794B2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//4.0e-73:317:87//AC005924

F-NT2RP2000161//CIT-HSP-2353L5.TF.1 CIT-HSP Homo sapiens genomic clone 2353L5, genomic survey sequence.//3.0e-14:123:90//AQ263431

F-NT2RP2000173

F-NT2RP2000175

F-NT2RP2000183//F.rubripes GSS sequence, clone 168M02aC2, genomic survey sequence.//3.7e-06:152:66//AL007295

F-NT2RP2000195//Human DNA sequence from clone 45I4 on chromosome 6q24.1-24.3. Contains two putative unknown genes, ESTs, STSs and GSSs, complete sequence.//7.6e-62:170:99//AL023581

F-NT2RP2000205

F-NT2RP2000208//Homo sapiens chromosome 19, overlapping cosmids R29828 and F25496, complete sequence.//7.2e-80:170:90//AC003030

F-NT2RP2000224//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, complete sequence.//5.5e-64:400:85//AC004382

F-NT2RP2000232//Human DNA sequence from PAC 196E23 on chromosome Xq26.1-27.2. Contains the TAT-SF1 (HIV-1 transcriptional elongation factor TAT cofactor TAT-SF1) gene, the BRS3 (Bombesin Receptor subtype-3 (Uterine Bombesin Receptor, BRS-3) gene, an unknown gene coding for two isoforms, a predicted CpG island, ESTs and STSs.//2.2e-07:280:66//Z97632

F-NT2RP2000233//Mus musculus tumor metastasis associated gene product (MAG) mRNA, complete cds.//8.8e-30:508:67//U88401

F-NT2RP2000239//Homo sapiens chromosome 4 clone B353C18 map 4q25, complete sequence.//4.0e-79:504:

87//AC004066
 F-NT2RP2000248
 F-NT2RP2000257//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y1E3, WORK-
 ING DRAFT SEQUENCE.//0.0078:286:60//AL021388
 5 F-NT2RP2000258//CIT-HSP-2349P21.TF CIT-HSP Homo sapiens genomic clone 2349P21, genomic survey se-
 quence.//5.7e-82:416:97//AQ059184
 F-NT2RP2000270//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//4.5e-
 29:310:73//AC006116
 F-NT2RP2000274
 10 F-NT2RP2000283//G.gallus mRNA for LRP/alpha-2-macroglobulin receptor.//6.3e-20:260:73//X74904
 F-NT2RP2000288
 F-NT2RP2000289
 F-NT2RP2000297//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//4.6e-69:744:70//
 M27877
 15 F-NT2RP2000298//Streptomyces coelicolor cosmid 2E9.//4.4e-05:502:59//AL021530
 F-NT2RP2000310//WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.1e-13:173:76//AC006082
 F-NT2RP2000327//Homo sapiens DNA sequence from PAC 434O14 on chromosome 1q32.3.-41. Contains the
 HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE
 20 pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs,
 complete sequence.//8.3e-144:731:95//AL022398
 F-NT2RP2000328//Human DNA sequence from clone 931K24 on chromosome 20p12 Contains ESTs and GSSs,
 complete sequence.//1.9e-102:555:90//AL034430
 F-NT2RP2000329//Bovine mitochondrial GTP:AMP phosphotransferase mRNA, complete cds.//6.4e-105:639:87//
 M25757
 25 F-NT2RP2000337//HS_2060_B1_E01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2060 Col=1 Row=J, genomic survey sequence.//0.78:218:60//AQ243333
 F-NT2RP2000346//Homo sapiens apoptosis associated protein (GADD34) mRNA, complete cds.//3.6e-129:627:
 97//U83981
 F-NT2RP2000369//HS_2182_B1_B11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 30 nomic clone Plate=2182 Col=21 Row=D, genomic survey sequence.//2.5e-87:421:99//AQ024835
 F-NT2RP2000412//Human DNA sequence from PAC 124O9 on chromosome 6q21. Contains DNAJ2 (HDJ1) like
 pseudogene, ESTs, STSs and GSSs.//0.72:170:65//AL021327
 F-NT2RP2000414//Homo sapiens HnRNP F protein mRNA, complete cds.//5.0e-66:375:93//L28010
 F-NT2RP2000420//Homo sapiens full-length insert cDNA YQ86E07.//9.2e-77:423:93//AF075093
 35 F-NT2RP2000422//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//2.1e-126:609:
 96//AF102265
 F-NT2RP2000438//CITBI-E1-2519O19.TR CITBI-E1 Homo sapiens genomic clone 2519O19, genomic survey se-
 quence.//0.96:61:78//AQ276878
 F-NT2RP2000448//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete sequence.//7.1e-17:341:67//
 40 AC004691
 F-NT2RP2000459//H.sapiens mRNA for imogen 38.//5.7e-21:158:87//Z68747
 F-NT2RP2000498//Human DNA sequence from PAC 435C23 on chromosome X. Contains ESTs.//3.2e-11:160:
 73//Z92844
 F-NT2RP2000503//Homo sapiens PAC clone DJ1136G13 from 7q35-q36, complete sequence.//0.0031:187:66//
 45 AC005229
 F-NT2RP2000510//Fugu rubripes GSS sequence, clone 066G04aC1, genomic survey sequence.//8.8e-07:179:
 64//AL026277
 F-NT2RP2000516//Mus musculus t complex testis-specific protein (Tctex2) gene, wild type, promoter sequence.//
 0.19:72:81//U21671
 50 F-NT2RP2000523//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 150C2, WORKING
 DRAFT SEQUENCE.//5.0e-115:570:96//AL022318
 F-NT2RP2000603//Homo sapiens mRNA for MCM3 import factor, complete cds.//8.4e-37:196:98//AB005543
 F-NT2RP2000617//Homo sapiens chromosome 19, cosmid R27377, complete sequence.//0.81:354:60//
 AC005321
 55 F-NT2RP2000634//Homo sapiens mRNA for KIAA0614 protein, partial cds.//1.3e-149:732:97//AB014514
 F-NT2RP2000644//HS_3211_A1_F06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3211 Col=11 Row=K, genomic survey sequence.//3.6e-42:282:86//AQ175486
 F-NT2RP2000656

F-NT2RP2000658//CITBI-E1-2518N15.TF CITBI-E1 Homo sapiens genomic clone 2518N15, genomic survey sequence.//0.57:141:66//AQ278386
 F-NT2RP2000668
 5 F-NT2RP2000678//Homo sapiens clone DJ0891L14, WORKING DRAFT SEQUENCE, 12 unordered pieces.//4.3e-22:433:62//AC004916
 F-NT2RP2000704//Homo sapiens Xp22-175-176 BAC GSHB-484O17 (Genome Systems Human BAC Library) complete sequence.//2.7e-22:270:75//AC005913
 F-NT2RP2000710//Drosophila melanogaster; Chromosome 2L; Region 36B1-36B3; P1 clone DS02528, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.4e-32:574:64//AC005122
 10 F-NT2RP2000715//Homo sapiens PAC clone DJ1066K24 from 7p15, complete sequence.//4.8e-113:546:98//AC004540
 F-NT2RP2000731//Homo sapiens clone DJ1106H14, WORKING DRAFT SEQUENCE, 42 unordered pieces.//0.97:115:70//AC004965
 F-NT2RP2000758//Human LIM-kinase1 and alternatively spliced LIM-kinase1 (LIMK1) gene, complete cds.//9.7e-16:162:77//U62293
 15 F-NT2RP2000764//HS_2254_B2_D07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2254 Col=14 Row=H, genomic survey sequence.//0.071:45:95//AQ068887
 F-NT2RP2000809
 F-NT2RP2000812//Egernia stokesii clone EST3 microsatellite.//0.040:158:64//AF069698
 20 F-NT2RP2000814
 F-NT2RP2000816
 F-NT2RP2000819
 F-NT2RP2000841//Human mRNA for KIAA0294 gene, complete cds.//1.1e-26:390:70//AB002292
 F-NT2RP2000842//H.sapiens mRNA for G protein-coupled receptor Edg-2.//1.2e-44:255:93//Y09479
 25 F-NT2RP2000845
 F-NT2RP2000863//Human partial cDNA sequence, clone x874; //5.9e-29:173:94//Z47045
 F-NT2RP2000880//Homo sapiens mRNA for KIAA0741 protein, complete cds.//2.4e-140:732:94//AB018284
 F-NT2RP2000892
 F-NT2RP2000931//Homo sapiens mRNA for KIAA0723 protein, complete cds.//3.4e-129:610:98//AB018266
 30 F-NT2RP2000932//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//1.8e-37:212:84//AC005014
 F-NT2RP2000938//Human DNA sequence from cosmid RJ14 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3. Contains ESTs and CpG island.//1.6e-126:682:93//Z69890
 F-NT2RP2000943//Homo sapiens mRNA for KIAA0755 protein, complete cds.//5.8e-112:533:98//AB018298
 35 F-NT2RP2000965
 F-NT2RP2000970//Homo sapiens DNA sequence from BAC 747E2 on chromosome 22q12.1. Contains ESTs, STSs and GSSs and genomic marker D22S56, complete sequence.//9.2e-101:505:96//AL021393
 F-NT2RP2000985//Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.//1.6e-72:498:82//AC005277
 40 F-NT2RP2000987//Human Chromosome 16 BAC clone CIT987SK-A-211C6, complete sequence.//7.4e-12:171:77//AC002394
 F-NT2RP2001036//Homo sapiens chromosome 17, clone HRPC1096F1, complete sequence.//1.2e-37:390:76//AC004167
 F-NT2RP2001044//HS_2253_B1_G01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2253 Col=1 Row=N, genomic survey sequence.//0.21:276:61//AQ069224
 45 F-NT2RP2001056//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488.//3.2e-144:696:97//AB007957
 F-NT2RP2001065
 F-NT2RP2001070//Rattus norvegicus pyridoxine 5'-phosphate oxidase mRNA, complete cds.//4.3e-104:775:81//U91561
 50 F-NT2RP2001081//Rattus norvegicus synaptotagmin XI mRNA, complete cds.//3.7e-69:488:82//AF000423
 F-NT2RP2001094//Human DNA sequence from PAC 410B11 on chromosome X contains STS.//7.4e-11:490:61//Z86063
 F-NT2RP2001119//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 745C22, WORKING DRAFT SEQUENCE.//5.1e-30:316:76//AL031596
 55 F-NT2RP2001127//Human mRNA for KIAA0234 gene, complete cds.//1.1e-31:519:63//D87072
 F-NT2RP2001137//HS_2193_B2_D12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2193 Col=24 Row=H, genomic survey sequence.//1.8e-11:136:78//AQ032187

- F-NT2RP2001149//Homo sapiens Chromosome 22q11.2 Cosmid Clone 2h In DGCR Region, complete sequence.//6.2e-29:247:78//AC000076
- F-NT2RP2001168//Human DNA sequence from clone 431P23 on chromosome 6q27. Contains the first coding exon of the MLLT4 gene for myeloid/lymphoid or mixed-lineage leukemia (trithorax (*Drosophila*) homolog); trans-located to, 4 (AF-6, Afadin, MLLT-4, ALL-1 fusion partner), and a Serine Palmitoyltransferase 2 (EC 2.3.1.50, Long Chain Base Biosynthesis protein 2, LCB-2, SPT-2) pseudogene. Contains ESTs, STss, GSSs, and a putative CpG island, complete sequence.//0.23:207:66//AL009178
- F-NT2RP2001173//Homo sapiens mRNA for KIAA0480 protein, complete cds.//2.3e-112:567:96//AB007949
- F-NT2RP2001174//RPC11-58L2.TK RPC11 Homo sapiens genomic clone R-58L2, genomic survey sequence.//7.6e-07:196:64//AQ237306
- F-NT2RP2001196
- F-NT2RP2001218
- F-NT2RP2001226//Homo sapiens LERK-6 (EPLG6) gene, exon 1.//1.1e-09:320:65//U92893
- F-NT2RP2001233//Human ZFP-36 mRNA for a zinc finger protein.//6.1e-71:681:72//X51760
- F-NT2RP2001245//HS_3062_B1_F07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3062 Col=13 Row=L, genomic survey sequence.//1.5e-05:268:63//AQ143177
- F-NT2RP2001268//Homo sapiens mRNA for KIAA0810 protein, partial cds.//2.5e-106:514:97//AB018353
- F-NT2RP2001277//Plasmodium falciparum chromosome 2, section 67 of 73 of the complete sequence.//0.32:183:64//AE001430
- F-NT2RP2001290//M.musculus mRNA for I47 clone.//8.6e-102:641:86//X61455
- F-NT2RP2001295//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y105E8, WORKING DRAFT SEQUENCE.//0.20:171:63//AL022594
- F-NT2RP2001312//Bovine synaptophysin mRNA, complete cds.//0.98:253:58//M22967
- F-NT2RP2001327//Human B12 protein mRNA, complete cds.//5.8e-29:359:71//M80783
- F-NT2RP2001328//CIT-HSP-2335A5.TF CIT-HSP Homo sapiens genomic clone 2335A5, genomic survey sequence.//1.3e-65:366:94//AQ038539
- F-NT2RP2001347//Homo sapiens complete genomic sequence between D16S3070 and D16S3275, containing Familial Mediterranean Fever gene disease.//3.8e-31:325:77//AJ003147
- F-NT2RP2001366//H.sapiens CpG island DNA genomic Mse1 fragment, clone 4e11, forward read cpg4e11.f1a.//1.7e-12:98:92//Z61305
- F-NT2RP2001378//HS_3054_B2_A03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3054 Col=6 Row=B, genomic survey sequence.//9.8e-17:131:89//AQ100721
- F-NT2RP2001381//Arabidopsis thaliana BAC T2L5.//0.080:434:59//AF096371
- F-NT2RP2001392//S.pristinaespiralis snbC gene & amp; snbDE gene.//0.019:267:59//Y11548
- F-NT2RP2001394//Human DNA sequence from PAC 389A20 on chromosome X contains ESTs STS, CpG islands and polymorphic CA repeat.//1.9e-16:133:78//Z93242
- F-NT2RP2001397//Bos taurus cyclin B2 (CYCB2) mRNA, complete cds.//1.3e-63:419:84//AF080219
- F-NT2RP2001420//Mus musculus nuclear protein NIP45 mRNA, complete cds.//3.1e-98:747:79//U76759
- F-NT2RP2001423//Xenopus laevis ER1 mRNA, complete cds.//3.7e-34:269:85//AF015454
- F-NT2RP2001427//Homo sapiens Chromosome 2p13 BAC Clone h173, complete sequence.//3.2e-13:164:78//AC003065
- F-NT2RP2001436//Mus musculus clone OST1784, genomic survey sequence.//3.0e-06:136:71//AF046702
- F-NT2RP2001440//cDNA sequence coding for gamma protein.//7.9e-83:553:86//E02350
- F-NT2RP2001445//P.falciparum complete gene map of plastid-like DNA (IR-A).//1.5e-09:829:57//X95275
- F-NT2RP2001449//B.taurus mRNA for cleavage and polyadenylation specificity factor.//1.3e-136:766:90//X75931
- F-NT2RP2001450
- F-NT2RP2001467
- F-NT2RP2001506//CIT-HSP-2374H21.TF CIT-HSP Homo sapiens genomic clone 2374H21, genomic survey sequence.//7.9e-14:151:80//AQ109561
- F-NT2RP2001511//Oryctolagus cuniculus translation initiation factor eIF2C mRNA, complete cds.//2.6e-22:462:64//AF005355
- F-NT2RP2001520//Homo sapiens mRNA for mitochondrial carrier protein ARALAR1.//2.0e-136:657:97//Y14494
- F-NT2RP2001526//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//1.2e-37:357:64//AC004596
- F-NT2RP2001536//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds.//1.6e-103:384:94//AF035586
- F-NT2RP2001560
- F-NT2RP2001569//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488.//4.4e-123:590:98//

AB007957
 F-NT2RP2001576//Schistocerca americana Antennapedia homeotic protein (Antp) mRNA, complete cds.//0.038:580:58//U32943
 F-NT2RP2001581//Mus musculus semaphorin VIa mRNA, complete cds.//6.5e-09:222:66//AF030430
 5 F-NT2RP2001597//Homo sapiens alpha2-C4-adrenergic receptor gene, complete cds.//0.0057:361:60//U72648
 F-NT2RP2001601//Homo sapiens mRNA for KIAA0797 protein, partial cds.//7.2e-137:647:98//AB018340
 F-NT2RP2001613
 F-NT2RP2001628//H.sapiens (xs128) mRNA, 380bp.//1.7e-15:279:68//Z36784
 F-NT2RP2001634//Homo sapiens alpha-catenin-like protein (CTNNAL1) mRNA, complete cds.//5.4e-123:606:
 10 96//AF030233
 F-NT2RP2001660//Homo sapiens putative 13 S Golgi transport complex 90kD subunit brain-specific isoform mRNA, complete cds.//4.2e-144:687:97//AF058718
 F-NT2RP2001663//H.sapiens mRNA for 2-phosphopyruvate-hydratase-alpha-enolase.//1.0e-36:372:74//X84907
 F-NT2RP2001675//S.pombe chromosome I cosmid c2G11.//0.070:507:59//Z54354
 15 F-NT2RP2001677//Mouse BAC CitbCJ7 219m7, genomic sequence, complete sequence.//2.0e-60:232:96//AC005259
 F-NT2RP2001678//HS_2007_A2_A04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2007 Col=8 Row=A, genomic survey sequence.//7.3e-62:370:91//AQ269699
 F-NT2RP2001699//RPC111-57B17.TK RPC111 Homo sapiens genomic clone R-57B17, genomic survey sequence.//0.99:141:63//AQ115592
 20 F-NT2RP2001720//Homo sapiens PAC clone DJ0167F23 from 7p15, complete sequence.//9.4e-117:604:95//AC004079
 F-NT2RP2001721//Homo sapiens DNA sequence from clone 46618 on chromosome Xq11.1-13.2. Contains an unknown gene similar to Coagulation Factor V (Activated Protein C Cofactor), Coagulation Factor VIII (Procoagulant Component) and Ceruloplasmin (EC 1.16.3.1, Ferroxidase). Contains ESTs and an STS, complete sequence.//1.0:273:61//AL030998
 25 F-NT2RP2001740//Homo sapiens Chromosome 22q11.2 Cosmid Clone 8c In DGCR Region, complete sequence.//1.0:356:62//AC000090
 F-NT2RP2001748//Human mRNA for KIAA0003 gene, complete cds.//3.7e-18:151:86//D14697
 30 F-NT2RP2001762//Homo sapiens chromosome 1, BAC CIT-HSP-292g8 (BC262482), complete sequence.//6.0e-145:715:97//AC004783
 F-NT2RP2001813//Plasmodium falciparum chromosome 2, section 15 of 73 of the complete sequence.//0.38:340:60//AE001378
 F-NT2RP2001839//HS_3000_B1_C07_MR CIT Approved Human Genomic Sperm Library D_ Homo sapiens genomic clone Plate=3000 Col=13 Row=F, genomic survey sequence.//0.026:253:60//AQ090347
 35 F-NT2RP2001861//Homo sapiens mRNA for paraplegin.//0.89:146:71//Y16610
 F-NT2RP2001869//Homo sapiens ZNF202 beta (ZNF202) mRNA, complete cds.//0.040:174:62//AF027219
 F-NT2RP2001876//Cyprinus carpio mRNA for allograft inflammatory factor-1, complete cds.//2.8e-44:483:71//AB012309
 40 F-NT2RP2001883//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//1.8e-87:496:92//AL031864
 F-NT2RP2001898//Human inositol polyphosphate 5-phosphatase (5ptase) mRNA, 3' end.//9.2e-112:633:90//M74161
 45 F-NT2RP2001900//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone R08A5, WORKING DRAFT SEQUENCE.//0.0026:360:62//Z82281
 F-NT2RP2001907//H.sapiens CpG island DNA genomic MseI fragment, clone 97f11, forward read cpg97f11.ft1a.//4.2e-26:206:84//Z64125
 F-NT2RP2001926//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//5.5e-06:621:59//AC004688
 50 F-NT2RP2001936//cSRL-47D9-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-47D9, genomic survey sequence.//3.1e-50:282:93//B04856
 F-NT2RP2001943//Drosophila melanogaster cosmid 25E8.//0.00036:248:60//AL009196
 F-NT2RP2001946//Homo sapiens clone NH0140K04, complete sequence.//3.8e-78:232:99//AC005033
 55 F-NT2RP2001947//Homo sapiens full-length insert cDNA clone ZD81B04.//2.0e-28:172:94//AF086442
 F-NT2RP2001969//H.sapiens CpG island DNA genomic MseI fragment, clone 152a8, reverse read cpg152a8.rt1a.//1.0e-20:123:99//Z59378
 F-NT2RP2001976

EP 1 074 617 A2

F-NT2RP2001985//Homo sapiens mRNA for KIAA0545 protein, partial cds.//0.0023:235:62//AB011117
 F-NT2RP2001991//Rat orphan transporter v7-3 (NTT73) mRNA, complete cds.//3.1e-35:180:80//L22022
 F-NT2RP2002025//Homo sapiens mRNA for KIAA0756 protein, partial cds.//9.8e-61:314:97//AB018299
 F-NT2RP2002032//Homo sapiens chromosome 5, Bac clone 5m9 (LBNL H220), complete sequence.//0.76:189:
 5 65//AC005895
 F-NT2RP2002033//Homo sapiens clone DJ0292L20, WORKING DRAFT SEQUENCE, 2 unordered pieces.//2.9e-
 12:160:79//AC004825
 F-NT2RP2002041//Human BAC clone RG035E18 from 7q31, complete sequence.//0.0014:123:73//AC004029
 F-NT2RP2002046//Homo sapiens Xp22 BAC GSHB-184P14 (Genome Systems Human BAC library) complete
 10 sequence.//2.2e-86:722:77//AC004552
 F-NT2RP2002047//Human DNA sequence from clone 21F7 on chromosome 6q16.1-21. Contains part of an exon
 of a putative new gene and STSs and GSSs, complete sequence.//0.13:350:61//AL033375
 F-NT2RP2002058//S.cerevisiae chromosome XII reading frame ORF YLR129w.//9.7e-11:480:60//Z73301
 F-NT2RP2002066//Rattus norvegicus transmembrane receptor Unc5H2 mRNA, complete cds.//6.5e-97:610:86//
 15 U87306
 F-NT2RP2002070//beta -ADD=adducin beta subunit 63 kda isoform/membrane skeleton protein, beta -ADD=ad-
 ducin beta subunit 63 kda isoform/membrane skeleton protein {alternatively spliced, exon 10 to 13 region} [human,
 Genomic, 1851 nt, segment 3 of 3].//0.0059:107:73//S81083
 F-NT2RP2002076//Homo sapiens clone 24804 mRNA sequence.//1.0e-127:643:96//AF052183
 20 F-NT2RP2002078//F12O16-T7.1 IGF Arabidopsis thaliana genomic clone F12016, genomic survey sequence.//
 0.14:191:64//AQ249805
 F-NT2RP2002079//Homo sapiens clone DJ0892G19, complete sequence.//0.0094:325:60//AC004917
 F-NT2RP2002099//Homo sapiens mRNA for E1B-55kDa-associated protein.//9.8e-111:533:97//AJ007509
 F-NT2RP2002105//H.sapiens CpG island DNA genomic Mse1 fragment, clone 10h8, forward read cpg10h8.ft1a.//
 25 2.4e-29:178:94//Z58857
 F-NT2RP2002124//CIT-HSP-2023E9.TF CIT-HSP Homo sapiens genomic clone 2023E9, genomic survey se-
 quence.//2.5e-32:202:92//B64468
 F-NT2RP2002137//Human plasma membrane calcium ATPase (hPMCA4) mRNA, complete cds.//0.095:319:59//
 M25874
 30 F-NT2RP2002154//Mus musculus mRNA for myosin, complete cds.//1.0:258:63//D85923
 F-NT2RP2002172//HS_3020_B1_H02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3020 Col=3 Row=P, genomic survey sequence.//1.2e-11:124:82//AQ093169
 F-NT2RP2002185//RPCI11-67B15.TJ RPCI11 Homo sapiens genomic clone R-67B15, genomic survey se-
 quence.//2.8e-18:109:100//AQ201833
 35 F-NT2RP2002192//Human PM-Scl-75 autoantigen (PM-scl1) mRNA, complete cds.//2.7e-36:363:78//U09215
 F-NT2RP2002193//Rattus norvegicus potassium channel regulatory protein KChAP mRNA, complete cds.//9.5e-
 82:477:89//AF032872
 F-NT2RP2002208
 F-NT2RP2002219//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING
 40 DRAFT SEQUENCE.//1.0:378:58//AL034557
 F-NT2RP2002231//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING
 DRAFT SEQUENCE, 5 unordered pieces.//0.60:560:56//AC005308
 F-NT2RP2002235//P.falciparum glutamic acid-rich protein gnen, complete cds.//0.59:341:60//J03998
 F-NT2RP2002252//Mus musculus mSin3A (sin3A) mRNA, complete cds.//3.5e-81:398:87//U22394
 45 F-NT2RP2002256//Homo sapiens retinoic acid hydroxylase mRNA, complete cds.//6.6e-50:315:89//AF005418
 F-NT2RP2002259//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 118J21, WORKING
 DRAFT SEQUENCE.//9.7e-67:340:89//AL033527
 F-NT2RP2002270//RPCI11-77C23.TV RPCI11 Homo sapiens genomic clone R-77C23, genomic survey se-
 quence.//2.9e-18:79:93//AQ268098
 50 F-NT2RP2002292//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 321D2, WORKING
 DRAFT SEQUENCE.//1.0:290:60//AL031033
 F-NT2RP2002312//Homo sapiens CDP-diacylglycerol synthase 2 (CDS2) mRNA, partial cds.//1.5e-93:467:96//
 AF069532
 F-NT2RP2002316//HS_2171_B2_D11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 55 nomic clone Plate=2171 Col=22 Row=H, genomic survey sequence.//7.3e-94:463:97//AQ119673
 F-NT2RP2002325//Homo sapiens mRNA for Pex11p, complete cds.//3.9e-123:640:95//AB015594
 F-NT2RP2002333
 F-NT2RP2002373//F.rubripes GSS sequence, clone 026F10aB8, genomic survey sequence.//0.46:234:61//

Z87330

F-NT2RP2002385//Homo sapiens synaptic glycoprotein SC2 spliced variant mRNA, complete cds.//9.4e-138:673:97//AF038958

F-NT2RP2002394//P.falciparum complete gene map of plastid-like DNA (IR-A).//0.79:421:56//X95275

F-NT2RP2002408//F.rubripes GSS sequence, clone 080G11aA8, genomic survey sequence.//5.7e-15:220:71//AL015615

F-NT2RP2002426//Sus scrofa SCAMP1 gene, exon 9.//7.1e-71:582:80//AJ223742

F-NT2RP2002439//Caenorhabditis elegans cosmid T07D3.//0.0018:210:67//AF016682

F-NT2RP2002442//Caenorhabditis elegans cosmid T03F1.//2.8e-18:295:67//U88169

F-NT2RP2002457//Homo sapiens Chromosome 16 BAC clone CIT987SK-44M2, complete sequence.//1.9e-06:281:66//AC004381

F-NT2RP2002464//Human mRNA for KIAA0086 gene, complete cds.//0.039:207:63//D42045

F-NT2RP2002475

F-NT2RP2002479//Homo sapiens mRNA for ABC transporter 7 protein, complete cds.//2.4e-123:607:96//AB005289

F-NT2RP2002498//Arabidopsis thaliana BAC F3D13.//0.73:395:57//AF069300

F-NT2RP2002503//Homo sapiens, clone hRPK.15_A_1, complete sequence.//7.2e-18:134:90//AC006213

F-NT2RP2002504//Homo sapiens mRNA for KIAA0791 protein, complete cds.//1.2e-157:761:97//AB018334

F-NT2RP2002520

F-NT2RP2002537

F-NT2RP2002546//Homo sapiens Chromosome 11q12 pac pDJ741n15, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.83:252:60//AC004127

F-NT2RP2002549//Human Chromosome 15q26.1 PAC clone pDJ457j11 containing DNA polymerase gamma (polg) gene, complete sequence.//5.9e-93:186:99//AC005317

F-NT2RP2002591//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//4.0e-38:175:78//Z98304

F-NT2RP2002595//Sequence 2 from patent US 5763220.//1.5e-84:430:95//AR012155

F-NT2RP2002606//Rattus norvegicus Rabin3 mRNA, complete cds.//1.9e-43:282:87//U19181

F-NT2RP2002609//Mus musculus defender against death 1 (DAD1) gene, partial cds.//1.5e-11:99:90//AF051310

F-NT2RP2002618//H.sapiens mRNA for arginine methyltransferase, splice variant, 1316 bp.//5.6e-27:460:63//Y10806

F-NT2RP2002621

F-NT2RP2002643//Rat calmodulin III gene for calmodulin, promoter region and exon 1.//0.023:322:60//D90397

F-NT2RP2002672//Homo sapiens chromosome 10 clone CIT-HSP-1326H7 map 10q24.3-10q25.1, complete sequence.//3.9e-149:794:94//AC005384

F-NT2RP2002701//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50O24, WORKING DRAFT SEQUENCE.//9.2e-10:129:75//AL034380

F-NT2RP2002706//S.griseus secA gene.//1.3e-05:311:63//Y10980

F-NT2RP2002710//Homo sapiens mRNA for KIAA0672 protein, complete cds.//2.5e-40:631:65//AB014572

F-NT2RP2002727//Rattus norvegicus tulip 2 mRNA, complete cds.//4.8e-65:600:73//AF041107

F-NT2RP2002736//S.pombe chromosome II cosmid c887.//0.17:352:58//AL033388

F-NT2RP2002740//Absidia glauca ORF, 3' end; (+) mating type surface protein (PSSP15) gene, complete cds; ORF, 5' end.//0.0073:274:66//M94861

F-NT2RP2002741//Homo sapiens mRNA for Neuroblastoma, complete cds.//7.5e-29:628:62//D89016

F-NT2RP2002750//Homo sapiens Xp22 Bins 35-37 BAC GSHB-214D18 (Genome Systems Human BAC Library) complete sequence.//3.6e-31:568:67//AC005296

F-NT2RP2002752//Human BAC clone RG317M02 from 7p15-p21, complete sequence.//1.7e-08:206:63//AC002433

F-NT2RP2002753//Human DNA sequence from cosmid B11B7 on chromosome 22 contains ESTs.//2.8e-71:195:89//Z82171

F-NT2RP2002769//Streptomyces fradiae ty lactone synthase, starter module and modules 1-7, (tylG) gene, complete cds.//0.0016:412:60//U78289

F-NT2RP2002778//CIT-HSP-2059C5.TF CIT-HSP Homo sapiens genomic clone 2059C5, genomic survey sequence.//6.8e-18:186:79//B69837

F-NT2RP2002800

F-NT2RP2002839//Homo sapiens Chromosome 11q12.2 PAC clone pDJ688p12 containing uteroglobin gene, WORKING DRAFT SEQUENCE, 11 unordered pieces.//1.2e-41:134:94//AC006078

F-NT2RP2002857//Rat T-cell receptor active beta-chain V-region (V-beta6-J-beta2.5) mRNA, partial cds, clone

TRB-4.//0.85:93:68//M18845
 F-NT2RP2002862//HS_3084_A1_H03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3084 Col=5 Row=O, genomic survey sequence.//5.0e-67:390:91//AQ186344
 F-NT2RP2002880
 5 F-NT2RP2002891//CIT-HSP-2310O14.TF CIT-HSP Homo sapiens genomic clone 2310O14, genomic survey se-
 quence.//0.11:53:90//AQ019792
 F-NT2RP2002925//Pig mRNA for carbonyl reductase, complete cds.//0.66:194:65//D16511
 F-NT2RP2002928//Homo sapiens pre-mRNA splicing factor (PRP17) mRNA, complete cds.//2.3e-135:628:99//
 AF038392
 10 F-NT2RP2002929//F.rubripes GSS sequence, clone 123123aA1, genomic survey sequence.//3.9e-06:66:83//
 AL017246
 F-NT2RP2002939
 F-NT2RP2002954
 F-NT2RP2002959//Mus musculus ubiquitin conjugating enzyme (ubc4) mRNA, complete cds.//1.3e-47:411:79//
 15 U62483
 F-NT2RP2002979//CIT-HSP-2340D12.TF CIT-HSP Homo sapiens genomic clone 2340D12, genomic survey se-
 quence.//4.6e-96:476:97//AQ057233
 F-NT2RP2002980//Sequence 20 from Patent EP0705842.//4.0e-13:100:94//A52230
 F-NT2RP2002986//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//2.4e-09:272:61//
 20 AF059569
 F-NT2RP2002987//Homo sapiens (subclone 6_d9 from P1 H21) DNA sequence, complete sequence.//1.0e-22:
 293:67//AC000958
 F-NT2RP2002993//Rattus norvegicus RNA polymerase I 127 kDa subunit mRNA, complete cds.//4.0e-74:502:84//
 AF025424
 25 F-NT2RP2003000//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE, 21 unordered pieces.//
 2.3e-46:474:76//AC004765
 F-NT2RP2003034//Homo sapiens chromosome 17, clone hRPK.849_N_15, complete sequence.//4.2e-23:202:
 82//AC005703
 F-NT2RP2003073//Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.//3.4e-59:330:82//
 30 Z83822
 F-NT2RP2003099//HS_3008_B2_C09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3008 Col=18 Row=F, genomic survey sequence.//1.4e-71:362:96//AQ089786
 F-NT2RP2003108//Sequence 59 from patent US 5773577.//0.95:123:69//AR014362
 F-NT2RP2003117//HS_2034_B2_D12_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 35 nomic clone Plate=2034 Col=24 Row=H, genomic survey sequence.//1.5e-88:461:96//AQ230797
 F-NT2RP2003121//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//4.3e-46:470:72//
 AF079765
 F-NT2RP2003125//Homo sapiens chromosome 19, cosmid R34382, complete sequence.//5.7e-10:436:61//
 AC005329
 40 F-NT2RP2003129//P.thunbergii cab gene.//0.00044:541:60//X61915
 F-NT2RP2003137//CIT-HSP-2300J6.TR CIT-HSP Homo sapiens genomic clone 2300J6, genomic survey se-
 quence.//5.0e-78:393:97//AQ012976
 F-NT2RP2003157//Human DNA sequence from cDNA 16pHQG;16 from chromosome 16p13.3.//5.4e-07:137:71//
 Z84716
 45 F-NT2RP2003158//Homo sapiens mRNA for proteasome subunit p58, complete cds.//1.8e-111:581:93//D67025
 F-NT2RP2003161//CITBI-E1-2506E20.TR CITBI-E1 Homo sapiens genomic clone 2506E20, genomic survey se-
 quence.//0.0025:156:67//AQ262657
 F-NT2RP2003164
 F-NT2RP2003165//Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemo-
 50 chromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds.//1.4e-
 43:334:79//U91328
 F-NT2RP2003177//Human signaling inositol polyphosphate 5 phosphatase SIP-110 mRNA, complete cds.//0.91:
 346:62//U50040
 F-NT2RP2003194//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 996D20, WORKING
 55 DRAFT SEQUENCE.//1.7e-108:511:90//AL031597
 F-NT2RP2003206
 F-NT2RP2003228//H.sapiens P1-Cdc21 mRNA.//2.9e-136:726:93//X74794
 F-NT2RP2003230//Rattus norvegicus endo-alpha-D-mannosidase (Enman) mRNA, complete cds.//2.6e-51:348:

86//AF023657
 F-NT2RP2003237//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING DRAFT SEQUENCE.//2.6e-56:415:83//AL031447
 F-NT2RP2003243//RPCI11-36J1.TP RPCI-11 Homo sapiens genomic clone RPCI-11-36J1, genomic survey sequence.//2.1e-16:112:93//AQ047107
 5 F-NT2RP2003265//Muridae sp. (mouse-rat, neuroblastoma-glioma hybrid cell line NGD5) mRNA, complete cds.//6.0e-114:696:87//L38481
 F-NT2RP2003272//RPCI11-67B15.TJ RPCI11 Homo sapiens genomic clone R-67B15, genomic survey sequence.//3.8e-16:110:94//AQ201833
 10 F-NT2RP2003277//Homo sapiens mRNA for KIAA0625 protein, partial cds.//1.5e-145:714:96//AB014525
 F-NT2RP2003280//RPCI11-14I2.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-14I2, genomic survey sequence.//6.4e-77:400:95//B85286
 F-NT2RP2003286//CIT-HSP-2336D3.TF CIT-HSP Homo sapiens genomic clone 2336D3, genomic survey sequence.//5.3e-29:287:73//AQ041024
 15 F-NT2RP2003293//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//1.5e-54:508:74//AC003973
 F-NT2RP2003295//Homo sapiens RMP mRNA for RPB5 meidating protein, complete cds.//6.1e-85:416:97//AB006572
 F-NT2RP2003297//S.pombe pho2 gene for specific p-nitrophenylphosphatase.//0.60:309:64//X62722
 20 F-NT2RP2003307//Mus musculus kinesin light chain 2 (Klc2) mRNA, complete cds.//1.0e-45:442:75//AF055666
 F-NT2RP2003308//D.melanogaster crn mRNA.//1.1e-63:697:70//X58374
 F-NT2RP2003329//Homo sapiens chromosome 17, clone hCIT.131_K_11, complete sequence.//0.040:145:64//AC005288
 F-NT2RP2003339
 25 F-NT2RP2003347//Plasmodium falciparum MAL3P7, complete sequence.//0.12:275:60//AL034559
 F-NT2RP2003367//Homo sapiens chromosome 4 clone B368A9 map 4q25, complete sequence.//0.83:225:63//AC005510
 F-NT2RP2003391
 F-NT2RP2003393//HS_3218_A2_B09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3218 Col=18 Row=C, genomic survey sequence.//0.021:93:79//AQ204356
 30 F-NT2RP2003394
 F-NT2RP2003401
 F-NT2RP2003433//Rattus rattus sec61 homologue mRNA, complete cds.//4.2e-61:533:75//M96630
 F-NT2RP2003445//Homo sapiens genomic DNA, chromosome 21q11.1, segment 1/5, WORKING DRAFT SE-
 35 QUENCE.//2.1e-49:301:72//AP000023
 F-NT2RP2003446
 F-NT2RP2003456//Rickettsia prowazekii strain Madrid E, complete genome; segment 3/4.//0.0018:366:60//AJ235272
 F-NT2RP2003466//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1 gene, complete sequence.//7.5e-16:189:68//AC004770
 40 F-NT2RP2003480//Mouse interleukin 2 receptor (p55 IL-2R) mRNA, 5' end.//1.9e-25:197:85//M21977
 F-NT2RP2003499 2.1e-08:408:61//AB000826
 F-NT2RP2003506//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12 unordered pieces.//1.9e-33:192:96//AC005236
 45 F-NT2RP2003511//Ceratopteris richardii mRNA for CRHB11, partial cds.//1.0:328:60//AB013801
 F-NT2RP2003513//Human mRNA for KIAA0270 gene, partial cds.//7.3e-76:403:93//D87460
 F-NT2RP2003517//Human osteosarcoma cell line U-2 OS mRNA fragment for PDGF-B chain (PDGF= platelet-derived growth factor).//1.5e-24:151:95//X03702
 F-NT2RP2003522//Mouse interleukin 2 receptor (p55 IL-2R) mRNA, 5' end.//1.3e-101:564:91//M21977
 50 F-NT2RP2003533//Human DNA sequence from cosmid F1121 on chromosome 6.//2.0e-40:315:75//Z80899
 F-NT2RP2003543
 F-NT2RP2003559//H.sapiens CpG island DNA genomic Mse1 fragment, clone 90a5, reverse read cpg90a5.rt1a.//1.1e-20:122:99//Z56144
 F-NT2RP2003564//Human 52-kD ribonucleoprotein Ro/SSA mRNA, complete cds.//8.8e-27:664:63//M34551
 55 F-NT2RP2003567//Homo sapiens mRNA for KIAA0462 protein, partial cds.//4.1e-113:541:98//AB007931
 F-NT2RP2003581
 F-NT2RP2003596//F.rubripes GSS sequence, clone 036L10aF12, genomic survey sequence.//J1.9e-11:210:65//AL012756

- F-NT2RP2003604//Homo sapiens alpha-catenin-like protein (CTNNAL1) mRNA, complete cds.//1.9e-123:587:98//AF030233
- F-NT2RP2003629
- 5 F-NT2RP2003643//Mus musculus mRNA for CMP-N-acetylneuraminic acid synthetase.//7.8e-88:582:84//AJ006215
- F-NT2RP2003668//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18 unordered pieces.//5.6e-47:335:83//AC005081
- F-NT2RP2003687//Homo sapiens Xp22 BAC GSHB-519E5 (Genome Systems Human BAC library) complete sequence.//1.2e-06:133:74//AC003684
- 10 F-NT2RP2003691//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 525L6, WORKING DRAFT SEQUENCE.//1.7e-47:337:81//AL023807
- F-NT2RP2003702//Rattus norvegicus ovarian-specific protein mRNA, complete cds.//1.3e-65:458:82//U44803
- F-NT2RP2003704//H.sapiens CpG island DNA genomic Mse1 fragment, clone 2a9, reverse read cpg2a9.rt1e.//3.8e-17:170:84//Z60615
- 15 F-NT2RP2003706//Homo sapiens mRNA for KIAA0525 protein, partial cds.//2.6e-108:518:98//AB011097
- F-NT2RP2003713//HS_2016_B1_B05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2016 Col=9 Row=D, genomic survey sequence.//1.3e-11:102:90//AQ226895
- F-NT2RP2003714//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//1.4e-27:249:78//AC003973
- 20 F-NT2RP2003727//RPC111-77I19.TV RPC111 Homo sapiens genomic clone R-77I19, genomic survey sequence.//3.4e-26:294:74//AQ268303
- F-NT2RP2003737//Homo sapiens clone DJ1022I14, WORKING DRAFT SEQUENCE, 14 unordered pieces.//2.6e-74:194:91//AC004951
- 25 F-NT2RP2003751//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-911E12, complete sequence.//1.7e-92:165:96//AC003964
- F-NT2RP2003760//B.primigenius mRNA for coat protein gamma-cop.//4.5e-76:696:73//X92987
- F-NT2RP2003764//Homo sapiens gene for MTG16, exon 1b, partial sequence.//1.0:109:69//AB013275
- F-NT2RP2003769
- 30 F-NT2RP2003770//Homo sapiens chromosome 17, clone hRPC.1050_D_4, complete sequence.//3.0e-96:467:98//AC004771
- F-NT2RP2003777
- F-NT2RP2003781//tricarboxylate carrier [rats, liver, mRNA Partial, 2986 nt].//7.2e-107:731:82//S70011
- F-NT2RP2003793//CIT-HSP-2326L12.TF CIT-HSP Homo sapiens genomic clone 2326L12, genomic survey sequence.//7.0e-20:124:95//AQ038761
- 35 F-NT2RP2003825//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete sequence.//8.9e-06:151:74//AC004491
- F-NT2RP2003840//Arabidopsis thaliana chromosome II BAC F12A24 genomic sequence, complete sequence.//0.018:145:69//AC005167
- 40 F-NT2RP2003857//HS_3227_A2_G04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3227 Col=8 Row=M, genomic survey sequence.//0.96:257:61//AQ303467
- F-NT2RP2003859
- F-NT2RP2003871//Homo sapiens 12q24 PAC RPC11-74B13 (Roswell Park Cancer Institute Human PAC library) complete sequence.//2.0e-12:369:65//AC002375
- 45 F-NT2RP2003885//CITBI-E1-2514D6.TF CITBI-E1 Homo sapiens genomic clone 2514D6, genomic survey sequence.//0.13:167:64//AQ265722
- F-NT2RP2003912//nek1=serine/threonine- and tyrosine-specific protein kinase [mice, erythroleukemia cells, mRNA, 4263 nt].//1.3e-136:838:86//S45828
- F-NT2RP2003952
- 50 F-NT2RP2003968//Homo sapiens hUBP mRNA for ubiquitin specific protease, complete cds.//2.1e-28:165:96//AB014458
- F-NT2RP2003976//Human DNA sequence from clone 283E3 on chromosome 1p36.21-36.33. Contains the alternatively spliced gene for Matrix Metalloproteinase in the Female Reproductive tract MIFR1, -2, MMP21/22A, -B and -C, a novel gene, the alternatively spliced CDC2L2 gene for Cell Division Cycle 2-Like 2 (PITSLRE, p58/GTA, Galactosyltransferase Associated Protein Kinase) beta 1, beta 2-1, beta 2-2 and alpha 2-4, a 40S Ribosomal Protein S7 pseudogene, part of the KIAA0447 gene, a novel alternatively spliced gene similar to many (archae) bacterial, worm and yeast hypothetical genes, and the GNB1 gene for Guanine Nucleotide Binding Protein (G protein), Beta polypeptide 1 (Transducin Beta chain 1). Contains putative CpG islands, ESTs, STSs and GSSs, complete sequence.//2.6e-24:298:74//AL031282
- 55

F-NT2RP2003981//Homo sapiens mRNA for KIAA0804 protein, partial cds.//9.9e-160:783:96//AB018347
 F-NT2RP2003984
 F-NT2RP2003986//Human Chromosome 11 pac pDJ197h17, WORKING DRAFT SEQUENCE, 11 unordered pieces.//1.7e-26:260:77//AC000382
 5 F-NT2RP2003988//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//9.1e-61:701:70//AL031681
 F-NT2RP2004013//Human DNA sequence from clone 372K1 on chromosome 6q24 Contains EST, STS, GSS and CpG Island, complete sequence.//3.0e-123:693:91//AL023580
 F-NT2RP2004014
 10 F-NT2RP2004041//Homo sapiens chromosome 19, cosmid F17127, complete sequence.//5.8e-83:427:87//AC004780
 F-NT2RP2004042
 F-NT2RP2004066//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 134O19, WORKING DRAFT SEQUENCE.//5.6e-110:528:98//AL034555
 15 F-NT2RP2004081
 F-NT2RP2004098//HS_2216_A1_B12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2216 Col=23 Row=C, genomic survey sequence.//1.0e-07:86:84//AQ145694
 F-NT2RP2004124//HS_3064_B2_A04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=8 Row=B, genomic survey sequence.//3.0e-25:155:94//AQ136993
 20 F-NT2RP2004142//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K8K14, complete sequence.//1.0:220:62//AB007645
 F-NT2RP2004152//Drosophila melanogaster DNA sequence (P1 DS02252 (D97)), complete sequence.//0.93:480:56//AC002493
 F-NT2RP2004165//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.051:265:61//AC005140
 25 F-NT2RP2004170//Homo sapiens distal-less homeobox protein (DLX7) gene, complete cds.//1.0:162:66//AF028235
 F-NT2RP2004172//S.pombe chromosome II cosmid c24E9.//1.7e-06:466:59//AL021816
 F-NT2RP2004187//Homo sapiens full-length insert cDNA YQ86E07.//3.5e-17:354:64//AF075093
 30 F-NT2RP2004194//Rattus norvegicus Golgi SNARE GS15 mRNA, complete cds.//9.4e-53:397:82//AF003998
 F-NT2RP2004196
 F-NT2RP2004207//Human von Willebrand factor pseudogene corresponding to exons 23 through 34.//0.0023:386:61//M60676
 F-NT2RP2004226//HS_2186_A1_D03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2186 Col=5 Row=G, genomic survey sequence.//7.8e-58:370:87//AQ063813
 35 F-NT2RP2004232//H.sapiens mRNA for protein kinase C mu.//1.2e-34:448:67//X75756
 F-NT2RP2004239//Homo sapiens lok mRNA for protein kinase, complete cds.//5.2e-108:510:99//AB015718
 F-NT2RP2004240//Pyrococcus horikoshii OT3 genomic DNA, 1166001-1485000 nt. position (6/7).//1.1e-12:489:61//AP000006
 40 F-NT2RP2004242
 F-NT2RP2004245
 F-NT2RP2004270//Streptomyces coelicolor cosmid 1A9.//7.5e-07:462:62//AL034446
 F-NT2RP2004300//Homo sapiens chromosome 19, cosmid R33632, complete sequence.//3.5e-11:299:64//AC005781
 45 F-NT2RP2004316//Homo sapiens EXT-like protein 2 (EXTL2) mRNA, complete cds.//4.5e-150:735:97//AF000416
 F-NT2RP2004321//Drosophila melanogaster DNA sequence (P1 DS02110 (D147)), complete sequence.//0.98:267:59//AC004423
 F-NT2RP2004339//Human Chromosome 16 BAC clone CIT987SK-A-355G7, complete sequence.//1.6e-40:419:75//AC002519
 50 F-NT2RP2004347//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//1.2e-72:439:82//AL031650
 F-NT2RP2004364
 F-NT2RP2004365
 F-NT2RP2004366//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//0.92:427:57//AL031864
 55 F-NT2RP2004373//Homo sapiens cosmids Qc15C1 and 94B6 from Xq28, complete sequence.//2.6e-26:493:65//AF035397

F-NT2RP2004389//HS_2183_B2_H04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2183 Col=8 Row=P, genomic survey sequence.//2.9e-11:83:96//AQ063969
 F-NT2RP2004392
 5 F-NT2RP2004396//Homo sapiens BAC clone RG135C18 from 7q21, complete sequence.//1.1e-171:875:95//
 AC005164
 F-NT2RP2004399//Homo sapiens SYBL1 gene.//1.4e-24:467:64//AJ004799
 F-NT2RP2004400//Arabidopsis thaliana BAC T19B17 from chromosome IV, near 19.3 cM, complete sequence.//
 0.00074:455:59//AF069441
 F-NT2RP2004412//H.sapiens CpG island DNA genomic Mse1 fragment, clone 34g4, reverse read cpg34g4.rt1a.//
 10 5.0e-27:154:98//Z65369
 F-NT2RP2004425
 F-NT2RP2004463//Streptomyces coelicolor cosmid 2E9.//0.0053:196:65//AL021530
 F-NT2RP2004476//Drosophila melanogaster cosmid 67A9.//5.2e-15:377:63//AL034388
 F-NT2RP2004490//Homo sapiens chromosome 16, P1 clone 94-10H (LANL), complete sequence.//4.3e-100:497:
 15 97//AC005591
 F-NT2RP2004512//Plasmodium falciparum MAL3P5, complete sequence.//2.3e-07:815:57//AL034556
 F-NT2RP2004523//Homo sapiens clone DJ0800G07, complete sequence.//8.5e-138:718:95//AC004890
 F-NT2RP2004538//Homo sapiens mRNA for KIAA0591 protein, partial cds.//1.4e-137:687:96//AB011163
 F-NT2RP2004551//CIT-HSP-2387G7.TF.1 CIT-HSP Homo sapiens genomic clone 2387G7, genomic survey se-
 20 quence.//2.1e-85:484:91//AQ239555
 F-NT2RP2004568//H.vulgare GAA-satellite DNA.//2.0e-07:292:62//Z50100
 F-NT2RP2004580//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING
 DRAFT SEQUENCE.//4.5e-44:512:72//AL023755
 F-NT2RP2004587//Candida albicans cytoskeleton assembly control protein (SLA2) gene, partial cds.//1.0:344:
 25 56//AF092908
 F-NT2RP2004594//nbxb0019H13r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0019H13r, genomic
 survey sequence.//0.053:324:60//AQ258020
 F-NT2RP2004600
 F-NT2RP2004602//Homo sapiens chromosome 19, cosmid F21431, complete sequence.//0.12:109:73//
 30 AC005176
 F-NT2RP2004614
 F-NT2RP2004655//Homo sapiens mRNA for leucine rich protein.//2.6e-102:496:98//AJ006291
 F-NT2RP2004664//Homo sapiens mRNA for KIAA0460 protein, partial cds.//1.6e-153:728:98//AB007929
 F-NT2RP2004675//Homo sapiens chromosome 12q24.1, WORKING DRAFT SEQUENCE, 33 unordered pieces.//
 35 0.092:239:61//AC005805
 F-NT2RP2004681//Human DNA sequence from clone 51J23 on chromosome Xq26.3-27.3. Contains an EST and
 GSSs, complete sequence.//1.0:236:61//AL031312
 F-NT2RP2004689//Homo sapiens mRNA for KIAA0625 protein, partial cds.//1.3e-59:327:94//AB014525
 F-NT2RP2004709//HS_2033_B2_E04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 40 nomic clone Plate=2033 Col=8 Row=J, genomic survey sequence.//1.9e-15:187:74//AQ230714
 F-NT2RP2004710//HS_3185_82_D07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3185 Col=14 Row=H, genomic survey sequence.//9.9e-10:110:84//AQ172885
 F-NT2RP2004736//Homo sapiens mRNA for KIAA0478 protein, complete cds.//6.4e-117:582:96//AB007947
 F-NT2RP2004743//Human DNA sequence from PAC 37M17 chromosome X.//0.14:138:71//Z78022
 45 F-NT2RP2004767//H.sapiens CpG island DNA genomic Mse1 fragment, clone 65c11, reverse read
 cpg65c11.rt1a.//1.3e-24:217:81//Z62210
 F-NT2RP2004768//Homo sapiens STE20-like kinase 3 (mst-3) mRNA, complete cds.//1.6e-45:541:71//AF024636
 F-NT2RP2004775//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//5.8e-13:
 697:59//AE001398
 50 F-NT2RP2004791//Human HeLa mRNA isolated as a false positive in a two-hybrid screen.//5.0e-53:353:84//
 U56252
 F-NT2RP2004799//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//
 1.5e-116:594:95//AF058953 F-NT2RP2004802
 F-NT2RP2004816//Homo sapiens H beta 58 homolog mRNA, complete cds.//2.1e-101:495:97//AF054179
 55 F-NT2RP2004841//Human DNA sequence from cosmid J138O17, between markers DXS6791 and DXS8038 on
 chromosome X contains EST CA repeat and an endogenous retroviral like element.//7.6e-82:531:84//Z72519
 F-NT2RP2004861//Fugu rubripes GSS sequence, clone 040O17bA3, genomic survey sequence.//0.96:183:64//
 AL025645

- F-NT2RP2004897//Human Chromosome X clone bWDX187, complete sequence.//4.8e-142:710:96//AC004383
 F-NT2RP2004933//Homo sapiens mRNA for ZIP-kinase, complete cds.//2.0e-82:418:95//AB007144
 F-NT2RP2004936
 5 F-NT2RP2004959//HS_3197_A2_G11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3197 Col=22 Row=M, genomic survey sequence.//3.5e-25:218:83//AQ150183
 F-NT2RP2004961//Rattus norvegicus KRAB/zinc finger suppressor protein 1 (KS1) mRNA, complete cds.//2.5e-59:339:79//U56732
 F-NT2RP2004962//Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds.//3.6e-19:187:72//U91328
 10 F-NT2RP2004967//Plasmodium falciparum MAL3P6, complete sequence.//0.0020:297:61//Z98551
 F-NT2RP2004978//Chlamydomonas reinhardtii VSP-3 mRNA, complete cds.//0.22:162:69//L29029
 F-NT2RP2004982//F26D4-Sp6 IGF Arabidopsis thaliana genomic clone F26D4, genomic survey sequence.//0.13:273:61//B12642
 15 F-NT2RP2004985//Human mRNA for KIAA0144 gene, complete cds.//1.5e-20:431:65//D63478
 F-NT2RP2004999
 F-NT2RP2005000//R.rattus gene for beta-1 subunit of Na,K-ATPase.//0.019:240:63//X63375
 F-NT2RP2005001//Homo sapiens mRNA for KIAA0615 protein, complete cds.//6.0e-159:782:97//AB014515
 F-NT2RP2005003//H.sapiens Staf50 mRNA.//3.1e-42:430:75//X82200
 20 F-NT2RP2005012//Homo sapiens SEC63 (SEC63) mRNA, complete cds.//1.4e-98:501:96//AF100141
 F-NT2RP2005018//Homo sapiens PAC clone DJ0659J06 from 7q33-q35, complete sequence.//1.0:209:63//AC004849
 F-NT2RP2005020
 F-NT2RP2005022//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE, 2 unordered pieces.//3.0e-43:98:93//AC000380
 25 F-NT2RP2005031//HS_2052_B2_G10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2052 Col=20 Row=N, genomic survey sequence.//0.019:363:61//AQ231464
 F-NT2RP2005037//Human 3' of immunoglobulin heavy chain locus (IGHA2) gene.//0.70:174:65//U64454
 F-NT2RP2005038//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete sequence.//0.20:519:57//AC005696
 30 F-NT2RP2005108
 F-NT2RP2005116//Homo sapiens mRNA for KIAA0664 protein, partial cds.//2.0e-103:495:98//AB014564
 F-NT2RP2005126//H.sapiens mRNA for RNA helicase (Myc-regulated dead box protein).//2.9e-27:157:98//X98743
 35 F-NT2RP2005139//Amycolatopsis mediterranei genes encoding rifamycin polyketide synthases, ORFs 1 to 5.//0.00024:547:59//AJ223012
 F-NT2RP2005140//Homo sapiens chromosome 21, Neurofibromatosis 1 (NF1) related locus, complete sequence.//0.95:191:62//AC004527
 F-NT2RP2005144//Homo sapiens tubby like protein 3 (TULP3) mRNA, complete cds.//2.6e-89:447:96//AF045583
 40 F-NT2RP2005147//HS_3184_A1_E01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3184 Col=1 Row=I, genomic survey sequence.//0.10:294:60//AQ252226
 F-NT2RP2005159//H.sapiens CpG island DNA genomic MseI fragment, clone 132g6, forward read cpg132g6.ft1a.//1.1e-13:93:97//Z59162
 F-NT2RP2005162//Caenorhabditis elegans cosmid F01F1.//2.6e-20:394:64//U13070
 45 F-NT2RP2005168//Homo sapiens mRNA for E1B-55kDa-associated protein.//1.4e-125:633:96//AJ007509
 F-NT2RP2005204//Arabidopsis thaliana ubiquitin activating enzyme (UBA1) gene, complete cds.//0.00016:316:60//U80808
 F-NT2RP2005227//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//0.51:52:92//AC005189
 50 F-NT2RP2005239//S.pombe chromosome II cosmid c21D10.//1.3e-22:356:67//AL031536
 F-NT2RP2005254
 F-NT2RP2005270//H.sapiens genomic DNA (chromosome 3; clone NL197R).//0.58:132:65//X87513
 F-NT2RP2005276//Rat mRNA for brain acyl-CoA synthetase II, complete cds.//9.0e-103:656:85//D30666
 F-NT2RP2005287//Cavia porcellus zinc finger protein (zfoC1) mRNA, complete cds.//3.4e-37:302:84//L26335
 55 F-NT2RP2005288//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds.//7.1e-122:604:96//AF060219
 F-NT2RP2005289//Homo sapiens mRNA for XRP2 protein.//4.0e-140:670:98//AJ007590
 F-NT2RP2005293//HS_3245_B1_E10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-

nomic clone Plate=3245 Col=19 Row=J, genomic survey sequence.//8.2e-37:223:92//AQ217454
 F-NT2RP2005315//Homo sapiens mRNA for KIAA0676 protein, partial cds.//1.1e-95:483:96//AB014576
 F-NT2RP2005325//Human LIM-homeobox domain protein (hLH-2) mRNA, complete cds.//8.2e-22:166:90//
 U11701
 5 F-NT2RP2005336//Homo sapiens snRNA activating protein complex 190kD subunit (SNAP190) mRNA, complete
 cds.//0.39:353:62//AF032387
 F-NT2RP2005344//Homo sapiens mRNA for KIAA0566 protein, partial cds.//8.8e-29:456:66//AB011138
 F-NT2RP2005354//Human DNA sequence from PAC 435C23 on chromosome X. Contains ESTs.//0.72:431:61//
 Z92844
 10 F-NT2RP2005358//Homo sapiens methyl-CpG binding protein MBD3 (MBD3) mRNA, complete cds.//4.7e-99:489:
 96//AF072247
 F-NT2RP2005360//Pan troglodytes huntingtin gene, partial exon.//0.93:105:67//L49358
 F-NT2RP2005393//Rat parathyroid hormone receptor mRNA, complete cds.//2.4e-08:97:83//M77184
 F-NT2RP2005407
 15 F-NT2RP2005436//Homo sapiens chromosome 16, cosmid clone 2H2 (LANL), complete sequence.//0.014:235:
 62//AC005346
 F-NT2RP2005441//CIT-HSP-2338P5.TR CIT-HSP Homo sapiens genomic clone 2338P5, genomic survey se-
 quence.//4.0e-107:532:97//AQ055548
 F-NT2RP2005453//F21C16TFC IGF Arabidopsis thaliana genomic clone F21C16, genomic survey sequence.//
 20 1.0:239:61//B97865
 F-NT2RP2005457//B.taurus Cl-B14.5b mRNA for NADH dehydrogenase (ubiquinone).//4.7e-25:245:79//X68647
 F-NT2RP2005464//Human DNA sequence from clone 836E8 on chromosome 20p12 Contains EST, CA repeat,
 STS, GSS, retroviral sequence, complete sequence.//4.6e-111:724:86//AL031679
 F-NT2RP2005465//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//6.5e-
 25 18:152:75//AC006116
 F-NT2RP2005472//Human DNA sequence from clone 1118D24 on chromosome 1p36.11-36.33. Contains part of
 a novel gene similar to worm genes T08G11.1 and C25H3.9, part of a 60S Ribosomal Protein L10 LIKE (pseudo)
 gene and two 3' exons of the TNFR2 gene for Tumor Necrosis Factor Receptor 2 (75 kD) (TNF Binding Protein 2,
 TBPII, TNF-R2, CD120B, TNFR). Contains ESTs, STSs, GSSs, genomic marker D1S434 and a ca repeat poly-
 30 morphism, complete sequence.//4.4e-12:89:97//AL031276
 F-NT2RP2005476//Homo sapiens BAC clone RG293F17 from 7p15-p21, complete sequence.//4.3e-40:463:73//
 AC004130
 F-NT2RP2005490//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//
 3.2e-115:228:99//AC006030
 35 F-NT2RP2005491//HS_2253_A2_G10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2253 Col=20 Row=M, genomic survey sequence.//4.6e-23:234:80//AQ116847
 F-NT2RP2005495
 F-NT2RP2005496//HS_3064_A1_F08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3064 Col=15 Row=K, genomic survey sequence.//5.3e-90:436:98//AQ143097
 40 F-NT2RP2005498//Rabbit protein phosphatase 2A beta subunit mRNA, complete cds.//1.4e-63:503:78//M64931
 F-NT2RP2005501//Homo sapiens chromosome 10 clone CIT987SK-1143A11 map 10q25, complete sequence.//
 0.86:183:63//AC005880
 F-NT2RP2005509//Homo sapiens cosmid LM1937 from Xq28.//1.0:160:65//U82695
 F-NT2RP2005520//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds.//3.9e-81:
 45 444:92//AF092563
 F-NT2RP2005525//Homo sapiens mRNA for KIAA0764 protein, complete cds.//6.9e-18:112:99//AB018307
 F-NT2RP2005531//Human structural protein 4.1 mRNA, complete cds.//1.1e-06:282:60//M14993
 F-NT2RP2005539//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//2.9e-153:747:97//AJ012449
 F-NT2RP2005540//Homo sapiens mRNA for KIAA0494 protein, complete cds.//5.9e-130:618:98//AB007963
 50 F-NT2RP2005549//Mus musculus clone OST142, genomic survey sequence.//3.1e-43:277:89//AF046734
 F-NT2RP2005555//HS_2188_A2_D04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2188 Col=8 Row=G, genomic survey sequence.//8.0e-05:195:65//AQ086723
 F-NT2RP2005557//Homo sapiens clone 486790 diphosphoinositol polyphosphate phosphohydrolase mRNA,
 complete cds.//2.5e-44:473:71//AF062529
 55 F-NT2RP2005581//Homo sapiens BAC clone GS180J15 from 7q31, complete sequence.//0.99:213:65//AC005016
 F-NT2RP2005600//H.sapiens CpG island DNA genomic MseI fragment, clone 172d12, reverse read
 cpg172d12.rt1a.//0.32:134:63//Z57359
 F-NT2RP2005605

F-NT2RP2005620//Homo sapiens epsin 2a mRNA, complete cds.//9.8e-91:447:97//AF062085
 F-NT2RP2005622
 F-NT2RP2005635//Saccharomyces cerevisiae chromosome VIII cosmid 9205.//8.6e-17:411:61//U10556
 F-NT2RP2005637//NAT1 (NAT1*10)=acetyltransferase 1 {3' region, polyadenylation polymorphism} [human, unre-
 5 related Caucasians, mRNA Partial Mutant, 300 nt].//0.22:156:65//S78829
 F-NT2RP2005640//Mouse U6 RNA gene.//5.5e-19:249:76//X06980
 F-NT2RP2005645//HS_2201_B2_D07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2201 Col=14 Row=H, genomic survey sequence.//0.30:159:65//AQ066763
 F-NT2RP2005651//H.sapiens DNA sequence.//0.00037:150:66//Z22493
 10 F-NT2RP2005654//Homo sapiens mRNA for KIAA0288 gene, complete cds.//4.7e-07:351:62//AB006626
 F-NT2RP2005669//Homo sapiens KE05 protein mRNA, complete cds.//8.2e-98:472:98//AF064605
 F-NT2RP2005675//Homo sapiens growth suppressor related (DOC-1R) mRNA, complete cds.//2.4e-94:462:98//
 AF089814
 F-NT2RP2005683//HS-1024-B1-H05-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone
 15 Plate=CT 803 Col=9 Row=P, genomic survey sequence.//0.99:156:64//B34405
 F-NT2RP2005690//Human pyrroline 5-carboxylate reductase mRNA, complete cds.//7.7e-10:328:61//M77836
 F-NT2RP2005694
 F-NT2RP2005701//Homo sapiens 12p13.3 BAC RPCI11-288K12 (Roswell Park Cancer Institute Human BAC Li-
 brary) complete sequence.//0.72:160:65//AC005183
 20 F-NT2RP2005712//Homo sapiens mRNA for KIAA0799 protein, partial cds.//1.6e-124:599:97//AB018342
 F-NT2RP2005719//R.norvegicus mRNA for metallothionein-III.//0.86:117:64//X89603
 F-NT2RP2005722//Human zinc finger protein ZNF136.//2.6e-44:415:77//U09367
 F-NT2RP2005723//Human BAC clone GS542D18 from 7q31-q32, complete sequence.//6.9e-15:153:81//
 AC002528
 25 F-NT2RP2005726//Homo sapiens clone DJ0577P23, WORKING DRAFT SEQUENCE, 28 unordered pieces.//
 5.1e-41:138:95//AC005627
 F-NT2RP2005732//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 291J10, WORKING
 DRAFT SEQUENCE.//0.61:303:60//Z93017
 F-NT2RP2005741//Homo sapiens PALM gene, exon 1 and joined CDS.//0.52:116:67//Y16270
 30 F-NT2RP2005748//Human Kox11 mRNA for zinc finger protein, partial.//0.11:136:66//X52342
 F-NT2RP2005752//Homo sapiens TNFR-related death receptor-6 (DR6) mRNA, complete cds.//7.8e-22:134:96//
 AF068868
 F-NT2RP2005753//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//1.2e-100:486:98//
 AF082516
 35 F-NT2RP2005763//Human mRNA for KIAA0111 gene, complete cds.//0.00073:425:56//D21853
 F-NT2RP2005767//G.gallus PB1 gene.//2.1e-73:544:80//X90849
 F-NT2RP2005773//Human pyrroline 5-carboxylate reductase mRNA, complete cds.//6.2e-15:153:82//M77836
 F-NT2RP2005775//Sus scrofa mRNA for soluble angiotensin-binding protein, complete cds.//1.2e-121:649:88//
 D11336
 40 F-NT2RP2005781//Pseudomonas aeruginosa gene for MexX and MexY, complete cds.//0.96:184:60//AB015853
 F-NT2RP2005784//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING
 DRAFT SEQUENCE.//1.9e-63:222:96//AL034423
 F-NT2RP2005804//Oryza sativa glycine-rich protein (OSGRP1) mRNA, complete cds.//2.6e-07:232:64//
 AF010579
 45 F-NT2RP2005812
 F-NT2RP2005815//Streptomyces sp. gene for alkaline serine protease I.//0.031:358:59//X74103
 F-NT2RP2005835//Rattus norvegicus mRNA for p47, complete cds.//2.5e-107:449:91//AB002086
 F-NT2RP2005841//Human DNA sequence from cosmid U209G1 on chromosome X.//5.1e-05:144:73//Z68873
 F-NT2RP2005853//RPCI11-24D4.TKBF RPCI-11 Homo sapiens genomic clone RPCI-11-24D4, genomic survey
 50 sequence.//6.4e-13:130:85//AQ013490
 F-NT2RP2005857//Homo sapiens chromosome-associated protein-C (hCAP-C) mRNA, partial cds.//1.7e-174:
 829:98//AF092564
 F-NT2RP2005859//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 914P20, WORKING
 DRAFT SEQUENCE.//0.25:174:62//AL034553
 55 F-NT2RP2005868//Fugu rubripes GSS sequence, clone 103I24aF4, genomic survey sequence.//7.8e-06:92:79//
 AL027276
 F-NT2RP2005886//HS_3187_A2_D08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3187 Col=16 Row=G, genomic survey sequence.//7.1e-95:494:95//AQ155885

EP 1 074 617 A2

F-NT2RP2005890//Mouse oncogene (ect2) mRNA, complete cds.//2.7e-32:660:66//L11316
F-NT2RP2005901//H.sapiens CpG island DNA genomic Mse1 fragment, clone 15b5, reverse read cpg15b5.rt1a.//
0.0026:66:84//Z54729
5 F-NT2RP2005908//Homo sapiens 12q13.1 PAC RPCI3-197B17 (Roswell Park Cancer Institute Human PAC li-
brary) complete sequence.//6.4e-49:481:75//AC004241
F-NT2RP2005933//Rattus norvegicus nucleoporin p54 mRNA, complete cds.//6.6e-61:657:73//U63840
F-NT2RP2005942//H.sapiens PAP mRNA.//1.6e-46:618:67//X76770
F-NT2RP2005980//Homo sapiens chromosome 17, clone hRPC.1081_P_3, complete sequence.//1.0e-48:533:
71//AC005207
10 F-NT2RP2006023//HS_3048_A1_A11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3048 Col=21 Row=A, genomic survey sequence.//2.1e-25:167:91//AQ126553
F-NT2RP2006038//CIT-HSP-384K4.TR CIT-HSP Homo sapiens genomic clone 384K4, genomic survey se-
quence.//3.9e-06:102:74//B51912
F-NT2RP2006043//Human intercrine-alpha (hIRH) mRNA, complete cds.//1.9e-05:418:59//U19495
15 F-NT2RP2006052//Peromyscus polionotus ammobates dinucleotide microsatellite Ppa55.//0.0035:226:65//
AF016861
F-NT2RP2006069//Human HepG2 partial cDNA, clone hmd3g02m5.//3.9e-11:121:85//D17047
F-NT2RP2006071
F-NT2RP2006098//Homo sapiens chromosome 21q22.2, cosmid D13C2, complete sequence.//0.46:264:59//
20 AF027207
F-NT2RP2006100//Human Chromosome X, complete sequence.//3.2e-94:488:95//AC004073
F-NT2RP2006103//HS_2254_A2_D02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2254 Col=4 Row=G, genomic survey sequence.//5.7e-27:156:96//AQ129602
F-NT2RP2006106//Human Chromosome 11 pac pDJ1173a5, complete sequence.//11.2e-62:655:71//AC000378
25 F-NT2RP2006141//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 537K23, WORKING
DRAFT SEQUENCE.//1.2e-69:316:98//AL034405
F-NT2RP2006166//Homo sapiens chromosome 4 clone B3218, complete sequence.//3.1e-45:387:81//AC004063
F-NT2RP2006184//Cricetulus griseus beta-1,6-N-acetylglucosaminyltransferase Lec4A cell line point mutant mR-
NA, complete cds.//0.99:111:73//U62587
30 F-NT2RP2006186//Homo Sapiens mRNA for KIAA0654 protein, partial cds.//7.8e-113:567:96//AB014554
F-NT2RP2006196//Homo sapiens clone DJ1189D06, complete sequence.//2.8e-28:718:62//AC005232
F-NT2RP2006200//Homo sapiens chromosome 12p13.3 clone RPCI1-96H9, WORKING DRAFT SEQUENCE, 66
unordered pieces.//6.5e-83:239:94//AC006057
F-NT2RP2006219//H.sapiens mRNA for DGCR6 protein.//1.4e-116:618:93//X96484
35 F-NT2RP2006237//CIT-HSP-2300P9.TR CIT-HSP Homo sapiens genomic clone 2300P9, genomic survey se-
quence.//2.0e-18:118:97//AQ012480
F-NT2RP2006238//Rattus norvegicus CTD-binding SR-like protein rA8 mRNA, complete cds.//7.6e-102:635:86//
U49055
F-NT2RP2006258//RPCI11-9N9.TP RPCI-11 Homo sapiens genomic clone RPCI-11-9N9, genomic survey se-
40 quence.//8.6e-05:181:63//B71615
F-NT2RP2006261//H.sapiens mRNA for serine/threonine protein kinase EMK.//0.44:111:71//X97630
F-NT2RP2006275//Pseudorabies virus UL[5,6,7,8,8.5,9,10,11,12,13] genes.//2.0e-05:501:59//X97257
F-NT2RP2006312//Homo sapiens BAF57 (BAF57) gene, complete cds.//2.7e-138:679:97//AF035262
F-NT2RP2006320//P.falciparum pfmdr1 gene.//0.00013:425:60//X56851
45 F-NT2RP2006321//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//4.1e-19:545:62//
AC003973
F-NT2RP2006323//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 745I14, WORKING
DRAFT SEQUENCE.//8.9e-18:131:90//AL033532
F-NT2RP2006333//Homo sapiens PAC clone DJ0808A01 from 7q21.1-q31.1, complete sequence.//6.2e-125:602:
50 98//AC004893
F-NT2RP2006334//Homo sapiens chromosome 19, cosmid R27139, complete sequence.//2.1e-06:241:65//
AC005514
F-NT2RP2006365//Fugu rubripes GSS sequence, clone 171K15aC5, genomic survey sequence.//7.8e-06:148:
70//AL029590
55 F-NT2RP2006393//Human DNA sequence from clone 80I19 on chromosome 6p21.31-22.2 Contains genes and
pseudogenes for olfactory receptor-like proteins, STS, GSS, complete sequence.//6.8e-06:167:70//AL022727
F-NT2RP2006436//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING
DRAFT SEQUENCE.//4.2e-92:363:84//AL023808

F-NT2RP2006441
 F-NT2RP2006454//Sequence 8 from Patent WO9517522.//2.9e-06:180:66//A45338
 F-NT2RP2006456
 F-NT2RP2006464//Homo sapiens mRNA for AND-1 protein.//3.4e-148:545:98//AJ006266
 5 F-NT2RP2006467//Sus scrofa IgM heavy chain gene, switch region and exons encoding ch1-ch4 and secretion domains, partial cds.//0.061:201:66//U50149
 F-NT2RP2006472
 F-NT2RP2006534//Human DNA sequence from clone 272E8 on chromosome Xp22.13-22.31. Contains a pseudogene similar to MDM2-Like P53-binding protein gene. Contains STSs, GSSs and a CA repeat polymorphism, complete sequence.//8.8e-10:273:66//Z93929
 10 F-NT2RP2006554//Human DNA mismatch repair protein homolog (hMLH1) gene, exon 6.//0.71:174:59//U40965
 F-NT2RP2006565//Homo sapiens secretory carrier-associated membrane protein (SCAMP) mRNA, complete cds.//6.6e-114:669:90//AF038966
 F-NT2RP2006571//Rabbit cytochrome P-450 isozyme 2 (type B2) mRNA, complete cds, clone B2-1.//6.0e-26:503:63//M20855
 15 F-NT2RP2006573//Mollusca contagiosum virus subtype 1, complete genome.//0.44:134:71//U60315
 F-NT2RP2006598//Human BRCA2 region, mRNA sequence CG033.//5.0e-16:140:85//U50537
 F-NT2RP3000002//***ALU WARNING: Human Alu-Sc subfamily consensus sequence.//3.8e-32:214:89//U14571
 F-NT2RP3000031//Homo sapiens mRNA for histone deacetylase-like protein (JM21).//5.8e-136:637:98//AJ011972
 20 F-NT2RP3000046//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//5.4e-05:571:60//L14320
 F-NT2RP3000047
 F-NT2RP3000050//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//1.0e-67:626:74//M27877
 25 F-NT2RP3000055//Genomic sequence from Human 9q34, complete sequence.//3.5e-10:394:64//AC001227
 F-NT2RP3000068
 F-NT2RP3000072//Homo sapiens BAC clone RG290G13 from 7q21, complete sequence.//1.0:301:61//AC004746
 F-NT2RP3000080//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 102D24, WORKING DRAFT SEQUENCE.//1.9e-44:297:79//AL021391
 30 F-NT2RP3000085//Arabidopsis thaliana 3-methylcrotonyl-CoA carboxylase precursor mRNA, complete cds.//4.5e-33:528:65//U12536
 F-NT2RP3000092//RPC111-22M5.TV RPC111 Homo sapiens genomic clone RPC11-22M5, genomic survey sequence.//3.3e-27:157:97//B84237
 35 F-NT2RP3000109//Arabidopsis thaliana 1-amino-1-cyclopropanecarboxylate synthase (ACS5) gene, complete cds.//0.92:185:64//L29260
 F-NT2RP3000134//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//1.2e-112:286:89//AC005189
 F-NT2RP3000142//Homo sapiens mRNA for KIAA0592 protein, partial cds.//9.0e-181:849:98//AB011164
 40 F-NT2RP3000149//Homo sapiens chromosome 17, clone hRPK.264_B_14, complete sequence.//4.2e-24:155:94//AC005884
 F-NT2RP3000186//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 500L14, WORKING DRAFT SEQUENCE.//7.2e-43:269:81//AL023583
 F-NT2RP3000197//Homo sapiens interleukin 9 receptor (IL9R) pseudogene, exons 1-9.//0.098:405:57//L39063
 45 F-NT2RP3000207//Drosophila melanogaster DNA sequence (P1 DS00164 (D269)), complete sequence.//0.96:608:55//AC004716
 F-NT2RP3000220
 F-NT2RP3000233//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//2.0e-18:509:58//AF059569
 50 F-NT2RP3000235//Mouse Cosmid ma53a016 from 14D1-D2, complete sequence.//3.5e-05:224:65//AC004101
 F-NT2RP3000247//Human mRNA for KIAA0218 gene, complete cds.//2.1e-109:691:86//D86972
 F-NT2RP3000251//Caenorhabditis elegans cosmid ZK930, complete sequence.//0.20:119:68//Z70213
 F-NT2RP3000252//Homo sapiens cosmid 1F1, complete sequence.//9.8e-78:174:88//AF065393
 F-NT2RP3000255
 55 F-NT2RP3000267
 F-NT2RP3000299//Mus musculus Crk-associated substrate (Cas-b) mRNA, complete cds.//5.9e-48:374:82//U48853
 F-NT2RP3000312//Fruit fly (D.melanogaster) Glued mRNA, complete cds.//4.9e-22:583:63//J02932

- F-NT2RP3000320//RPCI11-36J1.TP RPCI-11 Homo sapiens genomic clone RPCI-11-36J1, genomic survey sequence.//4.4e-06:87:88//AQ047107
- F-NT2RP3000324//Rattus norvegicus potassium channel regulator 1 mRNA, complete cds.//5.5e-26:283:79//U78090
- 5 F-NT2RP3000333//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 973M2, WORKING DRAFT SEQUENCE.//1.0:309:60//AL033533
- F-NT2RP3000341//Homo sapiens DNA sequence from PAC 95C20 on chromosome Xp11.3-11.4. Contains STSs and the DXS7 locus with GT and GTG repeat polymorphisms, complete sequence.//6.7e-42:465:74//Z97181
- F-NT2RP3000348
- 10 F-NT2RP3000350//Homo sapiens cosmid 1F1, complete sequence.//3.4e-79:174:88//AF065393
- F-NT2RP3000359//Bovine mitochondrial GTP:AMP phosphotransferase mRNA, complete cds.//2.2e-127:816:85//M25757
- F-NT2RP3000361//Schizosaccharomyces pombe DNA for pre-mRNA splicing factor, complete cds.//0.0075:288:58//D83743
- 15 F-NT2RP3000366//Mus musculus ras-related protein (rab18) mRNA, complete cds.//7.1e-134:693:94//L04966
- F-NT2RP3000393//Rattus norvegicus mRNA for GABA-B R2 receptor.//0.049:308:60//AJ011318
- F-NT2RP3000397//S.cerevisiae chromosome VII reading frame ORF YGL120c.//0.00012:441:58//Z72642
- F-NT2RP3000403//Homo sapiens formin binding protein 21 mRNA, complete cds.//5.0e-174:841:97//AF071185
- F-NT2RP3000418//Homo sapiens chromosome 17, clone hRPK.1053_B_8, complete sequence.//7.9e-53:817:68//AC006083
- 20 F-NT2RP3000433//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//6.1e-31:590:63//AL031681
- F-NT2RP3000439//Fugu rubripes GSS sequence, clone 075E22aB10, genomic survey sequence.//4.0e-19:169:81//AL026471
- 25 F-NT2RP3000441//Human DNA sequence from PAC 93H18 on chromosome 6 contains ESTs heterochromatin protein HP1Hs-gamma pseudogene, STS and CpG island.//2.4e-41:459:65//Z84488
- F-NT2RP3000449//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//1.1e-100:365:87//AL031650
- F-NT2RP3000451//HS_2024_A1_E10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2024 Col=19 Row=I, genomic survey sequence.//0.011:367:57//AQ229420
- 30 F-NT2RP3000456//CIT-HSP-2338P5.TR CIT-HSP Homo sapiens genomic clone 2338P5, genomic survey sequence.//1.5e-89:458:96//AQ055548
- F-NT2RP3000484//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 90L6, WORKING DRAFT SEQUENCE.//0.043:147:70//Z97353
- 35 F-NT2RP3000487//H.sapiens CpG island DNA genomic Mse1 fragment, clone 11b11, forward read cpg11b11.ft1a.//1.7e-11:96:92//Z64440
- F-NT2RP3000512//Human HOX2G mRNA from the Hox2 locus.//9.7e-17:109:97//X16667
- F-NT2RP3000526//Homo sapiens full-length insert cDNA clone YZ38E04.//4.1e-30:283:76//AF086071
- F-NT2RP3000527//Human mRNA for KIAA0211 gene, complete cds.//2.5e-34:706:63//D86966
- 40 F-NT2RP3000531//Mus musculus immunosuperfamily protein B12 mRNA, complete cds.//1.9e-14:220:70//AF061260
- F-NT2RP3000542//Human Chromosome 11p11.2 PAC clone pDJ404m15, complete sequence.//0.00019:361:60//AC002554
- F-NT2RP3000561//Homo sapiens PAC clone DJ0942116 from 7q11, complete sequence.//9.0e-171:827:98//AC006012
- 45 F-NT2RP3000562
- F-NT2RP3000578//F.rubripes GSS sequence, clone 013G07cE7, genomic survey sequence.//1.7e-25:284:74//AL011271
- F-NT2RP3000582//CIT978SK-A-56H4.TP CIT978SK Homo sapiens genomic clone A-56H4, genomic survey sequence.//5.8e-07:239:66//B73597
- 50 F-NT2RP3000584
- F-NT2RP3000590//H.sapiens CpG island DNA genomic Mse1 fragment, clone 170d7, forward read cpg170d7.ft1a.//3.0e-22:128:100//Z59723
- F-NT2RP3000592//CIT-HSP-2288J7.TR CIT-HSP Homo sapiens genomic clone 2288J7, genomic survey sequence.//2.2e-78:382:98//B98868
- 55 F-NT2RP3000596//CIT-HSP-2375J10.TR CIT-HSP Homo sapiens genomic clone 2375J10, genomic survey sequence.//0.00076:143:67//AQ109305
- F-NT2RP3000599//Caenorhabditis elegans cosmid T19B10, complete sequence.//1.2e-13:295:66//Z74043

- F-NT2RP3000603//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//0.37:520:57//L14320
- F-NT2RP3000605//Homo sapiens chromosome 19, cosmid F20900, complete sequence.//8.8e-155:526:97//AC006128
- 5 F-NT2RP3000622//HS_3213_A2_D02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3213 Col=4 Row=G, genomic survey sequence.//4.1e-29:238:85//AQ175104
- F-NT2RP3000624//Homo sapiens clone DJ0800G07, complete sequence.//0.47:75:80//AC004890
- F-NT2RP3000628//Human DNA sequence from clone 581F12 on chromosome Xq21. Contains Eukaryotic Translation Initiation Factor EIF3 P35 Subunit and 60S Ribosomal protein L22 pseudogenes. Contains ESTs, complete
- 10 sequence.//0.078:393:58//AL031313
- F-NT2RP3000632//Human zinc finger protein zfp6 (ZF6) mRNA, partial cds.//1.4e-96:541:79//U71363
- F-NT2RP3000644//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//5.2e-46:421:77//AC005089
- F-NT2RP3000661
- 15 F-NT2RP3000665//Human DNA sequence from clone 1191B2 on chromosome 22q13.2-13.3. Contains part of the BIK (NBK, BP4, BIP1) gene for BCL2-interacting killer (apoptosis-inducing), a 40S Ribosomal Protein S25 pseudogene and part of an alternatively spliced novel Acyl Transferase gene similar to C. elegans C50D2.7. Contains ESTs, STSs, GSSs, two putative CpG islands and genomic marker D22S1151, complete sequence.//1.7e-11:292:65//AL022237
- 20 F-NT2RP3000685//H.sapiens mRNA for novel protein.//2.4e-80:460:92//X99961
- F-NT2RP3000690//H.sapiens flow-sorted chromosome 6 TaqI fragment, SC6pA10F6.//1.0:141:65//Z77872
- F-NT2RP3000736//Human mRNA for KIAA0140 gene, complete cds.//6.1e-20:127:96//D50930
- F-NT2RP3000739//Rattus norvegicus golgi peripheral membrane protein p65 (GRASP65) mRNA, complete cds.//1.1e-46:622:67//AF015264
- 25 F-NT2RP3000742//Rattus norvegicus phospholipase C delta-4 mRNA, complete cds.//4.7e-37:429:70//U16655
- F-NT2RP3000753
- F-NT2RP3000759//Caenorhabditis elegans cosmid Y57G11C, complete sequence.//2.8e-38:519:69//Z99281
- F-NT2RP3000815//HS_2237_A2_D12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2237 Col=24 Row=G, genomic survey sequence.//0.79:151:61//AQ067252
- 30 F-NT2RP3000825//Campanula ramosa chloroplast NADH dehydrogenase (ndhF) gene, complete cds.//0.36:378:58//L39387
- F-NT2RP3000826//Suid herpesvirus 1 Kaplan glycoprotein L (UL1) and uracil-DNA glycosylase (UL2) genes, complete cds, and (UL3) gene, partial cds.//0.0025:291:62//U02513 F-NT2RP3000836//Mouse complement factor H-related protein mRNA, complete cds, clone 9C4.//0.69:563:57//M29009
- 35 F-NT2RP3000841//Human DNA sequence from PAC 121G13 on chromosome 6 contains flow sorted chromosome 6 HindIII fragment ESTs. polymorphic CA repeat, CpG island, CpG island genomic fragments.//2.1e-46:666:68//Z86062
- F-NT2RP3000845//Homo sapiens chromosome 19, cosmid R31237, complete sequence.//3.4e-92:193:93//AC005581
- 40 F-NT2RP3000847//Human HepG2 3' region cDNA, clone hmd5d02.//3.4e-32:261:81//D16938
- F-NT2RP3000850//Homo sapiens clone RG271G13, WORKING DRAFT SEQUENCE, 7 unordered pieces.//5.1e-44:358:81//AC005082
- F-NT2RP3000852//Homo sapiens DNA sequence from PAC 117P20 on chromosome 1q24. Contains the LNHR (SELL) gene coding for Lymph Node Homing Receptor (L-Selectin precursor, LAM-1 Leukocyte Adhesion Molecule, Leukocyte surface antigen Leu-8, TQ1, GP90-MEL, LECAM1 Leukocyte-Endothelial Cell Adhesion Molecule 1, CD62L). Contains the SELE gene coding for E-Selectin precursor (CD62E, ELAM-1 Endothelial Leukocyte Adhesion Molecule 1, LECAM-2 Leukocyte-Endothelial Cell Adhesion Molecule 2). Contains an unknown gene with homology to predicted yeast. plant and worm proteins. Contains ESTs and STSs, complete sequence.//4.4e-123:150:98//AL021940
- 50 F-NT2RP3000859//T19M2TF TAMU Arabidopsis thaliana genomic clone T19M2, genomic survey sequence.//0.016:185:65//B60831
- F-NT2RP3000865
- F-NT2RP3000868//Human ovarian cancer downregulated myosin heavy chain homolog (Doc1) mRNA, complete cds.//2.0e-29:766:60//U53445
- 55 F-NT2RP3000869//H.sapiens gene for plectin.//1.1e-12:700:60//Z54367
- F-NT2RP3000875//HS_2236_B1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2236 Col=19 Row=N, genomic survey sequence.//0.98:153:68//AQ154007
- F-NT2RP3000901//Human herpesvirus 2 glycoprotein B precursor (UL27) gene, complete cds.//0.44:213:65//

AF021340

F-NT2RP3000904//Rat Na⁺ channel mRNA, 3' end.//3.6e-106:505:99//M27223

F-NT2RP3000917//Mouse mRNA for Dhml protein, complete cds.//3.1e-132:691:93//D38517

F-NT2RP3000919//Rattus norvegicus golgi peripheral membrane protein p65 (GRASP65) mRNA, complete cds.//3.2e-97:585:88//AF015264

F-NT2RP3000968//Human Chromosome 16 BAC clone CIT987SK-A-234F9, complete sequence.//5.8e-70:181:89//U91326

F-NT2RP3000980//R.norvegicus CYP3A1 gene, 5' flanking region.//6.1e-26:507:66//X98335

F-NT2RP3000994//HS-1049-B2-F03-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 771 Col=6 Row=L, genomic survey sequence.//1.5e-22:128:100//B39529

F-NT2RP3001004//H.sapiens CpG island DNA genomic MseI fragment, clone 39c1, reverse read cp939c1.rt1a.//15.9e-27:150:99//Z60925

F-NT2RP3001007//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.11:610:57//AC006039

F-NT2RP3001055//Drosophila melanogaster; Chromosome 2R; Region 47F1-47F7; P1 clone DS02304, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.8e-23:352:67//AC005653

F-NT2RP3001057//H.sapiens HZF4 mRNA for zinc finger protein.//1.4e-49:437:77//X78927

F-NT2RP3001081//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds.//8.4e-50:534:74//AF060219

F-NT2RP3001084//Homo sapiens mRNA for KIAA0782 protein, partial cds.//1.2e-14:474:60//AB018325

F-NT2RP3001096//CIT-HSP-2305P8.TF CIT-HSP Homo sapiens genomic clone 2305P8, genomic survey sequence.//3.4e-37:222:93//AQ021278

F-NT2RP3001107//Human mRNA for KIAA0215 gene, complete cds.//8.5e-33:712:64//D86969

F-NT2RP3001109//Human Chromosome 15q26.1 PAC clone pDJ457j11 containing DNA polymerase gamma (polg) gene, complete sequence.//2.7e-116:186:99//AC005317

F-NT2RP3001111

F-NT2RP3001113//Human DNA sequence from cosmid U157D4, between markers DXS366 and DXS87 on chromosome X.//2.4e-05:702:58//Z68871

F-NT2RP3001115//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//1.9e-170:821:98//AC005189

F-NT2RP3001116//HS_3075_A1_F01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3075 Col=1 Row=K, genomic survey sequence.//7.3e-49:290:92//AQ120581

F-NT2RP3001119//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//1.4e-121:598:97//AL031864

F-NT2RP3001120//Human zinc finger protein ZNF136.//7.4e-76:687:75//U09367

F-NT2RP3001126//Bovine herpesvirus type 1 DNA for UL36, UL37, UL38, UL39, UL40 and UL41.//6.8e-05:344:64//Z49078

F-NT2RP3001133//Nephila clavipes minor ampullate silk protein MiSp1 mRNA, partial cds.//0.00021:529:60//AF027735

F-NT2RP3001140//Homo sapiens mRNA for KIAA0762 protein, partial cds.//3.6e-179:851:98//AB018305

F-NT2RP3001147//RPCI11-3M16.TP RPCI-11 Homo sapiens genomic clone RPCI-11-3M16, genomic survey sequence.//2.1e-15:106:96//B48859

F-NT2RP3001150//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//2.0e-159:418:95//AL034379

F-NT2RP3001155//Homo sapiens mRNA for AND-1 protein.//5.1e-190:891:98//AJ006266

F-NT2RP3001176//Human DNA sequence from clone 879K22 on chromosome 1q32.1-41 Contains GSS, complete sequence.//1.1e-69:207:97//AL034351

F-NT2RP3001214//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.16:475:58//AC005507

F-NT2RP3001216//Homo sapiens clone DJ0635O05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.3e-05:561:56//AC004845

F-NT2RP3001221

F-NT2RP3001232//Mouse mRNA for serine protease PC6, complete cds.//1.0e-11:120:87//D12619

F-NT2RP3001236

F-NT2RP3001239//Mouse MAP1B mRNA for MAP1B microtubule-associated protein.//3.9e-19:501:61//X51396

F-NT2RP3001245//CITBI-E1-2505C1.TF.1 CITBI-E1 Homo sapiens genomic clone 2505C1, genomic survey sequence.//8.5e-70:337:100//AQ242007

F-NT2RP3001253//CITBI-E1-2505N14. TR CITBI-E1 Homo sapiens genomic clone 2505N14, genomic survey sequence.//0.83:235:60//AQ260430
 F-NT2RP3001260//Homo sapiens mRNA for KIAA0726 protein, complete cds.//3.8e-47:761:64//AB018269
 F-NT2RP3001268//Homo sapiens zinc finger protein (HZF6) mRNA, 5' UTR and partial cds.//2.3e-64:618:72//AF027513
 5 F-NT2RP3001272//Mus musculus mRNA for macrophage actin-associated-tyrosine-phosphorylated protein.//2.6e-99:669:83//Y18101
 F-NT2RP3001274//Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene, complete cds.//0.99:400:58//U07561
 10 F-NT2RP3001281//Homo sapiens chromosome 17, clone hRPK.318_A_15, complete sequence.//5.9e-39:304:70//AC005837
 F-NT2RP3001297//Human mRNA for KIAA0281 gene, complete cds.//7.6e-47:544:69//D87457
 F-NT2RP3001307//Ambystoma tigrinum RPE65 protein mRNA, complete cds.//2.4e-27:547:63//AF047465
 F-NT2RP3001318//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING
 15 DRAFT SEQUENCE, 3 unordered pieces.//0.00022:624:60//AC004709
 F-NT2RP3001325//Caenorhabditis elegans cosmid F36H12.//0.25:523:59//AF078790
 F-NT2RP3001338//Human mRNA for KIAA0211 gene, complete cds.//5.1e-29:345:73//D86966
 F-NT2RP3001339//Rattus norvegicus myotonic dystrophy kinase-related Cdc42-binding kinase (MRCK) mRNA, complete cds.//1.2e-151:821:91//AF021935
 20 F-NT2RP3001340//Homo sapiens HMG box factor SOX-13 mRNA, complete cds.//5.3e-27:247:81//AF083105
 F-NT2RP3001355//Homo sapiens Chromosome 22q11.2 BAC Clone 77h2 In CES Region, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.1e-16:130:76//AC000052
 F-NT2RP3001356
 F-NT2RP3001374
 25 F-NT2RP3001383//Homo sapiens DNA sequence from PAC 140C12 on chromosome 6q26-q27.//0.00082:365:61//AL008628
 F-NT2RP3001384//Homo sapiens HRIHFB2018 mRNA, partial cds.//6.4e-157:743:98//AB015332
 F-NT2RP3001392//Human DNA sequence from PAC 302D9 on chromosome 22q11.2-qter. Contains STS, complete sequence.//0.045:359:61//Z82198
 30 F-NT2RP3001396//Drosophila melanogaster DNA sequence (P1 DS08860 (D181)), complete sequence.//1.3e-16:336:65//AC004296
 F-NT2RP3001398//Mus musculus zinc finger protein (Zfp64) mRNA, complete cds.//3.1e-100:711:82//U49046
 F-NT2RP3001399//Homo sapiens PAC clone DJ1106E03 from 7q31.3-7q3, complete sequence.//5.4e-20:245:73//AC005521
 35 F-NT2RP3001407//RPCI11-41A20.TP RPCI-11 Homo sapiens genomic clone RPCI-11-41A20, genomic survey sequence.//0.051:306:59//AQ029031
 F-NT2RP3001420//Human DNA sequence from PAC 12409 on chromosome 6q21. Contains DNAJ2 (HDJ1) like pseudogene, ESTs, STSs and GSSs.//0.90:170:65//AL021327
 F-NT2RP3001426//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING
 40 DRAFT SEQUENCE.//2.9e-89:138:98//AL031447
 F-NT2RP3001427//CIT-HSP-2302H24.TF CIT-HSP Homo sapiens genomic clone 2302H24, genomic survey sequence.//8.1e-36:212:94//AQ020997
 F-NT2RP3001428//Human nuclear pore complex-associated protein TPR (tpr) mRNA, complete cds.//8.5e-73:431:91//U69668
 45 F-NT2RP3001432//HS_3032_B1_A03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3032 Col=5 Row=B, genomic survey sequence.//0.00024:111:76//AQ096619
 F-NT2RP3001447
 F-NT2RP3001449//Human DNA sequence from clone 283E3 on chromosome 1p36.21-36.33. Contains the alternatively spliced gene for Matrix Metalloproteinase in the Female Reproductive tract MIFR1, -2, MMP21/22A, -B
 50 and -C, a novel gene, the alternatively spliced CDC2L2 gene for Cell Division Cycle 2-Like 2 (PITSLRE, p58/GTA, Galactosyltransferase Associated Protein Kinase) beta 1, beta 2-1, beta 2-2 and alpha 2-4, a 40S Ribosomal Protein S7 pseudogene, part of the KIAA0447 gene, a novel alternatively spliced gene similar to many (archae) bacterial, worm and yeast hypothetical genes, and the GNB1 gene for Guanine Nucleotide Binding Protein (G protein), Beta polypeptide 1 (Transducin Beta chain 1). Contains putative CpG islands, ESTs, STSs and GSSs, complete sequence.//2.1e-105:223:99//AL031282
 55 F-NT2RP3001453//Ralstonia sp. E2 positive phenol-degradative gene regulator (poxR), phenol hydroxylase components (poxA, poxB, poxC, poxD, poxE, poxF), and ferredoxin-like protein (poxG) genes, complete cds.//0.75:349:59//AF026065

F-NT2RP3001457
 F-NT2RP3001459
 F-NT2RP3001472//Homo sapiens Sox-like transcriptional factor mRNA, complete cds.//1.3e-08:168:70//AF072836
 5 F-NT2RP3001490
 F-NT2RP3001495//Human oxidoreductase (HHCMA56) mRNA, complete cds.//1.0e-26:191:90//U13395
 F-NT2RP3001497//Homo sapiens multiple membrane spanning receptor TRC8 (TRC8) mRNA, complete cds.//8.5e-171:804:98//AF064801
 F-NT2RP3001527//Human lymphoid-specific SP100 homolog (LYSP100-A) mRNA, complete, cds.//8.9e-140:743:91//U36499
 10 F-NT2RP3001529//Streptomyces griseus DNA for ribosoma protein L21, ribosomal protein L27, Obg, complete cds.//2.1e-14:517:59//D87916
 F-NT2RP3001538//Capra hircus hircus clone 12 RAPD PCR sequence, genomic survey sequence.//4.7e-05:217:63//AF078176
 15 F-NT2RP3001554//Rattus norvegicus microtubule-associated protein 1A MAP1A (Mtap-1) mRNA, complete cds.//4.3e-17:332:67//M83196
 F-NT2RP3001580//RPCI11-91E19.TV RPCI11 Homo sapiens genomic clone R-91E19, genomic survey sequence.//4.2e-15:110:91//AQ281332
 F-NT2RP3001587//S.pombe chromosome II cosmid c16H5.//6.6e-28:491:64//AL022104
 20 F-NT2RP3001589//RPCI11-68M15.TK RPCI11 Homo sapiens genomic clone R-68M15, genomic survey sequence.//8.7e-108:517:98//AQ237629
 F-NT2RP3001607//Homo sapiens Xp22 BAC GSHB-600G8 (Genome Systems Human BAC library) complete sequence.//1.0e-09:257:65//AC004674
 F-NT2RP3001608//Methylococcus capsulatus methane monooxygenase component A alpha chain, methane monooxygenase A beta chain and methane monooxygenase component C genes, complete cds.//0.59:450:57//M90050
 25 F-NT2RP3001621//Human DNA sequence from clone 24o18 on chromosome 6p21.31-22.2 Contains zinc finger protein pseudogene, VNO-type olfactory receptor pseudogene, nuclear envelope pore membrane protein, EST, STS, GSS, complete sequence.//1.8e-42:278:79//AL021808
 30 F-NT2RP3001629
 F-NT2RP3001634//Homo sapiens mRNA for Ariadne-2 protein.//1.5e-63:276:97//AJ130978
 F-NT2RP3001642//Caenorhabditis elegans cosmid F45E6, complete sequence.//0.018:127:66//Z68117
 F-NT2RP3001646
 F-NT2RP3001671//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//3.4e-171:816:98//AJ012449
 35 F-NT2RP3001672//Drosophila melanogaster transcriptional repressor protein (Scm) mRNA, complete cds.//1.6e-38:542:66//U49793
 F-NT2RP3001676//HS_3090_B1_B04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3090 Col=7 Row=D, genomic survey sequence.//3.1e-07:333:64//AQ123250
 F-NT2RP3001678//Drosophila melanogaster; Chromosome 3L; Region 63C5-63D3; P1 clone DS01859, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.0:539:57//AC004358
 40 F-NT2RP3001679//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//2.8e-130:355:96//AB020860
 F-NT2RP3001688//Rattus norvegicus glucocorticoid modulatory element binding protein 2 mRNA, complete cds.//2.1e-37:512:70//AF059273
 45 F-NT2RP3001690//CIT-HSP-2300P9.TR CIT-HSP Homo sapiens genomic clone 2300P9, genomic survey sequence.//2.8e-19:123:95//AQ012480
 F-NT2RP3001698//Rat mRNA for RhoGAP, complete cds.//9-4e-11:167:74//D31962
 F-NT2RP3001708//H.sapiens CpG island DNA genomic Mse1 fragment, clone 4g7, reverse read cpg4g7.rt1d.//1.3e-17:113:97//Z61312
 50 F-NT2RP3001712//M.musculus mRNA for HP1-BP74 protein.//2.2e-95:601:88//X99642
 F-NT2RP3001716
 F-NT2RP3001724//Homo sapiens chromodomain-helicase-DNA-binding protein mRNA, complete cds.//1.4e-159:565:97//AF054177
 F-NT2RP3001727//Rattus norvegicus implantation-associated protein (IAG2)-mRNA, partial cds.//1.7e-132:786:88//AF008554
 55 F-NT2RP3001730//Human mRNA for KIAA0128 gene, partial cds.//3.9e-104:811:78//D50918
 F-NT2RP3001739//Homo sapiens Chromosome 22q11.2 PAC Clone p201m18 In DGCR Region, complete sequence.//6.5e-07:178:69//AC000097

- F-NT2RP3001752//Human DNA sequence from clone 105D16 on chromosome Xp11.3-11.4 Contains pseudogene similar to laminin-binding protein, CA repeat, STS, complete sequence.//5.2e-31:311:77//AL031311
- F-NT2RP3001753//Sequence 29 from patent US 5658882.//0.11:513:58//I62381
- F-NT2RP3001764//Sequence 6 from Patent WO9706245.//6.4e-47:673:66//A59888
- 5 F-NT2RP3001777//Caenorhabditis elegans cosmid T10E10.//0.078:290:63//U39644
- F-NT2RP3001782//Homo sapiens mRNA for KIAA0459 protein, partial cds.//2.8e-151:710:98//AB007928
- F-NT2RP3001792//Mus musculus myelin gene expression factor (MEF-2) mRNA, partial cds.//1.2e-26:213:85//U13262
- 10 F-NT2RP3001799//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 469D22, WORKING DRAFT SEQUENCE.//8.4e-51:168:95//AL031284
- F-NT2RP3001819//S.glaucescens genes strU, strX, strV and strW for 5'-hydroxystreptomycin production and transport polypeptides.//0.084:526:58//X89010
- F-NT2RP3001844//HS_3110_B1_E10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3110 Col=19 Row=J, genomic survey sequence.//1.5e-40:232:82//AQ140433
- 15 F-NT2RP3001854//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.14:452:58//AC005505
- F-NT2RP3001855//Mus musculus homeobox protein PKNOX1 (Pknox1) mRNA, complete cds.//2.7e-39:575:67//AF061270
- F-NT2RP3001857//M.musculus tex292 mRNA (5'region).//8.7e-07:106:81//X80434
- 20 F-NT2RP3001896
- F-NT2RP3001898//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 163G9, WORKING DRAFT SEQUENCE.//0.094:456:60//AL008733
- F-NT2RP3001915//Caenorhabditis elegans cosmid C12D8, complete sequence.//0.58:482:56//Z73969
- F-NT2RP3001926//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.42:401:58//AL034557
- 25 F-NT2RP3001929//Homo sapiens chromosome 16, cosmid clone RT102 (LANL), complete sequence.//3.1e-28:263:77//AC004651
- F-NT2RP3001931
- F-NT2RP3001938//CIT-HSP-2165E8.TR CIT-HSP Homo sapiens genomic clone 2165E8, genomic survey sequence.//3.6e-24:182:91//B95475
- 30 F-NT2RP3001943//Homo sapiens mRNA for KIAA0675 protein, complete cds.//1.8e-165:815:96//AB014575
- F-NT2RP3001944
- F-NT2RP3001969//Homo sapiens chromosome 12p13.3 clone RPCI11-350L7, WORKING DRAFT SEQUENCE, 72 unordered pieces.//4.8e-62:304:89//AC005844
- 35 F-NT2RP3001989//Plasmodium falciparum strain Dd2 heat shock protein 86 (HSP86), O1 (o1), O3 (o3), O2 (o2), CG8 (cg8), CG4 (cg4), CG3 (cg3), CG9 (cg9), CG1 (cg1), CG6 (cg6), chloroquine resistance candidate protein (cg2), and CG7 (cg7) genes, complete cds.//8.2e-10:564:60//AF030694
- F-NT2RP3002002//Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.//2.5e-57:361:80//Z83822
- 40 F-NT2RP3002004//Sequence 3 from patent US 5798245.//1.6e-26:104:100//AR025386
- F-NT2RP3002007//Human Chromosome 15q11-q13 PAC clone pDJ223c9 from the Prader-Willi/Angelman Syndrome region, complete sequence.//0.0053:633:58//AC004137
- F-NT2RP3002014//Drosophila melanogaster DNA sequence (P1s DS07528 (D169) and DS06665 (D220)), complete sequence.//1.3e-32:334:68//AC004640
- 45 F-NT2RP3002033//H.sapiens DNA sequence.//0.012:214:63//Z22493
- F-NT2RP3002045//Rat mRNA for alpha-c large chain of the protein complex AP-2 associated with clathrin.//8.7e-116:713:86//X53773
- F-NT2RP3002054//Mycobacterium tuberculosis H37Rv complete genome; segment 143/162.//1.6e-12:613:60//AL021841
- 50 F-NT2RP3002056//Human DNA sequence from PAC 358H7 on chromosome X.//0.17:566:59//Z77249
- F-NT2RP3002057//Homo sapiens clone NH0084K19, WORKING DRAFT SEQUENCE, 30 unordered pieces.//3.3e-24:167:82//AC005682
- F-NT2RP3002062
- 55 F-NT2RP3002063//Rickettsia prowazekii strain Madrid E, complete genome; segment 3/4.//0.24:508:58//AJ235272
- F-NT2RP3002081//HS_2001_B1_E06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2001 Col=11 Row=J, genomic survey sequence.//9.7e-22:155:90//AQ218494
- F-NT2RP3002097//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) com-

- plete sequence.//9.6e-66:562:77//AC006210
 F-NT2RP3002102//CIT-HSP-2307B10.TR CIT-HSP Homo sapiens genomic clone 2307B10, genomic survey sequence.//5.9e-16:214:74//AQ018040
 F-NT2RP3002108
 5 F-NT2RP3002142//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-319E8, complete sequence.//7.6e-29:414:68//AC004020
 F-NT2RP3002146//Pseudomonas fluorescens polyketide synthase type I (pltB) and polyketide synthase type I (pltC) genes, complete cds.//0.96:434:60//AF003370
 F-NT2RP3002147//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 329F2, WORKING
 10 DRAFT SEQUENCE.//1.3e-63:380:91//AL031710
 F-NT2RP3002151//Human chromosome 16p13.1 BAC clone CIT987SK-551G9 complete sequence.//9.9e-60:315:80//U95742
 F-NT2RP3002163
 F-NT2RP3002165//M.musculus HCNGP mRNA.//1.4e-142:867:87//X68061
 15 F-NT2RP3002166//Homo sapiens chromosome X, clone hCIT.200_L_4, complete sequence.//0.090:394:59//AC006121
 F-NT2RP3002173//HS_3062_B1_G05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3062 Col=9 Row=N, genomic survey sequence.//3.3e-101:509:96//AQ193219
 F-NT2RP3002181//Human DNA sequence from clone 24o18 on chromosome 6p21.31-22.2 Contains zinc finger protein pseudogene, VNO-type olfactory receptor pseudogene, nuclear envelope pore membrane protein, EST, STS, GSS, complete sequence.//4.5e-106:432:84//AL021808
 20 F-NT2RP3002244//Homo sapiens chromosome 19, cosmid R27377, complete sequence.//0.63:353:60//AC005321
 F-NT2RP3002248//HS_3029_A1_D10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3029 Col=19 Row=G, genomic survey sequence.//3.5e-10:125:79//AQ094880
 25 F-NT2RP3002255//Bovine herpesvirus type 1 immediate-early transcriptional control protein (BICP4) gene, 5' end.//5.6e-09:629:59//L14321
 F-NT2RP3002273//cSRL-165E12-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-165E12, genomic survey sequence.//4.9e-35:366:74//B03004
 30 F-NT2RP3002276//B.taurus mRNA for B15 subunit of NADH: ubiquinone oxidoreductase complex.//0.023:326:60//X64898
 F-NT2RP3002303//Methanobacterium thermoautotrophicum from bases 172512 to 182957 (section 16 of 148) of the complete genome.//3.8e-12:643:57//AE000810
 F-NT2RP3002304//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING
 35 DRAFT SEQUENCE, 3 unordered pieces.//1.6e-09:490:60//AC005504
 F-NT2RP3002330//Human DNA sequence from cosmid L58b6, Huntington's Disease Region, chromosome 4p16.3, containing STS matches.//1.9e-93:572:88//Z49862
 F-NT2RP3002343//HS_3010_A2_B08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3010 Col=16 Row=C, genomic survey sequence.//9.0e-75:373:97//AQ119068
 40 F-NT2RP3002351//Human mRNA for NAD-dependent methylene tetrahydrofolate dehydrogenase cyclohydrolase (EC 1.5.1.15).//4.9e-64:588:75//X16396
 F-NT2RP3002352//Homo sapiens mRNA for protein encoded by cxorf5 (71-7A) gene, alternatively spliced form.//1.3e-164:770:98//Y16355
 F-NT2RP3002377//Homo sapiens mRNA for KIAA0788 protein, partial cds.//1.4e-190:911:98//AB018331
 45 F-NT2RP3002399
 F-NT2RP3002402//Rattus norvegicus mRNA for dipeptidyl peptidase III, complete cds.//7.2e-25:249:79//D89340
 F-NT2RP3002455//Homo sapiens mRNA for KIAA0678 protein, partial cds.//1.2e-138:649:99//AB014578
 F-NT2RP3002484//CIT-HSP-367N3.TP.1 CIT-HSP Homo sapiens genomic clone 367N3, genomic survey sequence.//5.0e-18:115:96//B78927
 50 F-NT2RP3002501//Caenorhabditis elegans cosmid K01C8, complete sequence.//0.00020:170:65//Z49068
 F-NT2RP3002512//Homo sapiens clone 664 unknown mRNA, partial sequence.//1.6e-59:308:97//AF091088
 F-NT2RP3002529//Human vacuolar protein sorting homolog h-vps45 mRNA, complete cds.//1.4e-144:763:93//U35246
 F-NT2RP3002545//Homo sapiens mRNA for KIAA0729 protein, partial cds.//1.8e-178:833:98//AB018272
 55 F-NT2RP3002549//Homo sapiens clone DJ0098O22, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.7e-26:123:72//AC004821
 F-NT2RP3002566//Streptomyces viridifaciens sigma factor (hrdD) gene, complete cds.//0.76:459:59//U60418
 F-NT2RP3002587//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//4.6e-13:199:76//

- AC004617
 F-NT2RP3002590//*Porphyra purpurea* chloroplast, complete genome.//0.88:284:60//U38804
 F-NT2RP3002602//CIT978SK-A-441H11-2.TPB CIT978SK Homo sapiens genomic clone A-441H11, genomic survey sequence.//2.0e-22:140:95//B68331
- 5 F-NT2RP3002603
 F-NT2RP3002628//*C.acetobutylicum* dnaJ and orfB genes.//2.0e-05:333:60//X69050
 F-NT2RP3002631
 F-NT2RP3002650//*Mus musculus* mRNA for cartilage-associated protein (CASP).//1.5e-20:641:62//AJ006469
 F-NT2RP3002659//Bovine herpesvirus type 1 UL22-35 genes.//5.2e-05:621:59//Z78205
- 10 F-NT2RP3002660//Homo sapiens PAC clone DJ1006K12 from 7q31.2-q31, complete sequence.//0.98:453:57//AC004946
 F-NT2RP3002663//Homo sapiens chromosome 19, cosmid F6697, complete sequence.//3.3e-22:407:67//AC006129
 F-NT2RP3002671//*S.pombe* chromosome III cosmid c553.//1.0e-12:336:66//AL023704
- 15 F-NT2RP3002682//*Caenorhabditis elegans* cosmid F17C11, complete sequence.//1.3e-21:448:64//Z72507
 F-NT2RP3002687//CIT978SK-A-789B1.TP CIT978SK Homo sapiens genomic clone A-789B1, genomic survey sequence.//2.5e-25:173:91//B51656
 F-NT2RP3002688//Mouse mRNA for kinesin-like protein (Kif1b), complete cds.//1.2e-73:728:74//D17577
 F-NT2RP3002701//CITBI-E1-2507L14.TF CITBI-E1 Homo sapiens genomic clone 2507L14, genomic survey sequence.//0.0012:55:92//AQ263530
- 20 F-NT2RP3002713
 F-NT2RP3002763//*Caenorhabditis elegans* cosmid T20F10, complete sequence.//0.98:209:63//Z81594
 F-NT2RP3002770
 F-NT2RP3002785//Homo sapiens laminin beta-4 chain precursor (LAMB4) mRNA, alternatively spliced short variant, partial cds.//0.78:515:57//AF029325
- 25 F-NT2RP3002799//Human DNA sequence from clone 1052M9 on chromosome Xq25. Contains the SH2D1A gene for SH2 domain protein 1A, Duncan's disease (lymphoproliferative syndrome) (DSHP), part of a 60S Acidic Ribosomal protein 1 (RPLP1) LIKE gene and part of a mouse DOC4 LIKE gene. Contains ESTs and GSSs, complete sequence.//1.9e-21:167:79//AL022718
- 30 F-NT2RP3002810//Homo sapiens chromosome 17, clone hRPK.215_E_13, complete sequence.//0.32:187:66//AC005549
 F-NT2RP3002818//Homo sapiens jerky gene product homolog mRNA, complete cds.//6.9e-54:615:70//AF004715
 F-NT2RP3002861//*Caenorhabditis elegans* cosmid M03F4.//4.2e-05:226:65//U64601
 F-NT2RP3002869//*Mus musculus* semaphorin VIa mRNA, complete cds.//2.0e-93:638:83//AF030430
- 35 F-NT2RP3002876//Homo sapiens mRNA for B120, complete cds.//8.5e-89:557:88//AB001895
 F-NT2RP3002877//Homo sapiens chromosome 12p13.3 clone RPCI11-433J6, WORKING DRAFT SEQUENCE, 100 unordered pieces.//7.9e-12:160:78//AC006087
 F-NT2RP3002909//Homo sapiens mRNA for KIAA0771 protein, partial cds.//5.7e-180:853:98//AB018314
 F-NT2RP3002911//RPCI11-24N15.TPC RPCI-11 Homo sapiens genomic clone RPCI-11-24N15, genomic survey sequence.//2.3e-13:442:61//B88815
- 40 F-NT2RP3002948//, complete sequence.//2.2e-110:637:91//AC005500
 F-NT2RP3002953//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//1.7e-166:793:98//AC005754
 F-NT2RP3002955//Human HepG2 partial cDNA, clone hmd3c02m5.//0.00011:61:95//D17024
- 45 F-NT2RP3002969//Rat mRNA for brain acyl-CoA synthetase II, complete cds.//1.2e-128:808:85//D30666
 F-NT2RP3002972//H.sapiens (xs168) mRNA, 381bp.//1.5e-43:312:85//Z36820
 F-NT2RP3002978//*Plasmodium falciparum* 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.00044:527:57//AC005505
 F-NT2RP3002985//Genomic sequence from Human 9q34, complete sequence.//0.92:341:60//AC001644
- 50 F-NT2RP3002988//HS_3015_A1_B07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3015 Col=13 Row=C, genomic survey sequence.//4.4e-05:379:58//AQ091708
 F-NT2RP3003008//*Mus musculus* major histocompatibility locus class III regions Hsc70t gene, partial cds; smRNP, G7A, NG23, MutS homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes.//1.4e-72:197:79//AF109905
- 55 F-NT2RP3003032//*Plasmodium falciparum* DNA *** SEQUENCING IN PROGRESS *** from contig 3-80, complete sequence.//1.6e-08:809:58//AL010153
 F-NT2RP3003059//*Rattus norvegicus* potassium channel regulator 1 mRNA, complete cds.//4.1e-111:804:81//U78090

F-NT2RP3003061//Human mRNA for ankyrin (variant 2.1)//1.4e-12:633:59//X16609
 F-NT2RP3003068//Human BAC clone RG264L19 from 7p15-p21, complete sequence//0.034:282:60//AC002410
 F-NT2RP3003071//H.sapiens CpG island DNA genomic Mse1 fragment, clone 13d12, reverse read
 cpg13d12.rt1c//6.8e-15:95:100//Z64565
 5 F-NT2RP3003078
 F-NT2RP3003101//Mouse mRNA for tetracycline transporter-like protein, complete cds//8.1e-72:732:71//D88315
 F-NT2RP3003121
 F-NT2RP3003133//Homo sapiens chromosome 19, cosmid R30385, complete sequence//3.5e-12:168:76//
 AC004510
 10 F-NT2RP3003138//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds//4.0e-148:908:87//
 D12646
 F-NT2RP3003139//Rattus norvegicus kappa opioid receptor gene, exon 4 and complete cds//2.0e-31:658:63//
 U17995
 F-NT2RP3003145//Mus musculus carboxypeptidase X2 mRNA, complete cds//3.5e-22:430:63//AF017639
 15 F-NT2RP3003150
 F-NT2RP3003157//HS_3055_B1_G05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3055 Col=9 Row=N, genomic survey sequence//1.9e-92:493:94//AQ155489
 F-NT2RP3003185//Rattus norvegicus brain-enriched guanylate kinase-associated protein 1 mRNA, complete
 cds//8.6e-06:228:65//AF064868
 20 F-NT2RP3003193//H.sapiens HZF10 mRNA for zinc finger protein//7.4e-73:737:71//X78933
 F-NT2RP3003197
 F-NT2RP3003203//Rattus norvegicus golgi peripheral membrane protein p65 (GRASP65) mRNA, complete cds//
 4.1e-48:640:67//AF015264
 F-NT2RP3003204//Human Mermaid LINE-1 element mRNA sequence//0.0033:69:81//U31059
 25 F-NT2RP3003210//Homo sapiens SYBL1 gene//1.1e-34:430:70//AJ004799
 F-NT2RP3003212//Rattus norvegicus lamina associated polypeptide 1C (LAP1C) mRNA, complete cds//6.3e-75:
 776:74//U20286
 F-NT2RP3003230//Rattus norvegicus mRNA for coronin-like protein//1.8e-62:575:74//AJ006064
 F-NT2RP3003242//Homo sapiens stanniocalcin-2 (STC-2) mRNA, complete cds//3.7e-128:617:98//AF055460
 30 F-NT2RP3003251//H.sapiens Staf50 mRNA//3.5e-67:651:76//X82200
 F-NT2RP3003264//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING
 DRAFT SEQUENCE, 8 unordered pieces//0.015:473:58//AC004153
 F-NT2RP3003278//H.sapiens CpG island DNA genomic Mse1 fragment, clone 28b4, forward read cpg28b4.ft1a//
 4.0e-27:174:93//Z60555
 35 F-NT2RP3003282//Homo sapiens dynamin (DNM) mRNA, complete cds//1.3e-131:694:93//L36983
 F-NT2RP3003290//Homo sapiens nickel-specific induction protein (Cap43) mRNA, complete cds//1.7e-64:662:
 71//AF004162
 F-NT2RP3003301//Spinacia oleracea mRNA for ATP-dependent protease Lon, complete cds//4.9e-37:682:64//
 D85610
 40 F-NT2RP3003302//Homo sapiens, clone hRPK.15_A_1, complete sequence//4.6e-95:680:82//AC006213
 F-NT2RP3003311//Homo sapiens chromosome 21, Neurofibromatosis 1 (NF1) related locus, complete se-
 quence//1.0:191:62//AC004527
 F-NT2RP3003313//Streptomyces coelicolor cosmid 5A7//0.0084:403:61//AL031107
 F-NT2RP3003327//H.sapiens Staf50 mRNA//2.5e-29:253:67//X82200
 45 F-NT2RP3003330
 F-NT2RP3003344
 F-NT2RP3003346//Homo sapiens chromosome 17, clone hRPK.795_F_17, complete sequence//9.0e-41:296:
 84//AC005284
 F-NT2RP3003353//Human DNA sequence from PAC 970D1 on chromosome 1q24. Contains ESTs, STSs and a
 BAC end-sequence (GSS)//0.047:404:60//AL021069
 50 F-NT2RP3003377//Homo sapiens clone DJ0919J22, WORKING DRAFT SEQUENCE, 34 unordered pieces//
 8.3e-122:632:96//AC005519
 F-NT2RP3003384//Homo sapiens Chromosome 2 BAC Clone 376a1, WORKING DRAFT SEQUENCE, 17 unor-
 dered pieces//0.0036:127:74//AC000360
 55 F-NT2RP3003385//Mus musculus SKD3 mRNA, complete cds//2.0e-110:843:79//U09874
 F-NT2RP3003403//Human Chromosome X, complete sequence//7.5e-21:647:61//AC002407
 F-NT2RP3003409//Human DHHC-domain-containing cysteine-rich protein mRNA, complete cds//1.0e-20:430:
 63//U90653

- F-NT2RP3003411//Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//4.2e-139:524:90//AF071317
- F-NT2RP3003427//HS-1051-A1-D03-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 773 Col=5 Row=G, genomic survey sequence.//8.8e-18:111:97//B40173
- 5 F-NT2RP3003433//HS_2219_B2_A11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2219 Col=22 Row=B, genomic survey sequence.//1.2e-57:410:83//AQ145866
- F-NT2RP3003464//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//5.2e-181:853:98//AF004828
- F-NT2RP3003490//Homo sapiens mRNA for KIAA0725 protein, partial cds.//1.6e-173:826:98//AB018268
- 10 F-NT2RP3003491//CIT-HSP-2344O1.TR CIT-HSP Homo sapiens genomic clone 2344O1, genomic survey sequence.//1.2e-39:213:97//AQ057124
- F-NT2RP3003500//HS_3000_B1_C07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3000 Col=13 Row=F, genomic survey sequence.//0.025:253:60//AQ090347
- F-NT2RP3003543//Homo sapiens chromosome 16, cosmid clone 399H11 (LANL), complete sequence.//0.95:279:60//AC004234
- 15 F-NT2RP3003552//Homo sapiens clone UWGC:y54c222 from 6p21, complete sequence.//1.8e-88:166:84//AC006049
- F-NT2RP3003555//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING DRAFT SEQUENCE.//8.9e-17:245:72//AL031985
- 20 F-NT2RP3003564//HS_3141_B1_G10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3141 Col=19 Row=N, genomic survey sequence.//2.7e-79:442:93//AQ187798
- F-NT2RP3003572
- F-NT2RP3003576//Homo sapiens clone RG031N19, WORKING DRAFT SEQUENCE, 1 unordered pieces.//5.8e-55:275:84//AC005632
- 25 F-NT2RP3003589//Canine rab10 mRNA for ras-related GTP-binding protein.//1.1e-94:488:95//X56387
- F-NT2RP3003621//Homo sapiens chromosome 16, cosmid clone 432A1 (LANL), complete sequence.//6.0e-88:463:84//AC004235
- F-NT2RP3003625//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 390E6, WORKING DRAFT SEQUENCE.//0.98:307:60//AL031600
- 30 F-NT2RP3003656
- F-NT2RP3003659//F.rubripes GSS sequence, clone 013G07cE7, genomic survey sequence.//1.7e-25:284:74//AL011271
- F-NT2RP3003665//Homo sapiens chromosome 9q34, clone 63G10, complete sequence.//0.011:279:65//AC002096
- 35 F-NT2RP3003672
- F-NT2RP3003680//Drosophila melanogaster; Chromosome 2R; Region 39B1-39B3; P1 clone DS05527, WORKING DRAFT SEQUENCE, 9 unordered pieces.//3.4e-16:425:64//AC005811
- F-NT2RP3003686//HS_3064_B2_A04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=8 Row=B, genomic survey sequence.//3.1e-27:153:98//AQ136993
- 40 F-NT2RP3003701
- F-NT2RP3003716//Rattus norvegicus Shal-related potassium channel Kv4.3 mRNA, complete cds.//4.6e-107:788:82//U42975
- F-NT2RP3003726//Homo sapiens mRNA for KIAA0757 protein, complete cds.//2.3e-148:700:98//AB018300
- 45 F-NT2RP3003746//CIT-HSP-2306A10.TF CIT-HSP Homo sapiens genomic clone 2306A10, genomic survey sequence.//0.39:212:61//AQ015785
- F-NT2RP3003795//Human DNA sequence from clone 333H23 on chromosome 22q12.1-12.3. Contains the (possibly alternatively spliced) RPL3 gene for 60S Ribosomal Protein L3 and the threefold alternatively spliced gene for Synaptogyrin 1A, 1B and 1C (SYNGR1A, SYBGRIB, SYNGR1C), both genes downstream of a putative CpG island. Contains ESTs, an STS, GSSs, genomic marker D22S1155 and a ca repeat polymorphism, complete sequence.//4.2e-21:445:66//AL022326
- 50 F-NT2RP3003799//Homo sapiens DNA from chromosome 19-cosmids R31158, R31874, and R28125, genomic sequence, complete sequence.//1.0:257:63//AF038458
- F-NT2RP3003800//Mouse neuronal proto-oncogene c-src mRNA encoding tyrosine-specific protein kinase, complete cds.//1.2e-63:484:81//M17031
- 55 F-NT2RP3003805//Homo sapiens chromosome 19, cosmid R27377, complete sequence.//0.96:353:60//AC005321
- F-NT2RP3003809//Bovine herpesvirus 1 complete genome.//7.2e-12:615:60//AJ004801
- F-NT2RP3003819

- F-NT2RP3003825
 F-NT2RP3003828//Human rRNA primary transcript internal transcribed spacer 2 (ITS2).//6.2e-16:543:62//X17626
 F-NT2RP3003831//RPC111-50N15.TJ RPC111 Homo sapiens genomic clone R-50N15, genomic survey sequence.//1.1e-21:174:85//AQ082633
- 5 F-NT2RP3003833//Homo sapiens clones 24718 and 24825 mRNA sequence.//8.0e-47:242:98//AF070611
 F-NT2RP3003842//RPC111-44E5.TJ RPC111 Homo sapiens genomic clone R-44E5, genomic survey sequence.//9.7e-25:143:97//AQ195884
 F-NT2RP3003846//Homo sapiens mRNA for KIAA0725 protein, partial cds.//4.2e-36:335:68//AB018268
 F-NT2RP3003870//Homo sapiens mRNA for KIAA0800 protein, complete cds.//4.1e-174:805:99//AB018343
- 10 F-NT2RP3003876//Rattus norvegicus Rabin3 mRNA, complete cds.//2.7e-109:709:84//U19181
 F-NT2RP3003914//Drosophila melanogaster UDP-glucose:glycoprotein glucosyltransferase mRNA, complete cds.//8.9e-11:193:70//U20554
 F-NT2RP3003918//Homo sapiens VAMP-associated protein of 33 kDa (VAP-33) mRNA, complete cds.//2.6e-47:404:77//AF057358
- 15 F-NT2RP3003932//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.68:597:55//AC005504
 F-NT2RP3003989//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 404H4, WORKING DRAFT SEQUENCE.//0.37:548:56//AL031661
 F-NT2RP3003992//Human cGMP-gated cation channel beta subunit (CNCG2) mRNA, complete cds.//0.021:433:58//U58837
- 20 F-NT2RP3004013//M.musculus Spnr mRNA for RNA binding protein.//1.4e-164:838:94//X84692
 F-NT2RP3004016//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018K9, WORKING DRAFT SEQUENCE.//0.00042:356:62//AL031726
 F-NT2RP3004041//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 809F4, WORKING DRAFT SEQUENCE.//6.8e-112:627:82//AL022400
- 25 F-NT2RP3004051//Human mRNA for KIAA0319 gene, complete cds.//2.2e-61:774:67//AB002317
 F-NT2RP3004070//Homo sapiens DNA sequence from PAC 352A20 on chromosome 6q24.1-25.1. Contains a pseudogene similar to yeast, bacterial, worm and slime mold hypothetical genes, and a gene coding for an aldehyde dehydrogenase family protein. Contains ESTs, STSs and GSSs, complete sequence.//7.9e-17:484:62//AL021939
- 30 F-NT2RP3004078//M.musculus (BALB/c) MRFX2 mRNA.//1.9e-102:684:83//X76089
 F-NT2RP3004093//F24P17-Sp6 IGF Arabidopsis thaliana genomic clone F24P17, genomic survey sequence.//0.021:207:63//B09433
 F-NT2RP3004095//Homo sapiens clone NH0486I22, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.5e-25:272:77//AC005038
- 35 F-NT2RP3004110//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//8.6e-28:223:73//AC003973
 F-NT2RP3004125//Homo sapiens TTF-I interacting peptide 20 mRNA, partial cds.//2.2e-28:637:63//AF000560
 F-NT2RP3004145
 F-NT2RP3004148
- 40 F-NT2RP3004155//Homo sapiens timing protein CLK-1 mRNA, complete cds.//6.5e-120:578:98//AF032900
 F-NT2RP3004189//M.musculus tex292 mRNA (5'region).//1.1e-06:102:82//X80434
 F-NT2RP3004206//D.melanogaster crn mRNA.//7.3e-69:715:71//X58374
 F-NT2RP3004207//Mouse mRNA for seizure-related gene product 6 type 2 precursor, complete cds.//4.8e-42:650:66//D64009
- 45 F-NT2RP3004209//Human cosmid Q7A10 (D21S246) insert DNA, complete sequence.//8.4e-55:184:84//D42052
 F-NT2RP3004215//Homo sapiens chromosome 5, Pac clone 9c13 (LBNL H127), complete sequence.//0.22:458:60//AC006084
 F-NT2RP3004242//Caenorhabditis elegans cosmid ZK632, complete sequence.//1.6e-29:409:69//Z22181
 F-NT2RP3004246//Homo sapiens chromosome 10 clone CIT987SK-1010K1 map 10q25, complete sequence.//3.6e-117:242:100//AC005385
- 50 F-NT2RP3004253//H.sapiens 28S rRNA V8 region (LAN5-6).//2.6e-12:589:59//X69353
 F-NT2RP3004258//Rattus norvegicus Zis mRNA, complete cds.//1.2e-88:489:91//AF013967
 F-NT2RP3004262//Homo sapiens heat shock protein hsp40-3 mRNA, complete cds.//3.1e-153:733:98//AF088982
 F-NT2RP3004282//Homo sapiens torsinA (DYT1) mRNA, complete cds.//1.3e-24:597:61//AF007871
- 55 F-NT2RP3004332
 F-NT2RP3004334//L.esculentum gene for fruit ripening polygalacturonase.//0.23:501:57//X80908
 F-NT2RP3004341//Human DNA sequence from clone 503G16 on chromosome 6p23 Contains EST, CpG island, complete sequence.//0.0014:198:66//Z93020

- F-NT2RP3004348//R.norvegicus mRNA for cytosolic resiniferatoxin-binding protein.//1.4e-103:600:82//X67877
 F-NT2RP3004349//Homo sapiens Xp22 BAC GS-321G17 (Genome Systems Human BAC library) complete sequence.//5.1e-49:480:75//AC004025
- 5 F-NT2RP3004378//Drosophila melanogaster; Chromosome 2R; Region 47F1-47F7; P1 clone DS02304, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.8e-23 :352:67//AC005653
 F-NT2RP3004399//H.sapiens mRNA for leucine-rich primary response protein 1.//7.2e-140:804:90//X97249
 F-NT2RP3004424//Mus musculus mRNA for nuclear protein SA3.//6.8e-53:413:81//AJ005678
 F-NT2RP3004428//Salmo salar DNA for a cryptic repeat.//3.2e-07:270:63//AJ012206
- 10 F-NT2RP3004451//RPC111-51J15.TK RPC111 Homo sapiens genomic clone R-51J15, genomic survey sequence.//8.8e-19:180:82//AQ052326
 F-NT2RP3004454//Homo sapiens mRNA for KIAA0448 protein, complete cds.//6.2e-123:583:99//AB007917
 F-NT2RP3004466//HS_3038_B2_F08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3038 Col=16 Row=L, genomic survey sequence.//0.41:172:59//AQ102458
 F-NT2RP3004470//H.sapiens CpG island DNA genomic Mse1 fragment, clone 81a11, reverse read cpg81a11.r1a.//7.0e-25:148:96//Z56029
- 15 F-NT2RP3004472//RPC111-42M5.TJ RPC111 Homo sapiens genomic clone R-42M5, genomic survey sequence.//1.6e-20:143:92//AQ052792
 F-NT2RP3004475//Homo sapiens mRNA for KIAA0456 protein, partial cds.//3.0e-150:715:98//AB007925
 F-NT2RP3004480//Mus musculus maternal-embryonic 3 (Mem3) mRNA, complete cds.//1.0e-119:679:90//U47024
- 20 F-NT2RP3004490//Homo sapiens mRNA for Musashi, complete cds.//7.1e-155:752:97//AB012851
 F-NT2RP3004498//Homo sapiens clone DJ1147A01, WORKING DRAFT SEQUENCE, 25 unordered pieces.//4.0e-67:265:84//AC006023
 F-NT2RP3004503//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//1.2e-55:415:78//AC004673
- 25 F-NT2RP3004504//M.musculus mRNA for CPEB protein.//2.0e-110:618:91//Y08260
 F-NT2RP3004507//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//9.3e-46:433:76//AC005328
 F-NT2RP3004527//Homo sapiens mRNA; transcriptional unit N144, 5' end.//1.1e-100:508:97//AJ002574
- 30 F-NT2RP3004534//Mouse oncogene (ect2) mRNA, complete cds.//2.0e-93:442:84//L11316
 F-NT2RP3004539//Homo sapiens mRNA for KIAA0632 protein, partial cds.//8.5e-145:679:98//AB014532
 F-NT2RP3004544//Homo sapiens mRNA for KIAA0554 protein, partial cds.//2.8e-169:793:98//AB011126
 F-NT2RP3004566//Mus musculus kruppel-related zinc finger protein (Emzf1) mRNA, complete cds.//6.9e-18:433:64//AF031955
- 35 F-NT2RP3004569//CITBI-E1-2522H6.TF CITBI-E1 Homo sapiens genomic clone 2522H6, genomic survey sequence.//5.3e-15:138:84//AQ280780
 F-NT2RP3004572//Homo sapiens cofactor of initiator function (CIF150) mRNA, complete cds.//1.0e-179:860:97//AF026445
 F-NT2RP3004578//Homo sapiens mRNA for KIAA0477 protein, complete cds.//4.2e-150:711:98//AB007946
- 40 F-NT2RP3004594//Homo sapiens mRNA for AND-1 protein.//1.1e-158:796:95//AJ006266
 F-NT2RP3004617//Homo sapiens clone DJ1152C17, WORKING DRAFT SEQUENCE, 1 unordered pieces.//9.3e-14:360:65//AC004977
 F-NT2RP3004618//Oryctolagus cuniculus translation initiation factor eIF2C mRNA, complete cds.//2.9e-52:539:73//AF005355
- 45 F-NT2RP3004669//Brn-3a=class V POU transcription factor [mice, CD/CD, embryo fibroblast cells, Genomic, 2160 nt].//0.046:437:57//S69350
 F-NT2RP3004670//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 356B8, WORKING DRAFT SEQUENCE.//1.9e-05:625:59//Z98882
 F-NT2RP4000008//Homo sapiens chromosome X, clone hCIT.200_L_4, complete sequence.//1.5e-155:844:92//AC006121
- 50 F-NT2RP4000023//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K24G6, complete sequence.//0.012:417:59//AB012242
 F-NT2RP4000035//Homo sapiens BAC clone NH0353P23 from 2, complete sequence.//8.0e-18:242:74//AC005035
- 55 F-NT2RP4000049//Homo sapiens decoy receptor 2 mRNA, complete cds.//2.1e-81:556:85//AF029761
 F-NT2RP4000051//Mus musculus mRNA for cartilage-associated protein (CASP).//1.6e-19:654:63//AJ006469
 F-NT2RP4000078//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//2.5e-149:720:97//AJ012449
 F-NT2RP4000102//Plasmodium falciparum MAL3P2, complete sequence.//0.28:336:57//AL034558

F-NT2RP4000109//Homo sapiens mRNA for MEGF5, partial cds.//4.4e-166:774:99//AB011538
 F-NT2RP4000111//B.taurus mRNA for cleavage and polyadenylation specificity factor.//2.6e-137:678:91//X75931
 F-NT2RP4000129//Homo sapiens mRNA for KIAA0483 protein, partial cds.//3.3e-114:548:98//AB007952
 5 F-NT2RP4000147//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//1.2e-104:677:85//U35776
 F-NT2RP4000150//Rat proto-oncogene (Ets-1) mRNA, complete cds.//7.2e-54:327:74//L20681
 F-NT2RP4000151//Homo sapiens clone 664 unknown mRNA, partial sequence.//2.2e-62:360:92//AF091088
 F-NT2RP4000159//RPC111-75N16.TJ RPC111 Homo sapiens genomic clone R-75N16, genomic survey sequence.//2.6e-19:119:98//AQ267551
 10 F-NT2RP4000167//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//3.3e-49:683:67//AC006210
 F-NT2RP4000185//Homo sapiens clone DT1P1E11 mRNA, CAG repeat region.//1.1e-99:543:93//U92989
 F-NT2RP4000210//Homo sapiens mRNA for KIAA0700 protein, partial cds.//4.9e-174:825:98//AB014600
 F-NT2RP4000212//, complete sequence.//4.0e-131:233:94//AC005300
 15 F-NT2RP4000214//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//1.8e-161:751:99//AC005261
 F-NT2RP4000218//RPC111-69B7.TJ RPC111 Homo sapiens genomic clone R-69B7, genomic survey sequence.//1.7e-84:413:98//AQ268504
 F-NT2RP4000243//Homo sapiens mRNA for cartilage-associated protein (CASP).//2.6e-156:771:97//AJ006470
 20 F-NT2RP4000246//Mus musculus neural variant mena+++ protein (Mena) mRNA, complete cds.//2.1e-120:707:87//U72523
 F-NT2RP4000259//Homo sapiens clone 683 unknown mRNA, complete sequence.//2.8e-128:604:99//AF091092
 F-NT2RP4000263//CIT-HSP-2336N24.TF CIT-HSP Homo sapiens genomic clone 2336N24, genomic survey sequence.//0.27:124:69//AQ043515
 25 F-NT2RP4000290//S.cerevisiae chromosome XIV reading frame ORF YNL132w.//8.6e-32:619:63//Z71408
 F-NT2RP4000312//Human mRNA for KIAA0147 gene, partial cds.//4.7e-41:685:63//D63481
 F-NT2RP4000321//Mus musculus transcription factor HOXA13 (Hoxa13) gene, complete cds.//6.9e-05:756:59//U59322
 F-NT2RP4000323
 30 F-NT2RP4000355
 F-NT2RP4000360//Homo sapiens mRNA for KIAA0738 protein, complete cds.//2.0e-140:654:99//AB018281
 F-NT2RP4000367//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//2.6e-135:649:97//AF044195
 F-NT2RP4000370//Rickettsia prowazekii strain Madrid E, complete genome; segment 3/4.//2.0e-23:524:62//AJ235272
 35 F-NT2RP4000376//Sequence 1 from patent US 5580968.//1.6e-115:716:87//I30536
 F-NT2RP4000381//Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain:BALB/c.//4.3e-05:450:58//D63850
 F-NT2RP4000398//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//9.2e-37:336:69//AC006116
 40 F-NT2RP4000415//Caenorhabditis elegans cosmid C42D8.//0.30:222:60//U56966
 F-NT2RP4000417//Drosophila melanogaster cosmid clone 86E4.//1.8e-48:580:69//AL021086
 F-NT2RP4000424//Homo sapiens chromosome 17, clone HRPC41C23, complete sequence.//1.6e-42:265:81//AC003101
 45 F-NT2RP4000448//CIT-HSP-2370F8.TF CIT-HSP Homo sapiens genomic clone 2370F8, genomic survey sequence.//2.0e-56:287:98//AQ110194
 F-NT2RP4000449//CIT-HSP-2366N18.TR CIT-HSP Homo sapiens genomic clone 2366N18, genomic survey sequence.//2.4e-42:236:95//AQ076183
 F-NT2RP4000455//Homo sapiens PAC clone 166H1 from 12q, complete sequence.//0.17:158:67//AC003982
 50 F-NT2RP4000457//H.sapiens mRNA for herpesvirus associated ubiquitin-specific protease (HAUSP).//0.00034:532:57//Z72499
 F-NT2RP4000480//Rhodothermus marinus R-21 DNA ligase gene, complete cds.//0.0094:616:58//U10483
 F-NT2RP4000481
 F-NT2RP4000498//S.cerevisiae chromosome IX cosmid 9150.//5.7e-24:633:60//Z38125
 55 F-NT2RP4000500//G.gallus mRNA for LRP/alpha-2-macroglobulin receptor.//2.4e-62:667:73//X74904
 F-NT2RP4000515
 F-NT2RP4000517//Homo sapiens chromosome 18, clone hRPK.474_N_24, complete sequence.//1.6e-179:851:98//AC006238

- F-NT2RP4000518//Homo sapiens mRNA for ATP-dependent RNA helicase, partial.//6.7e-33:203:93//AJ010840
 F-NT2RP4000519//Mus musculus tyrosine kinase growth factor receptor (Etk2/tyro3) gene, alternative 5' coding exon 2C.//0.26:162:61//U23720
- 5 F-NT2RP4000524//Rattus norvegicus rsec8 mRNA, partial cds.//1.2e-139:809:89//U32498
 F-NT2RP4000528//Caenorhabditis elegans cosmid F59E12.//1.0e-06:404:59//AF003386
 F-NT2RP4000541//Drosophila melanogaster DNA sequence (P1 DS02109 (D53)), complete sequence.//1.3e-05:498:58//AC002443
- 10 F-NT2RP4000556//Sequence 1 from Patent EP 0285405.//1.2e-18:586:61//I05465
 F-NT2RP4000560//Murine genomic DNA; partially digested Sau3A fragment, cloned into cosmid vector pEMBLcos2, complete sequence.//2.5e-53:183:82//AF059580
 F-NT2RP4000588//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 414D7, WORKING DRAFT SEQUENCE.//0.00062:253:65//AL033543
- 15 F-NT2RP4000614//Homo sapiens TLS-associated protein TASR-2 mRNA, complete cds.//3.2e-138:666:98//AF067730
 F-NT2RP4000638//HS_3042_B2_D05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3042 Col=10 Row=H, genomic survey sequence.//3.0e-06:78:89//AQ099333
 F-NT2RP4000648//Homo sapiens KNSL4 and MAZ genes for kinesin-like DNA binding protein and Myc-associated zinc finger protein, complete cds.//1.9e-11:104:85//AB017335
- 20 F-NT2RP4000657//Mus musculus bone morphogenetic factor 11 (Bmp11) gene, exon 1.//0.34:350:62//AF100904
 F-NT2RP4000704//Homo sapiens mRNA expressed in 19week fetal lung, clone IMAGE:300856.//3.3e-167:785:99//AB004852
 F-NT2RP4000713//Gallus gallus atonal homolog 1 (Cath1) gene, complete cds.//3.7e-07:261:65//U61149
 F-NT2RP4000724//Human endogenous retrovirus env mRNA.//9.2e-136:474:89//X82272
- 25 F-NT2RP4000728//Homo sapiens mRNA for KIAA0606 protein, partial cds.//3.1e-41:350:71//AB011178
 F-NT2RP4000737//Myxococcus xanthus ATP-dependent protease (bsgA) gene, complete cds.//1.0:504:58//L19301
 F-NT2RP4000739//CIT-HSP-2010O22.TR CIT-HSP Homo sapiens genomic clone 2010O22, genomic survey sequence.//1.1e-24:161:93//B57903
- 30 F-NT2RP4000781//Homo sapiens clone DJ0892G19, complete sequence.//0.052:493:58//AC004917
 F-NT2RP4000787//Cricetulus griseus SRD-2 mutant sterol regulatory element binding protein-2 (SREBP-2) mRNA, complete cds.//9.6e-18:259:68//U22818
 F-NT2RP4000817//Homo sapiens mRNA for KIAA0470 protein, complete cds.//1.5e-174:816:98//AB007939
 F-NT2RP4000833//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//0.97:52:92//AC005189
- 35 F-NT2RP4000837//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1112F19, WORKING DRAFT SEQUENCE.//2.1e-128:644:97//AL034420
 F-NT2RP4000839//RPCI11-6D8.TP RPCI-11 Homo sapiens genomic clone RPCI-11-6D8, genomic survey sequence.//1.5e-44:281:91//B48216
- 40 F-NT2RP4000855//Rattus norvegicus mRNA for aminopeptidase-B, complete cds.//9.5e-43:722:64//D87515
 F-NT2RP4000865//Human zinc finger protein ZNF136.//6.8e-95:415:78//U09367
 F-NT2RP4000878//Mus musculus mRNA for myeloid associated differentiation protein.//7.0e-87:646:80//AJ001616
- 45 F-NT2RP4000879//N.tabaccum mRNA for ubiquitin activating enzyme E1.//9.0e-17:806:58//Y10804
 F-NT2RP4000907//Mouse NLR-1 mRNA for leucine-rich-repeat protein, complete cds.//6.8e-153:934:86//D45913
 F-NT2RP4000915//Homo sapiens mRNA for ZNF198 protein.//9.4e-79:584:78//AJ224901
- 50 F-NT2RP4000918//Drosophila melanogaster DNA sequence (P1 DS04106 (D172)), complete sequence.//2.0e-08:609:58//AC004290
 F-NT2RP4000925//Rattus norvegicus Shal-related potassium channel Kv4.3 mRNA, complete cds.//3.5e-64:415:87//U42975
- 55 F-NT2RP4000927//H.sapiens genomic DNA (chromosome 3; clone NRL062R).//0.75:175:62//X87547
 F-NT2RP4000928//Homo sapiens CDP-diacylglycerol synthase 2 (CDS2) mRNA, partial cds.//3.5e-163:781:97//AF069532
 F-NT2RP4000929//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.94:763:56//AC004688
- F-NT2RP4000955//Homo sapiens clone DJ0919J22, WORKING DRAFT SEQUENCE, 34 unordered pieces.//1.0e-128:673:96//AC005519
 F-NT2RP4000973//Caenorhabditis elegans cosmid Y47H9C, complete sequence.//1.6e-15:255:69//AL032657

EP 1 074 617 A2

F-NT2RP4000975//CIT-HSP-2307I6.TF CIT-HSP Homo sapiens genomic clone 2307I6, genomic survey sequence.//6.5e-31:317:79//AQ015742
 F-NT2RP4000979//Human bullous pemphigoid antigen mRNA, 3' end.//0.88:54:90//M22942
 F-NT2RP4000984//Rhodobacter sphaeroides mRNA.//0.76:214:64//M83823
 5 F-NT2RP4000989//F.rubripes GSS sequence, clone 011A11aE12, genomic survey sequence.//1.0:149:65//AL010911
 F-NT2RP4000996//Penaeus setiferus microsatellite Pse017 repeat region.//3.3e-08:139:74//AF047358
 F-NT2RP4000997//Rattus norvegicus RNA polymerase I 127 kDa subunit mRNA, complete cds.//3.6e-126:824:84//AF025424
 10 F-NT2RP4001004
 F-NT2RP4001006//Mus musculus ROSA 26 transcription AS ROSA26AS mRNA, complete cds.//1.4e-110:861:78//U83176
 F-NT2RP4001010//Rattus norvegicus PSD-95/SAP90-associated protein-4 mRNA, complete cds.//2.0e-135:789:89//U67140
 15 F-NT2RP4001029//Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds.//3.7e-120:718:88//U20086
 F-NT2RP4001041//Schizosaccharomyces pombe mRNA, partial cds, clone: SY 0717.//4.1e-22:452:64//D89170
 F-NT2RP4001057
 F-NT2RP4001064//Mus musculus mRNA for cartilage-associated protein (CASP).//1.2e-20:639:62//AJ006469
 20 F-NT2RP4001078//Streptomyces coelicolor cosmid 1C2.//0.0025:474:59//AL031124
 F-NT2RP4001079//Rat alternatively spliced mRNA.//1.4e-141:832:88//M93018
 F-NT2RP4001080//H.sapiens PTB-4 gene for polypirimidine tract binding protein.//9.0e-64:628:70//X65372
 F-NT2RP4001086//Homo sapiens mRNA for KIAA0592 protein, partial cds.//4.7e-84:604:86//AB011164
 F-NT2RP4001095
 25 F-NT2RP4001100//CITBI-E1-2503J7.TR CITBI-E1 Homo sapiens genomic clone 2503J7, genomic survey sequence.//9.4e-17:185:79//AQ263402
 F-NT2RP4001117//Canis familiaris sec61 homologue mRNA, complete cds.//1.0e-143:760:87//M96629
 F-NT2RP4001122
 F-NT2RP4001126//Homo sapiens shox gene, alternatively spliced products, complete cds.//4.2e-17:636:61//U82668
 30 F-NT2RP4001138//Homo sapiens PAC clone DJ1121E10 from 7q21.1-q2, complete sequence.//2.5e-23:408:60//AC004969
 F-NT2RP4001143//Sequence 5 from patent US 5753432.//1.8e-39:276:86//AR008079
 F-NT2RP4001148//Homo sapiens clone RG332P12, WORKING DRAFT SEQUENCE, 1 unordered pieces.//2.7e-116:684:89//AC005095
 35 F-NT2RP4001149//Mouse mRNA for thymic epithelial cell surface antigen, complete cds.//3.0e-48:581:66//D67067
 F-NT2RP4001150//Homo sapiens clone DJ1032D07, WORKING DRAFT SEQUENCE, 3 unordered pieces.//9.4e-25:193:67//AC004952
 40 F-NT2RP4001159//Human FMR1 gene, 5' end.//0.28:130:66//L19476
 F-NT2RP4001174//FMR1 {CGG repeats} [human, Fragile X syndrome patient, Genomic, 429 nt].//0.0014:187:67//S74494
 F-NT2RP4001206//Dictyostelium discoideum random slug cDNA19 protein (rscl9) mRNA, partial cds.//0.032:453:58//U82511
 45 F-NT2RP4001207//HS_2248_A1_C03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2248 Col=5 Row=E, genomic survey sequence.//0.00018:58:94//AQ192358
 F-NT2RP4001210//Homo sapiens chromosome 10 clone CIT987SK-1019O18 map 10p11.2-10p12.1, complete sequence.//0.93:515:58//AC005877
 F-NT2RP4001213//Human KRAB zinc finger protein (ZNF177) mRNA, splicing variant, complete cds.//3.6e-44:187:74//U37251
 50 F-NT2RP4001219//Caenorhabditis elegans cosmid Y47H9C, complete sequence.//1.3e-15:288:67//AL032657
 F-NT2RP4001228//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//2.2e-26:855:60//AF059569
 F-NT2RP4001235//RPCI11-18E11.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-18E11, genomic survey sequence.//2.7e-15:101:98//B88081
 55 F-NT2RP4001256//Amycolatopsis mediterranei 3-amino-5-hydroxy benzoic acid synthase (rifD) gene, complete cds.//1.0:459:59//U33061
 F-NT2RP4001260//Sequence 2 from Patent WO9601901.//0.0018:246:63//A48324

F-NT2RP4001274//Homo sapiens, complete sequence.//2.5e-05:201:67//AC005854
 F-NT2RP4001276//CIT-HSP-2324B15.TF CIT-HSP Homo sapiens genomic clone 2324B15, genomic survey sequence.//3.5e-18:138:92//AQ040728
 5 F-NT2RP4001313//Homo sapiens mitochondrial outer membrane protein (TOM40) mRNA, nuclear gene encoding mitochondrial protein, complete cds.//7.4e-30:535:65//AF043250
 F-NT2RP4001315//Bos taurus mRNA for Rab5 GDP/GTP exchange factor, Rabex5.//3.5e-145:795:91//AJ001119
 F-NT2RP4001336//CIT-HSP-2169F21.TR CIT-HSP Homo sapiens genomic clone 2169F21, genomic survey sequence.//8.4e-16:109:94//B89870
 10 F-NT2RP4001339//HS_3205_B1_E08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3205 Col=15 Row=J, genomic survey sequence.//7.1e-24:305:73//AQ183725
 F-NT2RP4001343//Homo sapiens PAC clone DJ0894A10 from 7q32-q32, complete sequence.//1.9e-17:106:91//AC004918
 F-NT2RP4001345//G.gallus mRNA for lecithin-cholesterol acyltransferase.//7.6e-40:631:66//X91011
 15 F-NT2RP4001351//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 184J9, WORKING DRAFT SEQUENCE.//2.7e-30:608:64//AL031428
 F-NT2RP4001353//Streptomyces coelicolor cosmid 5A7.//0.23:540:57//AL031107
 F-NT2RP4001372//RPCI11-49L11.TJ RPCI11 Homo sapiens genomic clone R-49L11, genomic survey sequence.//8.5e-23:129:100//AQ051701
 20 F-NT2RP4001373//G.gallus genomic DNA repeat region, clone 16E1.//0.15:213:61//X78609
 F-NT2RP4001375
 F-NT2RP4001379//Homo sapiens chromosome 17, clone hRPK.311_F_12, complete sequence.//7.3e-28:153:88//AC005722
 F-NT2RP4001389//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete sequence.//7.2e-47:518:73//AC004691
 25 F-NT2RP4001407//P.falciparum glutamic acid-rich protein gnen, complete cds.//0.00079:686:57//J03998
 F-NT2RP4001414//Human mRNA for KIAA0202 gene, partial cds.//2.0e-76:818:71//D86957
 F-NT2RP4001433//H.sapiens HZF10 mRNA for zinc finger protein.//3.5e-87:839:73//X78933
 F-NT2RP4001442
 F-NT2RP4001447//Homo sapiens mRNA for KIAA0783 protein, complete cds.//0.21:218:63//AB018326
 30 F-NT2RP4001474//Human NotI linking clone 924A058R, genomic survey sequence.//7.6e-14:109:90//U49884
 F-NT2RP4001483//Human mRNA for 2-oxoglutarate dehydrogenase, complete cds.//2.5e-59:480:75//D10523
 F-NT2RP4001498//Homo sapiens huntingtin interacting protein HYPH mRNA, partial cds.//9.7e-39:392:72//AF049612
 F-NT2RP4001502//H.sapiens (D8S135) DNA segment containing GT repeat.//2.7e-24:147:96//X61693
 35 F-NT2RP4001507//Plasmid pSB24.2 (from S.cyanogenus) neomycin resistance protein gene, complete cds.//0.87:583:58//M32513
 F-NT2RP4001524//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.93:394:58//AC005308
 F-NT2RP4001529//Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds.//3.1e-143:820:89//U20086
 40 F-NT2RP4001547//S.cerevisiae chromosome XIV reading frame ORF YNR048w.//2.2e-05:319:61//Z71663
 F-NT2RP4001551//S.pombe chromosome II p1 p8B7.//0.64:335:60//AL032684
 F-NT2RP4001555//Homo sapiens 12q24.2 BAC RPCI11-360E11 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//1.0:309:58//AC004806
 45 F-NT2RP4001567//HS_2166_B1_C07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2166 Col=13 Row=F, genomic survey sequence.//0.99:188:59//AQ086290
 F-NT2RP4001568//Human mRNA for KIAA0167 gene, complete cds.//7.0e-53:566:72//D79989
 F-NT2RP4001571//RPCI11-21F20.TP RPCI-11 Homo sapiens genomic clone RPCI-11-21F20, genomic survey sequence.//2.8e-19:119:97//B85885
 50 F-NT2RP4001574//B.primigenius mRNA for coat protein gamma-cop.//5.8e-129:813:85//X92987
 F-NT2RP4001575//Rattus norvegicus mRNA for ARE1 protein.//3.4e-131:795:86//AJ223830
 F-NT2RP4001592//S.aureus gene for isoleucyl-tRNA synthetase.//1.3e-14:663:59//X74219
 F-NT2RP4001610//Homo sapiens Xp22 Cosmids U15E4, U115H5, U132E12, U115B9 (Lawrence Livermore human cosmid library) complete sequence.//6.4e-10:135:73//AC002364
 55 F-NT2RP4001614//HS_3042_B2_D05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3042 Col=10 Row=H, genomic survey sequence.//3.4e-06:78:89//AQ099333
 F-NT2RP4001634
 F-NT2RP4001638//cSRL-161F1-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic

- clone cSRL-161FI, genomic survey sequence.//4.9e-12:144:76//B02870
 F-NT2RP4001644//M.musculus mRNA for map kinase interacting kinase, Mnk2.//3.8e-69:437:86//Y11092
 F-NT2RP4001656//HS_2013_A1_D01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2013 Col=1 Row=G, genomic survey sequence.//2.0e-30:207:89//AQ224793
 5 F-NT2RP4001677//Hylobates lar huntingtin gene, partial exon.//0.23:105:71//L49362
 F-NT2RP4001679//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 462O23, WORKING
 DRAFT SEQUENCE.//2.7e-45:351:84//AL031431
 F-NT2RP4001696//Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.//1.8e-30:163:88//
 U96629
 10 F-NT2RP4001725//Drosophila melanogaster DNA sequence (P1 DS08860 (D181)), complete sequence.//1.1e-
 13:402:63//AC004296
 F-NT2RP4001730//RPCI11-37M21.TK RPCI-11 Homo sapiens genomic clone RPCI-11-37M21, genomic survey
 sequence.//0.88:177:67//AQ029840
 F-NT2RP4001739
 15 F-NT2RP4001753//H.sapiens telomeric DNA sequence, clone 12QTEL023, read 12QTELOO023.seq.//4.9e-36:
 192:98//Z96232
 F-NT2RP4001760//Mouse oncogene (ect2) mRNA, complete cds.//2.3e-140:866:86//L11316
 F-NT2RP4001790//Homo sapiens clone NH0569124, complete sequence.//1.4e-29:327:74//AC005678
 F-NT2RP4001803
 20 F-NT2RP4001822//Homo sapiens tetraspan TM4SF (TSPAN-4) mRNA, complete cds.//1.0e-16:576:60//
 AF054841
 F-NT2RP4001823//Human DNA sequence from clone 181C9 on chromosome 22q13.2-13.33. Contains a PHAPI2
 Leucine Rich Acidic Nuclear Protein pseudogene, part of a putative novel gene, ESTs, STSs and GSSs, complete
 sequence.//2.1e-08:601:59//Z98743
 25 F-NT2RP4001828
 F-NT2RP4001838//Human mRNA for KIAA0071 gene, partial cds.//2.2e-53:555:73//D31888
 F-NT2RP4001841
 F-NT2RP4001849//Homo sapiens mRNA for KIAA0672 protein, complete cds.//1.7e-55:813:65//AB014572
 F-NT2RP4001861//Human simple repeat polymorphism.//0.0014:145:66//M87691
 30 F-NT2RP4001889//HS_2052_B1_H06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2052 Col=11 Row=P, genomic survey sequence.//1.0e-23:187:86//AQ270425
 F-NT2RP4001893//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//7.3e-76:178:95//
 AC005014
 35 F-NT2RP4001896//T3B4TFC TAMU Arabidopsis thaliana genomic clone T3B4, genomic survey sequence.//0.99:
 354:61//B26193
 F-NT2RP4001901//Streptomyces griseus genes for Orf2, Orf3, Orf4, Orf5, AfsA, Orf8, partial and complete cds.//
 0.031:409:60//AB011413
 F-NT2RP4001927//HS_2216_B1_D03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2216 Col=5 Row=H, genomic survey sequence.//4.9e-32:216:89//AQ184677
 40 F-NT2RP4001938//Mus musculus zinc finger protein (Zfp64) mRNA, complete cds.//1.2e-83:709:79//U49046
 F-NT2RP4001946//HS_3021_B2_H10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3021 Col=20 Row=P, genomic survey sequence.//7.6e-09:120:76//AQ133185
 F-NT2RP4001950//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alterna-
 tively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin,
 45 subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs,
 complete sequence.//2.1e-18:421:65//AL022577
 F-NT2RP4001953//CIT-HSP-2294D14.TR CIT-HSP Homo sapiens genomic clone 2294D14, genomic survey se-
 quence.//0.030:358:61//AQ005028
 F-NT2RP4001966//Mus musculus DOC4 (Doc4) mRNA, complete cds.//2.5e-68:812:68//AF059485
 50 F-NT2RP4001975//Homo sapiens chromosome 17, clone hCIT.91_J_4, complete sequence.//1.9e-57:555:75//
 AC003976
 F-NT2RP4002018//cSRL-143G4-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic
 clone cSRL-143G4, genomic survey sequence.//8.9e-21:123:98//B01950 F-NT2RP4002047//Saccharomyces
 cerevisiae chromosome XII cosmid 8003.//1.6e-29:520:64//U17243
 55 F-NT2RP4002052//CIT-HSP-2045A15.TF CIT-HSP Homo sapiens genomic clone 2045A15, genomic survey se-
 quence.//2.8e-22:137:96//B80243
 F-NT2RP4002058//T20L11-T7 TAMU Arabidopsis thaliana genomic clone T20L11, genomic survey sequence.//
 0.019:141:65//AQ248640

- F-NT2RP4002071//CIT-HSP-2314J9.TF CIT-HSP Homo sapiens genomic clone 2314J9, genomic survey sequence.//0.99:163:63//AQ027223
- F-NT2RP4002075//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y57G11, WORKING DRAFT SEQUENCE.//0.15:506:59//Z92841
- 5 F-NT2RP4002078//RPCI11-73M20.TJ RPCI11 Homo sapiens genomic clone R-73M20, genomic survey sequence.//4.8e-21:130:96//AQ269030
- F-NT2RP4002081//F.rubripes GSS sequence, clone 190O22bB9, genomic survey sequence.//0.0024:350:60//Z92062
- F-NT2RP4002083//M.musculus tex27 mRNA.//8.2e-77:456:89//X80437
- 10 F-NT2RP4002408//Caenorhabditis elegans serine/threonine kinase LET-502 (let-502) mRNA, complete cds.//3.7e-18:541:62//U85515
- F-NT2RP4002791
- F-NT2RP4002888//Homo sapiens BAC clone RG067E13 from 7q21, complete sequence.//4.7e-39:385:75//AC002383
- 15 F-NT2RP4002905//Homo sapiens chromosome 17, clone hRPC.842_A_23, complete sequence.//6.5e-91:672:83//AC004662
- F-NT2RP5003459//Human glyceraldehyde-3-phosphate dehydrogenase (GAPDH) mRNA, complete cds.//2.9e-37:193:99//M33197
- F-NT2RP5003461//Human DNA sequence from PAC 506G2 contains ESTs.//7.9e-51:300:80//Z82901
- 20 F-NT2RP5003477//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE, 2 unordered pieces.//6.7e-77:150:100//AC000380
- F-NT2RP5003492
- F-NT2RP5003500//Human DNA sequence from cosmid 97K10, between markers DXS6791 and DXS8038 on chromosome X contains STSs and CpG island.//1.7e-111:623:93//Z81365
- 25 F-NT2RP5003506//H.sapiens CpG island DNA genomic Mse1 fragment, clone 71h2, reverse read cpg71h2.rt1a.//1.4e-49:283:93//Z62703
- F-NT2RP5003512//HS_3084_A1_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3084 Col=7 Row=G, genomic survey sequence.//7.7e-18:117:95//AQ186312
- F-NT2RP5003522//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12 unordered pieces.//3.8e-101:211:96//AC005236
- 30 F-NT2RP5003524//Homo sapiens beta-spectrin (HSpTB1) gene, exon 14 and partial cds.//0.00056:650:57//AF013178
- F-NT2RP5003534//H.sapiens CpG island DNA genomic Mse1 fragment, clone 14c10, forward read cpg14c10.ft1b.//0.00013:70:91//Z54631
- 35 F-OVARC1000001//Homo sapiens mRNA for KIAA0465 protein, partial cds.//1.2e-67:373:94//AB007934
- F-OVARC1000004//Homo sapiens chromosome 4 clone B368A9 map 4q25, complete sequence.//5.8e-93:518:81//AC005510
- F-OVARC1000006//Gallus gallus histone H2A (H2A-VIII) gene, complete cds.//9.1e-56:392:84//U38933
- F-OVARC1000013
- 40 F-OVARC1000014//Homo sapiens GLE1 (GLE1) mRNA, complete cds.//5.6e-170:815:98//AF058922
- F-OVARC1000017//Streptomyces glaucescens tcm operon.//0.37:347:60//M80674
- F-OVARC1000035//Homo sapiens GA17 protein mRNA, complete cds.//6.8e-36:238:89//AF064603
- F-OVARC1000058
- F-OVARC1000060//Homo sapiens ribonuclease 6 precursor, mRNA, complete cds.//2.5e-36:192:98//U85625
- 45 F-OVARC1000068//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 404K8, WORKING DRAFT SEQUENCE.//0.14:554:57//AL023883
- F-OVARC1000071//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 596C15, WORKING DRAFT SEQUENCE.//5.3e-104:197:100//AL031387
- F-OVARC1000085//Human DNA sequence from clone 191N21 on chromosome 6q27 Contains genes for PDCD2 (PROGRAMMED CELL DEATH-2/RP8 HOMOLOG), TATA factor (TFIID), proteasome subunit HC5, EST, STS, GSS, complete sequence.//1.6e-116:588:96//AL031259
- 50 F-OVARC1000087//HS_2004_B2_E11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2004 Col=22 Row=J, genomic survey sequence.//7.1e-11:94:94//AQ221037
- F-OVARC1000091//nbxb0020P17r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0020P17r, genomic survey sequence.//5.2e-05:238:64//AQ258489
- 55 F-OVARC1000092//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//1.1e-10:720:58//AC004617
- F-OVARC1000106//HS_3212_B2_G12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-

nomic clone Plate=3212 Col=24 Row=N, genomic survey sequence.//9.9e-05:141:73//AQ175369
 F-OVARC1000109
 F-OVARC1000113//Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds.//1.6e-133:663:96//AF069250
 5 F-OVARC1000114//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1111N9, WORKING DRAFT SEQUENCE.//2.3e-51:547:70//AL022574
 F-OVARC1000133//Homo sapiens clone GS512I21, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.62:349:61//AC005027
 F-OVARC1000139//Caenorhabditis elegans cosmid F09D1.//2.5e-18:314:64//AF040640
 10 F-OVARC1000145//HS_2257_B2_D11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2257 Col=22 Row=H, genomic survey sequence.//5.8e-30:203:90//AQ304854
 F-OVARC1000148//CIT-HSP-2345A22.TR CIT-HSP Homo sapiens genomic clone 2345A22, genomic survey sequence.//1.1e-26:146:100//AQ056703
 F-OVARC1000151//Sequence 1 from patent US 5665588.//2.6e-61:677:70//I64695
 15 F-OVARC1000168//Homo sapiens chromosome 19, cosmid R31343, complete sequence.//4.9e-19:381:63//AC005764
 F-OVARC1000191//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//1.3e-06:745:57//AL034557
 F-OVARC1000198//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0366H07; HTGS phase 1, WORKING DRAFT SEQUENCE, 28 unordered pieces.//6.4e-161:781:97//AC004604
 20 F-OVARC1000209//Oryza sativa submergence induced protein 2A mRNA, complete cds.//9.2e-33:511:65//AF068332
 F-OVARC1000212//F.rubripes GSS sequence, clone 185L11aC1, genomic survey sequence.//1.1e-13:139:79//AL019910
 25 F-OVARC1000240//Sequence 1 from patent US 5710024.//1.4e-129:623:98//I81226
 F-OVARC1000241//Mus musculus hypoxia inducible factor three alpha mRNA, complete cds.//1.1e-112:697:87//AF060194
 F-OVARC1000288 2.2e-22:181:83//J00345
 F-OVARC1000302//A-192A9.TP CIT978SK Homo sapiens genomic clone A-192A9, genomic survey sequence.//4.8e-18:110:99//B18003
 30 F-OVARC1000304//Mouse mRNA from Mov10 locus.//5.5e-100:631:85//X52574
 F-OVARC1000309
 F-OVARC1000321//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12 unordered pieces.//3.1e-122:325:95//AC005236
 35 F-OVARC1000326//Rattus norvegicus lamina-associated polypeptide 1C (LAP1C) mRNA, complete cds.//4.0e-46:339:84//U19614
 F-OVARC1000335//Caenorhabditis elegans cosmid F15B10.//0.020:545:57//AF036696
 F-OVARC1000347//Homo sapiens clone GS051M12, complete sequence.//0.71:252:59//AC005007
 F-OVARC1000384//Homo sapiens expanded SCA7 CAG repeat.//2.2e-09:276:64//AF020275
 40 F-OVARC1000408//Human Chromosome 11p15.5 PAC clone pDJ915f1 containing KvLQT1 gene, complete sequence.//0.61:343:59//AC003693
 F-OVARC1000411//S.cerevisiae chromosome XI reading frame ORF YKL202w.//0.075:242:60//Z28201
 F-OVARC1000414//Homo sapiens PAC clone DJ0905M06 from 7q31, complete sequence.//0.00088:285:62//AC005166
 45 F-OVARC1000420//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 371H6, WORKING DRAFT SEQUENCE.//0.14:487:60//AL031718
 F-OVARC1000427//Homo sapiens clone UWGC:rg041a03 from 7p14-15, complete sequence.//4.9e-30:195:84//AC005826
 F-OVARC1000431//Plasmodium falciparum MAL3P2, complete sequence.//1.3e-05:651:59//AL034558
 50 F-OVARC1000437//Chicken tensin mRNA, complete cds.//9.6e-54:296:78//M74165
 F-OVARC1000440//Human PINCH protein mRNA, complete cds.//2.7e-19:116:99//U09284
 F-OVARC1000442//Human DNA sequence from clone 816K17 on chromosome 20p12.2-13 Contains TGM3 (PROTEIN-GLUTAMINE GLUTAMYLTRANSFERASE E3 PRECURSOR (EC 2.3.2.13) (TGASE E3) (TRANS-GLUTAMINASE 3), and another member of the Transglutaminase family, complete sequence.//1.0e-21:202:79//AL031678
 55 F-OVARC1000443//Homo sapiens mRNA for KIAA0683 protein, complete cds.//1.0e-138:566:99//AB014583
 F-OVARC1000461
 F-OVARC1000465//Bos taurus guanine nucleotide-exchange protein (ARF-GEP1) mRNA, complete cds.//4.7e-

- 124:650:93//AF023451
 F-OVARC1000466//Homo sapiens DNA from chromosome 19, cosmid R29144, complete sequence.//1.0e-15:510:59//AC004221
 5 F-OVARC1000473//Ciona intestinalis genomic fragment, clone 3F4, genomic survey sequence.//2.5e-06:272:62//AJ227191
 F-OVARC1000479//cDNA encoding novel rat protein TIP120 which is formed of complex with TBP (TATA binding protein).//1.1e-117:652:90//E12829
 F-OVARC1000486//Homo sapiens DNA sequence from PAC 262D12 on chromosome 1q23.3-24.3. Contains a Tenascin (Hexabrachion, Cytotactin, Neuronectin, Myotendinous antigen)-LIKE gene and a mitochondrial/chloroplast 30S ribosomal protein S14-LIKE gene preceeded by a CpG island. Contains ESTs, genomic marker D1S2691 and STSs.//1.7e-13:709:60//Z99297
 10 F-OVARC1000496//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 455J7, WORKING DRAFT SEQUENCE.//6.0e-23:316:72//AL031733
 F-OVARC1000520//Homo sapiens supervillin mRNA, complete cds.//2.1e-113:539:99//AF051850
 15 F-OVARC1000526//Homo sapiens clone GS438P06, WORKING DRAFT SEQUENCE, 17 unordered pieces.//8.0e-149:716:98//AC005024
 F-OVARC1000533//Homo sapiens chromosome 19, cosmid R30385, complete sequence.//5.8e-137:545:97//AC004510
 F-OVARC1000543//HS_3055_A2_F10_MF CIT Approved Human Genomic_Sperm Library D Homo sapiens genomic clone Plate=3055 Col=20 Row=K, genomic survey sequence.//0.19:104:71//AQ102820
 20 F-OVARC1000556//Homo sapiens DNA sequence from PAC 168L15 on chromosome 6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS. CpG island, complete sequence.//4.4e-136:670:97//AL022069
 F-OVARC1000557//Human DNA from chromosome 19-specific cosmid R27090, genomic sequence, complete sequence.//1.3e-15:262:69//AC002985
 25 F-OVARC1000564//Mus musculus clone OST7314, genomic survey sequence.//1.9e-41:476:70//AF046733
 F-OVARC1000573//HS_3241_B1_H03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3241 Col=5 Row=P, genomic survey sequence.//2.2e-101:530:95//AQ211942
 F-OVARC1000576//Human Chromosome X, WORKING DRAFT SEQUENCE, 2 unordered pieces.//9.7e-97:445:90//AC002414
 30 F-OVARC1000578//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//9.1 e-27:354:72//AC003973
 F-OVARC1000588//Human DNA sequence from clone 497J21 on chromosome 6q26-27. Contains a KOC (KH-domain containg transcript overexpressed in cancer) pseudogene, genomic marker D6S193, ESTs, STSs and GSSs, and a ca repeat polymorphism, complete sequence.//0.97:276:62//AL023775
 35 F-OVARC1000605
 F-OVARC1000622//Homo sapiens (subclone 2_d8 from P1 H42) DNA sequence, complete sequence.//7.2e-60:457:82//L81648
 F-OVARC1000640//Human BAC clone RG326K09 from 7q21, complete sequence.//6.2e-58:499:80//AC002069
 F-OVARC1000649//Human squamous cell carcinoma of esophagus mRNA for GRB-7 SH2 domain protein, complete cds.//5.1e-77:424:93//D43772
 40 F-OVARC1000661//Homo sapiens mRNA for KIAA0590 protein, complete cds.//4.8e-99:536:94//AB011162
 F-OVARC1000678//cSRL-29c7-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-29c7, genomic survey sequence.//2.5e-57:336:91//B04244
 F-OVARC1000679//Rattus norvegicus mRNA for myosin-RhoGAP protein Myr 7.//1.6e-81:291:84//AJ001713
 45 F-OVARC1000681//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 257E24, WORKING DRAFT SEQUENCE.//8.2e-158:782:96//AL034424
 F-OVARC1000682//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds.//1.5e-151:549:99//AF027156
 F-OVARC1000689//nbxb0003aG01f CUGI Rice BAC Library Oryza sativa genomic clone nbxb0003M01f, genomic survey sequence.//0.17:499:60//AQ050003
 50 F-OVARC1000700
 F-OVARC1000703//Drosophila melanogaster DNA repair protein (mei-41) gene, complete cds, and TH1 gene, partial cds.//3.5e-26:425:65//U34925
 F-OVARC1000722//Homo sapiens chromosome 1q21-1q23 beta-1,4-galactosyltransferase mRNA, complete cds.//3.7e-109:451:91//AF038661
 55 F-OVARC1000730
 F-OVARC1000746
 F-OVARC1000769//HS_2056_B2_G06_T7 CIT Approved Human Genomic Sperm-Library D Homo sapiens genomic clone Plate=2056 Col=12 Row=N, genomic survey sequence.//8.8e-19:147:86//AQ245905

- F-OVARC1000771//M.musculus mRNA for GTP-binding protein.//2.2e-62:305:78//X95403
 F-OVARC1000781//Sequence 5 from Patent WO9722695.//1.9e-89:705:78//A63552
 F-OVARC1000787//Homo sapiens PAC clone DJ430N08 from 22q12.1-qter, complete sequence.//3.0e-131:631:98//AC004542
- 5 F-OVARC1000800//Human Chromosome 11q23 PAC clone pDJ254e13, complete sequence.//1.7e-32:295:80//AC003691
 F-OVARC1000802//Homo sapiens chromosome Xp22-67-68, WORKING DRAFT SEQUENCE, 99 unordered pieces.//3.2e-55:356:88//AC004469
 F-OVARC1000834//Homo sapiens mRNA for atopy related autoantigen CALC.//9.5e-27:163:94//Y17711
- 10 F-OVARC1000846//Homo sapiens mRNA for KIAA0643 protein, partial cds.//6.0e-150:432:100//AB014543
 F-OVARC1000850//Homo sapiens PB39 mRNA, complete cds.//1.0e-135:632:99//AF045584
 F-OVARC1000862//M.musculus mRNA for FT1.//2.6e-109:769:83//Z67963
 F-OVARC1000876//S.cerevisiae chromosome IX cosmid 9150.//7.4e-21:541:61//Z38125
 F-OVARC1000883//Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds.//2.2e-08:98:88//U20086
- 15 F-OVARC1000885//B.subtilis 25 kb genomic DNA segment (from sspE to kta).//0.25:231:61//Z82044
 F-OVARC1000886//CIT-HSP-2171H6.TR CIT-HSP Homo sapiens genomic clone 2171H6, genomic survey sequence.//0.00035:139:69//B89721
 F-OVARC1000890
 F-OVARC1000891
- 20 F-OVARC1000897//Human DNA sequence from clone 215F16 on chromosome 22q12.1-12.3. Contains part of a Homeobox domain containing gene and GSSs, complete sequence.//1.4e-18:473:64//AL024494
 F-OVARC1000912//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//8.9e-08:378:63//L14320
 F-OVARC1000915//Homo sapiens mRNA for KIAA0600 protein, partial cds.//7.7e-85:440:95//AB011172
- 25 F-OVARC1000924//HS_2022_A1_C01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2022 Col=1 Row=E, genomic survey sequence.//5.7e-21:122:99//AQ269493
 F-OVARC1000936//Human PAC clone DJ0093103 from Xq23, complete sequence.//1.2e-113:476:91//AC003983
 F-OVARC1000937//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20208, WORKING DRAFT SEQUENCE.//0.00066:436:61//AL031848
- 30 F-OVARC1000945//Rattus norvegicus mRNA for atypical PKC specific binding protein, complete cds.//5.0e-89:556:86//AB005549
 F-OVARC1000948//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.98:160:64//X95276
 F-OVARC1000959//CIT-HSP-2348O16.TR CIT-HSP Homo sapiens genomic clone 2348O16, genomic survey sequence.//0.99:270:59//AQ062850
- 35 F-OVARC1000960//Human DNA sequence from PAC 212P9 on chromosome 1p34.1-1p35. Contains delta opiate receptor, CpG island, CA repeat.//3.9e-41:577:72//AL009181
 F-OVARC1000964//P.falciparum malaria antigen (M26-32-2) gene, partial cds.//0.19:83:73//M63270
 F-OVARC1000971//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y57G11, WORKING DRAFT SEQUENCE.//0.013:670:57//Z92841
- 40 F-OVARC1000984//Leishmania major chromosome 1, complete sequence.//0.80:345:58//AE001274
 F-OVARC1000996//MO25 gene [mice, embryos, mRNA, 2322 nt].//2.6e-55:403:82//S51858
 F-OVARC1000999//Synthetic construct galanin receptor type 3 (GALR3) gene, complete cds.//0.33:105:69//AF042785
- 45 F-OVARC1001000//HS_2247_A1_H05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2247 Col=9 Row=O, genomic survey sequence.//3.1e-60:315:96//AQ153910
 F-OVARC1001004//Homo sapiens from UWGC:y18c282 from 6p21, complete sequence.//3.1e-124:595:98//AC004190
 F-OVARC1001010//CIT-HSP-2034M3.TF CIT-HSP Homo sapiens genomic clone 2034M3, genomic survey sequence.//1.0:151:60//B74290
- 50 F-OVARC1001011//Human DNA sequence from cosmid U85A3, between markers DXS366 and DXS87.on chromosome X contains rad21 and T-cell cyclophorin pseudogenes, STS.//3.0e-08:149:79//Z78021
 F-OVARC1001032//Yeast (S.cerevisiae) mitochondrial Tyr-tRNA gene.//3.2e-13:667:60//M12451
 F-OVARC1001034//Mus musculus Fn54 mRNA, partial cds.//2.5e-119:737:86//AF001533
 F-OVARC1001038//Homo sapiens TRIAD1 type I mRNA, complete cds.//2.7e-150:733:97//AF099149
- 55 F-OVARC1001040//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18 unordered pieces.//9.8e-29:277:76//AC005081
 F-OVARC1001044//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 36411, WORKING DRAFT SEQUENCE.//0.0017:387:6.1//AL031319

- F-OVARC1001051//Rattus norvegicus brain specific cortactin-binding protein CBP90 mRNA, partial cds.//0.012:112:74//AF053768
- F-OVARC1001055//Sequence 1 from patent US 5580754.//3.3e-45:381:81//I30292
- 5 F-OVARC1001062//nbxb0026H08r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0026H08r, genomic survey sequence.//0.018:344:59//AQ271878
- F-OVARC1001065//S.pombe chromosome I cosmid c29E6.//0.86:338:59//Z66525
- F-OVARC1001068//Homo sapiens Era GTPase A protein (HERA-A) mRNA, partial cds.//2.0e-130:620:98//AF082657
- 10 F-OVARC1001072//Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions.//9.3e-24:285:65//AF003529
- F-OVARC1001074//Human DNA sequence from clone 23K20 on chromosome Xq25-26.2 Contains EST, STS, GSS, complete sequence.//2.0e-07:652:59//AL022153
- F-OVARC1001085//Homo sapiens c-syn protooncogene mRNA, complete cds.//5.0e-35:187:99//M14333
- 15 F-OVARC1001092//Homo sapiens mRNA for JM5 protein, complete CDS (clone IMAGE 53337, LLNLc110F1857Q7 (RZPD Berlin) and LLNLc110G0913Q7 (RZPD Berlin)).//4.0e-74:289:95//AJ005897
- F-OVARC1001107//Homo sapiens SKB1Hs mRNA, complete cds.//3.6e-72:351:86//AF015913
- F-OVARC1001113//Homo sapiens diaphanous 1 (HDIA1) mRNA, complete cds.//6.4e-150:710:98//AF051782
- F-OVARC1001117//Homo sapiens chromosome 5, P1 clone 328E3 (LBNL H53), complete sequence.//0.99:148:67//AC005178
- 20 F-OVARC1001118//Human Chromosome 11 pac pDJ197h17, WORKING DRAFT SEQUENCE, 11 unordered pieces.//2.6e-35:302:74//AC000382
- F-OVARC1001129//CIT-HSP-647P20.TP CIT-HSP Homo sapiens genomic clone 647P20, genomic survey sequence.//0.94:106:66//B79052
- F-OVARC1001154//R.norvegicus mRNA for epithelin 1 and 2.//1.8e-95:462:79//X62322
- 25 F-OVARC1001161//Homo sapiens chromosome 4 clone B71M12 map 4q25, complete sequence.//2.9e-90:496:84//AC004069
- F-OVARC1001162
- F-OVARC1001167//Homo sapiens clone DJ1098J04, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.00090:219:64//AC004961
- 30 F-OVARC1001169//Borrelia burgdorferi (section 27 of 70) of the complete genome.//1.0:265:59//AE001141
- F-OVARC1001170//H.sapiens (xs170) mRNA, 350bp.//4.6e-58:355:90//Z36823
- F-OVARC1001171//CIT-HSP-2285E22.TF CIT-HSP Homo sapiens genomic clone 2285E22, genomic survey sequence.//1.5e-25:152:83//AQ002315
- 35 F-OVARC1001173//Human DNA sequence from clone 243E7 on chromosome 22q12.1. Contains ESTs, STSs and GSSs, complete sequence.//0.0024:94:80//AL022323
- F-OVARC1001176//Streptomyces plicatus B-N-acetylhexosaminidase (hex) gene, complete cds.//1.0:356:60//AF063001
- F-OVARC1001180//G.gallus DNA for polyubiquitin gene Ub II.//0.0062:275:60//X58195
- 40 F-OVARC1001188//Homo sapiens full-length insert cDNA clone ZD93F03.//1.8e-32:180:97//AF086486
- F-OVARC1001200
- F-OVARC1001232//Caenorhabditis elegans cosmid F10B5, complete sequence.//0.013:128:67//Z48334
- F-OVARC1001240//Human Chromosome 11 pac pDJ360p17, WORKING DRAFT SEQUENCE, 44 unordered pieces.//3.7e-131:811:87//AC001235
- 45 F-OVARC1001243//Human BAC clone GS117O10 from 7q21-q22, complete sequence.//0.044:457:59//AC003078
- F-OVARC1001244//Human homolog of Drosophila female sterile homeotic mRNA, complete cds.//8.4e-18:118:95//M80613
- F-OVARC1001261//Mus musculus putative membrane-associated guanylate kinase 1 (Magi-1) mRNA, alternatively spliced c form, partial cds.//1.4e-95:649:84//AF027505
- 50 F-OVARC1001268//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//0.00051:72:83//U35776
- F-OVARC1001270
- F-OVARC1001271//Homo sapiens mRNA for KIAA0643 protein, partial cds.//2.1e-142:644:96//AB014543
- F-OVARC1001282//RPC111-60K8.TK RPC111 Homo sapiens genomic clone R-60K8, genomic survey sequence.//0.0089:285:58//AQ195857
- 55 F-OVARC1001296//Homo sapiens echinoderm microtubule-associated protein homolog HuEMAP mRNA, complete cds.//3.0e-20:263:73//U97018
- F-OVARC1001306//nbxb0002M13r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0002M13r, genomic survey sequence.//0.98:170:66//AQ156061

- F-OVARC1001329//Homo sapiens BAC clone RG370M10 from 7p15, complete sequence.//1.3e-05:432:61//AC003986
- F-OVARC1001330//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.027:444:59//AC005504
- 5 F-OVARC1001339//Homo sapiens chromosome 17, clone hCIT.124_H_2, complete sequence.//0.76:89:74//AC006071
- F-OVARC1001341//CITBI-E1-2503J7.TR CITBI-E1 Homo sapiens genomic clone 2503J7, genomic survey sequence.//0.99:45:86//AQ263402
- F-OVARC1001342
- 10 F-OVARC1001344//HS-1059-A2-H02-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 781 Col=4 Row=O, genomic survey sequence.//1.5e-07:254:67//B44456
- F-OVARC1001357//Homo sapiens Xp22-149 BAC RPCI11-466O4 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//0.83:376:61//AC005297
- F-OVARC1001360
- 15 F-OVARC1001369//Homo sapiens clone 162B15, complete sequence.//0.0066:99:76//AC004811
- F-OVARC1001372//Homo sapiens liprin-alpha4 mRNA, partial cds.//2.7e-142:683:98//AF034801
- F-OVARC1001376//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 850H21, WORKING DRAFT SEQUENCE.//1.9e-52:382:73//AL031680
- F-OVARC1001381//Homo sapiens mRNA for candidate tumor suppressor involved in B-CLL.//1.2e-147:683:99//AJ224819
- 20 F-OVARC1001391//S.coelicolor whiB gene.//0.018:454:59//X62287
- F-OVARC1001399//CIT-HSP-229118.TR CIT-HSP Homo sapiens genomic clone 229118, genomic survey sequence.//1.7e-11:104:87//AQ007611
- F-OVARC1001417//Homo sapiens EXLM1 mRNA, complete cds.//3.9e-149:707:98//AB006651
- 25 F-OVARC1001419//Homo sapiens GOK (STIM1) mRNA, complete cds.//4.9e-48:586:69//U52426
- F-OVARC1001425//Human DNA sequence from clone 1048E9 on chromosome 22q11.2-12.2 Contains pseudo-gene similar to ribosomal protein S3A and part of a gene similar to C.elegans protein CE02118, ESTs, STS, GSS, complete sequence.//0.0019:96:78//Z99714
- F-OVARC1001436//Caenorhabditis elegans mitotic chromosome and X-chromosome associated MIX-1 protein (mix-1) mRNA, complete cds.//0.77:519:59//U96387
- 30 F-OVARC1001442//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 998H6, WORKING DRAFT SEQUENCE.//1.0:167:64//AL031687
- F-OVARC1001453//Human DNA sequence from PAC 453D15 on chromosome 6 contains STS.//4.4e-64:376:79//Z84482
- 35 F-OVARC1001476//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y24F12, WORKING DRAFT SEQUENCE.//0.20:107:71//AL022277
- F-OVARC1001480
- F-OVARC1001489//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.20:281:63//AC005140
- 40 F-OVARC1001496//Homo sapiens C-terminal binding protein 2 mRNA, complete cds.//8.1e-85:479:92//AF016507
- F-OVARC1001506//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-13F4 ~complete genomic sequence, complete sequence.//1.2e-98:503:83//AC002039
- F-OVARC1001525//Human beta-hexosaminidase alpha chain (HEXA) gene, exon 1.//1.7e-13:87:100//M16411
- 45 F-OVARC1001542//H.sapiens polymorphic repeat associated with glutamate dehydrogenase pseudogene 5.//0.43:190:68//X69219
- F-OVARC1001547//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.017:533:56//AC005140
- F-OVARC1001555//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//7.4e-159:416:99//AC005037
- 50 F-OVARC1001577//Homo sapiens SRp46 splicing factor transcribed retropseudogene.//2.4e-115:540:99//AF031165
- F-OVARC1001600//Homo sapiens chromosome 21q22.3 PAC 39C17, complete sequence.//5.5e-13:529:62//AF043945
- F-OVARC1001610//, complete sequence.//1.4e-12:152:77//AC005409
- 55 F-OVARC1001611
- F-OVARC1001615//Human DNA sequence from clone 873P14 on chromosome 20p12 Contains STS, GSS, complete sequence.//0.022:146:70//AL031682
- F-OVARC1001668//Homo sapiens mRNA for MCM3 import factor, complete cds.//6.5e-109:358:96//AB005543

F-OVARC1001702//Homo sapiens mRNA for hSOX20 protein, complete cds.//1.8e-47:393:81//AB006867
 F-OVARC1001703//CIT-HSP-2164L6.TF CIT-HSP Homo sapiens genomic clone 2164L6, genomic survey sequence.//0.94:85:69//B92840
 5 F-OVARC1001711//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 317C6, WORKING DRAFT SEQUENCE.//1.9e-06:489:61//Z97651
 F-OVARC1001713//Rattus norvegicus neuroligin 2 mRNA, complete cds.//1.0:262:59//U41662
 F-OVARC1001726//Human telomere associated repeat sequence, complete sequence.//7.5e-08:283:65//M57752
 F-OVARC1001731//Mus musculus gene for beta-tropomyosin.//2.6e-83:606:81//X12650
 F-OVARC1001745//HS_3007_B2_G09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3007 Col=18 Row=N, genomic survey sequence.//0.00020:269:60//AQ164522
 10 F-OVARC1001762//S.pombe chromosome III cosmid c338.//3.0e-17:624:61//AL023781
 F-OVARC1001766//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds.//4.2e-149:706:98//U97670
 F-OVARC1001767//Homo sapiens mRNA for KIAA0675 protein, complete cds.//3.0e-115:580:96//AB014575
 15 F-OVARC1001768
 F-OVARC1001791//Homo sapiens BAC clone RG118P15 from 8q21, complete sequence.//5.7e-64:477:78//AC005066
 F-OVARC1001795//Homo sapiens chromosome 4 clone B341C20 map 4q25, complete sequence.//6.5e-11:171:76//AC004704
 20 F-OVARC1001802//CITBI-E1-2502A17.TR CITBI-E1 Homo sapiens genomic clone 2502A17, genomic survey sequence.//0.98:214:61//AQ264481
 F-OVARC1001805//Human DNA sequence from clone 511E16 on chromosome 6p24.3-25.1. Contains the last coding exon of the gene for P18 component of aminoacyl-tRNA synthetase complex, part of an unknown gene downstream of a putative CpG island, and an STS with a CA repeat polymorphism, complete sequence.//9.5e-151:712:99//AL023694
 25 F-OVARC1001809//Mus musculus sphingosine kinase (SPHK1a) mRNA, partial cds.//2.7e-56:522:75//AF068748
 F-OVARC1001812//Homo sapiens chromosome 17, clone HCIT104N19, complete sequence.//1.7e-63:526:81//AC003662
 F-OVARC1001813//Human DNA sequence from cosmid U144A10, between markers DXS366 and DXS87 on chromosome X contains STS.//0.17:214:65//Z70224
 30 F-OVARC1001820//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 445N2, WORKING DRAFT SEQUENCE.//3.2e-55:379:82//AL031779
 F-OVARC1001828//Homo sapiens chromosome 5, BAC clone 203o13 (LBNL H155), complete sequence.//2.8e-17:509:62//AC005609
 35 F-OVARC1001846//Human DNA sequence from cosmid U73E8, between markers DXS366 and DXS87 on chromosome X.//0.35:403:58//Z73361
 F-OVARC1001861//CIT-HSP-2165M3.TR CIT-HSP Homo sapiens genomic clone 2165M3, genomic survey sequence.//2.4e-25:148:96//B94622
 F-OVARC1001873//Homo sapiens clones 24718 and 24825 mRNA sequence.//1.2e-18:122:95//AF070611
 40 F-OVARC1001879//HS_3026_B1_F09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3026 Col=17 Row=L, genomic survey sequence.//4.9e-29:204:87//AQ207748
 F-OVARC1001880//Human interferon regulatory factor 5 (Humirf5) mRNA, complete cds.//3.5e-05:489:60//U51127
 F-OVARC1001883//Homo sapiens clone GS259H13, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.9e-29:350:74//AC005020
 45 F-OVARC1001900//Homo sapiens tumorous imaginal discs protein Tid56 homolog (TID1) mRNA, complete cds.//8.6e-56:300:96//AF061749
 F-OVARC1001901//Human DNA sequence from clone 103M22 on chromosome 6p24. Contains STSs and GSSs, complete sequence.//2.3e-10:253:66//AL031904
 50 F-OVARC1001911//HS_2196_B2_H11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2196 Col=22 Row=P, genomic survey sequence.//3.4e-09:123:78//AQ294069
 F-OVARC1001916//HS_3054_B1_C11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3054 Col=21 Row=F, genomic survey sequence.//1.2e-31:126:97//AQ099979
 F-OVARC1001928
 55 F-OVARC1001942//H.sapiens CpG island DNA genomic Mse1 fragment, clone 21d7, forward read cpg21d7.ft1a.//7.2e-12:83:98//Z60390
 F-OVARC1001943//Aplysia californica potassium channel modulatory factor mRNA, complete cds.//3.5e-50:535:69//AF059179

EP 1 074 617 A2

F-OVARC1001949//Human KRAB zinc finger protein (ZNF177) mRNA, complete cds.//1.7e-16:294:67//U37263
 F-OVARC1001950//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//1.5e-20:261:68//AJ011929
 F-OVARC1001987//D.melanogaster G6PD gene, exons 2-4.//0.99:447:57//Z19021
 5 F-OVARC1001989//Homo sapiens clone DJ0042M02, WORKING DRAFT SEQUENCE, 20 unordered pieces.//2.9e-19:178:83//AC005995
 F-OVARC1002044//Plasmodium falciparum MAL3P7, complete sequence.//0.17:232:62//AL034559
 F-OVARC1002050//Homo sapiens mRNA for KIAA0465 protein, partial cds.//2.1e-158:739:98//AB007934
 F-OVARC1002066//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 4/15,
 10 WORKING DRAFT SEQUENCE.//3.0e-17:781:59//AP000011
 F-OVARC1002082//Homo sapiens clone DJ0965K10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//5.4e-136:683:96//AC006015
 F-OVARC1002107//Homo sapiens BAC clone RG276003 from 7q22-q31.1, complete sequence.//1.0:220:61//AC004668
 15 F-OVARC1002112//Homo sapiens histone macroH2A1.2 mRNA, complete cds.//6.1e-115:557:98//AF041483
 F-OVARC1002127//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//0.013:461:57//AC006241
 F-OVARC1002138//Caenorhabditis elegans cosmid F32D1.//1.0e-29:545:64//AF016427
 F-OVARC1002143//CIT-HSP-2343H20. TR CIT-HSP Homo sapiens genomic clone 2343H20, genomic survey se-
 20 quence.//2.3e-11:258:67//AQ055576
 F-OVARC1002156
 F-OVARC1002158//F17O7-T7 IGF Arabidopsis thaliana genomic clone F17O7, genomic survey sequence.//1.8e-16:383:66//B11616
 F-OVARC1002165//H.sapiens BDP1 mRNA for protein-tyrosinephosphatase.//0.0041:300:64//X79568
 25 F-OVARC1002182//F.rubripes GSS sequence, clone 123I23aA7, genomic survey sequence.//1.4e-10:240:66//AL017241
 F-PLACE1000004//CIT-HSP-2294H13.TF CIT-HSP Homo sapiens genomic clone 2294H13, genomic survey se-
 quence.//8.2e-10:158:75//AQ003859
 F-PLACE1000005//Mouse alpha-1 antitrypsin gene, segment 1.//4.8e-15:89:93//M12585
 30 F-PLACE1000007//Homo sapiens ubiquitin hydrolyzing enzyme I (UBH1) mRNA, partial cds.//3.8e-51:550:72//AF022789
 F-PLACE1000014
 F-PLACE1000031//Homo sapiens clone DJ0098O22, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.91:333:61//AC004821
 35 F-PLACE1000040//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains ESTs STS and CpG island.//2.6e-20:279:67//Z93023
 F-PLACE1000048//Homo sapiens chromosome 17, clone HCIT462L7, complete sequence.//3.6e-63:488:82//AC005177
 F-PLACE1000050//Mus musculus chromosome 14 marker um-m24 GA dinucleotide DNA sequence.//2.3e-10:141:75//U31508
 40 F-PLACE1000061//Human ribosomal protein L37a mRNA sequence.//1.9e-30:190:94//L22154
 F-PLACE1000066//Homo sapiens PAC clone DJ1106E03 from 7q31.3-7q3, complete sequence.//6.0e-63:597:74//AC005521
 F-PLACE1000078//Homo sapiens chromosome 11 clone CIT987SK-1012F4, WORKING DRAFT SEQUENCE, 6
 45 unordered pieces.//5.2e-09:143:73//AC005848
 F-PLACE1000081//Human DNA from chromosome 19 specific cosmid R28461, genomic sequence, complete se-
 quence.//0.52:390:60//AC002389
 F-PLACE1000094
 F-PLACE1000133//Human DNA sequence from clone 372K1 on chromosome 6q24 Contains EST, STS, GSS and
 50 CpG Island, complete sequence.//4.4e-129:731:92//AL023580
 F-PLACE1000142//H.sapiens AUH mRNA.//6.4e-09:328:62//X79888
 F-PLACE1000184//Homo sapiens estrogen-related receptor gamma mRNA, complete cds.//7.7e-150:737:97//AF058291
 F-PLACE1000185//Sequence 15 from patent US 5691147.//5.7e-106:558:94//I76211 F-PLACE1000213
 55 F-PLACE1000214//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.8e-06:644:57//AC005504
 F-PLACE1000236//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 695O20, WORKING DRAFT SEQUENCE.//2.6e-39:191:83//AL032818

- F-PLACE1000246//HS_2008_A2_D04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2008 Col=8 Row=G, genomic survey sequence.//0.96:153:61//AQ269813
- F-PLACE1000292//Drosophila melanogaster Oregon-R mitochondrial A+T region.//5.1e-12:571:60//U11584
- 5 F-PLACE1000308//D.teissieri mitochondrial DNA for tRNA-fmet, tRNA-Ile, tRNA-Gln & amp; tRNA-Val.//0.00013:369:59//X54011
- F-PLACE1000332//HS_2016_B2_D08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2016 Col=16 Row=H, genomic survey sequence.//7.5e-83:424:96//AQ232106
- F-PLACE1000347//CIT-HSP-2326A16.TV CIT-HSP Homo sapiens genomic clone 2326A16, genomic survey sequence.//0.13:46:100//AQ047350
- 10 F-PLACE1000374//Mus musculus putative CCAAT binding factor 1 (mCBF) mRNA, alternatively spliced transcript mCBF1, complete cds.//0.00048:84:83//U19891
- F-PLACE1000380//F.rubripes GSS sequence, clone 047P21aA10, genomic survey sequence.//0.43:198:62//Z88163
- F-PLACE1000383//Homo sapiens myotubularin related protein 1 (MTMR1) mRNA, partial cds.//8.7e-149:740:96//U58032
- 15 F-PLACE1000401//Pinctada fucata mRNA for insoluble protein, complete cds.//0.22:484:56//D86074
- F-PLACE1000406//Human nuclear matrix protein 55 (nmt55) mRNA, complete cds.//3.3e-19:372:65//U89867
- F-PLACE1000420//Homo sapiens chromosome 17, clone hRPK.227_G_15, complete sequence.//1.6e-85:421:87//AC005899
- 20 F-PLACE1000421//Human GT334 protein (GT334) gene, exons 16 and 17.//0.88:145:68//U61515
- F-PLACE1000424//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//0.076:196:66//AC005189
- F-PLACE1000435//HS_3217_A2_A12_MR CIT Approved Human Genomic-Sperm Library D Homo sapiens genomic clone Plate=3217 Col=24 Row=A, genomic survey sequence.//2.2e-47:438:76//AQ181698
- 25 F-PLACE1000444//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, complete sequence.//6.9e-61:616:71//AC004382
- F-PLACE1000453//Murine genomic DNA; partially digested Sau3A fragment, cloned into cosmid vector pEMBLcos2, complete sequence.//5.8e-18:314:69//AF059580
- F-PLACE1000481//Homo sapiens Chromosome 22q11.2 Cosmid Clone 94a In DGCR Region, complete sequence.//1.1e-33:349:76//AC002491
- 30 F-PLACE1000492//Rat vacuolar protein sorting homolog r-vps33b mRNA, complete cds.//1.1e-34:256:83//U35245
- F-PLACE1000540//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.099:336:58//X95276
- F-PLACE1000547//Arabidopsis thaliana GDP-mannose pyrophosphorylase (GMP1) mRNA, complete cds.//5.4e-11:279:63//AF076484
- 35 F-PLACE1000562//, complete sequence.//1.7e-97:559:88//AC005409
- F-PLACE1000564
- F-PLACE1000583//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//3.3e-46:631:68//M27877
- 40 F-PLACE1000588//Human guanylate binding protein isoform I (GBP-2) mRNA, complete cds.//7.3e-84:503:88//M55542
- F-PLACE1000596//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//3.8e-164:798:97//AJ012449
- F-PLACE1000599//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.018:295:61//X95276
- F-PLACE1000610//HS_2056_A1_D10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2056 Col=19 Row=G, genomic survey sequence.//5.3e-24:188:87//AQ235967
- 45 F-PLACE1000611//Rattus norvegicus neural membrane protein 35 mRNA, complete cds.//2.4e-47:687:66//AF044201
- F-PLACE1000636
- F-PLACE1000653//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//1.5e-152:747:96//AF102265
- 50 F-PLACE1000656//Homo sapiens mRNA for JM4 protein, complete CDS (clone IMAGE 546750 and LLNLc110F1857Q7 (RZPD Berlin)).//2.3e-156:775:97//AJ005896
- F-PLACE1000706//nuclear protein TIF1 [mice, mRNA, 3951 nt].//8.0e-60:675:70//S78219
- F-PLACE1000712
- 55 F-PLACE1800716//HS-1057-A1-A03-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 779 Col=5 Row=A, genomic survey sequence.//2.7e-42:266:82//B43026
- F-PLACE1000748//CIT-HSP-2372J8.TR CIT-HSP Homo sapiens genomic clone 2372J8, genomic survey sequence.//0.023:157:68//AQ113109

EP 1 074 617 A2

F-PLACE1000749//Plasmodium falciparum MAL3P7, complete sequence.//0.099:664:57//AL034559
 F-PLACE1000755//H.sapiens DNA 3' flanking simple sequence region clone wg2c3.//0.00068:206:62//X76589
 F-PLACE1000769//RPCI11-3J18.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-3J18, genomic survey se-
 quence.//6.5e-08:93:89//B63806
 5 F-PLACE1000785//Homo sapiens mRNA for KIAA0648 protein, partial cds.//3.5e-138:663:98//AB014548
 F-PLACE1000786//Drosophila melanogaster cosmid 80H7.//1.4e-43:589:68//AL031027
 F-PLACE1000793//H.sapiens CpG island DNA genomic Mse1 fragment, clone 13d12, reverse read
 cpg13d12.rt1c.//4.6e-09:71:100//Z64565
 F-PLACE1000798//Human Chromosome 16 BAC clone CIT987SK-A-635H12, complete sequence.//5.0e-14:235:
 10 72//AC002310
 F-PLACE1000841//Homo sapiens clone NH0441G08, WORKING DRAFT SEQUENCE, 12 unordered pieces.//
 0.013:404:60//AC006158
 F-PLACE1000849//H.sapiens CpG island DNA genomic Mse1 fragment, clone 72a10, reverse read
 cpg72a10.rt1a.//3.3e-09:82:92//Z62712
 15 F-PLACE1000856//Hydra vulgaris HT4 mRNA for collagen-like protein, partial cds.//1.0:317:59//AB008935
 F-PLACE1000863//H.sapiens CpG island DNA genomic Mse1 fragment, clone 53d2, forward read cpg53d2.ft1b.//
 7.3e-37:199:98//Z55621
 F-PLACE1000909//H.sapiens CpG island DNA genomic Mse1 fragment, clone 173f8, reverse read
 cpg173f8.rt1a.//1.5e-17:128:92//Z57391
 20 F-PLACE1000931//Human DNA sequence from PAC 212P9 on chromosome 1p34.1-1p35. Contains delta opiate
 receptor, CpG island, CA repeat.//8.1e-55:647:72//AL009181
 F-PLACE1000948
 F-PLACE1000972//RPCI11-61B1.TJ RPCI11 Homo sapiens genomic clone R-61B1, genomic survey sequence.//
 1.0e-26:148:99//AQ194348
 25 F-PLACE1000977//Homo sapiens mRNA for KIAA0672 protein, complete cds.//6.1e-08:413:61//AB014572
 F-PLACE1000979//H.sapiens CpG island DNA genomic Mse1 fragment, clone 76e8, reverse read cpg76e8.rt1a.//
 2.7e-10:84:94//Z55963
 F-PLACE1000987//Homo sapiens mRNA for KIAA0724 protein, complete cds.//8.0e-140:694:96//AB018267
 F-PLACE1001000//Herpetomonas muscarum muscarum kinetoplast 12S rRNA gene.//0.0056:443:58//U01011
 30 F-PLACE1001007//CIT-HSP-2013L15.TF CIT-HSP Homo sapiens genomic clone 2013L15, genomic survey se-
 quence.//0.99:277:58//B58681
 F-PLACE1001010//Human cosmid g1572c101, complete sequence.//3.6e-55:294:88//AC000357
 F-PLACE1001015//Homo sapiens PAC clone DJ0754J18 from 7p21, complete sequence.//7.2e-33:333:73//
 AC004741
 35 F-PLACE1001024
 F-PLACE1001036//CIT-HSP-2373I10.TF CIT-HSP Homo sapiens genomic clone 2373I10, genomic survey se-
 quence.//1.1e-80:393:98//AQ108662
 F-PLACE1001054//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K9I9, complete sequence.//
 8.8e-40:483:66//AB013390
 40 F-PLACE1001062//Mus musculus mRNA encoding lysine-ketoglutarate reductase/saccharopine dehydroge-
 nase.//1.2e-23:224:80//AJ224761
 F-PLACE1001076//HS_2195_B1_D05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2195 Col=9 Row=H, genomic survey sequence.//0.0014:168:66//AQ066659
 F-PLACE1001088
 45 F-PLACE1001092//Homo sapiens sorting nexin 4 mRNA, complete cds.//3.1e-95:489:96//AF065485
 F-PLACE1001104//Caprine arthritis-encephalitis virus envelope glycoprotein (env) gene, partial cds.//0.0073:253:
 62//U81400
 F-PLACE1001118//Homo sapiens KRAB domain zinc finger protein (ZFP37) mRNA, complete cds.//2.5e-64:676:
 71//AF022158
 50 F-PLACE1001136//Human amphiregulin (AR) gene, exon 5, clones lambda-ARH(6,12).//3.8e-26:174:93//M30702
 F-PLACE1001168
 F-PLACE1001171//Homo sapiens subtelomeric cosmid 11b-1, complete sequence.//7.6e-23:245:68//AC005603
 F-PLACE1001185//Human DNA sequence from clone 889N15 on chromosome Xq22.1-22.3. Contains part of the
 gene for a novel protein similar to X. laevis Cortical Thymocyte Marker-CTX, the possibly alternatively spliced gene
 55 for 26S Proteasome subunit p28 (Ankyrin repeat protein), a novel gene and exons 36 through 45 of the COL4A6
 for Collagen Alpha 6(IV). Contains ESTs, STSs, GSSs and a putative CpG island, complete sequence.//0.010:
 102:70//AL031177
 F-PLACE1001238//Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds.//9.3e-82:684:

77//D14336
 F-PLACE1001241
 F-PLACE1001257//Caenorhabditis elegans cosmid R12E2.//1.1e-16:480:60//AF067219
 F-PLACE1001272//H.sapiens subunit of coatomer complex.//0.31:50:96//X70476
 5 F-PLACE1001279//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.054:352:60//AC005507
 F-PLACE1001280//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//1.0e-10:620:61//L14320
 F-PLACE1001294//M.musculus GEG-154 mRNA.//5.0e-107:826:80//X71642
 10 F-PLACE1001304//Mouse Zfp-35 mRNA for zinc finger protein ZFP-35.//1.2e-67:510:77//X17617
 F-PLACE1001311//Homo sapiens clone DJ0826E18, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.6e-47:491:73//AC005282
 F-PLACE1001323//HS-1007-A2-B10-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 328 Col=20 Row=C, genomic survey sequence.//9.6e-26:142:100//B31181
 15 F-PLACE1001351
 F-PLACE1001366//Homo sapiens mRNA for KIAA0799 protein, partial cds.//8.6e-25:155:95//AB018342
 F-PLACE1001377//H.sapiens MADM gene (exon 1).//1.6e-43:393:79//Z48614
 F-PLACE1001383//Human DNA sequence from clone 246H3 on chromosome 22q11.21-12.2 Contains LRP5 (Lipoprotein Receptor Related Protein) pseudogene, EST, CA repeats (D22S414, D22S925, D22S926), STS, GSS and CpG island, complete sequence.//1.5e-119:705:91//AL022324
 20 F-PLACE1001384//Homo sapiens mRNA for multi PDZ domain protein.//5.7e-08:117:84//AJ001319
 F-PLACE1001387//Sequence 3 from patent US 5610018.//1.7e-06:395:58//I57340
 F-PLACE1001395//Plasmodium falciparum circular DNA rpoB and rpoC genes for beta and beta-prime subunits of RNA polymerase (EC 2.7.7.6).//7.2e-11:620:60//X52177
 25 F-PLACE1001399//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//3.0e-145:700:98//AC005412
 F-PLACE1001412//Homo sapiens clone 643 unknown mRNA, complete sequence.//2.0e-69:365:96//AF091087
 F-PLACE1001414//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//8.2e-121:608:97//AC006241
 30 F-PLACE1001440//Human Chromosome 11 pac pDJ393o15, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.3e-06:437:61//AC000384
 F-PLACE1001456//Homo sapiens Xp22 GS-52411 (Genome Systems Human BAC library), complete sequence.//0.98:348:60//AC003106
 F-PLACE1001468//Homo sapiens DNA sequence from PAC 435A7 on chromosome Xq22.1-q22.3. Contains STS.//4.4e-05:358:62//AL022148
 35 F-PLACE1001484//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 387E22, WORKING DRAFT SEQUENCE.//5.7e-31:195:93//AL031660
 F-PLACE1001502//Human fibroblast growth factor receptor 3 (FGFR3) gene, exon L//0.00015:333:59//L78720
 F-PLACE1001503//Drosophila melanogaster DNA sequence (P1 DS05273 (D80)), complete sequence.//0.00016:161:66//AC004373
 40 F-PLACE1001517//Human DNA sequence from PAC 696H22 on chromosome Xq21.1-21.2. Contains a mouse E25 like gene, a Kinesin like pseudogene and ESTs.//3.7e-22:260:76//AL021786
 F-PLACE1001534//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 620E11, WORKING DRAFT SEQUENCE.//1.1e-143:713:97//AL031667
 45 F-PLACE1001545//Homo sapiens chromosome 3, clone hRPK.165_I_16, complete sequence.//2.7e-139:482:96//AC005669
 F-PLACE1001551//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//6.9e-116:681:89//AC005261
 F-PLACE1001570//HS_3105_A1_F06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3105 Col=11 Row=K, genomic survey sequence.//1.2e-10:137:79//AQ139817
 50 F-PLACE1001602//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//1.8e-102:217:99//AB020860
 F-PLACE1001603//Homo sapiens nitrilase homolog 1 (NIT1) gene, alternatively spliced product, complete cds.//3.7e-104:501:98//AF069984
 55 F-PLACE1001608//HS_2189_A1_G07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2189 Col=13 Row=M, genomic survey sequence.//2.9e-60:429:84//AQ221959
 F-PLACE1001610//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//4.4e-114:552:98//AC005037

- F-PLACE1001611//Human DNA sequence from clone 1039K5 on chromosome 22q12.3-13.2 Contains gene similar to PICK1 perinuclear binding protein, gene similar to monocarboxylate transporter (MCT3), ESTs, STS, GSS and a CpG island, complete sequence.//0.93:131:71//AL031587
- 5 F-PLACE1001632//Homo sapiens mRNA for KIAA0798 protein, complete cds.//1.1e-74:702:75//AB018341
- F-PLACE1001634//Human p190-B (p190-B) mRNA, complete cds.//1.2e-18:114:100//U17032
- F-PLACE1001640//Homo sapiens chromosome 17, clone hRPK.651_L_9, complete sequence.//7.7e-159:788:97//AC005971
- 10 F-PLACE1001672//Human DNA sequence from clone 71L16 on chromosome Xp11. Contains a probable Zinc Finger protein (pseudo)gene, an unknown putative gene, a pseudogene with high similarity to part of antigen KI-67, a putative Chondroitin 6-Sulfotransferase LIKE gene and a KIAA0267 LIKE putative Na(+)/H(+) exchanger protein gene. Contains a predicted CpG island, ESTs, STSs and GSSs and genomic markers DXS1003 and DXS1055, complete sequence.//7.8e-36:365:73//AL022165
- F-PLACE1001691//Homo sapiens chromosome 17, clone hRPK.294_J_22, complete sequence.//9.1e-149:760:96//AC005921
- 15 F-PLACE1001692//Rat medium-chain S-acyl fatty acid synthetase thio ester hydrolase (MCH), complete cds.//2.9e-57:643:71//M16200
- F-PLACE1001705//Homo sapiens chromosome 17, clone hRPK.958_E_11, WORKING DRAFT SEQUENCE, 2 ordered pieces.//3.9e-18:284:71//AC005883
- F-PLACE1001716//Human mRNA for KIAA0191 gene, partial cds.//6.6e-68:369:73//D83776
- 20 F-PLACE1001720//Homo sapiens Chromosome 22q11.2 Cosmid Clone 31f3 In IGLC Region, complete sequence.//1.0:274:59//AC000051
- F-PLACE1001729//Streptomyces coelicolor cosmid 1C2.//0.22:433:57//AL031124
- F-PLACE1001739//Caenorhabditis elegans cosmid C18H7.//0.049:341:61//AF067607
- 25 F-PLACE1001740//Homo sapiens chromosome 5, P1 clone 1108H7 (LBNL H81), complete sequence.//4.8e-26:372:68//AC005221
- F-PLACE1001745
- F-PLACE1001746//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.018:472:57//AL031744
- F-PLACE1001748//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//8.8e-159:773:97//AF061243
- 30 F-PLACE1001756//Homo sapiens chromosome 12p13.3 clone RPCI11-303E5, WORKING DRAFT SEQUENCE, 65 unordered pieces.//1.9e-54:274:81//AC005842
- F-PLACE1001761//HS_3027_A1_D02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3027 Col=3 Row=G, genomic survey sequence.//0.095:49:93//AQ130972
- 35 F-PLACE1001771//Homo sapiens transient receptor potential protein 6 mRNA, complete cds.//1.0e-146:709:97//AF080394
- F-PLACE1001781 1.3e-08:238:65//AC005637
- F-PLACE1001799//HS_3075_B1_H03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3075 Col=5 Row=P, genomic survey sequence.//1.7e-09:166:69//AQ138474
- 40 F-PLACE1001810//Arabidopsis thaliana genomic DNA, chromosome 3, P1 clone: MRC8, complete sequence.//0.00035:196:66//AB020749
- F-PLACE1001817//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//1.1e-108:546:96//AF058953
- F-PLACE1001821//RPCI11-35D17.TK RPCI-11 Homo sapiens genomic clone RPCI-11-35D17, genomic survey sequence.//2.1e-55:300:97//AQ045286
- 45 F-PLACE1001844//Homo sapiens chromosome 17, clone HCIT462L7, complete sequence.//2.8e-67:443:86//AC005177
- F-PLACE1001845//Arabidopsis thaliana chromosome I BAC T25B24 genomic sequence, complete sequence.//0.34:219:64//AC005850
- 50 F-PLACE1001869//Klebsiella pneumoniae ribitol kinase (rbtK) and ribitol transporter (rbtT) genes, complete cds.//7.1e-11:505:57//AF045244
- F-PLACE1001897//RPCI11-46D15.TJ RPCI11 Homo sapiens genomic clone R-46D15, genomic survey sequence.//9.3e-08:383:63//AQ194408
- F-PLACE1001912
- F-PLACE1001920//Homo sapiens MDC-3.13 isoform 2 mRNA, complete cds.//7.3e-156:753:98//AF099935
- 55 F-PLACE1001928//HS_2220_B2_G04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2220 Col=8 Row=N, genomic survey sequence.//2.8e-43:233:97//AQ152361
- F-PLACE1001983//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 745C22, WORKING DRAFT SEQUENCE.//1.6e-07:396:62//AL031596

- F-PLACE1001989//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING DRAFT SEQUENCE.//1.0e-109:602:93//AL023755
- F-PLACE1002004//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 317E23, WORKING DRAFT SEQUENCE.//1.0e-69:475:87//AL020996
- 5 F-PLACE1002046//Mus musculus ligatin (Lgtn) mRNA, partial cds.//7.2e-97:623:85//U58337
- F-PLACE1002052//HS_2178_B2_D05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2178 Col=10 Row=H, genomic survey sequence.//4.8e-22:140:95//AQ307908
- F-PLACE1002066//Apis mellifera NADH dehydrogenase subunit 2 (ND2) gene, mitochondrial gene encoding mitochondrial protein, partial cds.//0.0063:371:60//U72284
- 10 F-PLACE1002072//Homo sapiens tight junction protein ZO (ZO-2) gene, alternative splice products, promoter and exon A.//0.97:248:60//AF043195
- F-PLACE1002073//Homo sapiens mRNA for KIAA0606 protein, partial cds.//1.3e-37:635:64//AB011178
- F-PLACE1002090//Homo sapiens full-length insert cDNA clone ZA85C09.//7.0e-122:583:98//AF086131
- F-PLACE1002115//nbxb0038A20r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0038A20r, genomic survey sequence.//0.039:210:69//AQ291086
- 15 F-PLACE1002119//Mus musculus IER5 (Ier5) mRNA, complete cds.//7.1e-61:540:77//AF079527
- F-PLACE1002140//Homo sapiens DNA sequence from PAC 454M7 on chromosome Xq25-26.3. Contains the OCRL1 gene for Lowe Oculocerebrorenal Syndrome protein OCRL-1. Contains ESTs, STSs and GSSs, complete sequence.//2.1e-125:491:98//AL022162
- 20 F-PLACE1002150//Plasmodium falciparum MAL3P5, complete sequence.//0.12:408:61//AL034556
- F-PLACE1002157//Homo sapiens BAC clone NH0335J18 from 2, complete sequence.//1.1e-44:515:71//AC005539
- F-PLACE1002163//Homo sapiens T-cell receptor alpha delta locus from bases 1000498 to 1071650 (section 5 of 5) of the Complete Nucleotide Sequence.//0.98:210:65//AE000662
- 25 F-PLACE1002170//Homo sapiens Xp22 bins 16-17 BAC GSHB-531117 (Genome Systems Human BAC Library) complete sequence.//1.2e-06:283:60//AC004805
- F-PLACE1002171//Mus musculus interferon alpha/beta receptor (IFNAR) gene, exon 11 and partial cds.//1.0e-24:313:71//U06244
- F-PLACE1002205//Drosophila melanogaster; Chromosome 3L; Region 79F1-80A2; BAC clone BACR48E05, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.6e-05:428:60//AC005720
- 30 F-PLACE1002213//HS_3238_B1_G03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3238 Col=5 Row=N, genomic survey sequence.//2.2e-74:371:98//AQ206965
- F-PLACE1002227//HS-1056-B1-C01-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 778 Col=1 Row=F, genomic survey sequence.//2.1e-07:174:71//B42800
- 35 F-PLACE1002256//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-72, complete sequence.//0.022:458:59//AL010142
- F-PLACE1002259//Human DNA sequence from clone 246H3 on chromosome 22q11.21-12.2 Contains LRP5 (Lipoprotein Receptor Related Protein) pseudogene, EST, CA repeats (D22S414, D22S925, D22S926), STS, GSS and CpG island, complete sequence.//3.5e-91:637:84//AL022324
- 40 F-PLACE1002319
- F-PLACE1002342//Caenorhabditis elegans cosmid M03A1.//0.47:403:58//U49956
- F-PLACE1002395//Homo sapiens chromosome 19, cosmid R28991, complete sequence.//1.9e-127:487:93//AC004623
- F-PLACE1002399//Homo sapiens chromosome 17, clone hRPK.235_I_10, complete sequence.//5.6e-05:474:59//AC005922
- 45 F-PLACE1002433//Drosophila melanogaster fidiidine gene, exons 1-7.//1.7e-11:613:58//AJ011928
- F-PLACE1002437//M.musculus abc1 mRNA.//5.5e-62:452:85//X75926
- F-PLACE1002438//Dictyostelium discoideum developmental protein DG1098 (DG1098) gene, partial cds.//0.013:372:59//AF081801
- 50 F-PLACE1002450//HS_3233_A1_G01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3233 Col=1 Row=M, genomic survey sequence.//3.1e-07:449:59//AQ204769
- F-PLACE1002465
- F-PLACE1002474//Mus musculus matrilin-2 precursor mRNA, complete cds.//1.5e-110:720:85//U69262
- F-PLACE1002477//Homo sapiens Xp22-171-173 BAC GSHB-31214 (Genome Systems Human BAC Library) complete sequence.//3.9e-05:195:71//AC005926
- 55 F-PLACE1002493//Homo sapiens 3p22-8 PAC RPC14-736H12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.020:301:60//AC006060
- F-PLACE1002499

- F-PLACE1002500//Rattus norvegicus zinc transporter (ZnT-2) mRNA, complete cds.//2.1e-58:465:80//U50927
 F-PLACE1002514//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 292E10, WORKING DRAFT SEQUENCE.//3.7e-08:139:76//Z93930
- 5 F-PLACE1002529//Homo sapiens mRNA for KIAA0713 protein, partial cds.//9.0e-143:583:95//AB018256
 F-PLACE1002532//Homo sapiens BAC clone RG300E22 from 7q21-q31.1, complete sequence.//0.00019:193:65//AC004774
 F-PLACE1002537//Human DNA sequence from clone 127F18 on chromosome Xp11.4-21.3. Contains part of a novel gene with some similarity to parts of chicken Myosin Light Chain and various species' Interleukin-1 Receptor Type 1 (IL1-R-1). Contains GSSs, complete sequence.//4.7e-25:198:84//AL031575
- 10 F-PLACE1002571//Drosophila melanogaster actin-related protein mRNA, complete cds.//2.0e-13:400:60//L25314
 F-PLACE1002578//Homo sapiens Xq28 BACs 360 F12, GSHB-555C13, complete sequence.//3.5e-11:167:72//AC002523
 F-PLACE1002583//Mus musculus glutamate receptor subunit (GluR6) gene, partial cds.//4.2e-09:370:61//U31443
 F-PLACE1002591//H.sapiens mRNA for coronin.//7.2e-26:279:74//X89109
- 15 F-PLACE1002598//Homo sapiens clone GS308H05, WORKING DRAFT SEQUENCE, 6 unordered pieces.//0.0013:375:64//AC005537
 F-PLACE1002604//Hansenula wingei mitochondrial DNA, complete sequence.//4.7e-05:556:59//D31785
 F-PLACE1002625
 F-PLACE1002655//Homo sapiens PAC clone DJ0722F20 from 7q31.1-q31.3, complete sequence.//1.6e-128:229:92//AC005281
- 20 F-PLACE1002665//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//3.6e-107:706:84//AF079765
 F-PLACE1002685//Homo sapiens B cell linker protein BLNK mRNA, alternatively spliced, complete cds.//3.4e-186:804:97//AF068180
- 25 F-PLACE1002714//Mus musculus cathepsin S (CatS) gene, promoter region and exons 1 and 2.//2.3e-16:474:64//AF051726
 F-PLACE1002722//Sequence 1 from patent US 5686597.//1.7e-107:552:95//I73723
 F-PLACE1002768//Human DNA sequence from clone 726F20 on chromosome 1p36.11-36.23. Contains ESTs and a GSS, complete sequence.//0.0076:161:70//AL031273
- 30 F-PLACE1002772//HS_3058_A1_D02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3058 Col=3 Row=G, genomic survey sequence.//0.0046:192:64//AQ134567
 F-PLACE1002775//Mus musculus bromodomain-containing protein BP75 mRNA, complete cds.//7.6e-14:459:62//AF084259
- 35 F-PLACE1002782//Rattus norvegicus zinc transporter (ZnT-2) mRNA, complete cds.//3.6e-43:385:77//U50927
 F-PLACE1002794//CIT-HSP-2368A17.TR CIT-HSP Homo sapiens genomic clone 2368A17, genomic survey sequence.//1.3e-71:368:96//AQ075879
 F-PLACE1002811//Human mRNA for KIAA0172 gene, partial cds.//1.8e-44:567:70//D79994
 F-PLACE1002815//Sequence 25 from patent US 5747660.//2.6e-07:150:73//AR005295
 F-PLACE1002816//Homo sapiens antigen NY-CO-9 (NY-CO-9) mRNA, partial cds.//1.3e-68:687:73//AF039691
- 40 F-PLACE1002834//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and 9.//9.3e-41:240:93//M27877
 F-PLACE1002839//Human BAC clone RG205G13 from 7q31, complete sequence.//0.00087:213:63//AC003045
 F-PLACE1002851//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.0032:269:66//AC005140
- 45 F-PLACE1002853//Leishmania tarentolae kinetoplast pre-edited mitochondrial maxicircle DNA complete transcribed region and flanks.//0.032:275:62//M10126
 F-PLACE1002881//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 111B22, WORKING DRAFT SEQUENCE.//4.7e-38:355:76//Z98200
 F-PLACE1002908//Gallus gallus beta-1,4-galactosyltransferase (CKII) mRNA, complete cds.//0.00012:200:64//U19889
- 50 F-PLACE1002941//Human BAC clone RG161K23 from 7q21, complete sequence.//1.1e-14:241:70//AC000120
 F-PLACE1002962
 F-PLACE1002968//Plasmodium falciparum MAL3P2, complete sequence.//0.21:410:59//AL034558
 F-PLACE1002991//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING DRAFT SEQUENCE.//6.8e-121:605:93//AL023755
- 55 F-PLACE1002993//CIT-HSP-2338I16.TF CIT-HSP Homo sapiens genomic clone 2338I16, genomic survey sequence.//1.9e-13:100:95//AQ054760
 F-PLACE1002996//Mouse U6 RNA gene.//2.0e-13:113:90//X06980

EP 1 074 617 A2

F-PLACE1003025//Plasmodium falciparum MAL3P6, complete sequence.//0.84:374:58//Z98551
 F-PLACE1003027//Homo sapiens mRNA for KIAA0516 protein, partial cds.//6.1e-130:632:97//AB011088
 F-PLACE1003044//cDNA encoding novel rat protein TIP120 which is formed of complex with TBP (TATA binding protein).//1.6e-123:687:91//E12829
 5 F-PLACE1003045//H.sapiens CpG island DNA genomic MseI fragment, clone 47g6, forward read cpg47g6.ft1a.//0.0064:52:96//Z61200
 F-PLACE1003092//CIT-HSP-387P22.TRB CIT-HSP Homo sapiens genomic clone 387P22, genomic survey sequence.//0.0031:249:63//B60158
 F-PLACE1003100//Human Hep27 protein mRNA, complete cds.//8.9e-65:650:73//U31875
 10 F-PLACE1003108
 F-PLACE1003136//Homo sapiens chromosome 5, P1 clone 1130f1 (LBNL H40), complete sequence.//6.3e-46:606:68//AC004219
 F-PLACE1003145
 F-PLACE1003153//RPCI11-13P16.TP RPCI-11 Homo sapiens genomic clone RPCI-11-13P16, genomic survey sequence.//2.7e-63:478:82//B76206
 15 F-PLACE1003174//Human DNA sequence from clone 441J1 on chromosome 6p24 Contains STS, GSS, complete sequence.//0.61:147:65//Z99495
 F-PLACE1003176//HS_2255_A2_B01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2255 Col=2 Row=C, genomic survey sequence.//6.3e-09:137:76//AQ131934
 20 F-PLACE1003190//Homo sapiens clone RG332P12, WORKING DRAFT SEQUENCE, 1 unordered pieces.//2.4e-138:791:901//AC005095
 F-PLACE1003200//P.falciparum complete gene map of plastid-like DNA (IR-B).//8.7e-06:728:57//X95276
 F-PLACE1003205//Human BAC clone RG354L07 from 7q31, complete sequence.//7.5e-05:249:63//AC002466
 F-PLACE1003238//HS_3239_A2_G02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3239 Col=4 Row=M, genomic survey sequence.//0.36:64:87//AQ209954
 25 F-PLACE1003249
 F-PLACE1003256
 F-PLACE1003258//HS_3223_A1_G10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3223 Col=19 Row=M, genomic survey sequence.//1.4e-07:227:65//AQ190317
 30 F-PLACE1003296//CIT-HSP-2337F11.TF CIT-HSP Homo sapiens genomic clone 2337F11, genomic survey sequence.//1.1e-13:97:95//AQ057429
 F-PLACE1003302//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and 9.//2.3e-92:485:95//M27877
 F-PLACE1003334
 35 F-PLACE1003342
 F-PLACE1003343//Homo sapiens clone DJ1022I14, WORKING DRAFT SEQUENCE, 14 unordered pieces.//1.0e-20:179:84//AC004951
 F-PLACE1003353//Homo sapiens breast cancer antiestrogen resistance 3 protein (BCAR3) mRNA, complete cds.//8.0e-143:773:92//U92715
 40 F-PLACE1003361//Human Cosmid g1248a143 from 7q31.3, complete sequence.//1.9e-30:402:70//AC004095
 F-PLACE1003366
 F-PLACE1003369//Plasmodium falciparum MAL3P2, complete sequence.//7.6e-07:378:60//AL034558
 F-PLACE1003373//Homo sapiens PAC clone DJ0740L10 from 7p13-p14, complete sequence.//6.0e-18:471:61//AC005247
 45 F-PLACE1003375
 F-PLACE1003383//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 10/10.//2.3e-157:779:96//AB020878
 F-PLACE1003394//Sprague-Dawley (clone LRB13) RAB14 mRNA, complete cds.//1.2e-104:596:91//M83680
 F-PLACE1003401//RPCI11-71J5.TJ RPCI11 Homo sapiens genomic clone R-71J5, genomic survey sequence.//0.85:140:65//AQ268588
 50 F-PLACE1003420//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y1E3, WORKING DRAFT SEQUENCE.//0.0015:286:60//AL021388
 F-PLACE1003454//Plasmodium falciparum microsatellite pe63 sequence.//0.0084:219:61//AF015470
 F-PLACE1003478//Homo sapiens calcium-dependent chloride channel-1 (hCLCA1) gene, complete cds.//1.3e-11:746:60//AF039401
 55 F-PLACE1003493
 F-PLACE1003516//Homo sapiens chromosome 17, clone HRPC987K16, complete sequence.//8.2e-41:379:78//AC002994

- F-PLACE1003519//Homo sapiens chromosome 21q22.3 PAC 141B3, complete sequence, containing ribosomal protein homologue pseudogene L23a.//6.2e-21:247:76//AF064859
- F-PLACE1003521//Human DNA sequence from PAC 257A7 on chromosome 6p24. Contains two unknown genes and ESTs, STSs and a GSS.//4.4e-68:502:79//AL008729
- 5 F-PLACE1003528//Homo sapiens DNA sequence from clone 78F24 on chromosome 22q12.1-12.3. Contains one exon of an Oxysterol-binding protein (OSBP) LIKE gene. Contains GSSs and an STS, complete sequence.//1.0:323:58//AL022336
- F-PLACE1003537//Homo sapiens multispinning membrane protein mRNA, complete cds.//0.0054:322:59//U94831
- 10 F-PLACE1003553//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 97P20, WORKING DRAFT SEQUENCE.//2.9e-78:267:88//AL031297
- F-PLACE1003566//Plasmodium falciparum MAL3P3, complete sequence.//0.00026:514:58//Z98547
- F-PLACE1003575//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.079:755:54//AC004688
- 15 F-PLACE1003583//Human DNA sequence from clone 246H3 on chromosome 22q11.21-12.2 Contains LRP5 (Lipoprotein Receptor Related Protein) pseudogene, EST, CA repeats (D22S414, D22S925, D22S926), STS, GSS and CpG island, complete sequence.//1.1e-41:212:74//AL022324
- F-PLACE1003584//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-56, complete sequence.//0.0038:465:57//AL010230
- 20 F-PLACE1003592//Homo sapiens chromosome 17, clone 296K1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//0.72:111:71//AC002557
- F-PLACE1003593//Human PAC clone DJ318C15 from Xq23, complete sequence.//0.096:162:66//AC002476
- F-PLACE1003596//Mus musculus integral membrane protein 1 (Itm1) mRNA, complete cds.//1.4e-54:685:68//L34260
- 25 F-PLACE1003602//Homo sapiens mRNA expressed in placenta.//1.1e-138:679:97//D83200
- F-PLACE1003605//Homo sapiens chromosome 16, cosmid clone RT81 (LANL), complete sequence.//0.0074:265:63//AC005356
- F-PLACE1003611//HS_2198_B1_D02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2198 Col=3 Row=H, genomic survey sequence.//2.1e-23:137:97//AQ184475
- 30 F-PLACE1003618//Homo sapiens chromosome 4 clone C0011C13 map 4p16, complete sequence.//3.0e-122:725:89//AC006226
- F-PLACE1003625//HS_2238_B2_D11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2238 Col=22 Row=H, genomic survey sequence.//4.8e-12:92:94//AQ065662
- F-PLACE1003638//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MKD10, complete sequence.//0.043:264:63//AB011478
- 35 F-PLACE1003669
- F-PLACE1003704//RPCI11-23H21.TKBF RPCI-11 Homo sapiens genomic clone RPCI-11-23H21, genomic survey sequence.//7.1e-31:199:91//AQ013830
- F-PLACE1003709//Homo sapiens mitotic checkpoint kinase Bub1 (BUB1) mRNA, complete cds.//4.3e-132:669:95//AF053305
- 40 F-PLACE1003711//Homo sapiens DNA sequence from PAC 163M9 on chromosome 1p35.1-p36.21. Contains protein synthesis factor (eIF-4C), D1F15S1A pseudogene, ESTs, STS, GSS, complete sequence.//1.5e-31:166:99//AL021920
- F-PLACE1003723//HS_2231_A2_C07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2231 Col=14 Row=E, genomic survey sequence.//1.2e-12:114:90//AQ235672
- 45 F-PLACE1003738//Human zinc finger protein 42 (MZF-1) mRNA, complete cds.//5.9e-33:592:67//M58297
- F-PLACE1003760//Homo sapiens tetraspan TM4SF (TSPAN-3) mRNA, complete cds.//3.6e-11:92:93//AF054840
- F-PLACE1003762
- F-PLACE1003768//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 7/15, WORKING DRAFT SEQUENCE.//4.8e-77:737:76//AP000014
- 50 F-PLACE1003771//Homo sapiens BAC clone GS164B05 from 7p21-p22, complete sequence.//2.1e-164:793:98//AC004160
- F-PLACE1003783//HS_2190_A2_C02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2190 Col=4 Row=E, genomic survey sequence.//1.1e-26:147:100//AQ218757
- 55 F-PLACE1003784//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//4.5e-57:706:68//AC006210
- F-PLACE1003795//Homo sapiens Xq28 genomic DNA in the region of the L1CAM locus containing the genes for neural cell adhesion molecule L1 (L1CAM), arginine-vasopressin receptor (AVPR2), C1 p115 (C1), ARD1 N-acetyl-

- transferase related protein (TE2), renin-binding protein (RbP), host cell factor 1 (HCF1), and interleukin-1 receptor-associated kinase (IRAK) genes, complete cds, and Xq281u2 gene.//0.015:296:60//U52112
- F-PLACE1003833//Homo sapiens DNA sequence from cosmid N75B3 on chromosome 22 Contains EST, exon trap, complete sequence.//0.52:212:64//AL022339
- 5 F-PLACE1003850//P.falciparum histidine-rich protein genes.//0.39:330:60//M17028
- F-PLACE1003858//Human DNA sequence from PAC 332O11 on chromosome 1q24-1q25. Contains ESTs and STSs.//4.8e-07:461:59//Z98043
- F-PLACE1003864//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.026:538:56//AC005139
- 10 F-PLACE1003870//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//6.5e-06:175:69//Z98304
- F-PLACE1003885//Mus musculus poly(A) polymerase VI mRNA, complete cds.//9.4e-75:754:72//U58134
- F-PLACE1003886//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//6.7e-20:432:64//AC006030
- 15 F-PLACE1003888//Human mRNA for phospholipase C, complete cds.//2.6e-53:702:67//D42108
- F-PLACE1003892//RPCI11-24P17.TV RPCI-11 Homo sapiens genomic clone RPCI-11-24P17, genomic survey sequence.//3.3e-20:245:65//B86759
- F-PLACE1003900//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 328E19, WORKING DRAFT SEQUENCE.//2.5e-17:260:71//AL022240
- 20 F-PLACE1003903//Mus musculus CTP synthetase homolog (CTPsh) mRNA, complete cds.//2.7e-86:533:87//U49385
- F-PLACE1003915//Mus musculus clone OST1963, genomic survey sequence.//6.4e-29:251:80//AF046591
- F-PLACE1003923//Homo sapiens full-length insert cDNA clone ZD40A05.//2.8e-25:316:70//AF086251
- F-PLACE1003932//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.6e-05:652:58//AC005505
- 25 F-PLACE1003936//CIT-HSP-2387C11.TR.1 CIT-HSP Homo sapiens genomic clone 2387C11, genomic survey sequence.//1.0:223:62//AQ239494
- F-PLACE1003968//Rattus norvegicus 5'-AMP-activated protein kinase, gamma-1 subunit mRNA, complete cds.//5.2e-47:505:72//U42413
- 30 F-PLACE1004103//Homo sapiens chromosome 19, cosmid R28784, complete sequence.//6.7e-29:241:84//AC005954
- F-PLACE1004104//Rattus norvegicus rsec5 mRNA, complete cds.//3.0e-115:719:86//AF032666
- F-PLACE1004114//Homo sapiens Chromosome 22q11.2 BAC Clone 77h2 In CES Region, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.5e-22:213:80//AC000052
- 35 F-PLACE1004118//Pseudorabies virus with upstream and downstream sequences.//0.87:209:64//M34651
- F-PLACE1004128//M.musculus G protein beta-subunit mRNA, complete cds.//2.5e-62:437:84//M63658
- F-PLACE1004149//Oryctolagus cuniculus translation initiation factor eIF2C mRNA, complete cds.//1.4e-16:342:65//AF005355
- F-PLACE1004156//Homo sapiens DNA sequence from PAC 57E3 on chromosome 6p12.1-21.1. Contains GSSs and an STS with a TATC repeat polymorphism, complete sequence.//1.2e-26:299:74//AL022099
- 40 F-PLACE1004161
- F-PLACE1004183//Homo sapiens for TOM1-like protein.//1.2e-146:731:96//AJ010071
- F-PLACE1004197
- F-PLACE1004203//Homo sapiens GPI-anchored membrane protein CDw108 precursor, mRNA, complete cds.//4.0e-144:695:98//AF069493
- 45 F-PLACE1004242//Homo sapiens DNA sequence from PAC 124C6 on chromosome 6q21. Contains genomic marker D6S1603, ESTs, GSSs and a STS with a CA repeat polymorphism, complete sequence.//2.3e-151:772:95//AL021326
- F-PLACE1004256//HS_2010_B2_G04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2010 Col=8 Row=N, genomic survey sequence.//1.5e-44:372:79//AQ252434
- 50 F-PLACE1004257//Homo sapiens BAC clone NH0342K06 from 2, complete sequence.//0.00011:349:63//AC005034
- F-PLACE1004258//Homo sapiens DNA sequence from PAC 779B17 on chromosome 22q13.1. Contains exon trap, complete sequence.//0.77:475:59//AL021806
- 55 F-PLACE1004270//Human IgA C alpha 1 switch region (Sa1).//1.7e-08:622:61//L19121
- F-PLACE1004274//H.sapiens CpG island DNA genomic Mse1 fragment, clone 18g6, forward read cpg18g6.ft1b.//8.6e-37:196:98//Z57691
- F-PLACE1004277//Homo sapiens two pore domain K+ channel (TASK-2) mRNA, complete cds.//6.0e-156:756:

97//AF084830
 F-PLACE1004284//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MPI7, complete sequence.//0.0060:635:57//AB011480
 F-PLACE1004289//HS_3023_B1_E04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3023 Col=7 Row=J, genomic survey sequence.//2.4e-12:86:98//AQ094451
 5 F-PLACE1004302//Streptomyces coelicolor cosmid 7H1.//0.26:297:64//AL021411
 F-PLACE1004316//H.sapiens mRNA for apoptosis specific protein.//2.9e-150:797:94//Y11588
 F-PLACE1004336//Drosophila melanogaster DNA sequence (P1 DS07968 (D117)), complete sequence.//0.87:206:59//AC004267
 10 F-PLACE1004358//Homo sapiens connector enhancer of KSR-like protein CNK1 mRNA, complete cds.//5.9e-139:688:97//AF100153
 F-PLACE1004376//Mus musculus clone OST20307, genomic survey sequence.//4.1e-81:498:89//AF046631
 F-PLACE1004384//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1121J18, WORKING DRAFT SEQUENCE.//3.6e-41:482:73//AL031653
 15 F-PLACE1004388//Caenorhabditis elegans cosmid K08F11.//8.6e-26:615:62//U70855
 F-PLACE1004405//Homo sapiens clone GS512121, WORKING DRAFT SEQUENCE, 9 unordered pieces.//9.2e-150:749:96//AC005027
 F-PLACE1004425//Homo sapiens PAC clone DJ0733B09 from 7p14-p13, complete sequence.//2.4e-08:129:76//AC005532
 20 F-PLACE1004428//R.norvegicus mRNA for Pristanoyl-CoA Oxidase.//7.0e-17:549:61//X95188
 F-PLACE1004437//Human NAD⁺-specific isocitrate dehydrogenase beta subunit precursor, mRNA, nuclear gene encoding mitochondrial protein, complete cds.//3.1e-129:536:99//U49283
 F-PLACE1004451//Human DNA sequence from PAC 214K23, BRCA2 gene region chromosome 13q12-13 contains BRCA2 exons 1-24, Interferon Induced 56Kd pseudogene and ESTs.//4.8e-23:231:71//Z74739
 25 F-PLACE1004460//Homo sapiens PAC clone DJ1064B22 from 7q21, complete sequence.//0.96:454:56//AC004954
 F-PLACE1004467//HS_2058_B1_C09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=17 Row=F, genomic survey sequence.//2.4e-87:433:98//AQ242700
 F-PLACE1004471//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//1.4e-74:665:70//M27877
 30 F-PLACE1004473//CIT-HSP-2045A15.TF CIT-HSP Homo sapiens genomic clone 2045A15; genomic survey sequence.//3.3e-20:140:92//B80243
 F-PLACE1004491//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//9.9e-05:794:57//AC004709
 35 F-PLACE1004506//Human Gx-alpha gene.//1.0e-05:231:63//D90150
 F-PLACE1004510//Homo sapiens TATA binding protein associated factor (TAFII150) mRNA, complete cds.//3.2e-146:699:98//AF040701
 F-PLACE1004516//Human DNA sequence from cosmid SRL9A13, chromosome region 11p13. Contains EST.//1.4e-33:367:71//Z86001
 40 F-PLACE1004518
 F-PLACE1004548//Dictyostelium discoideum MigA (migA) gene, complete cds.//2.6e-05:318:62//U86962
 F-PLACE1004550//Human FMR1 gene, 5' end.//0.0018:142:66//L19476
 F-PLACE1004564//B.taurus mRNA for cleavage and polyadenylation specificity factor.//1.7e-114:513:85//X75931
 F-PLACE1004629//Anolis carolinensis Brain-1 gene, complete cds.//0.00013:188:67//AB001868
 45 F-PLACE1004645//Mycobacterium tuberculosis H37Rv complete genome; segment 138/162.//0.66:337:60//Z95120
 F-PLACE1004646//Rattus norvegicus retinal pigment epithelium-specific protein (Rpe65) mRNA, complete cds.//1.1e-19:326:63//AF035673
 F-PLACE1004658//H.sapiens CpG island DNA genomic MseI fragment, clone 55h1, forward read cpg55h1.ft1a./12.4e-34:188:98//Z61632
 50 F-PLACE1004664//Caenorhabditis elegans cosmid W10G6, complete sequence.//1.0:148:65//Z81140
 F-PLACE1004672//Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene, complete cds.//1.9e-101:182:95//U07561
 F-PLACE1004674//Homo sapiens calcium binding protein (ALG-2) mRNA, complete cds.//4.3e-109:625:91//AF035606
 55 F-PLACE1004681//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//1.9e-152:759:96//AB020860
 F-PLACE1004686//Homo sapiens DNA sequence from PAC 179N16 on chromosome 6p21.1-21.33. Contains the

- SAPK4 (MAPK p38delta) gene, and the alternatively spliced SAPK2 gene coding for CSaids binding protein CSBP2 and a MAPK p38beta LIKE protein. Contains ESTs, STSs and two predicted CpG islands, complete sequence.//1.2e-34:320:71//Z95152
- 5 F-PLACE1004691//HS_3044_A1_G01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3044 Col=1 Row=M, genomic survey sequence.//0.018:191:63//AQ098323
- F-PLACE1004693//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//0.28:573:57//AL022577
- 10 F-PLACE1004716//Plasmodium falciparum MAL3P6, complete sequence.//0.00081:428:59//Z98551
- F-PLACE1004722//HS_3052_B1_C10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3052 Col=19 Row=F, genomic survey sequence.//2.3e-05:104:75//AQ134959
- F-PLACE1004736//CIT-HSP-2365J21.TF CIT-HSP Homo sapiens genomic clone 2365J21, genomic survey sequence.//1.3e-24:180:88//AQ080498
- 15 F-PLACE1004740//RPC111-58A7.TJ RPC111 Homo sapiens genomic clone R-58A7, genomic survey sequence.//8.6e-26:522:65//AQ195766
- F-PLACE1004743//Mus musculus ubiquitin-protein ligase E3-alpha (Ubr1) mRNA, complete cds.//1.1e-112:711:86//AF061555
- F-PLACE1004751
- 20 F-PLACE1004773//Homo sapiens inversin protein mRNA, complete cds.//5.4e-171:828:97//AF084367
- F-PLACE1004777//Rattus norvegicus mRNA for myosin-RhoGAP protein Myr 7.//4.2e-134:763:90//AJ001713
- F-PLACE1004793//Human DNA sequence from clone 323P24 on chromosome Xp11.21-11.23 Contains SPIN (spindlin homolog (PROTEIN DXF34), hypothetical protein EST, STS, GSS, complete sequence.//9.3e-132:759:90//AL022157
- 25 F-PLACE1004804
- F-PLACE1004813//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//6.5e-06:403:58//AC004710
- F-PLACE1004814//Homo sapiens chromosome 17, clone hRPK.294_J_22, complete sequence.//9.8e-39:207:99//AC005921
- 30 F-PLACE1004815//Homo sapiens PAC clone DJ0651K02 from 7p21-p22, complete sequence.//8.1e-15:203:73//AC004613
- F-PLACE1004824//G.gallus PB1 gene.//1.1e-103:759:80//X90849
- F-PLACE1004827//HS_2230_A2_A05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2230 Col=10 Row=A, genomic survey sequence.//4.1e-38:330:81//AQ299313
- 35 F-PLACE1004836//H.sapiens nidogen gene (exon 8).//0.97:116:68//X84825
- F-PLACE1004838//HS_3241_A2_A04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3241 Col=8 Row=A, genomic survey sequence.//1.8e-87:425:98//AQ206740
- F-PLACE1004840//Sequence 2 from patent US 5728819.//6.7e-47:285:91//I92819
- F-PLACE1004868
- 40 F-PLACE1004885//Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No. 9.//0.14:465:59//Z97344
- F-PLACE1004900
- F-PLACE1004902//CITBI-E1-2510J4.TR CITBI-E1 Homo sapiens genomic clone 2510J4, genomic survey sequence.//3.6e-06:56:100//AQ261184
- F-PLACE1004913//Homo sapiens BAC clone RG054D04 from 7q31, complete sequence.//2.6e-151:770:91//AC005058
- 45 F-PLACE1004918//Mus musculus signaling molecule (ATTP) mRNA, complete cds.//2.6e-68:459:84//U97571
- F-PLACE1004930//Homo sapiens TNF-induced protein GG2-1 mRNA, complete cds.//4.4e-106:545:95//AF070671
- F-PLACE1004934//Human DNA sequence from clone 192P9 on chromosome Xp11.23-11.4. Contains a pseudo-gene similar to rat Plasmolipin, ESTs and GSSs, complete sequence.//3.5e-45:226:84//AL020989
- 50 F-PLACE1004937
- F-PLACE1004969
- F-PLACE1004972//Homo sapiens PAC clone DJ0612F12 from 7p12-p14, complete sequence.//0.012:316:61//AC004843
- 55 F-PLACE1004979//Human DNA sequence from clone 142F18 on chromosome Xq26.3-27.2 Contains part of a gene similar to melanoma-associated antigen, EST, GSS and an inverted repeat, complete sequence.//4.7e-39:394:77//AL031073
- F-PLACE1004982//Caenorhabditis elegans cosmid B0507.//0.16:167:65//U64833

F-PLACE1004985//Plasmodium falciparum chromosome 2, section 10 of 73 of the complete sequence.//8.8e-14:
 590:61//AE001373
 F-PLACE1005026
 F-PLACE1005027
 5 F-PLACE1005046
 F-PLACE1005052//Homo sapiens chromosome Xp22-135-136 clone GSHB-56711, WORKING DRAFT SE-
 QUENCE, 35 unordered pieces.//2.1e-135:675:97//AC005867
 F-PLACE1005055//Homo sapiens mRNA for KIAA0576 protein, partial cds.//1.9e-159:761:98//AB011148
 F-PLACE1005066//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//9.2e-10:757:56//
 10 AF059569
 F-PLACE1005077
 F-PLACE1005085//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library)
 complete sequence.//6.9e-29:253:77//AC004673
 F-PLACE1005086//Homo sapiens chromosome 17, clone HCIT11023, complete sequence.//6.5e-52:446:78//
 15 AC002316
 F-PLACE1005101//Homo sapiens clone DJ0414A15, WORKING DRAFT SEQUENCE, 9 unordered pieces.//2.0e-
 146:734:96//AC005225
 F-PLACE1005102//Homo sapiens chromosome 19, cosmid R29388, complete sequence.//9.8e-83:254:95//
 AC004476
 20 F-PLACE1005108//Human BAC clone RG009H02 from 7q31, complete sequence.//0.46:179:64//AC003081
 F-PLACE1005111
 F-PLACE1005128//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, com-
 plete cds.//0.00051:287:63//L14320
 F-PLACE1005146//HS_3071_A1_E03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 25 nomic clone Plate=3071 Col=5 Row=I, genomic survey sequence.//7.4e-38:299:82//AQ103361
 F-PLACE1005162//Human BAC clone GS306C12 from 7q21-q22, complete sequence.//2.6e-44:346:82//
 AC002451
 F-PLACE1005176
 F-PLACE1005181//CIT-HSP-2340O5.TR CIT-HSP Homo sapiens genomic clone 2340O5, genomic survey se-
 30 quence.//0.99:211:63//AQ054651
 F-PLACE1005187//CIT-HSP-2358N6.TR CIT-HSP Homo sapiens genomic clone 2358N6, genomic survey se-
 quence.//2.7e-07:80:90//AQ074445
 F-PLACE1005206//Human BAC clone 133K23 from 7q31.2, complete sequence.//0.98:216:61//AC000061
 F-PLACE1005232//Homo sapiens clone DJ1106H14, WORKING DRAFT SEQUENCE, 42 unordered pieces.//
 35 0.70:245:63//AC004965
 F-PLACE1005243
 F-PLACE1005261//Caenorhabditis elegans cosmid T05H10, complete sequence.//0.00041:254:61//Z47812
 F-PLACE1005266//H.sapiens mRNA (fetal brain cDNA a4_2g).//9.6e-33:177:98//Z70695
 F-PLACE1005277//Homo sapiens mRNA for KIAA0610 protein, partial cds.//1.6e-148:706:98//AB011182
 40 F-PLACE1005287//Plasmodium falciparum (MESA) mRNA exons 1-2, complete cds.//2.8e-15:737:60//M69183
 F-PLACE1005305//Bovine mitochondrial GTP:AMP phosphotransferase mRNA, complete cds.//3.8e-111:728:84//
 M25757
 F-PLACE1005308//Clethrionomys glareolus endogenous retroviral sequence ERV-L pol gene, clone ERV-L Vole
 Cg14.//1.0:128:67//AJ233621
 45 F-PLACE1005313//Caenorhabditis elegans cosmid D2092.//8.8e-11:342:62//U88167
 F-PLACE1005327//HS_3080_B2_A12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3080 Col=24 Row=B, genomic survey sequence.//4.1e-25:147:96//AQ139116
 F-PLACE1005331//Homo sapiens chromosome 19, cosmid F20569, complete sequence.//1.4e-132:399:94//
 AC004794
 50 F-PLACE1005335//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE, 2 unordered pieces.//
 5.5e-114:237:92//AC000380
 F-PLACE1005373
 F-PLACE1005374//Homo sapiens chromosome 7 common fragile site, complete sequence.//0.20:305:58//
 AF017104
 55 F-PLACE1005409//Human BAC clone RG167B05 from 7q21, complete sequence.//2.5e-148:760:95//AC003991
 F-PLACE1005453//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y48A6,
 WORKING DRAFT SEQUENCE.//0.00069:582:59//Z92854
 F-PLACE1005467//Rat mRNA.//0.0014:131:70//M59859

- F-PLACE1005471//Human DNA sequence from clone 45I4 on chromosome 6q24.1-24.3. Contains two putative unknown genes, ESTs, STSs and GSSs, complete sequence.//3.0e-23:530:67//AL023581
- F-PLACE1005477//Human DNA sequence from clone J181N11, WORKING DRAFT SEQUENCE.//3.3e-131:814:88//Z82191
- 5 F-PLACE1005480//Homo sapiens DNA sequence from PAC 257I20 on chromosome 22q13.1-13.2. Contains cytochrome P450 pseudogenes CYP2D7P, CYP2D8P, CYP2D6(D),TCF20, NADH ubiquinone oxidoreductase B14 subunit, ESTs, CA repeat, STS, GSS.//7.0e-34:246:73//AL021878
- F-PLACE1005481//RPCI11-74L17.TJ RPCI11 Homo sapiens genomic clone R-74L17, genomic survey sequence.//0.37:403:57//AQ266885
- 10 F-PLACE1005494//Homo sapiens transient receptor potential protein 6 mRNA, complete cds.//2.1e-67:325:99//AF080394
- F-PLACE1005502//Homo sapiens BAC clone NH0161H12 from 7p14-p15, complete sequence.//0.015:403:61//AC005589
- 15 F-PLACE1005526//H.sapiens CpG island DNA genomic Mse1 fragment, clone 9f1, reverse read cpg9f1.r1a.//3.6e-27:159:96//Z66485
- F-PLACE1005528//Homo sapiens genomic DNA, chromosome 21q11.1, segment 9/28, WORKING DRAFT SEQUENCE.//2.6e-28:449:67//AP000038
- F-PLACE1005530//Homo sapiens clone DJ0691L07, complete sequence.//6.5e-18:234:72//AC004860
- F-PLACE1005550//Fugu rubripes GSS sequence, clone 048A08bH3, genomic survey sequence.//1.2e-14:123:75//AL025925
- 20 F-PLACE1005554//Leishmania tarentolae mitochondrial 12S ribosomal RNA gene.//0.43:209:66//X02354
- F-PLACE1005557//Homo sapiens chromosome 17, clone hRPC.117_B_12, complete sequence.//9.3e-113:536:97//AC004707
- 25 F-PLACE1005574//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.1e-10:514:59//AC005504
- F-PLACE1005584//Homo sapiens mRNA for KIAA0617 protein, complete cds.//0.00056:289:63//AB014517
- F-PLACE1005595//Human Chromosome 11q12.2 PAC clone pDJ606g6, complete sequence.//1.2e-111:262:89//AC004126
- F-PLACE1005603
- 30 F-PLACE1005611//F16O5TFC IGF Arabidopsis thaliana genomic clone F16O5, genomic survey sequence.//2.0e-10:209:66//B98589
- F-PLACE1005623
- F-PLACE1005630//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1 ordered pieces.//1.2e-93:230:98//AC005840
- 35 F-PLACE1005639//HS_3095_B1_A03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3095 Col=5 Row=B, genomic survey sequence.//1.2e-05:220:63//AQ123022
- F-PLACE1005646//Homo sapiens RNA helicase-related protein mRNA, complete cds.//6.4e-150:721:98//AF083255
- F-PLACE1005656//H.sapiens RR2 mRNA for small subunit ribonucleotide reductase.//1.3e-51:480:74//X59618
- 40 F-PLACE1005666//RPCI11-78O15.TV RPCI11 Homo sapiens genomic clone R-78O15, genomic survey sequence.//8.7e-05:243:62//AQ284667
- F-PLACE1005698//Human membrane-associated lectin type-C mRNA.//1.9e-63:374:85//M98457
- F-PLACE1005727//Plasmodium falciparum chromosome 2, section 59 of 73 of the complete sequence.//0.69:633:57//AE001422
- 45 F-PLACE1005730//HS_2026_B1_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2026 Col=21 Row=P, genomic survey sequence.//2.0e-24:286:74//AQ231147
- F-PLACE1005739//Mus musculus IFN-gamma induced (Mg11) mRNA, complete cds.//2.8e-55:621:71//U15635
- F-PLACE1005755//HS_2213_A2_H11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2213 Col=22 Row=O, genomic survey sequence.//1.4e-25:290:75//AQ136844
- 50 F-PLACE1005763//Rat medium-chain S-acyl fatty acid synthetase thio ester hydrolase (MCH), complete cds.//4.5e-40:297:70//M16200
- F-PLACE1005799//R.norvegicus mRNA for mitochondrial isoform of cytochrome b5.//0.91:287:63//Y12517
- F-PLACE10058021//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequence.//5.0e-109:530:98//AC004827
- 55 F-PLACE1005803//HS_3092_B1_A10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3092 Col=19 Row=B, genomic survey sequence.//2.4e-08:76:96//AQ103695
- F-PLACE1005804//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds.//1.4e-126:636:96//AF027156
- F-PLACE1005813//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//2.6e-154:739:98//AF065482

EP 1 074 617 A2

- F-PLACE1005828//Homo sapiens chromosome 17, clone hRPC.971_F_3, WORKING DRAFT SEQUENCE, 1 ordered pieces.//2.2e-37:355:77//AC004150
- F-PLACE1005834//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-105, complete sequence.//0.00080:663:58//AL010283
- 5 F-PLACE1005845//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.00015:340:58//AC004153
- F-PLACE1005850//Human DNA sequence from clone 465N24 on chromosome 1p35.1-36.13. Contains two novel genes, ESTs, GSSs and CpG islands, complete sequence.//1.8e-46:278:85//AL031432
- F-PLACE1005851
- 10 F-PLACE1005876//B.taurus mRNA for cleavage and polyadenylation specificity factor.//5.0e-120:701:89//X75931
- F-PLACE1005884//CIT-HSP-2333O12.TR CIT-HSP Homo sapiens genomic clone 2333O12, genomic survey sequence.//4.6e-78:385:98//AQ039226
- F-PLACE1005890//Schizosaccharomyces pombe bem1/bud5 suppressor (Bem46+) mRNA, partial cds.//9.3e-16:638:57//U29892
- 15 F-PLACE1005898//Rattus norvegicus A-kinase anchoring protein AKAP150 mRNA, complete cds.//1.0:178:65//U67136
- F-PLACE1005921//M.musculus mRNA for immunity associated protein 38.//6.6e-17:614:59//Y08026
- F-PLACE1005923//RPCI11-33G19.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-33G19, genomic survey sequence.//4.0e-10:535:57//AQ046151
- 20 F-PLACE1005925//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 537K23, WORKING DRAFT SEQUENCE.//0.17:159:65//AL034405
- F-PLACE1005932
- F-PLACE1005934//H.sapiens CpG island DNA genomic Mse1 fragment, clone 165g2, forward read cpg165g2.ft1a.//8.3e-43:247:93//Z57153
- 25 F-PLACE1005936//F.rubripes GSS sequence, clone 069K22aG2, genomic survey sequence.//0.91:116:68//AL014719
- F-PLACE1005951//Rhodobacter sphaeroides DMSO/TMAO-sensor kinase (dorS), DMSO/TMAO-response regulator (dorR), DMSO/TMAO-cytochrome c-containing subunit (dorC), DMSO-membrane protein (dorB), and DMSO/TMAO-reductase (dorA) genes, complete cds.//0.0022:495:59//AF016236
- 30 F-PLACE1005953//Homo sapiens PAC clone DJ0320J15 from Xq23, complete sequence.//2.9e-05:442:61//AC004081
- F-PLACE1005955//Caenorhabditis elegans cosmid F01F1.//4.3e-20:409:64//U13070
- F-PLACE1005966//P.falciparum aarp3 gene, exon.//0.0083:270:64//Y08925
- F-PLACE1005968
- 35 F-PLACE1005990//Homo sapiens chromosome 12p13.3 clone RPCI11-407G6, WORKING DRAFT SEQUENCE, 51 ordered pieces.//1.0e-100:513:96//AC005866
- F-PLACE1006002//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 229A8, WORKING DRAFT SEQUENCE.//2.5e-54:444:77//Z86090
- F-PLACE1006003//HS-1059-A2-G01-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 781 Col=2 Row=M, genomic survey sequence.//3.4e-05:214:64//B44442
- 40 F-PLACE1006011//Mus musculus poly-(ADPribose)-transferase homolog PARP mRNA, complete cds.//4.3e-71:580:79//AF072521
- F-PLACE1006017//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-113A6 -complete genomic sequence, complete sequence.//8.6e-32:177:83//AC002299
- 45 F-PLACE1006037//Mus musculus B6D2F1 clone 2C11B mRNA.//1.8e-34:269:83//U01139
- F-PLACE1006040//Homo sapiens mRNA for alpha endosulfine.//3.4e-147:719:97//X99906
- F-PLACE1006076//Homo sapiens DNA sequence from PAC 79C4 on chromosome 1q24. Contains the PMX1 gene, coding for two alternative forms of the Paired Mesoderm Homeobox protein 1 (PMX-1, PHOX-1). Contains ESTs, STSs and BAC end sequences (GSSs), complete sequence.//0.37:332:62//Z97200
- 50 F-PLACE1006119//Homo sapiens Ran-GTP binding protein mRNA, partial cds.//1.3e-145:679:99//AF039023
- F-PLACE1006129
- F-PLACE1006139//Saccharomyces cerevisiae chromosome VI cosmid 9965.//4.8e-27:693:60//D44597
- F-PLACE1006143//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 16915, WORKING DRAFT SEQUENCE.//4.7e-46:435:77//Z93015
- 55 F-PLACE1006157//Saguinus oedipus mRNA for membrane cofactor protein CD46, complete cds, clone:B2.//0.048:290:60//D85750
- F-PLACE1006159//Homo sapiens chromosome 10 clone CIT987SK-1054O2 map 10q25, complete sequence.//3.2e-129:466:96//AC005661

EP 1 074 617 A2

F-PLACE1006164//HS_3003_A1_F08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3003 Col=15 Row=K, genomic survey sequence.//1.4e-70:388:93//AQ118200
 F-PLACE1006167//Homo sapiens chromosome 19, cosmid F23149, complete sequence.//4.3e-78:385:86//AC005239
 5 F-PLACE1006170//Mouse mRNA for alpha-adaptin (C).//3.5e-91:630:84//X14972
 F-PLACE1006187//Homo sapiens cyclin E2 mRNA, complete cds.//3.9e-149:694:99//AF091433
 F-PLACE1006195//Homo sapiens Xp22 BAC GS-607H18 (Genome Systems Human BAC library) complete sequence.//2.5e-16:283:70//AC003658
 10 F-PLACE1006196//Mouse RNA helicase and RNA-dependent ATPase from the DEAD box family mRNA, complete cds.//2.2e-94:648:84//L25125
 F-PLACE1006205//Human Xp22 cosmid U250A9, complete sequence.//0.15:533:58//U75931
 F-PLACE1006223//F24L20-T7 IGF Arabidopsis thaliana genomic clone F24L20, genomic survey sequence.//0.0068:175:64//B19803
 15 F-PLACE1006225//CIT-HSP-2335I23.TF CIT-HSP Homo sapiens genomic clone 2335I23, genomic survey sequence.//2.1e-19:149:90//AQ039880
 F-PLACE1006236//Human chromosome 12p15 BAC clone CIT987SK-99D8 complete sequence.//0.51:290:58//U91327
 F-PLACE1006239//Homo sapiens BAC clone RG118D07 from 7q31, complete sequence.//7.4e-158:452:96//AC004142
 20 F-PLACE1006246//RPCI11-36I23.TK RPCI-11 Homo sapiens genomic clone RPCI-11-36I23, genomic survey sequence.//2.6e-31:176:97//AQ045400
 F-PLACE1006248//Homo sapiens mRNA for KIAA0648 protein, partial cds.//2.3e-166:791:98//AB014548
 F-PLACE1006262//342E3.TVD CIT978SKA1 Homo sapiens genomic clone A-342E03, genomic survey sequence.//1.0:228:63//B16447
 25 F-PLACE1006288//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20N2, WORKING DRAFT SEQUENCE.//6.6e-172:809:99//AL031320
 F-PLACE1006318
 F-PLACE1006325//Homo sapiens PAC clone DJ0988L12 from 7q11.23-q21.1, complete sequence.//0.079:396:59//AC004454
 30 F-PLACE1006335//Mouse Ig third hypervariable region (HCDR3), nonproductively rearranged alpha-chain gene VHSB32-D-JH2 region.//1.0:90:67//M55721
 F-PLACE1006357//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.16:445:56//AC005504
 F-PLACE1006360//Plasmodium falciparum MAL3P7, complete sequence.//6.1e-05:625:57//AL034559
 35 F-PLACE1006368//X.laevis mRNA for KLP2 protein.//3.0e-25:376:68//X94082
 F-PLACE1006371//Homo sapiens chromosome 16, cosmid clone 360H6 (LANL), complete sequence.//2.0e-146:711:97//AC004232
 F-PLACE1006382
 F-PLACE1006385//Homo sapiens epsin 2a mRNA, complete cds.//5.1e-110:539:97//AF062085
 40 F-PLACE1006412//Homo sapiens BAC clone GS588G18 from 7p12-p14, complete sequence.//1.3e-23:463:68//AC005029
 F-PLACE1006414//Homo sapiens PCAF associated factor 65 alpha mRNA, complete cds.//1.3e-109:525:98//AF069735
 F-PLACE1006438//Homo sapiens mRNA for KIAA0557 protein, partial cds.//6.9e-23:531:65//AB011129
 45 F-PLACE1006445//HS_3071_A1_C11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3071 Col=21 Row=E, genomic survey sequence.//4.7e-74:392:95//AQ 103347
 F-PLACE1006469//Rhodobacter capsulatus strain SB1003, partial genome.//1.1e-40:686:65//AF010496
 F-PLACE1006470//T.brucei kinetoplast maxicircle variable region DNA.//0.99:250:59//Z15118
 50 F-PLACE1006482//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 447C4, WORKING DRAFT SEQUENCE.//4.3e-120:328:98//AL021977
 F-PLACE1006488//Canine mRNA for 68kDa subunit of signal recognition particle (SRP68).//6.5e-86:478:91//X53744
 F-PLACE1006492
 F-PLACE1006506
 55 F-PLACE1006521//Homo sapiens BAC clone RG281G05 from 7p15-p21, complete sequence.//0.0010:547:58//AC005083
 F-PLACE1006531//Oryctolagus cuniculus translation initiation factor eIF2C mRNA, complete cds.//2.6e-84:625:80//AF005355

- F-PLACE1006534//Caenorhabditis elegans cosmid Y40H7A, complete sequence.//0.00031:671:58//AL033510
 F-PLACE1006540
 F-PLACE1006552//P.falciparum glutamic acid-rich protein gnen, complete cds.//6.0e-10:636:59//J03998
 F-PLACE1006598//Homo sapiens BAC clone NH0539B24 from 7p15.1-p14, complete sequence.//9.8e-25:170:
 5 77//AC006044
 F-PLACE1006615//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds.//
 6.7e-167:781:99//U97670
 F-PLACE1006617//Homo sapiens Xp22 BAC GSHB-433024 (Genome Systems Human BAC library) complete
 sequence.//0.98:514:59//AC004470
 10 F-PLACE1006626//H.sapiens DNA 3' flanking simple sequence region clone wg2c3.//0.00079:206:62//X76589
 F-PLACE1006629//Human BAC clone RG333F24 from 7q11.2-q21, complete sequence.//0.0012:576:57//
 AC004015
 F-PLACE1006640//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.0018:588:59//X95276
 F-PLACE1006673//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING
 15 DRAFT SEQUENCE, 4 unordered pieces.//0.0028:469:58//AC004688
 F-PLACE1006678//Mus musculus UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase-I (b3GT1) gene, complete
 cds.//0.00011:184:64//AF029790
 F-PLACE1006704//Mus musculus dentin sialophosphoprotein precursor (DSPP) mRNA, complete cds.//0.0013:
 380:62//U67916
 20 F-PLACE1006731//Human DNA sequence from PAC 408N23 on chromosome 22q13. Contains HIP, HSC70-IN-
 TERACTING PROTEIN (PROGESTERONE RECEPTOR-ASSOCIATED P48 PROTEIN), ESTs and STS.//1.5e-
 78:520:86//Z98048
 F-PLACE1006754//Homo sapiens chromosome 19, cosmid R29124, complete sequencer/1.9e-135:378:99//
 AC005626
 25 F-PLACE1006760//CIT-HSP-2336O13.TR CIT-HSP Homo sapiens genomic clone 2336O13, genomic survey se-
 quence.//0.018:147:66//AQ039246
 F-PLACE1006779//Plasmodium falciparum chromosome 2, section 63 of 73 of the complete sequence.//2.6e-08:
 823:58//AE001426
 F-PLACE1006782//Homo sapiens clone NH0005N18, WORKING DRAFT SEQUENCE, 2 unordered pieces.//
 30 0.043:252:65//AC005487
 F-PLACE1006792//HS_3165_B1_H01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3165 Col=1 Row=P, genomic survey sequence.//1.4e-11:249:67//AQ149559
 F-PLACE1006795//Mouse eph-related receptor tyrosine kinase (Mek4) mRNA, complete cds.//1.3e-12:155:80//
 M68513
 35 F-PLACE1006800//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-92, complete
 sequence.//6.7e-05:391:62//AL010272
 F-PLACE1006805//paramecium species 1,168 mt dna dimer: replication init. region.//9.1e-09:369:62//K00915
 F-PLACE1006815//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 321D2, WORKING
 DRAFT SEQUENCE.//0.89:465:58//AL031033
 40 F-PLACE1006819//Homo sapiens clone DJ1163L11, complete sequence.//1.5e-121:618:91//AC005230
 F-PLACE1006829//Brn-3a=class V POU transcription factor [mice, CD/CD, embryo fibroblast cells, Genomic, 2160
 nt].//0.011:145:68//S69350
 F-PLACE1006860//Plasmodium falciparum MAL3P7, complete sequence.//2.2e-07:691:58//AL034559
 F-PLACE1006867//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 323M4, WORKING
 45 DRAFT SEQUENCE.//1.5e-132:643:98//AL033378
 F-PLACE1006878
 F-PLACE1006883//Mycobacterium tuberculosis H37Rv complete genome; segment 138/162.//1.0:236:62//
 Z95120
 F-PLACE1006901//Mus musculus t complex testis-specific protein (Tctex2) gene, t haplotype, promoter se-
 50 quence.//2.7e-19:171:81//U21672
 F-PLACE1006904
 F-PLACE1006917//H.sapiens CpG island DNA genomic Mse1 fragment, clone 79g10, forward read
 cpg79g10.ft1a.//1.3e-21:131:98//Z63175
 F-PLACE1006932//Mus musculus FKBP65 binding protein mRNA, complete cds.//0.99:248:61//L07063
 55 F-PLACE1006935//Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen
 gene families.//0.85:161:63//AF029308
 F-PLACE1006956//Hylobates lar involucrin gene, complete cds.//0.077:355:61//M35447
 F-PLACE1006958//Mus musculus osmotic stress protein 94 (Osp94) mRNA, complete cds.//2.9e-89:483:86//

- U23921
F-PLACE1006961//*Saccharomyces cerevisiae* mitochondrial tRNA-Tyr, tRNA-Asn, & amp; tRNA-Met genes.//1.6e-06:651:58//AJ223323
F-PLACE1006962//*H.sapiens* ir1B mRNA.//7.1e-15:202:71//X63417
- 5 F-PLACE1006966//*Caenorhabditis elegans* DNA *** SEQUENCING IN PROGRESS *** from clone Y105E8, WORKING DRAFT SEQUENCE.//1.7e-26:451:61//AL022594
F-PLACE1006989//cSRL-172A4-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-172A4, genomic survey sequence.//1.0:97:67//B03188
F-PLACE1007014//*Rattus norvegicus* equilibrative nitrobenzylthioinosine-insensitive nucleoside transporter mRNA, complete cds.//4.2e-07:592:58//AF015305
- 10 F-PLACE1007021//Homo sapiens chromosome 19, cosmid F16403; complete sequence.//5.1e-17:285:70//AC005777
F-PLACE1007045//Human DNA sequence from PAC 181N1 on chromosome X contains ESTs, STS polymorphic CA repeat*.//6.2e-131:775 :89//Z82899
- 15 F-PLACE1007053//Homo sapiens clone DJ0810E06, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.7e-143:675:99//AC004895
F-PLACE1007068//Homo sapiens chromosome 17, clone hRPK.214_O_1, complete sequence.//1.3e-131:652:97//AC005224
F-PLACE1007097//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//8.3e-158:768:97//AL021368
- 20 F-PLACE1007105//*Mus musculus* muskelin mRNA, complete cds.//4.1e-124:687:91//U72194
F-PLACE1007111//*Plasmodium falciparum* 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.7e-05:586:56//AC005139
F-PLACE1007112//HS_2234_B2_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2234 Col=20 Row=N, genomic survey sequence.//0.26:200:62//AQ087801
F-PLACE1007132//CIT978SK-A-211C6.TVB CIT978SK Homo sapiens genomic clone A-211C6, genomic survey sequence.//1.3e-40:255:92//B72112
- 30 F-PLACE1007140//QN1 orf [*Coturnix coturnix*, japonica, K2 neuroretinal cells, mRNA Partial, 3884 nt].//4.9e-15:386:62//S68151
F-PLACE1007178//*Plasmodium falciparum* 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.011:329:61//AC005140
- 35 F-PLACE1007226//Human lipocortin (LIP) 2 gene, upstream region.//0.0036:180:63//M62899
F-PLACE1007238//FMR1 (CGG repeats) [human, Fragile X syndrome patient, Genomic, 429 nt].//2.8e-08:269:63//S74494
F-PLACE1007239//Homo sapiens mRNA for transcription elongation factor S-II, hS-II-T1, complete cds.//6.3e-57:405:87//D50495
- 40 F-PLACE1007242//HS_3006_A1_B11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3006 Col=21 Row=C, genomic survey sequence.//0.088:191:59//AQ089443
F-PLACE1007243//Human transporter protein (g17) mRNA, complete cds.//7.9e-12:245:66//U49082
F-PLACE1007257//Homo sapiens mRNA for dia-12c protein.//5.2e-144:677:98//Y15908
F-PLACE1007274//HS_3003_A1_D08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3003 Col=15 Row=G, genomic survey sequence.//7.4e-49:345:85//AQ294154
- 45 F-PLACE1007276//*Fugu rubripes* GSS sequence, clone 014O10aG11, genomic survey sequence.//0.0052:228:62//AL024982
F-PLACE1007282//*F.rubripes* GSS sequence, clone 019O07aB3, genomic survey sequence.//0.024:289:58//AL011743
- 50 F-PLACE1007286//Human Chromosome 16 BAC clone CIT987SK-A-256A9, complete sequence.//0.0048:185:69//AC002492
F-PLACE1007301//*Dictyostelium discoideum* gene for TRFA, complete cds.//0.069:761:57//AB009080
F-PLACE1007317
F-PLACE1007342
- 55 F-PLACE1007346//Homo sapiens estrogen-responsive B box protein (EBBP) mRNA, complete cds.//5.4e-120:567:98//AF096870
F-PLACE1007367//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//1.2e-59:613:75//AC005077

EP 1 074 617 A2

F-PLACE1007375//Caenorhabditis elegans cosmid D2092.//1.8e-12:193:70//U88167
F-PLACE1007386
F-PLACE1007402//HS_2170_A2_D12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2170 Col=24 Row=G, genomic survey sequence.//5.6e-06:162:67//AQ125590
5 F-PLACE1007409//Homo sapiens mitoxantrone resistance protein 2 mRNA, complete sequence.//1.6e-25:165:
93//AF093772
F-PLACE1007416
F-PLACE1007450//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//4.9e-34:764:62//
AC003973
10 F-PLACE1007452//Mus musculus bet3 (Bet3) mRNA, complete cds.//4.1e-17:374:64//AF041433
F-PLACE1007454//Homo sapiens (clone s153) mRNA fragment.//8.1e-52:317:93//L40391
F-PLACE1007460//Human DNA sequence from clone 914P14 on chromosome Xq23 Contains calpain-like pro-
tease gene, DCX (doublecortin) ESTs, CA repeat, GSS, complete sequence.//0.0019:280:64//AL031117
F-PLACE1007478//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-345G4 -complete genomic sequence,
15 complete sequence.//2.5e-24:362:71//AC002302
F-PLACE1007484
F-PLACE1007488//Danio rerio faciogenital dysplasia protein (fgd) mRNA, complete cds.//3.8e-14:293:63//
AF017370
F-PLACE1007507//Human DNA sequence from clone 105D16 on chromosome Xp11.3-11.4 Contains pseudogene
20 similar to laminin-binding protein, CA repeat, STS, complete sequence.//4.6e-10:152:75//AL031311
F-PLACE1007511//Homo sapiens chromosome 17, clone hRPC.1110_E_20, complete sequence.//3.6e-139:477:
98//AC004231
F-PLACE1007524//Plasmodium falciparum microsatellite 14C sequence.//0.0055:395:59//AF015461
F-PLACE1007525//Trypanoplasma borelli mitochondrion cytochrome oxidase subunit 1 (cox1), cytochrome oxi-
25 dase subunit 2 (cox2), and apocytochrome b (cytb) genes, complete cds, and complete 9S rRNA gene and partial
12S rRNA gene.//0.0013:550:58//U11682 F-PLACE1007537//H.sapiens CpG island DNA genomic Mse1 fragment,
clone 198g6, reverse read cpg198g6.rt1a.//0.98:121:67//Z60280
F-PLACE1007544//Mus musculus chromosome 14 marker um-m24 GA dinucleotide DNA sequence.//2.3e-10:
141:75//U31508
30 F-PLACE1007547//Homo sapiens mRNA for KIAA0661 protein, complete cds.//3.1e-69:733:71//AB014561
F-PLACE1007557//Drosophila yakuba mitochondrial DNA molecule.//0.022:393:61//X03240
F-PLACE1007583//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 545L17, WORKING
DRAFT SEQUENCE.//3.6e-114:565:97//AL031665
F-PLACE1007598//CIT-HSP-2371G14.TF CIT-HSP Homo sapiens genomic clone 2371G14, genomic survey se-
35 quence.//2.0e-22:304:70//AQ111183
F-PLACE1007618//Homo sapiens chromosome 17, clone hRPK.642_C_21, complete sequence.//1.0:386:59//
AC005245
F-PLACE1007621
F-PLACE1007632//Homo sapiens 12p13.3 PAC RPCI5-940J5 (Roswell Park Cancer Institute Human PAC Library)
40 complete sequence.//1.0e-88:276:96//AC006064
F-PLACE1007645//Bovine elastin mRNA, partial cds.//2.1e-07:110:79//M26132
F-PLACE1007649
F-PLACE1007677//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING
DRAFT SEQUENCE.//1.2e-21:567:64//AL023755
45 F-PLACE1007688//Pseudorabies virus immediate-early gene.//2.2e-05:287:66//X15120
F-PLACE1007690//Caenorhabditis elegans cosmid R07G3.//0.40:122:70//U23452
F-PLACE1007697//Mus musculus LIM/homeobox (Lhx3) gene fragment.//0.85:117:71//L40483
F-PLACE1007705//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 460J8, WORKING
DRAFT SEQUENCE.//0.0035:75:88//AL031662
50 F-PLACE1007706//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//1.3e-147:709:97//AF061243
F-PLACE1007725//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MBB18, complete sequence.//
1.0:510:58//AB005231
F-PLACE1007729//Human endogenous retrovirus HML6 proviral clone HML6p, putative leader region, gag, pro
and pol pseudogenes.//4.8e-136:516:89//U86698
55 F-PLACE1007730//Homo sapiens mRNA for KIAA0685 protein, complete cds.//7.9e-155:728:98//AB014585
F-PLACE1007737//Homo sapiens clone DJ0847O08, WORKING DRAFT SEQUENCE, 3 unordered pieces.//5.8e-
22:806:60//AC005484
F-PLACE1007743//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING

EP 1 074 617 A2

DRAFT SEQUENCE, 3 unordered pieces.//1.1e-06:510:56//AC005504

F-PLACE1007746//HS_2268_B1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2268 Col=19 Row=N, genomic survey sequence.//0.10:171:63//AQ124780

F-PLACE1007791//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P6, WORKING DRAFT SEQUENCE.//0.63:241:58//AL031749

5 F-PLACE1007807//Homo sapiens chromosome 17, clone hRPK.879_D_6, complete sequence.//1.0e-120:743:87//AC005273

F-PLACE1007810//Homo sapiens Xp22 BAC GS-607H18 (Genome Systems Human BAC library) complete sequence.//1.0e-113:739:86//AC003658

10 F-PLACE1007829//CIT-HSP-2383J22.TR CIT-HSP Homo sapiens genomic clone 2383J22, genomic survey sequence.//1.0e-47:254:97//AQ196438

F-PLACE1007843//F.rubripes GSS sequence, clone 162K02bC12, genomic survey sequence.//1.6e-10:148:72//AL006903

15 F-PLACE1007846//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 3/15, WORKING DRAFT SEQUENCE.//3.4e-177:844:98//AP000010

F-PLACE1007852//Mouse perlecan mRNA, complete cds.//8.5e-39:243:90//M77174

F-PLACE1007858//Homo sapiens mRNA for KIAA0766 protein, complete cds.//3.9e-189:894:98//AB018309

F-PLACE1007866//CIT-HSP-2353D11.TF.1 CIT-HSP Homo sapiens genomic clone 2353D11, genomic survey sequence.//0.015:279:61//AQ263271

20 F-PLACE1007877

F-PLACE1007897

F-PLACE1007908//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487.//2.3e-154:755:97//AB007956

F-PLACE1007946//Human chromosome Y cosmid 56B5 genomic sequence, WORKING DRAFT SEQUENCE.//1.1e-59:310:81//AC003097

25 F-PLACE1007954//Homo sapiens BAC clone NH0414C23 from Y, complete sequence.//2.1e-61:522:79//AC006157

F-PLACE1007955//Homo sapiens cyclin-D binding Myb-like protein mRNA, complete cds.//2.7e-171:813:98//AF084530

30 F-PLACE1007958//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.//2.5e-153:730:98//AF079529

F-PLACE1007969//Mus musculus myelin gene expression factor (MEF-2) mRNA, partial cds.//3.4e-32:383:74//U13262

F-PLACE1007990//H.sapiens genomic DNA fragment (clone J31A212R).//6.6e-35:198:96//Z94758

35 F-PLACE1008000//Mus musculus veli 3 mRNA, complete cds.//1.5e-118:706:88//AF087695

F-PLACE1008002//Homo sapiens clone DJ0613C23, WORKING DRAFT SEQUENCE, 4 unordered pieces.//6.4e-163:786:98//AC005628

F-PLACE1008044//Rattus norvegicus nuclear pore complex protein NUP107 mRNA, complete cds.//1.2e-95:625:84//L31840

40 F-PLACE1008045//Caenorhabditis elegans cosmid F17C8, complete sequence.//0.016:165:65//Z35719

F-PLACE1008080//Human DNA sequence from cosmid L118G10, Huntington's Disease Region, chromosome 4p16.3.//4.0e-07:251:64//Z68883

F-PLACE1008095//RPCI11-21F19.TP RPCI-11 Homo sapiens genomic clone RPCI-11-21F19, genomic survey sequence.//1.5e-30:166:99//B85883

45 F-PLACE1008111//Aphidius picipes NADH dehydrogenase 1 gene, mitochondrial gene encoding mitochondrial protein, partial cds.//7.5e-06:414:60//AF069163

F-PLACE1008122//S.cerevisiae chromosome XV reading frame ORF YOL125w.//0.046:477:59//Z74867

F-PLACE1008129//Human Chromosome 15q26.1 PAC clone pDJ290i21 containing fur, fes, and alpha mannosidase IIx genes, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.0068:446:57//AC004586

50 F-PLACE1008132//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 316D5, WORKING DRAFT SEQUENCE.//3.6e-20:111:93//Z82199

F-PLACE1008177//Mouse mRNA for meiosis-specific nuclear structural protein 1 (MNS1), complete cds.//2.5e-88:866:73//D14849

F-PLACE1008181//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 159A1, WORKING DRAFT SEQUENCE.//0.0033:727:56//AL034397

55 F-PLACE1008198//HS_3073_A1_C06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3073 Col=11 Row=E, genomic survey sequence.//2.3e-12:94:92//AQ171450

F-PLACE1008201//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 unordered pieces.//2.5e-

162:791:97//AC005069
 F-PLACE1008209
 F-PLACE1008231//Mouse testis-specific protein mRNA, complete cds.//0.65:174:66//M26332
 F-PLACE1008244//CIT-HSP-2337B4.TR CIT-HSP Homo sapiens genomic clone 2337B4, genomic survey se-
 5 quence.//6.7e-28:165:95//AQ039317
 F-PLACE1008273//B.primigenius mRNA for coat protein gamma-cop.//2.8e-71:709:71//X92987
 F-PLACE1008275//D.discoideum actin A-13 gene, 5' flank.//0.12:131:64//M29123
 F-PLACE1008280//Homo sapiens Xp22-175-176 BAC GSHB-484O17 (Genome Systems Human BAC Library)
 complete sequence.//0.011:96:73//AC005913
 10 F-PLACE1008309//Rattus norvegicus putative four repeat ion channel mRNA, complete cds.//8.2e-86:672:77//
 AF078779
 F-PLACE1008329//HS_2027_A1_C06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2027 Col=11 Row=E, genomic survey sequence.//8.7e-09:116:81//AQ244432
 F-PLACE1008330//Homo sapiens chromosome 19, cosmid F21431, complete sequence.//2.2e-141:670:98//
 15 AC005176
 F-PLACE1008331//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.1e-
 27:157:78//AC005000
 F-PLACE1008356//Homo sapiens mRNA for KIAA0679 protein, partial cds.//1.1e-137:659:98//AB014579
 F-PLACE1008368//CIT-HSP-2311C9.TR CIT-HSP Homo sapiens genomic clone 2311C9, genomic survey se-
 20 quence.//7.1e-08:398:60//AQ016352
 F-PLACE1008369//HS_2251_B1_A02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2251 Col=3 Row=B, genomic survey sequence.//2.1e-35:217:93//AQ066512
 F-PLACE1008392//Homo sapiens chromosome 17, clone hRPK.136_H_19, complete sequence.//1.4e-11:403:
 64//AC005856
 25 F-PLACE1008398//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 215D11, WORKING
 DRAFT SEQUENCE.//3.7e-144:681:99//AL034417
 F-PLACE1008401//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0366H07;
 HTGS phase 1, WORKING DRAFT SEQUENCE, 28 unordered pieces.//2.8e-45:257:96//AC004604
 F-PLACE1008402//Homo sapiens mRNA for p115, complete cds.//4.3e-148:711:98//D86326
 30 F-PLACE1008405//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING
 DRAFT SEQUENCE, 4 unordered pieces.//0.089:672:56//AC004688
 F-PLACE1008424
 F-PLACE1008426//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and
 non-small cell lung cancer, segment 7/11.//1.0e-88:331:84//AB020864
 35 F-PLACE1008429//Chromosome 22q13 BAC Clone CIT987SK-384D8 complete sequence.//0.55:530:58//
 U62317
 F-PLACE1008437//CIT-HSP-2376H4.TR CIT-HSP Homo sapiens genomic clone 2376H4, genomic survey se-
 quence.//3.3e-78:349:94//AQ112479
 F-PLACE1008455//HS_2064_B1_E09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 40 nomic clone Plate=2064 Col=17 Row=J, genomic survey sequence.//4.7e-59:471:81//AQ246589
 F-PLACE1008457//Homo sapiens chromosome 17, Neurofibromatosis 1 locus, complete sequence.//8.9e-43:307:
 73//AC004526
 F-PLACE1008465//CIT-HSP-2163F24.TR CIT-HSP Homo sapiens genomic clone 2163F24, genomic survey se-
 quence.//8.9e-41:210:99//B90014
 45 F-PLACE1008488//Mus musculus mRNA for testis-specific protein kinase 1, complete cds.//0.00013:516:58//
 AB003494
 F-PLACE1008524//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34B21, WORKING
 DRAFT SEQUENCE.//1.3e-161:778:98//AL031778
 F-PLACE1008531//Homo sapiens wbscr1 (WBSCR1) and replication factor C subunit 2 (RFC2) genes, complete
 50 cds.//1.1e-78:191:100//AF045555
 F-PLACE1008532//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 92N15, WORKING
 DRAFT SEQUENCE.//3.8e-24:257:70//Z93097
 F-PLACE1008533//Homo sapiens PAC clone DJ130H16 from 22q12.1-qter, complete sequence.//1.0e-13:215:
 71//AC004997
 55 F-PLACE1008568//Human DNA sequence from PAC 388N15 on chromosome Xq21.1.//0.66:263:64//Z99571
 F-PLACE1008584//Homo sapiens cosmid clone U39B3 from Xp22.1-22.2, complete sequence.//1.1e-19:315:68//
 U73023
 F-PLACE1008603//Homo sapiens mRNA for KIAA0791 protein, complete cds.//1.2e-173:812:98//AB018334

- F-PLACE1008621//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//3.9e-09:198:71//AC005077
- F-PLACE1008625//Homo sapiens chromosome 5, PAC clone 45L14 (LBNL H91), complete sequence.//0.68:568:59//AC005373
- 5 F-PLACE1008626//HS_3221_A2_F03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3221 Col=6 Row=K, genomic survey sequence.//1.7e-13:147:82//AQ180967
- F-PLACE1008627//Cricetulus griseus mRNA for Zn finger factor.//9.7e-98:586:88//Y12836
- F-PLACE1008629//CIT-HSP-2012I4.TR CIT-HSP Homo sapiens genomic clone 2012I4, genomic survey sequence.//0.00085:203:66//B53732
- 10 F-PLACE1008630//Sequence 26 from Patent WO9517522.//9.7e-05:97:80//A45356
- F-PLACE1008643//Human mRNA for inter-alpha-trypsin inhibitor family heavy chain-related protein (IHRP), complete cds.//1.4e-23:299:64//D38595
- F-PLACE1008650//Homo sapiens pleiotropic regulator 1 (PLRG1) mRNA, complete cds.//1.1e-133:622:99//AF044333
- 15 F-PLACE1008693//CIT-HSP-2346F2.TF CIT-HSP Homo sapiens genomic clone 2346F2, genomic survey sequence.//0.24:89:76//AQ060732
- F-PLACE1008696//Homo sapiens NADH dehydrogenase-ubiquinone Fe-S protein 8 23 kDa subunit (NDUFS8) gene, nuclear gene encoding mitochondrial protein, complete cds.//1.4e-94:420:97//AF038406
- F-PLACE1008715//CIT-HSP-2294K20.TR CIT-HSP Homo sapiens genomic clone 2294K20, genomic survey sequence.//2.1e-70:349:98//AQ007199
- 20 F-PLACE1008748//Arabidopsis thaliana chromosome I BAC T14N5 genomic sequence, complete sequence.//0.14:347:59//AC004260
- F-PLACE1008757//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human BAC library) complete sequence.//7.9e-25:244:71//AC003037
- 25 F-PLACE1008790//Homo sapiens importin alpha 7 subunit mRNA, complete cds.//4.5e-120:503:97//AF060543
- F-PLACE1008798//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete sequence.//0.00026:370:61//AF001549
- F-PLACE1008807//CIT-HSP-2334B19.TF CIT-HSP Homo sapiens genomic clone 2334B19, genomic survey sequence.//3.3e-08:220:65//AQ036643
- 30 F-PLACE1008808//Homo sapiens exonuclease homolog RAD1 (RAD1) mRNA, complete cds.//1.7e-120:470:97//AF030933
- F-PLACE1008813//Rattus norvegicus rsec15 mRNA, complete cds.//2.8e-87:504:89//AF032668
- F-PLACE1008851//Homo sapiens DNA sequence from PAC 163M9 on chromosome 1p35.1-p36.21. Contains protein synthesis factor (eIF-4C), D1F15S1A pseudogene, ESTs, STS, GSS, complete sequence.//4.0e-21:212:74//AL021920
- 35 F-PLACE1008854
- F-PLACE1008867//Human DNA sequence from clone J428A131, WORKING DRAFT SEQUENCE.//4.7e-77:477:84//Z82209
- F-PLACE1008887//Homo sapiens BAC clone NH0335J18 from 2, complete sequence.//3.4e-53:699:70//AC005539
- 40 F-PLACE1008902//Mouse G-alpha-13 protein mRNA, complete cds.//2.1e-06:164:68//M63660
- F-PLACE1008920//Homo sapiens mRNA for KIAA0765 protein, partial cds.//6.4e-158:753:98//AB018308
- F-PLACE1008925//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-A-180G2, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.00013:400:63//AC002042
- 45 F-PLACE1008934//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1104E15, WORKING DRAFT SEQUENCE.//7.4e-05:145:71//AL022312
- F-PLACE1008941//Human zinc finger protein (ZNF141) mRNA, complete cds.//4.3e-41:282:87//L15309
- F-PLACE1008947//Pseudorabies virus with upstream and downstream sequences.//5.9e-15:710:60//M34651
- F-PLACE1009020//HS_3051_B1_H01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3051 Col=1 Row=P, genomic survey sequence.//1.9e-21:167:86//AQ253727
- 50 F-PLACE1009027//Human DNA sequence from clone 914P14 on chromosome Xq23 Contains calpain-like protease gene, DCX (doublecortin) ESTs, CA repeat, GSS, complete sequence.//4.1e-152:763:97//AL031117
- F-PLACE1009039//HS_2034_A2_F08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2034 Col=16 Row=K, genomic survey sequence.//0.17:252:59//AQ230137
- 55 F-PLACE1009045//HS_3185_B2_B03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3185 Col=6 Row=D, genomic survey sequence.//1.9e-34:260:86//AQ172861
- F-PLACE1009048//Pig pituitary glycoprotein hormone alpha subunit gene, 5'flank and exon 1.//4.7e-70:463:80//D00766

F-PLACE1009050//Homo sapiens 12q13.1 PAC RPCI3-197B17 (Roswell Park Cancer Institute Human PAC li-
 brary) complete sequence.//0.63:280:61//AC004241
 F-PLACE1009060//Mus musculus mRNA for Alix (ALG-2-interacting protein X), complete CDS.//5.9e-113:725:85//
 AJ005073
 5 F-PLACE1009090//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1045J21, WORKING
 DRAFT SEQUENCE.//9.1e-27:222:84//AL021919
 F-PLACE1009091//Homo sapiens clone DJ0968116, complete sequence.//0.027:630:58//AC006016
 F-PLACE1009094
 F-PLACE1009099//Mouse zinc finger protein (mkr4) mRNA, partial cds.//2.1e-85:726:76//M36515
 10 F-PLACE1009110
 F-PLACE1009111//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 138B7, WORKING
 DRAFT SEQUENCE.//6.0e-12:362:64//Z98752
 F-PLACE1009113//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds.//
 3.4e-138:671:97//AF035586
 15 F-PLACE1009130//Human mRNA for KIAA0032 gene, complete cds.//3.6e-23:718:59//D25215
 F-PLACE1009150//Homo sapiens *** SEQUENCING IN PROGRESS *** WORKING DRAFT SEQUENCE.//6.1e-
 142:684:98//AJ011929
 F-PLACE1009155//Homo sapiens genomic DNA, chromosome 21q11.1, segment 2/28, WORKING DRAFT SE-
 QUENCE.//4.3e-36:227:77//AP000031
 20 F-PLACE1009158//H.sapiens genomic sequence for ERCC2 gene 3'region involved in DNA excision repair.//1.0:
 173:60//X52222
 F-PLACE1009166
 F-PLACE1009172//Human BAC clone 7E17 from 12q, complete sequence.//4.0e-35:257:85//AC002070
 F-PLACE1009174//Homo sapiens Xp22 bins 16-17 BAC GSHB-53117 (Genome Systems Human BAC Library)
 25 complete sequence.//2.9e-19:288:72//AC004805
 F-PLACE1009183//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MHJ24, complete sequence.//
 0.053:388:60//AB008266
 F-PLACE1009186//Rattus norvegicus fracture callus 1 (FxC1) mRNA, complete cds.//1.8e-50:317:89//AF061242
 F-PLACE1009190//RPCI11-81N5.TJ RPCI11 Homo sapiens genomic clone R-81N5, genomic survey sequence.//
 0.91:114:67//AQ281881
 30 F-PLACE1009200//CITBI-E1-2509J16.TF CITBI-E1 Homo sapiens genomic clone 2509J16, genomic survey se-
 quence.//2.8e-44:175:83//AQ262198
 F-PLACE1009230//H.sapiens gene for pregnancy specific beta-1 glycoprotein.//1.1e-106:495:88//X63203
 F-PLACE1009246//HS_3058_B1_A06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 35 nomic clone Plate=3058 Col=11 Row=B, genomic survey sequence.//0.10:175:68//AQ185945
 F-PLACE1009298//Mus musculus maternal-embryonic 3 (Mem3) mRNA, complete cds.//1.8e-94:575:89//U47024
 F-PLACE1009308//Human clone mcag32 chromosome 7 CTG repeat region.//0.0017:350:62//U23862
 F-PLACE1009319//Homo sapiens post-synaptic density protein 95 (PSD95) mRNA, complete cds.//3.0e-06:411:
 59//U83192
 40 F-PLACE1009328//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 191P20, WORKING
 DRAFT SEQUENCE.//5.7e-138:830:86//AL034399
 F-PLACE1009335//Human (lambda) DNA for immunoglobulin light chain.//0.071:253:62//D87015
 F-PLACE1009338//RPCI11-74N24 TV RPCI11 Homo sapiens genomic clone R-74N24, genomic survey se-
 quence.//2.4e-34:180:100//AQ268811
 45 F-PLACE1009368
 F-PLACE1009375
 F-PLACE1009388//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1014D13, WORKING
 DRAFT SEQUENCE.//2.0e-37:288:84//AL022311
 F-PLACE1009398//Human DNA binding protein (HPF2) mRNA, complete cds.//4.3e-78:730:74//M27878
 50 F-PLACE1009404//SmD homolog [mice, liver, mRNA Partial, 199 nt].//0.16:95:71//S71494
 F-PLACE1009410//Homo sapiens chromosome 17, clone hRPK.142_H_19, complete sequence.//1.6e-150:701:
 99//AC005919
 F-PLACE1009434//Mus musculus clone OST431, genomic survey sequence.//2.9e-73:442:88//AF046700
 F-PLACE1009443//Mycobacterium tuberculosis H37Rv complete genome; segment 148/162.//0.012:582:56//
 55 AL022022
 F-PLACE1009444//Homo sapiens phosphatidylinositol 4-kinase 230 (pi4K230) mRNA, complete cds.//4.6e-21:
 146:93//AF012872
 F-PLACE1009459//Mus musculus clone OST9217, genomic survey sequence.//2.9e-31:264:81//AF046660

- F-PLACE1009468//Sequence 1 from patent US 5580968.//1.9e-83:567:84//I30536
- F-PLACE1009476//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-67A1, complete sequence.//1.9e-142:704:97//AC004531
- 5 F-PLACE1009477//Human 11p14.3 PAC clone pDJ939m16, complete sequence.//2.2e-09:235:68//AC004601
- F-PLACE1009493//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//2.9e-83:171:92//U91321
- F-PLACE1009524//Homo sapiens DNA sequence from PAC 63G5 on chromosome 22q12.3-13.1. Contains part of a gene for a human SEC7 homolog B2-1 (cytohesin-2, Arno, ARF exchange factor) LIKE protein, an unknown gene and a gene coding for a Leucine rich protein. Contains ESTs, STSs and GSSs, complete sequence.//3.8e-69:175:92//Z94160
- 10 F-PLACE1009539//Mus musculus synaptojanin 2 isoform alpha mRNA, complete cds.//7.0e-26:237:78//AF041862
- F-PLACE1009542//Human DNA sequence from clone 1039K5 on chromosome 22q12.3-13.2 Contains gene similar to PICK1 perinuclear binding protein, gene similar to monocarboxylate transporter (MCT3), ESTs, STS, GSS and a CpG island, complete sequence.//3.1e-10:126:79//AL031587
- 15 F-PLACE1009571//RPC111-60K12.TK RPC111 Homo sapiens genomic clone R-60K12, genomic survey sequence.//1.4e-05:68:91//AQ195869
- F-PLACE1009581
- F-PLACE1009595//Homo sapiens chromosome 5, P1 clone 1029A7 (LBNL H15), complete sequence.//6.6e-19:309:70//AC003959
- 20 F-PLACE1009596//Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) gene, complete cds.//9.0e-09:485:59//AF016049
- F-PLACE1009607//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 409J21, WORKING DRAFT SEQUENCE.//4.9e-43:714:66//Z83824
- 25 F-PLACE1009613//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.017:655:57//AC004157
- F-PLACE1009621
- F-PLACE1009622//HS-1016-B2-E08-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 791 Col=16 Row=J, genomic survey sequence.//2.7e-15:100:98//B33248
- 30 F-PLACE1009637//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.63:130:67//AC005308
- F-PLACE1009639//S.pombe chromosome II cosmid c24E9.//0.86:509:58//AL021816
- F-PLACE1009659//Homo sapiens mRNA for KIAA0587 protein, complete cds.//1.4e-171:816:98//AB011159
- 35 F-PLACE1009665//Homo sapiens chromosome 17, clone HCIT462L7, complete sequence.//3.4e-67:437:87//AC005177
- F-PLACE1009670//Homo sapiens genethonin 1 mRNA, complete cds.//2.5e-147:701:98//AF062534
- F-PLACE1009708//Homo sapiens clone DJ0935K16, complete sequence.//1.5e-98:228:100//AC006011
- F-PLACE1009721//Human Cosmid g0771a222 from 7q31.3, complete sequence.//2.2e-130:736:91//AC000109
- F-PLACE1009731//M.musculus mRNA for immunity associated protein 38.//1.1e-13:311:64//Y08026
- 40 F-PLACE1009763//Homo sapiens UBA3 (UBA3) mRNA, complete cds.//4.2e-125:602:98//AF046024
- F-PLACE1009794
- F-PLACE1009798//Hnman DNA sequence from clone 1189B24 on chromosome Xq25-26.3. Contains NADH-Ubi-quinone Oxidoreductase MLRQ subunit (EC 1.6.5.3, EC 1.6.99.3, CI-MLRQ), Tubulin Beta and Proto-oncogene Tyrosine-protein Kinase FER (EC 2.7.1.112, P94-FER, C-FER; TYK3) pseudogenes, and part of a novel gene similar to hypothetical proteins S. pombe C22F3.14C and C. elegans C16A3.8. Contains ESTs, an STS and GSSs, complete sequence.//1.3e-73:271:84//AL030996
- 45 F-PLACE1009845
- F-PLACE1009861//B.tauris cathepsin B mRNA, 3' end.//0.00023:147:65//M64620
- F-PLACE1009879//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 159A1, WORKING DRAFT SEQUENCE.//4.9e-27:725:63//AL034397
- 50 F-PLACE1009886//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 167A19, WORKING DRAFT SEQUENCE.//8.2e-12:135:82//AL031427
- F-PLACE1009888//F14G3-T7 IGF Arabidopsis thaliana genomic clone F14G3, genomic survey sequence.//0.0044:232:60//AQ251431
- 55 F-PLACE1009908//S.pombe chromosome I cosmid c3F10.//1.5e-19:559:59//Z69369
- F-PLACE1009921//Homo sapiens cosmid clone HDAB (1S149) insert DNA, complete cosmid.//5.9e-48:304:87//M63005
- F-PLACE1009924//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-2011O4, WORKING DRAFT SE-

- QUENCE, 4 unordered pieces.//2.4e-51:481:78//AC004529
 F-PLACE1009925//nxbx0027C22r CUGI Rice BAC Library Oryza sativa genomic clone nxbx0027C22r, genomic survey sequence.//0.98:220:67//AQ272066
 F-PLACE1009935//Sequence 16 from patent US 5552281.//0.030:152:67//I25655
 5 F-PLACE1009947//Homo sapiens clone GS096J14, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.6e-12:322:67//AC006026
 F-PLACE1009971
 F-PLACE1009992//HS_3178_B1_F04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3178 Col=7 Row=L, genomic survey sequence.//4.9e-23:142:95//AQ150311
 10 F-PLACE1009995//Caenorhabditis elegans cosmid C01A2, complete sequence.//0.00019:231:64//Z81029
 F-PLACE1009997//Rattus norvegicus A-kinase anchoring protein AKAP 220 mRNA, complete cds.//7.9e-87:552:80//U48288
 F-PLACE1010023
 15 F-PLACE1010031//Human DNA sequence from clone 30M3 on chromosome 6p22.1-22.3. Contains three novel genes, one similar to C. elegans Y63D3A.4 and one similar to (predicted) plant, worm, yeast and archaea bacterial genes, and the first exon of the KIAA0319 gene. Contains ESTs, GSSs and putative CpG islands, complete sequence.//6.9e-101:181:98//AL031775
 F-PLACE1010053//M.musculus Spnr mRNA for RNA binding protein.//2.3e-136:689:95//X84692
 F-PLACE1010069//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 212A2, WORKING
 20 DRAFT SEQUENCE.//0.0090:383:60//Z95114
 F-PLACE1010074//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//1.8e-166:792:98//AF065482
 F-PLACE1010076//Mouse mRNA for TGF-beta type I receptor, complete cds.//7.5e-13:203:77//D25540
 F-PLACE1010083//Homo sapiens mRNA for KIAA0456 protein, partial cds.//3.0e-152:727:98//AB007925
 F-PLACE1010089//HS_3111_A1_E08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3111 Col=15 Row=I, genomic survey sequence.//4.8e-07:124:78//AQ101268
 25 F-PLACE1010096//R.norvegicus mRNA for 100 kDa protein.//1.2e-108:700:85//X64411
 F-PLACE1010102//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.1e-07:476:60//AC005506
 F-PLACE1010105//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//3.8e-25:728:60//
 30 AF059569
 F-PLACE1010106//Human DNA sequence from PAC 127B14 on chromosome Xq22.//6.5e-25:488:63//Z93928
 F-PLACE1010134//S.pombe chromosome I cosmid c29B12.//1.9e-13:238:67//Z99164
 F-PLACE1010148//Homo sapiens partial human cDNA (660 bp).//4.8e-83:409:98//AJ222636
 F-PLACE1010152//CIT-HSP-2381F24.TF CIT-HSP Homo sapiens genomic clone 2381F24, genomic survey sequence.//1.5e-28:163:98//AQ196757
 35 F-PLACE1010181//Homo sapiens PAC clone DJ1139I01 from Xq23, complete sequence.//2.4e-15:197:72//AC004973
 F-PLACE1010194//Ictalurus punctatus tumor suppressor p53 mRNA, complete cds.//3.0e-14:181:74//AF074967
 F-PLACE1010202//Homo sapiens mRNA for MBNL protein.//1.2e-27:509:66//Y13829
 40 F-PLACE1010231//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 287G14, WORKING DRAFT SEQUENCE.//2.3e-101:194:95//AL033377
 F-PLACE1010261//Homo sapiens mRNA for KIAA0448 protein, complete cds.//5.8e-145:693:97//AB007917
 F-PLACE1010270//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence; WORKING DRAFT SEQUENCE, 2 unordered pieces.//2.1e-05:347:60//AC004710
 45 F-PLACE1010274//Caenorhabditis elegans cosmid C01A2, complete sequence.//0.00040:231:64//Z81029
 F-PLACE1010293//Homo sapiens chromosome 2 PAC RPCI3-417E16 (Roswell Park Cancer Institute Human PAC library) complete sequence.//6.5e-25:344:70//AC004464
 F-PLACE1010310//Homo sapiens DNA sequence from PAC 329E20 on chromosome 1p34.4-36.13. Contains endothelin-converting-enzyme 1 (ECE-1), EST, STS, CA repeat, complete sequence.//3.5e-10:185:67//AL031005
 50 F-PLACE1010321//Human DNA sequence from clone 299D3 on chromosome 22q13.3, complete sequence.//0.010:524:58//Z84468
 F-PLACE1010324//CIT-HSP-2335J21.TR CIT-HSP Homo sapiens genomic clone 2335J21, genomic survey sequence.//9.1e-90:448:97//AQ041837
 F-PLACE1010329//Apis mellifera ligustica complete mitochondrial genome.//2.8e-08:384:64//L06178
 55 F-PLACE1010341//HS-1047-A2-C04-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 830 Col=8 Row=E, genomic survey sequence.//4.1e-21:141:92//B38252
 F-PLACE1010362//Mycobacterium tuberculosis H37Rv complete genome; segment 155/162.//0.94:398:57//AL022121

- F-PLACE1010364//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y102G3, WORKING DRAFT SEQUENCE.//0.11:404:56//AL020985
- F-PLACE1010383//Homo sapiens chromosome 17, clone hCIT.186_H_2, complete sequence.//0.066:88:76//AC004675
- 5 F-PLACE1010401//CIT-HSP-2367K17.TR CIT-HSP Homo sapiens genomic clone 2367K17, genomic survey sequence.//2.4e-71:454:88//AQ076825
- F-PLACE1010481//Bos taurus C5-glucuronyl epimerase mRNA, partial cds.//7.5e-134:722:93//AF003927
- F-PLACE1010491//Homo sapiens Cre binding protein-like 2 mRNA, complete cds.//2.2e-150:702:99//AF039081
- F-PLACE1010492
- 10 F-PLACE1010522//Homo sapiens cosmid LM1937 from Xq28.//0.022:405:60//U82695
- F-PLACE1010529//Sequence 1 from patent US 5776717.//2.9e-145:684:98//AR016417
- F-PLACE1010547//Human DNA sequence from clone 790B6 on chromosome 20p11.22-12.2. Contains STSs and GSSs, complete sequence.//1.0:283:61//AL031677
- F-PLACE1010562//RPCI11-65I16.TK RPCI11 Homo sapiens genomic clone R-65I16, genomic survey sequence.//0.017:216:67//AQ200831
- 15 F-PLACE1010579//Homo sapiens full-length insert cDNA YI23D12.//3.9e-19:147:89//AF075014
- F-PLACE1010580//Mouse RNA helicase and RNA-dependent ATPase from the DEAD box family mRNA, complete cds.//6.4e-96:559:89//L25125
- F-PLACE1010599//Homo sapiens peroxisomal membrane anchor protein HsPex14p (PEX14) mRNA, complete cds.//3.1e-146:707:97//AF045186
- 20 F-PLACE1010616//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.045:454:59//AC005308
- F-PLACE1010622//Plasmodium falciparum MAL3P2, complete sequence.//9.1e-07:378:60//AL034558
- F-PLACE1010624//Streptomyces coelicolor cosmid 5A7.//1.4e-05:518:61//AL031107
- 25 F-PLACE1010628//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21 unordered pieces.//5.0e-137:675:97//AC004846
- F-PLACE1010629//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-259H10, complete sequence.//2.5e-17:187:80//AC004682
- F-PLACE1010630//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K21P3, complete sequence.//0.21:159:64//AB016872
- 30 F-PLACE1010631//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 unordered pieces.//1.2e-144:720:97//AC005069
- F-PLACE1010661
- F-PLACE1010662//Arabidopsis thaliana DNA chromosome 4, BAC clone F7J7 (ESSA project).//0.90:257:61//AL021960
- 35 F-PLACE1010702//Human repressor transcriptional factor (ZNF85) mRNA, complete cds.//3.3e-73:697:74//U35376
- F-PLACE1010714//Human Chromosome 15q11-q13 PAC clone pDJ778a2, complete sequence.//0.010:447:59//AC004583
- 40 F-PLACE1010720//Mouse TPA-induced TIS11 mRNA.//2.0e-86:535:88//X14678
- F-PLACE1010739//HS_2013_B2_B10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2013 Col=20 Row=D, genomic survey sequence.//5.7e-87:435:97//AQ235864
- F-PLACE1010743//R.norvegicus mRNA for myr5.//1.7e-87:582:85//X77609
- F-PLACE1010761//Homo sapiens chromosome 17, clone hRPK.294_J_22, complete sequence.//4.7e-45:235:99//AC005921
- 45 F-PLACE1010771//M.musculus HCNGP mRNA.//1.6e-135:801:88//X68061
- F-PLACE1010786//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-15, complete sequence.//0.35:334:60//AL010221
- F-PLACE1010800//RPCI11-79H17.TV RPCI11 Homo sapiens genomic clone R-79H17, genomic survey sequence.//5.8e-18:168:82//AQ284252
- 50 F-PLACE1010802//Human Chromosome X clone bWXD531, complete sequence.//1.6e-30:693:63//AC004384
- F-PLACE1010811//RPCI11-51N5.TK RPCI11 Homo sapiens genomic clone R-51N5, genomic survey sequence.//8.3e-11:142:78//AQ052380
- F-PLACE1010833//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 467K16, WORKING DRAFT SEQUENCE.//7.3e-40:147:88//AL031283
- 55 F-PLACE1010856//M.musculus mRNA for utrophin.//7.3e-17:150:86//Y12229
- F-PLACE1010857//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 11/11.//1.4e-94:422:95//AB020868

F-PLACE1010870//M.musculus mRNA for ZT3 zinc finger factor.//1.3e-93:530:90//Z67747
 F-PLACE1010877//Homo sapiens mRNA for KIAA0610 protein, partial cds.//1.1e-147:694:98//AB011182
 F-PLACE1010891
 5 F-PLACE1010896//Mouse BAC mbac20 from 14D1-D2 (T-Cell Receptor Alpha Locus), complete sequence.//3.9e-26:394:68//AC003997
 F-PLACE1010900
 F-PLACE1010916//HS_2242_A1_C04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2242 Col=7 Row=E, genomic survey sequence.//1.0e-78:391:97//AQ146687
 F-PLACE1010917
 10 F-PLACE1010925//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.11:629:56//AC004688
 F-PLACE1010926//Homo sapiens mRNA for KIAA0554 protein, partial cds.//9.5e-138:653:98//AB011126
 F-PLACE1010942//Homo sapiens intersectin short form mRNA, complete cds.//5.6e-90:437:98//AF064243
 F-PLACE1010944//Homo sapiens full-length insert cDNA clone ZD38E12.//1.4e-09:208:68//AF086247
 15 F-PLACE1010947
 F-PLACE1010954//CIT-HSP-2283D9.TR CIT-HSP Homo sapiens genomic clone 2283D9, genomic survey sequence.//2.1e-29:190:91//B98965
 F-PLACE1010960//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-52, complete sequence.//0.00074:421:60//AL010226
 20 F-PLACE1010965//CIT-HSP-2386K24:TF.1 CIT-HSP Homo sapiens genomic clone 2386K24, genomic survey sequence.//1.8e-84:412:99//AQ240696
 F-PLACE1011026//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-20, complete sequence.//0.00037:257:64//AL008972
 F-PLACE1011032//Homo sapiens chromosome 5, BAC clone 118L13 (LBNL H176), complete sequence.//3.8e-06:315:65//AC005348
 25 F-PLACE1011041//Human Fas-ligand associated factor 3 mRNA, partial cds.//1.5e-56:286:98//U70669
 F-PLACE1011046//Rat phospholipase C-1 mRNA, complete cds.//1.3e-24:278:76//M20636
 F-PLACE1011054//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 981L23, WORKING DRAFT SEQUENCE.//3.8e-27:196:84//AL031686
 30 F-PLACE1011056//Ovis aries bactinecin 11 (Bac11) gene, exon 4, and complete cds.//5.4e-06:182:67//U77049
 F-PLACE1011057//protein kinase PRK2 [human, DX3 B-cell myeloma cell line, mRNA, 3255 nt].//3.2e-31:169:100//S75548
 F-PLACE1011090//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 998H6, WORKING DRAFT SEQUENCE.//5.1e-80:479:89//AL031687
 35 F-PLACE1011109//Rattus norvegicus nuclear-encoded mitochondrial elongation factor G mRNA, complete cds.//2.3e-24:192:84//L14684
 F-PLACE1011114//S.cerevisiae chromosome XI reading frame ORF YKR024c.//1.4e-14:346:60//Z28249
 F-PLACE1011133//T7E9-T7.1 TAMU Arabidopsis thaliana genomic clone T7E9, genomic survey sequence.//0.010:345:60//B19698
 40 F-PLACE1011143//CIT-HSP-2375J10.TR CIT-HSP Homo sapiens genomic clone 2375J10, genomic survey sequence.//0.00013:95:76//AQ109305
 F-PLACE1011160//Homo sapiens PAC clone DJ0808A01 from 7q21.1-q31.1, complete sequence.//3.7e-111:692:87//AC004893
 F-PLACE1011165//H.sapiens galactokinase (GK2) mRNA, complete cds.//8.4e-31:194:92//M84443
 45 F-PLACE1011185//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-249B10, complete sequence.//3.1e-43:447:72//AC002288
 F-PLACE1011203//Homo sapiens chromosome 18q11 beta-1,4-galactosyltransferase mRNA, complete cds.//3.3e-124:584:99//AF038664
 F-PLACE1011214//HS_2046_A2_B01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2046 Col=2 Row=C, genomic survey sequence.//2.0e-39:346:81//AQ305965
 50 F-PLACE1011219
 F-PLACE1011221//CITBI-E1-2513F18.TR CITBI-E1 Homo sapiens genomic clone 2513F18, genomic survey sequence.//2.4e-20:119:100//AQ279801
 F-PLACE1011229//Homo sapiens mRNA for KIAA0529 protein, partial cds.//4.4e-146:675:99//AB011101
 55 F-PLACE1011263//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//1.7e-42:212:84//AC005014
 F-PLACE1011273//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y37D8, WORKING DRAFT SEQUENCE.//1.0:214:60//Z92819

EP 1 074 617 A2

F-PLACE1011291//RPCI11-16P9.TP RPCI-11 Homo sapiens genomic clone RPCI-11-16P9, genomic survey sequence.//8.0e-08:66:98//B81770

F-PLACE1011296//Homo sapiens chromosome 16, cosmid clone 443G8 (LANL), complete sequence.//0.027:135:67//AC004647

5 F-PLACE1011310//H.sapiens CpG island DNA genomic Mse1 fragment, clone 53c10, reverse read cpg53c10.rt1b.//1.4e-05:57:100//Z61496

F-PLACE1011325//Human immunodeficiency virus type 1 (D9) proviral structural capsid protein (gag) gene, partial cds.//0.077:193:60//L02290

10 F-PLACE1011332//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//3.1e-150:699:99//AF102265

F-PLACE1011340//Homo sapiens chromosome 17, clone hRPK.388_F_14, complete sequence.//2.4e-38:186:83//AC005375

F-PLACE1011371//Mus musculus PK-120 precursor (itih-4) mRNA, complete cds.//6.0e-35:689:63//AF023919

15 F-PLACE1011375//Mus musculus Kv3.4 gene, exon 4.//6.0e-88:584:86//AJ010310

F-PLACE1011399//paramecium species 7,325 mt dna dimer: replication init. region.//0.00011:255:63//K00919

F-PLACE1011419//Homo sapiens chromosome 21 PAC LLNLP704G1150Q13.//0.067:337:62//AJ006996

F-PLACE1011433//Homo sapiens mRNA for KIAA0530 protein, partial cds.//4.6e-157:743:98//AB011102

F-PLACE1011452//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//1.1e-53:557:73//AJ011929

20 F-PLACE1011465//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//3.5e-71:498:80//AC004605

F-PLACE1011472//Homo sapiens mRNA for KIAA0712 protein, complete cds.//4.8e-151:703:99//AB018255

F-PLACE1011477//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//5.2e-145:675:99//AF065482

25 F-PLACE1011492//Ray (T.californica) acetylcholine receptor beta-subunit mRNA.//1.0:448:59//J00964

F-PLACE1011503

F-PLACE1011520//Homo sapiens clone DJ1119N05, complete sequence.//3.8e-147:692:99//AC004968

F-PLACE1011563//R.norvegicus mRNA for leucocyte common antigen-related protein (3941 bp).//0.00036:296:61//X83546

30 F-PLACE1011567//Homo sapiens PAC clone DJ1164K10 from 7p21-p22, complete sequence.//1.1e-38:315:82//AC004984

F-PLACE1011576//Homo sapiens hematopoietic cell derived zinc finger protein mRNA, complete cds.//1.3e-65:268:86//AF054180

F-PLACE1011586//Homo sapiens chromosome 17, clone HRPC890E16, complete sequence.//2.0e-82:188:96//AC004477

35 F-PLACE1011635//Homo sapiens chromosome 17, clone hRPK.214_O_1, complete sequence.//1.8e-153:752:97//AC005224

F-PLACE1011641//Homo sapiens T-cell receptor alpha delta locus from bases 501613 to 752736 (section 3 of 5) of the Complete Nucleotide Sequence.//4.8e-05:190:67//AE000660

F-PLACE1011643//Alcaligenes eutrophus phaP gene.//0.16:466:59//X85729

40 F-PLACE1011646//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1013A10, WORKING DRAFT SEQUENCE.//9.1e-19:156:76//AL033383

F-PLACE1011649

F-PLACE1011650//Homo sapiens retinol dehydrogenase gene, complete cds.//6.4e-09:172:74//AF037062

F-PLACE1011664//D.melanogaster crn mRNA.//1.1e-52:650:68//X58374

45 F-PLACE1011675//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.11:443:58//AC005507

F-PLACE1011682//Human DNA sequence from clone 342B11 on chromosome 22q12.1-12.3. Contains ESTs and a GSS, complete sequence.//0.31:127:71//AL008719

F-PLACE1011719//Human BAC clone RG369K23 from 7q31, complete sequence.//4.6e-52:461:77//AC002487

50 F-PLACE1011725

F-PLACE1011729//Human Chromosome 15q11-q13 clone pDJ276c12 from the Prader-Willi/Angelman syndrome region, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.011:320:62//AC004737

F-PLACE1011749//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.00031:544:59//AC004157

55 F-PLACE1011762//Homo sapiens BAC clone RG437L15 from 8q21, complete sequence.//2.4e-115:682:90//AC004003

F-PLACE1011778//RPCI11-22D17.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-22D17, genomic survey sequence.//2.7e-114:611:93//AQ008944

F-PLACE1011783//CIT-HSP-2317N1.TF CIT-HSP Homo sapiens genomic clone 2317N1, genomic survey sequence.//2.3e-17:120:94//AQ042330
 F-PLACE1011858//Gallus domesticus filamin mRNA, complete cds.//4.1e-24:565:64//U00147
 F-PLACE1011874//Homo Sapiens Chromosome X clone bWXD312, complete sequence.//2.5e-141:678:98//AC004478
 5 F-PLACE1011875//Homo sapiens mRNA for KIAA0580 protein, partial cds.//1.6e-108:526:98//AB011152
 F-PLACE1011891//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 439F8, WORKING DRAFT SEQUENCE.//0.0014:330:62//AL021392
 F-PLACE1011896//Mus musculus Wnt10a mRNA, complete cds.//1.4e-89:678:82//U61969
 10 F-PLACE1011922//Caprine arthritis-encephalitis virus envelope glycoprotein (env) gene, partial cds.//0.069:246:61//U81400
 F-PLACE1011923//Homo sapiens serum-inducible kinase mRNA, complete cds.//1.2e-138:664:98//AF059617
 F-PLACE1011962//HS_3212_B2_G12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3212 Col=24 Row=N, genomic survey sequence.//2.4e-07:154:74//AQ175369
 15 F-PLACE1011964//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 322P7, WORKING DRAFT SEQUENCE.//3.7e-22:369:69//AL023799
 F-PLACE1011982//HS-1041-A1-B01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 823 Col=1 Row=C, genomic survey sequence.//0.44:309:58//B36529
 F-PLACE1011995//Homo sapiens Xq28 BAC RPC11-382P7 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//8.8e-53:687:71//AC006054
 20 F-PLACE1012031//Homo sapiens mRNA for KIAA0713 protein, partial cds.//1.2e-146:690:98//AB018256
 F-PLACE2000003//Homo sapiens chromosome 17, clone hRPK.318_A_15, complete sequence.//1.7e-62:293:88//AC005837
 F-PLACE2000006//Homo sapiens chromosome 12p13.3 clone RPC11-96H9, WORKING DRAFT SEQUENCE, 66 unordered pieces.//1.4e-116:261:91//AC006057
 25 F-PLACE2000007
 F-PLACE2000011//Homo sapiens chromosome 19, cosmid F20887, complete sequence.//5.2e-102:489:99//AC005578
 F-PLACE2000014//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1111N9, WORKING DRAFT SEQUENCE.//0.0095:307:62//AL022574
 30 F-PLACE2000015//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 unordered pieces.//2.0e-36:316:81//AC005069
 F-PLACE2000017//HS_3042_A1_F08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3042 Col=15 Row=K, genomic survey sequence.//1.0:184:61//AQ098074
 35 F-PLACE2000021//Homo sapiens TRF1-interacting ankyrin-related ADP-ribose polymerase mRNA, complete cds.//4.6e-84:844:72//AF082556
 F-PLACE2000030//Human Chromosome 11 Cosmid cSRL16b6, complete sequence.//2.3e-22:233:77//U73638
 F-PLACE2000033//C.capitata mRNA for chorion protein s18.//0.0019:342:62//Y08913
 F-PLACE2000034//Rattus norvegicus transmembrane receptor Robo1 mRNA, complete cds.//2.8e-13:335:63//AF041082
 40 F-PLACE2000039//Rattus norvegicus cytoplasmic dynein heavy chain (MAP 1C), mRNA, complete cds.//7.7e-84:489:90//L08505
 F-PLACE2000047//Homo sapiens ccr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//5.0e-28:327:76//U95626
 45 F-PLACE2000050//Homo sapiens chromosome 17, clone HRPC41C23, complete sequence.//1.1e-32:527:68//AC003101
 F-PLACE2000061//CIT-HSP-2346L20.TF CIT-HSP Homo sapiens genomic clone 2346L20, genomic survey sequence.//1.1e-05:89:83//AQ059010
 F-PLACE2000062//Human membrane-associated lectin type-C mRNA.//9.0e-113:662:86//M98457
 50 F-PLACE2000072//Homo sapiens ZNF202 beta (ZNF202) mRNA, complete cds.//2.2e-133:631:98//AF027219
 F-PLACE2000097//Homo sapiens chromosome 12p13.3 clone RPC11-189M20, WORKING DRAFT SEQUENCE, 39 unordered pieces.//1.6e-16:119:93//AC005910
 F-PLACE2000100//HS_3184_A1_D06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3184 Col=11 Row=G, genomic survey sequence.//1.5e-80:409:97//AQ150004
 55 F-PLACE2000103//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20208, WORKING DRAFT SEQUENCE.//1.0e-172:830:98//AL031848
 F-PLACE2000111//Homo sapiens DNA, trinucleotide repeats region.//1.0:200:64//AB018491
 F-PLACE2000115

- F-PLACE2000124//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-67A1, complete sequence.//6.2e-43:362:80//AC004531
- F-PLACE2000132//RPCI11-79F15.TV RPCI11 Homo sapiens genomic clone R-79F15, genomic survey sequence.//5.4e-35:206:94//AQ284166
- 5 F-PLACE2000136//Human BAC clone 7E17 from 12q, complete sequence.//2.7e-12:814:59//AC002070
- F-PLACE2000140//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 11703, WORKING DRAFT SEQUENCE.//3.6e-165:799:97//AL020995
- F-PLACE2000164//Canine histamine H2 receptor gene, complete cds.//0.10:392:56//M32701
- F-PLACE2000170
- 10 F-PLACE2000172//Homo sapiens PAC clone DJ0811017 from 7q21-22, complete sequence.//3.9e-91:552:88//AC006005
- F-PLACE2000176//Homo sapiens Chromosome 22q11.2 BAC Clone b437g10 In BCRL2-GGT Region, complete sequence.//0.98:201:64//AC004032
- F-PLACE2000187
- 15 F-PLACE2000216
- F-PLACE2000223//RPCI11-12L17.TP RPCI-11 Homo sapiens genomic clone RPCI-11-12L17, genomic survey sequence.//0.00039:325:58/B75888
- F-PLACE2000235//Human Chromosome 16 BAC clone CIT987SK-254P9, complete sequence.//7.5e-55:237:78//AC003003
- 20 F-PLACE2000246//Homo sapiens chromosome 3p clone RPCI4-544D10, WORKING DRAFT SEQUENCE, 58 unordered pieces.//2.4e-92:236:94//AC005902
- F-PLACE2000264//Human DNA sequence from clone 391022 on chromosome 6p21.2-21.31 Contains pseudo-genes similar to ribosomal protein, ESTs, GSSs, complete sequence.//1.4e-32:331:78//AL031577
- F-PLACE2000274//Anthracis crassispina mRNA for B2HC, partial cds.//8.5e-48:765:66//AB012308
- 25 F-PLACE2000302//Kaposi's sarcoma-associated herpes-like virus ORF73 homolog gene, complete cds.//8.3e-08:662:58//US2064
- F-PLACE2000305//Homo sapiens clone DJ1129L24, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.4e-08:95:81//AC006021
- F-PLACE2000317//HS_3183_B2_F05_MR CIT Approved Human Genomic Sperm-Library D Homo sapiens genomic clone Plate=3183 Col=10 Row=L, genomic survey sequence.//2.5e-71:346:99//AQ172747
- 30 F-PLACE2000335//Homo sapiens clone DJ1032D07, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.7e-14:402:65//AC004952
- F-PLACE2000341//Rattus norvegicus sodium-dependent multi-vitamin transporter (SMVT) mRNA, complete cds.//4.5e-77:555:82//AF026554
- 35 F-PLACE2000342//Suid herpesvirus 1 UL5 gene, partial cds, UL6 and UL7 genes, complete cds, UL8 gene, partial cds.//1.8e-14:259:71//U66829
- F-PLACE2000347//Human DNA from overlapping chromosome 19-specific cosmids R32543,, and F15613 containing ZNF gene family member, genomic sequence, complete sequence.//6.0e-34:376:74//AC003006
- F-PLACE2000359//RPCI11-23J20.TKBR RPCI-11 Homo sapiens genomic clone RPCI-11-23J20, genomic survey sequence.//8.4e-21:288:69//AQ013849
- 40 F-PLACE2000366//Human Tigger1 transposable element, complete consensus sequence.//5.0e-114:692:80//U49973
- F-PLACE2000371//Homo sapiens 12p13.3 PAC RPCI1-29K11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.38:356:58//AC005182
- 45 F-PLACE2000373//RPCI11-49C18.TJ RPCI11 Homo sapiens genomic clone R-49C18, genomic survey sequence.//0.064:132:68//AQ051776
- F-PLACE2000379//Homo sapiens Xp22 BAC GS-607H18 (Genome Systems Human BAC library) complete sequence.//1.6e-130:776:88//AC003658
- F-PLACE2000394//Homo sapiens chromosome 18 BAC RPCI11-128D14 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//5.4e-113:808:83//AC005909
- 50 F-PLACE2000398//Mouse hexamer repeat sequence (117) homologous to Drosophila 'period' gene.//0.87:286:63//X06967
- F-PLACE2000399
- F-PLACE2000404//Caenorhabditis elegans cosmid R74, complete sequence.//2.9e-59:532:68//Z36238
- 55 F-PLACE2000411//Acanthamoeba castellanii transformation-sensitive protein homolog mRNA, complete cds.//0.44:553:56//U89984
- F-PLACE2000419//Human adenosine deaminase (ADA) gene, complete cds.//1.4e-56:303:86//M13792
- F-PLACE2000425//HS_3047_A1_H05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-

EP 1 074 617 A2

nomic clone Plate=3047 Col=9 Row=O, genomic survey sequence.//2.8e-42:224:97//AQ126949
 F-PLACE2000427
 F-PLACE2000433//Homo sapiens chromosome 17, clone hRPK.156_L_14, complete sequence.//1.1e-19:363:67//AC005821
 5 F-PLACE2000435//HS_3036_B1_F11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3036 Col=21 Row=L, genomic survey sequence.//3.1e-06:184:66//AQ096999
 F-PLACE2000438//Caenorhabditis elegans cosmid Y45F10D, complete sequence.//4.6e-23:550:62//AL021492
 F-PLACE2000450//Homo sapiens PAC clone DJ1188N21 from 7q11.23-q21.1, complete sequence.//1.0e-78:604:80//AC006025
 10 F-PLACE2000455//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-279B10, complete sequence.//8.2e-05:330:63//AC002300
 F-PLACE2000458//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//5.7e-168:816:97//AC005740
 F-PLACE2000465//Human Chromosome 11 Overlapping Cosmids cSRL72g7 and cSRL140b8, complete sequence.//4.3e-33:296:79//AC002037
 15 F-PLACE2000477//Homo sapiens clone RG052H06, WORKING DRAFT SEQUENCE, 11 unordered pieces.//3.4e-59:598:74//AC005057
 F-PLACE3000004//Human EYA3 homolog (EYA3) mRNA, complete cds.//7.6e-49:361:84//U81602
 F-PLACE3000009//Human placenta (Diff48) mRNA, complete cds.//3.0e-58:713:69//U49187
 20 F-PLACE3000020//R.norvegicus type III adenylyl cyclase mRNA, complete cds.//6.1e-103:600:89//M55075
 F-PLACE3000029
 F-PLACE3000059//Mus musculus mRNA for ubiquitin conjugating enzyme.//4.4e-115:718:86//Y17267
 F-PLACE3000070//Homo sapiens chromosome 5, BAC clone 194j18 (LBNL H158), complete sequence.//1.8e-17:250:74//AC005368
 25 F-PLACE3000103//Caenorhabditis elegans cosmid C13F10.//4.6e-07:408:61//U97006
 F-PLACE3000119//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0190L06; HTGS phase 1, WORKING DRAFT SEQUENCE, 21 unordered pieces.//1.5e-58:291:86//AC004670
 F-PLACE3000121//Rattus norvegicus rsec15 mRNA, complete cds.//8.1e-81:837:71//AF032668
 F-PLACE3000124//Homo sapiens chromosome 17, clone hRPK.85_B_7, complete sequence.//1.8e-48:330:79//
 30 AC005695
 F-PLACE3000136
 F-PLACE3000142//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 349A12, WORKING DRAFT SEQUENCE.//0.011:294:62//AL033520
 F-PLACE3000145//Gallus gallus tensin mRNA, 3' end.//6.9e-52:659:68//L06662
 35 F-PLACE3000147//Human DNA sequence from clone 267M20 on chromosome Xq22.2-22.3. Contains part of the DIAPH2 gene and a pseudogene, ESTs, STSs and GSSs, complete sequence.//5.1e-37:305:81//AL031053
 F-PLACE3000148//Homo sapiens chromosome Y, clone 47511, complete sequence.//4.7e-32:766:63//AC004474
 F-PLACE3000155//Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.//7.4e-173:822:98//AC005277
 40 F-PLACE3000156//Homo sapiens chromosome 19, overlapping cosmids F18547, F11133, R27945, R28830 and R32804, complete sequence.//2.2e-81:783:74//AC003682
 F-PLACE3000157
 F-PLACE3000158//, complete sequence.//1.0e-180:845:97//AC005500
 F-PLACE3000160//CIT978SK-152K7.TV CIT978SK Homo sapiens genomic clone 152K7, genomic survey sequence.//0.080:259:59//B50878
 45 F-PLACE3000169//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete sequence.//9.8e-158:749:98//AC006130
 F-PLACE3000194
 F-PLACE3000197//F.rubripes GSS sequence, clone 075N04bB7, genomic survey sequence.//1.4e-08:164:68//
 50 AL003352
 F-PLACE3000199//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//0.0019:277:58//Z82207
 F-PLACE3000207//Homo sapiens BAC clone GS165L15 from 7p15, complete sequence.//6.6e-21:312:67//AC005013
 55 F-PLACE3000208//Homo sapiens (clones: CW52-2, CW27-6, CW15-2, CW26-5, 11-67) collagen type VII intergenic region and (COL7A1) gene, complete cds.//1.0:279:61//L23982
 F-PLACE3000218//Homo sapiens, WORKING DRAFT SEQUENCE, 52 unordered pieces.//9.3e-43:383:79//AC004086

- F-PLACE3000220//RPCI11-54B4.TV RPCI11 Homo sapiens genomic clone R-54B4, genomic survey sequence.//2.4e-36:381:76//AQ082056
- F-PLACE3000221//Homo sapiens clone DJ1186P10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//7.2e-135:721:91//AC005231
- 5 F-PLACE3000226
- F-PLACE3000230//Homo sapiens c1cr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//3.3e-80:498:78//U95626
- F-PLACE3000242//Human DNA sequence from clone 1409 on chromosome Xp11.1-11.4. Contains a Inter-Alpha-Trypsin Inhibitor Heavy Chain LIKE gene, a alternatively spliced Melanoma-Associated Antigen MAGE LIKE gene
- 10 and a 6-Phosphofructo-2-kinase (Fructose-2,6-bisphosphatase) LIKE pseudogene. Contains ESTs, STSs and genomic marker DXS8032, complete sequence.//2.6e-54:254:92//Z98046
- F-PLACE3000244//M.musculus mRNA for 200 kD protein.//1.4e-139:850:86//X80169
- F-PLACE3000254//Ateline herpesvirus 3 complete genome.//1.3e-10:399:61//AF083424
- F-PLACE3000271//Human Chromosome 16 BAC clone CIT987SK-A-815A9, complete sequence.//1.8e-21:350:68//AF001548
- 15 F-PLACE3000276//HS_2026_B1_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2026 Col=21 Row=P, genomic survey sequence.//5.7e-45:376:81//AQ231147
- F-PLACE3000304//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//1.6e-138:650:99//AC005328
- 20 F-PLACE3000310
- F-PLACE3000320//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//1.9e-41:379:77//AL034379
- F-PLACE3000322//Homo sapiens chromosome 17, clone hRPK.209_J_20, complete sequence.//3.3e-35:419:68//AC005822
- 25 F-PLACE3000331//CIT-HSP-2347D24.TR CIT-HSP Homo sapiens genomic clone 2347D24, genomic survey sequence.//2.7e-20:119:99//AQ061543
- F-PLACE3000339//Rhodobacter sphaeroides magnesium chelatase subunits Bchl (bchl) and BchD (bchD) genes, complete cds; and BchO (bchO) gene, partial cds.//0.99:310:58//AF017642
- F-PLACE3000341//Homo sapiens 3p22 Contig 7 PAC RPCI4-672N11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//7.5e-159:752:98//AC006055
- 30 F-PLACE3000350//Rattus norvegicus serine/threonine protein kinase TAO1 mRNA, complete cds.//2.3e-107:592:92//AF084205
- F-PLACE3000352//Human DNA sequence from PAC 293L6 on chromosome 22, complete sequence.//2.1e-37:480:70//Z83732
- 35 F-PLACE3000353
- F-PLACE3000362//Homo sapiens chromosome 17, clone hRPK.215_P_18, complete sequence.//0.00011:373:60//AC005969
- F-PLACE3000363
- F-PLACE3000365//Human DNA sequence from PAC 227P17, between markers DXS6791 and DXS8038 on chromosome X contains CpG island, EST.//0.074:279:61//Z81007
- 40 F-PLACE3000373//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//2.8e-118:653:92//Z92545
- F-PLACE3000388//Homo sapiens PAC clone DJ0777023 from 7p14-p15, complete sequence.//2.2e-25:288:71//AC005154
- 45 F-PLACE3000399//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 466N1, WORKING DRAFT SEQUENCE.//2.3e-69:303:86//Z97630
- F-PLACE3000400//Caenorhabditis elegans cosmid H03A11, complete sequence.//0.0063:435:58//Z93239
- F-PLACE3000401//Homo sapiens clone DJ1147A01, WORKING DRAFT SEQUENCE, 25 unordered pieces.//5.8e-25:292:73//AC006023
- 50 F-PLACE3000402//RPCI11-20D6.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-20D6, genomic survey sequence.//1.1e-10:154:74//AQ008761
- F-PLACE3000405//Homo sapiens chromosome 17, clone hRPK.628_E_12, complete sequence.//2.9e-41:515:72//AC005701
- 55 F-PLACE3000406//cSRL-179E11-u cSRL flow sorted Chromosome 11 specific cosmid Homosapiens genomic clone cSRL-179E11, genomic survey sequence.//2.8e-91:540:89//B03443
- F-PLACE3000413
- F-PLACE3000416//F19L8-Sp6 IGF Arabidopsis thaliana genomic clone F19L8, genomic survey sequence.//

0.0018:664:55//B11305
 F-PLACE3000425//Human DNA sequence from clone 231L4 on chromosome Xq27.1-27.3 Contains GSS, STS, complete sequence.//1.1e-16:284:70//AL022719
 F-PLACE3000455//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 469D22, WORKING DRAFT SEQUENCE.//3.6e-146:732:96//AL031284
 5 F-PLACE3000475//HS_2164_A2_H10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2164 Col=20 Row=O, genomic survey sequence.//1.5e-07:159:71//AQ132983
 F-PLACE3000477//Human DNA sequence from PAC 368A4 on chromosome X. Contains ESTs, CELLULAR NUCLEIC ACID BINDING PROTEIN (CNBP) like gene and STSs.//2.9e-11:213:70//Z83843
 10 F-PLACE4000009//Sequence 93 from patent US 5616500.//9.9e-08 :692:60//I39845
 F-PLACE4000014//Homo sapiens mRNA for KIAA0809 protein, partial cds.//1.1e-116:331:100//AB018352
 F-PLACE4000034//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-69G12, complete sequence.//5.0e-05:244:63//AC004131
 F-PLACE4000049//Homo sapiens Xp22-171-173 BAC GSHB-312I4 (Genome Systems Human BAC Library) complete sequence.//1.2e-37:385:74//AC005926
 15 F-PLACE4000052//M.musculus abcl mRNA.//1.5e-110:671:88//X75926
 F-PLACE4000063
 F-PLACE4000089//M.musculus BOX DNA for regulatory element and promoter region related to EC cell differentiation.//3.7e-12:114:85//X74311
 20 F-PLACE4000093//CIT-HSP-2380K5.TF CIT-HSP Homo sapiens genomic clone 2380K5, genomic survey sequence.//0.11:245:60//AQ108342
 F-PLACE4000100//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20208, WORKING DRAFT SEQUENCE.//2.9e-19:384:65//AL031848
 F-PLACE4000106//Homo sapiens mRNA for KIAA0462 protein, partial cds.//1.2e-145:684:99//AB007931
 25 F-PLACE4000128//Mus musculus putative transcription factor mRNA, complete cds.//3.7e-62:541:78//AF091234
 F-PLACE4000129
 F-PLACE4000131//HS_3139_B2_F12_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3139 Col=24 Row=L, genomic survey sequence.//2.3e-14:221:70//AQ183207
 F-PLACE4000147//Human DNA sequence from clone 740A11 on chromosome Xq22.2-23. Contains part of the COL4A5 gene for Collagen Alpha 5(IV) Chain Precursor. Contains GSSs, complete sequence.//0.28:412:58//AL031622
 30 F-PLACE4000156//Human zinc finger protein ZNF136.//7.2e-88:764:76//U09367
 F-PLACE4000192
 F-PLACE4000211
 35 F-PLACE4000222//344J1.TVB CIT978SKA1 Homo sapiens genomic clone A-344J01, genomic survey sequence.//1.2e-14:177:76//B17158
 F-PLACE4000230//Mus musculus semaphorin VIa mRNA, complete cds.//9.8e-116:662:89//AF030430
 F-PLACE4000233//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//5.2e-54:363:70//AC003973
 40 F-PLACE4000247
 F-PLACE4000250//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//0.0053:229:65//AC004673
 F-PLACE4000252
 F-PLACE4000259//H.sapiens gene for U5 snRNP-specific 200kD protein.//2.0e-25:191:87//Z70200
 45 F-PLACE4000261//Mus musculus bromodomain-containing protein BP75 mRNA, complete cds.//2.6e-23:314:71//AF084259
 F-PLACE4000269//Rattus norvegicus rexo70 mRNA, complete cds.//5.5e-122:734:88//AF032667
 F-PLACE4000270
 F-PLACE4000300
 50 F-PLACE4000320//Human FKBP-rapamycin associated protein (FRAP) mRNA, complete cds.//1.4e-21:135:96//L34075
 F-PLACE4000323//HS_2165_B1_B02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2165 Col=3 Row=D, genomic survey sequence.//4.3e-08:170:71//AQ125036
 F-PLACE4000326//Mouse DNA with homology to EBV IR3 repeat, segment 1, clone Mu2.//2.8e-06:311:63//M10296
 55 F-PLACE4000344//Plasmodium falciparum chromosome 2, section 38 of 73 of the complete sequence.//0.014:252:60//AE001401
 F-PLACE4000367

F-PLACE4000369
 F-PLACE4000379//CIT-HSP-2350B9.TF CIT-HSP Homo sapiens genomic clone 2350B9, genomic survey sequence.//9.2e-46:282:86//AQ062661
 5 F-PLACE4000387//CIT-HSP-2382F11.TR CIT-HSP Homo sapiens genomic clone 2382F11, genomic survey sequence.//0.96:102:70//AQ080649
 F-PLACE4000392//Rattus norvegicus polymorphic marker D20UIA1 sequence.//1.2e-05:222:68//AF054088
 F-PLACE4000401//Homo sapiens mRNA for KIAA0640 protein, partial cds.//9.6e-46:605:71//AB014540
 F-PLACE4000411//Human DNA sequence.*** SEQUENCING IN PROGRESS *** from clone 173D1, WORKING DRAFT SEQUENCE.//3.2e-29:179:79//AL031984
 10 F-PLACE4000431//H.sapiens gene for U5 snRNP-specific 200kD protein.//4.0e-44:263:92//Z70200
 F-PLACE4000445//HS-1053-B1-D02-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 775 Col=3 Row=H, genomic survey sequence.//0.070:47:100//B41346
 F-PLACE4000450
 F-PLACE4000465//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//2.3e-07:273:65//AC005065
 15 F-PLACE4000487//Homo sapiens chromosome 17, clone hRPK.156_L_14, complete sequence.//4.1e-34:351:70//AC005821
 F-PLACE4000489//HS_3012_B1_G05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3012 Col=9 Row=N, genomic survey sequence.//2.0e-36:220:92//AQ095537
 20 F-PLACE4000494//Homo sapiens 12p13.3 PAC RPCI5-1063M23 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.3e-57:395:79//AC005865
 F-PLACE4000521//Homo sapiens *** SEQUENCING IN PROGRESS *** WORKING DRAFT SEQUENCE.//1.6e-163:770:98//AJ011929
 F-PLACE4000522//Feline leukemia virus Notch2 gene, clone FeLV/Notch2-C, partial cds.//4.0e-124:686:90//U47645
 25 F-PLACE4000548
 F-PLACE4000558//Bothrops atrox batroxobin gene (EC 3.4.21.29).//0.049:435:59//X12747
 F-PLACE4000581
 F-PLACE4000590//Homo sapiens chromosome Y, clone 475I1, complete sequence.//3.6e-20:747:59//AC004474
 30 F-PLACE4000593//Caenorhabditis elegans cosmid F25D7, complete sequence.//5.6e-16:326:65//Z78418
 F-PLACE4000612//Homo sapiens PAC clone DJ0722F20 from 7q31.1-q31.3, complete sequence.//1.7e-163:785:97//AC005281
 F-PLACE4000638//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//8.7e-74:707:74//AC006039
 35 F-PLACE4000650
 F-PLACE4000654//Mus musculus mRNA for ubiquitin conjugating enzyme.//1.1e-145:840:89//Y17267
 F-PLACE4000670//Sequence 13 from patent US 5712381.//1.0:311:59//I82816
 F-SKNMC1000011//Gallus gallus bone sialoprotein II mRNA, complete cds.//0.014:92:73//U10577
 F-SKNMC1000013//Orang-utan involucrin gene, complete cds.//0.021:417:59//M25312
 40 F-SKNMC1000046//Homo sapiens mRNA for KIAA0654 protein, partial cds.//7.6e-147:706:98//AB014554
 F-SKNMC1000050//Sequence 5 from patent US 5789181.//1.6e-52:330:90//AR020616
 F-SKNMC1000091//Human NK homeobox protein (Nkx6.1) gene, exon 1.//0.0018:375:60//U66797
 F-THYRO1000017//Rattus norvegicus pyridoxine 5'-phosphate oxidase mRNA, complete cds.//6.6e-97:542:84//U91561
 45 F-THYRO1000026//Human DNA sequence from clone 833B7 on chromosome 22q12.3-13.2 Contains genes for NCF4 (P40PHOX) protein, cytokine receptor common beta chain precursor CSF2RB (partial), ESTs, CA repeat, STS, GSS, complete sequence.//3.5e-46:353:82//AL008637
 F-THYRO1000034//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 90L6, WORKING DRAFT SEQUENCE.//0.83:227:61//Z97353
 50 F-THYRO1000035//Human Chromosome X clone bWXD187, complete sequence.//1.2e-39:303:83//AC004383
 F-THYRO1000040
 F-THYRO1000070//Homo sapiens chromosome 10 clone CIT987SK-1144G6 map 10q25.1, complete sequence.//1.3e-05:613:58//AC005383
 F-THYRO1000072//Homo sapiens mRNA for KIAA0657 protein, partial cds.//2.7e-84:722:77//AB014557
 55 F-THYRO1000085
 F-THYRO1000092//CIT-HSP-2013L16.TFB CIT-HSP Homo sapiens genomic clone 2013L16, genomic survey sequence.//0.31:186:61//B60606
 F-THYRO1000107

- F-THYRO1000111//Human genomic DNA sequence from clone 308O1 on chromosome Xp11.3-11.4. Contains EST, CA repeat, STS, GSS, CpG island.//6.4e-110:690:87//Z93403
- F-THYRO1000121//Rattus norvegicus CTD-binding SR-like protein rA8 mRNA, complete cds.//1.4e-127:816:85//U49055
- 5 F-THYRO1000124//H.sapiens CpG island DNA genomic Mse1 fragment, clone 72a7, forward read cpq72a7.ft1a.//9.5e-26:169:94//Z62724
- F-THYRO1000129//Homo sapiens TED protein (TED) mRNA, complete cds.//8.5e-154:732:98//AF087142
- F-THYRO1000132//Homo sapiens chromosome 9q34, clone 63G10, complete sequence.//3.7e-39:315:82//AC002096
- 10 F-THYRO1000156//Human DNA sequence from clone 113J7 on chromosome Xp11.22-11.4. Contains part of a putative Homeobox (pseudo?) gene, ESTs and an STS, complete sequence.//1.2e-21:335:71//AL023574
- F-THYRO1000163//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-A-218C7, complete sequence.//8.4e-52:301:88//AC002331
- F-THYRO1000173//Mouse clathrin-associated protein (AP47) mRNA, complete cds.//4.0e-89:821:74//M62419
- 15 F-THYRO1000186//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//7.2e-39:293:85//Z82207
- F-THYRO1000187//Clostridium tetani gene for tetanus toxin.//0.041:473:57//X06214
- F-THYRO1000190//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//0.38:184:64//AC005746
- 20 F-THYRO1000197//Homo sapiens mRNA for poly(A)-specific ribonuclease.//7.5e-174:805:99//AJ005698
- F-THYRO1000199//Homo sapiens mRNA for KIAA0652 protein, complete cds.//1.2e-86:616:84//AB014552
- F-THYRO1000206//HS_3047_A1_A05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3047 Col=9 Row=A, genomic survey sequence.//0.51:331:63//AQ099134
- 25 F-THYRO1000221//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.092:738:56//AC004157
- F-THYRO1000241//Gallus gallus genome fragment with pentamer tandem repeats.//0.43:191:62//X00186
- F-THYRO1000242//Human zinc finger gene HZF7.//2.8e-43:534:64//X60156
- F-THYRO1000253//Homo sapiens 3p22 Contig 7 PAC RPCI4-672N11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.95:139:68//AC006055
- 30 F-THYRO1000270
- F-THYRO1000279//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 531H16, WORKING DRAFT SEQUENCE.//1.4e-174:826:98//AL031664
- F-THYRO1000288//Homo sapiens mRNA for Hs Ste24p, complete cds.//3.9e-179:848:98//AB016068
- 35 F-THYRO1000320//Mus musculus sphingosine-1-phosphate lyase mRNA, complete cds.//1.0e-44:331:83//AF036894
- F-THYRO1000327//Homo sapiens autocrine motility factor receptor (AMFR) mRNA, complete cds.//5.7e-112:641:91//L35233
- F-THYRO1000343//Homo sapiens mRNA for KIAA0790 protein, partial cds.//2.2e-162:763:98//AB018333
- F-THYRO1000358//Human selenium-binding protein (hSBP) mRNA, complete cds.//2.2e-32:177:84//U29091
- 40 F-THYRO1000368//Caenorhabditis elegans cosmid W09G3, complete sequence.//0.97:206:60//Z82080
- F-THYRO1000381//Arthrobacter sp. glcI gene for beta-1,3-glucanase, complete cds.//0.27:427:62//D23668
- F-THYRO1000387//Homo sapiens PAC clone DJ1048B16 from 7q34-q36, complete sequence.//9.7e-147:698:98//AC006019
- F-THYRO1000394//HS_2061_A2_C04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2061 Col=8 Row=E, genomic survey sequence.//1.6e-29:202:91//AQ247672
- 45 F-THYRO1000395//Drosophila melanogaster ring canal protein and ORF2 mRNA, complete cds.//4.3e-15:512:59//L08483
- F-THYRO1000401 3.2e-116:504:80//AF051908
- F-THYRO1000438//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.4e-09:539:59//AC005308
- 50 F-THYRO1000452//RPCI11-1C19.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-1C19, genomic survey sequence.//0.27:132:64//B49573
- F-THYRO1000471//Homo sapiens PAC clone DJ1136G13 from 7q35-q36, complete sequence.//1.3e-38:332:81//AC005229
- 55 F-THYRO1000484//Homo sapiens BAC378, complete sequence.//2.2e-37:254:76//U85196
- F-THYRO1000488//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//6.3e-130:327:97//AC005740
- F-THYRO1000501//H.sapiens Staf50 mRNA.//9.8e-74:615:77//X82200

- F-THYRO1000502//Human DNA sequence from PAC 436M11 on chromosome Xp22.11-22.2. Contains the serine threonine protein phosphatase gene PPEF1, and the first coding exon of the RS1 gene for retinoschisis (X-linked, juvenile) 1 (XLR51). Contains ESTs, an STS and GSSs, complete sequence.//0.076:380:59//Z94056
- F-THYRO 1000505
- 5 F-THYRO1000558//Human PAC clone 127H14 from 12q, complete sequence.//2.4e-27:412:69//AC002563
- F-THYRO1000569//HS_2178_B2_E03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2178 Col=6 Row=J, genomic survey sequence.//1.9e-27:326:74//AQ307499
- F-THYRO1000570
- 10 F-THYRO1000585//Homo sapiens protein associated with Myc mRNA, complete cds.//7.4e-167:808:97//AF075587
- F-THYRO1000596//Human Chromosome 16 BAC clone CIT987SK-A-972D3, complete sequence.//0.99:280:61//U91323
- F-THYRO1000602//HS_3037_B2_E04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3037 Col=8 Row=J, genomic survey sequence.//1.2e-05:109:75//AQ097057
- 15 F-THYRO1000605//Homo sapiens map 2p11.2; 83cM from GATA85A06 repeat region, complete sequence.//1.0:84:70//AF067777
- F-THYRO1000625//Homo sapiens chromosome 19, cosmid R29425, complete sequence.//3.4e-174:820:98//AC005546
- F-THYRO1000637//Human DNA sequence from clone 91J24 on chromosome 6q24 Contains part of utrophin Gene, part of cytochrome C oxidase gene, EST, CpG island, complete sequence.//3.6e-38:289:84//AL024474
- 20 F-THYRO1000641//Plasmodium falciparum MAL3P7, complete sequence.//6.8e-07:540:56//AL034559
- F-THYRO1000658//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete sequence.//1.1e-68:468:84//AC005696
- F-THYRO1000662//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K23L20, complete sequence.//0.0072:141:70//AB016874
- 25 F-THYRO1000666//Mus musculus mRNA for motor domain of KIF9, partial cds.//4.7e-58:367:87//AB001437
- F-THYRO1000676//Homo sapiens chromosome 19, cosmid F22676, complete sequence.//1.2e-36:396:71//AC005778
- F-THYRO1000684//Fugu rubripes cosmid 165K09 DNA for GRM7, TRIP, Sand, PRGFR3 genes.//6.6e-13:236:69//AJ010317
- 30 F-THYRO1000699//RPC11-50D4.TK RPC11 Homo sapiens genomic clone R-50D4, genomic survey sequence.//2.7e-09:135:78//AQ052641
- F-THYRO1000712//Homo sapiens BAC clone RG041D11 from 7q21, complete sequence.//5.2e-17:290:67//AC005053
- 35 F-THYRO1000715//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//8.6e-08:517:60//L14320
- F-THYRO1000734//HS_3233_B1_B04_T7 CIT Approved Human Genomic Sperm Library D-Homo sapiens genomic clone Plate=3233 Col=7 Row=D, genomic survey sequence.//6.0e-72:463:89//AQ182143
- F-THYRO1000748//Homo sapiens KIAA0411 mRNA, complete cds.//9.7e-34:339:74//AB007871
- 40 F-THYRO1000756//M.musculus mRNA for Gal beta1, 3GalNAc alpha2,3-sialyltransferase.//0.00034:349:60//X73523
- F-THYRO1000777//S.griseus strO gene and sts gene cluster.//8.2e-05:625:59//Y08763
- F-THYRO1000783//Xenopus laevis tail-specific thyroid hormone up-regulated (gene 5) mRNA, complete cds.//4.0e-70:860:69//U37373
- 45 F-THYRO1000787//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 366D1, WORKING DRAFT SEQUENCE.//5.3e-09:221:66//Z97986
- F-THYRO1000793
- F-THYRO1000796//Cristatella mucedo clone 5.9 microsatellite sequence.//0.34:173:63//AF085422
- F-THYRO1000805//Homo sapiens Xp21 PAC RPC11-37A12 containing exons 10 to 16 of the Duchenne Muscular Dystrophy gene, complete sequence.//7.8e-43:677:66//AC004468
- 50 F-THYRO1000815//Homo sapiens chromosome 5, Bac clone 189 (LBNL H135), complete sequence.//5.5e-43:405:77//AC005914
- F-THYRO1000829//CIT-HSP-2387C10.TF.1 CIT-HSP Homo sapiens genomic clone 2387C10, genomic survey sequence.//2.0e-20:159:88//AQ240053
- 55 F-THYRO1000843
- F-THYRO1000852//Homo sapiens chromosome 19, cosmid R31855, complete sequence.//1.8e-33:445:72//AC005782
- F-THYRO1000855//Mus musculus potassium channel alpha subunit (Kv9.1) mRNA, complete cds.//0.038:208:

- 64//AF008573
 F-THYRO1000865//Homo sapiens PAC clone DJ0283M22 from 14, complete sequence.//1.9e-30:286:74//AC005477
 F-THYRO1000895//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 385E7, WORKING DRAFT SEQUENCE.//2.8e-18:186:80//AL031720
 5 F-THYRO1000916//Homo sapiens clone DJ0965K10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.6e-78:432:93//AC006015
 F-THYRO1000926//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.//9.2e-178:839:98//AF079529
 10 F-THYRO1000934//Human pyrroline 5-carboxylate reductase mRNA, complete cds.//3.5e-32:759:63//M77836
 F-THYRO1000951//Homo sapiens Chromosome 11q12 pac pDJ57114, WORKING DRAFT SEQUENCE, 29 unordered pieces.//4.9e-76:224:93//AC004229
 F-THYRO1000952
 F-THYRO1000974//HS_3238_B2_F01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3238 Col=2 Row=L, genomic survey sequence.//12.4e-26:154:96//AQ219846
 15 F-THYRO1000975//Plasmodium falciparum TopoII gene.//0.32:491:58//X79345
 F-THYRO1000983//Mvfw9A3 exon amplification products from BACs in Mvfw region Mus musculus genomic, genomic survey sequence.//7.0e-16:112:94//AQ010457
 F-THYRO1000984//CIT-HSP-2167O17.TR CIT-HSP Homo sapiens genomic clone 2167O17, genomic survey sequence.//0.00015:186:66//B91313
 20 F-THYRO1000988//Human Chromosome 11q12.2 PAC clone pDJ756b9 containing human ferritin heavy chain mRNA (FTH), WORKING DRAFT SEQUENCE, 19 unordered pieces.//0.024:267:63//AC004588
 F-THYRO1001003
 F-THYRO1001031//Homo sapiens chromosome 17, clone hRPC.859_O_20, complete sequence.//1.1e-55:543:72//AC003695
 25 F-THYRO1001033//Methanobacterium thermoautotrophicum from bases 48264 to 58328 (section 5 of 148) of the complete genome.//0.94:445:58//AE000799
 F-THYRO1001062//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 199H16, WORKING DRAFT SEQUENCE.//4.4e-45:441:75//AL022320
 30 F-THYRO1001093//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//4.9e-34:353:76//AC006241
 F-THYRO1001100//Human DNA-binding protein mRNA, 3'end.//1.1e-72:742:74//L14787
 F-THYRO1001120//Homo sapiens clone DJ1129E22, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.2e-76:521:86//AC005522
 35 F-THYRO1001121//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 671O14, WORKING DRAFT SEQUENCE.//0.00078:594:58//AL031595
 F-THYRO1001133//Homo sapiens PAC clone DJ1200I23 from 7p15, complete sequence.//4.0e-35:349:76//AC004996
 F-THYRO1001134//Homo sapiens clone DJ1070G24, WORKING DRAFT SEQUENCE, 12 unordered pieces.//1.0:154:66//AC005486
 40 F-THYRO1001142//Human DNA sequence from clone B79B4 on chromosome 22 Contains CA repeat and GSS, complete sequence.//1.4e-44:374:80//Z82178
 F-THYRO1001173
 F-THYRO1001177//Human pigment epithelium-derived factor gene, complete cds.//1.9e-42:250:86//U29953
 45 F-THYRO1001189//HS_3171_B2_F10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3171 Col=20 Row=L, genomic survey sequence.//1.8e-28:246:83//AQ302330
 F-THYRO1001204//Drosophila melanogaster DNA repair protein (mei-41) gene, complete cds, and TH1 gene, partial cds.//4.9e-39:657:64//U34925
 F-THYRO1001213//, complete sequence.//1.7e-45:257:84//AC005300
 50 F-THYRO1001262//Homo sapiens genomic DNA, chromosome 21q11.1, segment 7/28, WORKING DRAFT SEQUENCE.//1.5e-40:274:87//AP000036
 F-THYRO1001271//Streptomyces coelicolor cosmid 1A6.//0.033:364:61//AL023496
 F-THYRO1001287//Drosophila melanogaster cosmid clone 86E4.119.6e-49:586:69//AL021086
 F-THYRO1001290//HS_2045_B1_H09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2045 Col=17 Row=P, genomic survey sequence.//4.4e-13:156:78//AQ248237
 55 F-THYRO1001313//S. lavendulae bla gene for beta-lactamase, complete cds.//1.0:229:64//D12693
 F-THYRO1001320//Homo sapiens Chromosome 22q11.2 PAC Clone p_n5 In BCRL2-GGT Region, complete sequence.//1.1e-88:672:82//AC002472

F-THYRO1001321//Human PAC clone DJ527C21 from Xq23, complete sequence.//1.2e-115:740:87//AC000114
 F-THYRO1001322//HS_3205_B2_C12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3205 Col=24 Row=F, genomic survey sequence.//0.00031:285:61//AQ304025
 F-THYRO1001347//Homo sapiens mRNA for KIAA0745 protein, partial cds.//2.2e-43:638:64//AB018288
 5 F-THYRO1001363//Homo sapiens PAC clone DJ0845I21 from 7q11.21-q11.23, complete sequence.//1.0e-09:189:
 74//AC004905
 F-THYRO1001365//Homo sapiens chromosome 10 clone CIT987SK-1163G10 map-10q25, complete sequence.//
 7.6e-168:821:97//AC005660
 F-THYRO1001374//Homo sapiens mRNA for KIAA0707 protein, partial cds.//2.3e-155:740:97//AB014607
 10 F-THYRO1001401//Homo sapiens chromosome 19, cosmid F23149, complete sequence.//3.2e-07:138:73//
 AC005239
 F-THYRO1001403//Homo sapiens chromosome 12p13.3 clone RPCI3-454B23, WORKING DRAFT SEQUENCE,
 48 unordered pieces.//3.6e-70:360:86//AC005845
 F-THYRO1001405//Bos taurus mRNA for NDP52, complete cds.//2.6e-14:559:63//AB008852
 15 F-THYRO1001406//Mus musculus putative steroid dehydrogenase (KIK-I) mRNA, complete cds.//1.0e-91:631:
 82//AF064635
 F-THYRO1001411//Homo sapiens chromosome 19, cosmid F18718, complete sequence.//5.5e-42:509:71//
 AC006126
 F-THYRO1001426//*** SEQUENCING IN PROGRESS *** Homo sapiens genomic DNA (PAC 1118i22) from chro-
 20 mosome 11; HTGS phase 1, WORKING DRAFT SEQUENCE.//2.7e-31:172:81//AJ002553
 F-THYRO1001434//Human Chromosome 11 pac pDJ393o15, WORKING DRAFT SEQUENCE, 8 unordered piec-
 es.//1.0:98:70//AC000384
 F-THYRO1001458//Bos taurus non-muscle myosin heavy chain mRNA, partial cds.//1.9e-58:653:71//U87265
 F-THYRO1001480//Homo sapiens clone DJ0756H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//
 25 7.5e-42:357:80//AC006001
 F-THYRO1001487//H.sapiens DNA sequence.//0.92:160:64//Z22449
 F-THYRO1001534//Homo sapiens chromosome 17, clone hCIT.468_F_23, WORKING DRAFT SEQUENCE, 3
 unordered pieces.//4.8e-47:266:80//AC004666
 F-THYRO1001537//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 998H6, WORKING
 30 DRAFT SEQUENCE.//1.3e-79:479:89//AL031687
 F-THYRO1001541//Human DNA sequence from clone 399M14 on chromosome Xq26.1-26.3. Contains ESTs, an
 STS and GSSs, complete sequence.//0.0034:106:77//Z96074
 F-THYRO1001559//Rattus norvegicus simple sequence repeat D18Mco6.//1.6e-09:351:63//AF006056
 F-THYRO1001570//RPCI11-49B23.TJ RPCI11 Homo sapiens genomic clone R-49B23, genomic survey se-
 35 quence.//1.4e-65:384:91//AQ052105
 F-THYRO1001573//Homo sapiens clone 24778 unknown mRNA.//8.2e-104:546:95//AF070572
 F-THYRO1001584//CIT-HSP-2365J21.TF CIT-HSP Homo sapiens genomic clone 2365J21, genomic survey se-
 quence.//1.3e-24:180:88//AQ080498
 F-THYRO1001595//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING
 40 DRAFT SEQUENCE.//8.7e-145:779:93//AL023808
 F-THYRO1001602//Homo sapiens chromosome 17, clone hRPK.786_O_4, complete sequence.//2.9e-26:393:68//
 AC005863
 F-THYRO1001605//Dictyostelium discoideum filopodin (talA) gene, complete cds.//0.0012:436:58//U14576
 F-THYRO1001617//Homo sapiens full-length insert cDNA clone ZD69D05.//8.6e-43:342:82//AF086381
 45 F-THYRO1001637//Homo sapiens clone DJ1019E05, WORKING DRAFT SEQUENCE, 10 unordered pieces.//
 6.2e-15:318:66//AC004950
 F-THYRO1001656//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequence.//1.5e-05:147:68//
 AC004827
 F-THYRO1001661
 50 F-THYRO1001671//Homo sapiens mRNA for 2'-5' oligoadenylate synthetase 59 kDa isoform.//2.5e-164:780:98//
 AJ225089
 F-THYRO1001673//Homo sapiens clone RG161A02, complete sequence.//4.4e-40:770:64//AC005071
 F-THYRO1001703//S.coelicolor plasmid SCP2 transfer region DNA.//0.14:414:59//X72857
 F-THYRO1001706//Homo sapiens BAC clone RG281B09 from 7q21.1-q31.1, complete sequence.//2.6e-43:308:
 55 75//AC004745
 F-THYRO1001721//, complete sequence.//9.9e-134:770:91//AC005500
 F-THYRO1001738//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 355C18, WORKING
 DRAFT SEQUENCE.//0.99:163:61//AL022327

F-THYRO1001745
 F-THYRO1001746
 F-THYRO1001772//HS_3069_B1_C05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3069 Col=9 Row=F, genomic survey sequence.//1.5e-61:360:91//AQ171021
 5 F-THYRO1001793//B.taurus mRNA for beta-subunit of rod photoreceptor CNG-channel.//0.028:446:58//X89626
 F-THYRO 1001809
 F-THYRO1001828//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 110F11, WORKING
 DRAFT SEQUENCE.//1.3e-175:841:98//AL033526
 F-THYRO1001854//Homo sapiens chromosome 17, clone hCIT54K19, complete sequence.//7.9e-07:445:59//
 10 AC003664
 F-THYRO1001895
 4.4e-13:248:68//AB012576
 F-THYRO1001907//Homo sapiens BAC clone RG054D04 from 7q31, complete sequence.//2.9e-15:144:77//
 AC005058
 15 F-VESEN1000122//HS_3075_B1_C09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3075 Col=17 Row=F, genomic survey sequence.//1.1e-16:130:90//AQ143749
 F-Y79AA1000013
 F-Y79AA1000033//Homo sapiens BAC clone GS114I09 from 7p14-p15, complete sequence.//2.9e-95:300:94//
 AC006027
 20 F-Y79AA1000037//Human prot-oncogene (BMI-1) mRNA, complete cds.//2.4e-19:230:66//L13689
 F-Y79AA1000059//Homo sapiens immunophilin homolog ARA9 mRNA, complete cds.//2.2e-38:629:64//U78521
 F-Y79AA1000065//Human DNA sequence from cosmid J256K24, between markers DXS6791 and DXS8038 on
 chromosome X contains EST.//5.3e-10:117:83//Z72005
 F-Y79AA1000131//Homo sapiens LERK-6 (EPLG6) gene, exon 1.//7.6e-10:381:64//U92893
 25 F-Y79AA1000181//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from
 gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island,
 complete sequence.//1.4e-165:732:99//AL031864
 F-Y79AA1000202//Drosophila melanogaster DNA sequence (P1 DS06882 (D310)), complete sequence.//9.1e-
 20:339:65//AC005115
 30 F-Y79AA1000214//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//
 3.7e-72:397:93//AC004854
 F-Y79AA1000230
 F-Y79AA1000231//Mus musculus SIK similar protein mRNA, complete cds.//8.5e-151:833:90//AF053232
 F-Y79AA1000258//Leishmania donovani histidine secretory acid phosphatase (SACp-1) gene, complete cds.//
 35 0.0099:547:58//U78522
 F-Y79AA1000268//Mus musculus Nip21 mRNA, complete cds.//4.0e-11:424:62//AF035207
 F-Y79AA1000313
 F-Y79AA1000328//CIT-HSP-386A20.TF CIT-HSP Homo sapiens genomic clone 386A20, genomic survey se-
 quence.//5.9e-07:173:69//B55085
 40 F-Y79AA1000342//RPC111-57J6.TK.1 RPC111 Homo sapiens genomic clone R-57J6, genomic survey sequence.//
 5.2e-27:151:99//AQ115511
 F-Y79AA1000346//B.primigenius mRNA for coat protein gamma-cop.//5.7e-69:694:71//X92987
 F-Y79AA1000349//M.musculus Spnr mRNA for RNA binding protein.//1.8e-98:535:92//X84692
 F-Y79AA1000355//Homo sapiens clone DJ0847008, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.6e-
 45 21:129:85//AC005484
 F-Y79AA1000368//H.sapiens CpG island DNA genomic Mse1 fragment, clone 12f1, reverse read cpg12f1.rt1c.//
 0.00016:53:98//Z56610
 F-Y79AA1000405//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P4, WORKING
 DRAFT SEQUENCE.//0.069:366:59//AL031747
 50 F-Y79AA1000410//Human DNA sequence from PAC 117P19 on chromosome X.//1.0e-25:235:80//Z86061
 F-Y79AA1000420//H.sapiens CpG island DNA genomic Mse1 fragment, clone 82c3, forward read cpg82c3.ft1a.//
 2.0e-36:194:98//Z63378
 F-Y79AA1000469//Mus musculus ancient ubiquitous 46 kDa protein AUP1 precursor (Aup1) mRNA, complete
 cds.//8.5e-121:696:89//U41736
 55 F-Y79AA1000480//HS_2175_A2_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2175 Col=22 Row=O, genomic survey sequence.//2.5e-26:178:89//AQ307693
 F-Y79AA1000538//Homo sapiens clone DJ1158B01, WORKING DRAFT SEQUENCE, 23 unordered pieces.//
 0.67:111:72//AC004980

- F-Y79AA1000539//HS_2237_B2_F10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2237 Col=20 Row=L, genomic survey sequence.//1.2e-14:168:77//AQ153503
F-Y79AA1000540//Homo sapiens clone DJ0655N24, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.94:127:67//AC005193
- 5 F-Y79AA1000560//Mouse mRNA for alpha-adaptin (C).//1.7e-114:776:84//X14972
F-Y79AA1000574//M.musculus tex23 mRNA (5'region).//1.8e-23:291:75//X80424
F-Y79AA1000589//Homo sapiens clone 614 unknown mRNA, complete sequence.//8.6e-153:755:97//AF091080
F-Y79AA1000627//Homo sapiens zinc finger protein (ZF5128) mRNA, complete cds.//5.2e-135:644:98//AF060503
F-Y79AA1000705//M.musculus mRNA of enhancer-trap-locus 1.//6.9e-148:902:86//X69942
- 10 F-Y79AA1000734//Homo sapiens PEX11 beta mRNA for peroxisome assembly factor, complete cds.//4.8e-180:850:98//AB018080
F-Y79AA1000748//Caenorhabditis elegans cosmid F25B5.//0.00019:308:60//U23172
F-Y79AA1000752//Oryctolagus cuniculus mRNA for hnRNP-E1 protein.//1.7e-40:513:68//AJ003023
F-Y79AA1000774
- 15 F-Y79AA1000782
F-Y79AA1000784//Homo sapiens RanBP7/importin 7 mRNA, complete cds.//3.5e-177:847:97//AF098799
F-Y79AA1000794//H.sapiens CpG island DNA genomic MseI fragment, clone 45a4, forward read cpg45a4.ft1a.//2.5e-13:104:92//Z61120
F-Y79AA1000800//Homo sapiens GABA-B receptor mRNA, complete cds.//0.98:244:60//AF056085
- 20 F-Y79AA1000802
F-Y79AA1000805//Human Chromosome 11 Cosmid cSRL30h11, complete sequence.//9.3e-76:528:85//U73642
F-Y79AA1000824//RPCI11-26B4.TP RPCI-11 Homo sapiens genomic clone RPCI-11-26B4, genomic survey sequence.//4.4e-14:99:95//B84538
F-Y79AA1000827//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1177I5, WORKING DRAFT SEQUENCE.//1.5e-08:249:69//AL022315
- 25 F-Y79AA1000833//Macaca fascicularis mRNA for alpha-tubulin.//1.8e-103:603:89//X04757
F-Y79AA1000850
F-Y79AA1000962//Human DNA sequence from PAC 360E18 on chromosome X contains EST, CpG island and polymorphic CA repeat.//0.038:468:59//Z82203
- 30 F-Y79AA1000966//Mus musculus COP9 complex subunit 4 (COPS4) mRNA, complete cds.//9.7e-150:865:89//AF071314
F-Y79AA1000968//Rattus norvegicus initiation factor eIF-2B gamma subunit (eIF-2B gamma) mRNA, complete cds.//6.4e-122:717:88//U38253
F-Y79AA1000969//Mouse chromosome 6 BAC-284H12 (Research Genetics mouse BAC library) complete sequence.//1.0:155:63//AC002397
- 35 F-Y79AA1000976//Caenorhabditis elegans cosmid F54C1.//4.3e-06:130:73//U88165
F-Y79AA1000985//Mus musculus pericentrin mRNA, complete cds.//2.4e-44:428:77//U05823
F-Y79AA1001023
F-Y79AA1001041//Human mutY homolog (hMYH) gene, complete cds.//2.3e-13:90:100//U63329
- 40 F-Y79AA1001048//Human mRNA for very-long-chain acyl-CoA dehydrogenase (VLCAD), complete cds.//2.6e-28:772:60//D43682
F-Y79AA1001061//Homo sapiens chromosome 4 clone B331M8 map 4q25, complete sequence.//9.4e-36:292:82//AC004701
F-Y79AA1001068//tipAL-AS complex: tipA=TipAL-AS [Streptomyces lividans, Genomic, 1146 nt].//0.17:537:59//S64314
- 45 F-Y79AA1001077//Zea mays mRNA for aldehyde oxidase-2, complete cds.//0.17:231:64//D88452
F-Y79AA1001078
F-Y79AA1001105//Zebrafish otx2 mRNA for otx homeoprotein, complete cds.//3.1e-63:529:77//D26173
F-Y79AA1001145//Homo sapiens clone GS166C05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.3e-23:228:76//AC005015
- 50 F-Y79AA1001167
F-Y79AA1001177//M.musculus mRNA for NfiX1-protein.//4.0e-10:398:64//Y07688
F-Y79AA1001185//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 169I5, WORKING DRAFT SEQUENCE.//1.1e-113:666:90//Z93015
- 55 F-Y79AA1001211//HS_3124_B2_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3124 Col=16 Row=P, genomic survey sequence.//5.5e-12:87:96//AQ187492
F-Y79AA1001216
F-Y79AA1001228//Mycobacterium tuberculosis H37Rv complete genome; segment 143/162.//0.028:188:67//

AL021841
 F-Y79AA1001233//Human placental 17-beta-hydroxysteroid dehydrogenase mRNA, complete cds.//3.5e-24:731:60//M36263
 F-Y79AA1001236//Homo sapiens mRNA for JM23 protein, complete coding sequence (clone IMAGE 34581 and IMAGE 45355 and LLNLc1101133Q7 (RZPD Berlin)).//1.2e-133:441:97//AJ005892
 5 F-Y79AA1001281//HS_2241_B2_F09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2241 Col=18 Row=L, genomic survey sequence.//5.0e-27:169:94//AQ217497
 F-Y79AA1001299//Human Ini1 mRNA, complete cds.//6.7e-115:323:93//U04847
 F-Y79AA1001312
 10 F-Y79AA1001323
 F-Y79AA1001384
 F-Y79AA1001391//Mus musculus transcription factor HOXA13 (Hoxa13) gene, complete cds.//5.8e-42:245:74//U59322
 F-Y79AA1001394//Caenorhabditis elegans cosmid F54B3, complete sequence.//7.8e-18:636:58//Z48583
 15 F-Y79AA1001402//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.2e-110:738:85//AC005924
 F-Y79AA1001493//H.sapiens DNA sequence.//2.0e-27:254:82//Z22497
 F-Y79AA1001511//Human DNA sequence from clone 931K24 on chromosome 20p12 Contains ESTs and GSSs, complete sequence.//1.1e-158:804:95//AL034430
 20 F-Y79AA1001533//Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds.//1.7e-100:820:78//D14336
 F-Y79AA1001541//HS_3197_A2_G11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3197 Col=22 Row=M, genomic survey sequence.//5.1e-28:218:86//AQ150183
 F-Y79AA1001548//Homo sapiens chromosome 19, cosmid R28738, complete sequence.//5.4e-21:167:86//AC004151
 25 F-Y79AA1001555//R.norvegicus mRNA for drebrin A.//0.88:463:59//X59267
 F-Y79AA1001581//FMR1 {CGG repeats} [human, Fragile X syndrome patient, Genomic, 429 nt].//0.00051:252:65//S74494
 F-Y79AA1001585//Human hypoxanthine phosphoribosyltransferase (HPRT) gene, complete cds.//7.2e-33:375:76//M26434
 30 F-Y79AA1001594
 F-Y79AA1001603//Homo sapiens PAC 128M19 derived from chromosome 21q22.3, containing the HMG-14 and CHD5 genes, complete cds, complete sequence.//4.2e-06:338:66//AF064861
 F-Y79AA1001613//Homo sapiens mRNA for KIAA0683 protein, complete cds.//0.024:520:57//AB014583
 35 F-Y79AA1001647//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y53F4, WORKING DRAFT SEQUENCE.//0.014:331:61//Z92860
 F-Y79AA1001665//Human DNA sequence from clone 299D3 on chromosome 22q13.3, complete sequence.//0.99:273:63//Z84468
 F-Y79AA1001679//O.cuniculus lambda-crystallin mRNA, complete cds.//1.2e-97:682:81//M22743
 40 F-Y79AA1001692//Insulin-like growth factor binding protein-2 [human, placenta, Genomic, 1292 nt, segment 1 of 4].//5.6e-05:426:59//S37712
 F-Y79AA1001696//Rice endogenous double-stranded RNA encoding polypeptide (containing putative helicase and putative RNA-dependent RNA polymerase domains), complete cds.//1.0:437:60//D32136
 F-Y79AA1001705//M.musculus fkh-5 gene.//0.18:153:64//X71943
 45 F-Y79AA1001711//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 328E19, WORKING DRAFT SEQUENCE.//5.4e-76:191:98//AL022240
 F-Y79AA1001781//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 10/15, WORKING DRAFT SEQUENCE.//0.99:227:63//AP000017
 F-Y79AA1001805//H.sapiens CpG island DNA genomic Mse1 fragment, clone 13d12, reverse read cpg13d12.rt1c.//2.6e-13:88:100//Z64565
 50 F-Y79AA1001827//Oryctolagus cuniculus PiUS mRNA, complete cds.//3.7e-130:775:88//U74297
 F-Y79AA1001846//CIT-HSP-2300M6.TR CIT-HSP Homo sapiens genomic clone 2300M6, genomic survey sequence.//8.3e-17:218:76//AQ012369
 F-Y79AA1001848//Human mRNA for KIAA0390 gene, complete cds.//4.2e-10:378:62//AB002388
 55 F-Y79AA1001866//Rattus norvegicus Cys2/His2 zinc finger protein (rKr1) mRNA, complete cds.//6.9e-41:441:71//U41164
 F-Y79AA1001874//Homo sapiens hJAG2.del-E6 (JAG2) mRNA, alternatively spliced isoform of Jagged2, complete cds.//0.00017:412:62//AF029779

F-Y79AA1001875//CTT-HSP-2317G18.TR CIT-HSP Homo sapiens genomic clone 2317G18, genomic survey sequence.//1.9e-09:271:67//AQ042654

F-Y79AA1001923//H.sapiens CpG island DNA genomic Mse1 fragment, clone 193c12, forward read cpg193c12.ft1a.//0.0031:108:75//Z60186

5 F-Y79AA1001963//CITBI-E1-2510J4.TR CITBI-E1 Homo sapiens genomic clone 2510J4, genomic survey sequence.//1.8e-05:56:100//AQ261184

F-Y79AA1002027//Arabidopsis thaliana ubiquitin-conjugating enzyme 17 (UBC17) mRNA, complete cds.//3.3e-13:451:62//AF028340

10 F-Y79AA1002083//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 5261I4, WORKING DRAFT SEQUENCE.//0.91:134:65//Z82214

F-Y79AA1002089

F-Y79AA1002093//Mus musculus transcription factor like protein 4 TCFL4 mRNA, partial cds.//1.2e-112:678:88//U43548

15 F-Y79AA1002103//HS_3052_B1_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3052 Col=15 Row=P, genomic survey sequence.//6.5e-18:238:72//AQ135014

F-Y79AA1002115

F-Y79AA1002125//H.sapiens (D8S135) DNA segment containing GT repeat.//1.5e-14:99:96//X61693

F-Y79AA1002139//Saccharomyces cerevisiae dnaJ homolog Hlj1p (HLJ1) gene, complete cds.//2.5e-07:208:64//U19358

20 F-Y79AA1002204//HS_2235_B2_D12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2235 Col=24 Row=H, genomic survey sequence.//2.9e-13:89:98//AQ154260

F-Y79AA1002208//CIT-HSP-2006M21.TV CIT-HSP Homo sapiens genomic clone 2006M21, genomic survey sequence.//3.7e-27:154:98//B56397

F-Y79AA1002209//E.coli tyrS gene coding for tyrosyl-tRNA synthetase.//2.8e-05:143:70//J01719

25 F-Y79AA1002210//Homo sapiens chromosome 19, cosmid R28058, complete sequence.//8.3e-22:229:78//AC005615

F-Y79AA1002211//Homo sapiens chromosome 17, clone HRPC1067M6, complete sequence.//1.0e-06:241:67//AC003043

30 F-Y79AA1002220//CIT-HSP-2374P23.TR CIT-HSP Homo sapiens genomic clone 2374P23, genomic survey sequence.//1.3e-68:375:95//AQ109738

F-Y79AA1002229//Human mRNA for KIAA0086 gene, complete cds.//0.12:203:63//D42045

F-Y79AA1002234//Homo sapiens mRNA for KIAA0692 protein, partial cds.//1.3e-174:821:98//AB014592

F-Y79AA1002246//Homo sapiens clone GS166C05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.50:470:60//AC005015

35 F-Y79AA1002258//Homo sapiens mRNA for KIAA0655 protein, partial cds.//6.8e-159:748:98//AB014555

F-Y79AA1002298//Human density enhanced phosphatase-1 mRNA, complete cds.//0.036:278:62//U10886

F-Y79AA1002307//Homo sapiens mRNA for KIAA0634 protein, partial cds.//6.4e-129:622:97//AB014534

F-Y79AA1002311//R.norvegicus mRNA for cytosolic resiniferatoxin-binding protein.//2.0e-116:693:82//X67877

F-Y79AA1002351//S.clavuligerus pah and cas genes.//1.0:369:58//X84101

40 F-Y79AA1002361//Rattus norvegicus mRNA for protein phosphatase 1 (GL-subunit).//5.4e-105:762:80//Y18208

F-Y79AA1002399//Homo sapiens chromosome 17, clone hRPK.700_H_6, complete sequence.//1.0e-159:411:100//AC005920

F-Y79AA1002407//Homo sapiens chromosome 17, clone hRPC.842_A_23, complete sequence.//1.1e-118:609:84//AC004662

45 F-Y79AA1002416//Mus musculus CTP synthetase homolog (CTPsH) mRNA, complete cds.//4.4e-90:529:88//U49385

F-Y79AA1002431//Chlamydomonas reinhardtii novel protein kinase mRNA, complete cds.//1.0:166:66//U36196

F-Y79AA1002433//CIT-HSP-384K8.TF CIT-HSP Homo sapiens genomic clone 384K8, genomic survey sequence.//0.24:85:72//B51917

50 F-Y79AA1002472//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//1.9e-13:242:69//AC006116

F-Y79AA1002482//Homo sapiens full-length insert cDNA clone ZC18H06.//1.2e-35:462:71//AF088022

F-Y79AA1002487//Bovine herpesvirus type 1 genes for UL[27,28,29,30,31].//0.93:215:60//X94677

55 Homology Search Result Data 3.

[0303] The result of the homology search of the GenBank using the clone sequence of 3'-end except EST and STS.

[0304] Data include

the name of clone,
 definition of the top hit data,
 the P-value: the length of the compared sequence: identity (%), and
 the Accession No. of the top hit data, as in the order separated by //.

5

[0305] Blank indicates that the 3'-end sequence corresponding to the 5'-end was not determined in the clone.

[0306] Data are not shown for the clones in which the P-value was higher than 1.

10 R-HEMBA1000005//Mouse tumor cell dnaJ-like protein 1 mRNA, complete cds.//3.6e-60:504:78//L16953
 R-HEMBA1000030//F.rubripes GSS sequence, clone 063K10bD3, genomic survey sequence.//0.28:117:68//
 Z88864
 R-HEMBA1000042//RPC11-77G23.TV RPC11 Homo sapiens genomic clone R-77G23, genomic survey se-
 quence.//1.3e-56:292:97//AQ268240
 15 R-HEMBA1000046//Homo sapiens chromosome X map Xq28, complete sequence.//9.8e-56:401:82//U82696
 R-HEMBA1000050//Human cosmid insert containing polymorphic marker DXS455.//0.0010:175:68//L31948
 R-HEMBA1000076//Homo sapiens clone DJ1021I20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//4.9e-
 41:364:79//AC005520
 R-HEMBA1000111//Homo sapiens Xp22 BAC GSHB-519E5 (Genome Systems Human BAC library) complete
 sequence.//4.7e-30:229:84//AC003684
 20 R-HEMBA1000129//Homo sapiens chromosome 17, clone HCIT48C15, complete sequence.//2.4e-93:503:93//
 AC003104
 R-HEMBA1000141//Homo sapiens mRNA for KIAA0797 protein, partial cds.//6.5e-99:514:94//AB018340
 R-HEMBA1000150//Homo sapiens clone RG086D03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.7e-
 37:289:83//AC005060
 25 R-NNNNNNNNNNNN//Homo sapiens scaffold attachment factor B (SAF-B) mRNA, partial cds.//3.1e-21:417:64//
 L43631
 R-HEMBA1000158
 R-NNNNNNNNNNNN
 R-HEMBA1000180//Plasmodium falciparum encoding Pfg27/25.//0.073:292:56//X84904
 30 R-HEMBA1000185//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7 unordered pieces.//
 5.3e-40:286:85//AC006146
 R-HEMBA1000193
 R-HEMBA1000201//Homo sapiens SNF5/INI1 gene, exon 9.//2.0e-24:137:99//Y17126
 R-HEMBA1000213//Caenorhabditis elegans cosmid C44C8.//0.025:192:68//AF100655
 35 R-HEMBA1000216//Human Chromosome 16 BAC clone CIT987SK-A-815A9, complete sequence.//2.5e-31:269:
 79//AF001548
 R-NNNNNNNNNNNN
 R-HEMBA1000231//Human DNA sequence from PAC 212P9 on chromosome 1p34.1-1p35. Contains delta opiate
 receptor, CpG island, CA repeat.//4.3e-24:400:68//AL009181
 40 R-HEMBA1000243//Homo sapiens chromosome 17, Neurofibromatosis 1 locus, complete sequence.//1.3e-19:
 319:69//AC004526
 R-HEMBA1000244
 R-HEMBA1000251//Meloidogyne hapla mitochondrial COII gene, 3' end of cds; transfer RNA-His gene; 16S ri-
 bosomal RNA gene; ND3 gene, complete cds; cytochrome b (cytb) gene, 5' end of cds.//0.16:338:60//L76262
 45 R-HEMBA1000264//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 5/15,
 WORKING DRAFT SEQUENCE.//0.00093:300:66//AP000012
 R-NNNNNNNNNNNN//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human BAC library) complete
 sequence.//3.5e-10:238:70//AC003037
 R-HEMBA1000282//Arabidopsis thaliana BAC IG002P16.//0.71:344:60//AF007270
 50 R-HEMBA1000288//Homo sapiens Xp22 PACs RPC11-263P4 and RPC11-164K3 complete sequence.//4.8e-33:
 267:82//AC003046
 R-HEMBA1000290//Homo sapiens chromosome 17, clone HRPC837J1, complete sequence.//2.2e-15:249:69//
 AC004223
 R-HEMBA1000302//CIT-HSP-2173N10.TF CIT-HSP Homo sapiens genomic clone 2173N10, genomic survey se-
 quence.//1.0:215:61//B95105
 55 R-NNNNNNNNNNNN//Mus musculus Plenty of SH3s (POSH) mRNA, complete cds.//1.0e-77:551:82//AF030131
 R-NNNNNNNNNNNN//Rattus norvegicus Ca2+-dependent activator protein (CAPS) mRNA, complete cds.//2.0e-96:
 546:90//U16802

R-HEMBA1000307//Mus musculus mRNA for CDV-1 protein.//3.8e-36:315:68//Y10496
 R-nnnnnnnnnnn//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING
 DRAFT SEQUENCE, 8 unordered pieces.//0.078:379:59//AC005505
 5 R-HEMBA1000338//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 620E11, WORKING
 DRAFT SEQUENCE.//2.0e-33:399:72//AL031667
 R-HEMBA1000351//Homo sapiens complete genomic sequence between D16S3070 and D16S3275, containing
 Familial Mediterranean Fever gene disease.//1.7e-39:272:87//AJ003147
 R-HEMBA1000355//Human primary Alu transcript.//0.0045:67:85//U67829
 R-HEMBA1000357//Homo sapiens (subclone 9_h8 from PI H16) DNA sequence.//8.7e-93:426:88//L42086
 10 R-HEMBA1000366//Homo sapiens PAC clone DJ0942I16 from 7q11, complete sequence.//1.7e-12:130:83//
 AC006012
 R-HEMBA1000369//Human DNA sequence from clone 1039K5 on chromosome 22q12.3-13.2 Contains gene sim-
 ilar to PICK1 perinuclear binding protein, gene similar to monocarboxylate transporter (MCT3), ESTs, STS, GSS
 and a CpG island, complete sequence.//1.9e-69:355:97//AL031587
 15 R-HEMBA1000376//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//3.7e-
 66:410:89//AC006116
 R-HEMBA1000387//Homo sapiens chromosome 17, clone HCIT169H9, WORKING DRAFT SEQUENCE, 6 un-
 ordered pieces.//2.0e-43:363:81//AC002993
 R-HEMBA1000390//Homo sapiens BAC clone RG041D11 from 7q21, complete sequence.//4.6e-23:417:69//
 20 AC005053
 R-HEMBA1000392//Human Chromosome 11p14.3 PAC clone pDJ59m18, complete sequence.//6.2e-05:174:68//
 AC004582
 R-HEMBA1000396//Homo sapiens DNA sequence from PAC 159A15 on chromosome Xp11.21-p11.23. Contains
 inter-alpha-trypsin inhibitor heavy chain H3 precursor-like protein.//1.4e-62:564:77//AL022575
 25 R-HEMBA1000411
 R-HEMBA1000418//Liverwort Marchantia polymorpha chloroplast genome DNA.//0.94:210:60//X04465
 R-HEMBA1000422//CIT-HSP-2382A6.TR CIT-HSP Homo sapiens genomic clone 2382A6, genomic survey se-
 quence.//4.4e-12:98:92//AQ078233
 R-HEMBA1000428//Human DNA sequence from clone 393P23 on chromosome Xq21.1-21.33. Contains GSSs,
 30 complete sequence.//2.0e-93 :526:90//Z95400
 R-HEMBA1000434//Homo sapiens clone DJ0309D19, WORKING DRAFT SEQUENCE, 12 unordered pieces.//
 2.7e-07:452:60//AC004826
 R-HEMBA1000442//E.caballus microsatellite DNA, clone HMB4.//0.39:135:62//Y07733
 35 R-HEMBA1000456//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-52, com-
 plete sequence.//2.6e-05:174:70//AL010226
 R-HEMBA1000459//Arabidopsis thaliana putative transmembrane protein G1p (AtG1), putative nuclear DNA-bind-
 ing protein G2p (AtG2), Em1 protein (ATEM1), putative chlorophyll synthetase (AtG4), putative transmembrane
 protein G5p (AtG5), putative acyl-coA dehydrogenase (AtG6), and calcium dependent protein kinase genes, com-
 plete cds; and unknown genes.//0.013:212:63//AF049236
 40 R-HEMBA1000460//Homo sapiens PAC clone DJ0593H12 from 7p31, complete sequence.//8.6e-114:556:98//
 AC004839
 R-HEMBA1000464//Caenorhabditis elegans cosmid C34B7, complete sequence.//0.086:334:61//Z83220
 R-HEMBA1000469//Homo sapiens BAC clone RG442F18 from 2, complete sequence.//1.8e-52:472:79//
 AC005104
 45 R-HEMBA1000488//, complete sequence.//3.3e-68:200:99//AC005500
 R-HEMBA1000490//Caenorhabditis elegans cosmid Y53C12B, complete sequence.//0.97:233:61//Z99278
 R-HEMBA1000491
 R-HEMBA1000504//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-64, com-
 plete sequence.//1.7e-08:440:60//AL009014
 50 R-HEMBA1000505//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and
 non-small cell lung cancer, segment 1/11.//0.37:189:62//AB020858
 R-HEMBA1000508//Human DNA sequence from cosmid V210E9, between markers DXS366 and DXS87 on chro-
 mosome X.//1.1e-25:248:80//Z70280
 R-HEMBA1000518//RPCI11-6022.TV RPCI-11 Homo sapiens genomic clone RPCI-11-6022, genomic survey se-
 55 quence.//0.0035:293:61//B49544
 R-HEMBA1000519
 R-HEMBA1000520//Arabidopsis thaliana chromosome II BAC F10A12 genomic sequence, complete sequence.//
 0.30:255:63//AC006232

- R-HEMBA1000523//Human cleavage stimulation factor 77kDa subunit mRNA, complete cds.//1.2e-53:203:92//U15782
- R-HEMBA1000531//CIT-HSP-388J17.TR CIT-HSP Homo sapiens genomic clone 388J17, genomic survey sequence.//2.7e-24:137:99//B55638
- 5 R-HEMBA1000540//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 510D11, WORKING DRAFT SEQUENCE.//0.00014:329:60//Z98044
- R-HEMBA1000545//Homo sapiens Xp22 BAC GS-619J3 (Genome Systems Human BAC library) complete sequence.//6.9e-87:552:87//AC004103
- 10 R-HEMBA1000557//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 134019, WORKING DRAFT SEQUENCE.//8.9e-121:584:98//AL034555
- R-HEMBA1000557//Homo sapiens Chromosome 16 BAC clone CIT987SK-44M2, complete sequence.//5.7e-45:307:87//AC004381
- R-HEMBA1000561//Mus musculus clone OST20235, genomic survey sequence.//1.3e-43:279:90//AF046762
- 15 R-HEMBA1000563//Plasmodium falciparum chromosome 2, section 5 of 73 of the complete sequence.//3.8e-05:506:56//AE001368
- R-HEMBA1000568//RPC11-49P8.TK.1 RPC111 Homo sapiens genomic clone R-49P8, genomic survey sequence.//1.7e-101:498:97//AQ116293
- R-HEMBA1000575//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 754E20, WORKING DRAFT SEQUENCE.//1.3e-47:458:75//AL022335
- 20 R-HEMBA1000588//Mus musculus FLI-LRR associated protein-1 mRNA, complete cds.//2.9e-62:447:81//AF045573
- R-HEMBA1000591//Homo sapiens mRNA for E1B-55kDa-associated protein.//1.2e-111:591:9411AJ007509
- 25 R-HEMBA1000592//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-10, complete sequence.//3.5e-09:421:60//AL010216
- R-HEMBA1000594//Homo sapiens clone RG004N09, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.1e-15:421:66//AC005044
- R-HEMBA1000604//HS_2220_A1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2220 Col=19 Row=M, genomic survey sequence.//1.0e-51:306:92//AQ151991
- 30 R-HEMBA1000608
- R-HEMBA1000622//H.sapiens CpG island DNA genomic Mse1 fragment, clone 155e4, reverse read cpg155e4.rt1a.//4.5e-16:105:98//Z56962
- R-HEMBA1000636//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 1/15, WORKING DRAFT SEQUENCE.//4.8e-62:421:86//AP000008
- 35 R-HEMBA1000637//Homo sapiens mRNA for KIAA0690 protein, partial cds.//1.2e-97:443:97//AB014590
- R-HEMBA1000655//Homo sapiens chromosome 19, cosmid R26349, complete sequence.//9.8e-61:311:90//AC005953
- R-HEMBA1000657
- R-HEMBA1000662
- 40 R-HEMBA1000673//Human DNA sequence from PAC 448E20 on chromosome Xq26.1 contains ESTs and STS.//1.0e-13:351:63//Z97196
- R-HEMBA1000682//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.2e-50:298:79//AC005377
- R-HEMBA1000686//HS_3018_B1_H10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3018 Col=19 Row=P, genomic survey sequence.//0.00048:210:62//AQ093513
- 45 R-HEMBA1000702//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//9.7e-54:317:88//AC005000
- R-HEMBA1000705//Glossonotus uhivittatus 12S mitochondrial ribosomal RNA, small subunit, mitochondrial gene, partial sequence.//0.080:138:65//U77850
- 50 R-HEMBA1000719//Rattus norvegicus mRNA for TESK1, complete cds.//0.96:291:58//D50864
- R-HEMBA1000722
- R-HEMBA1000726//Homo sapiens PAC clone DJ0701016 from 7q33-q36, complete sequence.//4.4e-26:284:77//AC005531
- R-HEMBA1000727//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-89, complete sequence.//9.1e-05:351:60//AL010266
- 55 R-HEMBA1000747//Homo sapiens DNA sequence from PAC 124C6 on chromosome 6q21. Contains genomic marker D6S1603, ESTs, GSSs and a STS with a CA repeat polymorphism, complete sequence.//2.5e-16:123:93//AL021326

- R-HEMBA1000749//Human Chromosome 16 BAC clone CIT987SK-327O24, complete sequence.//2.8e-32:298:79//AC003108
- R-HEMBA1000752//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//2.8e-90:542:90//Z92545
- 5 R-HEMBA1000769//Homo sapiens P1 clone GSP13996 from 5q12, complete sequence.//2.7e-36:405:75//AC005031
- R-HEMBA1000773//HS_3050_A2_B08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3050 Col=16 Row=C, genomic survey sequence.//0.00053:268:60//AQ105619
- 10 R-HEMBA1000774//Homo sapiens PAC clone DJ0630C24 from 7q31-q32, complete sequence.//4.7e-46:338:85//AC004690
- R-HEMBA1000791//***ALU WARNING: Human Alu-Sc subfamily consensus sequence.//5.3e-47:279:91//U14571
- R-HEMBA10008177//Sequence 1 from Patent WO 8904839.//0.86:148:67//I09339
- R-HEMBA1000822//T.brucei kinetoplast maxicircle variable region DNA.//0.00061:246:61//Z15118
- 15 R-HEMBA1000827//Homo sapiens Ser/Arg-related nuclear matrix protein (SRM160) mRNA, complete cds.//6.9e-43:228:98//AF048977
- R-HEMBA1000843//Homo sapiens DNA sequence from clone 511B24 on chromosome 20q11.2-12. Contains the TOP1 gene for Topoisomerase I, the PLCG1 gene for 1-Phosphatidylinositol-4,5-Bisphosphate Phosphodiesterase Gamma 1 (EC 3.1.4.11, PLC-Gamma-1, Phospholipase C-Gamma-1 PLC-II, PLC-148), the KIAA0395 gene for a probable Zinc Finger Homeobox protein and a 60S Ribosomal Protein L23 LIKE pseudogene. Contains a predicted CpG island, ESTs, STSs and GSSs, complete sequence.//1.7e-41:319:84//AL022394
- 20 R-HEMBA1000851//Arabidopsis thaliana chromosome I BAC T14N5 genomic sequence, complete sequence.//0.40:168:67//AC004260
- R-HEMBA1000852//Homo sapiens Xp22 bins 3-5 PAC RPCI4-617A9 (Roswell Park Cancer Institute Human PAC Library) containing Arylsulfatase D and E genes, complete sequence.//1.5e-112:572:96//AC005295
- 25 R-HEMBA1000867//Homo sapiens clone DJ0971C03, WORKING DRAFT SEQUENCE, 18 unordered pieces.//0.11:121:71//AC004938
- R-HEMBA1000869//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-A-180G2, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.2e-22:186:76//AC002042
- 30 R-HEMBA1000870//Human BAC clone GS542D18 from 7q31-q32, complete sequence.//0.0060:283:63//AC002528
- R-HEMBA1000872//Rattus norvegicus polymorphic satellite repetitive elements.//3.8e-05:269:61//M98801
- R-HEMBA1000876//Homo sapiens chromosome 12p13.3 clone RPCI1-96H9, WORKING DRAFT SEQUENCE, 66 unordered pieces.//6.5e-38:327:77//AC006057
- 35 R-HEMBA1000908//CIT-HSP-2373I4.TR CIT-HSP Homo sapiens genomic clone 2373I4, genomic survey sequence.//5.0e-34:221:90//AQ108658
- R-HEMBA1000910//T.pigmentosa UM1060 macronuclear rDNA telomeric region 3' term.//0.19:280:61//X04205
- R-HEMBA1000918//RPCI11-68E14.TK RPCI11 Homo sapiens genomic clone R-68E14, genomic survey sequence.//1.3e-32:172:100//AQ267293
- 40 R-HEMBA1000919
- R-HEMBA1000934//Homo sapiens DNA sequence from PAC 874C20 on chromosome 6p22.1-22.3. Contains a Zinc Finger Protein ZFP47 LIKE gene, a Zinc Finger Protein pseudogene and a Zinc Finger Protein SRE-ZBP pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//2.6e-18:284:71//AL021997
- 45 R-HEMBA1000942//Homo sapiens clone RG350L10, WORKING DRAFT SEQUENCE, 15 unordered pieces.//1.4e-17:217:76//AC005098
- R-HEMBA1000943//Homo sapiens chromosome 17, clone hRPK.640_I_15, complete sequence.//9.0e-113:586:95//AC005324
- R-HEMBA1000946//T5N8TFB TAMU Arabidopsis thaliana genomic clone T5N8, genomic survey sequence.//0.030:369:59//B26224
- 50 R-HEMBA1000960//Homo sapiens clone RG339C12, WORKING DRAFT SEQUENCE, 10 unordered pieces.//2.5e-52:494:77//AC005096
- R-HEMBA1000968//Homo sapiens P1 clone 797a11 containing MHC class II DQ-beta (HLA-DQB) and MHC class II DC-alpha (HLA-DCA) genes, complete cds.//3.5e-77:568:83//U92032
- R-HEMBA1000971//RPCI11-54D1.TJ RPCI11 Homo sapiens genomic clone R-54D1, genomic survey sequence.//2.3e-27:153:98//AQ081552
- 55 R-HEMBA1000972//Human DNA sequence from clone 111F4 on chromosome Xq23 Contains GSSs, complete sequence.//7.3e-43:375:79//AL023876
- R-HEMBA1000974//Homo sapiens clone DA0091H08, complete sequence.//2.8e-104:521:97//AC004817

- R-HEMBA1000975//Human DNA sequence from clone 105D16 on chromosome Xp11.3-11.4 Contains pseudogene similar to laminin-binding protein, CA repeat, STS, complete sequence.//8.0e-22:352:68//AL031311
- R-HEMBA1000985//Homo sapiens PAC clone DJ0797C05 from 7q31, complete sequence.//8.5e-05:306:63//AC004888
- 5 R-HEMBA1000986//Homo sapiens clone RG031N19, WORKING DRAFT SEQUENCE, 1 unordered pieces.//5.7e-37:296:83//AC005632
- R-HEMBA1000991//RPCI11-22017.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-22017, genomic survey sequence.//6.5e-44:162:90//AQ008952
- R-HEMBA1001007
- 10 R-HEMBA1001008//Homo sapiens chromosome 16, P1 clone 79-2A (LANL), complete sequence.//0.082:313:60//AC005365
- R-HEMBA1001009//O.sativa osr40g2 gene.//0.99:203:62//Y08987
- R-HEMBA1001017//Homo sapiens mRNA for KIAA0468 protein, complete cds.//1.0e-113:587:95//AB007937
- R-HEMBA1001019//Bos taurus cyclin-dependent kinase 1 (cdk1/cdc2) mRNA, complete cds.//7.4e-24:215:82//L26547
- 15 R-HEMBA1001020//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 732E4, WORKING DRAFT SEQUENCE.//2.8e-18:449:64//AL008722
- R-HEMBA1001022
- R-HEMBA1001024//Homo sapiens BAC clone 393I22 from 8q21, complete sequence.//6.6e-48:536:74//AF070717
- 20 R-HEMBA1001026//T33H14TF TAMU Arabidopsis thaliana genomic clone T33H14, genomic survey sequence.//0.013:180:66//B97363
- R-nnnnnnnnnnnn//Caenorhabditis elegans cosmid R10H10, complete sequence.//1.2e-25:438:65//Z70686
- R-HEMBA1001051//Homo sapiens 12q24.1 PAC RPCI3-521E19 (Roswell Park Cancer Institute Human PAC library) complete sequence.//7.3e-38:188:89//AC004217
- 25 R-HEMBA1001052//Rabbit alpha-1-globin gene to theta-1-globin pseudogene region.//2.4e-24:279:74//X04751
- R-HEMBA1001060//HS_2056_B1_C01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2056 Col=1 Row=F, genomic survey sequence.//4.1e-14:137:83//AQ245004
- R-HEMBA1001071//M.musculus COL3A1 gene for collagen alpha-I.//6.9e-38:513:70//X52046
- 30 R-HEMBA1001077//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 150C2, WORKING DRAFT SEQUENCE.//1.9e-22:507:61//AL022318
- R-HEMBA1001080
- R-HEMBA1001085//Human Chromosome 15q26.1 PAC clone pDJ290i21 containing fur, fes, and alpha mannosidase IIx genes, WORKING DRAFT SEQUENCE, 9 unordered pieces.//2.2e-43:317:83//AC004586
- 35 R-HEMBA1001088//Caenorhabditis elegans cosmid C18H7.//0.46:301:60//AF067607
- R-HEMBA1001094//Homo sapiens clone RG491N20, complete sequence.//5.3e-98:501:96//AC005105
- R-HEMBA1001099
- R-HEMBA1001109//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 118J21, WORKING DRAFT SEQUENCE.//3.1e-39:335:80//AL033527
- 40 R-HEMBA1001121//Human cosmid LL12NC01-132B11A, ETV6 gene, intron 2.//9.8e-11:122:81//U81833
- R-HEMBA1001122//Plasmodium falciparum MAL3P6, complete sequence.//0.0024:284:63//Z98551
- R-HEMBA1001123//Human NFE genomic fragment.//3.6e-26:318:72//M98511
- R-HEMBA1001133
- R-HEMBA1001137//Homo sapiens full-length insert cDNA clone ZD29F04.//4.2e-88:426:98//AF086241
- 45 R-HEMBA1001140//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//4.0e-41:304:84//AC005077
- R-HEMBA1001172//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//3.7e-36:261:85//Z98304
- R-HEMBA1001174//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//1.0:219:58//AE001398
- 50 R-HEMBA1001197
- R-HEMBA1001208//HS_2233_A1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2233 Col=19 Row=M, genomic survey sequence.//0.083:174:68//AQ170789
- R-HEMBA1001226//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//5.1e-59:553:75//AC005377
- 55 R-HEMBA1001235//RPCI11-50E6.TJ RPCI11 Homo sapiens genomic clone R-50E6, genomic survey sequence.//2.6e-08:97:76//AQ052666
- R-HEMBA1001247//Caenorhabditis elegans cosmid C01F1.//2.4e-05:319:63//U58761

- R-HEMBA1001257//Rattus norvegicus alpha-methylacyl-CoA racemase mRNA, complete cds.//1.5e-24:439:66//U89905
- R-HEMBA1001265//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete sequence.//9.9e-21:537:63//AC004491
- 5 R-nnnnnnnnnnnn//Homo sapiens chromosome 17, clone HCIT75G16, complete sequence.//0.022:169:65//AC003042
- R-HEMBA1001286
- R-HEMBA1001289
- 10 R-HEMBA1001294//HS_3219_A2_G01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3219 Col=2 Row=M, genomic survey sequence.//0.24:251:63//AQ189882
- R-HEMBA1001299//Homo sapiens, clone hRPK.12_A_1, complete sequence.//1.3e-38:381:76//AC006222
- R-HEMBA1001302//cDNA encoding a human homologue of a mouse novel polypeptide derived from stromal cell.//4.1e-28:114:92//E12258
- 15 R-HEMBA1001303//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.00011:382:58//AL031744
- R-HEMBA1001310
- R-HEMBA1001319//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//4.2e-09:491:58//AC005504
- 20 R-HEMBA1001323//Drosophila yakuba mitochondrial DNA molecule.//8.3e-06:485:60//X03240
- R-HEMBA1001326//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//2.2e-14:277:69//AL021368
- 25 R-HEMBA1001327//Human DNA sequence from clone 522P13 on chromosome 6p21.31-22.3. Contains a 60S Ribosomal Protein L21 pseudogene and an HNRNP A3 (Heterogenous Nuclear Riboprotein A3, FBRNP) pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//0.15:360:61//AL024509
- R-HEMBA1001330//Homo sapiens 12q24 PAC RPC11-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.3e-27:481:67//AC004216
- 30 R-HEMBA1001351//Homo sapiens chromosome 18, clone hRPK.474_N_24, complete sequence.//7.1e-45:252:94//AC006238
- R-HEMBA1001361//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//1.4e-113:569:97//AC006241
- R-HEMBA1001375//Homo sapiens full-length insert cDNA clone ZE09H03.//2.8e-89:428:99//AF086542
- 35 R-HEMBA1001377//Homo sapiens PAC clone DJ0728D04, complete sequence.//2.3e-32:324:77//AC004865
- R-HEMBA1001383
- R-HEMBA1001387
- R-HEMBA1001388//Homo sapiens clone RG189J21, WORKING DRAFT SEQUENCE, 15 unordered pieces.//8.9e-06:108:83//AC005073
- 40 R-HEMBA1001391//Yeast mitochondrial aapl gene for ATPase subunit 8.//7.3e-08:500:59//X00960
- R-HEMBA1001398//Homo sapiens genomic DNA, chromosome 21q11.1, segment 21/28, WORKING DRAFT SEQUENCE.//2.3e-48:315:88//AP000050
- R-HEMBA1001405//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50024, WORKING DRAFT SEQUENCE.//5.5e-35:464:68//AL034380
- 45 R-HEMBA1001407
- R-HEMBA1001411//Yeast (S.cerevisiae) mitochondria Ser-tRNA-UCN gene and flanks.//0.00029:301:62//K01981
- R-HEMBA1001413
- R-HEMBA1001415//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 41018, WORKING DRAFT SEQUENCE.//5.6e-101:512:96//AL031732
- 50 R-HEMBA1001432//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7 unordered pieces.//6.3e-37:302:81//AC006146
- R-HEMBA1001433//Human DNA sequence from PAC 339A18 on chromosome Xp11.2. Contains KIAA0178 gene, similar to mitosis-specific chromosome segregation protein SMC1 of S.cerevisiae, DNA binding protein similar to URE-B1, ESTs and STS.//1.9e-32:242:79//Z97054
- 55 R-HEMBA1001435//Homo sapiens chromosome 21, Neurofibromatosis 1 (NF1) related locus, complete sequence.//5.7e-59:457:82//AC004527
- R-HEMBA1001442//Human DNA sequence from PAC 507I15 on chromosome Xq26.3-27.3. Contains 60S ribosomal protein L44 (L41, L36) like gene, ESTs, STSs and a polymorphic CA repeat.//0.051:276:63//Z98950

- R-HEMBA1001446//HS_3207_A1_A08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3207 Col=15 Row=A, genomic survey sequence.//8.9e-06:119:73//AQ175385
- R-HEMBA1001450//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//0.0043:266:63//AC005065
- 5 R-HEMBA1001454//Homo sapiens PAC clone DJ0673011 from 7q31, complete sequence.//7.1e-25:210:82//AC004855
- R-HEMBA1001455//Homo sapiens chromosome 17, clone hRPK.640_I_15, complete sequence.//2.7e-08:316:62//AC005324
- R-HEMBA1001463//Homo sapiens chromosome 17, clone hRPK.1064_E_11, complete sequence.//0.57:219:60//AC005208
- 10 R-HEMBA1001476//Homo sapiens clone DJ0607J02, WORKING DRAFT SEQUENCE, 12 unordered pieces.//9.3e-50:252:80//AC004840
- R-HEMBA1001478
- R-HEMBA1001497
- 15 R-HEMBA1001510//Human HLA class III region containing cAMP response element binding protein-related protein (CREB-RP) and tenascin X (tenascin-X) genes, complete cds, complete sequence.//3.5e-41:282:86//U89337
- R-HEMBA1001515//Human DNA sequence from PAC 238J17 on chromosome 6q22. Contains EST and STS.//1.9e-79:529:86//Z98753
- R-HEMBA1001517//Homo sapiens BAC clone RG459N13 from 7p15, complete sequence.//4.3e-18:335:71//AC004549
- 20 R-HEMBA1001522
- R-HEMBA1001526//Human DNA sequence from cosmid 444G9 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3 Contains ESTs and CpG islands.//5.6e-08:265:67//Z98258
- R-HEMBA1001533//Human DNA sequence from PAC 179M20 on chromosome 20q12-13.1. Contains adenosine deaminase (ADA), placental protein Diff33, CA repeat, ESTs, STS.//7.8e-16:235:72//Z97053
- 25 R-HEMBA1001557
- R-HEMBA1001566//Human Chromosome X clone bWXD187, complete sequence.//2.2e-44:416:78//AC004383
- R-HEMBA1001569//Sequence 15 from patent US 5693476.//1.8e-59:389:88//I77040
- R-HEMBA1001570//Homo sapiens PAC clone DJ0844F09 from 7p12-p13, complete sequence.//1.1e-44:316:87//AC004453
- 30 R-HEMBA1001579//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.0047:437:60//AC005506
- R-HEMBA1001581//P.falciparum complete gene map of plastid-like DNA (IR-B).//2.3e-07:491:58//X95276
- R-HEMBA1001585//Caenorhabditis elegans cosmid C06A6.//0.68:224:62//U41012
- 35 R-HEMBA1001589
- R-HEMBA1001595//CIT-HSP-2349G19.TF CIT-HSP Homo sapiens genomic clone 2349G19, genomic survey sequence.//8.0e-69:337:99//AQ060483
- R-HEMBA1001608//Homo sapiens chromosome 17, clone HCIT462L7, complete sequence.//9.5e-59:514:78//AC005177
- 40 R-HEMBA1001620//S.polyrrhiza mRNA for D-myo-inositol-3-phosphate synthase.//4.5e-12:289:65//Z11693
- R-nnnnnnnnnnnn//HS_2195_A1_E09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2195 Col=17 Row=I, genomic survey sequence.//5.8e-09:358:58//AQ292688
- R-HEMBA1001636//Human putative potassium channel subunit (h-erg) mRNA, complete cds.//0.77:225:59//U04270
- 45 R-HEMBA1001640//Human DNA sequence from PAC 50J22 on chromosome 6p21. Contains ETS related protein TEL like and GS2 like genes, ESTs and an STS.//6.0e-49:404:79//Z84484
- R-nnnnnnnnnnnn
- R-HEMBA1001655//Homo sapiens chromosome 5, BAC clone 194j18 (LBNL H158), complete sequence.//1.1e-103:532:95//AC005368
- 50 R-HEMBA1001658//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//1.0:197:64//AL023808
- R-HEMBA1001661//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//1.5e-100:457:93//AC005740
- R-HEMBA1001672//Homo sapiens methyl-CpG binding protein MBD3 (MBD3) mRNA, complete cds.//1.2e-90:496:91//AF072247
- 55 R-HEMBA1001675
- R-HEMBA1001678//Homo sapiens voltage dependent anion channel protein mRNA, complete cds.//1.3e-101:534:94//AF038962

R-HEMBA1001681//CIT-HSP-2345M7.TF CIT-HSP Homo sapiens genomic clone 2345M7, genomic survey sequence.//0.21:124:68//AQ056593

R-HEMBA1001702//Homo sapiens 12q13.1 PAC RPC11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//8.3e-06:279:63//AC004801

5 R-HEMBA1001709//Homo sapiens mRNA for KIAA0698 protein, complete cds.//1.9e-96:483:96//AB014598

R-HEMBA1001711//Human HepG2 3' region cDNA, clone hmd2b02.//2.3e-31:169:100//D16886

R-HEMBA1001712//HS-1015-B1-E01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 790 Col=1 Row=J, genomic survey sequence.//0.0025:200:65//B32577

10 R-HEMBA1001714//Rattus norvegicus mitochondrial ATPase inhibitor gene, complete cds.//6.6e-27:316:75//U12250

R-HEMBA1001718//CIT-HSP-2171J2.TR CIT-HSP Homo sapiens genomic clone 2171J2, genomic survey sequence.//3.1e-41:167:87//B89781

R-HEMBA1001723//Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds.//0.53:275:61//AF018261

15 R-HEMBA1001731//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 322P7, WORKING DRAFT SEQUENCE.//2.9e-48:292:84//AL023799

R-HEMBA1001734//Homo sapiens Chromosome 15q22.3-23 PAC 88m3, WORKING DRAFT SEQUENCE, 2 ordered pieces.//3.2e-33:290:81//AC005959

R-HEMBA1001744//Human DNA sequence from clone 134E15 on chromosome 6q21 Contains Blimp-1, apoptosis specific protein similar to yeast APG5 ESTs, GSSs and retroviral sequence, complete sequence.//0.98:203:62//AL022067

20 R-HEMBA1001745//Homo sapiens BAC clone RG298G08 from 7p15-p21, complete sequence.//0.00019:312:59//AC005084

R-HEMBA1001746//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.045:457:61//AC004153

25 R-HEMBA1001761//Homo sapiens chromosome X, clone hCIT.200_L_4, complete sequence.//3.8e-39:331:80//AC006121

R-HEMBA1001781//Homo sapiens Xp22 BAC GSHB-590J6 (Genome Systems Human BAC library) complete sequence.//0.0062:245:60//AC004554

30 R-HEMBA1001784//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//2.1e-22:370:63//AC005740

R-HEMBA1001791//Human DNA sequence from clone 931E15 on chromosome Xq25. Contains STSs, GSSs and genomic marker DXS8098, complete sequence.//3.0e-50:408:80//AL023575

35 R-HEMBA1001800//CIT-HFP-2049N5.TF CIT-HSP Homo sapiens genomic clone 2049N5, genomic survey sequence.//9.0e-37:335:77//AQ009222

R-HEMBA1001803//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.86:536:56//AC005506

R-nnnnnnnnnnnn//Mouse interleukin 2 receptor (p55 IL-2R) mRNA, 5' end.//2.9e-93:553:89//M21977

40 R-HEMBA1001808//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0500.//2.8e-112:548:98//AB007969

R-HEMBA1001809

R-HEMBA1001815//Homo sapiens Xp22 BAC GS-321G17 (Genome Systems Human BAC library) complete sequence.//2.6e-48:363:84//AC004025

45 R-HEMBA1001819//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC 1577, WORKING DRAFT SEQUENCE.//1.1e-15:275:68//AJ009612

R-HEMBA1001820//HS_3022_B1_A09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3022 Col=17 Row=B, genomic survey sequence.//0.00054:335:59//AQ165107

R-nnnnnnnnnnnn//Xenopus laevis intersectin mRNA, complete cds.//1.4e-19:533:63//AF032118

R-HEMBA1001824//S.clavuligerus linear plasmid pSCL (complete sequence).//0.62:189:65//X54107

50 R-HEMBA1001835//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 191J18, WORKING DRAFT SEQUENCE.//1.0:450:60//AL024507

R-HEMBA1001844//Human familial Alzheimer's disease (STM2) gene, complete cds.//1.6e-07:170:68//U50871

R-HEMBA1001847

R-HEMBA1001861//Homo sapiens mRNA for KIAA0617 protein, complete cds.//3.3e-108:553:96//AB014517

55 R-HEMBA1001864//Homo sapiens genomic DNA, 21q22.1 region, clone: Q82F5A16, genomic survey sequence.//1.7e-14:245:67//AG002463

R-HEMBA1001866//HS_2258_B2_D01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2258 Col=2 Row=H, genomic survey sequence.//2.8e-39:397:75//AQ221138

EP 1 074 617 A2

R-nnnnnnnnnnnn//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//5.9e-56:303:94//AC005065

R-HEMBA1001888//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//1.7e-43:281:88//AC006210

5 R-HEMBA1001896

R-HEMBA1001910

R-HEMBA1001912//Homo sapiens chromosome 5, P1 clone 1308e5 (LBNL H13), complete sequence.//0.10:307:61//AC004775

R-HEMBA1001913

10 R-HEMBA1001915//HS_2037_A1_E12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2037 Col=23 Row=1, genomic survey sequence.//0.071:206:64//AQ233106

R-HEMBA1001918//Homo sapiens chromosome 5, P1 clone 1308e5 (LBNL H13), complete sequence.//0.97:449:59//AC004775

R-HEMBA1001921//Homo sapiens germinal center kinase related protein kinase mRNA, complete cds.//2.0e-105:534:96//AF000145

15 R-HEMBA1001939//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508I15, WORKING DRAFT SEQUENCE.//4.6e-13:120:82//AL021707

R-HEMBA1001940//Homo sapiens clone DJ1093I16, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.2e-36:301:81//AC005629

20 R-HEMBA1001942//Human PAC clone DJ0205E24 from Xq23, complete sequence.//1.9e-10:208:68//AC003013

R-HEMBA1001945//Plasmodium falciparum chromosome 2, section 70 of 73 of the complete sequence.//1.2e-06:393:60//AE001433

R-HEMBA1001950//R.prowazekii genomic DNA fragment (clone A437R).//0.33:122:66//Z82646

R-HEMBA1001960//Borrelia afzelii VS461 outer surface protein D (ospD) gene, complete cds.//0.0086:427:59//U05329

25 R-HEMBA1001962//Homo sapiens chromosome 4 clone B71M12 map 4q25, complete sequence.//4.5e-07:176:70//AC004069

R-HEMBA1001964//HS_2215_B1_H01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2215 Col=1 Row=P, genomic survey sequence.//7.3e-25:215:74//AQ151931

30 R-HEMBA1001967//Human DNA sequence from clone 341E18 on chromosome 6p11.2-12.3. Contains a Serine/Threonine Protein Kinase gene (presumptive isolog of a Rat gene) and a novel alternatively spliced gene. Contains a putative CpG island, ESTs and GSSs, complete sequence.//1.7e-51:209:95//AL031178

R-HEMBA1001979//CIT-HSP-2387I12.TF.1 CIT-HSP Homo sapiens genomic clone 2387I12, genomic survey sequence.//4.9e-06:153:71//AQ240461

35 R-HEMBA1001987//Human DNA sequence from clone 444C7 on chromosome 6p22.3-23. Contains an EST, an STS and GSSs, complete sequence.//3.1e-46:437:77//AL033521

R-HEMBA1001991//Human DNA sequence from PAC 426I6 on chromosome 1p34.1-1p35. Contains NIPP-1-like gene a nuclear inhibitor of protein phosphatase-1, ESTs, and a CA repeat.//1.1e-48:446:78//AL020997

R-HEMBA1002003//Homo sapiens mRNA for protein phosphatase 2C (beta).//5.1e-90:448:97//AJ005801

40 R-HEMBA1002008//Homo sapiens DNA sequence from PAC 95C20 on chromosome Xp11.3-11.4. Contains STSs and the DXS7 locus with GT and GTG repeat polymorphisms, complete sequence.//3.2e-42:317:84//Z97181

R-HEMBA1002018//HS_3006_B1_D10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3006 Col=19 Row=H, genomic survey sequence.//1.0:63:74//AQ089717

R-HEMBA1002022//Homo sapiens chromosome 18, clone hRPK.453_M_1, complete sequence.//0.93:339:59//AC006203

45 R-HEMBA1002035//Mus musculus chromosome 19, clone CIT282B21, complete sequence.//1.4e-11:285:67//AC003694

R-HEMBA1002039

R-HEMBA1002049//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1177I5, WORKING DRAFT SEQUENCE.//5.3e-52:266:84//AL022315

50 R-HEMBA1002084//CIT-HSP-2357L11.TR CIT-HSP Homo sapiens genomic clone 2357L11, genomic survey sequence.//0.0013:185:66//AQ063078

R-HEMBA1002092//Mus musculus Olf-1/EBF-like-3 transcription factor (O/E-3) mRNA, complete cds.//2.7e-70:479:86//U92703

55 R-HEMBA1002100//Homo sapiens thyroid receptor interactor (TRIP7) mRNA, 3' end of cds.//8.5e-32:206:91//L40357

R-HEMBA1002102//Homo sapiens Chromosome 15q26.1 PAC clone pDJ427d15, complete sequence.//4.3e-42:302:85//AC005800

R-HEMBA1002113//Human chromosome 12p13 sequence, complete sequence.//1.6e-64:550:80//U47924
 R-HEMBA1002119//Human Chromosome 11 pac pDJ1173a5, complete sequence.//1.2e-92:435:92//AC000378
 R-HEMBA1002125
 R-HEMBA1002139//Human nebulin mRNA, partial cds.//0.056:68:88//U35637
 5 R-HEMBA1002144//Homo sapiens Chromosome 11p14.3 PAC clone 6-130a9 containing tryptophan hydroxylase
 gene, complete sequence.//2.0e-26:323:70//AC005728
 R-HEMBA1002150//Human DNA sequence from clone 742C19 on chromosome 22q12.3-13.1. Contains a pseu-
 dogene similar to Cytochrome C Oxidase Polypeptide VB and (parts of) up to four novel genes, two with homology
 to Phorbolins and one a novel Chromobox protein gene. Contains ESTs, an STS, GSSs and putative CpG
 10 islands, complete sequence.//1.0:371:61//AL031846
 R-HEMBA1002151
 R-HEMBA1002153//Human BAC 367D17 from chromosome 18, complete sequence.//2.4e-21:322:70//AC003971
 R-HEMBA1002160//Human DNA sequence from PAC 339A18 on chromosome Xp11.2. Contains KIAA0178 gene,
 similar to mitosis-specific chromosome segregation protein SMC1 of *S.cerevisiae*, DNA binding protein similar to
 15 URE-B1, ESTs and STS.//2.5e-38:216:84//Z97054
 R-HEMBA1002161//CIT-HSP-2163F10. TF CIT-HSP Homo sapiens genomic clone 2163F10, genomic survey se-
 quence.//3.1e-58:284:80//B89969
 R-HEMBA1002162//Caenorhabditis elegans cosmid F48C11, complete sequence.//0.0079:286:57//Z80789
 R-HEMBA1002166//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//5.9e-
 20 53:326:80//AC002980
 R-HEMBA1002177
 R-HEMBA1002185//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 745I14, WORKING
 DRAFT SEQUENCE.//9.5e-37:356:76//AL033532
 R-HEMBA1002189//Homo sapiens Xp22 BAC GSHB-519E5 (Genome Systems Human BAC library) complete
 25 sequence.//3.4e-43:244:77//AC003684
 R-HEMBA1002191//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//4.3e-
 37:323:78//AC005077
 R-HEMBA1002199//Human Cosmid g5129g124 from 7q31.3, complete sequence.//1.4e-89:564:87//AC002498
 R-HEMBA1002204//Homo sapiens Chromosome 22q11.2 Cosmid Clone 817g In IGLC Region, complete se-
 30 quence.//1.5e-31:313:71//AC000053
 R-HEMBA1002212//K.lactis mitochondrial COX1 and A8 genes for cytochrome oxidase subunit I and ATPase
 subunit 8.//0.0023:346:60//X57546
 R-HEMBA1002215//M.musculus mRNA for testin.//4.7e-61:414:84//X78989
 R-HEMBA1002226//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 2705, WORKING
 35 DRAFT SEQUENCE.//4.6e-46:375:77//AL033529
 R-HEMBA1002229//Homo sapiens growth suppressor related (DOC-1R) mRNA, complete cds.//4.6e-46:238:98//
 AF089814
 R-HEMBA1002237//Homo sapiens 12q13 PAC RPC11-316M24 (Roswell Park Cancer Institute Human PAC library)
 complete sequence.//4.3e-26:469:67//AC004242
 40 R-HEMBA1002253//Homo sapiens BAC clone GS180J15 from 7q31, complete sequence.//5.1e-23:162:82//
 AC005016
 R-HEMBA1002257
 R-HEMBA1002267//Equus caballus dermatan sulfate proteoglycan II mRNA, complete cds.//4.6e-44:300:88//
 AF03 8127
 45 R-HEMBA1002270//Human BAC clone RG067M09 from 7q21-7q22, complete sequence.//1.9e-19:176:85//
 AC000057
 R-HEMBA1002321
 R-HEMBA1002328//HS_3061_A1_D06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3061 Col=11 Row=G, genomic survey sequence.//1.0:151:65//AQ127617
 50 R-HEMBA1002337//Saccharomyces cerevisiae RNA polymerase II holoenzyme component (SRB7) gene, com-
 plete cds.//3.7e-07:328:63//U23811
 R-HEMBA1002341//Homo sapiens mRNA for KIAA0771 protein, partial cds.//2.4e-128:642:96//AB018314
 R-HEMBA1002348//Human DNA sequence from clone 409O10 on chromosome 20q12 Contains CA repeat, GSS,
 STS, complete sequence.//3.7e-07:587:58//AL031256
 55 R-HEMBA1002349//Leishmania tarentolae maxicircle DNA fragment.//0.018:341:58//X02438
 R-nnnnnnnnnnnnn//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds.//1.2e-121:
 661:93//AF092563
 R-HEMBA1002381//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and

non-small cell lung cancer , segment 11/11.//1.1e-70:559:79//AB020868
 R-HEMBA1002389//HS_3218_B2_E08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3218 Col=16 Row=J, genomic survey sequence.//0.0011:122:72//AQ213602
 5 R-HEMBA1002417//Homo sapiens chromosome 19, cosmid R28784, complete sequence.//4.2e-81:232:97//
 AC005954
 R-HEMBA1002419//Homo sapiens PAC clone DJ0649P17 from 7q11.23-q21, complete sequence.//0.50:231:64//
 AC004848
 R-HEMBA1002430//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.0023:604:56//X95276
 R-HEMBA1002439//Homo sapiens clone GS096J14, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.4e-
 10 23:183:80//AC006026
 R-HEMBA1002458//Human DNA sequence from clone 146H21 on chromosome Xq22 Contains cleavage stimu-
 lation factor, 64 KD subunit, gene similar to CYTOCHROME B-245 HEAVY CHAIN. pseudogene similar to hnRNP
 A1 protein and ESTs, complete sequence.//7.7e-32:161:83//Z83819
 R-HEMBA1002460//Homo sapiens clone DJ1137M13, complete sequence.//2.6e-100:305:100//AC005378
 15 R-HEMBA1002462//Sequence 43 from patent US 5708157.//2.0e-10:131:77//I80068
 R-nnnnnnnnnnnnn
 R-HEMBA1002477//Homo sapiens PAC clone DJ0607J23 from 7q21.2-q31.1, complete sequence.//6.6e-33:279:
 80//AC004841
 R-HEMBA1002486//***ALU WARNING: Human Alu-Sq subfamily consensus sequence.//2.1e-50:290:92//U14573
 20 R-HEMBA1002495//CITBI-E1-2515J10.TR CITBI-E1 Homo sapiens genomic clone 2515J10, genomic survey se-
 quence.//1.0:122:68//AQ261762
 R-HEMBA1002498//Homo sapiens clone DJ1102A12, WORKING DRAFT SEQUENCE, 15 unordered pieces.//
 2.8e-22:210:78//AC004963
 R-HEMBA1002503//Homo sapiens chromosome 17, clone HRPC1067M6, complete sequence.//2.7e-17:435:58//
 25 AC003043
 R-HEMBA1002508//Homo sapiens, clone hRPK.15_A_1, complete sequence.//3.7e-09:408:61//AC006213
 R-nnnnnnnnnnnnn//Homo sapiens mRNA for histone deacetylase-like protein (JM21).//7.1e-112:456:92//AJ011972
 R-HEMBA1002515
 R-HEMBA1002538//Homo sapiens mRNA for KIAA0454 protein, partial cds.//1.6e-104:564:93//AB007923
 30 R-HEMBA1002542//HS_3197_B2_B10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3197 Col=20 Row=D, genomic survey sequence.//2.8e-25:186:86//AQ188792
 R-HEMBA1002547//Mus musculus agrin gene, exon 36.//0.0095:93:75//M92658
 R-HEMBA1002552//Homo sapiens clone DJ1137M13, complete sequence.//4.0e-49:308:90//AC005378
 R-HEMBA1002555//Homo sapiens full-length insert cDNA clone YR87G10.//8.3e-65:318:99//AF085957
 35 R-HEMBA1002558//, complete sequence.//2.3e-38:264:89//AC005409
 R-HEMBA1002561//Human DNA sequence from clone 396D17 on chromosome 1p33-35.3 Contains EST, STS,
 GSS, complete sequence.//7.1e-44:192:80//AL008634
 R-nnnnnnnnnnnnn//Homo sapiens protein associated with Myc mRNA, complete cds.//4.5e-119:587:97//AF075587
 R-HEMBA1002583
 40 R-HEMBA1002590//Homo sapiens DNA sequence from PAC 179N16 on chromosome 6p21.1-21.33. Contains
 the SAPK4 (MAPK p38delta) gene, and the alternatively spliced SAPK2 gene coding for CSaids binding protein
 CSBP2 and a MAPK p38beta LIKE protein. Contains ESTs, STSs and two predicted CpG islands, complete se-
 quence.//9.4e-42:248:88//Z95152
 R-HEMBA1002592//Homo sapiens chromosome 19, cosmid R30385, complete sequence.//2.6e-56:302:84//
 45 AC004510
 R-HEMBA1002621
 R-HEMBA1002624//Homo sapiens mRNA for KIAA0808 protein, complete cds.//6.7e-76:380:97//AB018351
 R-HEMBA1002628//P.falciparum complete gene map of plastid-like DNA (IR-A).//8.8e-05:327:60//X95275
 R-HEMBA1002629//Mus musculus clone OST16705, genomic survey sequence.//4.3e-06:205:66//AF046247
 50 R-HEMBA1002645//***ALU WARNING: Human Alu-J subfamily consensus sequence.//7.1e-39:281:84//U14567
 R-HEMBA1002651//Homo sapiens PAC clone DJ0593H12 from 7p31, complete sequence.//1.1e-104:500:95//
 AC004839
 R-HEMBA1002659//Human DNA sequence from clone 243E7 on chromosome 22q12.1. Contains ESTs, STSs
 and GSSs, complete sequence.//1.2e-61:280:92//AL022323
 55 R-HEMBA1002661//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 225E12, WORKING
 DRAFT SEQUENCE.//3.2e-41:325:81//AL031772
 R-HEMBA1002666//Homo sapiens full-length insert cDNA clone YY74A07.//0.00037:79:84//AF088008
 R-HEMBA1002678//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1137F22, WORK-

ING DRAFT SEQUENCE.//2.3e-107:561:94//AL034421
 R-nnnnnnnnnnnnn//CIT-HSP-2287E8.TF CIT-HSP Homo sapiens genomic clone 2287E8, genomic survey sequence.//5.4e-17:137:88//B99281
 R-HEMBA1002688//Homo sapiens chromosome 5, P1 clone 1354A7 (LBNL H47), complete sequence.//0.033:146:70//AC004503
 5 R-HEMBA1002696
 R-HEMBA1002712//Homo sapiens PAC clone 166H1 from 12q, complete sequence.//6.2e-44:302:87//AC003982
 R-HEMBA1002716//Mus musculus mRNA for ELM1, complete cds.//1.1e-31:332:76//AB004873
 R-HEMBA1002728//Homo sapiens mRNA for KIAA0621 protein, partial cds.//1.2e-35:287:81//AB014521
 10 R-HEMBA1002730//D.discoideum actin M6 gene, 5' flank.//0.018:233:66//M29109
 R-HEMBA1002742//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1108H3, WORKING DRAFT SEQUENCE.//2.6e-13:419:62//AL033525
 R-HEMBA1002746//Mus musculus chromosome 19, clone CIT282B21, complete sequence.//0.019:202:65//AC003694
 15 R-HEMBA1002748//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 404K8, WORKING DRAFT SEQUENCE.//0.046:263:60//AL023883
 R-HEMBA1002750//Human DNA sequence from PAC 452H17 on chromosome X contains sodium-and chloride-dependent glycine transporter 1 (GLYT-1) like, ESTs.//0.052:421:58//Z96810
 R-HEMBA1002768//Homo sapiens mRNA for KIAA0554 protein, partial cds.//1.2e-104:545:95//AB011126
 20 R-HEMBA1002770//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//3.0e-07:523:59//AC005140
 R-HEMBA1002777
 R-HEMBA1002779//Human HepG2 3' region MboI cDNA, clone hmd1e03m3.//9.4e-25:158:93//D17139
 R-HEMBA1002780//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y214H10, WORKING DRAFT SEQUENCE.//1.6e-42:463:75//AL022344
 25 R-HEMBA1002794//Plasmodium falciparum MAL3P8, complete sequence.//2.2e-05:417:59//AL034560
 R-HEMBA1002801//Meloidogyne javanica mitochondrial transfer RNA His, 16S ribosomal RNA (16S rRNA) genes, ND3 gene, complete cds, and cytochrome b gene, 5' end of CDS.//0.00055:444:59//L76261
 R-HEMBA1002810//Homo sapiens formin binding protein 21 mRNA, complete cds.//4.4e-115:559:97//AF071185
 30 R-HEMBA1002816//Homo sapiens clone NH0576N21, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.3e-88:329:94//AC005043
 R-HEMBA1002826//Homo sapiens genomic DNA, chromosome 21q11.1, segment 12/28, WORKING DRAFT SEQUENCE.//1.9e-22:262:67//AP000041
 R-HEMBA1002833//Homo sapiens chromosome 17, clone hRPC.117_B_12, complete sequence.//1.3e-79:396:97//AC004707
 35 R-HEMBA1002850//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.013:393:61//AC005506
 R-HEMBA1002863//Homo sapiens chromosome 17, clone hRPK.271_K_11, complete sequence.//4.1e-73:489:85//AC005562
 40 R-HEMBA1002876//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.21:549:55//AL034557
 R-HEMBA1002886//CIT-HSP-2013C4.TR CIT-HSP Homo sapiens genomic clone 2013C4, genomic survey sequence.//0.30:431:56//B53836
 R-HEMBA1002896//Homo sapiens SH3-containing adaptor molecule-1 mRNA, complete cds.//3.9e-106:541:95//AF037261
 45 R-HEMBA1002921
 R-HEMBA1002924//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 7/10.//4.6e-19:139:78//AB020875
 R-HEMBA1002934//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//7.5e-45:282:89//AL031681
 50 R-HEMBA1002935//CIT-HSP-2282P14.TFB CIT-HSP Homo sapiens genomic clone 2282P14, genomic survey sequence.//1.5e-102:514:97//AQ008584
 R-HEMBA1002937//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 745114, WORKING DRAFT SEQUENCE.//3.3e-87:444:97//AL033532
 55 R-HEMBA1002939
 R-HEMBA1002944//HS_3107_A1_C05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3107 Col=9 Row=E, genomic survey sequence.//6.3e-21:250:73//AQ103952
 R-HEMBA1002951//Xerolycosa miniata mitochondrial 12S rRNA gene.//0.013:228:63//AJ008020

R-HEMBA1002954//HS_3246_A2_G09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3246 Col=18 Row=M, genomic survey sequence.//5.8e-42:258:91//AQ218005
R-HEMBA1002968//Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.//4.2e-38:300:83//AC005553
5 R-HEMBA1002970//Slime mold (D.discoideum) prestalk D11 gene, complete cds.//5.0e-05:541:57//M11012
R-HEMBA1002971//Homo sapiens mRNA for KIAA0679 protein, partial cds.//7.2e-29:162:99//AB014579
R-HEMBA1002973//Homo sapiens chromosome 19, cosmid F20900, complete sequence.//9.1e-36:520:69//AC006128
10 R-nnnnnnnnnnnn//Homo Sapiens Chromosome X clone bWXD691, complete sequence.//0.00040:504:59//AC004386
R-HEMBA1002999//Rattus norvegicus lamina-associated polypeptide 1C (LAP1C) mRNA, complete cds.//3.7e-66:556:79//U19614
R-HEMBA1003021//Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22, WORKING DRAFT SEQUENCE, 17 unordered pieces.//1.6e-44:530:70//AC000406
15 R-HEMBA1003033//Homo sapiens full-length insert cDNA clone ZC34B10.//4.6e-78:414:94//AF086194
R-HEMBA1003034//Homo sapiens chromosome 19, cosmid R29351, complete sequence.//9.0e-52:322:75//AC004026
R-HEMBA1003035//HS_2008_A2_G08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2008 Col=16 Row=M, genomic survey sequence.//4.0e-68:343:97//AQ269839
20 R-HEMBA1003037//347G15.TVB CIT978SKA1 Homo sapiens genomic clone A-347G15, genomic survey sequence.//0.57:188:58//B17694
R-HEMBA1003041//Homo sapiens PAC clone DJ1163J12 from 7q21.2-q31.1, complete sequence.//6.3e-30:350:72//AC004983
25 R-HEMBA1003046//Homo sapiens mitochondrial processing peptidase beta-subunit mRNA, complete cds.//4.1e-118:578:97//AF054182
R-HEMBA1003064//Human cosmid LL12NC01-N-136B11, located centromeric to the ETV6 gene, chromosome 12p12-13.//0.0018:271:60//U59962
R-HEMBA1003067//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 633019, WORKING DRAFT SEQUENCE.//5.3e-48:464:76//AL022302
30 R-HEMBA1003071//CIT-HSP-2370D6.TR CIT-HSP Homo sapiens genomic clone 2370D6, genomic survey sequence.//0.19:48:87//AQ110136
R-HEMBA1003077//Rattus norvegicus Shal-related potassium channel Kv4.3 mRNA, complete cds.//4.9e-69:494:84//U42975
35 R-HEMBA1003078//Human DNA sequence from PAC 339A18 on chromosome Xp11.2. Contains KIAA0178 gene, similar to mitosis-specific chromosome segregation protein SMC1 of S.cerevisiae, DNA binding protein similar to URE-B1, ESTs and STS.//1.1e-11:331:64//Z97054
R-HEMBA1003079//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//4.6e-116:576:98//AC004673
40 R-HEMBA1003083//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0442P12; HTGS phase 1, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.1e-43:280:83//AC005798
R-HEMBA1003086//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3-unordered pieces.//1.2e-43:281:88//AC006039
R-HEMBA1003096//Human DNA sequence from clone J506G21, WORKING DRAFT SEQUENCE.//0.00037:421:59//Z82213
45 R-HEMBA1003098//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0024K08; HTGS phase 1, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.4e-30:303:78//AC005598
R-HEMBA1003117
R-HEMBA1003129//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 407F11, WORKING DRAFT SEQUENCE.//7.9e-11:109:85//AL022329
50 R-HEMBA1003133//Homo sapiens chromosome 9, P1 clone 11659, complete sequence.//3.9e-99:484:98//AC004472
R-HEMBA1003136//CIT-HSP-2281L22.TF CIT-HSP Homo sapiens genomic clone 2281L22, genomic survey sequence.//2.0e-10:93:92//B99861
R-HEMBA1003142//Homo sapiens 12q24.2 PAC RPC11-128M12 (Roswell Park Cancer Institute Human PAC library) complete sequence.//9.8e-40:270:87//AC004024
55 R-HEMBA1003148//Homo sapiens mRNA for dachshund protein.//1.1e-116:586:96//AJ005670
R-HEMBA1003166//Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.//6.4e-35:364:70//Z83822

R-HEMBA1003175//Human IFNAR gene for interferon alpha/beta receptor.//1.9e-30:282:77//X60459
R-HEMBA1003197
R-HEMBA1003199//HS_2166_A1_E12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2166 Col=23 Row=I, genomic survey sequence.//0.00026:271:61//AQ164162
5 R-HEMBA1003202//Homo sapiens clone DJ0592G07, WORKING DRAFT SEQUENCE, 3 unordered pieces.//
5.4e-44:291:83//AC005480
R-HEMBA1003204//Human BAC clone RG072E11 from 7q21-7q22, complete sequence.//3.1e-10:293:62//
AC000118
10 R-HEMBA1003212//Homo sapiens clone DJ0902E20, WORKING DRAFT SEQUENCE, 1 unordered pieces.//1.0:
118:69//AC006148
R-HEMBA1003220//HS_3092_B1_F09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3092 Col=17 Row=L, genomic survey sequence.//0.00014:59:91//AQ128202
R-HEMBA1003222//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y43F8,
WORKING DRAFT SEQUENCE.//0.84:214:62//Z95393
15 R-HEMBA1003229//RPCI11-16F15.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-16F15, genomic survey
sequence.//0.42:167:64//B83610
R-HEMBA1003235//CIT-HSP-2320G19.TF CIT-HSP Homo sapiens genomic clone 2320G19, genomic survey se-
quence.//3.6e-36:195:81//AQ037231
20 R-HEMBA1003250//HS_2168_A2_C09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2168 Col=18 Row=E, genomic survey sequence.//1.4e-22:158:89//AQ125356
R-HEMBA1003257//Human PCP4 gene, exon 3 and complete cds.//0.96:268:61//U53709
R-HEMBA1003273//Homo sapiens Xp22 BAC GS-377014 (Genome Systems Human BAC library) complete se-
quence.//1.0e-32:255:84//AC002549
25 R-HEMBA1003276//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING
DRAFT SEQUENCE, 5 unordered pieces.//0.0044:212:60//AC005308
R-HEMBA1003278//Homo sapiens 12q24.1 PAC RPCI1-315L5 (Roswell Park Cancer Institute Human PAC library)
complete sequence.//1.1e-34:286:74//AC002395
R-HEMBA1003281//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1
ordered pieces.//1.8e-53:428:83//AC005840
30 R-HEMBA1003291//Homo sapiens mRNA for KIAA0537 protein, complete cds.//3.0e-115:551:99//AB011109
R-HEMBA1003296//CIT-HSP-2196L16.TR CIT-HSP Homo sapiens genomic clone 2196L16, genomic survey se-
quence.//2.9e-20:337:65//AQ003073
R-HEMBA1003304//Sequence 23 from patent US 5552281.//1.8e-31:179:97//I25662
35 R-HEMBA1003309//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K19E20, complete se-
quence.//0.00019:334:60//AB017061
R-HEMBA1003314//Homo sapiens mRNA for leucine zipper bearing kinase, complete cds.//2.8e-111:545:97//
AB001872
R-HEMBA1003322//Human DNA sequence from clone 23K20 on chromosome Xq25-26.2 Contains EST, STS,
GSS, complete sequence.//0.60:274:61//AL022153
40 R-HEMBA1003327//Homo sapiens BAC clone RG351J01 from 7q22-q31, complete sequence.//0.00028:172:65//
AC005099
R-HEMBA1003328//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18 unordered pieces.//
2.2e-44:268:90//AC005081
45 R-HEMBA1003330//Homo sapiens poly(A) binding protein II (PABP2) gene, complete cds.//2.7e-61:312:97//
AF026029
R-HEMBA1003348//***ALU WARNING: Human Alu-J subfamily consensus sequence.//7.2e-38:186:83//U14567
R-HEMBA1003369//Caenorhabditis elegans cosmid F59C6, complete sequence.//0.00012:465:59//Z79600
R-HEMBA1003370//Homo sapiens chromosome 17, clone hRPC867C24, complete sequence.//3.2e-42:301:87//
AC002558
50 R-HEMBA1003373//Human DNA sequence from clone 109F14 on chromosome 6p21.2-21.3. Contains the alter-
natively spliced gene for Transcriptional Enhancer Factor TEF-5, the 60S Ribosomal Protein RPL10A gene, a
PUTATIVE ZNF127 LIKE gene, and the PPARD for Peroxisome Proliferator Activated Receptor Delta (PPAR-Delta,
PPAR-Beta, Nuclear Hormone Receptor 1, NUC1, NUCI, PPARG). Contains three putative CpG islands, ESTs,
STSs, GSSs and a ca repeat polymorphism, complete sequence.//7.4e-34:375:74//AL022721
55 R-HEMBA1003376//Homo sapiens chromosome 16, cosmid clone RT102 (LANL), complete sequence.//1.6e-46:
309:88//AC004651
R-HEMBA1003380//HS_3184_B2_E06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3184 Col=12 Row=J, genomic survey sequence.//1.0e-35:237:88//AQ189144

- R-HEMBA1003384//HS_2193_B2_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2193 Col=16 Row=P, genomic survey sequence.//0.00029:96:76//AQ032212
- R-HEMBA1003395//Homo sapiens chromosome 17, clone HCIT169H9, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.6e-21:139:86//AC002993
- 5 R-HEMBA1003402//CIT-HSP-2166E19.TR CIT-HSP Homo sapiens genomic clone 2166E19, genomic survey sequence.//0.99:144:61//B91549
- R-nnnnnnnnnnnnn
- R-HEMBA1003417//Human DNA sequence from clone 496N17 on chromosome 6p11.2-12.3 Contains EST, GSS, complete sequence.//2.5e-112:547:98//AL031321
- 10 R-HEMBA1003418//Homo sapiens PAC clone DJ0755G17 from 7p21-p22, complete sequence.//0.082:352:59//AC004879
- R-HEMBA1003433//Homo sapiens cell cycle regulatory protein p95 (NBS1) mRNA, complete cds.//9.9e-114:544:98//AF058696
- R-HEMBA1003461
- 15 R-HEMBA1003463
- R-HEMBA1003480//Homo sapiens clone NH0523H20, complete sequence.//9.1e-106:533:96//AC005041
- R-HEMBA1003528
- R-HEMBA1003531//Human BAC clone GS552A01 from 7q21-q22, complete sequence.//3.4e-08:333:64//AC002454
- 20 R-HEMBA1003538//Human mRNA for complement component C1r.//1.4e-23:333:68//X04701
- R-HEMBA1003545//Zebrafish mRNA for zflsl-2 (insulin gene enhancer binding protein homolog), complete cds.//0.030:144:68//D38453
- R-HEMBA1003548//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.0017:487:57//AC004153
- 25 R-HEMBA1003555//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 371H6, WORKING DRAFT SEQUENCE.//2.8e-99:503:96//AL031718
- R-HEMBA1003556//Homo sapiens Xp22-175-176 BAC GSHB-484O17 (Genome Systems Human BAC Library) complete sequence.//1.6e-114:574:97//AC005913
- R-HEMBA1003560//Diplolepis rosae microsatellite clone DR04096.//0.24:116:67//AF034416
- 30 R-HEMBA1003568//Homo sapiens clone NH0215P16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.9e-05:422:63//AC006036
- R-HEMBA1003569//Homo sapiens full-length insert cDNA clone ZD82D06.//8.7e-108:545:95//AF086450
- R-HEMBA1003571//Homo sapiens PAC clone DJ0886O08 from 7q32-q35, complete sequence.//4.6e-51:570:71//AC004914
- 35 R-HEMBA1003579//HS_3237_B2_E05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3237 Col=10 Row=J, genomic survey sequence.//8.5e-97:495:95//AQ209302
- R-HEMBA1003581//Mouse mRNA for talin.//8.3e-12:128:82//X56123
- R-HEMBA1003591//Homo sapiens chromosome 16, BAC clone 2603 (LANL), complete sequence.//2.9e-87:251:95//AC005774
- 40 R-HEMBA1003595//Homo sapiens DNA sequence from BAC 1216H12 on chromosome 22q12. Contains a pseudogene with similarity to part of mouse Ninein and the KIAA0609 gene for a protein similar to C. elegans K09C8.4. Contains ESTs, GSSs and a gggt repeat polymorphism, complete sequence.//4.5e-52:384:83//AL008715
- R-HEMBA1003597//Homo sapiens DNA sequence from PAC 418A9 on chromosome 6q21. Contains the first (5') two exons of a CDK8 (Cell Division Protein Kinase 8) LIKE gene, a Neutral Calponin LIKE pseudogene, ESTs and STSs, complete sequence.//4.6e-41:442:74//Z84480
- 45 R-HEMBA1003598//Homo sapiens PAC clone DJ0537P09 from 7p11.2-p12, complete sequence.//1.8e-23:177:88//AC005153
- R-HEMBA1003615
- R-HEMBA1003617//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.039:494:57//AC005139
- 50 R-HEMBA100362111*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0052I22; HTGS phase 1, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.3e-26:309:75//AC004599
- R-HEMBA1003622//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//7.1e-56:545:75//AC002980
- 55 R-HEMBA1003630//Homo sapiens CC chemokine gene cluster, complete sequence.//2.8e-32:546:68//AF088219
- R-HEMBA1003637//Human BAC clone GS552A01 from 7q21-q22, complete sequence.//8.0e-25:457:68//AC002454
- R-HEMBA1003640//Homo sapiens chromosome X, PAC 671D9, complete sequence.//2.8e-40:280:86//AF031078

EP 1 074 617 A2

R-HEMBA1003645//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 32B1, WORKING DRAFT SEQUENCE.//1.7e-33:297:82//AL023693

R-HEMBA1003646//Plasmodium falciparum MAL3P7, complete sequence.//0.44:319:59//AL034559

5 R-HEMBA1003656//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, complete sequence.//6.9e-36:242:80//AC004382

R-HEMBA1003662//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//8.6e-117:588:96//AC005746

R-HEMBA1003667//Sequence 8 from patent US 5420245.//1.8e-21:170:88//I12222

10 R-HEMBA1003679//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//1.6e-22:180:87//AC005065

R-HEMBA1003680//C. elegans cosmid ZK353.//1.1e-06:270:61//L15313

R-HEMBA1003684//Colias alexandra alexandra cytochrome oxidase subunit I (cox1) gene, mitochondrial gene encoding mitochondrial protein, partial cds.//0.77:171:66//AF044872

15 R-HEMBA1003690//Homo sapiens 12q13.1 PAC RPCI5-1057120 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.6e-104:523:97//AC004466

R-HEMBA1003692//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508I15, WORKING DRAFT SEQUENCE.//1.7e-41:414:77//AL021707

R-HEMBA1003711//Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22, WORKING DRAFT SEQUENCE, 17 unordered pieces.//1.6e-29:304:77//AC000406

20 R-HEMBA1003714

R-HEMBA1003715//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-A-685D8, WORKING DRAFT SEQUENCE, 16 unordered pieces.//1.4e-63:578:77//AC005136

R-HEMBA1003720//Homo sapiens, WORKING DRAFT SEQUENCE, 135 unordered pieces.//2.4e-36:350:78//AC002353

25 R-HEMBA1003725//Homo sapiens chromosome 19, cosmid R31973, complete sequence.//6.3e-42:250:75//AC004699

R-HEMBA1003729//RPCI11-22D14.TV RPCI-11 Homo sapiens genomic clone RPCI-11-22D14, genomic survey sequence.//1.0:234:62//B86158

30 R-HEMBA1003733//Human DNA sequence from clone 396D17 on chromosome 1p33-35.3 Contains EST, STS, GSS, complete sequence.//7.7e-80:558:83//AL008634

R-HEMBA1003742//HS_3080_B2_H06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3080 Col=12 Row=P, genomic survey sequence.//3.4e-55:331:91//AQ139179

R-HEMBA1003758//Human DNA sequence from PAC 295C6 on chromosome 1q24. Contains ESTs, CA repeat, STS and CpG island.//4.5e-59:521:75//Z97876

35 R-HEMBA1003760

R-HEMBA1003773//Mus musculus signal recognition particle receptor beta subunit mRNA, complete cds.//2.6e-72:467:86//U17343

R-HEMBA1003783//Mus musculus bromodomain-containing protein BP75 mRNA, complete cds.//1.0e-77:557:81//AF084259

40 R-HEMBA1003784

R-HEMBA1003799//Homo sapiens PAC clone DJ1032B10 from 7p15.3-p21, complete sequence.//2.1 e-49:390:72//AC004455

R-HEMBA1003803

45 R-HEMBA1003804//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//9.4e-99:359:99//AC004596

R-HEMBA1003805//Human DNA sequence from clone 51J12 on chromosome 6q26-27. Contains the 3' part of the alternatively spliced gene for the human orthologs of mouse QKI-7 and QKI-7B (KH Domain RNA Binding proteins) and zebrafish ZKQ-1 (Quaking protein homolog). Contains ESTs, STSs and GSSs, complete sequence.//8.0e-113:567:96//AL031781

50 R-HEMBA1003807//Bovine dinucleotide microsatellite HUII77.//5.4e-18:194:78//M96348

R-HEMBA1003836//Human DNA from overlapping chromosome 19 cosmids R31396, F2545L and R31076 containing COX6B and UPKA, genomic sequence, complete sequence.//3.4e-40:256:85//AC002115

R-HEMBA1003838//CIT-HSP-2380F18.TF CIT-HSP Homo sapiens genomic clone 2380F18, genomic survey sequence.//9.7e-25:150:96//AQ196624

55 R-HEMBA1003856//Human DNA sequence from clone 272E8 on chromosome Xp22.13-22.31. Contains a pseudogene similar to MDM2-Like P53-binding protein gene. Contains STSs, GSSs and a CA repeat polymorphism, complete sequence.//4.8e-33:486:68//Z93929

R-HEMBA1003864//, complete sequence.//4.4e-100:531:94//AC005300

R-HEMBA1003866//HS_3203_B2_C01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3203 Col=2 Row=F, genomic survey sequence.//2.6e-05:206:64//AQ180298
R-HEMBA1003879//Homo sapiens chromosome 10 clone CIT987SK-1119P3 map 10q25.1, WORKING DRAFT SEQUENCE, 1 ordered pieces.//4.7e-17:170:79//U82207
5 R-HEMBA1003880//Homo sapiens genomic DNA, chromosome 21q11.1, segment 7/28, WORKING DRAFT SEQUENCE.//7.8e-103:526:96//AP000036
R-HEMBA1003885//Human apolipoprotein apoC-IV (APOC4) gene, complete cds.//3.5e-45:299:87//U32576
R-HEMBA1003893//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1137F22, WORKING DRAFT SEQUENCE.//1.1e-41:386:77//AL034421
10 R-HEMBA1003902//HS_3031_B2_E07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3031 Col=14 Row=J, genomic survey sequence.//5.3e-50:293:93//AQ165549
R-HEMBA1003908//CIT-HSP-2367K7.TR CIT-HSP Homo sapiens genomic clone 2367K7, genomic survey sequence.//1.2e-32:220:92//AQ076795
R-HEMBA1003926//Homo sapiens chromosome 5, BAC clone 194j18 (LBNL H158), complete sequence.//3.1e-58:294:85//AC005368
15 R-HEMBA1003937//Homo sapiens chromosome 3 subtelomeric region.//8.0e-111:590:93//AF109718
R-HEMBA1003939
R-HEMBA1003942//Homo sapiens clone DJ0828F13, complete sequence.//2.2e-08:474:58//AC004904
R-HEMBA1003950//Plasmodium vivax from Brazil cytochrome b (cytb) gene, mitochondrial gene encoding mitochondrial protein, partial cds.//0.034:258:62//AF069619
20 R-HEMBA1003953//Plasmodium falciparum MAL3P8, complete sequence.//0.096:492:57//AL034560
R-HEMBA1003958//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 64K7, WORKING DRAFT SEQUENCE.//7.3e-40:382:78//AL031668
R-HEMBA1003959//Amaranthus hypochondriacus betaine aldehyde dehydrogenase (ahybadh4) gene, complete cds.//0.11:428:60//AF000132
25 R-HEMBA1003976//Homo sapiens PAC clone DJ0724E13 from 7p11.2-p12, complete sequence.//1.0:222:62//AC004414
R-HEMBA1003978//Sequence 31 from patent US 5708157.//1.9e-14:159:77//I80060
R-HEMBA1003985//Homo sapiens 12p13.3 PAC RPCI5-927J10 (Roswell Park Cancer Institute Human PAC library) complete sequence.//5.6e-14:136:83//AC004804
30 R-HEMBA1003987//Human chromosome 12p13 sequence, complete sequence.//3.2e-26:268:79//U47924
R-HEMBA1003989//RPCI11-52K22.TJ RPCI11 Homo sapiens genomic clone R-52K22, genomic survey sequence.//2.2e-86:443:95//AQ052484
R-HEMBA1004000
35 R-HEMBA1004011
R-HEMBA1004012//Homo sapiens chromosome 17, clone hRPK.63_A_1, complete sequence.//4.7e-38:284:85//AC005670
R-HEMBA1004015//Human DNA sequence from clone 931E15 on chromosome Xq25. Contains STSs, GSSs and genomic marker DXS8098, complete sequence.//0.48:460:58//AL023575
40 R-HEMBA1004024//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18 unordered pieces.//2.5e-21:159:80//AC005081
R-HEMBA1004038//Homo sapiens Xq28 BAC RPCI11-382P7 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//7.9e-10:231:66//AC006054
R-HEMBA1004042//Homo sapiens clone DJ0968I16, complete sequence.//0.00071:263:68//AC006016
45 R-HEMBA1004045//Homo sapiens PAC clone DJ0074M20 from X, complete sequence.//8.8e-23:196:69//AC006143
R-HEMBA1004048//CIT-HSP-2288N20.TF CIT-HSP Homo sapiens genomic clone 2288N20, genomic survey sequence.//0.013:162:67//AQ007283
R-HEMBA1004049//Human hsp 70 gene 3' region for 70 kDa heat shock protein.//7.7e-30:176:96//X04677
50 R-HEMBA1004055//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//8.4e-05:395:63//AC005504
R-HEMBA1004056//Homo sapiens clone DJ0847008, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.5e-61:551:77//AC005484
R-HEMBA1004074//Homo sapiens clone DJ1032D07, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.98:275:63//AC004952
55 R-HEMBA1004086//Sequence 65 from patent US 5691147.//2.8e-54:313:92//I76237
R-HEMBA1004097//Mus musculus putative transcription factor mRNA, complete cds.//1.8e-11:323:63//AF091234
R-HEMBA1004131//Human mRNA for KIAA0128 gene, partial cds.//9.3e-42:534:69//D50918

EP 1 074 617 A2

R-HEMBA1004132//Homo sapiens chromosome 17, clone hCIT.211_P_7, complete sequence.//6.0e-49:491:76//AC003665

R-HEMBA1004133//HS_3229_B2_E09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3229 Col=18 Row=J, genomic survey sequence.//1.1e-72:374:97//AQ192003

5 R-HEMBA1004138//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 417M14, WORKING DRAFT SEQUENCE.//3.1e-09:277:66//AL024498

R-HEMBA1004143//Plasmodium falciparum MAL3P4, complete sequence.//0.53:239:61//AL008970

R-HEMBA1004146//Homo sapiens clone DJ0038110, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.0e-35:165:88//AC004820

10 R-HEMBA1004150//CITBI-E1-251712.TR CITBI-E1 Homo sapiens genomic clone 251712, genomic survey sequence.//0.56:379:59//AQ277616

R-HEMBA1004164//Human BAC clone GS200K05 from 7q21-q22, complete sequence.//4.6e-49:448:77//AC002429

R-HEMBA1004168//Homo sapiens geminin mRNA, complete cds.//2.4e-110:563:96//AF067855

15 R-HEMBA1004199//S.pombe chromosome I cosmid c8A4.//0.73:187:64//Z66569

R-HEMBA1004200//Homo sapiens Xp22 BAC GSHB-184P14 (Genome Systems Human BAC library) complete sequence.//6.3e-30:293:77//AC004552

R-HEMBA1004202//rah=ras-related homolog [mice, HT4 neural cell line, mRNA, 993 nt].//3.0e-64:517:80//S72304

R-HEMBA1004203//Homo sapiens clone NH0313P13, WORKING DRAFT SEQUENCE, 15 unordered pieces.//1.0e-97:303:98//AC005488

20 R-HEMBA1004207//Homo sapiens leptin receptor short form (db) mRNA, complete cds.//3.6e-116:573:97//U50748

R-HEMBA1004225//Drosophila melanogaster mitochondrial DNA with 12 tRNAs and 7 genes.//5.4e-11:493:60//M37275

25 R-HEMBA1004227//Rattus norvegicus protein phosphatase 2C mRNA, complete cds.//6.1e-76:443:86//AF095927

R-HEMBA1004238//Homo sapiens chromosome 19, cosmid R28341, complete sequence.//1.1e-42:330:83//AC005763

R-HEMBA1004241

30 R-HEMBA1004246//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 4/15, WORKING DRAFT SEQUENCE.//1.1e-45:288:85//AP000011

R-HEMBA1004248//Homo sapiens PAC clone DJ0828B12 from 7q11.23-q21.1, complete sequence.//5.2e-09:516:61//AC004903

R-HEMBA1004264

35 R-HEMBA1004267//HS_2255_A2_H12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2255 Col=24 Row=O, genomic survey sequence.//8.6e-59:318:95//AQ068854

R-HEMBA1004272//Homo sapiens 12p13.3 PAC RPCIS-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.1e-113:576:96//AC005831

R-nnnnnnnnnnnnn//Homo sapiens clone 617 unknown mRNA, complete sequence.//4.4e-110:553:96//AF091081

40 R-HEMBA1004276

R-HEMBA1004286//Homo sapiens TGF beta receptor associated protein-1 mRNA, complete cds.//1.9e-106:538:97//AF022795

R-HEMBA1004289//RPCI11-74010.TJ RPCI11 Homo sapiens genomic clone R-74O10, genomic survey sequence.//2.3e-37:248:76//AQ266668

45 R-HEMBA1004295//Baboon apolipoprotein A-VI mRNA, 3' end.//0.0016:273:64//L13174

R-HEMBA1004306//HS_3175_B2_F01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3175 Col=2 Row=L, genomic survey sequence.//1.6e-28:190:77//AQ169206

R-HEMBA1004312//Human BAC clone RG119P24 from 7q31, complete sequence.//6.3e-36:267:82//AC003088

R-HEMBA1004321//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC 10155, WORKING DRAFT SEQUENCE.//4.1e-111:576:95//AJ009611

50 R-HEMBA1004323//CIT-HSP-2374C8.TR CIT-HSP Homo sapiens genomic clone 2374C8, genomic survey sequence.//2.7e-42:136:91//AQ114933

R-HEMBA1004327//CIT-HSP-2303L24.TF CIT-HSP Homo sapiens genomic clone 2303L24, genomic survey sequence.//1.0:78:67//AQ017600

55 R-HEMBA1004330//Homo sapiens clone DJ1173120, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.3e-119:580:98//AC004987

R-HEMBA1004334//Pimpinella brachycarpa Phybl mRNA, complete cds.//3.3e-14:238:69//AF082024

R-HEMBA1004335//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-116A10, complete sequence.//1.8e-

- 21:291:71//AC004638
 R-HEMBA1004341
 R-HEMBA1004353//Homo sapiens mRNA for c-myc binding protein, complete cds.//4.1e-74:444:90//D89667
 R-HEMBA1004354//Human DNA from overlapping chromosome 19-specific cosmids R29515 and R28253, ge-
 5 nomic sequence, complete sequence.//7.0e-38:287:82//AC003002
 R-HEMBA1004356//Sequence 2 from patent US 5652144.//3.7e-108:588:92//I58611
 R-HEMBA1004366//WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.8e-14:446:63//AC005949
 R-HEMBA1004372//CIT-HSP-2005C13.TF CIT-HSP Homo sapiens genomic clone 2005C13, genomic survey se-
 quence.//0.010:334:61//B55811
 10 R-HEMBA1004389//Homo sapiens full-length insert cDNA clone ZE09A11.//1.5e-19:170:83//AF086540
 R-HEMBA1004394//Human (D21S198) DNA segment containing (TG)23 repeat.//1.0:50:84//X58124
 R-HEMBA1004396//Homo sapiens chromosome 4 clone B240N9 map 4q25, complete sequence.//8.2e-34:459:
 69//AC004057
 R-HEMBA1004405//Homo sapiens BAC clone GS589P19 from 7p13-p14, complete sequence.//2.8e-42:314:84//
 15 AC005030
 R-HEMBA1004408
 R-HEMBA1004429//M.musculus of DNA encoding DNA-binding protein.//1.6e-66:449:82//Z54200
 R-HEMBA1004433//Homo sapiens chromosome 21q22.3, PAC clones 314N7, 225L15, BAC clone 7B7, complete
 sequence bases 1..333303.//7.2e-32:460:68//AJ011930
 20 R-HEMBA1004460//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21 unordered pieces.//
 3.9e-113:581:96//AC004846
 R-HEMBA1004461//HS_3244_A2_F12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3244 Col=24 Row=K, genomic survey sequence.//8.0e-83:397:99//AQ220876
 R-HEMBA1004479//Homo sapiens PAC clone DJ0942I16 from 7q11, complete sequence.//1.7e-40:485:70//
 25 AC006012
 R-HEMBA1004482//Plasmodium falciparum chromosome 2, section 7 of 73 of the complete sequence.//2.2e-11:
 513:59//AE001370
 R-HEMBA1004502//Homo sapiens chromosome 17, clone hRPK.372_K_20, complete sequence.//2.0e-08:245 :
 66//AC005951
 30 R-HEMBA1004506//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34606, WORKING
 DRAFT SEQUENCE.//4.2e-81:582:83//Z84487
 R-HEMBA1004507//Caenorhabditis elegans cosmid C40C9, complete sequence.//0.56:235:64//Z70266
 R-HEMBA1004509
 R-HEMBA1004534//Sequence 58 from patent US 5691147.//1.9e-61:430:83//I76230
 35 R-HEMBA1004538//HS_3189_B2_C03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3189 Col=6 Row=F, genomic survey sequence.//6.1e-21:140:92//AQ170330
 R-HEMBA1004554//CIT-HSP-712K9.TP CIT-HSP Homo sapiens genomic clone 712K9, genomic survey se-
 quence.//1.7e-16:116:93//B73329
 R-HEMBA1004560//Human mRNA for KIAA0281 gene, complete cds.//2.2e-14:213:71//D87457
 40 R-HEMBA1004573
 R-HEMBA1004577//Human DNA sequence from cosmid L247F6, Huntington's Disease Region, chromosome
 4p16.3 contains protein similar to Mouse SH3 binding protein 3BP2, multiple ESTs and a CpG island.//1.0:352:
 60//Z68279
 R-HEMBA1004586
 45 R-nnnnnnnnnnnn//Plasmodium falciparum MAL3P6, complete sequence.//0.0012:359:60//Z98551
 R-HEMBA1004610//S.pombe chromosome II cosmid c354.//0.0011:362:62//AL022071
 R-HEMBA1004617//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501.//1.4e-50:327:85//
 AB007970
 R-HEMBA1004629//Homo sapiens Xp22 bins 16-17 BAC GSHB-531117 (Genome Systems Human BAC Library)
 50 complete sequence.//4.4e-13:527:63//AC004805
 R-HEMBA1004631//Rattus norvegicus Nclone10 mRNA.//2.9e-24:364:71//U31866
 R-HEMBA1004632
 R-HEMBA1004637//Homo sapiens clone DJ0982E09, WORKING DRAFT SEQUENCE, 3 unordered pieces.//
 7.7e-117:573:98//AC005534
 55 R-HEMBA1004638//H.sapiens mRNA for DGCR2.//3.8e-19:118:99//X84076
 R-HEMBA1004666//Arabidopsis thaliana chromosome II BAC T4E14 genomic sequence, complete sequence.//
 0.00013:501:58//AC005171
 R-HEMBA1004669//Human DNA sequence from clone 465N24 on chromosome 1p35.1-36.13. Contains two novel

genes, ESTs, GSSs and CpG islands, complete sequence.//1.5e-120:571:98//AL031432
 R-HEMBA1004670//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 222E13, WORKING
 DRAFT SEQUENCE.//4.4e-12:110:88//Z93241
 R-HEMBA1004672//Human DNA sequence from PAC 308I13 on chromosome 1p35-1p36.3.//3.4e-38:324:81//
 5 Z99291
 R-HEMBA1004693//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MPO12, complete sequence.//
 0.86:309:57//AB006702
 R-HEMBA1004697//T33B22TF TAMU Arabidopsis thaliana genomic clone T33B22, genomic survey sequence.//
 0.29:331:61//B97342
 10 R-HEMBA1004705//Plasmodium falciparum MAL3P7, complete sequence.//0.051:424:58//AL034559
 R-HEMBA1004709//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-116A10, complete sequence.//1.7e-
 49:497:76//AC004638
 R-HEMBA1004711//Homo sapiens chromosome 17, clone hRPK.271_K_11, complete sequence.//1.6e-38:362:
 79//AC005562
 15 R-HEMBA1004725
 R-HEMBA1004730//Homo sapiens Chromosome 17p13 Cosmid Clone cos26, complete sequence.//1.1e-58:489:
 79//AC002085
 R-HEMBA1004733
 R-HEMBA1004734//Human DNA sequence from clone 273N12 on chromosome 6q16.1-16.3. Contains the gene
 20 for the N-Oct5a (N-Oct3, N-Oct5b) POU domain proteins and an unknown gene. Contains a putative CpG island,
 ESTs, STS; and GSSs, complete sequence.//0.0030:362:61//AL022395
 R-HEMBA1004736//Homo sapiens clone DJ0981O07, complete sequence.//1.9e-58:282:87//AC006017
 R-HEMBA1004748//Homo sapiens PAC clone DJ1059M17 from 7q21-q31.1, complete sequence.//3.6e-34:287:
 81//AC004953
 25 R-HEMBA1004751//Human DNA sequence from PAC 507I15 on chromosome Xq26.3-27.3. Contains 60S ribos-
 omal protein L44 (L41, L36) like gene, ESTs, STSs and a polymorphic CA repeat.//5.3e-40:266:89//Z98950
 R-HEMBA1004752//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 495010, WORKING
 DRAFT SEQUENCE.//3.3e-39:281:85//AL031121
 R-HEMBA1004753//Homo sapiens ribosomal protein S20 (RPS20) mRNA, complete cds.//2.6e-65:475:84//
 30 L06498
 R-HEMBA1004756//Homo sapiens DNA sequence from PAC 86C11 on chromosome 6p21.31-22.1. Contains his-
 tone genes H2A/1, H2B.1A, H4, H2A.1b, H3 pseudogene, pheromone receptor pseudogene, ESTs, STS and CpG
 island.//1.8e-08:516:59//AL021807
 R-HEMBA1004758//Homo sapiens chromosome 4 clone B240N9 map 4q25, complete sequence.//5.1e-45:577:
 35 72//AC004057
 R-HEMBA1004763
 R-HEMBA1004768//Human DNA sequence from clone 395P12 on chromosome 1q24-25. Contains the TXGP1
 gene for tax-transcriptionally activated glycoprotein 1 (34kD) (OX40 ligand, OX40L) and a GOT2 (Aspartate Ami-
 notransferase, mitochondrial precursor, EC 2.6.1.1, Transaminase A, Glutamate Oxaloacetate Transaminase-2)
 40 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//4.1e-60:435:78//AL022310
 R-HEMBA1004770//Plasmodium falciparum chromosome 2, section 8 of 73 of the complete sequence.//8.7e-05:
 476:61//AE001371
 R-HEMBA1004771//Homo sapiens Xp22 Cosmid U152D7 (Lawrence Livermore human cosmid library) complete
 sequence.//5.0e-08:113:80//AC003047
 45 R-HEMBA1004776
 R-HEMBA1004778//***ALU WARNING: Human Alu-J subfamily consensus sequence.//1.1e-35:288:84//U14567
 R-nnnnnnnnnnnn/HS_3192_B1_F09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic
 clone Plate=3192 Col=17 Row=L, genomic survey sequence.//1.9e-44:233:98//AQ155855
 R-HEMBA1004803//Homo sapiens minisatellite ms31 repeat region.//3.0e-67:318:87//AF048728
 50 R-HEMBA1004806
 R-HEMBA1004807//Homo sapiens clone GS166C05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.6e-
 20:333:69//AC005015
 R-HEMBA1004816//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE
 LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs.
 55 Contains polymorphic CA repeat.//6.3e-13:148:77//Z92545
 R-HEMBA1004820//Human arginine-rich nuclear protein mRNA, complete cds.//1.5e-12:141:85//M74002
 R-HEMBA1004847//Canine mRNA for 68kDA subunit of signal recognition particle (SRP68).//7.6e-80:297:85//
 X53744

- R-HEMBA1004850
 R-HEMBA1004863//Human DNA sequence from PAC 345P10 on chromosome 22q12-qter contains ESTs and STS and polymorphic CA repeat D22S927.//2.0e-14:159:79//Z82201
 R-HEMBA1004864
- 5 R-HEMBA1004865//Homo sapiens Xp22-149 BAC RPC111-466O4 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//0.90:76:76//AC005297
 R-HEMBA1004880//Homo sapiens clone DJ0309D19, WORKING DRAFT SEQUENCE, 12 unordered pieces.//1.9e-49:551:73//AC004826
- 10 R-HEMBA1004889//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 223B1, WORKING DRAFT SEQUENCE.//0.0021:189:65//AL031943
 R-HEMBA1004900//Homo sapiens chromosome 17, clone hRPK.180_P_8, complete sequence.//6.6e-11:144:7711AC005972
 R-HEMBA1004909//Human DNA sequence from clone 505B13 on chromosome 1p36.2-36.3 Contains CA repeat and GSSs, complete sequence.//7.6e-46:341:83//Z98052
- 15 R-HEMBA1004918//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 994L9, WORKING DRAFT SEQUENCE.//1.6e-54:301:89//AL034554
 R-HEMBA1004923//Homo sapiens 47kB DNA fragment from Xq28, proximal to MTM1 gene.//2.0e-07:182:69//Y15994
 R-HEMBA1004929
- 20 R-HEMBA1004930//Homo sapient chromosome 11 clone CIT987SK-1012F4, WORKING DRAFT SEQUENCE, 6 unordered pieces.//7.7e-66:547:79//AC005848
 R-HEMBA1004933//H.sapiens Humig mRNA.//0.13:233:62//X72755
 R-HEMBA1004934//CIT-HSP-2021I16.TF CIT-HSP Homo sapiens genomic-clone 2021I16, genomic survey sequence.//0.66:268:62//B65345
- 25 R-HEMBA1004944//CIT-HSP-2281L12.TR CIT-HSP Homo sapiens genomic clone 2281L12, genomic survey sequence.//3.8e-20:104:82//B99849
 R-HEMBA1004954//Homo sapiens chromosome 17, clone hRPK.146_P_2, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.00082:385:60//AC005341
 R-HEMBA1004956//CIT-HSP-2305H22.TF CIT-HSP Homo sapiens genomic clone 2305H22, genomic survey sequence.//1.6e-84:411:99//AQ020408
- 30 R-HEMBA1004960//Human DNA sequence from PAC 358H7 on chromosome X.//3.3e-22:249:74//Z77249
 R-HEMBA1004972//nbxb0003aF01f CUGI Rice BAC Library Oryza sativa genomic clone nbxb0003K01f, genomic survey sequence.//0.52:171:64//AQ049982
 R-HEMBA1004973//*** SEQUENCING IN PROGRESS *** EPM1/APECED region of chromosome 21, clones A68E8, B127P21, B173L3, B23N8, C1242C9, C579E2, A70B6, B159G9, B175D10, B52C10, C124G1 Note: Sequencing in this region has been discontinued by the Stanford Human Genome Center, WORKING DRAFT SEQUENCE, 50 unordered pieces.//0.69:179:64//AC003656
- 35 R-HEMBA1004977//Caenorhabditis elegans cosmid F08G2, complete sequence.//7.6e-07:492:58//Z81495
 R-HEMBA1004978//Human DNA sequence from clone 522P13 on chromosome 6p21.31-22.3. Contains a 60S Ribosomal Protein L21 pseudogene and an HNRNP A3 (Heterogenous Nuclear Riboprotein A3, FBRNP) pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//0.20:427:60//AL024509
 R-HEMBA1004980//CIT-HSP-2379K5.TF CIT-HSP Homo sapiens genomic clone 2379K5, genomic survey sequence.//1.6e-53:331:88//AQ108614
- 40 R-HEMBA1004983//Genomic sequence from Human 17, complete sequence.//0.00061:473:58//AC000389
 R-HEMBA1004995//Homo sapiens chromosome 16, cosmid clone 306E5 (LANL), complete sequence.//1.6e-90:527:89//AC004224
 R-HEMBA10050087//Human DNA sequence from clone 461P17 on chromosome 20q12-13.2. Contains four novel (pseudo)genes for proteins with Kunitz/Bovine pancreatic trypsin inhibitor and/or WAP-type (Whey Acidic Protein) 'four-disulfide core' domains, COX6C (Cytochrome C Oxidase Polypeptide VIC, EC 1.9.3.1) and RPL5 (60S Ribosomal Protein L5) pseudogenes, a pseudogene similar to part of the HSPD1 (HSP60, Mitochondrial Matrix Protein P1 precursor, Heat Shock Protein 60, GROEL protein, HUCHA60) gene, and the Major Epididymis-specific protein E4 precursor (HE4, Epididymis Secretory protein E4, WAP-type (Whey Acidic Protein) 'four-disulfide core' domain) gene. Contains ESTs, an STS, GSSs and a putative CpG island, complete sequence.//5.4e-65:357:83//AL031663
- 50 R-HEMBA1005009//Homo sapiens BAF53a (BAF53a) mRNA, complete cds.//5.6e-107:550:96//AF041474
 R-HEMBA1005019//Homo sapiens mRNA for KIAA0648 protein, partial cds.//6.3e-104:542:94//AB014548
 R-HEMBA1005029//Homo sapiens DNA sequence from PAC 97D16 on chromosome 6p21.3-22.2. Contains an unknown pseudogene, a 60S Ribosomal protein L24 (L30) LIKE pseudogene and histone genes H2BFC (H2B/c),
- 55

H4FFP (H4f pseudogene), H2AFC (H2A/c), H3F1K (H3.1/k) and a tRNA-Val pseudogene and tRNA-Thr gene. Contains ESTs, STSs, GSSs and genomic marker D6S464, complete sequence.//3.1e-67:493:83//AL009179
 R-HEMBA1005035//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//7.4e-101:537:94//AC004596

5 R-HEMBA1005039//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//9.5e-30:446:68//AL031650
 R-HEMBA1005047//Mus musculus mRNA for Rab24 protein.//1.4e-34:229:88//Z22819
 R-HEMBA1005050//Human Chromosome X PAC RPC11-290C9 from the Pieter de Jong Human PAC library; complete sequence.//4.0e-43:371:80//AC002404

10 R-HEMBA1005062//Homo sapiens chromosome 17, clone hCIT.186_H_2, complete sequence.//2.3e-15:269:66//AC004675
 R-HEMBA1005066//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//4.0e-30:305:74//AC006030
 R-HEMBA1005075

15 R-HEMBA1005079//Homo sapiens clone HS 19.11 Alu-Ya5 sequence.//6.5e-48:245:91//AF015156
 R-HEMBA1005083//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING DRAFT SEQUENCE.//1.3e-15:142:83//AL034423
 R-HEMBA1005101//Homo sapiens SYT interacting protein SIP mRNA, complete cds.//5.3e-110:545:96//AF080561

20 R-HEMBA1005113//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y53C10, WORKING DRAFT SEQUENCE.//0.026:252:64//Z93340
 R-HEMBA1005123//Homo sapiens DNA sequence from clone 78F24 on chromosome 22q12.1-12.3. Contains one exon of an Oxysterol-binding protein (OSBP) LIKE gene. Contains GSSs and an STS, complete sequence.//7.1e-55:306:82//AL022336

25 R-HEMBA1005133//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING DRAFT SEQUENCE.//6.4e-45:309:87//AL022345
 R-HEMBA1005149//Human cosmid LL12NC01-95H4, ETV6 gene, exon 2 and partial cds.//3.2e-31:310:76//U81834
 R-HEMBA1005152//Homo sapiens DNA sequence from PAC 13D10 on chromosome 6p22.3-23. Contains CpG island.//1.4e-33:361:79//AL021407

30 R-HEMBA1005159//Human DNA sequence from clone 163016 on chromosome 1p35.1-36.13 Contains CA repeat, STS, complete sequence.//2.7e-22:440:66//AL031279
 R-HEMBA1005185//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y105E8, WORKING DRAFT SEQUENCE.//0.0017:381:58//AL022594

35 R-HEMBA1005201//P.falciparum complete gene map of plastid-like DNA (IR-B).//8.5e-05:457:57//X95276
 R-HEMBA1005202//Human 18S ribosomal RNA.//4.7e-38:236:91//X03205
 R-HEMBA1005219
 R-HEMBA1005223//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//1.0:209:65//AC004854

40 R-HEMBA1005232//Homo-sapiens chromosome Y, clone 264,M,20, complete sequence.//0.0040:439:58//AC004617
 R-HEMBA1005241//Homo sapiens PAC clone DJ0777023 from 7p14-p15, complete sequence.//4.2e-111:568:96//AC005154
 R-HEMBA1005244//HS_3092_B2_C11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3092 Col=22 Row=F, genomic survey sequence.//4.9e-12:116:84//AQ127947

45 R-HEMBA1005251//Homo sapiens PAC clone DJ1182N03 from 7q11.23-q21.1, complete sequence.//3.2e-27:210:84//AC004548
 R-HEMBA1005252//Homo sapiens chromosome 17, clone hRPK.318_A_15, complete sequence.//4.6e-105:437:97//AC005837

50 R-HEMBA1005274//Slime mold mitochondrial DNA, binding region to the membrane system.//0.011:339:59//D86630
 R-HEMBA1005275//Homo sapiens PAC clone DJ0886O08 from 7q32-q35, complete sequence.//3.4e-17:269:71//AC004914
 R-HEMBA1005293//Human DNA sequence from PAC 130N4, BRCA2 gene region chromosome 13q12-13 contains xs7 mRNA, ESTs.//6.9e-20:193:73//Z75887

55 R-HEMBA1005296//HS_3037_B1_D01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3037 Col=1 Row=H, genomic survey sequence.//0.26:184:64//AQ117120
 R-HEMBA1005304//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7 unordered pieces.//

1.5e-58:445:78//AC006146

R-HEMBA1005311//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 796E4, WORKING DRAFT SEQUENCE.//9.3e-42:383:78//AL022337

R-HEMBA1005314//Caenorhabditis elegans cosmid F23H11.//0.80:179:65//AF003389

R-HEMBA1005315//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//2.4e-40:409:71//AC006030

R-HEMBA1005318//S.pombe chromosome I cosmid c2E11.//0.97:370:61//AL031181

R-HEMBA1005331//Homo sapiens chromosome 17, clone hRPK.214_C_8, complete sequence.//1.9e-112:577:95//AC005803

R-HEMBA1005353//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 429E7, WORKING DRAFT SEQUENCE.//8.9e-80:406:97//AL031722

R-HEMBA1005359//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//3.2e-50:320:84//AC005412

R-HEMBA1005367//RPC11-85E23.TV RPC11 Homo sapiens genomic clone R-85E23, genomic survey sequence.//0.39:148:67//AQ281915

R-HEMBA1005372//Homo sapiens full-length insert cDNA YH93B03.//2.6e-108:557:95//AF074997

R-HEMBA1005374//Homo sapiens full-length insert cDNA clone ZA95D11.//1.9e-110:531:98//AF086142

R-HEMBA1005389//Human DNA sequence from clone 245G19 on chromosome Xp22.11-22.2 Contains serine-threonine kinase (Txp3) gene, a pseudogene similar to ALPHA-1 PROTEIN ((CONNEXIN 43, CX43, GAP JUNCTION 43 KD HEART PROTEIN)), and the 3' end of the RS (X-linked juvenile retinoschisis precursor protein) gene. Contains ESTs, STSs and GSSs, complete sequence.//6.0e-41:432:75//Z92542

R-HEMBA1005394//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 681N20, WORKING DRAFT SEQUENCE.//4.9e-107:585:93//AL031670

R-HEMBA1005403//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//5.1e-118:586:97//AL034379

R-HEMBA1005408//Bos taurus retina membrane guanylate cyclase ROS-GC2 mRNA, complete cds.//1.6e-06:204:68//U95958

R-HEMBA1005410//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 732E4, WORKING DRAFT SEQUENCE.//1.2e-23:452:66//AL008722

R-HEMBA1005411//RPC11-66N19.TK RPC11 Homo sapiens genomic clone R-66N19, genomic survey sequence.//2.2e-38:222:79//AQ237442

R-HEMBA1005423//Homo sapiens cyclin-dependent kinase inhibitor (CDKN2C) mRNA, complete cds.//5.6e-117:453:99//AF041248

R-HEMBA1005426//Human DNA sequence from PAC 448E20 on chromosome Xq26.1 contains ESTs and STS.//0.86:278:60//Z97196

R-HEMBA1005443//Homo sapiens (clone s153) mRNA fragment.//5.4e-46:305:87//L40391

R-HEMBA1005447//Human DNA sequence from clone 48G12 on chromosome Xq27.1-27.3. Contains STSs and GSSs, complete sequence.//3.3e-79:531:86//AL031054

R-HEMBA1005468//Homo sapiens PAC clone DJ0808G16 from 7q11.23-q21, complete sequence.//4.0e-27:469:66//AC004894

R-HEMBA1005469//Homo sapiens chromosome 16, P1 clone 96-4B (LANL), complete sequence.//7.2e-40:410:76//AC005212

R-HEMBA1005472//Human DNA Sequence *** SEQUENCING IN PROGRESS *** from clone 1090E8, WORKING DRAFT SEQUENCE.//3.1e-40:296:85//AL033524

R-HEMBA1005475//HS_2266_B2_C04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2266 Col=8 Row=F, genomic survey sequence.//0.49:209:61//AQ069377

R-HEMBA1005497

R-HEMBA1005500//Homo sapiens PAC clone DJ1093O17 from 7q11.23-q21, complete sequence.//4.5e-116:580:97//AC004957

R-HEMBA1005506//Arabidopsis thaliana BAC T26D22.//0.0050:442:59//AF058826

R-HEMBA1005508//Sigalphus sp. 16S ribosomal RNA gene, partial sequence.//0.020:391:59//AF003509

R-HEMBA1005511//Human DNA sequence from PAC 52D1 on chromosome Xq21. Contains CA repeats, STS.//0.44:195:63//Z96811

R-HEMBA1005517//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//0.44:470:57//L14320

R-HEMBA1005518//M.musculus mRNA for paladin gene.//6.2e-29:183:81//X99384

R-HEMBA1005520//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//7.2e-40:281:86//AC004913

- R-HEMBA1005526//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 341D10, WORKING DRAFT SEQUENCE.//3.9e-40:482:73//Z97985
- R-HEMBA1005528//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//3.8e-84:309:99//AB020860
- 5 R-HEMBA1005530//Homo sapiens PAC clone 946B23 SCA2 region, SP6 end, genomic sequence, genomic survey sequence.//8.1e-25:154:94//U84091
- R-HEMBA1005548//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 970A17, WORKING DRAFT SEQUENCE.//5.3e-105:534:96//AL034431
- 10 R-HEMBA1005552//Homo sapiens PAC clone DJ0807C15 from 7q34-q36, complete sequence.//2.8e-69:432:88//AC004743
- R-HEMBA1005558
- R-HEMBA1005568//Homo sapiens Xp22 GSHB-314C4 (Genome Systems Human BAC library) complete sequence.//5.9e-33:367:74//AC004087
- R-HEMBA1005570//Human DNA sequence from clone 192P9 on chromosome Xp11.23-11.4. Contains a pseudogene similar to rat Plasmolipin, ESTs and GSSs, complete sequence.//2.2e-67:399:91//AL020989
- 15 R-HEMBA1005576//Homo sapiens chromosome 16, BAC clone 97H22 (LANL), complete sequence.//1.0:156:631//AC005737
- R-HEMBA1005577
- R-HEMBA1005581//Homo sapiens mRNA for MEGFS, partial cds.//9.7e-27:561:64//AB011538
- 20 R-HEMBA1005582//Torulopsis glabrata mitochondrial intergenic region ATPase 9 -cytochrome oxidase 2 genes.//2.3e-10:404:62//X02171
- R-HEMBA1005583//HS_3014_B1_D05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3014 Col=9 Row=H, genomic survey sequence.//3.0e-81:442:94//AQ154499
- R-HEMBA1005588//Human DNA sequence from clone 1409 on chromosome Xp11.1-11.4. Contains a Inter-Alpha-Trypsin Inhibitor Heavy Chain LIKE gene, a alternatively spliced Melanoma-Associated Antigen MAGE LIKE gene and a 6-Phosphofructo-2-kinase (Fructose-2,6-bisphosphatase) LIKE pseudogene. Contains ESTs, STSs and genomic marker DXS8032, complete sequence.//1.8e-54:490:77//Z98046
- 25 R-HEMBA1005593//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//2.2e-28:262:79//AC005746
- 30 R-HEMBA1005595//HS_2224_A2_G03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2224 Col=6 Row=M, genomic survey sequence.//3.6e-48:263:95//AQ033446
- R-HEMBA1005606//Human PAC clone DJ0093103 from Xq23, complete sequence.//2.5e-08:355:63//AC003983
- R-HEMBA1005609//HS_2182_B1_H06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2182 Col=11 Row=P, genomic survey sequence.//2.2e-82:400:99//AQ023130
- 35 R-HEMBA1005616//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 124K22, WORKING DRAFT SEQUENCE.//0.80:308:60//AL031176
- R-HEMBA1005621//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 330012, WORKING DRAFT SEQUENCE.//7.4e-76:338:98//AL031731
- R-HEMBA1005627//Homo sapiens full-length insert cDNA clone ZD53D02.//4.5e-72:398:93//AF086321
- 40 R-HEMBA1005631//Homo sapiens PAC clone DJ1086D14, complete sequence.//3.8e-17:548:60//AC004460
- R-HEMBA1005632//Homo sapiens DNA sequence from PAC 168L15 on chromosome 6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS. CpG island, complete sequence.//1.4e-13:172:75//AL022069
- R-HEMBA1005634//RPCI11-13O15.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-13015, genomic survey sequence.//1.0e-28:153:82//B73293
- 45 R-HEMBA1005666//Human DNA sequence from PAC 696H22 on chromosome Xq21.1-21.2. Contains a mouse E25 like gene, a Kinesin like pseudogene and ESTs.//4.5e-51:343:87//AL021786
- R-HEMBA1005670//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 11703, WORKING DRAFT SEQUENCE.//2.5e-33:288:78//AL020995
- R-HEMBA1005679//Human esterase D mRNA, 3'end.//4.2e-49:322:88//M13450
- 50 R-HEMBA1005680//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//3.0e-36:285:83//AC005924
- R-HEMBA1005685//H.sapiens (MAR8) chromosome 19 DNA, 343bp.//0.022:65:86//Z35281
- R-HEMBA1005699//Human putative EPH-related PTK receptor ligand LERK-8 (Eplg8) mRNA, complete cds.//5.4e-46:376:84//U66406
- 55 R-HEMBA1005705//RPCI11-13014.TP RPCI-11 Homo sapiens genomic clone RPCI-11-13014, genomic survey sequence.//0.071:182:59//B76186
- R-HEMBA1005717//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs.

EP 1 074 617 A2

Contains polymorphic CA repeat.//1.0:189:66//Z92545
R-HEMBA1005732//Human Chromosome 11q12 pac pDJ363p2, WORKING DRAFT SEQUENCE, 22 unordered
pieces.//2.1e-47:449:75//AC003023
R-HEMBA1005737
5 R-nnnnnnnnnnn//H.sapiens DNA for repeat unit locus D18S51 (285 bp).//0.11:174:63//X91255
R-HEMBA1005755//Human DNA-sequence from clone 396D17 on chromosome 1p33-35.3 Contains EST, STS,
GSS, complete sequence.//0.15:160:65//AL008634
R-HEMBA1005765//Human Xq28 cosmids U225B5 and U236A12, complete sequence.//5.2e-39:422:74//U71148
R-HEMBA1005780//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 3/15,
10 WORKING DRAFT SEQUENCE.//0.037:261:61//AP000010
R-HEMBA1005813//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING
DRAFT SEQUENCE.//1.7e-26:242:80//AL023808
R-HEMBA1005815//Bufo boreas MVZ 145227 c-mos gene, partial cds.//0.17:199:62//U52805
R-HEMBA1005822//Plasmodium falciparum MAL3P7, complete sequence.//0.26:437:56//AL034559
15 R-HEMBA1005829//Human Cosmid g1572c035, complete sequence.//3.8e-05:366:61//AC000124
R-HEMBA1005834//Human DNA sequence from clone 51J12 on chromosome 6q26-27. Contains the 3' part of
the alternatively spliced gene for the human orthologs of mouse QKI-7 and QKI-7B (KH Domain RNA Binding
proteins) and zebrafish ZKQ-1 (Quaking protein homolog). Contains ESTs, STSs and GSSs, complete sequence.//
8.2e-107:551:96//AL031781
20 R-HEMBA1005852//F.rubripes GSS sequence, clone 163A22aA4, genomic survey sequence.//2.6e-17:225:72//
AL018730
R-HEMBA1005853//Human Chromosome 15 pac pDJ24m8, complete sequence.//1.1e-27:314:75//AC000379
R-HEMBA1005884//Homo sapiens 12p13.3 BAC RPCI3-488H23 (Roswell Park Cancer Institute Human BAC Li-
brary) complete sequence.//2.6e-20:328:67//AC006207
25 R-HEMBA1005891//Homo sapiens PAC clone DJ0997N05 from 7q11.23-q21.1, complete sequence.//2.0e-102:
543:95//AC004945
R-HEMBA1005894
R-HEMBA1005909
R-HEMBA1005911//CIT-HSP-2342E5.TR CIT-HSP Homo sapiens genomic clone 2342E5, genomic survey se-
quence.//0.0012:315:60//AQ058081
30 R-HEMBA1005921//P.chrysogenum mitochondrion genes for tRNA-Arg, tRNA-Asn, tRNA-Tyr, small subunit rRNA,
and ATPase subunit 6.//0.0090:445:58//Z23072
R-HEMBA1005931//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING
DRAFT SEQUENCE.//1.7e-46:351:83//Z98304
35 R-HEMBA1005934//Homo sapiens chromosome 17, clone hRPK.261_A_13, complete sequence.//0.0052:179:
71//AC005138
R-HEMBA1005962//Homo sapiens clone RG012D21, complete sequence.//1.1e-11:149:74//AC005045
R-HEMBA1005963//HS_3055_A1_E08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3055 Col=15 Row=I, genomic survey sequence.//5.4e-79:403:97//AQ147357
40 R-HEMBA1005990//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//6.9e-112:580:95//
AF082516
R-HEMBA1005991//Human DNA sequence from clone 58A9 on chromosome 1q24.1-24.3. Contains STSs, GSSs,
genomic marker D1S210 and a ca repeat polymorphism, complete sequence.//2.6e-39:299:82//AL031285
R-HEMBA1005999//Homo sapiens clone DJ0691F11, WORKING DRAFT SEQUENCE, 11 unordered pieces.//
1.1e-29:260:70//AC004859
45 R-HEMBA1006002//Rattus norvegicus s-nexilin mRNA, complete cds.//6.3e-15:174:78//AF056035
R-HEMBA1006005//Homo sapiens MLL (MLL) gene, exons 1-3, and partial cds.//2.6e-112:574:95//AF036405
R-nnnnnnnnnnn//Homo sapiens mRNA for KIAA0725 protein, partial cds.//7.6e-27:444:67//AB018268
R-HEMBA1006035//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING
50 DRAFT SEQUENCE, 5 unordered pieces.//0.025:373:60//AC005139
R-HEMBA1006036//Homo sapiens Chromosome 16 BAC clone CIT987SK-625P11, complete sequence.//0.0056:
535:59//AC004125
R-HEMBA1006042//HS_2169_A1_B11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2169 Col=21 Row=C, genomic survey sequence.//1.7e-73:390:95//AQ132995
55 R-nnnnnnnnnnn
R-HEMBA1006081
R-HEMBA1006090//HS_2262_A2_A01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2262 Col=2 Row=A, genomic survey sequence.//2.1e-70:360:97//AQ216324

R-HEMBA1006091
R-HEMBA1006100//Homo sapiens DNA sequence from PAC 212G6 on chromosome Xp11.3-p11.4. Contains syn-
apsin 1, brain protein 4.1, properdin, tyrosine kinase (ELK1) oncogene, ESTs, STS, GSS, complete sequence.//
1.6e-36:354:77//AL009172

5 R-HEMBA1006108
R-HEMBA1006121
R-HEMBA1006124//Human DNA sequence from BAC 175E3 on chromosome 22q11.2-qter. Contains ESTs, STSs
and polymorphic CA repeat.//1.3e-12:327:64//Z95113
R-HEMBA1006130//WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.60:326:62//AC005948

10 R-nnnnnnnnnnnn//Homo sapiens chromosome 19, cosmid F16403, complete sequence.//4.3e-52:321:80//
AC005777
R-HEMBA100614211, complete sequence.//1.0e-13:160:78//AC005500
R-HEMBA1006155//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING
DRAFT SEQUENCE, 4 unordered pieces.//0.0013:389:60//AC004688

15 R-HEMBA1006158//Homo sapiens transcription factor forkhead-like 7 (FKHL7) gene, complete cds.//1.4e-119:
574:98//AF048693
R-HEMBA1006173//Mus musculus protein tyrosine phosphatase STEP61 mRNA, complete cds.//4.1e-43:307:86//
U28217
R-HEMBA1006182//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete sequence.//1.7e-30:300:71//
AC004491

20 R-HEMBA1006198//***ALU WARNING: Human Alu-J subfamily consensus sequence.//1.3e-36:284:85//U14567
R-HEMBA1006235//Homo sapiens clone 24422 mRNA sequence.//2.1e-110:545:97//AF070557
R-HEMBA1006248//Homo sapiens mRNA for KIAA0667 protein, partial cds.//0.46:365:58//AB014567
R-HEMBA1006252//Human Chromosome 16 BAC clone CIT987SK-A-972D3, complete sequence.//2.8e-41:438:
25 71//U91323
R-HEMBA1006253//Homo sapiens 45kDa splicing factor mRNA, complete cds.//1.8e-28:179:91//AF083384
R-HEMBA1006259//RPC11-44N14.TJ RPC11 Homo sapiens genomic clone R-44N14, genomic survey se-
quence.//1.5e-48:348:85//AQ203161
R-HEMBA1006268

30 R-HEMBA1006272//Human DNA sequence from clone 1198H6 on chromosome 1p36.11-36.31. Contains two
Melanoma Preferentially Expressed Antigen PRAME LIKE genes. Contains GSSs and ESTs, complete sequence.//
2.8e-73:273:87//AL023753
R-nnnnnnnnnnnn//H.sapiens PAP mRNA.//1.6e-54:585:71//X76770
R-HEMBA1006283//Sequence 7 from patent US 5776683.//9.7e-18:113:98//AR016240

35 R-HEMBA1006284//Homo sapiens chromosome 17, clone hRPC.1028_K_7, complete sequence.//0.97:447:59//
AC004585
R-HEMBA1006291//Homo sapiens full-length insert cDNA clone ZB76B10.//2.9e-94:454:98//AF086161
R-HEMBA1006293//Sequence 8 from patent US 5721351.//8.1e-10:111:72//I89415
R-HEMBA1006309//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2
40 ordered pieces.//8.6e-37:288:84//AC005412
R-HEMBA1006310//Rattus norvegicus cytosolic sorting protein PACS-1a (PACS-1) mRNA, complete cds.//6.5e-
29:132:81//AF076183
R-HEMBA1006328//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 894K16, WORKING
DRAFT SEQUENCE.//3.3e-50:340:75//AL034429

45 R-HEMBA1006334
R-HEMBA1006344//Rattus norvegicus nitzin mRNA, partial cds.//8.7e-22:259:72//AF087945
R-HEMBA1006347//Human prostaticin gene, complete cds.//1.8e-78:170:100//U33446
R-HEMBA1006349//Rat brain calcium channel alpha-1 subunit mRNA, complete cds.//0.00051:120:73//M57682
R-HEMBA1006359//CITBI-E1-2516C16.TR CITBI-E1 Homo sapiens genomic clone 2516C16, genomic survey
50 sequence.//4.7e-74:576:82//AQ277951
R-HEMBA1006364//G.gallus gene for transforming growth factor-beta2, exons 5-7.//2.5e-21:118:85//X59080
R-HEMBA1006377//Homo sapiens chromosome 19, cosmid F23149, complete sequence.//5.7e-68:367:85//
AC005239

55 R-HEMBA1006380//Human BAC clone RG007J15 from 7q31, complete sequence.//6.1e-47:300:83//AC003989
R-HEMBA1006381//Homo sapiens chromosome 5, Bac clone 189 (LBNL H135), complete sequence.//1.5e-47:
336:86//AC005914
R-HEMBA1006398//Homo sapiens chromosome 5, BAC clone 203o13 (LBNL H155), complete sequence.//1.5e-
67:501:83//AC005609

- R-HEMBA1006416//Homo sapiens chromosome 17, clone 347_H_5, complete sequence.//4.4e-37:319:76//AC002119
- R-HEMBA1006419//Homo sapiens chromosome 17, clone HCIT542B22, complete sequence.//2.9e-50:502:75//AC004253
- 5 R-HEMBA1006421//Homo sapiens chromosome 14q24.3 clone BAC270M14 transforming growth factor-beta 3 (TGF-beta 3) gene, complete cds; and unknown genes.//4.1e-116:572:97//AF107885
- R-HEMBA1006424//Human DNA sequence from clone 51J12 on chromosome 6q26-27. Contains the 3' part of the alternatively spliced gene for the human orthologs of mouse QKI-7 and QKI-7B (KH Domain RNA Binding proteins) and zebrafish ZKQ-1 (Quaking protein homolog). Contains ESTs, STSs and GSSs, complete sequence.//9.4e-117:578:97//AL031781
- 10 R-HEMBA1006426//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 291J10, WORKING DRAFT SEQUENCE.//2.2e-08:353:63//Z93017
- R-HEMBA1006438//HS_2008_A1_D04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2008 Col=7 Row=G, genomic survey sequence.//1.2e-29:194:91//AQ245162
- 15 R-HEMBA1006445//Homo sapiens clone RG219E16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.011:330:60//AC005075
- R-HEMBA1006446//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//0.032:256:61//AE001398
- R-HEMBA1006461//Homo sapiens Xp22 Cosmids U15E4, U115H5, U132E12, U115B9 (Lawrence Livermore human cosmid library) complete sequence.//5.6e-35:229:77//AC002364
- 20 R-HEMBA1006467//Homo sapiens Chromosome 9p22 Cosmid clone 34a5, complete sequence.//11.1e-14:354:63//AC002052
- R-HEMBA1006471
- R-HEMBA1006474//p40, p24 [Borna disease virus BDV, WT-1, Halle B1/91, horse brain, field isolate, Genomic RNA, 1138 nt, segment 1 of 3].//1.1e-14:442:60//S67502
- 25 R-HEMBA1006483//Human chromosome 16p13.1 BAC clone CIT987SK-551G9 complete sequence.//3.7e-37:290:82//U95742
- R-HEMBA1006485//H.sapiens mRNA for aminopeptidase.//7.6e-91:517:91//Y07701
- R-HEMBA1006486//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.1e-33:289:81//AC005089
- 30 R-HEMBA1006489//Human DNA sequence from clone 192P9 on chromosome Xp11.23-11.4. Contains a pseudogene similar to rat Plasmolipin, ESTs and GSSs, complete sequence.//6.0e-07:485:60//AL020989
- R-HEMBA1006492//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//4.3e-112:572:95//AC005828
- 35 R-HEMBA1006494//Homo sapiens chromosome 17, clone HRPC987K16, complete sequence.//2.3e-10:186:67//AC002994
- R-HEMBA1006497//RPCI11-16L10.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-16L10, genomic survey sequence.//1.5e-10:75:100//B88015
- R-HEMBA1006502//Human DNA sequence from clone 272E8 on chromosome Xp22.13-22.31. Contains a pseudogene similar to MDM2-Like P53-binding protein gene. Contains STSs, GSSs and a CA repeat polymorphism, complete sequence.//3.3e-36:516:70//Z93929
- 40 R-HEMBA1006507//Homo sapiens mRNA for KIAA0666 protein, partial cds.//1.2e-115:570:96//AB014566
- R-HEMBA1006521//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//2.2e-20:266:71//Z98304
- 45 R-HEMBA1006530//RPCI11-52M1.TJ RPCI11 Homo sapiens genomic clone R-52M1, genomic survey sequence.//0.00015:227:64//AQ052526
- R-HEMBA1006535//HS_2234_B1_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2234 Col=13 Row=D, genomic survey sequence.//7.5e-33:191:95//AQ129525
- R-HEMBA1006540//Homo sapiens clone GS051M12, complete sequence.//0.026:497:58//AC005007
- 50 R-HEMBA1006546//Homo sapiens chromosome 19, cosmid R33496, complete sequence.//5.2e-41:289:86//AC004603
- R-HEMBA1006559//Mus musculus PRAJA1 (Praja1) mRNA, complete cds.//3.4e-64:551:78//U06944
- R-HEMBA1006562//Human Chromosome 11p11.2 PAC clone pDJ404m15, complete sequence.//5.7e-09:266:66//AC002554
- 55 R-HEMBA1006566//HS_2171_B1_B04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2171 Col=7 Row=D, genomic survey sequence.//0.012:306:61//AQ125421
- R-HEMBA1006569//Ovis aries beta actin mRNA, complete cds.//3.8e-70:529:82//U39357
- R-HEMBA1006579//Homo sapiens BAC clone NH0115E20 from Y, complete sequence.//1.0:141:65//AC006032

R-HEMBA1006583//CIT-HSP-2377M16.TR CIT-HSP Homo sapiens genomic clone 2377M16, genomic survey
 sequence.//1.7e-31:271:76//AQ111875
 R-HEMBA1006595//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING
 DRAFT SEQUENCE, 3 unordered pieces.//0.093:270:61//AC004709
 5 R-HEMBA1006597//Homo sapiens P1 clone GSP13996 from 5q12, complete sequence.//2.7e-45:371:80//
 AC005031
 R-HEMBA1006612
 R-nnnnnnnnnnnnn//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 8B22, WORKING
 DRAFT SEQUENCE.//2.1e-20:229:77//AL031737
 10 R-HEMBA1006624//Human DNA sequence from clone 406A7 on chromosome 6q23-24. Contains three pseudo-
 genes similar to Elongation Factor 1-Alpha (EF-1-ALPHA, Statin S1), 60S Acidic Ribosomal Protein P1 and NADH-
 Ubiquinone Oxidoreductase 15 kDa subunit, and part of the Microtubule Associated Protein E-MAP-115 gene. Con-
 tains ESTs, STSs and GSSs, complete sequence.//4.8e-40:321:83//AL023284
 R-HEMBA1006631//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 202O8, WORKING
 15 DRAFT SEQUENCE.//1.5e-45:477:77//AL031848
 R-HEMBA1006635//***ALU WARNING: Human Alu-Sp subfamily consensus sequence.//8.0e-40:245:91//U14572
 R-HEMBA1006639
 R-HEMBA1006643
 R-HEMBA1006648//Homo sapiens integrin-linked kinase (ILK) mRNA, complete cds.//2.5e-106:567:94//U40282
 20 R-HEMBA1006652//Human BAC clone RG308B22 from 7q22-q31, complete sequence.//8.7e-54:334:76//
 AC002089
 R-HEMBA1006653//Homo sapiens 7q telomere, complete sequence.//5.0e-36:207:89//AF027390
 R-HEMBA1006665//HS_3213_B2_D04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3213 Col=8 Row=H, genomic survey sequence.//1.2e-21:235:67//AQ175625
 25 R-HEMBA1006674//H.sapiens telomeric DNA sequence, clone 9QTEL023, read 9QTELOO023.seq.//2.6e-32:
 212:83//Z96776
 R-HEMBA1006676//Plasmodium falciparum MAL3P6, complete sequence.//1.9e-10:436:60//Z98551
 R-HEMBA1006682//Plasmodium falciparum (strain Dd2) variant-specific surface protein (var-1) gene, complete
 cds.//6.1e-06:477:59//L40608
 30 R-HEMBA1006695//Homo sapiens clone RG339C12, WORKING DRAFT SEQUENCE, 10 unordered pieces.//
 1.8e-30:266:80//AC005096
 R-HEMBA1006696
 R-HEMBA1006708
 R-HEMBA1006709//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 715N11, WORKING
 35 DRAFT SEQUENCE.//6.8e-14:139:82//AL031674
 R-HEMBA1006717
 R-HEMBA1006737//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//9.9e-18:365:
 66//AC005828
 R-HEMBA1006744//Human Chromosome 16 BAC clone CIT987SK-327O24, complete sequence.//1.3e-37:380:
 40 75//AC003108
 R-HEMBA1006754//Homo sapiens chromosome 5, P1 clone 962c5 (LBNL H87), complete sequence.//2.1e-75:
 338:85//AC003951
 R-HEMBA1006758//Homo sapiens chromosome 5, BAC clone 182a8 (LBNL H161), complete sequence.//1.2e-
 112:579:95//AC005752
 45 R-HEMBA1006767//Plasmodium falciparum MAL3P6, complete sequence.//0.00022:528:58//Z98551
 R-HEMBA1006779//Homo sapiens chromosome 17, clone hRPK.628_E_12, complete sequence.//2.3e-46:305:
 87//AC005701
 R-HEMBA10067801//Human DNA sequence from clone 243E7 on chromosome 22q12.1. Contains ESTs, STSs
 and GSSs, complete sequence.//7.2e-39:305:82//AL022323
 50 R-HEMBA1006789//Streptomyces coelicolor cosmid 6G4.//0.0085:449:61//AL031317
 R-HEMBA1006795//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//4.1e-43:355:
 801//AC006120
 R-HEMBA1006796//HS_3038_B2_H11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3038 Col=22 Row=P, genomic survey sequence.//0.99:158:63//AQ102483
 55 R-HEMBA1006807//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//
 8.4e-47:481:75//AC004854
 R-HEMBA1006821//Homo sapiens chromosome 17, clone hRPC.62_O_9, complete sequence.//3.0e-08:84:90//
 AC004797

- R-HEMBA1006824//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains ESTs STS and CpG island.//3.7e-54:496:76//Z93023
- R-HEMBA1006832//Homo sapiens chromosome 17, clone hRPK.243_K_12, complete sequence.//0.70:206:65//AC005668
- 5 R-HEMBA1006849//Homo sapiens 12q24.1 PAC RPCI3-521E19 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.2e-46:281:91//AC004217
- R-HEMBA1006865//Mus musculus clone 101 B1 repeat region sequence.//0.61:115:70//AF056074
- R-nnnnnnnnnnnnn//Mus musculus mRNA for oxysterol-binding protein, complete cds.//3.3e-102:618:87//AB017026
- R-HEMBA1006885 4.2e-14:379:63//AG006839
- 10 R-HEMBA1006900//CIT-HSP-2006M20.TR CIT-HSP Homo sapiens genomic clone 2006M20, genomic survey sequence.//2.6e-07:230:66//B56395
- R-HEMBA1006921//Homo sapiens PAC clone DJ0777O23 from 7p14-p15, complete sequence.//2.1e-68:267:86//AC005154
- R-HEMBA1006926
- 15 R-HEMBA1006929//HS_3244_A2_C01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3244 Col=2 Row=E, genomic survey sequence.//6.9e-21:191:83//AQ207500
- R-HEMBA1006936
- R-HEMBA1006938//Colias philodice eriphyle large subunit ribosomal RNA gene, partial sequence; tRNA-Val gene, complete sequence; and small subunit ribosomal RNA gene, partial sequence, mitochondrial genes for mitochondrial RNAs.//0.11:309:59//AF044853
- 20 R-HEMBA1006941//Homo sapiens mRNA for putative thioredoxin-like protein.//2.0e-75:371:98//AJ010841
- R-HEMBA1006949//Homo sapiens PAC clone DJ0777G09 from 7q34-q36, complete sequence.//0.47:240:63//AC005518
- R-HEMBA1006973//HS_2009_A2_A12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2009 Col=24 Row=A, genomic survey sequence.//9.6e-05:407:60//AQ232302
- 25 R-HEMBA1006976//RPCI11-49L11.TJ RPCI11 Homo sapiens genomic clone R-49L11, genomic survey sequence.//0.0018:184:63//AQ051701
- R-HEMBA1006993//Human thymopoietin (TMPO) gene, partial exon 6, complete exon 7, partial exon 8, and partial cds for thymopoietin beta.//1.9e-47:394:79//U18271
- 30 R-HEMBA1006996//CIT-HSP-2172D17.TF CIT-HSP Homo sapiens genomic clone 2172D17, genomic survey sequence.//1.8e-07:365:62//B93406
- R-HEMBA1007002//Plasmodium falciparum MAL3P2, complete sequence.//0.0012:505:56//AL034558
- R-HEMBA1007017//Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.//5.6e-41:437:71//AC005277
- 35 R-HEMBA1007018//G.gallus mRNA for dynein light chain-A.//8.2e-73:556:80//X79088
- R-HEMBA1007045
- R-HEMBA1007051//Human DNA sequence from cosmid N69F4 on chromosome 22q11.2-qter contains EST.//9.9e-27:342:71//Z72006
- R-HEMBA1007052//Homo sapiens FSHD-associated repeat DNA, proximal region.//5.4e-85:558:87//U85056
- 40 R-HEMBA1007062
- R-HEMBA1007066
- R-HEMBA1007073//Homo sapiens chromosome 17, clone hRPK.421_E_14, complete sequence.//2.0e-66:476:85//AC006141
- R-HEMBA1007078//Homo sapiens chromosome 17, clone hRPK.60_A_24, complete sequence.//1.0e-38:179:82//AC005325
- 45 R-HEMBA1007085//Homo sapiens clone DJ0965K10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.2e-49:551:73//AC006015
- R-HEMBA1007087//Human Chromosome 11 pac pDJ392a17, complete sequence.//1.0:261:61//AC000385
- R-HEMBA1007112//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE, 37 unordered pieces.//0.043:295:62//AC004803
- 50 R-HEMBA1007113//Homo sapiens (subclone 6_a8 from P1 H16) DNA sequence.//1.4e-52:307:87//L43392
- R-HEMBA1007129//Human DNA sequence from PAC 863K19 on chromosome X. Contains STS.//1.2e-08:131:75//Z92547
- R-HEMBA1007147//H.sapiens CpG island DNA genomic Mse1 fragment, clone 65f1, reverse read cpg65f1.r11a.//0.16:187:64//Z62246
- 55 R-HEMBA1007149//Homo sapiens chromosome 19, cosmid F23149, complete sequence.//7.6e-108:543:96//AC005239
- R-HEMBA1007151//Homo sapiens PAC clone DJ0745K06 from 7q31, complete sequence.//0.14:323:58//

- AC004875
 R-nnnnnnnnnnnnn//Homo sapiens epsin 2a mRNA, complete cds.//5.1e-103:529:94//AF062085
 R-HEMBA1007178//Homo sapiens chromosome 12p13.3 clone RPCI11-372B4, WORKING DRAFT SEQUENCE,
 129 ordered pieces.//5.4e-106:537:96//AC005911
- 5 R-HEMBA1007194//Homo sapiens Xp22 bins 87-93 PAC RPCI1-122K4 (Roswell Park Cancer Institute Human
 PAC Library) complete sequence.//4.1e-39:262:80//AC003035
 R-HEMBA1007203//Homo sapiens mRNA for KIAA0214 protein, complete cds.//5.3e-61:332:95//D86987
 R-HEMBA1007206//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains
 ESTs STS and CpG island.//1.9e-50:436:81//Z93023
- 10 R-HEMBA1007224//Homo sapiens mRNA for KIAA0797 protein, partial cds.//2.3e-96:471:97//AB018340
 R-HEMBA1007251//Homo sapiens chromosome 5, PAC clone 247f3 (LBNL H85), complete sequence.//0.011:
 349:62//AC004777
 R-HEMBA1007256//Homo sapiens PAC clone DJ0676L20 from 7q35-q36, complete sequence.//2.8e-10:224:70//
 AC004856
- 15 R-HEMBA1007267//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer Institute Human PAC Library)
 complete sequence.//3.4e-53:362:86//AC005924
 R-HEMBA1007273
 R-HEMBA1007279//Rickettsia prowazekii strain Madrid E, complete genome; segment 4/4.//0.042:454:57//
 AJ235273
- 20 R-HEMBA1007281//Rickettsia prowazekii strain Madrid E, complete genome; segment 3/4.//0.99:288:60//
 AJ235272
 R-HEMBA1007288//Human DNA sequence from clone 422G23 on chromosome 6q24 Contains EST, STS, GSS,
 CpG island, complete sequence.//7.4e-107:554:95//AL031003
 R-HEMBA1007300//Caenorhabditis elegans cosmid C48C5.//0.22:474:59//U39994
- 25 R-HEMBA1007301
 R-HEMBA1007319//Campylobacter jejuni repetitive DNA, clone pINT.//4.9e-08:524:58//Y14425
 R-HEMBA1007320//Homo sapiens genomic DNA, chromosome 21q11.1, segment 14/28, WORKING DRAFT SE-
 QUENCE.//3.4e-16:244:71//AP000043
 R-HEMBA1007322//Homo sapiens BAC clone RG324D18 from 7p15-p21, complete sequence.//3.9e-83:383:85//
 AC005251
- 30 R-HEMBA1007327//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 7706, WORKING
 DRAFT SEQUENCE.//1.6e-38:533:71//Z96804
 R-HEMBA1007341//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 268D13, WORKING
 DRAFT SEQUENCE.//3.6e-21:394:66//AL023513
- 35 R-HEMBA1007342//Human BAC clone GS368F15 from 7q31, complete sequence.//1.7e-15:190:73//AC003080
 R-HEMBA1007347//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone N38G6, WORKING
 DRAFT SEQUENCE.//2.2e-47:455:77//Z96802
 R-HEMBA1000005//Homo sapiens 3p21.1-9 PAC RPCI4-793P23 (Roswell Park Cancer Institute Human PAC Li-
 brary) complete sequence.//1.1e-62:539:79//AC006208
- 40 R-HEMBA1000008//Homo sapiens chromosome 17, clone hCIT.211_P_7, complete sequence.//1.2e-36:285:83//
 AC003665
 R-HEMBA1000018//Homo sapiens clone DJ0038I10, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.2e-
 51:416:79//AC004820
 R-HEMBA1000024//Human DNA sequence from BAC 175E3 on chromosome 22q11.2-qter. Contains ESTs, STSs
 and polymorphic CA repeat.//3.9e-18:211:79//Z95113
- 45 R-HEMBA1000025//HS_3064_B2_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3064 Col=14 Row=D, genomic survey sequence.//5.9e-40:254:90//AQ132765
 R-HEMBA1000030//Human DNA sequence from clone 108K11 on chromosome 6p21 Contains SRP20 (SR protein
 family member), Ndr protein kinase gene similar to yeast suppressor protein SRP40, EST and GSS, complete
 sequence.//1.5e-32:452:70//Z85986
- 50 R-HEMBA1000036//CIT-HSP-2024L15.TF CIT-HSP Homo sapiens genomic clone 2024L15, genomic survey se-
 quence.//9.3e-63:541:77//B66264
 R-HEMBA1000037//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//7.6e-91:467:97//
 AF084928
- 55 R-HEMBA1000039//Homo sapiens chromosome 17, clone hRPK.401_O_9, complete sequence.//2.4e-44:456:
 68//AC005291
 R-HEMBA1000044//Human BAC clone RG016J04 from 7q21, complete sequence.//1.4e-54:307:80//AC002064
 R-HEMBA1000048//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-279B10, complete sequence.//3.8e-

- 09:330:63//AC002300
R-HEMBB1000050//Human DNA sequence from PAC 436M11 on chromosome Xp22.11-22.2. Contains the serine threonine protein phosphatase gene PPEF1, and the first coding exon of the RS1 gene for retinoschisis (X-linked, juvenile) 1 (XLR51). Contains ESTs, an STS and GSSs, complete sequence.//6.7e-12:225:65//Z94056
- 5 R-HEMBB1000054//Human DNA sequence from clone 444C7 on chromosome 6p22.3-23. Contains an EST, an STS and GSSs, complete sequence.//8.9e-76:557:82//AL033521
R-HEMBB1000055//Human housekeeping (Q1Z 7F5) gene, exons 2 through 7, complete cds.//1.6e-88:350:86//M81806
- 10 R-HEMBB1000059//Homo sapiens clone DJ0850101, WORKING DRAFT SEQUENCE, 1 unordered pieces.//4.9e-12:356:65//AC006009
R-HEMBB1000083//Homo sapiens clone DJ0607J02, WORKING DRAFT SEQUENCE, 12 unordered pieces.//3.7e-41:311:82//AC004840
R-HEMBB1000089//Homo sapiens clone DJ1021I20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.6e-34:314:78//AC005520
- 15 R-HEMBB1000099//Homo sapiens DNA sequence from BAC 1216H12 on chromosome 22q12. Contains a pseudogene with similarity to part of mouse Ninein and the KIAA0609 gene for a protein similar to C. elegans K09C8.4. Contains ESTs, GSSs and a ggtt repeat polymorphism, complete sequence.//8.8e-32:434:71//AL008715
R-HEMBB1000103//Human DNA sequence from BAC 445C9 on chromosome 22q12.1. Contains CRYBB1, beta B1 crystallin, CRYBA4, beta A4 crystallin, high mobility group-1 protein (HMG-1), ESTs.//2.5e-16:207:74//Z95115
R-HEMBB1000113//HS_3013_A1_B08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3013 Col=15 Row=C, genomic survey sequence.//0.94:211:63//AQ118730
R-HEMBB1000119//Homo sapiens ASMTL gene.//1.9e-106:531:96//Y15521
R-HEMBB1000136//Human Chromosome X, complete sequence.//0.00073:359:59//AC002407
R-HEMBB1000141//Homo sapiens chromosome 21q22.3 PAC 39C17, complete sequence.//6.8e-41:280:74//AF043945
- 25 R-HEMBB1000144//Homo sapiens chromosome 17, clone hCIT.507_E_2, complete sequence.//0.00083:206:66//AC004134
R-HEMBB1000173//Homo sapiens, WORKING DRAFT SEQUENCE, 97 unordered pieces.//2.5e-82:401:90//AC004085
- 30 R-HEMBB1000175
R-HEMBB1000198//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//0.91:428:56//AL021368
- 35 R-HEMBB1000215//Homo sapiens DNA sequence from PAC 69E11 on chromosome 1q23-24. Contains a NADH-Ubiquinone Oxidoreductase MLRQ subunit (EC 1.6.5.3, EC 1.6.99.3, Cl-MLRQ) LIKE pseudogene, a 60S Ribosomal protein L34 LIKE pseudogene, an unknown gene similar to yeast YPR037W and worm C02C2.6 predicted genes, a predicted CpG island, ESTs and an STS, complete sequence.//4.4e-54:298:91//AL021397
- 40 R-HEMBB1000217
R-HEMBB1000218//Homo sapiens 12q24 PAC RPCI1-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//5.8e-32:517:70//AC004216
R-HEMBB1000226//Human DNA sequence from cosmid COS12 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3. Contains ESTs, Flanking sequences of 3' alpha globin HVR and CpG island.//2.5e-77:450:92//Z69706
- 45 R-HEMBB1000240//Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families.//4.1e-05:310:62//AF029308
R-HEMBB1000244//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1112F19, WORKING DRAFT SEQUENCE.//1.3e-43:278:85//AL034420
- 50 R-HEMBB1000250//Human DNA sequence from clone 34B20 on chromosome 6p21.31-22.2. Contains seventeen Histone (pseudo)genes and a 40S Ribosomal protein S10 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//3.8e-16:484:64//AL031777 R-HEMBB1000258//Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds.//4.3e-11:286:67//U91328
- 55 R-HEMBB1000264//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//1.2e-42:406:79//AF079765
R-HEMBB1000266//RPCI11-76C20.TV RPCI11 Homo sapiens genomic clone R-76C20, genomic survey sequence.//1.0:232:59//AQ265533

- R-HEM BB1000272//HS_3032_B1_H06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3032 Col=11 Row=P, genomic survey sequence.//0.0082:209:62//AQ096702
- R-HEM BB1000274//Homo sapiens Chromosome 22q11.2 Cosmid Clone 817g In IGLC Region, complete sequence.//1.6e-45:277:72//AC000053
- 5 R-HEM BB1000284//Homo sapiens full-length insert cDNA clone YY88A05.//6.9e-112:572:96//AF088018
- R-HEM BB1000307//Homo sapiens chromosome 17, clone hRPK.471_L_13, complete sequence.//5.7e-96:523:93//AC005244
- R-HEM BB1000312//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 32B1, WORKING DRAFT SEQUENCE.//7.5e-21:218:67//AL023693
- 10 R-HEM BB1000317//Toxoplasma gondii chloroplast, complete genome.//0.062:354:58//U87145
- R-HEM BB1000318//Human DNA sequence from PAC 292H14 on chromosome Xp21. Contains STS and CA repeat polymorphism.//4.5e-52:302:81//AL008710
- R-HEM BB1000335//Homo sapiens chromosome 5, P1 clone 1041F10 (LBNL H88), complete sequence.//1.9e-16:139:84//AC005179
- 15 R-HEM BB1000336//Homo sapiens complete genomic sequence between D16S3070 and D16S3275, containing Familial Mediterranean Fever gene disease.//0.0062:231:64//AJ003147
- R-HEM BB1000337//CIT-HSP-2329010.TF CIT-HSP Homo sapiens genomic clone 2329O10, genomic survey sequence.//1.2e-31:192:92//AQ035976
- R-HEM BB1000338//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//1.9e-39:477:71//AC004605
- 20 R-HEM BB1000339//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//4.1e-54:357:76//AL031681
- R-HEM BB1000341//Homo sapiens 12q24 PAC RPC13-424M6 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.8e-19:501:63//AC002350
- 25 R-HEM BB1000343//Homo sapiens chromosome 16, cosmid clone 367E12 (LANL), complete sequence.//3.6e-41:457:72//AC004644
- R-HEM BB1000354//Human DNA sequence from PAC 560B9 on chromosome 1q24-1q25. Contains profilin-like pseudogene, 60S ribosomal protein L4 pseudogene RNA binding protein, ESTs, GSS.//7.2e-36:325:74//Z98751
- R-HEM BB1000369//Homo sapiens chromosome 4 clone B366O24 map 4q25, complete sequence.//9.0e-25:179:79//AC004067
- 30 R-HEM BB10003741//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 75N14, WORKING DRAFT SEQUENCE.//8.4e-58:332:79//Z97199
- R-HEM BB1000376//Homo sapiens DNA for amyloid precursor protein, complete cds.//2.1e-47:309:88//D87675
- R-HEM BB1000391//Homo sapiens clone RG269P13, WORKING DRAFT SEQUENCE, 6 unordered pieces.//5.7e-46:302:85//AC005080
- 35 R-HEM BB1000399//Homo sapiens Rad17-like protein (RAD17) mRNA, complete cds.//1.0e-107:531:97//AF076838
- R-HEM BB1000402//Human DNA sequence from clone 505B13 on chromosome 1p36.2-36.3 Contains CA repeat and GSSs, complete sequence.//1.1e-25:441:67//Z98052
- 40 R-HEM BB1000404//HS_2246_A2_D01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2246 Col=2 Row=G, genomic survey sequence.//0.0025:196:63//AQ084251
- R-HEM BB1000420//Homo sapiens Chromosome 22q11.2 Cosmid Clone 817g In IGLC Region, complete sequence.//1.2e-29:358:72//AC000053
- R-HEM BB1000434//Homo sapiens chromosome 4 clone B71M12 map 4q25, complete sequence.//2.8e-51:299:89//AC004069
- 45 R-HEM BB1000438//HS_2239_B2_E08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2239 Col=16 Row=J, genomic survey sequence.//1.3e-10:76:100//AQ067700
- R-HEM BB1000441//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//4.4e-60:281:90//Z82207
- 50 R-HEM BB1000449//Homo sapiens clone DJ0898O18, WORKING DRAFT SEQUENCE, 8 unordered pieces.//4.8e-11:228:68//AC004920
- R-HEM BB1000455//Homo sapiens clone GS051M12, complete sequence.//3.1e-14:388:65//AC005007
- R-HEM BB1000472//Homo sapiens chromosome 17, clone HCIT48C15, complete sequence.//4.9e-34:320:79//AC003104
- 55 R-HEM BB1000480//Human DNA sequence from Fosmid 65B7 on chromosome 22q11.2-qter. Contains exons 6-12 of the SLC5A1 (SGLT1) gene for solute carrier family 5 (sodium/glucose cotransporter) member 1 (High Affinity Sodium-Glucose Cotransporter), complete sequence.//3.4e-36:285:82//Z83849
- R-HEM BB1000487

- R-HEM BB1000490//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING DRAFT SEQUENCE.//1.5e-34:281:81//AL034423
- R-HEM BB1000491//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains ESTs STS and CpG island.//8.5e-37:483:72//Z93023
- 5 R-HEM BB1000493//Human DNA sequence from clone 109F14 on chromosome 6p21.2-21.3. Contains the alternatively spliced gene for Transcriptional Enhancer Factor TEF-5, the 60S Ribosomal Protein RPL10A gene, a PUTATIVE ZNF127 LIKE gene, and the PPARD for Peroxisome Proliferator Activated Receptor Delta (PPAR-Delta, PPAR-Beta, Nuclear Hormone Receptor 1, NUC1, NUCI, PPARB). Contains three putative CpG islands, ESTs, STSs, GSSs and a ca repeat polymorphism, complete sequence.//7.6e-14:217:71//AL022721
- 10 R-HEM BB1000510//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 27K12, WORKING DRAFT SEQUENCE.//7.1e-44:221:80//AL033397
- R-HEM BB1000518//Human PAC clone DJ327A19 from Xq25-q26, complete sequence.//3.5e-51:280:90//AC002477
- 15 R-HEM BB1000523//Homo sapiens PAC clone DJ0167F23 from 7p15, complete sequence.//1.7e-53:304:82//AC004079
- R-HEM BB1000530//Homo sapiens chromosome 17, clone hCIT.162_E_12, complete sequence.//4.2e-74:428:92//AC006236
- R-HEM BB1000550//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//5.6e-13:112:80//U91321
- 20 R-HEM BB1000554//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 409J21, WORKING DRAFT SEQUENCE.//5.1e-14:239:63//Z83824
- R-HEM BB1000556//Homo sapiens envoplakin (EVPL) mRNA, complete cds.//0.031:275:60//U53786
- R-HEM BB1000564//Homo sapiens chromosome 5, Bac clone 189 (LBNL H135), complete sequence.//3.1e-17:227:76//AC005914
- 25 R-HEM BB1000573//Borrelia afzelii (strain NT28) DNA, internal transcribed spacer.//0.078:161:63//D84405
- R-HEM BB1000575//Homo sapiens chromosome 17, clone hRPC.859_O_20, complete sequence.//7.2e-52:260:80//AC003695
- R-HEM BB1000586//Human DNA sequence from cosmid V210E9, between markers DXS366 and DXS87 on chromosome X.//2.0e-33:305:79//Z70280
- 30 R-HEM BB1000589//Homo sapiens chromosome 17, clone hRPK.1064_E_11, complete sequence.//1.3e-14:409:65//AC005208
- R-HEM BB1000591//Homo sapiens Xp22 bins 45-47 BAC GSHB-665N22 (Genome Systems Human BAC Library) complete sequence.//6.2e-39:493:71//AC005184
- R-HEM BB1000592//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.6e-08:254:64//AC005831
- 35 R-HEM BB1000598//Homo sapiens chromosome 11 pac pDJ159ol, complete sequence.//3.3e-38:407:76//AC000381
- R-HEM BB1000623//CIT-HSP-2374P17.TR CIT-HSP Homo sapiens genomic clone 2374P17, genomic survey sequence.//1.3e-41:212:100//AQ109717
- 40 R-HEM BB1000630//Human DNA sequence from clone 413H6 on chromosome 6p22.3-24.3. Contains a hamster Androgen-dependent Expressed Protein like protein gene, ESTs and GSSs, complete sequence.//5.2e-31:319:78//AL022724
- R-HEM BB1000631//Sequence 28 from patent US 5708157.//6.8e-20:208:80//I80058
- 45 R-HEM BB1000632//Homo sapiens Cosmid C4, WORKING DRAFT SEQUENCE, 1 ordered pieces.//7.4e-47:457:75//AC004176
- R-HEM BB1000637//Human BAC clone RG094H21 from 7q21-q22, complete sequence.//2.9e-45:263:87//AC003085
- R-HEM BB1000638//Genomic sequence from Human 6, complete sequence.//9.1e-34:375:73//AC002112
- R-HEM BB1000643//HS_2242_A2_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2242 Col=14 Row=C, genomic survey sequence.//0.010:239:60//AQ065993
- 50 R-HEM BB1000649//Homo sapiens RBP56/hTAFII68 gene, exon 7.//8.3e-63:306:100//AB010061
- R-HEM BB1000652//Human DNA sequence from PAC 467D16 on chromosome 6p22.3-24.1. Contains the 3' part of the SCA1 (ataxin-1) gene with a poly-glutamine (CAG repeat) polymorphism, the 3' part of the GMPR (GMP reductase, Guanosine 5'-monophosphate oxidoreductase) gene, ESTs and an STS with a polymorphic CA repeat.//3.3e-14:450:64//AL009031
- 55 R-HEM BB1000665//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MXA21, complete sequence.//0.98:251:63//AB005247
- R-HEM BB1000671//Human DNA sequence from PAC 106C24, between markers DXS294 and DXS730 on chro-

- mosome X.//6.8e-58:296:85//Z83313
 R-HEM BB1000673//CITBI-E1-2506F20. TR CITBI-E1 Homo sapiens genomic clone 2506F20, genomic survey sequence.//0.98:71:76//AQ264731
 5 R-HEM BB1000684//Human DNA sequence from clone 1158E12 on chromosome Xp11.23-11.4 Contains EST, STS, GSS, CpG island, complete sequence.//2.6e-11:153:77//AL031584
 R-nnnnnnnnnnnn//Homo sapiens neuroan1 mRNA, complete cds.//2.0e-50:287:93//AF040723
 R-HEM BB1000705//Homo sapiens chromosome 19, cosmid R30538, complete sequence.//3.4e-18:340:65//AC005943
 10 R-HEM BB1000706//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 462C17, WORKING DRAFT SEQUENCE.//4.7e-10:358:64//AL033380
 R-HEM BB1000709//RPCI11-79A8.TV RPCI11 Homo sapiens genomic clone R-79A8, genomic survey sequence.//1.4e-40:262:89//AQ282374
 R-HEM BB1000725//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MGN6, complete sequence.//0.00018:386:60//AB017066
 15 R-HEM BB1000726//Homo sapiens PAC clone DJ1185I07 from 7q11.23-q21, complete sequence.//1.5e-48:316:88//AC004990
 R-HEM BB1000738//Homo sapiens PAC clone DJ0745K06 from 7q31, complete sequence.//7.1e-53:382:85//AC004875
 R-HEM BB1000749//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 unordered pieces.//6.5e-51:438:80//AC005069
 20 R-HEM BB1000763//Plasmid Col Ib-P9 (from E.coli K12) colicin Ib promoter region and 5' coding region.//1.0:115:63//K02071
 R-HEM BB1000770//Human Rhesus blood group antigen (RHCE) gene, intron 6, partial sequence.//5.6e-24:183:86//U83205
 25 R-HEM BB1000781//Homo sapiens Xp22 PACs RPC11-263P4 and RPC11-164K3 complete sequence.//0.00054:154:67//AC003046
 R-HEM BB1000789//RPCI11-2I14.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-2I14, genomic survey sequence.//3.0e-09:299:64//B63628
 R-HEM BB1000790//Human Chromosome 16 BAC clone CIT987SK-A-362G6, complete sequence.//4.5e-46:185:85//U95740
 30 R-HEM BB1000794//HS_3253_A1_G06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3253 Col=11 Row=M, genomic survey sequence.//5.7e-13:172:65//AQ216291
 R-HEM BB1000807
 R-HEM BB1000810//Human BAC clone RG114A06 from 7q31, complete sequence.//1.3e-24:385:71//AC002542
 35 R-HEM BB1000821
 R-HEM BB1000822//CITBI-E1-2517E13.TF CITBI-E1 Homo sapiens genomic clone 2517E13, genomic survey sequence.//4.5e-08:278:64//AQ279944
 R-HEM BB1000826//Homo sapiens genomic DNA, chromosome 21q11.1, segment 14/28, WORKING DRAFT SEQUENCE.//1.2e-44:521:72//AP000043
 40 R-HEM BB1000827//Homo sapiens clone DJ0981O07, complete sequence.//6.8e-43:319:84//AC006017
 R-HEM BB1000831//HS_3247_B2_A09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3247 Col=18 Row=B, genomic survey sequence.//5.5e-74:381:96//AQ223850
 R-HEM BB1000835//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//4.2e-17:167:80//AL021368
 45 R-HEM BB1000840//Homo sapiens clone DJ1039L24, WORKING DRAFT SEQUENCE, 3 unordered pieces.//7.9e-26:220:73//AC005283
 50 R-HEM BB1000848//Homo sapiens, WORKING DRAFT SEQUENCE, 52 unordered pieces.//7.8e-39:356:79//AC004086
 R-HEM BB1000852//HS_3075_A2_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3075 Col=14 Row=C, genomic survey sequence.//3.4e-11:151:75//AQ138816
 R-HEM BB1000870//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 72E17, WORKING DRAFT SEQUENCE.//1.8e-44:454:75//AL033523
 55 R-HEM BB1000876//Human DNA sequence from clone 91J24 on chromosome 6q24 Contains part of utrophin Gene, part of cytochrome C oxidase gene, EST, CpG island, complete sequence.//0.0016:227:65//AL024474
 R-HEM BB1000883//Homo sapiens chromosome 19, cosmid F19678, complete sequence.//0.62:238:62//

AC005621
R-HEM BB1000887//Synthetic human/adenovirus type 5 recombination junction.//9.9e-24:275:76//M34061
R-HEM BB1000888//CIT-HSP-2282A13.TR CIT-HSP Homo sapiens genomic clone 2282A13, genomic survey se-
quence.//2.4e-05:310:60//AQ000826
5 R-HEM BB1000890//Homo sapiens clone DJ0042M02, WORKING DRAFT SEQUENCE, 20 unordered pieces.//
6.5e-44:305:84//AC005995
R-HEM BB1000893//Homo sapiens BAC clone RG363E19 from 7q31.1, complete sequence.//3.7e-30:265:80//
AC004492
10 R-HEM BB1000908//RPCI11-13P12.TV RPCI-11 Homo sapiens genomic clone RPCI-11-13P12, genomic survey
sequence.//0.98:183:61//B76199
R-HEM BB1000910//Homo sapiens Chromosome 22q11.2 Cosmid Clone 50d10 In IGLC Region, complete se-
quence.//1.7e-28:302:76//AC000024
R-HEM BB1000913//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human BAC library) complete
sequence.//4.1e-34:314:76//AC003037
15 R-HEM BB1000915//Human chromosome 16p11.2-p12 BAC clone CIT987SK-224D6 complete sequence.//6.3e-
09:536:59//U95739
R-HEM BB1000917//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 169I5, WORKING
DRAFT SEQUENCE.//1.6e-47:234:86//Z93015
R-HEM BB1000927
20 R-HEM BB1000947//CIT-HSP-2287M13.TF CIT-HSP Homo sapiens genomic clone 2287M13, genomic survey se-
quence.//0.090:115:69//B99228
R-HEM BB1000959//Homo sapiens chromosome 17, clone HRPC905N1, complete sequence.//5.7e-89:544:90//
AC003098
25 R-HEM BB1000973//Arabidopsis thaliana chromosome II BAC F2I9 genomic sequence, complete sequence.//
0.038:377:58//AC005560
R-HEM BB1000975//Arabidopsis thaliana chromosome II BAC F5H14 genomic sequence, complete sequence.//
1.0e-05:342:62//AC006234
R-HEM BB1000981//CIT-HSP-2386J13.TF.1 CIT-HSP Homo sapiens genomic clone 2386J13, genomic survey
sequence.//1.1e-18:231:74//AQ239443
30 R-HEM BB1000985//HS_3184_A1_D12_T7 CIT Approved Human Genomic Sperm Library D. Homo sapiens ge-
nomic clone Plate=3184 Col=23 Row=G, genomic survey sequence.//6.3e-52:286:95//AQ150008
R-HEM BB1000991
R-HEM BB1000996//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3,
complete sequence.//1.4e-42:343:81//AC002368
35 R-HEM BB1001004
R-HEM BB1001008//CITBI-E1-2504L23.TF CITBI-E1 Homo sapiens genomic clone 2504L23, genomic survey se-
quence.//3.1e-57:317:94//AQ262056
R-HEM BB1001011//HS_3017_B1_G03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3017 Col=5 Row=N, genomic survey sequence.//7.3e-34:237:86//AQ101944
40 R-HEM BB1001014//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 460J8, WORKING
DRAFT SEQUENCE.//2.4e-49:417:80//AL031662
R-HEM BB1001020//Homo sapiens Xp22 BAC GS-377014 (Genome Systems Human BAC library) complete se-
quence.//7.6e-41:303:76//AC002549
45 R-HEM BB1001024//Homo sapiens (subclone 2_g5 from P1 H16) DNA sequence.//7.4e-48:341:85//L48475
R-HEM BB1001037//Homo sapiens 22q11 BAC Clone 489d1 In MDR Region, complete sequence.//2.0e-50:416:
82//AC005527
R-HEM BB1001047//Homo sapiens chromosome 19, cosmid R31973, complete sequence.//8.4e-22:288:71//
AC004699
50 R-HEM BB1001051//H.sapiens mRNA for FAN protein.//7.1e-18:114:98//X96586
R-HEM BB1001056//Homo sapiens clone DJ0953A04, WORKING DRAFT SEQUENCE, 5 unordered pieces.//
6.1e-94:520:93//AC006014
R-HEM BB1001058//Homo sapiens clone UWGC:y17c131 from 6p21, complete sequence.//1.1e-56:242:82//
AC004187
55 R-HEM BB1001060//Human Tigger1 transposable element, complete consensus sequence.//4.2e-66:323:81//
U49973
R-HEM BB1001063//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 523G1, WORKING
DRAFT SEQUENCE.//4.0e-114:556:98//AL034375
R-HEM BB1001068//Homo sapiens liprin-beta2 mRNA, partial cds.//2.8e-105:512:97//AF034803

- R-HEM BB1001096//Human DNA sequence from PAC 246O8, between markers DXS6791 and DXS8038 on chromosome X contains ESTs.//2.4e-13:225:69//Z76735
- R-HEM BB1001102//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//2.4e-35:295:80//AL022577
- 5 R-HEM BB1001105//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 462O23, WORKING DRAFT SEQUENCE.//7.9e-46:380:80//AL031431
- R-HEM BB1001114//Homo sapiens DNA sequence from PAC 119E23 on chromosome Xq25-q27.1. Contains glypican-3 precursor (intestinal protein OCI-5) (GTR2-2),5'UTR. ESTs, STS.//1.1e-38:306:84//Z99570
- 10 R-HEM BB1001117//RPCI11-3518.TK RPCI-11 Homo sapiens genomic clone RPCI-11-3518, genomic survey sequence.//1.5e-08:67:100//AQ047113
- R-HEM BB1001119//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//9.0e-26:481:67//AC003071
- 15 R-HEM BB1001126//Human DNA sequence from clone 441J1 on chromosome 6p24 Contains STS, GSS, complete sequence.//0.045:127:69//Z99495
- R-HEM BB1001133//Human SS-A/Ro ribonucleoprotein autoantigen 60 kd subunit mRNA, complete cds.//5.0e-23:285:73//M25077
- R-HEM BB1001137//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-09, complete sequence.//2.5e-07:334:62//AL010222
- 20 R-HEM BB1001142//Human BAC clone RG164L14 from 7q21-q22, complete sequence.//2.5e-46:412:79//AC002564
- R-HEM BB1001151//Mus musculus IFN alpha-treated embryonic fibroblast mRNA.//1.8e-11:148:77//U51904
- R-HEM BB1001153//RPCI11-10L7.TP RPCI-11 Homo sapiens genomic clone RPCI-11-10L7, genomic survey sequence.//2.3e-34:213:82//B71766
- 25 R-HEM BB1001169//Homo sapiens chromosome 17, clone HCIT39G8, complete sequence.//0.040:465:56//AC003070
- R-nnnnnnnnnnnn//Sequence 1 from patent US 5618695.//2.8e-15:176:80//I40055
- R-HEM BB1001177
- 30 R-HEM BB1001182//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-52, complete sequence.//1.9e-05:174:70//AL010226
- R-HEM BB1001199
- R-HEM BB1001208
- R-HEM BB1001209//RPCI11-41E13.TP RPCI-11 Homo sapiens genomic clone RPCI-11-41E13, genomic survey sequence.//1.1e-95:473:97//AQ029098
- 35 R-HEM BB1001210//Homo sapiens chromosome 16, cosmid clone 330D11 (LANL), complete sequence.//6.2e-08:412:61//AC005199
- R-HEM BB1001218//RPCI11-13L8.TV RPCI-11 Homo sapiens genomic clone RPCI-11-13L8, genomic survey sequence.//1.0e-46:498:74//B75158
- 40 R-HEM BB1001221//RPCI11-62024.TJ RPCI11 Homo sapiens genomic clone R-62024, genomic survey sequence.//3.2e-09:215:68//AQ200950
- R-HEM BB1001234
- R-HEM BB1001242
- R-HEM BB1001249//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.4e-33:361:72//AC005377
- 45 R-HEM BB1001253//Homo sapiens chromosome 3, olfactory receptor pseudogene cluster 1, complete sequence, and myosin light chain kinase (MLCK) pseudogene, partial sequence.//3.8e-105:517:98//AF042089
- R-HEM BB1001254//Methanococcus jannaschii section 3 of 150 of the complete genome.//0.96:203:61//U67461
- R-HEM BB1001267//Human DNA sequence from clone 14O9 on chromosome Xp11.1-11.4. Contains a Inter-Alpha-Trypsin Inhibitor Heavy Chain LIKE gene, a alternatively spliced Melanoma-Associated Antigen MAGE LIKE gene and a 6-Phosphofructo-2-kinase (Fructose-2,6-bisphosphatase) LIKE pseudogene. Contains ESTs, STSs and genomic marker DXS8032, complete sequence.//2.8e-39:320:80//Z98046
- 50 R-HEM BB1001271//Homo sapiens chromosome 17, clone hRPK.349_A_8, complete sequence.//3.9e-47:494:75//AC005544
- R-HEM BB1001282//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 184J9, WORKING DRAFT SEQUENCE.//0.0011:97:79//AL031428
- 55 R-HEM BB1001288
- R-HEM BB1001289//Homo sapiens chromosome 5, BAC clone 343g16 (LBNL H180), complete sequence.//2.0e-

31:301:78//AC005601
R-HEMBB1001294//Homo sapiens BAC clone RG060N22 from 7q21, complete sequence.//0.053:283:60//
AC003083
R-HEMBB1001302
5 R-HEMBB1001304//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 27K12, WORKING
DRAFT SEQUENCE.//6.3e-15:396:64//AL033397
R-HEMBB1001314//Homo sapiens genomic DNA, 21q region, clone: f30F8SpN6, genomic survey sequence.//
3.4e-42:293:86//AG013777
R-HEMBB1001315//Human NFE genomic fragment.//7.5e-30:243:78//M98511
10 R-HEMBB1001317//Homo sapiens chromosome 17, clone hRPC.1028_K_7, complete sequence.//2.3e-39:301:
82//AC004585
R-HEMBB1001326//HS_3054_A1_F12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3054 Col=23 Row=K, genomic survey sequence.//0.90:117:63//AQ106096
R-HEMBB1001331//Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain:BALB/c.//
15 0.037:103:77//D63850
R-HEMBB1001335//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human BAC library) complete
sequence.//9.1e-19:229:77//AC003037
R-HEMBB1001337
R-HEMBB1001339//Homo sapiens FSHD-associated repeat DNA, proximal region.//2.9e-45:551:72//U85056
20 R-HEMBB1001346//Homo sapiens phenylalanine-tRNA synthetase (FARS1) mRNA, nuclear gene encoding mi-
tochondrial protein, complete cds.//2.7e-59:292:99//AF097441
R-HEMBB1001348//Homo sapiens clone DJ0691F11, WORKING DRAFT SEQUENCE, 11 unordered pieces.//
9.1e-41:326:82//AC004859
R-HEMBB1001356//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING
25 DRAFT SEQUENCE.//1.8e-11:213:67//Z82207
R-HEMBB1001364//HS_3050_A2_F05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3050 Col=10 Row=K, genomic survey sequence.//1.8e-21:158:91//AQ133940
R-HEMBB1001366//Homo sapiens chromosome 10 clone CIT987SK-1188I5 map 10p11.2-10p12.1, complete se-
quence.//4.1e-37:419:73//AC005876
30 R-HEMBB1001367//Human Chromosome 16 BAC clone CIT987SK-A-234F9, complete sequence.//9.5e-15:201:
75//U91326
R-HEMBB1001369//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 477J10, WORKING
DRAFT SEQUENCE.//1.8e-28:224:83//AL021686
R-HEMBB1001380//HS_2267_B1_F11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
35 nomic clone Plate=2267 Col=21 Row=L, genomic survey sequence.//4.0e-14:100:95//AQ084896
R-HEMBB1001384//Mus musculus COP9 complex subunit 4 (COPS4) mRNA, complete cds.//9.6e-55:312:81//
AF071314
R-HEMBB1001387//Homo sapiens chromosome 9, P1 clone 8660 (LBNL H105), complete sequence.//1.0:166:
63//AC003953
40 R-HEMBB1001394//Homo sapiens chromosome 17, clone hRPK.215_E_13, complete sequence.//1.4e-55:494:
76//AC005549
R-HEMBB1001410//Homo sapiens PAC clone DJ1102B04 from 7q11.23-7q21, complete sequence.//0.011:208:
63//AC006204
R-HEMBB1001424//Homo sapiens, WORKING DRAFT SEQUENCE, 76 unordered pieces.//1.5e-22:325:69//
45 AC002370
R-HEMBB1001426//Homo sapiens 12q24 PAC RPCI3-424M6 (Roswell Park Cancer Institute Human PAC library)
complete sequence.//1.3e-46:328:84//AC002350
R-HEMBB1001429//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0481P14;
HTGS phase 1, WORKING DRAFT SEQUENCE, 7 unordered pieces.//6.6e-105:550:95//AC006160
50 R-HEMBB1001436
R-HEMBB1001443//HS_2228_A1_B05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2228 Col=9 Row=C, genomic survey sequence.//0.37:173:62//AQ066934
R-HEMBB1001449//Homo sapiens clone DJ1129E22, WORKING DRAFT SEQUENCE, 7 unordered pieces.//
2.7e-23:339:69//AC005522
55 R-HEMBB1001454//Homo sapiens chromosome 5, P1 clone 1307e8 (LBNL H60), complete sequence.//1.1e-39:
299:84//AC005355
R-HEMBB1001458//Plasmodium falciparum chromosome 2, section 67 of 73 of the complete sequence.//6.0e-05:
486:59//AE001430

- R-HEM BB1001463//Homo sapiens PAC clone DJ0777O23 from 7p14-p15, complete sequence.//1.2e-50:317:89//AC005154
- R-HEM BB1001464//CIT-HSP-2370C10.TF CIT-HSP Homo sapiens genomic clone 2370C10, genomic survey sequence.//0.20:95:71//AQ107941
- 5 R-HEM BB1001482//Mus musculus clone OST20235, genomic survey sequence.//4.3e-09:192:70//AF046762
- R-HEM BB1001500//Human DNA sequence from PAC 465G10 on chromosome X contains Menkes Disease (ATP7A) putative Cu⁺⁺-transporting P-type ATPase exons 2 to 21, PGAM-B, ESTs.//1.9e-21:253:70//Z94801
- R-HEM BB1001521//Mus musculus clone OST1209, genomic survey sequence.//7.5e-30:332:75//AF046642
- 10 R-HEM BB1001527//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//9.5e-55:483:76//AC005000
- R-HEM BB1001531//Human BAC clone 7E17 from 12q, complete sequence.//1.3e-08:159:71//AC002070
- R-HEM BB1001535//Human DNA sequence from cosmid E127C11 on chromosome 22q11.2-qter contains STS.//4.0e-30:286:79//Z74581
- 15 R-HEM BB1001536//Homo sapiens cosmid clone LUCA16 from 3p21.3, complete sequence.//1.6e-39:342:80//U73169
- R-HEM BB1001537//Genomic sequence from Human 9q34, complete sequence.//3.7e-41:361:77//AC000394
- R-HEM BB1001555//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-485G10, complete sequence.//0.34:212:61//AC003049
- R-HEM BB1001562//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-328A3, complete sequence.//8.0e-40:267:88//AC002301
- 20 R-HEM BB1001564//Homo sapiens clone DJ0414A15, WORKING DRAFT SEQUENCE, 9 unordered pieces.//5.1e-30:286:76//AC005225
- R-HEM BB1001565//Homo sapiens clone DJ0607J02, WORKING DRAFT SEQUENCE, 12 unordered pieces.//2.5e-15:194:75//AC004840
- 25 R-HEM BB1001585//Human DNA sequence from clone 790B6 on chromosome 20p11.22-12.2. Contains STSs and GSSs, complete sequence.//2.6e-33:234:79//AL031677
- R-HEM BB1001586//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12 unordered pieces.//2.7e-30:371:74//AC005236
- 30 R-HEM BB1001588//Homo sapiens Xp22 GS-52411 (Genome Systems Human BAC library), complete sequence.//8.0e-32:323:73//AC003106
- R-HEM BB1001603//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-59, complete sequence.//0.034:302:59//AL010235
- R-HEM BB1001618//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains ESTs STS and OpG island.//7.1e-31:503:68//Z93023
- 35 R-HEM BB1001619//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3, complete sequence.//3.7e-50:539:72//AC002368
- R-HEM BB1001630//Human DNA sequence from PAC 121G13 on chromosome 6 contains flow sorted chromosome 6 HindIII fragment ESTs. polymorphic CA repeat, CpG island, CpG island genomic fragments.//1.3e-27:228:82//Z86062
- 40 R-HEM BB1001635//Homo Sapiens Chromosome X clone bW XD90, complete sequence.//1.5e-23:407:69//AC004075
- R-HEM BB1001637//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3, complete sequence.//3.9e-54:519:74//AC002368
- R-HEM BB1001641//Human DNA sequence from clone 133H11 on chromosome 6p24. Contains STSs, GSSs and genomic marker D6S410, complete sequence.//1.9e-08:464:60//AL024506
- 45 R-HEM BB1001653//Homo sapiens chromosome 17, clone HCIT3L16, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.8e-39:318:82//AC002344
- R-HEM BB1001665//***ALU WARNING: Human Alu-Sp subfamily consensus sequence.//3.8e-47:283:90//U14572
- R-HEM BB1001668
- 50 R-HEM BB1001673//Homo sapiens mRNA for KIAA0646 protein, complete cds.//1.8e-115:573:97//AB014546
- R-HEM BB1001684//Sequence 1 from patent US 5700927.//1.9e-40:343:77//I86429
- R-HEM BB1001685//Homo sapiens chromosome 17, clone hRPK.721_K_1, complete sequence.//2.6e-43:31:83//AC005411
- R-HEM BB1001695
- 55 R-HEM BB1001704//CIT-HSP-2324C15.TR CIT-HSP Homo sapiens genomic clone 2324C15, genomic survey sequence.//0.0074:259:58//AQ028704
- R-HEM BB1001706//Homo sapiens clone DJ0665P05, WORKING DRAFT SEQUENCE, 5 unordered pieces.//9.1e-34:296:80//AC004851

- R-HEMBB1001707//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-319E8, complete sequence.//7.7e-32:241:76//AC004020
- R-HEMBB1001717//CIT-HSP-2378C19.TF CIT-HSP Homo sapiens genomic clone 2378C19, genomic survey sequence.//4.8e-35:228:89//AQ108992
- 5 R-HEMBB1001735//Homo sapiens chromosome 5, BAC clone 114k9 (LBNL H94), complete sequence.//1.8e-10:80:90//AC005613
- R-HEMBB1001736//CIT-HSP-2369K6.TF CIT-HSP Homo sapiens genomic clone 2369K6, genomic survey sequence.//9.9e-38:242:90//AQ075221
- 10 R-HEMBB1001747//Homo sapiens cosmids Qc14E2, Qc12H12, Qc11F9, Qc10G9, LA1733 and Qc17B8 from Xq28, complete sequence.//3.3e-60:366:80//U82671
- R-HEMBB1001749//Homo sapiens chromosome 17, clone hRPK.259_G_18, complete sequence.//1.4e-60:242:92//AC005829
- R-HEMBB1001753//RPC11-59J22.TK RPC11 Homo sapiens genomic clone R-59J22, genomic survey sequence.//6.2e-08:281:64//AQ200046
- 15 R-HEMBB1001756//Homo sapiens BAC clone RG293F17 from 7p15-p21, complete sequence.//3.1e-18:395:67//AC004130
- R-HEMBB1001760//Homo sapiens genomic DNA, chromosome 21q11.1, segment 21/28, WORKING DRAFT SEQUENCE.//9.9e-18:416:64//AP000050
- 20 R-HEMBB1001762//Mus musculus major histocompatibility locus class II region: major histocompatibility protein class II alpha chain (IAalpha) and major histocompatibility protein class II beta chain (IEbeta) genes, complete cds; butyrophilin-like (NG9), butyrophilin-like (NG10), hypothetical protein (NG8), and butyrophilin-like (NG11) genes, partial cds; NG12 pseudogene, partial sequence; and hypothetical butyrophilin-like protein (NG13) gene, partial cds.//0.21:521:57//AF050157
- 25 R-HEMBB1001785//Torulopsis glabrata mitochondrial intergenic region ATPase 6 -ATPase 9 genes.//0.00073:189:65//X02170
- R-HEMBB1001797//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.0049:322:62//AC005140
- R-HEMBB1001802//Human desmin gene, complete cds.//8.1e-95:510:93//M63391
- 30 R-HEMBB1001812//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 356B8, WORKING DRAFT SEQUENCE.//1.3e-71:368:96//Z98882
- R-HEMBB1001816//Homo sapiens chromosome 21 PAC LLNLP704G1150Q13.//8.4e-21:164:76//AJ006996
- R-HEMBB1001831//Homo sapiens PAM COOH-terminal interactor protein 1 (PCIP1) mRNA, complete cds.//1.7e-104:498:98//AF056209
- 35 R-HEMBB1001836//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//9.2e-44:388:71//AC005328
- R-HEMBB1001839
- R-HEMBB1001850//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MOP10, complete sequence.//0.00093:488:60//AB005241
- 40 R-HEMBB1001863//Human poly(ADP-ribose) polymerase gene, 5' end.//1.2e-16:458:65//M60436
- R-HEMBB1001867//Human DNA sequence from cosmid U25D11, between markers DXS366 and DXS87 on chromosome X.//5.0e-31:399:74//Z68327
- R-HEMBB1001868//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MYN8, complete sequence.//0.26:303:59//AB020754
- 45 R-HEMBB1001869//Homo sapiens chromosome 17, clone hCIT529I10, complete sequence.//7.0e-37:285:85//AC002553
- R-HEMBB1001872//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y44F5, WORKING DRAFT SEQUENCE.//0.093:367:58//AL009027
- R-HEMBB1001874
- 50 R-HEMBB1001875//Lactococcus lactis DPC3147 plasmid pMRC01, complete plasmid sequence.//0.037:406:60//AE001272
- R-HEMBB1001880//Homo sapiens chromosome 17, clone hRPK.235_I_10, complete sequence.//1.3e-49:461:77//AC005922
- R-HEMBB1001899//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y116A8, WORKING DRAFT SEQUENCE.//0.56:295:60//Z98858
- 55 R-HEMBB1001905//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING DRAFT SEQUENCE.//1.9e-28:181:75//AL022345
- R-HEMBB1001906
- R-HEMBB1001908//Genomic sequence from Human 17, complete sequence.//2.9e-36:274:76//AC001231

- R-HEM BB1001910//Homo sapiens chromosome 17, clone HCIT39G8, complete sequence.//3.5e-41:408:76//AC003070
- R-HEM BB1001911//Homo sapiens *** SEQUENCING IN PROGRESS *** , WORKING DRAFT SEQUENCE.//6.1e-64:310:89//AJ011929
- 5 R-HEM BB1001915//Mouse mRNA for arylhydrocarbon receptor, complete cds.//2.0e-20:220:78//D38417
- R-HEM BB1001921//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1141E15, WORKING DRAFT SEQUENCE.//1.9e-47:410:80//AL034422
- R-HEM BB1001922//Homo sapiens chromosome 17, clone HCIT421K24, complete sequence.//6.2e-32:378:74//AC004099
- 10 R-HEM BB1001925//Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22, WORKING DRAFT SEQUENCE, 17 unordered pieces.//8.2e-41:304:84//AC000406
- R-HEM BB1001930//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 10/11.//8.3e-12:202:69//AB020867
- R-HEM BB1001944//P.falciparum gene for beta subunit RNA polymerase.//0.00090:264:62//X75544
- 15 R-HEM BB1001945//Swietenia humilis DNA for simple tandem repeat (242bp).//0.056:224:62//AJ000408
- R-HEM BB1001947//RPCI11-60L13.TJ RPCI11 Homo sapiens genomic clone R-60L13, genomic survey sequence.//7.4e-23:146:94//AQ202335
- R-HEM BB1001950//Human DNA sequence from clone 415G2 on chromosome 22 Contains synapsin IIIa exon 1, EST and GSS, complete sequence.//0.57:115:68//Z83846
- 20 R-HEM BB1001952//Homo Sapiens Chromosome X clone bWXD171, WORKING DRAFT SEQUENCE, 1 ordered pieces.//5.6e-36:283:84//AC004676
- R-HEM BB1001953//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//8.9e-60:334:82//AC005037
- R-HEM BB1001957//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//1.9e-56:518:77//AC005077
- 25 R-HEM BB1001962//Homo sapiens chromosome 16, BAC clone 462G18 (LANL), complete sequence.//3.2e-19:157:86//AC005736
- R-HEM BB1001967//Homo sapiens DNA for amyloid precursor protein, complete cds.//5.7e-68:314:89//D87675
- R-HEM BB1001973//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC E7.1 / cosmid 40M1, WORKING DRAFT SEQUENCE.//1.4e-37:484:70//AJ009617
- 30 R-HEM BB1001983//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 215D11, WORKING DRAFT SEQUENCE.//2.1e-28:286:75//AL034417
- R-HEM BB1001988//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1112F19, WORKING DRAFT SEQUENCE.//6.9e-29:203:88//AL034420
- 35 R-HEM BB1001990//Homo sapiens full-length insert cDNA clone ZC33G03.//7.8e-95:456:99//AF086192
- R-HEM BB1001996
- R-HEM BB1001997//Homo sapiens clone RG050N15, WORKING DRAFT SEQUENCE, 26 unordered pieces.//6.4e-26:162:83//AC005055
- R-HEM BB1002002//Human DNA sequence from PAC 2A2 on chromosome X contains ESTs.//8.2e-83:362:93//Z84816
- 40 R-HEM BB1002005//Homo sapiens chromosome 3p clone RPCI5-1034C16, WORKING DRAFT SEQUENCE, 45 unordered pieces.//8.5e-36:291:83//AC005903
- R-HEM BB1002009//Homo sapiens clone DJ0828F13, complete sequence.//5.6e-08:307:65//AC004904
- R-HEM BB1002015//HS-1039-A1-C10-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 821 Col=19 Row=E, genomic survey sequence.//1.9e-05:375:62//B36336
- 45 R-HEM BB1002042//CIT-HSP-2313E13.TF CIT-HSP Homo sapiens genomic clone 2313E13, genomic survey sequence.//0.34:241:62//AQ028389
- R-HEM BB1002043//Homo sapiens chromosome 21, P1 clone LBL#8 (LBNL H8), complete sequence.//7.4e-35:297:82//AC005612
- 50 R-HEM BB1002044//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//5.8e-96:582:90//AC005740
- R-HEM BB1002045//Homo sapiens chromosome 19, cosmid F22676, complete sequence.//4.7e-63:575:77//AC005778
- R-HEM BB1002049//Human Chromosome X clone bWXD187, complete sequence.1/1.9e-21:384:64//AC004383
- 55 R-HEM BB1002050//Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.//2.5e-37:368:76//AC005553
- R-HEM BB1002068//Homo sapiens chromosome 5, BAC clone 205e20 (LBNL H170), complete sequence.//0.30:167:65//AC004782

EP 1 074 617 A2

R-HEM BB1002069//Homo sapiens chromosome 19, cosmid R33516, complete sequence.//2.3e-73:449:84//AC004799

R-HEM BB1002092//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//3.8e-45:307:87//AC005828

5 R-HEM BB1002094//Homo sapiens chromosome 19, cosmid R30538, complete sequence.//3.1e-47:457:76//AC005943

R-HEM BB1002115//HS_2223_B1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2223 Col=19 Row=N, genomic survey sequence.//3.0e-58:295:98//AQ152279

R-HEM BB1002139//***ALU WARNING: Human Alu-Sq subfamily consensus sequence.//6.6e-49:283:93//U14573

10 R-HEM BB1002142//Homo sapiens clone DJ0813F11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.1e-45:451:76//AC006006

R-HEM BB1002152//Homo sapiens chromosome 10 clone CIT987SK-1079E16 map 10q25, complete sequence.//1.3e-57:359:81//AC005881

R-HEM BB1002189//Human Chromosome 11 pac pDJ392a17, complete sequence.//4.5e-43:420:77//AC000385

15 R-HEM BB1002190//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//8.2e-33:340:64//AC004913

R-HEM BB1002193//Sequence 5 from patent US 5709858.//3.2e-23:154:92//I80846

R-HEM BB1002217//Homo sapiens clone HS19.2 Alu-Ya5 sequence.//2.6e-52:415:81//AF015148

R-HEM BB1002218//, complete sequence.//3.4e-17:178:82//AC005300

20 R-HEM BB1002232//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0052I22; HTGS phase 1, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.6e-55:292:88//AC004599

R-HEM BB1002247//Homo sapiens chromosome 17, clone hRPK.259_G_18, complete sequence.//2.9e-13:227:70//AC005829

R-HEM BB1002249//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 455J7, WORKING DRAFT SEQUENCE.//1.1e-06:284:64//AL031733

25 R-HEM BB1002254//Human Chromosome X, WORKING DRAFT SEQUENCE, 6 unordered pieces.//6.3e-104:593:91//AC002415

R-HEM BB1002255//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 292E10, WORKING DRAFT SEQUENCE.//2.1e-40:284:85//Z93930

30 R-HEM BB1002266//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-10, complete sequence.//1.3e-09:371:63//AL010216

R-HEM BB1002280//Homo sapiens PAC clone DJ0545C24 from 7q21-q22, complete sequence.//1.3e-39:247:86//AC004534

R-HEM BB1002300//Human Chromosome 11 Cosmid cSRL30h11, complete sequence.//4.1e-84:549:86//U73642

35 R-HEM BB1002306//Homo sapiens BAC clone RG136N17 from 7p15-p21, complete sequence.//2.5e-10:164:71//AC004129

R-HEM BB1002327//Homo sapiens BAC clone GS539F22 from 7p12-p14, complete sequence.//0.39:365:59//AC005028

R-HEM BB1002329//HS-1049-B1-D05-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 771 Col=9 Row=H, genomic survey sequence.//0.96:180:58//B39313

40 R-HEM BB1002340//Homo sapiens PAC clone DJ0659J06 from 7q33-q35, complete sequence.//7.9e-17:258:73//AC004849

R-HEM BB1002342//Homo sapiens mRNA for putative thioredoxin-like protein.//6.9e-96:479:97//AJ010841

45 R-HEM BB1002358//Human Xp22 BAC CT-285I15 (from CalTech/Research Genetics), PAC RPCI1-27C22 (from Roswell Park Cancer Center), and Cosmid U35B5 (from Lawrence Livermore), complete sequence.//2.3e-53:309:83//AC002366

R-HEM BB1002359//Homo sapiens clone NH0486I22, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.9e-27:350:74//AC005038

R-HEM BB1002364//Homo sapiens Xp22 PAC RPCI1-108M6 (Roswell Park Cancer Center PAC library) complete sequence.//8.6e-53:302:79//AC003036

50 R-HEM BB1002371//Human gene for catalase (EC 1.11.1.6) exon 11 mapping to chromosome 11, band p13.//3.2e-38:199:100//X04094

R-HEM BB1002381//Homo sapiens (JH8) mRNA, partial cds.//3.2e-07:120:78//AF072467

R-HEM BB1002383//Human DNA sequence from cosmid U19H10 on chromosome X. Contains ESTs and CA repeat.//0.98:351:58//AL021182

55 R-HEM BB1002387//HS-1052-B2-G10-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 774 Col=20 Row=N, genomic survey sequence.//2.0e-07:276:67//B41091

R-HEM BB1002415//Homo sapiens chromosome 17, clone hRPK.209_D_14, complete sequence.//1.4e-25:202:

- 79//AC005730
R-HEM BB1002425//Homo sapiens chromosome 19, cosmid R33516, complete sequence.//3.6e-60:401:87//AC004799
- 5 R-HEM BB1002442//Homo sapiens clone UWGC:r9a from 6p21, complete sequence.//3.1e-51:358:81//AC006046
R-HEM BB1002453//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 86D1, WORKING DRAFT SEQUENCE.//1.4e-115:557:98//AL034349
R-HEM BB1002457//Human DNA sequence from clone 364I22 on chromosome Xq21.31-22.3. Contains an STS and GSSs, complete sequence.//6.3e-37:338:80//AL031012
- 10 R-HEM BB1002458//Homo sapiens T-cell receptor alpha delta locus from bases 250472 to 501670 (section 2 of 5) of the Complete Nucleotide Sequence.//9.7e-09:314:64//AE000659
R-HEM BB1002477//Arabidopsis thaliana DNA chromosome 4, BAC clone T12H17 (ESSAll project).//0.42:110:74//AL021635
R-HEM BB1002489//Salvelinus fontinalis microsatellite sequence SFO-12.//6.6e-06:167:71//U50302
- 15 R-HEM BB1002492//RPCI11-74F21.TK RPCI11 Homo sapiens genomic clone R-74F21, genomic survey sequence.//3.1e-14:410:63//AQ238960
R-HEM BB1002495//HS_3220_A2_F07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3220 Col=14 Row=K, genomic survey sequence.//1.3e-24:137:100//AQ180762
R-HEM BB1002502//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//9.6e-81:538:86//AC006120
- 20 R-HEM BB1002509//Human DNA sequence from clone 581F12 on chromosome Xq21. Contains Eukaryotic Translation Initiation Factor EIF3 P35 Subunit and 60S Ribosomal protein L22 pseudogenes. Contains ESTs, complete sequence.//0.0061:482:57//AL031313
R-HEM BB1002510//HS_2179_A1_F03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2179 Col=5 Row=K, genomic survey sequence.//6.9e-35:423:72//AQ298309
- 25 R-HEM BB1002520//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 27K12, WORKING DRAFT SEQUENCE.//2.0e-62:201:85//AL033397
R-HEM BB1002522//Homo sapiens chromosome 5, Pac clone 61c2 (LBNL H139), complete sequence.//0.99:323:58//AC004225
R-HEM BB1002531
- 30 R-HEM BB1002534//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 2/15, WORKING DRAFT SEQUENCE.//1.0e-61:380:79//AP000009
R-HEM BB1002545//RPCI11-2F3.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-2F3, genomic survey sequence.//3.5e-12:414:63//B63283
R-HEM BB1002550
- 35 R-HEM BB1002556//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0481P14; HTGS phase 1, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.6e-62:299:85//AC006160
R-HEM BB1002579//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1141E15, WORKING DRAFT SEQUENCE.//1.7e-42:286:88//AL034422
R-HEM BB1002582//Homo sapiens clone DJ1119N05, complete sequence.//3.0e-14:426:60//AC004968
- 40 R-HEM BB1002590//Homo sapiens clone RG132J19, complete sequence.//1.1e-30:392:74//AC005163
R-HEM BB1002596//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508I15, WORKING DRAFT SEQUENCE.//8.5e-44:335:83//AL021707
R-HEM BB1002600//Homo sapiens 12p13.3 PAC RPCI5-1063M23 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.0e-105:470:96//AC005865
- 45 R-HEM BB1002601//Homo sapiens chromosome 17, clone HRPC837J1, complete sequence.//1.3e-44:445:77//AC004223
R-HEM BB1002603//Homo sapiens clone UWGC:y23c049 from 6p21, complete sequence.//7.0e-40:321:82//AC006162
R-HEM BB1002607//CIT-HSP-2347D7.TF CIT-HSP Homo sapiens genomic clone 2347D7, genomic survey sequence.//1.1e-44:234:98//AQ060197
- 50 R-HEM BB1002610//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//7.0e-22:455:65//U91321
R-HEM BB1002613//Homo sapiens 12p13.3 BAC RPCI11-476M19 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//3.0e-72:302:85//AC005908
- 55 R-HEM BB1002614//Homo sapiens 12q13.1 PAC RPCI11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//3.8e-10:512:60//AC004801
R-HEM BB1002617//Homo sapiens clone DJ1021I20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//6.8e-24:486:63//AC005520

- R-HEMBB1002623//Homo sapiens PAC clone DJ1059M17 from 7q21-q31.1, complete sequence.//2.4e-41:326:83//AC004953
- R-HEMBB1002635//Homo sapiens chromosome 12p13.3 clone RPC11-189M20, WORKING DRAFT SEQUENCE, 39 unordered pieces.//2.6e-42:360:80//AC005910
- 5 R-HEMBB1002664//Homo sapiens chromosome 21q22.3 PAC 171F15, complete sequence.//9.1e-51:335:87//AF042090
- R-HEMBB1002677//Plasmodium falciparum strain Dd2 heat shock protein 86 (HSP86), O1 (o1), O3 (o3), O2 (o2), CG8 (cg8), CG4 (cg4), CG3 (cg3), CG9 (cg9), CG1 (cg1), CG6 (cg6), chloroquine resistance candidate protein (cg2), and CG7 (cg7) genes, complete cds.//0.0011:399:59//AF030694
- 10 R-HEMBB1002683//Homo sapiens chromosome 21q22.3 PAC 171F15, complete sequence.//4.1e-55:515:76//AF042090
- R-HEMBB1002684//Human BAC clone RG066D11 from 7q22, complete sequence.//1.7e-18:504:62//AC002430
- R-HEMBB1002686//Homo sapiens full-length insert cDNA clone ZC65D06.//7.0e-85:413:99//AF086217
- R-HEMBB1002692//Homo sapiens 12p13.3 BAC RPC11-319E16 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//9.8e-69:505:82//AC006206
- 15 R-HEMBB1002697//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.26:390:58//AC004153
- R-HEMBB1002699//Human NFE genomic fragment.//8.0e-32:226:79//M98511
- R-HEMBB1002702//CIT-HSP-344K23.TVC CIT-HSP Homo sapiens genomic clone 344K23, genomic survey sequence.//8.6e-43:351:8011859764
- 20 R-HEMBB1002705//Plasmodium yoelii rhoptry protein, complete cds.//0.0064:454:59//L27838
- R-HEMBB1002712//Human DNA sequence from clone 505B13 on chromosome 1p36.2-36.3 Contains CA repeat and GSSs, complete sequence.//9.6e-09:187:67//Z98052
- R-MAMMA1000009//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//4.1e-21:201:80//AC005037
- 25 R-MAMMA1000019//Homo sapiens chromosome 21q22.2 PAC clone P169K17, complete sequence.//4.2e-48:306:82//AF015720
- R-MAMMA1000020//Human DNA sequence from clone 551E13 on chromosome Xp11.2-11.3 Contains farnesyl pyrophosphate synthetase pseudogene, VT4 protein pseudogene, EST, GSS, complete sequence.//1.4e-41:306:86//AL022163
- 30 R-MAMMA1000025//Human DNA sequence from clone 512B11 on chromosome 6p24-25. Contains the Desmoplakin I (DPI) gene, ESTs, STSs and GSSs, complete sequence.//6.1e-36:281:83//AL031058
- R-MAMMA1000043//Homo sapiens Chromosome 22q11.2 Cosmid Clone 8c In DGCR Region, complete sequence.//1.3e-67:321:88//AC000090
- 35 R-MAMMA1000045//Homo sapiens chromosome 4 clone B220G8 map 4q21, complete sequence.//6.7e-86:559:86//AC004054
- R-MAMMA1000055//Branta canadensis CA dinucleotide repeat locus Bcamicrol.//0.79:63:77//AF025889
- R-MAMMA1000057//Homo sapiens DNA sequence from cosmid ICK0721Q on chromosome 6. Contains a 60S Ribosomal Protein L35A LIKE pseudogene, a gene coding for a 60S Ribosomal Protein L12 LIKE protein in an
- 40 intron of the HSET gene coding for a Kinesin related protein, the PHF1 (PHF2) gene coding for alternative splice products PHD finger proteins 1 and 2, the gene coding for five different alternatively spliced mRNAs coding for a protein similar to CYTA (CYCY) and identical to a polypeptide coded for by a known patented cDNA, and the first two exons of the gene coding for the human homolog of the rat synaptic ras GTPase-activating protein p135 SynGAP. Contains three predicted CpG islands, ESTs and an STS, complete sequence.//1.6e-53:397:83//AL021366
- 45 R-MAMMA1000069//Homo sapiens clone RG052H06, WORKING DRAFT SEQUENCE, 11 unordered pieces.//2.0e-37:295:83//AC005057
- R-MAMMA1000084//Homo sapiens chromosome Xp22-135-136 clone GSHB-567I1, WORKING DRAFT SEQUENCE, 35 unordered pieces.//7.1e-45:296:88//AC005867
- 50 R-MAMMA1000085
- R-MAMMA1000092//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 774G10, WORKING DRAFT SEQUENCE.//8.2e-34:539:69//AL034410
- R-MAMMA1000103//Homo sapiens chromosome 17, clone hCIT.91_J_4, complete sequence.//3.4e-39:297:85//AC003976
- 55 R-MAMMA1000117//Homo sapiens p47-phox (NCF1) pseudogene, clone P38, exon 5.//2.6e-07:162:67//U69641
- R-MAMMA1000129//Homo sapiens clone DJ076B20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//6.1e-13:141:80//AC004882
- R-MAMMA1000133

R-MAMMA1000134//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//9.7e-18:171:80//AC005328

R-MAMMA1000139//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.2e-49:366:75//AC005000

5 R-MAMMA1000143//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC D9.2, WORKING DRAFT SEQUENCE.//3.9e-56:318:89//AJ009615

R-MAMMA1000155//Human DNA sequence from clone 323M22 on chromosome 22q13.1-13.2. Contains the 5' part of the human ortholog of chicken P52 and mouse H74, and a novel gene coding for a protein similar to KIAA0173 and worm Tubulin Tyrosine Ligase. Contains ESTs, STSs, GSSs, genomic marker D22S418 and putative CpG islands, complete sequence.//2.1e-68:562:78//AL022476

10 R-MAMMA1000163//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//5.3e-06:408:58//AC005089

R-MAMMA1000171//CIT-HSP-2335L20.TR CIT-HSP Homo sapiens genomic clone 2335L20, genomic survey sequence.//1.5e-42:173:89//AQ037381

15 R-MAMMA1000173

R-MAMMA1000175//H.sapiens CpG island DNA genomic Mse1 fragment, clone 186c5, reverse read cpg186c5.rt1b.//0.072:90:72//Z57594

R-MAMMA1000183//Homo sapiens Xp22 BAC GSHB-184P14 (Genome Systems Human BAC library) complete sequence.//1.5e-44:445:75//AC004552

20 R-MAMMA1000198//Homo sapiens clone c102D0968, complete sequence.//1.9e-23:135:85//AF038667

R-MAMMA1000221//HS_3242_B2_H02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3242 Col=4 Row=P, genomic survey sequence.//0.031:167:67//AQ220385

R-MAMMA1000227//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1071N3, WORKING DRAFT SEQUENCE.//4.5e-36:487:71//AL031728

25 R-MAMMA1000241//Homo sapiens DNA sequence from PAC 93L7 on chromosome Xq21. Contains part of the CHM (TCD, REP1) gene coding for RAB Escort protein 1 (REP-1, RAB proteins geranylgeranyltransferase component A 1, Choroideraemia protein, Tapetochoroidal Dystrophy (TCD) protein). Contains ESTs and an STS, complete sequence.//6.2e-07:445:59//AL022401

R-MAMMA1000251//Homo sapiens chromosome 19, cosmid F23465, complete sequence.//1.6e-25:390:69//AC005266

30 R-MAMMA1000254//Homo sapiens DNA sequence from BAC 1216H12 on chromosome 22q12. Contains a pseudogene with similarity to part of mouse Ninein and the KIAA0609 gene for a protein similar to C. elegans K09C8.4. Contains ESTs, GSSs and a ggtt repeat polymorphism, complete sequence.//1.1e-37:327:80//AL008715

R-MAMMA1000257//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1125A11, WORKING DRAFT SEQUENCE.//1.3e-22:281:74//AL034549

35 R-MAMMA1000264//*** SEQUENCING IN PROGRESS *** EPM1/APECED region of chromosome 21, clones A68E8, B127P21, B173L3, B23N8, C1242C9, C579E2, A70B6, B159G9, B175D10, B52C10, C124G1 Note: Sequencing in this region has been discontinued by the Stanford Human Genome Center, WORKING DRAFT SEQUENCE, 50 unordered pieces.//1.7e-29:337:67//AC003656

40 R-MAMMA1000266//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 681N20, WORKING DRAFT SEQUENCE.//7.7e-37:339:80//AL031670

R-MAMMA1000270//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete sequence.//1.2e-40:283:86//AF001549

45 R-MAMMA1000277//CIT-HSP-516K6.TP CIT-HSP Homo sapiens genomic clone 516K6, genomic survey sequence.//3.0e-29:265:80//B49900

R-MAMMA1000278//Sequence 25 from patent US 5708157.//2.6e-39:282:82//I80056

R-MAMMA1000279//Homo sapiens chromosome 16, cosmid clone 390H2 (LANL), complete sequence.//1.6e-52:295:84//AC004494

R-MAMMA1000284//CITBI-E1-2522B20.TF CITBI-E1 Homo sapiens genomic clone 2522B20, genomic survey sequence.//1.8e-11:288:61//AQ280722

50 R-MAMMA1000287

R-MAMMA1000302//Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.//4.1e-16:169:77//AC005553

R-MAMMA1000307//RPCI11-89L1.TV RPCI11 Homo sapiens genomic clone R-89L1, genomic survey sequence.//1.3e-86:429:97//AQ284795

55 R-MAMMA1000309//Homo sapiens hJAG2.del-E6 (JAG2) mRNA, alternatively spliced isoform of Jagged2, complete cds.//0.00020:384:60//AF029779

R-MAMMA1000312//Ichneutes sp. 16S ribosomal RNA gene, partial sequence.//0.0026:310:60//AF003518

- R-MAMMA1000313//Human cosmid Xq28_1A649, complete sequence.//1.5e-26:317:67//U82694
 R-MAMMA1000331//Homo sapiens clone DJ1007F24, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.1e-39:277:86//AC004947
 R-MAMMA1000339//Homo sapiens clone HS19.1 Alu-Ya5 sequence.//3.2e-44:180:89//AF015147
 5 R-MAMMA1000340//Plasmodium falciparum chromosome 2, section 25 of 73 of the complete sequence.//0.97:293:64//AE001388
 R-MAMMA1000348//Homo sapiens BAC129, complete sequence.//4.4e-27:365:72//U85195
 R-MAMMA1000356//Drosophila melanogaster DNA sequence (P1 DS02252 (D97)), complete sequence.//0.73:332:61//AC002493
 10 R-MAMMA1000360//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//4.6e-80:279:89//AC005189
 R-MAMMA1000361//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 753D4, WORKING DRAFT SEQUENCE.//7.8e-18:346:63//AL031676
 R-MAMMA1000372//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y214H10, WORKING DRAFT SEQUENCE.//5.3e-40:299:83//AL022344
 15 R-MAMMA1000385//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 310013, WORKING DRAFT SEQUENCE.//1.0e-28:225:84//AL031658
 R-MAMMA1000388//CIT-HSP-2321D3.TR CIT-HSP Homo sapiens genomic clone 2321D3, genomic survey sequence.//4.7e-60:298:99//AQ038102
 20 R-MAMMA1000395
 R-MAMMA1000402//Homo sapiens PAC clone DJ1107K12 from 7p12-p14, complete sequence.//1.4e-84:276:88//AC004692
 R-MAMMA1000410//Human Chromosome 16 BAC clone CIT987SK-A-211C6, complete sequence.//6.7e-35:360:76//AC002394
 25 R-MAMMA1000413//Homo sapiens chromosome 17, clone hRPC.842_A_23, complete sequence.//3.1e-69:327:79//AC004662
 R-MAMMA1000414//Homo sapiens DNA sequence from PAC 164L12 on chromosome Xq13.1-Xq21.2. Contains GSS (BAC end sequence),STS.//3.6e-41:180:87//AL009028
 R-MAMMA1000416//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//3.1e-59:478:77//AC005377
 30 R-MAMMA1000421//Human coxVib gene, last exon and flanking sequence.//5.3e-53:294:82//X58139
 R-MAMMA1000422//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 8B22, WORKING DRAFT SEQUENCE.//1.0:252:59//AL031737
 R-MAMMA1000423//Homo sapiens clone DA0065G23, complete sequence.//2.0e-50:491:76//AC004816
 35 R-MAMMA1000424//Human DNA sequence from PAC 507I15 on chromosome Xq26.3-27.3. Contains 60S ribosomal protein L44 (L41, L36) like gene, ESTs, STSs and a polymorphic CA repeat.//3.5e-40:340:80//Z98950
 R-MAMMA1000429//Mus musculus SDP8 mRNA, complete cds.//0.0019:87:79//AF062484
 R-MAMMA1000431//Homo sapiens clone DJ0098O22, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.0e-58:564:77//AC004821
 40 R-MAMMA1000444//Human BAC clone RG126M09 from 7q21-q22, complete sequence.//3.0e-43:328:83//AC002067
 R-MAMMA1000446//Human chromosome X clone Qc15B1, complete sequence.//0.95:209:65//U82672
 R-MAMMA1000458//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MXK3, complete sequence.//0.99:182:61//AB019236
 45 R-MAMMA1000468
 R-MAMMA1000472//Homo sapiens genomic DNA, 21q region, clone: 655M9N34, genomic survey sequence.//1.0e-38:142:88//AG010148
 R-MAMMA1000478//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 169I5, WORKING DRAFT SEQUENCE.//1.3e-37:286:83//Z93015
 50 R-MAMMA1000483//CIT-HSP-384B14.TR CIT-HSP Homo sapiens genomic clone 384B14, genomic survey sequence.//4.3e-34:158:86//B54637
 R-MAMMA1000490//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete sequence.//4.2e-98:569:90//AC006130
 R-MAMMA1000500//Human BRCA1, Rho7 and vat1 genes, complete cds, and ipf35 gene, partial cds.//1.2e-41:334:79//L78833
 55 R-MAMMA1000501//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 153G14, WORKING DRAFT SEQUENCE.//1.4e-38:250:84//AL031118
 R-MAMMA1000516//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING

DRAFT SEQUENCE.//1.3e-43:318:83//Z82207
 R-MAMMA1000522//Human DNA sequence from clone 739H11 on chromosome 1p33-34.2 Contains KIAA0237 gene, EST, STS, GSS, complete sequence.//4.4e-13:202:73//AL031289
 R-MAMMA1000559//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 169I5, WORKING DRAFT SEQUENCE.//2.2e-30:245:83//Z93015
 R-MAMMA1000565//Homo sapiens chromosome 10 clone LA10NC01_183_B_7 map 10q24, WORKING DRAFT SEQUENCE, 1 ordered pieces.//3.6e-39:281:80//U82205
 R-MAMMA1000567//Rattus norvegicus nonmuscle caldesmon mRNA, complete cds.//9.2e-19:216:76//U18419
 R-MAMMA1000576
 R-MAMMA1000583//Homo sapiens chromosome 17, clone hRPK.112_H_10, complete sequence.//5.4e-53:297:85//AC005666
 R-MAMMA1000585//Homo sapiens clone DJ1015P16, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.2e-35:450:71//AC006018
 R-MAMMA1000594//Homo sapiens *** SEQUENCING IN PROGRESS *** from cosmid 5L5, WORKING DRAFT SEQUENCE.//4.3e-26:293:75//AJ009613
 R-MAMMA1000597//CIT-HSP-2341F4.TF CIT-HSP Homo sapiens genomic clone 2341F4, genomic survey sequence.//0.83:110:70//AQ057131
 R-MAMMA1000605//Homo sapiens clone DJ1090E20, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.6e-50:290:86//AC004956
 R-MAMMA1000612//CIT-HSP-2334J18.TF CIT-HSP Homo sapiens genomic clone 2334J18, genomic survey sequence.//0.76:132:65//AQ038364
 R-MAMMA1000616//Ibalia leucospoides mitochondrion 16S rRNA gene, partial sequence.//6.8e-06:431:59//U06970
 R-MAMMA1000621//Human NBR2 mRNA, complete cds.//5.3e-27:258:80//U88573
 R-MAMMA1000623
 R-MAMMA1000625//Homo sapiens chromosome 19, cosmid R31665, complete sequence.//3.3e-07:325:63//AC005498
 R-MAMMA1000643//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 39B17, WORKING DRAFT SEQUENCE.//1.4e-06:236:68//AL023656
 R-MAMMA1000664//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0326F06; HTGS phase 1, WORKING DRAFT SEQUENCE, 16 unordered pieces.//1.4e-40:338:81//AC004555
 R-MAMMA1000669//Human DNA sequence from clone 453C12 on chromosome 20q12-13.12 Contains SDC4 (syndecan 4 (amphiglycan, ryudocan)) predicts a gene like the mouse transcription factor RBP-L, MATN4 (matrilin-4) STS, GSS, CpG island, complete sequence.//1.2e-46:327:86//AL021578
 R-MAMMA1000670
 R-MAMMA1000672//Human DNA sequence from clone 478D8 on chromosome 6p24. Contains STSs and GSSs, complete sequence.//2.2e-29:328:76//AL031785
 R-MAMMA1000684//Mus musculus frizzled-1 mRNA, complete cds.//0.21:247:63//AF054623
 R-MAMMA1000696//Human Chromosome X clone bWXd173, WORKING DRAFT SEQUENCE, 2 ordered pieces.//2.7e-46:464:71//AC004387
 R-MAMMA1000707//Homo sapiens clone RG219E16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.4e-09:244:66//AC005075
 R-MAMMA1000713//Homo sapiens clone DJ0425I02, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.7e-51:439:74//AC005478
 R-MAMMA1000714//Homo sapiens BAC clone RG152H24 from 7p15-p21, complete sequence.//2.8e-29:288:75//AC004694
 R-MAMMA1000718//Human Xp22 BAC CT-285I15 (from CalTech/Research Genetics), PAC RPC11-27C22 (from Roswell Park Cancer Center), and Cosmid U35B5 (from Lawrence Livermore), complete sequence.//3.0e-37:231:91//AC002366
 R-MAMMA1000720//Homo sapiens chromosome 19, cosmid R33632, complete sequence.//1.4e-35:299:81//AC005781
 R-MAMMA1000723//Human DNA sequence from clone 551E13 on chromosome Xp11.2-11.3 Contains farnesyl pyrophosphate synthetase pseudogene, VT4 protein pseudogene, EST, GSS, complete sequence.//3.9e-59:409:79//AL022163
 R-MAMMA1000731//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//9.4e-29:560:66//AC005077
 R-MAMMA1000732//Homo sapiens clone DJ0539M06, WORKING DRAFT SEQUENCE, 10 unordered pieces.//2.4e-14:309:68//AC004832

R-MAMMA1000733//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 732E4, WORKING DRAFT SEQUENCE.//4.1e-29:377:71//AL008722

R-MAMMA1000734//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 191J18, WORKING DRAFT SEQUENCE.//2.0e-108:420:99//AL024507

5 R-MAMMA1000738//Human V beta T-cell receptor (TCRBV) gene locus.//6.6e-41:347:82//U03115

R-MAMMA1000744//T27O8-T7 TAMU Arabidopsis thaliana genomic clone T27O8, genomic survey sequence.//0.095:367:60//B20150

R-MAMMA1000746//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0135005; HTGS phase 1, WORKING DRAFT SEQUENCE, 23 unordered pieces.//7.4e-95:569:87//AC004661

10 R-MAMMA1000752//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//1.3e-48:295:84//AC003071

R-MAMMA1000760//Human DNA sequence from clone B79B4 on chromosome 22 Contains CA repeat and GSS, complete sequence.//5.7e-45:347:82//Z82178

R-MAMMA1000761//Homo sapiens cosmid clone LUCA16 from 3p21.3, complete sequence.//1.1e-32:292:80//U73169

15 R-MAMMA1000775//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//2.5e-50:467:79//AC005412

R-MAMMA1000776//Human BAC clone GS552A01 from 7q21-q22, complete sequence.//1.0e-63:429:79//AC002454

20 R-MAMMA1000778//Human DNA sequence from 4PTTEL, Huntington's Disease Region, chromosome 4p16.3.//3.5e-25:234:81//Z95704

R-MAMMA1000782//Human DNA sequence from clone 459L4 on chromosome 6p22.3-24.1 Contains EST, STS, GSS, complete sequence.//0.0021:119:74//AL031120

R-MAMMA1000798//Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 2/3.//6.3e-08:269:64//AJ229042

25 R-MAMMA1000802//Homo sapiens chromosome 19, cosmid R33729, complete sequence.//1.1e-36:261:80//AC005339

R-MAMMA1000831//CIT-HSP-2387J3.TF.1 CIT-HSP Homo sapiens genomic clone 2387J3, genomic survey sequence.//0.68:156:65//AQ240807

30 R-MAMMA1000839//Homo sapiens chromosome 17, clone hRPK.726_O_12, WORKING DRAFT SEQUENCE, 6 unordered pieces.//4.6e-50:335:86//AC005517

R-MAMMA1000841//Human Chromosome 16 BAC clone CIT987SK-A-972D3, complete sequence.//1.3e-40:322:77//U91323

R-MAMMA1000842//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 341D10, WORKING DRAFT SEQUENCE.//4.1e-44:471:74//Z97985

35 R-MAMMA1000843//Homo sapiens clone 82F9, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.85:394:60//AC004815

R-MAMMA1000845//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.54:303:63//AL031744

40 R-MAMMA1000851//Homo sapiens chromosome X, MeCP2 locus, complete sequence.//1.7e-10:115:83//AF030876

R-MAMMA1000855//Homo sapiens PAC clone 278C19 from 12q, complete sequence.//5.0e-44:352:83//AC004263

R-MAMMA1000856//Homo sapiens chromosome 19, cosmid F24200, complete sequence.//1.8e-10:149:74//AC00461

45 R-MAMMA1000862//Hepatitis C virus genomic RNA, 3' nontranslated region, partial sequence. clone #16.//8.1e-05:205:66//AF009075

R-MAMMA1000863//Homo sapiens Xp22 Cosmids U15E4, U115H5, U132E12, U115B9 (Lawrence Livermore human cosmid library) complete sequence.//2.9e-49:421:80//AC002364

50 R-MAMMA1000865//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-328A3, complete sequence.//9.1e-41:302:83//AC002301

R-MAMMA1000867//Human BRCA1, Rho7 and vat1 genes, complete cds, and ipf35 gene, partial cds.//1.9e-17:500:61//L78833

R-MAMMA1000875//Homo sapiens chromosome 16, cosmid clone RT99 (LANL), complete sequenced.//1.2e-17:211:74//AC004653

55 R-MAMMA1000876//Homo sapiens Xp22 BAC GS-607H18 (Genome Systems Human BAC library) complete sequence.//4.7e-09:160:65//AC003658

R-MAMMA1000877//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains

- ESTs STS and CpG island.//3.2e-34:354:75//Z93023
 R-MAMMA1000880//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-575C2, complete sequence.//1.4e-41:411:74//AC002425
 R-MAMMA1000883
 5 R-MAMMA1000897
 R-MAMMA1000905//Homo sapiens chromosome 5, P1 clone 274A11 (LBNL H66), complete sequence.//1.3e-73:304:91//AC004506
 R-MAMMA1000906//Human DNA from chromosome 19-specific cosmid F14150, genomic sequence, complete sequence.//8.4e-23:194:83//AC003110
 10 R-MAMMA1000908//Human Chromosome 15q26.1 PAC clone pDJ416i6, complete sequence.//1.5e-09:170:71//AC003024
 R-MAMMA1000914//Homo sapiens PAC clone DJ0740L10 from 7p13-p14, complete sequence.//8.3e-13:323:67//AC005247
 R-MAMMA1000921//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//6.8e-28:333:72//AL034379
 15 R-MAMMA1000931//HS_3227_B1_B03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3227 Col=5 Row=D, genomic survey sequence.//1.4e-55:443:79//AQ191777
 R-MAMMA1000940//Homo sapiens clone RG013F03, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.0e-43:340:84//AC005046
 20 R-MAMMA1000941//Homo sapiens chromosome 17, clone 297N7, complete sequence.//1.8e-53:330:84//AC002347
 R-MAMMA1000942//Human Chromosome X clone bWXD187, complete sequence.//1.2e-39:391:74//AC004383
 R-MAMMA1000943//Human PAC clone DJ327A19 from Xq25-q26, complete sequence.//4.6e-75:566:81//AC002477
 25 R-MAMMA1000956//Plasmodium falciparum MAL3P7, complete sequence.//0.013:285:59//AL034559
 R-MAMMA1000957//Homo sapiens clone RG339C12, WORKING DRAFT SEQUENCE, 10 unordered pieces.//5.2e-45:288:90//AC005096
 R-MAMMA1000962//Homo sapiens clone DJ0756H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.9e-108:561:96//AC006001
 30 R-MAMMA1000968//Homo sapiens PAC clone 278C19 from 12q, complete sequence.//3.9e-41:287:87//AC004263
 R-MAMMA1000975//Homo sapiens DNA sequence from PAC 179N16 on chromosome 6p21.1-21.33. Contains the SAPK4 (MAPK p38delta) gene, and the alternatively spliced SAPK2 gene coding for CSaids binding protein CSBP2 and a MAPK p38beta LIKE protein. Contains ESTs, STSs and two predicted CpG islands, complete sequence.//9.4e-65:542:79//Z95152
 35 R-MAMMA1000979//Homo sapiens chromosome 21q22.3, PAC clones 314N7, 225L15, BAC clone 7B7, complete sequence bases 1..333303.//3.2e-34:296:80//AJ011930
 R-MAMMA1000987//Homo sapiens CC chemokine gene cluster, complete sequence.//1.7e-40:255:87//AF088219
 R-MAMMA1000998//Homo sapiens PAC clone DJ1152D16 from Xq23, complete sequence.//2.5e-39:315:73//AC005190
 40 R-MAMMA1001003//Homo sapiens chromosome 10 clone CIT-HSP-1338F24 map 10p11.2-10p12.1, complete sequence.//2.4e-52:296:84//AC006101
 R-MAMMA1001008//Homo sapiens *** SEQUENCING IN PROGRESS *** WORKING DRAFT SEQUENCE.//7.9e-88:432:98//AJ011929
 45 R-MAMMA1001021//Homo sapiens PAC clone DJ0859M06 from 7q11, complete sequence.//3.8e-39:286:87//AC004910
 R-MAMMA1001024//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.0e-31:274:80//AC004913
 R-MAMMA1001030//Homo sapiens full-length insert cDNA clone ZD96C01.//3.2e-99:469:99//AF088074
 50 R-MAMMA1001035//RPCI-1-46G8Sp6 RPCI-1 Homo sapiens genomic clone RPCI-1-46G8Sp6, genomic survey sequence.//3.5e-49:270:90//AQ275285
 R-MAMMA1001038//Homo sapiens chromosome 3, olfactory receptor pseudogene cluster 1, complete sequence, and myosin light chain kinase (MLCK) pseudogene, partial sequence.//1.1e-41:285:87//AF042089
 R-nnnnnnnnnnnnn
 55 R-MAMMA1001050//Homo sapiens genomic DNA, 237 kb segment from 6p21.3 region including HLA genes, WORKING DRAFT SEQUENCE.//1.3e-55:334:91//D84394
 R-MAMMA1001059//Mouse RNA helicase and RNA-dependent ATPase from the DEAD box family mRNA, complete cds.//1.7e-51:481:77//L25125

- R-MAMMA1001067//CIT-HSP-2371K20.TF CIT-HSP Homo sapiens genomic clone 2371K20, genomic survey sequence.//7.2e-65:946:95//AQ111326
- R-MAMMA1001073
- 5 R-MAMMA1001074//Homo sapiens BAC clone NH0400O10 from Y, complete sequence.//8.6e-33:457:69//AC006040
- R-MAMMA1001075//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//0.15:325:62//AC004605
- R-MAMMA1001078//Homo sapiens chromosome 5, BAC clone 203o13 (LBNL H155), complete sequence.//1.6e-45:344:84//AC005609
- 10 R-MAMMA1001082//Human genomic DNA sequence from clone 308O1 on chromosome Xp11.3-11.4. Contains EST, CA repeat, STS, GSS, CpG island.//8.5e-15:413:64//Z93403
- R-MAMMA1001091//Sequence 7 from patent US 5468610.//0.0027:159:64//I15499
- R-MAMMA1001092//Homo sapiens chromosome 17, clone hRPK.372_K_20, complete sequence.//2.0e-51:267:82//AC005951
- 15 R-MAMMA1001105//Homo sapiens DNA sequence from PAC 119E23 on chromosome Xq25-q27.1. Contains glypican-3 precursor (intestinal protein OCI-5) (GTR2-2),5'UTR. ESTs, STS.//6.9e-22:178:85//Z99570
- R-MAMMA1001110//Homo sapiens chromosome 17, clone HRPC1169K15, complete sequence.//3.0e-19:141:81//AC003963
- 20 R-MAMMA1001126//Human DNA from overlapping chromosome 7 PAC and P1 clones containing the XRCC2 gene, genomic sequence, complete sequence.//2.2e-46:462:75//AC003109
- R-MAMMA1001133//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 120G22, WORKING DRAFT SEQUENCE.//1.8e-68:455:86//AL031847
- R-MAMMA1001139//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING DRAFT SEQUENCE.//7.1e-09:100:84//AL022345
- 25 R-MAMMA1001143//Papio hamadryas lipoprotein lipase (LPL) gene, intron 7.//1.9e-49:362:85//U73684
- R-MAMMA1001145//Homo sapiens chromosome 17, clone hRPK.235_I_10, complete sequence.//9.5e-49:512:74//AC005922
- R-MAMMA1001154//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-88D1 ~complete genomic sequence, complete sequence.//1.5e-29:305:76//AC002289
- 30 R-MAMMA1001161//Human DNA sequence from clone 681J21 on chromosome 1q23.2-24.3 Contains CpG island, complete sequence.//1.1e-64:339:90//AL031286
- R-MAMMA1001162//Human DNA from cosmid DNA MMD8 (f10080) and MMDC (f13544) from chromosome 19q13.3 (obtained by automated sequence analysis).//3.4e-09:243:64//M89651
- 35 R-MAMMA1001181//Human Chromosome X clone bWXD173, WORKING DRAFT SEQUENCE, 2 ordered pieces.//3.7e-29:351:74//AC004387
- R-MAMMA1001186//Homo sapiens chromosome 19, cosmid R28778, complete sequence.//2.2e-25:415:68//AC006125
- R-MAMMA1001191//Homo sapiens T-cell receptor alpha delta locus from bases 1000498 to 1071650 (section 5 of 5) of the Complete Nucleotide Sequence.//0.99:243:61//AE000662
- 40 R-MAMMA1001198//Mus musculus eps15R mRNA, complete cds.//8.0e-57:223:86//U29156
- R-MAMMA1001202//Mus musculus clone OST13722, genomic survey sequence.//1.0e-30:220:85//AF046748
- R-MAMMA1001203//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//8.9e-61:567:78//AC005412
- 45 R-MAMMA1001206//Homo sapiens chromosome 5, P1 clone 854b11 (LBNL H44), complete sequence.//4.6e-08:442:61//AC004763
- R-MAMMA1001215//Homo sapiens chromosome 19, CIT-HSP BAC 470n8, complete sequence.//1.3e-117:564:97//AC005393
- R-MAMMA1001220//HS-1023-A1-G10-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 802 Col=19 Row=M, genomic survey sequence.//6.0e-16:276:68//B33708
- 50 R-MAMMA1001222//F17E12TFB IGF Arabidopsis thaliana genomic clone F17E12, genomic survey sequence.//0.041:277:61//B97762
- R-MAMMA1001243
- R-MAMMA1001244//HS-1058-A2-G01-MF.abi CIT Human Genomic Sperm Library C Homo-sapiens genomic clone Plate=CT 780 Col=2 Row=M, genomic survey sequence.//3.5e-05:104:74//B43862
- 55 R-MAMMA1001249//H.sapiens DNA for matrix attachment region.//0.0013:95:75//Z54221
- R-MAMMA1001256//Human BAC clone GS188P18, complete sequence.//3.4e-32:356:74//AC000115
- R-MAMMA1001259
- R-MAMMA1001260//Homo sapiens mRNA for KIAA0661 protein, complete cds.//6.3e-20:226:75//AB014561

- R-MAMMA1001268//Human DNA sequence from PAC 225D2 on chromosome Xq21. Contains ESTs, CA repeat.//1.1e-47:352:85//Z95124
- R-MAMMA1001271
- 5 R-MAMMA1001274//H.sapiens DNA for trapped exon (ID HMC07C06), genomic survey sequence.//3.1e-40:232:93//X88457
- R-MAMMA1001280//Homo sapiens full-length insert cDNA clone YW26C09.//1.9e-112:574:95//AF087976
- R-MAMMA1001292//Human DNA sequence from clone 1170K4 on chromosome 22q12.2-13.1. Contains three novel genes, one of which codes for a Trypsin family protein with class A LDL receptor domains, and the IL2RB gene for Interleukin 2 Receptor, Beta (IL-2 Receptor, CD122 antigen). Contains a putative CpG island, ESTs, and GSSs, complete sequence.//2.9e-114:582:96//AL022314
- 10 R-MAMMA1001296//Human DNA sequence from PAC 487J7 on chromosome 6q21-22.1. Contains an unknown gene coding for three alternative mRNAs. Contains ESTs, STSs, a BAC end-sequence (GSS) and a CA repeat polymorphism.//1.9e-64:268:88//AL008730
- R-MAMMA1001298//Homo sapiens chromosome 17, clone hRPK.849_N_15, complete sequence.//1.5e-38:306:83//AC005703
- 15 R-MAMMA1001305//Human DNA sequence from PAC 127B20 on chromosome 22q11.2-qter, contains gene for GTPase-activating protein similar to rhoGAP protein. ribosomal protein L6 pseudogene, ESTs and CA repeat.//1.5e-37:306:82//Z83838
- R-MAMMA1001322//Homo sapiens DNA sequence from PAC 434O14 on chromosome 1q32.3-41. Contains the HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs, complete sequence.//2.4e-15:260:71//AL022398
- 20 R-MAMMA1001324//Homo sapiens chromosome 19, cosmid F23269, complete sequence.//4.0e-06:90:83//AC005614
- 25 R-MAMMA1001330//Human BAC clone RG066D11 from 7q22, complete sequence.//1.4e-45:439:74//AC002430
- R-MAMMA1001341//Human DNA sequence from PAC 211D12 on chromosome 20q12-13.2. Contains Krs-2, K+ channel protein, stress responsive.//1.3e-24:137:81//Z93016
- R-MAMMA1001343//Human Chromosome 16 BAC clone CIT987SK-A-17E1, complete sequence.//5.4e-51:197:89//AC002041
- 30 R-MAMMA1001346//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-233A8, complete sequence.//0.99:182:64//AC004685
- R-MAMMA1001383//Homo sapiens clone 82F9, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.9e-42:303:86//AC004815
- 35 R-MAMMA1001388//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508I15, WORKING DRAFT SEQUENCE.//1.5e-44:324:83//AL021707
- R-MAMMA1001397//Homo sapiens genomic DNA, chromosome 21q11.1, segment 15/28, WORKING DRAFT SEQUENCE.//2.0e-39:254:89//AP000044
- R-MAMMA1001408//Homo sapiens chromosome 12q24.1, WORKING DRAFT SEQUENCE, 33 unordered pieces.//9.4e-36:251:88//AC005805
- 40 R-MAMMA1001411//T15F1-T7.1 TAMU Arabidopsis thaliana genomic clone T15F1, genomic survey sequence.//1.0:98:71//AQ248928
- R-MAMMA1001419//Homo sapiens translation initiation factor 4e mRNA, complete cds.//4.8e-18:117:96//AF038957
- 45 R-MAMMA1001420//Homo sapiens chromosome 5, P1 clone 1041F10 (LBNL H88), complete sequence.//2.8e-09:377:63//AC005179
- R-MAMMA1001435//S.pombe chromosome I cosmid c26H5.//1.0:356:59//Z99126
- R-MAMMA1001442//Homo sapiens chromosome 4 clone B150J4 map 4q25, complete sequence.//3.4e-17:259:72//AC004047
- 50 R-MAMMA1001446//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete sequence.//2.9e-17:231:71//AC004491
- R-MAMMA1001452//Human DNA sequence from clone 452M16 on chromosome Xq21.1-21.33 Contains capping protein alpha subunit isoform 1 pseudogene, STS, GSS, and CA repeat, complete sequence.//6.1e-50:558:73//AL024493
- 55 R-MAMMA1001465//cSRL-2F3-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-2F3, genomic survey sequence.//3.0e-23:141:96//B04295
- R-MAMMA1001476//Mus musculus uridine kinase mRNA, partial cds.//3.4e-09:309:64//L31783
- R-MAMMA1001487//Homo sapiens chromosome 17, clone hRPC.1108_L_11, complete sequence.//5.1e-30:286:79//AC005206

- R-MAMMA1001501
R-MAMMA1001502//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 356B7, WORKING DRAFT SEQUENCE.//4.3e-19:349:64//AL031714
R-MAMMA1001510
- 5 R-MAMMA1001522//Homo sapiens chromosome 5, BAC clone 24h24 (LBNL H194), complete sequence.//1.5e-09:136:75//AC005352
R-MAMMA1001547//Human Chromosome X, complete sequence.//3.5e-40:300:84//AC002418
R-MAMMA1001551//Human DNA sequence from PAC 426I6 on chromosome 1p34.1-1p35. Contains NIPP-1-like gene a nuclear inhibitor of protein phosphatase-1, ESTs, and a CA repeat.//1.1e-57:282:89//AL020997
- 10 R-MAMMA1001575
R-MAMMA1001576//Human gamma-tubulin mRNA, complete cds.//7.6e-60:530:78//M61764
R-MAMMA1001590//Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds.//1.3e-29:161:86//U78027
R-MAMMA1001600//Homo sapiens 12q24 PAC RPC1-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//2.1e-18:390:66//AC004216
- 15 R-MAMMA1001604//Human DNA sequence from clone 1042K10 on chromosome 22q13.1-13.2. Contains the ADSL gene for Adenylosuccinate lyase (EC 4.3.2.2, Adenylosuccinase, ASL) and 4 novel genes (one with probable rabGAP domains and Src homology domain 3). Contains ESTs, STSs, GSSs and a putative CpG island, complete sequence.//1.0:227:62//AL022238
R-MAMMA1001606//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING DRAFT SEQUENCE.//1.3e-17:219:69//AL031985
R-MAMMA1001620//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//2.1e-51:298:84//AL031650
R-MAMMA1001627//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 229A8, WORKING DRAFT SEQUENCE.//7.8e-45:328:85//Z86090
- 25 R-MAMMA1001630//, complete sequence.//2.5e-08:170:72//AC005399
R-MAMMA1001633//Homo sapiens chromosome 10 clone CIT987SK-1057L21 map 10q25, complete sequence.//2.2e-21:241:70//AC005386
R-MAMMA1001635//Homo sapiens DNA sequence from PAC 230G1 on chromosome Xp11.3. Contains EST, STS and GSS, complete sequence.//1.1e-32:346:74//Z84466
R-MAMMA1001649
R-MAMMA1001663//Homo sapiens clone 162B15, complete sequence.//9.4e-68:267:89//AC004811
R-MAMMA1001670//Human DNA sequence from PAC 75N13 on chromosome Xq21.1. Contains ZNF6 like gene, ESTs, STSs and CpG islands.//1.7e-49:322:88//Z82216
- 35 R-MAMMA1001671//Homo sapiens chromosome 19, cosmid F23269, complete sequence.//2.4e-114:575:96//AC005614
R-MAMMA1001679//CIT-HSP-2335N4.TF CIT-HSP Homo sapiens genomic clone 2335N4, genomic survey sequence.//2.4e-82:400:99//AQ037393
R-MAMMA1001683//Homo sapiens Chromosome 7 BAC Clone 239c10, WORKING DRAFT SEQUENCE, 9 un-ordered pieces.//5.7e-47:533:72//AC004166
R-MAMMA1001686//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//6.6e-12:194:72//AC005261
R-MAMMA1001692//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING DRAFT SEQUENCE.//9.6e-44:414:77//AL022345
- 45 R-MAMMA1001711//Homo sapiens clone BAC 9H13 chromosome 8 map 8q21, complete sequence.//3.1e-31:436:70//AF110324
R-MAMMA1001715//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 73E16, WORKING DRAFT SEQUENCE.//8.8e-76:524:84//Z95330
R-MAMMA1001730
R-MAMMA1001735//Cricetulus griseus (chinese hamster) mRNA for beta tubulin (clone B9T), partial.//2.7e-13:382:63//X60786
R-MAMMA1001740//Homo sapiens genomic DNA, chromosome 21q11.1, segment 21/28, WORKING DRAFT SEQUENCE.//3.9e-47:318:87//AP000050
R-MAMMA1001743//Homo sapiens clone DJ0981O07, complete sequence.//4.0e-108:566:95//AC006017
- 55 R-MAMMA1001744
R-MAMMA1001745//Homo sapiens BAC clone 529F11 from 8q21, complete sequence.//3.5e-113:564:97//AF070718
R-MAMMA1001751//Homo sapiens chromosome 19, cosmid R27328, complete sequence.//3.6e-30:312:75//

AC005625
R-MAMMA1001754//Bos taurus vacuolar proton pump subunit SFD alpha isoform (SFD) mRNA, complete cds.//
4.7e-34:320:77//AF041338
5 R-MAMMA1001757//Homo sapiens chromosome 17, clone hRPC.4_G_17, complete sequence.//4.7e-10:244:67//
AC003688
R-MAMMA1001760//RPCI11-38L16.TV RPCI-11 Homo sapiens genomic clone RPCI-11-38L16, genomic survey
sequence.//1.3e-10:236:64//AQ029432
R-MAMMA1001764//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING
DRAFT SEQUENCE, 14 unordered pieces.//0.74:361:60//AC005140
10 R-MAMMA1001768//Homo sapiens chromosome 17, clone hRPK.147_L_13, complete sequence.//1.6e-42:416:
76//AC005332
R-MAMMA1001769//Homo sapiens chromosome 17, clone hRPC.1073_F_15, complete sequence.//1.4e-13:129:
83//AC004686
R-MAMMA1001771//M.musculus mRNA for semaphorin B.//1.1e-34:530:69//X85991
15 R-MAMMA1001783//Homo sapiens Chromosome 2 BAC Clone 376a1, WORKING DRAFT SEQUENCE, 17 un-
ordered pieces.//1.1e-42:282:85//AC000360
R-MAMMA1001785//Human chromosome 16p13.11 BAC clone CIT987SK-98H8 complete sequence.//3.0e-49:
282:86//U91319
R-MAMMA1001788
20 R-MAMMA1001790//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//
9.8e-43:530:71//AC004913
R-MAMMA1001806//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-319E8, complete sequence.//1.8e-
43:324:79//AC004020
R-MAMMA1001812//Plasmodium falciparum chromosome 2, section 69 of 73 of the complete sequence.//0.65:
25 183:63//AE001432
R-MAMMA1001815//Homo sapiens clone GS223D04, WORKING DRAFT SEQUENCE, 3 unordered pieces.//
1.1e-10:417:62//AC005018
R-MAMMA1001817//Homo sapiens Xp22-83 BAC GSHB-324M7 (Genome Systems Human BAC Library) com-
plete sequence.//2.6e-40:313:84//AC005859
30 R-MAMMA1001818
R-MAMMA1001820//Homo sapiens, WORKING DRAFT SEQUENCE, 52 unordered pieces.//2.2e-45:340:82//
AC004086
R-MAMMA1001824//Homo sapiens clone DJ1107K15, WORKING DRAFT SEQUENCE, 8 unordered pieces.//
1.9e-53:291:85//AC004966
35 R-MAMMA1001836//HS_3164_B1_A02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3164 Col=3 Row=B, genomic survey sequence.//6.5e-08:79:89//AQ185484
R-MAMMA1001837//Homo sapiens chromosome 19, overlapping cosmid F18547, F11133, R27945, R28830 and
R32804, complete sequence.//8.4e-55:309:85//AC003682
R-MAMMA1001848//Homo sapiens PAC clone DJ0296G17 from Xq23, complete sequence.//1.6e-16:125:90//
40 AC006144
R-MAMMA1001851//Genomic sequence from Human 9q34, WORKING DRAFT SEQUENCE, 2 unordered piec-
es.//2.4e-50:516:74//AC002099
R-MAMMA1001854//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-575C2, complete sequence.//1.7e-
45 38:308:82//AC002425
R-MAMMA1001858//Human Xq13 3' end of PAC 92E23 containing the X inactivation transcript (XIST) gene, com-
plete sequence.//6.5e-50:283:86//U80460
R-MAMMA1001864//Human Chromosome 15q26.1 PAC clone pDJ398g19, WORKING DRAFT SEQUENCE, 21
unordered pieces.//3.4e-36:224:86//AC005143
R-nnnnnnnnnnnnn//Plasmodium falciparum chromosome 2, section 54 of 73 of the complete sequence.//1.4e-11:
50 495:63//AE001417
R-MAMMA1001874//Human chromosome 1 BAC 308G1 genomic sequence, WORKING DRAFT SEQUENCE, 3
unordered pieces.//3.2e-42:446:76//AC003117
R-MAMMA1001878//Human DNA sequence from PAC 431A14 on chromosome 6p21. Contains CYCLOPHILIN
(Peptidylprolyl isomerase) like and CIP1 (WAF1, CDKN1, MDA-6, SDI1, PIC1, CAP20) genes.
55 Contains probable GTPase and receptor genes and ESTs, STSs and CpG islands.//6.9e-44:391:78//Z85996
R-MAMMA1001880//Human DNA sequence from fosmid F77D12 on chromosome 22q12-qter contains ESTs,
tRNA.//1.3e-15:181:76//Z82097
R-MAMMA1001890//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-670B5 ~complete genomic se-

quence, complete sequence.//1.7e-43:283:86//AC002303
 R-MAMMA1001907//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 385E7, WORKING
 DRAFT SEQUENCE.//1.4e-48:420:79//AL031720
 R-nnnnnnnnnnnn//Saccharomyces cerevisiae chromosome IV cosmid 9481.//2.9e-14:505:60//U28373
 5 R-MAMMA1001931//Homo sapiens NACP/alpha-synuclein gene, allele A0, intron 4, partial sequence.//0.51:162:
 63//AF041008
 R-MAMMA1001956//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50024, WORKING
 DRAFT SEQUENCE.//1.4e-51:422:79//AL034380
 R-MAMMA1001963//Homo sapiens clone HS19.3 Alu-Ya5 sequence.//1.9e-31:163:91//AF015149
 10 R-MAMMA1001969//Human DNA from chromosome 19 cosmid F19410, genomic sequence, complete se-
 quence.//8.7e-10:186:76//AC002128
 R-MAMMA1001970//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//1.0e-62:298:
 86//AC003071
 R-MAMMA1001992//Human Chromosome 15q26.1 PAC clone pDJ460g16, WORKING DRAFT SEQUENCE, 3
 15 unordered pieces.//1.8e-44:525:72//AC004581
 R-MAMMA1002009//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 109G6, WORKING
 DRAFT SEQUENCE.//1.4e-43:282:79//AL023879
 R-MAMMA1002011
 R-MAMMA1002032//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 469D22, WORKING
 20 DRAFT SEQUENCE.//1.1e-39:310:84//AL031284
 R-MAMMA1002033//Homo sapiens chromosome 5, Pac clone 162o17 (LBNL H147), complete sequence.//2.5e-
 17:170:81//AC003954
 R-MAMMA1002041//Homo sapiens PAC clone DJ0728D04, complete sequence.//8.7e-79:296:85//AC004865
 25 R-MAMMA1002042//Human chromosome 16 BAC clone CIT987SK-A-962B4, complete sequence.//8.8e-46:386:
 80//U91318
 R-MAMMA1002047//Human chromosome 16 BAC clone CIT987SK-A-962B4, complete sequence.//1.9e-32:326:
 75//U91318
 R-MAMMA1002056//Homo sapiens chromosome 17, clone hRPK.506_H_21, complete sequence.//6.6e-48:367:
 82//AC005962
 30 R-MAMMA1002058//Homo sapiens clone RG038K21, WORKING DRAFT SEQUENCE, 3 unordered pieces.//
 0.25:139:69//AC005052
 R-MAMMA1002068//Homo Sapiens Chromosome X clone bWXD171, WORKING DRAFT SEQUENCE, 1 ordered
 pieces.//2.2e-45:406:78//AC004676
 R-MAMMA1002078//Homo sapiens chromosome 17, clone hRPK.401_O_9, complete sequence.//2.3e-22:357:
 35 64//AC005291
 R-MAMMA1002082//Homo sapiens PAC clone 278C19 from 12q, complete sequence.//2.5e-38:304:82//
 AC004263
 R-MAMMA1002084//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1174N9, WORKING
 DRAFT SEQUENCE.//8.9e-41:319:83//AL031602
 40 R-MAMMA1002093//CIT-HSP-2060J9.TF CIT-HSP Homo sapiens genomic clone 2060J9, genomic survey se-
 quence.//9.7e-17:129:88//B69983
 R-MAMMA1002108
 R-MAMMA1002118//Human DNA sequence from cosmid E116C6, on chromosome 22 Contains ESTs, complete
 sequence.//0.94:168:64//Z73495
 45 R-MAMMA1002125//Homo sapiens chromosome 17, clone hRPK.63_A_1, complete sequence.//4.8e-40:313:83//
 AC005670
 R-MAMMA1002132//Homo sapiens PAC clone DJ1059M17 from 7q21-q31.1, complete sequence.//2.0e-70:461:
 83//AC004953
 R-MAMMA1002140//Human DNA sequence from PAC 465G10 on chromosome X contains Menkes Disease
 50 (ATP7A) putative Cu⁺⁺-transporting P-type ATPase exons 2 to 21, PGAM-B, ESTs.//1.1e-32:477:73//Z94801
 R-MAMMA1002143//Homo sapiens platelet-activating factor acetylhydrolase gene, promoter region and exon 1.//
 6.6e-06:130:73//AF027357
 R-MAMMA1002145//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING
 DRAFT SEQUENCE.//6.0e-19:242:73//AL031447
 55 R-MAMMA1002153//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0281M17;
 HTGS phase 1, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.1e-51:291:75//AC006052
 R-MAMMA1002155//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 608E8, WORKING
 DRAFT SEQUENCE.//1.2e-53:461:79//AL022343

R-MAMMA1002156//Homo sapiens PAC clone DJ130H16 from 22q12.1-qter, complete sequence.//5.1e-37:305:82//AC004997

R-MAMMA1002158//Human DNA sequence from clone 1049G16 on chromosome 20q12-13.2 Contains gene similar to GLUCOSAMINE-6-SULFATASE, a nuclear receptor coactivator gene, ESTs, STSs, GSSs, complete sequence.//8.1e-34:296:81//AL034418

5 R-MAMMA1002170//Human DNA sequence from clone 1163J1 on chromosome 22q13.2-13.33. Contains the 3' part of a gene for the ortholog of mouse transmembrane receptor Celsr1, a novel gene for a protein similar to C. elegans B0035.16 and bacterial tRNA (5-Methylaminomethyl-2-thiouridylate)-Methyltransferases, and the 3' part of a novel gene for a protein similar to mouse B99. Contains ESTs, GSSs and putative CpG islands, complete sequence.//7.9e-39:332:82//AL031588

10 R-MAMMA1002174//Homo sapiens chromosome 10 clone CIT987SK-1109P11, complete sequence.//4.4e-12:189:72//AC005871

R-MAMMA1002198//Homo sapiens clone DJ0800G07, complete sequence.//1.1e-48:338:81//AC004890

15 R-MAMMA1002209//Homo sapiens chromosome 17, clone hRPK.156_L_14, complete sequence.//1.2e-23:269:74//AC005821

R-MAMMA1002215//Homo sapiens clone GS250N06, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.2e-12:243:68//AC005158

R-MAMMA1002219//Homo sapiens 12p13.3 RPCI4-773N5 (Roswell Park Cancer Institute Human PAC library) complete sequence.//3.3e-45:295:88//AC004802

20 R-MAMMA1002230//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//7.3e-41:385:78//AL034379

R-MAMMA1002236//Rattus norvegicus initiation factor eIF-2B gamma subunit (eIF-2B gamma) mRNA, complete cds.//7.3e-45:363:79//U38253

25 R-MAMMA1002243//Homo sapiens chromosome 17, clone hRPK.112_H_10, complete sequence.//2.8e-119:582:98//AC005666

R-MAMMA1002250//Homo sapiens chromosome 16, P1 clone 109-9G (LANL), complete sequence.//4.7e-42:319:84//AC005600

R-MAMMA1002267//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//1.5e-33:571:67//AC006120

30 R-MAMMA1002268//Mus musculus sphingosine kinase (SPHK1b) mRNA, complete cds.//2.3e-35:462:70//AF068749

R-MAMMA1002269//345I17.TV CIT978SKA1 Homo sapiens genomic clone A-345I17, genomic survey sequence.//4.7e-05:153:69//B15590

35 R-MAMMA1002282//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 112K5, WORKING DRAFT SEQUENCE.//8.5e-37:467:71//Z85987

R-MAMMA1002292//Hordeum vulgare lipoxygenase 2 (LoxC) mRNA, complete cds.//0.074:178:61//L37358

R-MAMMA1002293//Homo sapiens chromosome 16, cosmid clone RT167 (LANL), complete sequence.//5.8e-26:355:71//AC005568

40 R-MAMMA1002294//Homo sapiens chromosome 17, clone hRPC.1110_E_20, complete sequence.//1.2e-35:281:82//AC004231

R-MAMMA1002297//Human DNA sequence from cosmid L174G8, Huntington's Disease Region, chromosome 4p16.3.//6.7e-48:381:80//Z69375

R-MAMMA1002298//Homo sapiens BAC clone RG208H19 from 7q11.23, complete sequence.//.8e-17:296:70//AC005074

45 R-MAMMA1002299//HS_3116_A2_F07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3116 Col=14 Row=K, genomic survey sequence.//4.1e-60:354:91//AQ140526

R-MAMMA1002308

R-MAMMA1002310//Human DNA sequence from cosmid B10B1 on chromosome 22 Contains ESTs, CA repeat and STS, complete sequence.//9.9e-35:283:83//Z73979

50 R-MAMMA1002311//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//1.3e-86:503:90//AC006210

R-MAMMA1002312//H.sapiens gene encoding La autoantigen.//1.3e-23:382:67//X97869

R-MAMMA1002317//Human DNA sequence from clone 48G12 on chromosome Xq27.1-27.3. Contains STSs and GSSs, complete sequence.//1.3e-59:323:87//AL031054

55 R-MAMMA1002319//Homo sapiens chromosome 19, fosmid 39347, complete sequence.//2.2e-106:522:98//AC005756

R-MAMMA1002322//Homo sapiens genomic DNA, chromosome 21q11.1, segment 13/28, WORKING DRAFT SEQUENCE.//2.3e-48:452:76//AP000042

- R-MAMMA1002329//M.musculus mRNA for semaphorin B.//2.0e-12:210:73//X85991
- R-MAMMA1002332//Homo sapiens PAC clone DJ1139I01 from Xq23, complete sequence.//3.4e-46:393:71//AC004973
- 5 R-MAMMA1002333//HS_3245_A1_B04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3245 Col=7 Row=C, genomic survey sequence.//3.1e-21:146:92//AQ205759
- R-MAMMA1002339//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete sequence.//9.7e-39:310:79//AF001549
- R-MAMMA1002347//Homo sapiens 12q24.1 PAC RPCI3-305I20 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.2e-46:443:76//AC006088
- 10 R-MAMMA1002351//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1059H15, WORKING DRAFT SEQUENCE.//1.1e-90:553:89//AL022100
- R-MAMMA1002352//Homo sapiens mRNA for leukemia associated gene 2.//8.8e-81:388:92//Y15228
- R-MAMMA1002353//Homo sapiens 12q24 BAC RPCI11-162P23 (Roswell Park Cancer Institute Human BAC library) complete sequence.//5.5e-35:302:80//AC002996
- 15 R-MAMMA1002355//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 222E13, WORKING DRAFT SEQUENCE.//5.4e-52:361:76//Z93241
- R-MAMMA1002356//Homo sapiens chromosome 17, clone hRPC.842_A_23, complete sequence.//8.3e-28:187:91//AC004662
- R-MAMMA1002359//Human DNA sequence from cosmid L118D5, Huntington's Disease Region, chromosome 4p16.3 contains CpG islands.//6.3e-47:297:85//268869
- 20 R-MAMMA1002360//HS_2163_B2_C08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2163 Col=16 Row=F, genomic survey sequence.//1.5e-20:374:66//AQ125213
- R-MAMMA1002361//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 349A12, WORKING DRAFT SEQUENCE.//2.2e-35:264:85//AL033520
- 25 R-MAMMA1002362//H.sapiens PEX gene.//1.8e-40:243:86//Y10196
- R-MAMMA1002380//RPCI11-73J4.TJ RPCI11 Homo sapiens genomic clone R-73J4, genomic survey sequence.//1.7e-38:295:77//AQ268168
- R-MAMMA1002384//Homo sapiens 12q13.1 PAC RPCI1-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.5e-37:311:81//AC004801
- 30 R-MAMMA1002385
- R-MAMMA1002392//Human BAC clone RG066D11 from 7q22, complete sequence.//2.0e-37:365:77//AC002430
- R-MAMMA1002411//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 64K7, WORKING DRAFT SEQUENCE.//9.4e-22:496:65//AL031668
- 35 R-MAMMA1002413//Homo sapient 12q24.2 PAC RPCI1-157K6 (Roswell Park Cancer Institute Human PAC library) complete sequence.//2.3e-15:153:77//AC005146
- R-MAMMA1002417//Human DNA sequence from PAC 426I6 on chromosome 1p34.1-1p35. Contains NIPP-1-like gene a nuclear inhibitor of protein phosphatase-1, ESTs, and a CA repeat.//1.8e-23:508:62//AL020997
- R-MAMMA1002427//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//2.5e-37:288:84//U91321
- 40 R-MAMMA1002428//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING DRAFT SEQUENCE.//6.0e-05:130:75//AL034423
- R-MAMMA1002434//Homo sapiens DNA sequence from PAC 380E11 on chromosome 6p22.3-p24. Contains HB15 gene, ESTs, CA repeat, STS and GSS.//4.8e-18:205:78//AL022396
- R-MAMMA1002446//CIT-HSP-2021L14. TR CIT-HSP Homo sapiens genomic clone 2021L14, genomic survey sequence.//4.6e-41:387:72//B65379
- 45 R-MAMMA1002454//Homo sapiens chromosome 19, cosmid F23259, complete sequence.//1.2e-67:491:82//AC005512
- R-MAMMA1002461//Homo sapiens PAC clone 166H1 from 12q, complete sequence.//1.4e-28:188:85//AC003982
- R-MAMMA1002470//Saccharomyces cerevisiae chromosome VIII cosmid 9205.//6.3e-09:280:61//U10556
- 50 R-MAMMA1002475//Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.//1.5e-25:310:74//Z83822
- R-MAMMA1002480//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//1.2e-98:533:93//AC005077
- R-MAMMA1002485//Homo sapiens stanniocalcin-2 (STC-2) mRNA, complete cds.//2.7e-114:560:97//AF055460
- 55 R-MAMMA1002494//Human DNA sequence from cosmid L174G8, Huntington's Disease Region, chromosome 4p16.3.//2.1e-46:329:84//Z69375
- R-MAMMA1002498//Rat mRNA.//0.0068:223:64//M59859
- R-MAMMA1002524//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING

DRAFT SEQUENCE, 5 unordered pieces.//0.012:460:60//AC005139
 R-MAMMA1002530//Homo sapiens cytosolic phospholipase A2 gamma (cPLA2 gamma) mRNA, complete cds.//1.2e-101:529:95//AF065214
 5 R-MAMMA1002545//Homo sapiens ribosomal protein s4 Y isoform gene, complete cds.//6.6e-50:471:77//AF041427
 R-MAMMA1002554//Homo sapiens chromosome 4 clone B227H22 map 4q25, complete sequence.//5.7e-38:279:84//AC004056
 R-MAMMA1002556//Homo sapiens chromosome 10 clone CIT-HSP-1255F20 map 10p11.2-10p12.1, complete sequence.//9.6e-13:237:67//AC005878
 10 R-MAMMA1002566//CITBI-E1-2509P21.TR CITBI-E1 Homo sapiens genomic clone 2509P21, genomic survey sequence.//9.7e-14:216:73//AQ261427
 R-MAMMA1002571//CITBI-E1-2516L21.TF CITBI-E1 Homo sapiens genomic clone 2516L21, genomic survey sequence.//4.6e-25:142:99//AQ279542
 15 R-MAMMA1002573//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 811H13, WORKING DRAFT SEQUENCE.//1.1e-30:250:82//AL023805
 R-MAMMA1002585//Rabbit angiotensin-converting enzyme (ACE) gene, 5' end.//1.0:196:61//M58580
 R-MAMMA1002590//H.sapiens CpG island DNA genomic Mse1 fragment, clone 8d5, forward read cpq8d5.f1g.//1.0:114:64//Z63758
 20 R-MAMMA1002597//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1103G7, WORKING DRAFT SEQUENCE.//9.0e-96:459:98//AL034548
 R-MAMMA1002598//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 120G22, WORKING DRAFT SEQUENCE.//0.79:362:58//AL031847
 R-MAMMA1002603//Homo sapiens chromosome 17, clone hRPK.214_C_8, complete sequence.//1.3e-46:333:80//AC005803
 25 R-MAMMA1002612//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 269M15, WORKING DRAFT SEQUENCE.//7.4e-41:283:86//AL021395
 R-MAMMA1002617//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 591N18, WORKING DRAFT SEQUENCE.//1.7e-20:308:71//AL031594
 R-MAMMA1002618//Homo sapiens clone RG122E10, complete sequence.//1.2e-31:230:76//AC005067
 30 R-MAMMA1002619//Homo sapiens chromosome 21 PAC RPCIP704E14135Q2.//9.0e-113:551:98//AJ010598
 R-MAMMA1002622//Homo sapiens chromosome 4 clone B207D4 map 4q25, complete sequence.//2.8e-43:324:83//AC004050
 R-MAMMA1002623//Homo sapiens chromosome 17, clone hRPC.1171_I_10, complete sequence.//2.7e-80:344:84//AC004687
 35 R-MAMMA1002625//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1056L3, WORKING DRAFT SEQUENCE.//2.6e-34:391:72//AL031727
 R-MAMMA1002629//Human DNA from overlapping chromosome 19-specific cosmid R32543,, and F15613 containing ZNF gene family member, genomic sequence, complete sequence.//5.5e-58:346:81//AC003006
 R-MAMMA1002636//Homo sapiens clone DJ0810E06, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.1e-52:285:92//AC004895
 40 R-MAMMA1002637//Mus musculus kinesin light chain 2 (Klc2) mRNA, complete cds.//2.1e-13:359:64//AF055666
 R-MAMMA1002646//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 39417, WORKING DRAFT SEQUENCE.//2.5e-24:285:68//AL023585
 R-MAMMA1002650//Human IGF-II gene exon 2 for insulin-like growth factor II located on chromosome 11.//0.64:237:61//X03424
 45 R-MAMMA1002655//Homo sapiens mini satellite ceb1 repeat region.//0.18:152:65//AF048727
 R-MAMMA1002662//Homo sapiens clone DJ0739M23, complete sequence.//2.5e-46:370:82//AC004870
 R-MAMMA1002665//Human DNA sequence from PAC 435C23 on chromosome X. Contains ESTs.//7.4e-55:298:92//Z92844
 50 R-MAMMA1002671//RPCI11-45M10.TK RPCI11 Homo sapiens genomic clone R-45M10, genomic survey sequence.//0.99:151:66//AQ194411
 R-MAMMA1002673//Homo sapiens DNA sequence from PAC 454M7 on chromosome Xq25-26.3. Contains the OCRL1 gene for Lowe Oculocerebrorenal Syndrome protein OCRL-1. Contains ESTs, STSs and GSSs, complete sequence.//3.1e-38:410:76//AL022162
 55 R-MAMMA1002684//Homo sapiens mRNA for KIAA0214 protein, complete cds.//1.4e-107:544:96//D86987
 R-MAMMA1002685//HS_2052_A1_H02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2052 Col=3 Row=O, genomic survey sequence.//1.2e-23:255:75//AQ231087
 R-MAMMA1002698//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library)

- complete sequence.//1.1e-38:299:83//AC004673
 R-MAMMA1002699//Mus musculus intersectin-EH binding protein lbp1 mRNA, partial cds.//3.3e-05:61:93//AF057285
 R-MAMMA1002701//Homo sapiens gene for AF-6, complete cds.//3.5e-39:317:81//AB011399
 5 R-MAMMA1002708//Homo sapiens 12p13.3 PAC RPCI5-977L1 (Roswell Park Cancer Institute Human PAC library) complete sequence.//0.26:365:62//AC005293
 R-MAMMA1002711//Homo sapiens chromosome 21 PAC LLNLP704F18108Q13.//2.5e-31:304:77//AJ006995
 R-MAMMA1002721//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 473B4, WORKING DRAFT SEQUENCE.//2.3e-40:279:87//Z83826
 10 R-MAMMA1002727//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.45:183:64//AC004710
 R-MAMMA1002728//Human Chromosome 11 Overlapping Cosmids cSRL72g7 and cSRL140b8, complete sequence.//1.1e-42:410:74//AC002037
 R-MAMMA1002744//Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.//1.6e-19:473:63//U96629
 15 R-MAMMA1002746//Homo sapiens chromosome 17, clone hRPK.136_H_19, complete sequence.//2.2e-108:544:97//AC005856
 R-MAMMA1002748//Homo sapiens 3p22 Contig 7 PAC RPCI4-672N11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//5.9e-106:551:95//AC006055
 20 R-MAMMA1002754//Homo sapiens clone GS259H13, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.7e-34:305:79//AC005020
 R-MAMMA1002758//Homo sapiens ccr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//0.00014:130:74//U95626
 R-MAMMA1002764//Homo sapiens chromosome 19, cosmid R33632, complete sequence.//8.7e-10:118:81//AC005781
 25 R-MAMMA1002765//Homo sapiens chromosome 19, cosmid F20900, complete sequence.//1.2e-31:290:78//AC006128
 R-MAMMA1002769//Human DNA sequence from PAC 36J3, between markers DXS1192 and DXS102 on chromosome X.//0.94:260:62//Z82975
 30 R-MAMMA1002780//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 620E11, WORKING DRAFT SEQUENCE.//2.6e-21:529:62//AL031667
 R-MAMMA1002782//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 199H16, WORKING DRAFT SEQUENCE.//2.8e-30:234:72//AL022320
 R-MAMMA1002796//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 237J2, WORKING DRAFT SEQUENCE.//1.0:155:66//AL021394
 35 R-MAMMA1002807//Human DNA sequence from BAC 941F9 on chromosome 22q11.2-qter. Contains ESTs, STSs and 3' part of FIBULIN-1 D PRECURSOR like gene, part of a Brain Protein E46 like gene and a CpG island, complete sequence.//5.0e-42:443:75//Z95331
 R-MAMMA1002820//345M16.TVB CIT978SKA1 Homo sapiens genomic clone A-345M16, genomic survey sequence.//1.3e-14:95:87//B17487
 40 R-MAMMA1002830//Human PAC clone DJ515N1 from 22q11.2-q22, complete sequence.//4.1 e-20:223:74//AC002073
 R-MAMMA1002833//Homo sapiens Xp22 bins 3-5 PAC RPCI4-617A9 (Roswell Park Cancer Institute Human PAC Library) containing Arylsulfatase D and E genes, complete sequence.//1.8e-37:295:84//AC005295
 45 R-MAMMA1002835
 R-MAMMA1002838//Human gene hY3 encoding a cytoplasmic Ro RNA.//4.4e-14:108:92//V00585
 R-MAMMA1002842//CIT-HSP-2017022.TRB CIT-HSP Homo sapiens genomic clone 2017022, genomic survey sequence.//5.2e-43:168:85//B67141
 R-MAMMA1002843//Homo sapiens clone GS051M12, complete sequence.//8.7e-44:525:71//AC005007
 50 R-MAMMA1002844
 R-MAMMA1002858//H.sapiens ERF-1 mRNA 3' end.//2.8e-99:361:91//X79067
 R-MAMMA1002868//Homo sapiens clone DJ0852O24, WORKING DRAFT SEQUENCE, 2 unordered pieces.//9.6e-39:288:81//AC004906
 R-MAMMA1002871//Homo sapiens BAC clone NH0539B24 from 7p15.1-p14, complete sequence.//0.0022:490:57//AC006044
 55 R-MAMMA1002880//Homo sapiens Xp22 Bins 35-37 BAC GSHB-214D18 (Genome Systems Human BAC Library) complete sequence.//1.3e-09:143:76//AC005296
 R-MAMMA1002881//Human thymopoietin (TMPO) gene, partial exon 6, complete exon 7, partial exon 8, and partial

cds for thymopoietin beta.//5.1e-41:264:87//U18271
 R-MAMMA1002886//Homo sapiens DNA sequence from PAC 168L15 on chromosome 6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS. CpG island, complete sequence.//4.7e-32:216:90//AL022069
 R-MAMMA1002887
 5 R-MAMMA1002890
 3.4e-49:376:81//AG006257
 R-MAMMA1002892//Homo sapiens PAC clone DJ0765G07 from 7q11, complete sequence.//6.0e-60:344:79//AC004881
 R-MAMMA1002895//RPCI11-90K13.TV RPCI11 Homo sapiens genomic clone R-90K13, genomic survey sequence.//2.1e-34:300:77//AQ283502
 10 R-MAMMA1002908//Human Chromosome X, complete sequence.//4.2e-39:297:85//AC004070
 R-MAMMA1002909//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0442P12; HTGS phase 1, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.4e-23:344:74//AC005798
 R-MAMMA1002930//Homo sapiens PAC clone DJ1048B16 from 7q34-q36, complete sequence.//5.2e-39:261:88//AC006019
 15 R-MAMMA1002938//C.pasteurianum gap gene.//1.0:343:59//X72219
 R-MAMMA1002941//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//6.3e-88:556:87//AC006120
 R-MAMMA1002947
 20 0.48:156:69//AC005469
 R-MAMMA1002964//Human DNA sequence from PAC 426I6 on chromosome 1p34.1-1p35. Contains NIPP-1-like gene a nuclear inhibitor of protein phosphatase-1, ESTs, and a CA repeat.//1.2e-39:473:73//AL020997
 R-MAMMA1002970//Homo sapiens chromosome 5, P1 clone 793c5 (LBNL H57), complete sequence.//4.7e-47:420:77//AC005200
 25 R-MAMMA1002972//alpha 1 syntrophin [human, mRNA Partial, 1771 nt] .//0.97:305:62//S81737
 R-MAMMA1002973//Human DNA sequence from cosmid V210E9, between markers DXS366 and DXS87 on chromosome X.//2.6e-35:256:85//Z70280
 R-MAMMA1002982 1.0e-27:110:85//AG005524
 R-MAMMA1002987//Homo sapiens PAC clone DJ1086D14, complete sequence.//1.4e-28:527:66//AC004460
 30 R-MAMMA1003003//Homo sapiens chromosome 10 clone CRI-JC2059 map 10q24.1-10q24.2, WORKING DRAFT SEQUENCE, 1 ordered pieces.//7.9e-48:418:78//AC006109
 R-MAMMA1003004//, complete sequence.//2.0e-12:442:61//AC005406
 R-MAMMA1003007//Homo sapiens chromosome 10 clone CRI-JC2059 map 10q24.1-10q24.2, WORKING DRAFT SEQUENCE, 1 ordered pieces.//1.7e-48:293:91//AC006109
 35 R-MAMMA1003011//A-306G8.TP CIT978SK Homo sapiens genomic clone A-306G8, genomic survey sequence.//0.45:168:64//B18092
 R-MAMMA1003015//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//2.9e-44:399:77//AC005740
 R-MAMMA1003019//RPCI11-9J9.TV RPCI-11 Homo sapiens genomic clone RPCI-11-9J9, genomic survey sequence.//2.7e-14:294:68//B71583
 40 R-MAMMA1003026//HS_2166_B2_C12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2166 Col=24 Row=F, genomic survey sequence.//0.021:189:64//AQ125639
 R-MAMMA1003031//Homo sapiens chromosome 5, BAC clone 319C17 (LBNL H159), complete sequence.//1.8e-98:525:95//AC005214
 45 R-MAMMA1003035//Homo sapiens 12q13.1 Cosmid C174F5 (Lawrence Livermore LL12NC01 or LL12NC02 human cosmid libraries) complete sequence.//6.7e-06:297:63//AC004550
 R-MAMMA1003039//RPCI11-56J17.TJ RPCI11 Homo sapiens genomic clone R-56J17, genomic survey sequence.//0.21:375:59//AQ081889
 R-MAMMA1003040//Human DNA sequence from cosmid L108f12, Huntington's Disease Region, chromosome 4p16.3.//2.7e-29:298:67//Z49235
 50 R-MAMMA1003044//Homo sapiens chromosome 19, cosmid R30676, complete sequence.//2.9e-14:113:91//AC004560
 R-MAMMA1003047
 R-MAMMA1003049
 55 R-MAMMA1003055//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 377F16, WORKING DRAFT SEQUENCE.//2.3e-45:317:86//Z93783
 R-MAMMA1003056//Homo sapiens chromosome 19, cosmid R34275, complete sequence.//1.0:229:63//AC005305

- R-MAMMA1003057//M.domesticus MD6 mRNA.//6.2e-42:326:82//X54352
 R-MAMMA1003066//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 473B4, WORKING DRAFT SEQUENCE.//3.1e-49:299:87//Z83826
- 5 R-MAMMA1003089//Homo sapiens BAC clone RG298G08 from 7p15-p21, complete sequence.//2.7e-30:520:67//AC005084
 R-MAMMA1003099//RPCI11-8N9.TP RPCI-11 Homo sapiens genomic clone RPCI-11-8N9, genomic survey sequence.//4.2e-44:338:82//B71494
 R-MAMMA1003104//Mus musculus rostral cerebellar malformation protein (rcm) mRNA, complete cds.//3.4e-48:423:79//U72634
- 10 R-MAMMA1003113//Homo sapiens chromosome 12p13.3 clone RPCI11-433J6, WORKING DRAFT SEQUENCE, 100 unordered pieces.//4.8e-114:567:97//AC006087
 R-MAMMA1003127//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 250D10, WORKING DRAFT SEQUENCE.//1.4e-34:283:83//Z99716
 R-MAMMA1003135//P.knowlesi Mbn-cutting sites in lambda KBS50.//0.010:243:62//M38776
- 15 R-MAMMA1003140//Homo sapiens chromosome 17, clone HCIT87G17, complete sequence.//6.7e-34:288:81//AC003663
 R-MAMMA1003146//Saccharomyces douglasii mitochondrial cytochrome c oxidase subunit I (COXI) gene, complete cds.//4.8e-08:438:59//M97514
 R-nnnnnnnnnnnn//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 598F2, WORKING DRAFT SEQUENCE.//1.7e-63:149:94//AL021579
- 20 R-MAMMA1003166//HS_3128_A1_B01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3128 Col=1 Row=C, genomic survey sequence.//3.0e-17:261:70//AQ140766
 R-NT2RM2002580//Homo sapiens clone 24781 mRNA sequence.//2.6e-111:593:94//AF070640
 R-NT2RM4000024
- 25 R-NT2RM4000027//Homo sapiens PAC clone DJ1194E14 from 7p21, complete sequence.//0.026:476:56//AC004993
 R-NT2RM4000030//Mus musculus musculus sex determining protein (Sry) gene, complete cds.//0.00044:378:59//U70653
 R-NT2RM4000046//M.mulatta MHC DR beta 6 gene encoding major histocompatibility complex.//0.27:130:64//Z26239
- 30 R-NT2RM4000061
 R-NT2RM4000085//Homo sapiens clone 24700 unknown mRNA, partial cds.//7.2e-112:550:97//AF070639
 R-NT2RM4000086//RPCI11-6J23.TV RPCI-11 Homo sapiens genomic clone RPCI-11-6J23, genomic survey sequence.//7.2e-18:277:71//B49463
- 35 R-NT2RM4000104//F.rubripes GSS sequence, clone 063K10aG5, genomic survey sequence.//3.6e-08:287:61//Z88817
 R-NT2RM4000139//Homo sapiens chromosome 16, cosmid clone 330D11 (LANL), complete sequence.//9.4e-08:336:65//AC005199
 R-NT2RM4000155
- 40 R-NT2RM4000156//Homo sapiens chromosome 17, clone hRPK.136_H_19, complete sequence.//3.4e-23:335:72//AC005856
 R-nnnnnnnnnnnn//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//1.6e-87:551:87//D12646
 R-NT2RM4000169//Human ribosomal protein L37a mRNA sequence.//5.9e-14:122:88//L22154
- 45 R-NT2RM4000191
 R-NT2RM4000197//HS_3241_A2_H05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3241 Col=10 Row=O, genomic survey sequence.//2.8e-86:430:97//AQ206812
 R-NT2RM4000199//Mus musculus Yp BAC GSMB-368G7 (Genome Systems Mouse BAC Library) complete sequence.//0.0047:193:63//AC006056
- 50 R-NT2RM4000200
 R-NT2RM4000202//Homo sapiens chromosome 16, cosmid clone 378E2 (LANL), complete sequence.//2.1e-40:334:76//AC004035
 R-NT2RM4000210//Homo sapiens mRNA for KIAA0712 protein, complete cds.//5.2e-102:546:94//AB018255
 R-NT2RM4000215
- 55 R-nnnnnnnnnnnn//Homo sapiens chromosome 10 clone CIT987SK-1144G6 map 10q25.1, complete sequence.//2.1e-55:303:86//AC005383
 R-NT2RM4000233//Struthio camelus microsatellite sequence OSM 7.//1.2e-07:198:67//AF003735
 R-NT2RM4000244//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//1.7e-

49:322:88//AC006116
R-NT2RM4000251//Homo sapiens Chromosome 22q11.2 BAC Clone 72f8 In DGCR Region, complete sequence.//
0.97:184:66//AC000085
R-NT2RM4000265//Human PAC clone DJ073F11 from Xq23, complete sequence.//6.2e-66:552:78//AC000055
5 R-NT2RM4000290//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 394I7, WORKING
DRAFT SEQUENCE.//1.4e-05:229:65//AL023585
R-NT2RM4000324
R-NT2RM4000327//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 75N14, WORKING
DRAFT SEQUENCE.//3.3e-42:443:75//Z97199
10 R-NT2RM4000344//Homo sapiens clone DJ0309D19, WORKING DRAFT SEQUENCE, 12 unordered pieces.//
6.4e-64:433:84//AC004826
R-NT2RM4000349//Human mRNA for KIAA0005 gene, complete cds.//7.7e-11:210:69//D13630
R-NT2RM4000354//Caenorhabditis elegans cosmid T14A8.//0.084:257:60//U50066
R-NT2RM4000356
15 R-NT2RM4000366//Homo sapiens mRNA for KIAA0642 protein, partial cds.//8.7e-112:577:95//AB014542
R-NT2RM4000368
1.6e-48:348:85//AG006257
R-NT2RM4000386//Rat mRNA for growth potentiating factor, complete cds.//4.4e-35:141:87//D42148
R-NT2RM4000395//RPCI11-8N9.TP RPCI-11 Homo sapiens genomic clone RPCI-11-8N9, genomic survey se-
20 quence.//1.4e-25:207:75//871494
R-NT2RM4000414//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING
DRAFT SEQUENCE.//7.1e-17:492:64//AL031985
R-NT2RM4000421//RPCI11-66B1.TK RPCI11 Homo sapiens genomic clone R-66B1, genomic survey sequence.//
1.8e-40:311:82//AQ241167
25 R-NT2RM4000425//Homo sapiens chromosome Xp22-135-136 clone GSHB-567I1, WORKING DRAFT SE-
QUENCE, 35 unordered pieces.//2.5e-47:316:87//AC005867
R-NT2RM4000433//Mus musculus retinoic acid-responsive protein (Stra6) mRNA, complete cds.//1.6e-17:133:
78//AF062476
R-NT2RM4000457
30 R-NT2RM4000471//Homo sapiens mRNA for putative tRNA splicing protein, partial.//4.6e-113:559:96//AJ010952
R-NT2RM4000486//Homo sapiens mRNA, complete cds, clone:RES4-22C.//0.00015:170:67//AB000461
R-NT2RM4000496
R-NT2RM4000511//Rat troponin T cardiac isoform gene, complete cds.//0.21:290:58//M80829
R-NT2RM4000514//CIT-HSP-2169K4.TR CIT-HSP Homo sapiens genomic clone 2169K4, genomic survey se-
35 quence.//1.5e-20:150:89//B95717
R-nnnnnnnnnnnn//HS-1024-B2-G01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone
Plate=CT 803 Col=2 Row=N, genomic survey sequence.//6.3e-10:74:98//B34556
R-NT2RM4000520//Caenorhabditis elegans cosmid F36H12.//0.15:406:61//AF078790
R-NT2RM4000531
40 R-NT2RM4000532//Plasmodium falciparum chromosome 2, section 28 of 73 of the complete sequence.//1.0:119:
66//AE001391
R-NT2RM4000534//paramecium species 4.51er mt dna dimer: replication init. region, clone 2.//9.8e-05:326:60//
K00909
R-NT2RM4000585//HS_3252_A2_G08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
45 nomic clone Plate=3252 Col=16 Row=M, genomic survey sequence.//1.9e-69:376:93//AQ219890
R-NT2RM4000590//CIT-HSP-539O24.TV CIT-HSP Homo sapiens genomic clone 539O24, genomic survey se-
quence.//1.7e-38:226:93//B50657
R-NT2RM4000595//Human Chromosome X clone bWDX342, complete sequence.//1.0:239:61//AC004072
R-NT2RM4000603//RPCI11-49P13.TK RPCI11 Homo sapiens genomic clone R-49P13, genomic survey se-
50 quence.//0.77:139:64//AQ051950
R-nnnnnnnnnnnn
R-NT2RM4000616//HS_3107_A2_B03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3107 Col=6 Row=C, genomic survey sequence.//1.3e-54:272:99//AQ210034
R-NT2RM4000674
55 R-NT2RM4000689//Mus musculus pericentrin mRNA, complete cds.//3.5e-70:551:80//U05823
R-NT2RM4000698
R-nnnnnnnnnnnn
R-NT2RM4000712//Homo sapiens clone NH0512E16, complete sequence.//0.54:294:58//AC005039

R-NT2RM4000717//Plasmodium falciparum MAL3P8, complete sequence.//0.050:387:58//AL034560
 R-NT2RM4000733//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING
 DRAFT SEQUENCE.//1.0e-107:566:95//AL034379
 R-NT2RM4000734//Homo sapiens mRNA for KIAA0760 protein, partial cds.//1.1e-103:536:95//AB018303
 5 R-NT2RM4000741//CIT-HSP-2294N4.TR CIT-HSP Homo sapiens genomic clone 2294N4, genomic survey se-
 quence.//5.2e-41:244:93//AQ006361
 R-NT2RM4000751//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 537K23, WORKING
 DRAFT SEQUENCE.//2.7e-28:416:67//AL034405
 R-NT2RM4000764//Human HepG2 3' region Mbol cDNA, clone hmd3g01m3.//2.1e-33:199:96//D17217
 10 R-NT2RM4000778//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//
 0.00060:241:62//AC002980
 R-NT2RM4000779//Homo sapiens mRNA for KIAA0451 protein, complete cds.//2.9e-104:546:94//AB007920
 R-NT2RM4000787//Homo sapiens, clone hRPK.3_A_1, complete sequence.//5.3e-32:321:77//AC006198
 R-NT2RM4000790//Homo sapiens chromosome 19, cosmid R27216, complete sequence.//1.9e-111:552:97//
 15 AC005306
 R-NT2RM4000795//Homo sapiens Chromosome 17p13 Cosmid Clone cos39, complete sequence.//0.74:364:57//
 U58675
 R-NT2RM4000796//Homo sapiens full-length insert cDNA clone ZD62D10.//2.7e-105:510:98//AF086348
 R-NT2RM4000798//Human polymorphic epithelial mucin core protein mRNA, 3' end.//7.7e-27:158:96//M21868
 20 R-NT2RM4000813
 R-NT2RM4000820//, complete sequence.//2.0e-104:432:97//AC005406
 R-NT2RM4000833//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MXI22, complete sequence.//
 2.0e-07:166:68//AB012248
 R-NT2RM4000848//Rabies virus matrix (M) protein mRNA, complete cds.//0.073:70:84//M22013
 25 R-NT2RM4000852//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING
 DRAFT SEQUENCE, 3 unordered pieces.//1.0:237:62//AC004709
 R-NT2RM4000855
 R-nnnnnnnnnnnn//HS_3189_B2_B08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genom-
 ic clone Plate=3189 Col=16 Row=D, genomic survey sequence.//2.1e-06:114:73//AQ300597
 30 R-NT2RM4000895//Pan troglodytes HS19.8-similar locus and Y Alu element, genomic survey sequence.//3.8e-
 46:207:91//AF077058
 R-NT2RM4000950//Human BAC clone RG341D10 from 7p15-p21, complete sequence.//1.0:336:60//AC002530
 R-NT2RM4000971//Human Xq28 cosmids U126G1, U142F2, U69B6, U145C10, U169A5, U84H1, U24D12,
 U80A7, U153E6, L35485, and R7-163A8 containing iduronate 2-sulfatase gene and pseudogene, complete se-
 35 quence.//7.1e-09:259:64//AF011889
 R-NT2RM4000979
 R-NT2RM4000996//HS_3164_A1_E02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3164 Col=3 Row=I, genomic survey sequence.//2.0e-82:443:94//AQ141622
 R-NT2RM4001002//Homo sapiens mRNA for KIAA0729 protein, partial cds.//1.2e-112:545:97//AB018272
 40 R-NT2RM4001016//Homo sapiens mRNA for KIAA0639 protein, partial cds.//7.9e-113:556:97//AB014539
 R-NT2RM4001032//Homo sapiens Surf-5 and Surf-6 genes.//1.2e-10:120:82//AJ224639
 R-NT2RM4001047//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 163G9, WORKING
 DRAFT SEQUENCE.//1.0:158:67//AL008733
 R-NT2RM4001054//CIT-HSP-2292N8.TR CIT-HSP Homo sapiens genomic clone 2292N8, genomic survey se-
 45 quence.//5.8e-19:118:97//AQ004096
 R-nnnnnnnnnnnn//Mouse DNA with homology to EBV IR3 repeat, segment 1, clone Mu2.//1.0e-05:271:64//
 M10296
 R-NT2RM4001092//CITBI-E1-2524J20.TR CITBI-E1 Homo sapiens genomic clone 2524J20, genomic survey se-
 quence.//1.0:186:63//AQ277294
 50 R-NT2RM4001116
 R-NT2RM4001140//Homo sapiens PAC clone DJ0964C11 from 7p14-p15, complete sequence.//3.6e-79:468:90//
 AC004593
 R-NT2RM4001151//HS_2270_B1_E05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2270 Col=9 Row=J, genomic survey sequence.//5.5e-62:312:98//AQ163739
 55 R-NT2RM4001155//Homo sapiens chromosome 12p13.3 clone RPCI4-816N1, WORKING DRAFT SEQUENCE,
 31 unordered pieces.//1.4e-107:536:97//AC005841
 R-NT2RM4001160//HS_3015_B1_H10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3015 Col=19 Row=P, genomic survey sequence.//7.1e-35:201:95//AQ118712

- R-NT2RM4001187//X.laevis xUBFbeta2 mRNA for upstream binding factor 1.//0.019:177:63//X57201
- R-NT2RM4001191//HS_3002_A1_F05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3002 Col=9 Row=K, genomic survey sequence.//3.9e-33:230:75//AQ088791
- R-NT2RM4001200//Homo sapiens full-length insert cDNA clone YL35H03.//7.5e-69:335:99//AF085857
- 5 R-NT2RM4001203
- R-NT2RM4001204
- R-NT2RM4001217
- R-NT2RM4001256
- R-NT2RM4001258
- 10 R-NT2RM4001309
- R-NT2RM4001313//Homo sapiens 12q24.1 PAC RPCI1-71H24 (Roswell Park Cancer Institute Human PAC library) complete sequence.//0.00055:183:63//AC004551
- R-NT2RM4001316//Homo sapiens chromosome 17, clone hCIT.117_K_16, complete sequence.//4.5e-21:212:79//AC004757
- 15 R-NT2RM4001320//CIT-HSP-2303E22. TR CIT-HSP Homo sapiens genomic clone 2303E22, genomic survey sequence.//3.8e-30:86:89//AQ021084
- R-NT2RM4001340
- 0.0027:493:60//AC005133
- R-NT2RM4001344
- 20 R-NT2RM4001347//CITBI-E1-2506I20. TR CITBI-E1 Homo sapiens genomic clone 2506I20, genomic survey sequence.//6.5e-16:1.01:99//AQ262797
- R-NT2RM4001371//CITBI-E1-2503G21. TR CITBI-E1 Homo sapiens genomic clone 2503G21, genomic survey sequence.//0.063:140:65//AQ265776
- R-NT2RM4001382//HS_3044_A1_F02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3044 Col=3 Row=K, genomic survey sequence.//0.96:103:66//AQ098668
- 25 R-NT2RM4001384//R.norvegicus mRNA for dendrin.//8.5e-07:120:75//Y09000
- R-NT2RM4001410//Bovine cytochrome P450-scc mRNA fragment.//2.3e-15:199:75//M25920
- R-NT2RM4001411//Rattus norvegicus FceRI gamma-chain interacting protein SH2-B (SH2-B) mRNA, complete cds.//1.7e-55:235:83//U57391
- 30 R-NT2RM4001412
- R-NT2RM4001414//Homo sapiens Xp22 Cosmids U98B4 and U24F2 (Lawrence Livermore human cosmid library) complete sequence.//1.7e-80:489:89//U69730
- R-NT2RM4001437//RPCI11-56D2. TJ RPCI11 Homo sapiens genomic clone R-56D2, genomic survey sequence.//3.8e-43:250:93//AQ081969
- 35 R-NT2RM4001444//Homo sapiens Xp22-171-173 BAC GSHB-312I4 (Genome Systems Human BAC Library) complete sequence.//0.0034:224:63//AC005926
- R-NT2RM4001454//Homo Sapiens Chromosome X clone bWXd90, complete sequence.//2.4e-33:360:68//AC004075
- R-NT2RM4001455//HS_3229_B1_E04_MR CIT Approved-Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3229 Col=7 Row=J, genomic survey sequence.//1.0:183:61//AQ191289
- 40 R-NT2RM4001483//Homo sapiens clone DJ0826E18, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.2e-51:451:79//AC005282
- R-NT2RM4001489//Homo sapiens mRNA for KIAA0685 protein, complete cds.//2.2e-102:547:93//AB014585
- R-NT2RM4001519//HS_2208_A1_F07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2208 Col=13 Row=K, genomic survey sequence.//0.25:214:63//AQ091836
- 45 R-NT2RM4001522//H.sapiens gene for Cu/Zn-superoxide dismutase.//3.6e-13:246:70//Z29336
- R-NT2RM4001557//Plasmodium falciparum MAL3P4, complete sequence.//0.055:320:58//AL008970
- R-NT2RM4001565//Homo sapiens chromosome 12p13.3 clone RPCI11-189M20, WORKING DRAFT SEQUENCE, 39 unordered pieces.//3.9e-26:329:72//AC005910
- 50 R-NT2RM4001566//Human trophinin mRNA, complete cds.//6.3e-38:296:86//U04811
- R-NT2RM4001569//Human DNA sequence from clone 461P17 on chromosome 20q12-13.2. Contains four novel (pseudo)genes for proteins with Kunitz/Bovine pancreatic trypsin inhibitor and/or WAP-type (Whey Acidic Protein) 'four-disulfide core' domains, COX6C (Cytochrome C Oxidase Polypeptide VIC, EC 1.9.3.1) and RPL5 (60S Ribosomal Protein L5) pseudogenes, a pseudogene similar to part of the HSPD1 (HSP60, Mitochondrial Matrix Protein P1 precursor, Heat Shock Protein 60, GROEL protein, HUCHA60) gene, and the Major Epididymis-specific protein E4 precursor (HE4, Epididymis Secretory protein E4, WAP-type (Whey Acidic Protein) 'four-disulfide core' domain) gene. Contains ESTs, an STS, GSSs and a putative CpG island, complete sequence.//2.0e-35:213:89//AL031663
- 55

- R-NT2RM4001582//Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//5.4e-60:558:77//AF071317
- R-nnnnnnnnnnnn//M.musculus mRNA of enhancer-trap-locus 1.//4.8e-86:565:85//X69942
- R-NT2RM4001594//Human interleukin-13 (IL-13) precursor gene, complete cds.//0.083:283:61//U31120
- 5 R-NT2RM4001597//HS_2059_A1_G11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2059 Col=21 Row=M, genomic survey sequence.//4.4e-09:105:83//AQ245136
- R-NT2RM4001605//Homo sapiens mRNA for KIAA0791 protein, complete cds.//6.7e-111:565:95//AB018334
- R-NT2RM4001611//Homarus americanus ryanodine receptor (RyR) mRNA, partial cds.//1.0:364:61//AF051936
- 10 R-NT2RM4001629//RPC111-54G14.TJ RPC111 Homo sapiens genomic clone R-54G14, genomic survey sequence.//0.0018:347:61//AQ083173
- R-NT2RM4001650
- R-NT2RM4001662//Homo sapiens DNA sequence from PAC 159A15 on chromosome Xp11.21-p11.23. Contains inter-alpha-trypsin inhibitor heavy chain H3 precursor-like protein.//0.75:212:62//AL022575
- R-NT2RM4001666//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-233A8, complete sequence.//2.6e-26:461:65//AC004685
- 15 R-NT2RM4001682//Human DNA sequence from clone 30M3 on chromosome 6p22.1-22.3. Contains three novel genes, one similar to C. elegans Y63D3A.4 and one similar to (predicted) plant, worm, yeast and archaea bacterial genes, and the first exon of the KIAA0319 gene. Contains ESTs, GSSs and putative CpG islands, complete sequence.//1.5e-107:544:96//AL031775
- 20 R-NT2RM4001710//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING DRAFT SEQUENCE.//1.8e-110:580:95//AL031447
- R-NT2RM4001714//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//3.1e-10:543:59//AC004153
- R-nnnnnnnnnnnn//Human DNA sequence from clone 931K24 on chromosome 20p12 Contains ESTs and GSSs, complete sequence.//8.7e-111:577:94//AL034430
- 25 R-NT2RM4001731//Ovis aries dinucleotide repeat polymorphism at MAF92 locus.//0.017:93:73//M80527
- R-NT2RM4001741//Mouse mRNA for talin.//2.4e-34:273:83//X56123
- R-NT2RM4001746//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 316G12, WORKING DRAFT SEQUENCE.//1.7e-112:567:96//AL031709
- 30 R-NT2RM4001754//Homo sapiens PAC clone 248O15 from 13q12-q13, complete sequence.//1.4e-64:475:83//AC002483
- R-NT2RM4001758//R.norvegicus mRNA for serine/threonine kinase MARK1.//1.9e-18:202:78//Z83868
- R-NT2RM4001776//Homo sapiens mRNA for KIAA0727 protein, partial cds.//2.0e-22:236:80//AB018270
- R-NT2RM4001783//Homo sapiens clone DJ0981O07, complete sequence.//4.4e-106:551:95//AC006017
- 35 R-NT2RM4001810//T28D3TF TAMU Arabidopsis thaliana genomic clone T28D3, genomic survey sequence.//0.76:279:60//B27099
- R-NT2RM4001813
- R-NT2RM4001823
- R-NT2RM4001828//HS_3073_A2_E01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3073 Col=2 Row=I, genomic survey sequence.//1.6e-46:255:96//AQ121030
- 40 R-NT2RM4001836//Sus scrofa microsatellite S0398 sequence.//9.4e-06:141:69//U78024
- R-NT2RM4001841//Salmo salar microsatellite Ssa65 DNA.//1.5e-06:175:65//AF019184
- R-NT2RM4001842//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//5.0e-07:332:61//AC005077
- 45 R-NT2RM4001856//Mus musculus clone OST16642, genomic survey sequence.//4.8e-30:235:85//AF046633
- R-nnnnnnnnnnnn//Hs_3244_B1_F10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3244 Col=19 Row=L, genomic survey sequence.//3.0e-40:263:89//AQ252798
- R-NT2RM4001865//Homo sapiens mRNA for atopy related autoantigen CALC.//5.0e-119:592:97//Y17711
- R-NT2RM4001876//Megastigmus wachtlei dinucleotide microsatellite, clone
- 50 MWA47CT.//0.13:134:64//AJ001069
- R-NT2RM4001880
- R-NT2RM4001905//HS_2016_B1_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2016 Col=21 Row=P, genomic survey sequence.//0.0066:264:59//AQ226877
- R-NT2RM4001922//HS_2228_B2_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2228 Col=14 Row=D, genomic survey sequence.//2.5e-35:205:96//AQ065498
- 55 R-NT2RM4001930//Homo sapiens chromosome 17, clone hRPC.34_M_24, complete sequence.//0.26:325:63//AC004562
- R-NT2RM4001938//Homo sapiens chromosome 17, clone hRPC.1081_P_3, complete sequence.//2.9e-85:421:

98//AC005207
 R-NT2RM4001940//Homo sapiens timeless homolog mRNA, complete cds.//6.2e-109:556:95//AF098162
 R-NT2RM4001953//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 473B4, WORKING
 DRAFT SEQUENCE.//1.3e-08:175:70//Z83826
 5 R-NT2RM4001965//CIT-HSP-385N14.TR CIT-HSP Homo sapiens genomic clone 385N14, genomic survey se-
 quence.//5.7e-69:532:81//B55044
 R-nnnnnnnnnnnn//R.norvegicus mRNA for IP63 protein.//1.9e-61:352:83//X99330
 R-NT2RM4001979//Homo sapiens full-length insert cDNA clone ZD29F04.//1.1e-98:465:100//AF086241
 R-NT2RM4001984//Borrelia burgdorferi (section 47 of 70) of the complete genome.//0.14:461:60//AE001161
 10 R-NT2RM4001987
 R-NT2RM4002013
 R-NT2RM4002018
 R-NT2RM4002034//Homo sapiens chromosome 5, BAC clone 24p24 (LBNL H195), complete sequence.//3.6e-
 42:277:89//AC005353
 15 R-NT2RM4002044//Homo sapiens PAC clone DJ1102B04 from 7q11.23-7q21, complete sequence.//0.83:476:57//
 AC006204
 R-NT2RM4002054
 R-NT2RM4002062//Human microsomal epoxide hydrolase gene, exons 5 and 6.//0.11:136:67//U06659
 R-NT2RM4002063//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds.//2.9e-99:503:96//
 20 U82267
 R-nnnnnnnnnnnn//Homo sapiens CAGH45 mRNA, complete cds.//9.6e-41:554:68//U80742
 R-NT2RM4002067//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 329A5, WORKING
 DRAFT SEQUENCE.//7.7e-64:476:81//Z97832
 R-NT2RM4002073//Mus musculus fatty acid transport protein 3 mRNA, partial cds.//1.1e-33:238:85//AF072758
 25 R-NT2RM4002075//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING
 DRAFT SEQUENCE, 3 unordered pieces.//0.0031:403:57//AC005504
 R-NT2RM4002093//Human Chromosome 11 pac pDJ227b23, WORKING DRAFT SEQUENCE, 19 unordered
 pieces.//9.4e-07:322:62//AC000383
 30 R-nnnnnnnnnnnn//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//5.6e-44:432:74//
 D12646
 R-NT2RM4002128//Human HepG2 partial cDNA, clone hmd2e12m5.//2.0e-26:186:90//D17000
 R-NT2RM4002140
 R-NT2RM4002145//Homo sapiens full-length insert cDNA clone ZD38E12.//1.4e-15:193:76//AF086247
 R-NT2RM4002146//Human ABL gene, intron 1b, partial sequence.//0.66:170:63//U07562
 35 R-NT2RM4002161//Homo sapiens laforin (EPM2A) mRNA, partial cds.//4.5e-110:560:96//AF084535
 R-NT2RM4002174//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete sequence.//8.0e-43:302:85//
 AC005696
 R-NT2RM4002189
 R-NT2RM4002194//Human Cosmid g5129g129 from 7q31.3, complete sequence.//0.29:382:60//AC003960
 40 R-NT2RM4002205//Spiroplasma virus (SpV1-R8A2 B) complete genome.//3.5e-05:432:56//X51344
 R-NT2RM4002213
 R-NT2RM4002226//Homo sapiens chromosome 17, clone HCIT187M2, complete sequence.//0.94:198:61//
 AC004448
 R-NT2RM4002251
 45 R-NT2RM4002256//Homo sapiens PAC clone DJ0570D02 from 7p13-p14, complete sequence.//2.3e-58:299:85//
 AC004837
 R-NT2RM4002266//H.sapiens CpG island DNA genomic MseI fragment, clone 179f11, forward read
 cpg179f11.ft1a.//0.72:97:69//Z57487
 R-NT2RM4002278//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 unordered pieces.//7.5e-
 50 49:405:84//AC005069
 R-NT2RM4002281//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 702J19, WORKING
 DRAFT SEQUENCE.//1.7e-13:168:77//AL033531
 R-NT2RM4002287
 R-NT2RM4002294//Homo Sapiens Chromosome X clone bWXd171, WORKING DRAFT SEQUENCE, 1 ordered
 55 pieces.//0.98:208:65//AC004676
 R-NT2RM4002301//HS_2028_A1_E10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2028 Col=19 Row=I, genomic survey sequence.//0.94:321:57//AQ233262
 R-NT2RM4002323//Human DNA sequence from clone 59B16 on chromosome 6p22.1-22.3. Contains a pseudo-

- gene similar to GPISG20 and other exonucleases). Contains ESTs, STSs, GSSs, genomic markers D6S1691 and D6S299 and a ca repeat polymorphism, complete sequence.//1.9e-35:265:84//AL032822
- R-nnnnnnnnnnnn//Human mRNA for KIAA0319 gene, complete cds.//2.4e-42:569:68//AB002317
- 5 R-NT2RM4002344//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.013:391:59//AC004709
- R-NT2RM4002373//Homo sapiens mRNA for KIAA0649 protein, complete cds.//8.6e-121:593:97//AB014549
- R-NT2RM4002374//Human DNA sequence from cosmid U131B10, between markers DXS366 and DXS87 on chromosome X contains XK membrane transport protein, ESTs and STS.//3.8e-44:258:86//Z73417
- 10 R-NT2RM4002383//Human Chromosome 15q26.1 PAC clone pDJ10k5 containing human DNA polymerase gamma (polg) gene, complete sequence.//0.00084:345:60//AC005316
- R-NT2RM4002390
- R-NT2RM4002409//RPCI11-45M10.TK RPCI11 Homo sapiens genomic clone R-45M10, genomic survey sequence.//0.99:151:66//AQ194411
- R-NT2RM4002438
- 15 R-NT2RM4002446//Human DNA sequence from clone 360A4 on chromosome 16. Contains ESTs, complete sequence.//2.8e-103:533:95//AL031008
- R-NT2RM4002452
- R-NT2RM4002457//Homo sapiens chromosome 16, cosmid clone 321D4 (LANL), complete sequence.//0.99:171:64//AC004034
- 20 R-NT2RM4002460//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//0.96:94:71//Z92545
- R-NT2RM4002479//Homo sapiens RNA helicase-related protein mRNA, complete cds.//2.9e-102:508:97//AF083255
- 25 R-NT2RM4002482//Homo sapiens mRNA for KIAA0691 protein, complete cds.//7.0e-31:172:98//AB014591
- R-NT2RM4002493//CIT-HSP-2296C24.TF CIT-HSP Homo sapiens genomic clone 2296C24, genomic survey sequence.//0.46:182:62//AQ006882
- R-NT2RM4002499//Human v-fos transformation effector protein (Fte-1), mRNA complete cds.//7.3e-24:134:99//M84711
- 30 R-NT2RM4002504//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3, complete sequence.//3.9e-11:334:63//AC002368
- R-nnnnnnnnnnnn
- R-NT2RM4002532//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 341D10, WORKING DRAFT SEQUENCE.//3.4e-17:171:79//Z97985
- 35 R-NT2RM4002534
- R-NT2RM4002567//Homo sapiens chromosome 7 clone UWGC:g1564a040 from 7p14-15, complete sequence.//2.2e-26:181:76//AC005271
- R-NT2RM4002571
- R-NT2RM4002593//CIT-HSP-2303L15.TF CIT-HSP Homo sapiens genomic clone 2303L15, genomic survey sequence.//0.034:73:82//AQ015579
- 40 R-NT2RM4002623//Homo sapiens clone UWGC:g1564a209 from 7p14-15, complete sequence.//0.0014:670:55//AC005862
- R-NT2RP2000001//Plasmodium falciparum chromosome 2, section 59 of 73 of the complete sequence.//0.00087:251:59//AE001422
- 45 R-NT2RP2000006//Human DNA sequence from PAC 155D22 on chromosome 6q27. Contains EST, STSs and a GSS.//2.7e-37:259:86//Z97205
- R-NT2RP2000008//RPCI11-41G16.TP RPCI-11 Homo sapiens genomic clone RPCI-11-41G16, genomic survey sequence.//4.1e-25:365:70//AQ029090
- R-NT2RP2000027//Homo sapiens chromosome 17, clone HCIT305D20, complete sequence.//6.0e-05:307:62//AC004098
- 50 R-NT2RP2000040//Homo sapiens mRNA for KIAA0747 protein, partial cds.//8.4e-41:223:96//AB018290
- R-NT2RP2000045//Homo sapiens tumorous imaginal discs protein Tid56 homolog (TID1) mRNA, complete cds.//5.8e-63:325:96//AF061749
- R-NT2RP2000054//Human tyrosinase gene, 5'-flanking region (containing enhancer element responsible for pigment cell-specific transcription).//0.88:210:60//D26163
- 55 R-NT2RP2000056//Mus musculus epsilon tyrosine phosphatase cytoplasmic isoform (Ptpre) mRNA, complete cds.//4.7e-38:377:78//U36758
- R-NT2RP2000067//Rat mRNA for growth potentiating factor, complete cds.//6.0e-10:137:79//D42148

- R-NT2RP2000070//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//3.1e-76:381:98//AC005754
- R-NT2RP2000076//Plasmodium falciparum chromosome 2, section 9 of 73 of the complete sequence.//2.3e-06:380:60//AE001372
- 5 R-NT2RP2000077//Homo sapiens growth arrest specific 11 (GAS11) mRNA, complete cds.//3.5e-77:379:97+++F050079
- R-NT2RP2000079//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1125A11, WORKING DRAFT SEQUENCE.//6.5e-32:314:78//AL034549
- R-NT2RP2000088//Homo sapiens mRNA for KIAA0795 protein, partial cds.//5.6e-74:378:96//AB018338
- 10 R-NT2RP2000091//Homo sapiens clone RG015P03, complete sequence.//9.3e-21:226:76//AC005048
- R-NT2RP2000097//Human DNA sequence from cosmid U209G1 on chromosome X.//9.2e-40:278:81//Z68873
- R-NT2RP2000098//Human BAC clone RG333F24 from 7q11.2-q21, complete sequence.//0.34:132:65//AC004015
- R-NT2RP2000108//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//3.1e-09:259:67//AC003973
- 15 R-NT2RP2000114//Homo sapiens mRNA for GM3 synthase, complete cds.//1.8e-74:386:95//AB018356
- R-NT2RP2000120//CITBI-E1-2503M8.TR CITBI-E1 Homo sapiens genomic clone 2503M8, genomic survey sequence.//5.1e-05:87:77//AQ263909
- R-nnnnnnnnnnnnn
- R-nnnnnnnnnnnnn//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequence.//4.9e-11:153:69//AC004827
- 20 R-NT2RP2000147
- R-NT2RP2000153//Homo sapiens ccr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//0.0058:261:57//U95626
- R-NT2RP2000157//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.5e-119:603:96//AC005924
- 25 R-NT2RP2000161//CIT-HSP-2045P7.TR CIT-HSP Homo sapiens genomic clone 2045P7, genomic survey sequence.//0.89:173:63//B79728
- R-NT2RP2000175
- R-NT2RP2000183
- 30 R-NT2RP2000195//Homo sapiens chromosome 17, clone hRPK.60_A_24, complete sequence.//4.3e-39:306:83//AC005325
- R-NT2RP2000205//Human DNA sequence from clone 302L24 on chromosome Xq21-22, complete sequence.//7.5e-05:101:78//AL022155
- R-NT2RP2000224//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, complete sequence.//7.3e-55:306:94//AC004382
- 35 R-NT2RP2000232
- R-NT2RP2000233//Mus musculus tumor metastasis associated gene product (MAG) mRNA, complete cds.//7.6e-13:144:75//U88401
- R-NT2RP2000239//Homo sapiens chromosome 4 clone B353C18 map 4q25, complete sequence.//9.6e-63:410:86//AC004066
- 40 R-NT2RP2000248//Caenorhabditis elegans cosmid T01C8.//1.0:282:58//U58726
- R-NT2RP2000257//Homo sapiens PAC clone DJ0808G16 from 7q11.23-q21, complete sequence.//2.5e-11:163:72//AC004894
- R-NT2RP2000258//Arabidopsis thaliana chromosome II BAC T31E10 genomic sequence, complete sequence.//0.58:442:58//AC004077
- 45 R-NT2RP2000270//Homo sapiens DNA sequence from PAC 97D16 on chromosome 6p21.3-22.2. Contains an unknown pseudogene, a 60S Ribosomal protein L24 (L30) LIKE pseudogene and histone genes H2BFC (H2B/c), H4FFP (H4/f pseudogene), H2AFC (H2A/c), H3F1K (H3.1/k) and a tRNA-Val pseudogene and tRNA-Thr gene. Contains ESTs, STSs, GSSs and genomic marker D6S464, complete sequence.//1.1e-39:292:84//AL009179
- 50 R-NT2RP2000274//CIT-HSP-237901.TR CIT-HSP Homo sapiens genomic clone 237901, genomic survey sequence.//6.9e-10:121:81//AQ109409
- R-NT2RP2000288
- R-NT2RP2000289
- R-NT2RP2000297//Homo sapiens full-length insert cDNA clone ZB81C03.//7.7e-109:519:99//AF086165
- 55 R-NT2RP2000298
- R-NT2RP2000310//Homo sapiens p53 induced protein mRNA, partial cds.//1.5e-38:224:93//AF010310
- R-NT2RP2000327//Homo sapiens DNA sequence from PAC 434O14 on chromosome 1q32.3-.41. Contains the HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE

pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs, complete sequence.//4.3e-113:580:96//AL022398

R-NT2RP2000329//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//7.4e-47:367:77//AC006039

5 R-NT2RP2000337//Anopheles quadrimaculatus NADH dehydrogenase subunits (1-4, 4L, 5-6); cytochrome oxidase subunits (1-3); adenosine triphosphatase subunits (6,8); cytochrome b; transfer RNA; ribosomal RNA (large and small subunits).//4.9e-08:494:58//L04272

10 R-NT2RP2000346//Homo sapiens apoptosis associated protein (GADD34) mRNA, complete cds.//3.4e-46:262:94//U83981

R-NT2RP2000369//Homo sapiens chromosome 17, clone HCIT169H9, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.0e-07:334:61//AC002993

R-NT2RP2000414//Mouse DNA sequence *** SEQUENCING IN PROGRESS *** from clone BAC394, WORKING DRAFT SEQUENCE.//7.0e-08:98:83//AJ004828

15 R-NT2RP2000420//Homo sapiens chromosome 17, clone hRPK.640_I_15, complete sequence.//0.99:150:62//AC005324

R-NT2RP2000422//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//4.6e-19:142:90//AF102265

20 R-NT2RP2000438//RPCI11-62I13.TK RPCI11 Homo sapiens genomic clone R-62I13, genomic survey sequence.//3.1e-06:103:79//AQ199572

R-NT2RP2000448//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete sequence.//2.0e-22:276:73//AC004691

R-NT2RP2000459//CIT-HSP-2013N9.TR CIT-HSP Homo sapiens genomic clone 2013N9, genomic survey sequence.//5.5e-27:205:87//853940

25 R-NT2RP2000498//Homo sapiens Chromosome 11q23 PAC clone pDJ149k2 containing PLZF gene encoding kruppel-like zinc finger protein, complete sequence.//6.0e-12:119:84//AC001234

R-NT2RP2000503//Human CYP11B2 gene for steroid 18-hydroxylase (P-450 C18), 5'-flanking region and exon 1.//0.48:201:64//D10170

30 R-NT2RP2000510//Bactrocera dorsalis strain Tahiti mitochondrial D-loop region, complete sequence.//3.6e-07:472:59//AF033929

R-nnnnnnnnnnnnnnn

R-NT2RP2000523//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 150C2, WORKING DRAFT SEQUENCE.//2.3e-61:317:97//AL022318

35 R-NT2RP2000603//Homo sapiens mRNA for MCM3 import factor, complete cds.//6.6e-29:167:97//AB005543

R-NT2RP2000617

R-NT2RP2000634//Homo sapiens mRNA for KIAA0614 protein, partial cds.//2.5e-64:335:96//AB014514

R-NT2RP2000644//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//1.8e-28:383:70//Z92545

40 R-NT2RP2000656//Homo sapiens DNA sequence from PAC 874C20 on chromosome 6p22.1-22.3. Contains a Zinc Finger Protein ZFP47 LIKE gene, a Zinc Finger Protein pseudogene and a Zinc Finger Protein SRE-ZBP pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//0.0093:110:70//AL021997

R-NT2RP2000658//Bacillus thuringiensis chitinase (chi) gene, complete cds.//0.73:301:60//U89796

R-NT2RP2000668

45 R-NT2RP2000678//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 8/15, WORKING DRAFT SEQUENCE.//2.8e-11:256:66//AP000015

R-NT2RP2000710//Genomic sequence from Human 17, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.036:176:69//AC002346

50 R-NT2RP2000715//Homo sapiens PAC clone DJ1066K24 from 7p15, complete sequence.//2.7e-110:555:96//AC004540

R-NT2RP2000731//Human DNA sequence from clone 497J21 on chromosome 6q26-27. Contains a KOC (KH-domain containing transcript overexpressed in cancer) pseudogene, genomic marker D6S193, ESTs, STSs and GSSs, and a ca repeat polymorphism, complete sequence.//2.6e-18:319:68//AL023775

55 R-NT2RP2000758//CIT-HSP-507A14.TP CIT-HSP Homo sapiens genomic clone 507A14, genomic survey sequence.//1.0:189:60//B50590

R-NT2RP2000764

R-NT2RP2000809//Human BAC clone RG356F09 from 7p21, complete sequence.//1.7e-24:215:81//AC004002

R-NT2RP2000812//CIT-HSP-2281C3.TR CIT-HSP Homo sapiens genomic clone 2281C3, genomic survey se-

- quence.//9.5e-32:176:97//B99575
 R-nnnnnnnnnnnn//paramecium species 5,87 mt dna dimer: replication init. region.//0.0077:418:57//K00916
 R-NT2RP2000816//F.rubripes GSS sequence, clone 011H02aA6, genomic survey sequence.//0.61:52:73//AL011013
- 5 R-NT2RP2000819
 R-NT2RP2000841//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 43408, WORKING DRAFT SEQUENCE.//0.00012:181:70//AL033504
 R-NT2RP2000842//Mus musculus (C57BL/10 X C3H)F2 clone 4.9 novel mRNA from reninexpressing kidney tumor cell line, partial sequence.//3.7e-27:388:72//U13370
- 10 R-NT2RP2000845//Homo sapiens chromosome 17, clone hRPK.849_N_15, complete sequence.//0.0022:200:68//AC005703
 R-NT2RP2000863
 R-NT2RP2000880//Homo sapiens mRNA for putative GTP-binding protein, partial.//2.3e-43:279:89//AJ006412
 R-NT2RP2000892//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer , segment 7/10.//0.0028:221:62//AB020875
- 15 R-NT2RP2000931//Homo sapiens mRNA for KIAA0723 protein, complete cds.//2.2e-55:290:96//AB018266
 R-NT2RP2000938//Homo sapiens full-length insert cDNA clone ZD55G12.//2.1e-37:215:93//AF086336
 R-NT2RP2000943//Homo sapiens mRNA for KIAA0755 protein, complete cds.//3.0e-96:494:96//AB018298
 R-NT2RP2000965
- 20 R-NT2RP2000970//Homo sapiens DNA sequence from BAC 747E2 on chromosome 22q12.1. Contains ESTs, STSs and GSSs and genomic marker D22S56, complete sequence.//4.5e-87:440:97//AL021393
 R-NT2RP2000985//Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.//5.4e-93:484:95//AC005277
 R-NT2RP2000987//Plasmodium falciparum chromosome 2, section 9 of 73 of the complete sequence.//2.1e-06:318:62//AE001372
- 25 R-NT2RP2001036//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 41018, WORKING DRAFT SEQUENCE.//2.0e-24:273:73//AL031732
 R-NT2RP2001044//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//3.3e-07:365:65//AC005140
- 30 R-NT2RP2001065//Caenorhabditis elegans cosmid F10G7.//9.2e-06:273:59//U40029
 R-NT2RP2001070//CITBI-E1-2503F4.TF CITBI-E1 Homo sapiens genomic clone 2503F4, genomic survey sequence.//0.13:97:72//AQ265973
 R-NT2RP2001094//Mycoplasma mycoides mycoides SC immunodominant protein P72 (p72) gene, complete cds, mannitol-1-phosphate dehydrogenase (mt1D) gene, partial cds and insertion sequence IS1296, complete sequence.//0.018:373:57//U61140
- 35 R-NT2RP2001119
 R-NT2RP2001127//Homo sapiens HRIHFB2060 mRNA, partial cds.//4.5e-55:304:94//AB015348
 R-NT2RP2001137//Homo sapiens DNA sequence from clone 511B24 on chromosome 20q11.2-12. Contains the TOP1 gene for Topoisomerase I, the PLCG1 gene for 1-Phosphatidylinositol-4,5-Bisphosphate Phosphodiesterase Gamma 1 (EC 3.1.4.11, PLC-Gamma-1, Phospholipase C-Gamma-1 PLC-II, PLC-148), the KIAA0395 gene for a probable Zinc Finger Homeobox protein and a 60S Ribosomal Protein L23 LIKE pseudogene. Contains a predicted CpG island, ESTs, STSs and GSSs, complete sequence.//0.69:129:65//AL022394
- 40 R-NT2RP2001149//Sequence 5 from Patent US 4798885.//8.5e-28:322:77//I01838
 R-NT2RP2001168
- 45 R-NT2RP2001173//Homo sapiens mRNA for KIAA0480 protein, complete cds.//4.8e-95:490:96//AB 007949
 R-NT2RP2001174//CIT-HSP-2170B18.TR CIT-HSP Homo sapiens genomic clone 2170B18, genomic survey sequence.//1.3e-33:204:93//B89680
 R-NT2RP2001196//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-65, complete sequence.//1.7e-06:413:61//AL010134
- 50 R-NT2RP2001218//Human DNA sequence from clone 23K20 on chromosome Xq25-26.2 Contains EST, STS, GSS, complete sequence.//8.5e-15:278:68//AL022153
 R-NT2RP2001226//Human DNA sequence from clone 1170D6 on chromosome Xq22.3-23. Contains a pseudogene similar to U-SNRNP associated Cyclophilin (USA-CYP, EC 5.2.1.8), ESTs, an STS and a GSS, complete sequence.//0.0020:462:57//AL030995
- 55 R-NT2RP2001233//CIT-HSP-2356P23.TR CIT-HSP Homo sapiens genomic clone 2356P23, genomic survey sequence.//8.0e-108:547:96//AQ081110
 R-NT2RP2001245//Spodoptera frugiperda 16S rRNA gene, Val-tRNA, and Leu-tRNA genes, and ND-1 protein gene, 5' end.//0.0052:350:58//M76713

- R-NT2RP2001268//Homo sapiens mRNA for KIAA0810 protein, partial cds.//4.6e-111:544:97//AB018353
- R-NT2RP2001277//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y59A8, WORKING DRAFT SEQUENCE.//0.0058:327:59//Z98870
- 5 R-NT2RP2001290//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.96:187:65//AC004709
- R-NT2RP2001295//Homo sapiens BAC clone NH0491B03 from 7p21-p15, complete sequence.//0.59:218:62//AC006041
- R-NT2RP2001312//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 349A12, WORKING DRAFT SEQUENCE.//0.12:117:64//AL033520
- 10 R-NT2RP2001327//Caenorhabditis elegans cosmid R04D3, complete sequence.//0.31:119:66//Z70212
- R-NT2RP2001328//HS_2213_A1_D07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2213 Col=13 Row=G, genomic survey sequence.//1.7e-22:200:83//AQ136874
- R-NT2RP2001347//Plasmodium falciparum MAL3P8, complete sequence.//0.81:509:56//AL034560
- R-NT2RP2001378//H.sapiens DNA sequence.//0.94:147:63//Z22404
- 15 R-NT2RP2001381//Homo sapiens cyclin E2 mRNA, complete cds.//3.2e-09:75:97//AF091433
- R-NT2RP2001392//Myxococcus xanthus ATP-dependent protease (bsgA) gene, complete cds.//0.079:178:62//L19301
- R-NT2RP2001394//Human DNA sequence from PAC 389A20 on chromosome X contains ESTs STS, CpG islands and polymorphic CA repeat.//3.4e-60:351:90//Z93242
- 20 R-NT2RP2001397//Hamster mRNA for cyclinB2, complete cds.//5.4e-55:320:83//D17294
- R-NT2RP2001420//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1108D11, WORKING DRAFT SEQUENCE.//1.0e-44:246:85//AL034419
- R-NT2RP2001423//Human DNA sequence from clone 726F20 on chromosome 1p36.11-36.23. Contains ESTs and a GSS, complete sequence.//3.7e-05:417:61//AL031273
- 25 R-NT2RP2001427//Human Chromosome 11 Cosmid cSRL34e5, complete sequence.//0.94:287:59//U73643
- R-NT2RP2001436//Mus musculus clone OST1784, genomic survey sequence.//5.2e-31:299:77//AF046702
- R-NT2RP2001440//Rattus norvegicus mRNA for 14-3-3 protein gamma-subtype, complete cds.//7.8e-75:548:83//D17447
- 30 R-NT2RP2001445//Homo sapiens 12q13.1 PAC RPC11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.0e-06:452:59//AC004801
- R-NT2RP2001449//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21 unordered pieces.//5.1e-08:218:67//AC004846
- R-NT2RP2001450
- 35 R-NT2RP2001467//Human BAC clone RG343P13 from 7q31, complete sequence.//3.8e-31:254:83//AC002465
- R-NT2RP2001506//C.barati p-47, nttnh, bonT genes.//1.2e-06:415:60//Y12091
- R-NT2RP2001511//Plasmodium falciparum MAL3P7, complete sequence.//0.11:155:63//AL034559
- R-NT2RP2001520//Homo sapiens mRNA for mitochondrial carrier protein ARALAR1.//2.1e-104:545:95//Y14494
- R-NT2RP2001526//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//7.0e-16:283:68//AC004596
- 40 R-NT2RP2001536//Human DNA from chromosome 14-specific cosmid containing XRCC3 DNA repair gene, genomic sequence, complete sequence.//7.7e-16:108:96//AF037222
- R-NT2RP2001560//CIT978SK-A-56H4.TP CIT978SK Homo sapiens genomic clone A-56H4, genomic survey sequence.//0.052:112:66//B73597
- 45 R-NT2RP2001569//CIT-HSP-2335F8.TF CIT-HSP Homo sapiens genomic clone 2335F8, genomic survey sequence.//6.0e-78:383:98//AQ042029
- R-NT2RP2001576//Homo sapiens sulfonylurea receptor (SUR2) gene, exon 37.//0.33:135:66//AF061322
- R-NT2RP2001581//Homo sapiens (clone MFD220) PCR primer.//2.7e-07:240:63//L15407
- R-NT2RP2001597//HS_3016_B2_F06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3016 Col=12 Row=L, genomic survey sequence.//5.3e-45:310:87//AQ118854
- 50 R-NT2RP2001601//Homo sapiens chromosome 17, clone hRPK.855_D_21, complete sequence.//0.015:445:58//AC006079
- R-NT2RP2001613//Mus musculus orphan nuclear hormone receptor (CAR) gene, complete sequence.//3.5e-16:413:63//AF009326
- 55 R-NT2RP2001628//Phytomonas serpens kinetoplast maxicircle ribosomal protein S12 (G6) edited mRNA, complete cds.//0.11:190:63//AF034626
- R-NT2RP2001663//Homo sapiens Chromosome 16 BAC clone CIT987SK-625P11, complete sequence.//3.0e-26:157:81//AC004125
- R-NT2RP2001677//Homo sapiens chromosome 9, P1 clone 11659, complete sequence.//3.0e-58:305:96//

AC004472
R-NT2RP2001678//Human BAC clone RG222A16 from 7q31, complete sequence.//0.95:107:66//AC002385
R-NT2RP2001699//Mus musculus erythroid ankyrin and two alternatively spliced erythroid ankyrins (Ank1) gene, putative exon 41 and partial cds.//8.8e-05:211:63//UJ76758
5 R-NT2RP2001720//Homo sapiens PAC clone DJ0167F23 from 7p15, complete sequence.//4.7e-68:352:97//AC004079
R-NT2RP2001721//HS-1052-B1-G06-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 774 Col=11 Row=N, genomic survey sequence.//7.7e-05:346:59//B40914
R-NT2RP2001740//HS_3213_A2_D02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3213 Col=4 Row=G, genomic survey sequence.//1.1e-16:162:82//AQ175104
10 R-NT2RP2001748//Human gene for L-histidine decarboxylase, complete cds.//2.0e-33:312:77//D16583
R-NT2RP2001762//Homo sapiens chromosome 1, BAC CIT-HSP-292g8 (BC262482), complete sequence.//2.3e-100:435:97//AC004783
R-NT2RP2001813//Human leukocyte common antigen T200 (CD45, LCA) gene, exon 9.//0.031:261:60//M23468
15 R-NT2RP2001861
R-NT2RP2001869//Sequence 5 from patent US 5595900.//4.2e-21:194:77//I34189
R-NT2RP2001876
R-NT2RP2001883//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//5.0e-111:485:97//AL031864
20 R-NT2RP2001900
R-NT2RP2001907//Human proto-oncogene tyrosine-protein kinase (ABL) gene, exon 1a and exons 2-10, complete cds.//5.4e-42:382:77//UJ07563
R-NT2RP2001926//HS_3180_B2_F02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3180 Col=4 Row=L, genomic survey sequence.//2.8e-25:138:80//AQ185415
25 R-NT2RP2001936//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.0:320:60//AC005504
R-NT2RP2001943//Dictyostelium discoideum PkgA (pkgA) gene, partial cds.//1.4e-08:378:59//AF020280
R-NT2RP2001946//Homo sapiens clone NH0140K04, complete sequence.//3.6e-85:409:100//AC005033
30 R-NT2RP2001947//Human mRNA for KIAA0390 gene, complete cds.//0.85:140:64//AB002388
R-NT2RP2001969
R-NT2RP2001976//CIT-HSP-2281C3.TR CIT-HSP Homo sapiens genomic clone 2281C3, genomic survey sequence.//2.0e-60:307:98//B99575
R-NT2RP2001985//Arabidopsis thaliana DNA chromosome 4, BAC clone F1N20 (ESSAll project).//0.031:282:61//AL022140
35 R-NT2RP2002025
R-NT2RP2002032//CITBI-E1-2502C19.TF CITBI-E1 Homo sapiens genomic clone 2502C19, genomic survey sequence.//1.2e-52:285:95//AQ264715
R-NT2RP2002033//Human (lambda) DNA for immunoglobulin light chain.//1.1e-08:389:61//D88270
40 R-NT2RP2002041//Homo sapiens 12p13.3 BAC RPCI11-319E16 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//1.1e-49:264:97//AC006206
R-NT2RP2002046//Human BAC clone GS119P05 from 7q21, complete sequence.//0.0023:429:61//AC004011
R-NT2RP2002047//P.falciparum PK1 gene.//0.00015:239:62//X83707
R-NT2RP2002058//HS_2183_A1_G01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2183 Col=1 Row=M, genomic survey sequence.//1.2e-21:185:84//AQ022560
45 R-NT2RP2002066//G.gallus microsatellite DNA (LEI0222 (=T15ivD04)).//0.18:102:70//Z83792
R-NT2RP2002070//P.falciparum major merozoite surface antigen (PMMSA) mRNA, complete cds, isolate FC27.//0.95:192:61//M19143
R-NT2RP2002076//Homo sapiens clone 24804 mRNA sequence.//3.8e-25:182:86//AF052183
50 R-NT2RP2002079//Human DNA sequence from clone 431P23 on chromosome 6q27. Contains the first coding exon of the MLLT4 gene for myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (AF-6, Afadin, MLLT-4, ALL-1 fusion partner), and a Serine Palmitoyltransferase 2 (EC 2.3.1.50, Long Chain Base Biosynthesis protein 2, LCB-2, SPT-2) pseudogene. Contains ESTs, STs, GSSs, and a putative CpG island, complete sequence.//1.7e-10:97:90//AL009178
55 R-NT2RP2002099//Homo sapiens mRNA for E1B-55kDa-associated protein.//4.6e-59:376:89//AJ007509
R-NT2RP2002105
R-NT2RP2002124//RPCI11-75J16.TJ RPCI11 Homo sapiens genomic clone R-75J16, genomic survey sequence.//0.58:191:64//AQ266779

- R-NT2RP2002137//Homo sapiens Xp22-175-176 BAC GSHB-484O17 (Genome Systems Human BAC Library) complete sequence.//0.0065:294:61//AC005913
- R-NT2RP2002154
- 5 R-NT2RP2002172//RPC11-90C20.TJ RPC11 Homo sapiens genomic clone R-90C20, genomic survey sequence.//0.049:160:65//AQ282591
- R-NT2RP2002185//CIT-HSP-2341115.TF CIT-HSP Homo sapiens genomic clone 2341115, genomic survey sequence.//6.0e-36:230:90//AQ053355
- R-NT2RP2002192//HS_2222_B1_F08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2222 Col=15 Row=L, genomic survey sequence.//1.9e-15:249:71//AQ178491
- 10 R-NT2RP2002193//Rattus norvegicus potassium channel regulatory protein KChAP mRNA, complete cds.//4.7e-35:438:73//AF032872
- R-NT2RP2002208//Hansenula wingei mitochondrial DNA, complete sequence.//0.00057:468:57//D31785
- R-NT2RP2002219//HS_2058_A1_C09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=17 Row=E, genomic survey sequence.//3.4e-55:512:77//AQ234380
- 15 R-NT2RP2002231//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-31, complete sequence.//1.5e-06:398:61//Z98557
- R-nnnnnnnnnnnn//Sequence 11 from patent US 5624818.//3.3e-91:553:87//I41141
- R-NT2RP2002256//Homo sapiens retinoic acid hydroxylase mRNA, complete cds.//3.0e14:132:84//AF005418
- R-NT2RP2002259//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 118J21, WORKING DRAFT SEQUENCE.//1.6e-96:548:91//AL033527
- 20 R-NT2RP2002270//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//5.1e-06:391:60//AC004605
- R-NT2RP2002292//Genomic sequence from Human 13, complete sequence.//0.91:159:64//AC001226
- R-NT2RP2002312//Homo sapiens CDP-diacylglycerol synthase 2 (CDS2) mRNA, partial cds.//1.3e-101:527:94//AF069532
- 25 R-NT2RP2002316//Plasmodium falciparum chromosome 2, section 45 of 73 of the complete sequence.//0.00052:389:59//AE001408
- R-NT2RP2002325//Homo sapiens peroxisomal biogenesis factor (PEX11a) mRNA, complete cds.//2.3e-112:567:95//AF093668
- 30 R-NT2RP2002333//Rat POU domain factor (Brn-5) mRNA.//1.5e-22:323:73//L23204
- R-NT2RP2002385//Homo sapiens synaptic glycoprotein SC2 spliced variant mRNA, complete cds.//3.7e-102:600:89//AF038958
- R-NT2RP2002394//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.039:399:59//AC005308
- 35 R-NT2RP2002408//HS_2212_A1_E09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2212 Col=17 Row=I, genomic survey sequence.//9.6e-35:231:88//AQ184632
- R-NT2RP2002426//Human DNA sequence from clone 101G11 on chromosome 22q12. Contains an ACO2 (Mitochondrial Aconitate Hydratase (Aconitase, Citrate Hydro-Lyase, EC 4.2.1.3)) pseudogene, ESTs, STSs, GSSs and a putative CpG island, complete sequence.//2.8e-39:308:82//AL021877
- 40 R-NT2RP2002439//Leishmania tarentolae mitochondrial electron transport chain component mRNA.//0.022:102:71//M74225
- R-NT2RP2002457//Homo sapiens DNA sequence from PAC 142L7 on chromosome 6q21. Contains a Laminin Alpha 4 (LAMA4) LIKE gene coding for two alternatively spliced transcripts, a Tubulin Beta LIKE pseudogene, a Connective tissue growth factor (NOV, GIG) LIKE gene, A predicted CpG island, ESTs, STSs and genomic marker D6S416, complete sequence.//0.00099:354:59//Z99289
- 45 R-NT2RP2002464//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 6/15, WORKING DRAFT SEQUENCE.//0.0015:219:67//AP000013
- R-NT2RP2002475
- R-nnnnnnnnnnnn//Homo sapiens mRNA for ABC transporter 7 protein, complete cds.//3.1e-113:605:92//AB005289
- 50 R-NT2RP2002498//Human DNA sequence from PAC 162H14 on chromosome 22. Contains 3' part of a FIBULIN 1 like gene and ESTs, complete sequence.//0.32:210:64//Z98047
- R-NT2RP2002503//Homo sapiens, clone hRPK.15_A_1, complete sequence.//4.0e-86:429:98//AC006213
- R-NT2RP2002504//Homo sapiens mRNA for KIAA0791 protein, complete cds.//2.7e-105:583:91//AB018334
- 55 R-NT2RP2002520//Saccharomyces cerevisiae mitochondrial tRNA-Tyr, tRNA-Asn, & amp; tRNA-Met genes.//0.14:406:58//AJ223323
- R-NT2RP2002537//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 500L14, WORKING DRAFT SEQUENCE.//2.8e-16:188:78//AL023583

- R-NT2RP2002546//Homo sapiens clone TUA8 Cri-du-chat region mRNA.//4.7e-108:571:93//AF009314
- R-NT2RP2002549//Human Chromosome 15q26.1 PAC clone pDJ10k5 containing human DNA polymerase gamma (polg) gene, complete sequence.//1.1e-103:422:95//AC005316
- R-NT2RP2002591//Human DNA binding protein (HPF2) mRNA, complete cds.//1.8e-36:526:67//M27878
- 5 R-NT2RP2002595
- R-NT2RP2002606//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 2705, WORKING DRAFT SEQUENCE.//7.2e-10:211:71//AL033529
- R-NT2RP2002609
- R-NT2RP2002618//Plasmodium falciparum MAL3P6, complete sequence.//2.9e-05:566:60//Z98551
- 10 R-NT2RP2002621//Human DNA sequence from PAC 341110 on chromosome 6q22.2-22.33. Contains 60S ribosomal protein L5 like (pseudo)gene, ESTs and STSs.//1.1e-38:348:78//Z97352
- R-NT2RP2002643//Homo sapiens chromosome 11 clone pTWB15.28 map 11p15.4-p15.5, genomic survey sequence.//1.2e-35:414:66//AF074030
- R-NT2RP2002672//Homo sapiens chromosome 10 clone CIT-HSP-1326H7 map 10q24.3-10q25.1, complete sequence.//1.3e-77:403:95//AC005384
- 15 R-NT2RP2002701
- R-NT2RP2002706//Homo sapiens chromosome 19, cosmid F22676, complete sequence.//4.0e-42:147:90//AC005778
- R-NT2RP2002710//P.falciparum serine rich protein (SERP I) gene.//0.84:135:67//J03983
- 20 R-NT2RP2002727//, complete sequence.//1.0:363:59//AC005815
- R-NT2RP2002736//Arabidopsis thaliana chromosome II BAC T17M13 genomic sequence, complete sequence.//0.44:267:60//AC004138
- R-NT2RP2002740//Homo sapiens Xp22 BAC GSHB-600G8 (Genome Systems Human BAC library) complete sequence.//0.0016:474:60//AC004674
- 25 R-NT2RP2002741//HS_3051_B1_H11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3051 Col=21 Row=P, genomic survey sequence.//1.1e-38:217:86//AQ106283
- R-NT2RP2002750//Homo sapiens 12q24.1 PAC RPCI1-315L5 (Roswell Park Cancer Institute Human PAC library) complete sequence.//5.0e-36:430:75//AC002395
- R-NT2RP2002752//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 366L4, WORKING DRAFT SEQUENCE.//8.2e-41:437:76//AL023494
- 30 R-NT2RP2002753//Homo sapiens clone DJ076B20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//6.8e-100:496:97//AC004882
- R-NT2RP2002769//paramecium species 5,311 mt dna dimer: replication init. region.//7.4e-10:404:60//K00917
- R-NT2RP2002778//Homo sapiens clone 24606 mRNA sequence.//1.2e-63:341:94//AF070537
- 35 R-NT2RP2002800//RPCI11-37G8.TV RPCI-11 Homo sapiens genomic clone RPCI-11-37G8, genomic survey sequence.//4.9e-60:321:95//AQ029850
- R-NT2RP2002839//Homo sapiens Chromosome 11q12.2 PAC clone pDJ688p12 containing uteroglobin gene, WORKING DRAFT SEQUENCE, 11 unordered pieces.//2.9e-100:492:98//AC006078
- R-NT2RP2002857//HS_3026_B2_H07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3026 Col=14 Row=P, genomic survey sequence.//8.9e-06:242:62//AQ 128697
- 40 R-NT2RP2002862//RPCI11-42I15.TJ RPCI11 Homo sapiens genomic clone R-42I15, genomic survey sequence.//1.5e-44:270:85//AQ052700
- R-NT2RP2002880//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 150C2, WORKING DRAFT SEQUENCE.//1.0:295:58//AL022318
- 45 R-NT2RP2002891
- R-NT2RP2002925//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 243L18, WORKING DRAFT SEQUENCE.//2.0e-24:395:67//AL034395
- R-NT2RP2002928//Plasmodium falciparum MAL3P5, complete sequence.//0.044:461:55//AL034556
- R-NT2RP2002929//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.35:491:56//AC005140
- 50 R-NT2RP2002954//Homo sapiens chromosome 17, clone hRPK.628_E_12, complete sequence.//1.0:275:61//AC005701
- R-NT2RP2002959//Mus musculus ubiquitin conjugating enzyme (ubc4) mRNA, complete cds.//2.7e-61:508:79//U62483
- 55 R-NT2RP2002979//RPCI11-20F13.TPK RPCI-11 Homo sapiens genomic clone RPCI-11-20F13, genomic survey sequence.//0.88:110:72//AQ008132
- R-NT2RP2002980//Homo sapiens PAC clone DJ0841B21 from 7q21.1-q31.1, complete sequence.//1.1e-102:433:95//AC004140

- R-NT2RP2002986//Human DNA sequence from clone 1147O16 on chromosome Xp21.1-21.3. Contains 13 exons of the DMD muscular dystrophy gene. Contains an STS and GSSs, complete sequence.//0.31:219:62//AL031542
- R-NT2RP2002987//Homo sapiens chromosome 18, clone hRPK.24_A_23, complete sequence.//1.3e-51:283:88//AC005968
- 5 R-NT2RP2002993//Human DNA sequence from PAC 106B9 on chromosome Xq21://4.3e-11:430:63//AL021307
- R-NT2RP2003000//Saccharomyces cerevisiae mitochondrion transfer RNA- Leu, Gln, Lys, Arg, Gly, Asp, Ser2, Arg2, Ala, Ile, Tyr, Asn genes.//0.00088:347:62//L36887
- R-NT2RP2003034//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 2/10.//3.5e-33:271:82//AB020870
- 10 R-NT2RP2003073
- R-NT2RP2003099//Homo sapiens PAC clone DJ0886O08 from 7q32-q35, complete sequence.//1.5e-45:548:69//AC004914
- R-NT2RP2003108
- R-NT2RP2003117//Homo sapiens clone DJ1137M13, complete sequence.//2.0e-51:323:88//AC005378
- 15 R-NT2RP2003121//HS_2238_A1_E08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2238 Col=15 Row=I, genomic survey sequence.//0.00055:324:61//AQ293058
- R-NT2RP2003125
- R-NT2RP2003129
- R-NT2RP2003137//Human BAC clone RG084D04 from 7q31, complete sequence.//1.1e-46:521:74//AC003084
- 20 R-NT2RP2003161//Homo sapiens chromosome 10 clone CIT-HSP-1287C20, complete sequence.//1.0:368:59//AC005879
- R-NT2RP2003164//Dictyostelium discoideum actin 4 gene, 3' UTR.//1.0:120:64//M25581
- R-NT2RP2003165//Homo sapiens chromosome 17, clone hRPK.1018_N_14, complete sequence.//2.2e-71:467:86//AC005823
- 25 R-NT2RP2003177
- R-NT2RP2003194//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 996D20, WORKING DRAFT SEQUENCE.//1.1e-95:585:88//AL031597
- R-NT2RP2003206//P.falciparum interspersed repeat antigen (FIRA) gene.//0.039:338:60//M17877
- R-NT2RP2003230//Plasmodium falciparum MAL3P6, complete sequence.//1.9e-11:542:60//Z98551
- 30 R-NT2RP2003237//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MDH9, complete sequence.//1.0:311:60//AB016888
- R-NT2RP2003243//CIT-HSP-2368D12.TR CIT-HSP Homo sapiens genomic clone 2368D12, genomic survey sequence.//0.39:112:66//AQ077738
- R-NT2RP2003265//Muridae sp. (mouse-rat, neuroblastoma-glioma hybrid cell line NGD5) mRNA, complete cds.//1.3e-38:273:83//L38481
- 35 R-NT2RP2003272//Homo sapiens clone UWGC:y17c131 from 6p21, complete sequence.//4.4e-15:181:66//AC004187
- R-NT2RP2003277//Homo sapiens mRNA for KIAA0625 protein, partial cds.//4.2e-110:565:95//AB014525
- R-NT2RP2003280//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//3.2e-12:221:70//AC005831
- 40 R-NT2RP2003286//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//0.86:379:60//AC005261
- R-NT2RP2003293//Homo sapiens clone RG252P22, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.0e-39:418:74//AC005079
- 45 R-NT2RP2003295//HS_2053_B1_A10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2053 Col=19 Row=B, genomic survey sequence.//0.0016:346:61//AQ235251
- R-NT2RP2003297//Arabidopsis thaliana chromosome II BAC F4P9 genomic sequence, complete sequence.//0.74:397:56//AC002332
- R-NT2RP2003308//Homo sapiens PAC clone DJ1098B01 from 7q11.23-q21, complete sequence.//0.99:447:60//AC004960
- 50 R-NT2RP2003329//C.reinhardtii psbB 5' flanking region.//0.79:161:59//X59731
- R-NT2RP2003339//RPCI11-57H15.TK RPCI11 Homo sapiens genomic clone R-57H15, genomic survey sequence.//0.13:184:64//AQ116039
- R-NT2RP2003347//RPCI11-15B19.TV RPCI-11 Homo sapiens genomic clone RPCI-11-15B19, genomic survey sequence.//6.4e-31:218:89//B76357
- 55 R-NT2RP2003367//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//9.0e-11:101:84//U91321
- R-NT2RP2003391//HS_2255_B2_B04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-

nomic clone Plate=2255 Col=8 Row=D, genomic survey sequence.//1.6e-38:247:90//AQ068937
 R-NT2RP2003393//RPC111-44K6.TJ RPC111 Homo sapiens genomic clone R-44K6, genomic survey sequence.//
 3.9e-31:290:79//AQ202481
 5 R-NT2RP2003394//Yeast mitochondrial oxi3 gene exon 1 for cytochrome c oxidase subunit I.//5.1e-14:579:61//
 X14910
 R-NT2RP2003401//Caprine arthritis-encephalitis virus tat protein (tat) and envelope glycoprotein (env) gene, par-
 tial cds.//0.32:174:66//U81429
 R-NT2RP2003433//Ascidian mRNA for HRSec61, complete cds.//1.5e-10:193:69//D25536
 R-NT2RP2003445//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING
 10 DRAFT SEQUENCE.//4.4e-99:585:89//AL023808
 R-NT2RP2003446
 R-NT2RP2003456//Plasmodium falciparum MAL3P7, complete sequence.//0.98:399:57//AL034559
 R-NT2RP2003480//Homo sapiens full-length insert cDNA clone ZE09A11.//4.7e-111:540:98//AF086540
 R-NT2RP2003499
 15 R-NT2RP2003506
 R-NT2RP2003511
 R-NT2RP2003513//Human mRNA for KIAA0270 gene, partial cds.//4.1e-107:566:93//D87460
 R-NT2RP2003517//Human c-sis/platelet-derived growth factor 2 (SIS/PDGF2) mRNA, complete cds.//1.5e-60:
 518:79//M12783
 20 R-NT2RP2003522//HS_2182_A1_D05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2182 Col=9 Row=G, genomic survey sequence.//0.053:251:60//AQ024304
 R-NT2RP2003533//Homo sapiens chromosome 12p13.3 clone RPC14-816N1, WORKING DRAFT SEQUENCE,
 31 unordered pieces.//1.5e-37:328:80//AC005841
 R-NT2RP2003543//HS_3028_A2_C12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 25 nomic clone Plate=3028 Col=24 Row=E, genomic survey sequence.//2.0e-39:203:100//AQ094957
 R-NT2RP2003559//Homo sapiens full-length insert cDNA clone ZD65E09.//2.3e-59:325:95//AF088055
 R-NT2RP2003564
 R-NT2RP2003581
 R-NT2RP2003596//HS_2163_B1_D11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 30 nomic clone Plate=2163 Col=21 Row=H, genomic survey sequence.//0.0011:212:67//AQ125143
 R-NT2RP2003604//Homo sapiens alpha-catenin-like protein mRNA, complete cds.//5.4e-102:501:97//U97067
 R-NT2RP2003629//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING
 DRAFT SEQUENCE, 9 unordered pieces.//0.0012:363:61//AC005507
 R-NT2RP2003643//Mus musculus mRNA for CMP-N-acetylneuraminic acid synthetase.//5.1e-37:561:68//
 35 AJ006215
 R-NT2RP2003668//Human DNA sequence from PAC 24608, between markers DXS6791 and DXS8038 on chro-
 mosome X contains ESTs.//0.0053:395:58//Z76735
 R-NT2RP2003687//Human BAC clone RG222A16 from 7q31, complete sequence.//8.0e-10:205:67//AC002385
 R-NT2RP2003691//HS_3252_A2_A11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 40 nomic clone Plate=3252 Col=22 Row=A, genomic survey sequence.//5.3e-05:332:60//AQ219783
 R-NT2RP2003702//CIT-HSP-2333P5.TF CIT-HSP Homo sapiens genomic clone 2333P5, genomic survey se-
 quence.//3.9e-43:431:75//AQ035000
 R-NT2RP2003704
 R-NT2RP2003706//Homo sapiens mRNA for KIAA0525 protein, partial cds.//2.6e-45:265:93//AB011097
 45 R-NT2RP2003713//Human DNA sequence from PAC 411B6 on chromosome X *.//0.64:169:67//Z84470
 R-NT2RP2003714//Human DNA sequence from 4PTL, Huntington's Disease Region, chromosome 4p16.3.//
 4.6e-11:152:73//295704
 R-nnnnnnnnnnnn//H.sapiens mRNA for PIBF1 protein, complete.//0.94:443:59//Y09631
 R-NT2RP2003737//Homo sapiens clone DJ1022I14, WORKING DRAFT SEQUENCE, 14 unordered pieces.//
 50 2.2e-109:547:96//AC004951
 R-NT2RP2003751//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-427H10, complete sequence.//4.1e-
 109:545:97//AC004626
 R-NT2RP2003760//B. taurus mRNA for gamma-COP.//6.3e-28:400:69//X70019
 R-NT2RP2003764//Mouse preprosomatostatin gene.//0.90:285:62//X51468
 55 R-NT2RP2003769//Schizosaccharomyces pombe gene for protein involved in sexual development, complete
 cds.//0.96:446:58//D87956
 R-NT2RP2003770//Homo sapiens sperm acrosomal protein mRNA, complete cds.//1.8e-104:531:96//AF047437
 R-NT2RP2003777

R-NT2RP2003781//HS_3109_B1_B04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3109 Col=7 Row=D, genomic survey sequence.//1.3e-60:346:92//AQ186749
R-NT2RP2003793
R-NT2RP2003840

5 R-NT2RP2003857//HS_2205_A2_H12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2205 Col=24 Row=O, genomic survey sequence.//8.1e-22:127:99//AQ151299
R-NT2RP2003859//RPCI11-37G8.TV RPCI-11 Homo sapiens genomic clone RPCI-11-37G8, genomic survey sequence.//8.3e-60:320:95//AQ029850
R-NT2RP2003871//HS_3210_A1_C08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3210 Col=15 Row=E, genomic survey sequence.//8.6e-09:322:61//AQ175028

10 R-NT2RP2003885//RPCI11-7M10.TP RPCI-11 Homo sapiens genomic clone RPCI-11-7M10, genomic survey sequence.//4.7e-67:380:92//B72214
R-NT2RP2003912//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 32B1, WORKING DRAFT SEQUENCE.//1.2e-33:379:75//AL023693

15 R-NT2RP2003952
R-NT2RP2003968//Homo sapiens hUBP mRNA for ubiquitin specific protease, complete cds.//2.3e-114:568:97//AB014458
R-NT2RP2003976//Homo sapiens mRNA for KIAA0447 protein, complete cds.//1.1e-107:540:97//AB007916
R-NT2RP2003981//Homo sapiens mRNA for KIAA0804 protein, partial cds.//7.7e-114:568:96//AB018347

20 R-NT2RP2003984
R-NT2RP2003986//Human Chromosome 11 pac pDJ197h17, WORKING DRAFT SEQUENCE, 11 unordered pieces.//6.6e-99:551:92//AC0003 82
R-NT2RP2003988
R-NT2RP2004014

25 R-NT2RP2004041//Homo sapiens chromosome 19, cosmid F17127, complete sequence.//4.9e-114:568:97//AC004780
R-NT2RP2004042//nbxb0020F03r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0020F03r, genomic survey sequence.//0.11:195:64//AQ258389
R-nnnnnnnnnnnnnn//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 134019, WORKING DRAFT SEQUENCE.//7.6e-110:564:95//AL034555

30 R-NT2RP2004081//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.012:503:57//AC005308
R-NT2RP2004098//H.sapiens CpG island DNA genomic Mse1 fragment, clone 133h3, reverse read cpg133h3.rt1a.//7.9e-25:140:100//Z64530

35 R-NT2RP2004124
R-NT2RP2004142//CIT-HSP-2316F21.TR CIT-HSP Homo sapiens genomic clone 2316F21, genomic survey sequence.//2.8e-83:409:98//AQ034964
R-NT2RP2004152//HS_3065_A2_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3065 Col=8 Row=G, genomic survey sequence.//2.5e-62:304:100//AQ137776

40 R-NT2RP2004165//Anthocidaris crassispina mRNA for dynein beta-heavy chain, complete cds.//3.4e-20:343:65//D01021
R-NT2RP2004170//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone B33108; HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//2.5e-89:587:86//AC004064
R-NT2RP2004172//Dictyostelium discoideum LTR-retrotransposon Skipper, partial genomic sequence, 3' end.//0.24:440:60//AF017047

45 R-NT2RP2004187//RPCI11-59E12.TK RPCI11 Homo sapiens genomic clone R-59E12, genomic survey sequence.//3.1e-05:175:66//AQ198120
R-NT2RP2004194
R-NT2RP2004196//Fugu rubripes GSS sequence, clone 076D01bE2, genomic survey sequence.//1.6e-22:178:71//AL026601

50 R-NT2RP2004207//Homo sapiens BAC clone GS421I03 from Xq25-q26, complete sequence.//0.19:175:64//AC005023
R-NT2RP2004226//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//6.1e-17:445:64//AL023808

55 R-NT2RP2004232//M.musculus (Balb/c) mRNA for serine/threonine protein kinase.//3.2e-25:326:71//Z34524
R-NT2RP2004239//Homo sapiens lok mRNA for protein kinase, complete cds.//8.7e-108:563:94//AB015718
R-NT2RP2004240//Homo sapiens antigen NY-CO-1 (NY-CO-1) mRNA, complete cds.//1.1e-101:530:93//AF039687

- R-NT2RP2004242
R-NT2RP2004245//Homo sapiens DNA sequence from PAC 455H14 on chromosome Xq21.3-22.3. Contains genomic marker DXS1203 with a CA repeat polymorphism, STSs and GSSs, complete sequence.//5.1e-08:236:65//AL023280
- 5 R-NT2RP2004270//Lycopersicon esculentum Idh2 gene.//0.98:259:61//Y10603
R-NT2RP2004300//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1068F16, WORKING DRAFT SEQUENCE.//5.0e-14:396:65//AL023913
R-NT2RP2004316//Homo sapiens EXT-like protein 2 (EXTL2) mRNA, complete cds.//1.5e-108:544:96//AF000416
R-NT2RP2004321//Caenorhabditis elegans cosmid F47B8, complete sequence.//0.0078:333:61//Z77662
- 10 R-NT2RP2004339//Homo sapiens PAC clone DJ1136G13 from 7q35-q36, complete sequence.//1.4e-75:306:86//AC005229
R-NT2RP2004347//RPC111-90N11.TJ RPC111 Homo sapiens genomic clone R-90N11, genomic survey sequence.//2.9e-87:494:92//AQ284548
R-NT2RP2004364//Human DNA sequence from clone 422F24 on chromosome 6q24.1-25.2. Contains a novel gene similar to C. elegans C02C2.5. Contains ESTs, STSs and GSSs, complete sequence.//4.2e-10:161:76//AL031010
- 15 R-NT2RP2004365//Plasmodium falciparum chromosome 2, section 70 of 73 of the complete sequence.//3.6e-08:483:57//AE001433
R-NT2RP2004366//F.rubripes GSS sequence, clone 013B16aF3, genomic survey sequence.//2.1e-05:128:67//AL000528
- 20 R-NT2RP2004373//Homo sapiens 12q24.2 BAC RPC111-407A16 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//0.81:205:62//AC006065
R-NT2RP2004389//HS_2183_B2_H04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2183 Col=8 Row=P, genomic survey sequence.//3.9e-06:82:84//AQ063969
- 25 R-NT2RP2004392//Ceratovacuna sp. mitochondrial cytochrome oxidase I (3' end), cytochrome oxidase II (complete cds) and transfer RNA-Leu gene.//2.7e-06:495:58//L39993
R-NT2RP2004396//Homo sapiens BAC clone RG135C18 from 7q21, complete sequence.//6.4e-111:572:96//AC005164
R-NT2RP2004399//Arabidopsis thaliana chromosome I BAC F11M15 genomic sequence, complete sequence.//0.13:253:64//AC006085
- 30 R-NT2RP2004400//HS_3238_A2_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3238 Col=22 Row=O, genomic survey sequence.//5.1e-23:162:89//AQ211412
R-NT2RP2004412//Saccharomyces douglasii mitochondrial cytochrome c oxidase subunit I (COXI) gene, complete cds.//2.6e-09:458:60//M97514
- 35 R-NT2RP2004425//Human DNA sequence from clone 1052M9 on chromosome Xq25. Contains the SH2D1A gene for SH2 domain protein 1A, Duncan's disease (lymphoproliferative syndrome) (DSHP), part of a 60S Acidic Ribosomal protein 1 (RPLP1) LIKE gene and part of a mouse DOC4 LIKE gene. Contains ESTs and GSSs, complete sequence.//0.99:481:56//AL022718
R-NT2RP2004476//Rattus norvegicus activity and neurotransmitter-induced early gene 6 (ania-6) mRNA, 3'UTR.//5.3e-99:600:90//AF030091
- 40 R-NT2RP2004490//Homo sapiens chromosome 16, P1 clone 94-10H (LANL), complete sequence.//3.9e-115:575:97//AC005591
R-NT2RP2004512//Plasmodium falciparum MAL3P3, complete sequence.//0.00034:517:58//Z98547
R-NT2RP2004523//Homo sapiens clone DJ0800G07, complete sequence.//1.8e-115:571:97//AC004890
- 45 R-NT2RP2004538//Homo sapiens BAC clone RG318C11 from 7p14-p15, complete sequence.//1.7e-47:322:87//AC005091
R-NT2RP2004551//Homo sapiens Xp22 bins 45-47 BAC GSHB-665N22 (Genome Systems Human BAC Library) complete sequence.//0.035:511:58//AC005184
R-NT2RP2004568//T7C20-Sp6 TAMU Arabidopsis thaliana genomic clone T7C20, genomic survey sequence.//0.70:446:54//B08766
- 50 R-NT2RP2004580//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 136B1, WORKING DRAFT SEQUENCE.//2.2e-53:397:74//AL031768
R-NT2RP2004587//CIT-HSP-2376P22.TF CIT-HSP Homo sapiens genomic clone 2376P22, genomic survey sequence.//0.0079:223:63//AQ108976
- 55 R-NT2RP2004594//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//5.3e-10:493:62//AC004605
R-NT2RP2004600//Homo sapiens full-length insert cDNA clone ZE04E06.//2.1e-70:343:99//AF086522
R-NT2RP2004602//Homo sapiens full-length insert cDNA clone YW26E09.//2.0e-96:528:93//AF086033

R-NT2RP2004614
R-NT2RP2004655//Homo sapiens mRNA for leucine rich protein.//7.3e-117:587:96//AJ006291
R-NT2RP2004664//Homo sapiens mRNA for KIAA0460 protein, partial cds.//1.8e-105:520:96//AB007929
R-NT2RP2004675//Human elastin (ELN) gene, partial cds, and LIM-kinase (LIMK1) gene, complete cds.//3.4e-22:197:79//U63721
R-NT2RP2004681//Rat notch 2 mRNA.//8.0e-30:276:78//M93661
R-NT2RP2004689//Homo sapiens mRNA for KIAA0625 protein, partial cds.//1.6e-118:600:96//AB014525
R-NT2RP2004709//Homo sapiens full-length insert cDNA clone ZD42A08.//3.5e-14:139:86//AF086259
R-NT2RP2004710//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING DRAFT SEQUENCE.//6.9e-117:592:96//AL031447
R-NT2RP2004736//Homo sapiens mRNA for KIAA0478 protein, complete cds.//4.2e-117:594:96//AB007947
R-NT2RP2004743//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.53:403:59//AC005505
R-NT2RP2004767//Human DNA sequence from PAC 491M17 on chromosome 1p36.2-1p36.3.//2.0e-81:568:84//Z97988
R-NT2RP2004775//Anopheles quadrimaculatus NADH dehydrogenase subunits (1-4, 4L, 5-6); cytochrome oxidase subunits (1-3); adenosine triphosphatase subunits (6,8); cytochrome b; transfer RNA; ribosomal RNA (large and small subunits).//4.0e-08:365:62//L04272
R-NT2RP2004791//Homo sapiens chromosome 5, BAC clone 282B7 (LBNL H192), complete sequence.//7.8e-111:541:98//AC005216
R-NT2RP2004799//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//2.5e-114:564:96//AF058953
R-NT2RP2004802
R-NT2RP2004816//Homo sapiens H beta 58 homolog mRNA, complete cds.//2.7e-118:584:97//AF054179
R-NT2RP2004841//Human BAC clone RG308B22 from 7q22-q31, complete sequence.//4.0e-46:447:72//AC002089
R-NT2RP2004861//Plasmodium falciparum MAL3P5, complete sequence.//0.19:189:66//AL034556
R-NT2RP2004897//Human Chromosome X clone bWDX187, complete sequence.//1.1e-08:330:61//AC004383
R-NT2RP2004936//CIT-HSP-2374L4.TF CIT-HSP Homo sapiens genomic clone 2374L4, genomic survey sequence.//0.99:129:65//AQ110571
R-NT2RP2004961//RPC11-45P2.TK RPC11 Homo sapiens genomic clone R-45P2, genomic survey sequence.//9.3e-90:453:97//AQ202282
R-NT2RP2004962//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y40H4, WORKING DRAFT SEQUENCE.//0.017:291:61//AL022573
R-NT2RP2004967//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//4.6e-52:496:77//AC005077
R-NT2RP2004978//Homo sapiens chromosome 19, cosmid F23269, complete sequence.//0.088:322:63//AC005614
R-NT2RP2004982//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//0.025:339:61//AC003071
R-NT2RP2004985//T31H24TF TAMU Arabidopsis thaliana genomic clone T31H24, genomic survey sequence.//0.40:111:70//B78148
R-NT2RP2004999//Homo sapiens clone NH0084K19, WORKING DRAFT SEQUENCE, 30 unordered pieces.//0.23:157:68//AC005682
R-NT2RP2005000
R-NT2RP2005001//Homo sapiens mRNA for KIAA0615 protein, complete cds.//3.0e-111:577:95//AB014515
R-NT2RP2005003//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//2.4e-21:246:77//AC004673
R-NT2RP2005018//HS_3108_B1_E09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3108 Col=17 Row=J, genomic survey sequence.//1.9e-31:222:89//AQ104050
R-NT2RP2005020//Rattus norvegicus cationic amino acid transporter-1 (CAT-1) mRNA, complete cds.//6.6e-41:566:73//U70476
R-NT2RP2005031//CIT-HSP-516A2.TV CIT-HSP Homo sapiens genomic clone 516A2, genomic survey sequence.//4.1e-31:357:75//B49897
R-NT2RP2005037

- R-NT2RP2005038//Sequence 5 from patent US 5552281.//2.2e-32:178:98//I25644
 R-NT2RP2005108//Mus musculus orphan nuclear hormone receptor (CAR) gene, complete sequence.//3.7e-23:475:67//AF009326
 R-NT2RP2005116//Homo sapiens mRNA for KIAA0664 protein, partial cds.//8.4e-104:518:97//AB014564
 5 R-NT2RP2005126//H.sapiens mRNA for. RNA helicase (Myc-regulated dead box protein).//1.4e-67:464:85//X98743
 R-NT2RP2005139
 R-NT2RP2005140//Leishmania mexicana amazonensis kinetoplast (clone 29) maxicircle A+T-rich repetitive DNA sequence.//7.9e-08:460:60//U00101
 10 R-NT2RP2005144//Homo sapiens chromosome 12p13.3 clone RPC11-372B4, WORKING DRAFT SEQUENCE, 129 ordered pieces.//2.5e-103:519:96//AC005911
 R-NT2RP2005147//Homo sapiens clone DJ1125K23, WORKING DRAFT SEQUENCE, 21 unordered pieces.//0.068:100:75//AC004971
 R-NT2RP2005159//CITBI-E1-2506A8.TF CITBI-E1 Homo sapiens genomic clone 2506A8, genomic survey sequence.//0.90:113:71//AQ262104
 15 R-NT2RP2005162//Homo sapiens chromosome 17, clone HCIT307A16, complete sequence.//5.0e-14:183:75//AC003041
 R-NT2RP2005168//Homo sapiens mRNA for E1B-55kDa-associated protein.//7.5e-100:513:95//AJ007509
 R-NT2RP2005204
 20 R-NT2RP2005227//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//7.2e-119:583:97//AC005189
 R-NT2RP2005239//Homo sapiens mRNA for putative tRNA splicing protein, partial.//8.4e-62:312:98//AJ010952
 R-NT2RP2005254//Homo sapiens DNA sequence from PAC 262D12 on chromosome 1q23.3-24.3. Contains a Tenascin (Hexabrachion, Cytotactin, Neuroneurin, Myotendinous antigen)-LIKE gene and a mitochondrial/chloroplast 30S ribosomal protein S14-LIKE gene preceded by a CpG island. Contains ESTs, genomic marker D1S2691 and STSs.//5.7e-09:328:62//Z99297
 25 R-NT2RP2005270//Plasmodium falciparum MAL3P8, complete sequence.//2.3e-05:355:61//AL034560
 R-NT2RP2005276//Genomic sequence for Arabidopsis thaliana BAC F17F8, complete sequence.//0.0014:541:58//AC000107
 30 R-NT2RP2005287//Cavia porcellus zinc finger protein (zfoC1) mRNA, complete cds.//4.4e-69:459:86//L26335
 R-NT2RP2005288//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds.//7.4e-124:594:98//AF060219
 R-NT2RP2005289//Homo sapiens mRNA for XRP2 protein.//1.5e-110:545:96//AJ007590
 R-NT2RP2005293//Leishmania mexicana amazonensis kinetoplast (clone 29) maxicircle A+T-rich repetitive DNA sequence.//1.1e-12:554:61//U00101
 35 R-NT2RP2005315//Homo sapiens DNA sequence from PAC 168L15 on chromosome 6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS. CpG island, complete sequence.//9.5e-15:218:77//AL022069
 R-NT2RP2005325//Rattus norvegicus LIM homeodomain protein (LH-2) mRNA sequence.//2.0e-72:478:88//L06804
 40 R-NT2RP2005336//***ALU WARNING: Human Alu-J subfamily consensus sequence.//7.3e-33:139:82//U14567
 R-NT2RP2005344//Human DNA sequence from PAC 128N22 on chromosome Xq25-Xq26.3. contains STS.//0.094:451:60//297629
 R-NT2RP2005354//Homo sapiens mRNA for putative thioredoxin-like protein.//1.3e-11:89:96//AJ010841
 R-NT2RP2005360//Homo sapiens clone RG023115, WORKING DRAFT SEQUENCE, 1 unordered pieces.//0.046:266:60//AC005049
 45 R-NT2RP2005393//Homo sapiens chromosome 17, clone hRPK.85_B_7, complete sequence.//6.0e-41:226:86//AC005695
 R-NT2RP2005407
 R-NT2RP2005436//Polistes annularis (clone pan117AAT) tandem repeat region.//0.039:169:63//L10835
 50 R-NT2RP2005441//CIT-HSP-2338P5.TR CIT-HSP Homo sapiens genomic clone 2338P5, genomic survey sequence.//3.0e-38:263:88//AQ055548
 R-NT2RP2005453//CIT-HSP-2367N1.TR CIT-HSP Homo sapiens genomic clone 2367N1, genomic survey sequence.//0.67:409:59//AQ079845
 R-NT2RP2005457//Homo sapiens partial XPGC gene, exon 2.//2.0e-42:315:82//X71342
 55 R-NT2RP2005464//CIT-HSP-2359C16.TF CIT-HSP Homo sapiens genomic clone 2359C16, genomic survey sequence.//1.0:251:60//AQ075816
 R-NT2RP2005465//Drosophila melanogaster, chromosome 2R, region 44D1-44D2, P1 clone DS08616, complete sequence.//01251288:62//AC005457

- R-NT2RP2005472//Chlorarachnion CCMP621 small subunit ribosomal RNA, 5.8S ribosomal RNA, large subunit ribosomal RNA, U6 small nuclear RNA, small subunit ribosomal protein S13 (RPS13), pre-mRNA splicing factor PRP 6 homolog, small subunit ribosomal protein 4 (RPS4), small nucleolar ribonucleoprotein E homolog (snRNPE), ATP-dependent clp protease proteolytic subunit homolog (CLPP), putative RNA polymerase II subunit (RNA POLII), and RNA helicase homolog (RNAHEL) genes, complete cds.//1.0:356:59//U58510
- 5 R-NT2RP2005476//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P3, WORKING DRAFT SEQUENCE.//0.00092:421:60//AL031746
- R-NT2RP2005490//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//6.2e-71:187:100//AC006030
- 10 R-NT2RP2005491//paramecium species 5,311 mt dna dimer: replication init. region.//1.6e-10:403:62//K00917
- R-NT2RP2005495//Homo sapiens clone RG037F03, WORKING DRAFT SEQUENCE, 12 unordered pieces.//1.3e-25:208:82//AC005051
- R-NT2RP2005496//Human DNA sequence from clone 354N19 on chromosome 6q22. Contains the 3' part of the gene for Mannosyl-Oligosaccharide Alpha-1,2-Mannosidase (Man9)-alpha-mannosidase, EC 3.2.1.113), a Cytochrome C Oxidase Polypeptide I (EC 1.9.3.1) pseudogene and a pseudogene similar to 60S Ribosomal Protein L13A. Contains genomic markers D6S287 and D6S1696, ESTs, STSs, GSSs and two CA repeat polymorphisms, complete sequence.//1.5e-22:196:84//AL022722
- 15 R-NT2RP2005498
- R-NT2RP2005501//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//7e-29:252:76//AC005828
- 20 R-NT2RP2005509//CIT-HSP-2060J6.TR CIT-HSP Homo sapiens genomic clone 2060J6, genomic survey sequence.//3.1e-53:402:84//B69979
- R-NT2RP2005520//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds.//9.9e-109:570:94//AF092563
- 25 R-NT2RP2005525//Human clone JkA2 mRNA induced upon T-cell activation, 3' end.//5.1e-32:175:98//U38432
- R-NT2RP2005531//Homo sapiens PAC clone DJ0870F17 from 7q33-q36, complete sequence.//0.94:288:61//AC004911
- R-NT2RP2005539//Homo sapiens mRNA for NSI-binding protein (NS1-BP).//2.7e-106:560:94//AJ012449
- R-NT2RP2005540//Homo sapiens mRNA for KIAA0494 protein, complete cds.//5.3e-114:583:96//AB007963
- 30 R-NT2RP2005549//Homo sapiens *** SEQUENCING IN PROGRESS *** WORKING DRAFT SEQUENCE.//0.91:287:58//AJ011929
- R-NT2RP2005555//Homo sapiens 12p13.3 PAC RPCIS-927J10 (Roswell Park Cancer Institute Human PAC library) complete sequence.//3.6e-05:222:66//AC004804
- R-NT2RP2005557//Homo sapiens PAC clone DJ1200I23 from 7p15, complete sequence.//8.2e-22:236:76//AC004996
- 35 R-NT2RP2005581//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7 unordered pieces.//7.2e-45:286:85//AC006146
- R-NT2RP2005600//Human polymorphic microsatellite DNA.//0.043:304:58//M99148
- R-NT2RP2005605//Human Cosmid g1572c190, complete sequence.//2.4e-17:163:77//AC000126
- 40 R-NT2RP2005620
- R-NT2RP2005622//Jd432 Trypanosome Shotgun M13 genomic Trypanosoma brucei brucei genomic clone 11B7, genomic survey sequence.//0.010:308:58//B13538
- R-NT2RP2005637//Homo sapiens PAC clone DJ0555L14 from 7q34-q36, complete sequence.//2.5e-26:322:72//AC005996
- 45 R-NT2RP2005640//Mus musculus squamous cell carcinoma antigen 2 (Scca2) gene, complete cds.//0.030:370:60//AF063937
- R-NT2RP2005645//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//3.2e-08:355:62//AE001398
- R-NT2RP2005651
- 50 R-NT2RP2005654//Leishmania major Friedlin cosmid L5769, complete sequence.//0.96:216:66//AL031908
- R-NT2RP2005669//Homo sapiens nitrilase homolog 1 (NIT1) gene, alternatively spliced product, complete cds.//6.7e-117:594:95//AF069984
- R-NT2RP2005675//Homo sapiens growth suppressor related (DOC-1R) mRNA, complete cds.//1.8e-89:434:98//AF089814
- 55 R-NT2RP2005683//Jd432 Trypanosome Shotgun M13 genomic Trypanosoma brucei brucei genomic clone 11B7, genomic survey sequence.//0.037:283:58//B13538
- R-NT2RP2005690//Homo sapiens clone DJ0425I02, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.5e-38:295:83//AC005478

R-NT2RP2005694//*Plasmodium falciparum* DNA *** SEQUENCING IN PROGRESS *** from contig 3-106, complete sequence.//0.0026:414:57//AL010210

R-NT2RP2005701

5 R-NT2RP2005712//Homo sapiens mRNA for KIAA0799 protein, partial cds.//4.1e-104:503:98//AB018342

R-NT2RP2005719//*Caenorhabditis elegans* cosmid LLC1, complete sequence.//0.83:275:61//Z82277

R-NT2RP2005722//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING DRAFT SEQUENCE.//1.2e-21:199:75//AL031985

R-NT2RP2005723

10 R-NT2RP2005726//Homo sapiens clone DJ0609N19, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.6e-64:503:82//AC004842

R-NT2RP2005741//Human Chromosome 11 pac pDJ393o15, WORKING DRAFT SEQUENCE, 8 unordered pieces.//2.5e-09:261:64//AC000384

R-NT2RP2005748//RPC11-64K11.TK RPC11 Homo sapiens genomic clone R-64K11, genomic survey sequence.//0.00039:215:66//AQ239313

15 R-NT2RP2005752//Homo sapiens TNFR-related death receptor-6 (DR6) mRNA, complete cds.//1.3e-40:223:96//AF068868

R-NT2RP2005753//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//3.7e-103:494:98//AF082516

R-NT2RP2005763//Homo sapiens DNA sequence from PAC 510L9 on chromosome 6p24.1-p25.3.//9.7e-34:172:86//AL022098

20 R-NT2RP2005767//Human clone H3 mRNA.//2.5e-21:179:87//U03672

R-NT2RP2005773//HS_2168_B1_G12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2168 Col=23 Row=N, genomic survey sequence.//0.99:212:63//AQ086414

R-NT2RP2005775//Rabbit mRNA for endopeptidase, complete cds.//4.8e-98:591:88//D13310

25 R-NT2RP2005781//*Streptomyces* sp. genomic DNA for sarcosine oxidase.//0.019:384:59//D10623

R-NT2RP2005784//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING DRAFT SEQUENCE.//1.8e-102:490:99//AL034423

R-NT2RP2005804//Homo sapiens chromosome 17, clone hRPK.147_L_13, complete sequence.//6.3e-16:481:63//AC005332

30 R-NT2RP2005812//*Caenorhabditis elegans* cosmid F15810.//0.81:147:63//AF036696

R-NT2RP2005815

R-NT2RP2005835

R-NT2RP2005841//Human DNA sequence from cosmid U209G1 on chromosome X.//1.5e-26:512:64//Z68873

35 R-NT2RP2005853//Human DNA sequence from clone 1156N12 on chromosome X. Contains an STS and GSSs, complete sequence.//3.7e-16:340:64//AL009047

R-NT2RP2005857//Human DNA sequence from cosmid U246D9 on chromosome X. Contains a histone H2B like pseudogene.//1.3e-09:331:65//AL021308

R-NT2RP2005859//*Plasmodium falciparum* DNA *** SEQUENCING IN PROGRESS *** from contig 3-83, complete sequence.//0.0097:363:59//AL010152

40 R-NT2RP2005868//*Plasmodium falciparum* DNA *** SEQUENCING IN PROGRESS *** from contig 3-18, complete sequence.//1.1e-07:508:60//AL008971

R-NT2RP2005890//Mouse oncogene (ect2) mRNA, complete cds.//2.7e-31:500:67//AL11316

R-NT2RP2005901//Homo sapiens T-cell receptor alpha delta locus from bases 752679 to 1000555 (section 4 of 5) of the Complete Nucleotide Sequence.//0.89:276:60//AE000661

45 R-NT2RP2005908

R-NT2RP2005933//*Rattus norvegicus* nucleoporin p54 mRNA, complete cds.//1.2e-40:285:80//U63840

R-NT2RP2005942//Homo sapiens DNA sequence from PAC 142L7 on chromosome 6q21. Contains a Laminin Alpha 4 (LAMA4) LIKE gene coding for two alternatively spliced transcripts, a Tubulin Beta LIKE pseudogene, a Connective tissue growth factor (NOV, GIG) LIKE gene, A predicted CpG island, ESTs, STSs and genomic marker D6S416, complete sequence.//0.0011:480:58//Z99289

50 R-NT2RP2005980//Homo sapiens Xp22 BAC GSHB-536K7 (Genome Systems Human BAC library) complete sequence.//8.9e-21:136:78//AC004616

R-NT2RP2006023//HS_2176_B1_C10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2176 Col=19 Row=F, genomic survey sequence.//2.5e-66:369:95//AQ023148

55 R-NT2RP2006038//*Plasmodium falciparum* chromosome 2, section 6 of 73 of the complete sequence.//0.00029:408:58//AE001369

R-NT2RP2006043//*Polistes annularis* (clone pan117AAT) tandem repeat region.//0.032:195:62//L10835

R-NT2RP2006052//*Plasmodium falciparum* 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING

EP 1 074 617 A2

DRAFT SEQUENCE, 14 unordered pieces.//0.11:263:61//AC005140
R-NT2RP2006069
R-NT2RP2006071//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING
DRAFT SEQUENCE, 3 unordered pieces.//0.00044:333:61//AC004709
5 R-NT2RP2006098//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-77, complete
sequence.//4.1e-09:393:62//AL010151
R-NT2RP2006100//HS_2020_A2_H02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2020 Col=4 Row=O, genomic survey sequence.//8.3e-53:304:92//AQ228761
10 R-NT2RP2006103//Rat sodium-hydrogen exchange protein-isoform 3 (NHE-3) mRNA, complete cds.//1.5e-16:
199:79//M85300
R-NT2RP2006141
R-NT2RP2006166//Human Chromosome 16 BAC clone CIT987SK-A-589H1, complete sequence.//8.2e-48:329:
76//AC002045
R-NT2RP2006184//RPCI11-6O16.TP RPCI-11 Homo sapiens genomic clone RPCI-11-6O16, genomic survey se-
15 quence.//0.52:273:61//B49539
R-NT2RP2006186//Homo sapiens mRNA for KIAA0654 protein, partial cds.//1.9e-108:553:95//AB014554
R-NT2RP2006196//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-57, complete
sequence.//4.2e-05:420:59//AL008981
R-NT2RP2006200//Homo sapiens chromosome 12p13.3 clone RPCI1-96H9, WORKING DRAFT SEQUENCE,
20 66 unordered pieces.//2.1e-100:409:96//AC006057
R-NT2RP2006219//H.sapiens mRNA for DGCR6 protein.//3.8e-93:532:90//X96484
R-NT2RP2006237//P.falciparum PK1 gene.//2.9e-08:481:59//X83707
R-NT2RP2006238//Human chromosome 16 BAC clone CIT987SK-A-962B4, complete sequence.//3.5e-79:405:
89//U91318
25 R-NT2RP2006258//Human PAC clone DJ0899B21 from 7p15-p21, complete sequence.//2.2e-08:283:63//
AC004008
R-NT2RP2006261//H.sapiens mRNA for serine/threonine protein kinase EMK.//6.2e-13:234:68//X97630
R-NT2RP2006312//Homo sapiens BAF57 (BAF57) gene, complete cds.//2.0e-108:542:97//AF035262
R-NT2RP2006320//347J16.TVB CIT978SKA1 Homo sapiens genomic clone A-347J16, genomic survey se-
30 quence.//1.2e-27:215:65//B17768
R-NT2RP2006321//Human karyopherin beta 3 mRNA, complete cds.//1.7e-48:298:90//U72761
R-NT2RP2006323//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 702J19, WORKING
DRAFT SEQUENCE.//2.8e-104:524:96//AL033531
R-NT2RP2006333//Homo sapiens PAC clone DJ0808A01 from 7q21.1-q31.1, complete sequence.//3.9e-33:298:
35 78//AC004893
R-NT2RP2006334
R-NT2RP2006365//RPCI11-72I15.TK RPCI11 Homo sapiens genomic clone R-72I15, genomic survey sequence.//
2.6e-35:217:92//AQ267043
R-NT2RP2006393//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone B13E4;
40 HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//8.0e-40:317:81//AC004046
R-NT2RP2006436//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING
DRAFT SEQUENCE.//3.2e-42:184:86//AL022345
R-NT2RP2006441//Plasmodium falciparum microsatellite TA80 sequence.//0.00021:188:68//AF010568
R-NT2RP2006454//Plasmodium falciparum chromosome 2, section 60 of 73 of the complete sequence.//0.30:265:
45 60//AE001423
R-NT2RP2006456//Homo sapiens clone 23566 mRNA sequence.//2.5e-104:532:96//AF052098
R-NT2RP2006464//Homo sapiens mRNA for AND-1 protein.//6.6e-108:524:97//AJ006266
R-NT2RP2006467//Sequence 50 from patent US 5691147.//8.3e-22:235:74//I76222
R-NT2RP2006472//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1172A22, WORKING
50 DRAFT SEQUENCE.//5.4e-12:407:62//AL034386
R-NT2RP2006534//Dictyostelium discoideum actin 8 gene, 3' UTR.//0.44:111:65//M25216
R-NT2RP2006554//Plasmodium falciparum chromosome 2, section 7 of 73 of the complete sequence.//0.19:392:
58//AE001370
R-NT2RP2006565//Sus scrofa SCAMP 1 gene, exon 9.//1.5e-13:292:68//AJ223742
55 R-NT2RP2006571//Homo sapiens chromosome 19, cosmid F17972, complete sequence.//0.0024:409:58//
AC004660
R-nnnnnnnnnnnnn//Human BRCA2 region, mRNA sequence CG005.//3.3e-16:334:64//U50532
R-NT2RP2006598//Mus musculus retinoid X receptor interacting protein (RIP110) mRNA, partial cds.//1.6e-19:

- 448:64//U22015
 R-NT2RP3000002//Human DNA sequence from cosmid N104C7 on chromosome 22, complete sequence.//4.4e-14:501:63//Z82246
 5 R-NT2RP3000031//Homo sapiens mRNA for histone deacetylase-like protein (JM21).//5.9e-115:560:97//AJ011972
 R-NT2RP3000046//Homo sapiens clone DJ0042M02, WORKING DRAFT SEQUENCE, 20 unordered pieces.//3.9e-57:402:83//AC005995
 R-NT2RP3000047//Homo sapiens chromosome 17, clone hRPK.138_P_22, complete sequence.//1.0:158:66//AC005697
 10 R-NT2RP3000050//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 451B21, WORKING DRAFT SEQUENCE.//2.7e-32:411:69//AL033522
 R-NT2RP3000055//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1000N6, WORKING DRAFT SEQUENCE.//7.9e-17:309:69//AL034378
 R-NT2RP3000072//Brassica rapa DNA for S-locus glycoprotein, complete cds.//2.9e-07:516:60//D88192
 15 R-NT2RP3000080//Homo sapiens clone DJ1129D05, complete sequence.//1.7e-27:186:90//AC005630
 R-NT2RP3000085//Arabidopsis thaliana acetyl-CoA carboxylase biotin-containing subunit mRNA, nuclear gene encoding chloroplast protein, complete cds.//0.0051:289:59//U-23155
 R-NT2RP3000109//HS_3065_A2_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3065 Col=8 Row=G, genomic survey sequence.//2.5e-62:304:100//AQ137776
 20 R-NT2RP3000134//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P3, WORKING DRAFT SEQUENCE.//0.027:414:57//AL031746
 R-NT2RP3000142//Homo sapiens mRNA for KIAA0592 protein, partial cds.//3.8e-115:578:96//AB011164
 R-NT2RP3000149//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//1.3e-67:354:95//AC005746
 25 R-NT2RP3000186
 R-NT2RP3000197//Human DNA sequence from PAC 181N1 on chromosome X contains ESTs, STS polymorphic CA repeat*.//2.5e-31:295:78//Z82899
 R-NT2RP3000207//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-954B10, complete sequence.//0.016:305:61//AC004514
 30 R-NT2RP3000220//RPC111-63O7.TJ RPC111 Homo sapiens genomic clone R-63O7, genomic survey sequence.//0.25:118:66//AQ201832
 R-NT2RP3000233//Plasmodium falciparum mRNA for major merozoite surface antigen gp195.//3.2e-11:440:59//X15063
 R-NT2RP3000235//Mus musculus chromosome 6 clone TB6 subclone TB6pD1//0.81:114:64//U19530
 35 R-NT2RP3000247//Homo sapiens DNA sequence from clone 326L12 on chromosome Xq27.1 27.3. Contains the cancer/testis antigen CT7 (melanoma-associated antigen MAGE-C1) gene, two MAGE family pseudogenes, STSs and a CA repeat polymorphism, complete sequence.//4.8e-73:362:86//AL023279
 R-NT2RP3000251//Homo sapiens chromosome 17, clone hRPK.192_H_23, complete sequence.//0.025:131:66//AC005726
 40 R-NT2RP3000252
 R-NT2RP3000255//HS-1025-B2-F08-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 804 Col=16 Row=L, genomic survey sequence.//0.67:119:66//B34879
 R-NT2RP3000267
 45 R-NT2RP3000299//Rattus norvegicus mRNA for Crk-associated substrate, p130, complete cds.//1.2e-23:424:69//D29766
 R-NT2RP3000312//Plasmodium falciparum MAL3P4, complete sequence.//0.55:414:59//AL008970
 R-NT2RP3000320//HS_3056_A1_C03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3056 Col=5 Row=E, genomic survey sequence.//4.1e-32:214:89//AQ134064
 50 R-NT2RP3000324//Rattus norvegicus potassium channel regulator 1 mRNA, complete cds.//1.5e-22:265:75//U78090
 R-NT2RP3000333//Plasmodium falciparum MAL3P6, complete sequence.//0.68:460:57//Z98551
 R-NT2RP3000341//H.sapiens mRNA for TIM17 preprotein translocase.//1.4e-19:137:90//X97544
 R-NT2RP3000348//CITBI-E1-2513C11.TF CITBI-E1 Homo sapiens genomic clone 2513C11, genomic survey sequence.//0.0014:118:72//AQ278177
 55 R-NT2RP3000350
 R-NT2RP3000359//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.8e-55:320:75//AC006039
 R-NT2RP3000361//Homo sapiens mRNA for KIAA0552 protein, complete cds.//0.18:275:61//AB011124

R-NT2RP3000366//CIT-HSP-2317H13.TF CIT-HSP Homo sapiens genomic clone 2317H13, genomic survey sequence.//6.7e-42:214:100//AQ041634
 R-NT2RP3000397//HS-1012-B1-F01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 787 Col=1 Row=L, genomic survey sequence//0.015:184:63//B31814
 5 R-NT2RP3000403//Homo sapiens formin binding protein 21 mRNA, complete cds.//1.3e-109:529:98//AF071185
 R-NT2RP3000418//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 510B21, WORKING DRAFT SEQUENCE.//6.2e-15:445:65//AL031885
 R-NT2RP3000433
 R-NT2RP3000439
 10 R-NT2RP3000441
 R-NT2RP3000449//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//1.6e-43:300:76//AL031650 R-NT2RP3000451//3'untranslated region of human mRNA for a K⁺ channel protein.//0.71:101:66//E13519
 R-NT2RP3000456//Human Xq28 cosmids U126G1, U142F2, U69B6, U145C10, U169A5, U84H1, U24D12, U80A7, U153E6, L35485, and R7-163A8 containing iduronate 2-sulfatase gene and pseudogene, complete sequence.//5.2e-16:376:65//AF011889
 15 R-NT2RP3000484//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 120G22, WORKING DRAFT SEQUENCE.//0.61:326:58//AL031847
 R-NT2RP3000487//Sequence 32 from patent US 5476781.//8.6e-08:409:61//I16692
 20 R-NT2RP3000512//RPC111-60F15.TK RPC111 Homo sapiens genomic clone R-60F15, genomic survey sequence.//2.2e-68:379:93//AQ201516
 R-NT2RP3000526//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 377F16, WORKING DRAFT SEQUENCE.//4.1e-07:224:65//Z93783
 R-NT2RP3000527//HS_3228_A1_H07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3228 Col=13 Row=O, genomic survey sequence.//4.5e-30:184:93//AQ209131
 25 R-NT2RP3000531//T6M24-Sp6 TAMU Arabidopsis thaliana genomic clone T6M24, genomic survey sequence.//0.67:88:68//AQ248538
 R-NT2RP3000542//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126B4, WORKING DRAFT SEQUENCE.//2.0e-24:145:82//AL022316
 30 R-NT2RP3000561//Homo sapiens PAC clone DJ0942116 from 7q11, complete sequence.//6.1e-107:548:95//AC006012
 R-NT2RP3000562//HS_2041_B1_E08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2041 Col=15 Row=J, genomic survey sequence.//9.6e-55:279:98//AQ230207
 R-NT2RP3000578//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-105, complete sequence.//0.00060:356:58//AL010212
 35 R-NT2RP3000582//Homo sapiens chromosome 17, clone hCIT.468_F_23, WORKING DRAFT SEQUENCE, 3 unordered pieces.//4.2e-29:282:67//AC004666
 R-NT2RP3000584//Human PAC clone DJ222H05 from Xq25-q26, complete sequence.//7.4e-44:245:78//AC002377
 40 R-NT2RP3000590//Arabidopsis thaliana chromosome II BAC T31E10 genomic sequence, complete sequence.//0.66:341:59//AC004077
 R-NT2RP3000592//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.022:491:56//AC005505
 R-NT2RP3000599//Plasmodium falciparum MAL3P8, complete sequence.//1.3e-09:543:58//AL034560
 45 R-NT2RP3000605//Homo sapiens chromosome 19, cosmid F20900, complete sequence.//5.6e-115:554:98//AC006128
 R-NT2RP3000622//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE, 27 unordered pieces.//0.15:233:63//AC005414
 50 R-NT2RP3000624//CIT-HSP-2022D4.TR CIT-HSP Homo sapiens genomic clone 2022D4, genomic survey sequence.//1.0:166:66//B64262
 R-NT2RP3000628//Human BAC clone GS188P18, complete sequence.//5.3e-56:384:83//AC000115
 R-NT2RP3000632//Human cyclin-selective ubiquitin carrier protein mRNA, complete cds.//4.0e-61:438:85//U73379
 55 R-NT2RP3000644//Homo sapiens DNA from chromosome 19p13.2 cosmids R31240, R30272 and R28549 containing the EKLF, GCDH, CRTG, and RAD23A genes, genomic sequence.//1.0e-43:408:77//AD000092
 R-NT2RP3000661//F.rubripes GSS sequence, clone 148D22bB9, genomic survey sequence.//2.7e-17:234:69//

AL005927
 R-NT2RP3000665//Human chromosome 11 46b2 cosmid, complete sequence.//2.1e-42:526:72//U73645
 R-NT2RP3000685//HS_3007_A2_F02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3007 Col=4 Row=K, genomic survey sequence.//1.6e-101:506:97//AQ118425
 5 R-NT2RP3000690//Plasmodium falciparum MAL3P6, complete sequence.//1.3e-13:411:61//Z98551
 R-NT2RP3000736
 R-NT2RP3000742//Rattus norvegicus phospholipase C delta-4 mRNA, complete cds.//0.0071:231:65//U16655
 R-NT2RP3000753//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular
 Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane pro-
 10 tein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted
 tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//
 0.88:366:56//AL021368
 R-NT2RP3000759//HS_2055_A2_D09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2055 Col=18 Row=G, genomic survey sequence.//0.45:251:60//AQ234828
 15 R-NT2RP3000815//Homo sapiens chromosome 17, clone hRPK.209_J_20, complete sequence.//2.0e-20:293:
 72//AC005822
 R-NT2RP3000825//Plasmodium falciparum MAL3P6, complete sequence.//0.0044:325:62//Z98551
 R-NT2RP3000826//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 117715, WORKING
 DRAFT SEQUENCE.//5.3e-25:375:72//AL022315
 20 R-NT2RP3000836//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y214H10, WORK-
 ING DRAFT SEQUENCE.//1.3e-19:181:81//AL022344
 R-NT2RP3000841//Homo sapiens, clone hRPK.1_A_1, complete sequence.//0.20:226:61//AC006196
 R-NT2RP3000845//Homo sapiens chromosome 19, cosmid R33632, complete sequence.//6.8e-91:512:92//
 AC005781
 25 R-NT2RP3000847//***ALU WARNING: Human Alu-Sp subfamily consensus sequence.//7.9e-38:179:86//U14572
 R-NT2RP3000850//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//4.4e-48:505:76//
 AC005014
 R-NT2RP3000852//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 97P20, WORKING
 DRAFT SEQUENCE.//2.9e-82:311:98//AL031297
 30 R-NT2RP3000859
 R-NT2RP3000865//Human DNA sequence from clone 23K20 on chromosome Xq25-26.2 Contains EST, STS,
 GSS, complete sequence.//1.2e-15:482:63//AL022153 R-NT2RP3000868//Fruitfly strain g20 mitochondrial DNA,
 A+T-rich region, partial sequence.//0.00045:260:59//AB003097
 R-NT2RP3000869//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 330012, WORKING
 35 DRAFT SEQUENCE.//0.0058:172:64//AL031731
 R-NT2RP3000875//H.sapiens /Hepatitis B virus fusion mRNA for mevalonate kinase.//1.4e-99:531:93//X75311
 R-NT2RP3000901
 R-NT2RP3000904//Genomic sequence for Arabidopsis thaliana BAC T7N9, complete sequence.//0.32:261:57//
 AC000348
 40 R-NT2RP3000917//Plasmodium falciparum MAL3P7, complete sequence.//0.00092:456:58//AL034559
 R-NT2RP3000919
 R-NT2RP3000968//H.sapiens mRNA for ribosomal protein S15a.//4.5e-24:375:71//X84407
 R-NT2RP3000980//Homo sapiens chromosome 17, clone hRPK.855_D_21, complete sequence.//0.36:186:62//
 AC006079
 45 R-NT2RP3000994//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING
 DRAFT SEQUENCE, 14 unordered pieces.//0.00052:413:60//AC005140
 R-NT2RP3001004//Saccharomyces cerevisiae VAR1 gene, mitochondrial gene encoding mitochondrial protein,
 3' processing site, partial sequence.//1.1e-07:330:64//U32857
 R-NT2RP3001007//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-82, complete
 50 sequence.//0.045:286:61//AL010255
 R-NT2RP3001055//Human DNA sequence from PAC 27K14 on chromosome Xp11.3-Xp11.4. Contains monoam-
 ine oxidase B (MAOB), ESTs and polymorphic CA repeats.//2.3e-56:348:91//Z95125
 R-NT2RP3001057//H.sapiens HZF4 mRNA for zinc finger protein.//8.2e-84:531:86//X78927
 R-NT2RP3001081//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P3, WORKING
 55 DRAFT SEQUENCE.//1.1e-08:537:60//AL031746
 R-NT2RP3001084
 R-NT2RP3001096
 R-NT2RP3001107

R-nnnnnnnnnnnn//Human Chromosome 15q26.1 PAC clone pDJ10k5 containing human DNA polymerase gamma (polg) gene, complete sequence.//7.4e-62:272:73//AC005316
 R-NT2RP3001111
 R-NT2RP3001113
 5 R-NT2RP3001115//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//7.2e-112:550:97//AC005189
 R-NT2RP3001116//CIT-HSP-2282K23.TR CIT-HSP Homo sapiens genomic clone 2282K23, genomic survey sequence.//0.000.13.160:69//AQ002011
 R-NT2RP3001119//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from
 10 gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//5.9e-99:497:96//AL031864
 R-NT2RP3001120
 R-NT2RP3001126//Plasmodium falciparum MAL3P7, complete sequence.//0.035:266:56//AL034559
 R-NT2RP3001133
 15 R-NT2RP3001140//Homo sapiens mRNA for KIAA0762 protein, partial cds.//8.1e-114:549:97//AB018305
 R-NT2RP3001147//Homo sapiens chromosome 17, clone HCIT187M2, complete sequence.//0.69:198:63//AC004448
 R-NT2RP3001150//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//2.4e-108:542:97//AL034379
 20 R-NT2RP3001155//Homo sapiens mRNA for AND-1 protein.//2.9e-116:563:98//AJ006266
 R-NT2RP3001176//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.44:227:62//AC004688
 R-NT2RP3001214//Borrelia burgdorferi plasmid lp25, complete plasmid sequence.//0.0023:381:61//AE000785
 R-NT2RP3001216//RPCI11-18C15.TPC RPCI-11 Homo sapiens genomic clone RPCI-11-18C15, genomic survey
 25 sequence.//7.0e-29:167:97//B88077
 R-NT2RP3001221//Homo sapiens clone 14503, WORKING DRAFT SEQUENCE, 1 ordered pieces.//0.020:211:63//AC005827
 R-NT2RP3001232//Homo sapiens DNA sequence from PAC 124C6 on chromosome 6q21. Contains genomic marker D6S1603, ESTs, GSSs and a STS with a CA repeat polymorphism, complete sequence.//2.7e-08:390:62//AL021326
 30 R-NT2RP3001236//RPCI11-25C17.TKBR RPCI-11 Homo sapiens genomic clone RPCI-11-25C17, genomic survey sequence.//9.5e-41:217:88//AQ014003
 R-NT2RP3001239//Human microtubule-associated protein 1B (MAP1B) gene, complete cds.//2.9e-21:438:63//L06237
 35 R-NT2RP3001245//Homo sapiens DNA sequence from PAC 964D12 on chromosome 1q24-q25. Contains EST, GSS.//0.00026:439:59//AL021398
 R-NT2RP3001253//HS_3002_A2_H12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3002 Col=24 Row=O, genomic survey sequence.//0.98:190:63//AQ251982
 R-NT2RP3001260
 40 R-NT2RP3001268//Homo sapiens clone DJ0959C21, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.012:509:57//AC004936
 R-NT2RP3001272//Homo sapiens BAC clone NH0161H12 from 7p14-p15, complete sequence.//2.2e-22:134:87//AC005589
 R-NT2RP3001274//Sequence 11 from Patent WO9517522.//0.0058:133:66//A45341
 45 R-NT2RP3001281//Human DNA sequence from PAC 52D1 on chromosome Xq21. Contains CA repeats, STS.//4.4e-55:558:76//Z96811
 R-NT2RP3001307//HS_2058_A1_C06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=11 Row=E, genomic survey sequence.//7.2e-33:260:86//AQ305868
 R-NT2RP3001318//Homo sapiens PAC clone DJ0649P17 from 7q11.23-q21, complete sequence.//0.27:210:65//AC004848
 50 R-NT2RP3001325
 R-NT2RP3001338//Rat tropoelastin gene, intron 17 (partial).//1.0:184:64//M86367
 R-NT2RP3001339//Homo sapiens mRNA for KIAA0451 protein, complete cds.//1.2e-112:566:96//AB007920
 R-NT2RP3001340//Homo sapiens HMG box factor SOX-13 mRNA, complete cds.//3.2e-86:450:95//AF083105
 55 R-NT2RP3001355
 R-NT2RP3001374//HS_2184_A2_G04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2184 Col=8 Row=M, genomic survey sequence.//3.7e-10:101:84//AQ024647
 R-NT2RP3001383//Plasmodium falciparum chromosome 2, section 34 of 73 of the complete sequence.//7.4e-07:

- 279:63//AE001397
 R-NT2RP3001384//Homo sapiens chromosome 19, cosmid R33907, complete sequence.//4.4e-75:382:97//AC005785
- 5 R-NT2RP3001392//HS_3078_B2_D05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3078 Col=10 Row=H, genomic survey sequence.//1.0:164:64//AQ140587
 R-NT2RP3001396//RPC11-63N18.TJ RPC11 Homo sapiens genomic clone R-63N18, genomic survey sequence.//0.14:242:61//AQ238544
 R-NT2RP3001398//Mus musculus zinc finger protein (Zfp64) mRNA, complete cds.//1.8e-10:193:72//U49046
 R-NT2RP3001399
- 10 R-NT2RP3001407//Caenorhabditis elegans cosmid D1046, complete sequence.//0.0011:392:60//Z68160
 R-NT2RP3001420//Human BAC clone GS165I04 from 7q21, complete sequence.//3.7e-29:412:74//AC002379
 R-NT2RP3001426//Homo sapiens clone 24616 mRNA sequence.//1.1e-104:550:94//AF052158
 R-NT2RP3001427//Caenorhabditis elegans cosmid K11D5.//0.39:174:64//U53152
 R-nnnnnnnnnnnn//Human nuclear pore complex-associated protein TPR (tpr) mRNA, complete cds.//1.4e-94:533:91//U69668
- 15 R-NT2RP3001432//Homo sapiens DNA sequence from PAC 164C20 on chromosome 6q16.1-22.1. Contains ESTs and GSSs (BAC end sequences), complete sequence.//2.5e-12:415:61//AL009029
 R-NT2RP3001447//Homo sapiens PAC clone DJ0828B12 from 7q11.23-q21.1, complete sequence.//5.6e-36:358:77//AC004903
- 20 R-NT2RP3001449//Homo sapiens clone 24497 mRNA sequence.//1.5e-100:499:97//AF070630
 R-NT2RP3001453//Homo sapiens clone DJ0852024, WORKING DRAFT SEQUENCE, 2 unordered pieces.//4.0e-47:295:86//AC004906
 R-NT2RP3001457
 R-NT2RP3001459
- 25 R-NT2RP3001472//Crithidia fasciculata kinetoplast apocytochrome b gRNA-mRNA chimera, clone:24.//0.33:150:66//D13030
 R-NT2RP3001490//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-103, complete sequence.//2.3e-08:483:60//AL010208
 R-NT2RP3001495//Human oxidoreductase (HHCMA56) mRNA, complete cds.//4.4e-60:338:93//U13395
- 30 R-NT2RP3001497//Homo sapiens multiple membrane spanning receptor TRC8 (TRC8) mRNA, complete cds.//2.1e-110:549:97//AF064801
 R-NT2RP3001527//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1125A11, WORKING DRAFT SEQUENCE.//5.3e-32:310:78//AL034549
 R-NT2RP3001529//Human Chromosome X, complete sequence.//5.5e-67:280:93//AC002420
- 35 R-NT2RP3001538
 R-NT2RP3001554//Human microtubule-associated protein 1a (MAP1A) mRNA, complete cds.//7.8e-16:391:62//U38292
 R-NT2RP3001580//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.00026:456:58//AC004688
- 40 R-NT2RP3001587//Homo sapiens HRIHFB2115 mRNA, partial cds.//5.6e-08:86:88//AB015337
 R-NT2RP3001589//Homo sapiens chromosome 17, clone hRPK.1096_G_20, complete sequence.//0.066:360:60//AC005410
 R-NT2RP3001607//CIT-HSP-2010M8.TR CIT-HSP Homo sapiens genomic clone 2010M8, genomic survey sequence.//0.041:194:67//B53490
- 45 R-NT2RP3001608//Human DNA sequence from PAC 296K21 on chromosome X contains cytokeratin exon, delta-aminolevulinic synthase (erythroid); 5-aminolevulinic acid synthase.(EC 2.3.1.37). 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (EC 2.7.1.105, EC 3.1.3.46), ESTs and STS.//0.69:151:64//Z83821
 R-NT2RP3001621//Human DNA sequence from clone 24o18 on chromosome 6p21:31-22.2 Contains zinc finger protein pseudogene, VNO-type olfactory receptor pseudogene, nuclear envelope pore membrane protein, EST, STS, GSS, complete sequence.//1.4e-46:354:83//AL021808
- 50 R-NT2RP3001629//H.sapiens simple DNA sequence region clone wg1a10.//0.99:137:63//X76572
 R-NT2RP3001634//Homo sapiens TRIAD1 type I mRNA, complete cds.//8.5e-108:541:96//AF099149
 R-NT2RP3001642
- 55 R-NT2RP3001646//HS_3218_A2_A01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3218 Col=2 Row=A, genomic survey sequence.//2.6e-32:215:91//AQ303003
 R-NT2RP3001671//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-88, complete sequence.//0.018:262:61//AL010157
 R-NT2RP3001672

- R-NT2RP3001676//Homo sapiens cosmid Q95D4, chromosome 21 5' of IFNAR2.//2.1e-48:413:77//AF039905
- R-NT2RP3001678//RPCI11-50C17.TK RPCI11 Homo sapiens genomic clone R-50C17, genomic survey sequence.//0.15:232:62//AQ116359
- 5 R-NT2RP3001679//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//7.8e-104:549:95//AB020860
- R-NT2RP3001688//Homo sapiens PAC clone DJ1048B16 from 7q34-q36, complete sequence.//6.6e-41:291:86//AC006019
- R-NT2RP3001690//Plasmodium falciparum chromosome 2, section 52 of 73 of the complete sequence.//3.1e-07:433:59//AE001415
- 10 R-NT2RP3001708//Homo sapiens allele 14 fragile site locus (FRA10B) minisatellite sequence.//6.0e-06:237:64//AF053523
- R-NT2RP3001712//CITBI-E1-2516N9.TF CITBI-E1 Homo sapiens genomic clone 2516N9, genomic survey sequence.//1.5e-95:456:99//AQ279562
- R-NT2RP3001716//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//0.0012:346:58//AC004617
- 15 R-NT2RP3001724//Human HepG2 3' region Mbol cDNA, clone hmd6a06m3.//1.3e-27:163:95//D17273
- R-NT2RP3001730//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 111B22, WORKING DRAFT SEQUENCE.//7.6e-43:409:76//Z98200
- R-NT2RP3001739
- 20 R-NT2RP3001752//Human clone 23774 mRNA sequence.//1.9e-08:104:84//U79279
- R-NT2RP3001753//CIT-HSP-2379P21.TF CIT-HSP Homo sapiens genomic clone 2379P21, genomic survey sequence.//8.8e-06:102:78//AQ113378
- R-NT2RP3001764
- R-NT2RP3001777//Human mRNA for heparan sulfate proteoglycan (glypican).//0.99:166:66//X54232
- 25 R-NT2RP3001782//Homo sapiens mRNA for KIAA0459 protein, partial cds.//1.3e-111:549:97//AB007928
- R-NT2RP3001792//Mus musculus myelin gene expression factor (MEF-2) mRNA, partial cds.//1.6e-32:266:83//U13262
- R-NT2RP3001799//H.sapiens mRNA for OX40 homologue.//8.5e-44:374:79//X75962
- R-NT2RP3001819
- 30 R-NT2RP3001844//Caenorhabditis elegans cosmid C54G7.//0.0042:231:63//U40410
- R-NT2RP3001854//Plasmodium falciparum strain Dd2 heat shock protein 86 (HSP86), O1 (o1), O3 (o3), O2 (o2), CG8 (cg8), CG4 (cg4), CG3 (cg3), CG9 (cg9), CG1 (cg1), CG6 (cg6), chloroquine resistance candidate protein (cg2), and CG7 (cg7) genes, complete cds.//1.0:404:59//AF030694
- R-NT2RP3001855
- 35 R-NT2RP3001896//CIT978SK-A-686F10.TV CIT978SK Homo sapiens genomic clone A-636F10, genomic survey sequence.//0.0012:68:82//AQ116409
- R-NT2RP3001898//Homo sapiens Chromosome 11p15.5 PAC clone pDJ754h15 containing cdk-inhibitor p57/KIP2 (CDKN1C) gene, complete sequence.//0.37:266:65//AC005950
- R-NT2RP3001915//Human BAC clone RG367O17 from 7p15-p21, complete sequence.//0.018:144:66//AC002486
- 40 R-NT2RP3001926//Human polyadenylate binding protein (TIA-1) mRNA, complete cds.//2.4e-10:77:100//M77142
- R-NT2RP3001929
- R-NT2RP3001931//Homo sapiens full-length insert cDNA clone YU73B11.//1.0e-110:562:96//AF087969
- R-NT2RP3001938//Human DNA sequence from PAC 447B16 on chromosome Xq13.1-Xq13.3.//0.38:386:56//Z95328
- 45 R-NT2RP3001943//Homo sapiens chromosome 5, P1 clone 1076B9 (LBNL H14), complete sequence.//0.87:298:61//AC004500
- R-NT2RP3001944//Bos taurus clone CSSM056 satellite DNA sequence.//0.0095:76:78//U03836
- R-NT2RP3001969//Homo sapiens chromosome 12p13.3 clone RPCI11-350L7, WORKING DRAFT SEQUENCE, 72 unordered pieces.//7.0e-109:552:96//AC005844
- 50 R-NT2RP3001989//Caenorhabditis elegans cosmid C01A2, complete sequence.//0.15:111:68//Z81029
- R-NT2RP3002002//Plasmodium falciparum 14-3-3 protein gene, partial cds.//0.016:286:60//AF065987
- R-NT2RP3002004//H.sapiens mRNA for FAST kinase.//5.1e-41:335:82//X86779
- R-NT2RP3002007
- 55 R-NT2RP3002014//Human DNA sequence from clone 228A9 on chromosome 22q12.3-13.32 Contains 85 KDA CALCIUM-INDEPENDENT PHOSPHOLIPASE A2, EST, GSS, CpG island, complete sequence.//6.6e-41:297:86//AL022322
- R-NT2RP3002033
- R-NT2RP3002045//Drosophila melanogaster fat protein (fat) gene, complete cds.//0.77:320:60//M80537

EP 1 074 617 A2

R-NT2RP3002054//Caenorhabditis elegans cosmid Y69H2, complete sequence.//0.82:362:57//Z98877
R-NT2RP3002056//F.rubripes GSS sequence, clone 020E22bF7, genomic survey sequence.//0.010:185:63//Z87006
R-NT2RP3002057
5 R-NT2RP3002062//Human BAC clone RG356F09 from 7p21, complete sequence.//1.7e-17:164:81//AC004002
R-nnnnnnnnnnnnn
R-NT2RP3002081//HS_3082_A1_G09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3082 Col=17 Row=M, genomic survey sequence.//4.2e-25:344:73//AQ122260
R-NT2RP3002097//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) com-
10 plete sequence.//2.6e-23:212:80//AC006210
R-NT2RP3002102//Homo sapiens BAC clone RG290G13 from 7q21, complete sequence.//0.43:168:64//
AC004746
R-NT2RP3002108//CIT-HSP-2346P16.TF CIT-HSP Homo sapiens genomic clone 2346P16, genomic survey se-
quence.//3.5e-08:110:78//AQ059071
15 R-NT2RP3002146//Streptococcus gordonii competence factor (comC) and histidine protein kinase (comD) genes,
complete cds, and response regulator (comE) gene, partial cds.//0.11:534:55//U80077
R-NT2RP3002147//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 329F2, WORKING
DRAFT SEQUENCE.//4.1e-108:551:96//AL031710
R-NT2RP3002151//Mus musculus mRNA for Guanine Nucleotide Regulatory Protein, complete cds.//6.8e-62:347:
20 80//AB003503
R-NT2RP3002163//Anolis pulchellus vitellogenin mRNA, partial cds.//0.77:281:63//U46857
R-NT2RP3002165
R-NT2RP3002166//D.sargus satellite DNA (clone PSE3).//0.81:124:62//Z48711
R-NT2RP3002173
25 R-NT2RP3002181//HS-1042-A2-F01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone
Plate=CT 824 Col=2 Row=K, genomic survey sequence.//1.3e-35:305:81//B36980
R-NT2RP3002244//Caenorhabditis elegans cosmid R11E3.//0.0024:393:61//AF100669
R-NT2RP3002248//Human DNA sequence from PAC 170A21 on chromosome 22q12-qter contains ESTs.//0.30:
217:63//Z82189
30 R-NT2RP3002255
R-NT2RP3002273//Homo sapiens BAC clone 393I22 from 8q21, complete sequence.//0.84:463:57//AF070717
R-NT2RP3002276//HS_2260_A1_MF_E07 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2260 Col=13 Row=I, genomic survey sequence.//0.0017:198:63//AQ292491
R-NT2RP3002303//Human HMG-17 gene for non-histone chromosomal protein HMG-17.//7.4e-93:510:93//
35 X13546
R-NT2RP3002304//Human BAC clone GS188P18, complete sequence.//6.3e-09:477:59//AC000115
R-NT2RP3002330//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING
DRAFT SEQUENCE, 4 unordered pieces.//0.087:388:58//AC004688
R-NT2RP3002343
40 R-NT2RP3002351//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//0.20:489:56//AC004617
R-NT2RP3002352//Homo sapiens mRNA for protein encoded by cxorf5 (71-7A) gene.//2.4e-104:516:94//Y15164
R-NT2RP3002455//Homo sapiens mRNA for KIAA0678 protein, partial cds.//4.7e-102:524:95//AB014578
R-NT2RP3002484
R-NT2RP3002501//Human DNA sequence from PAC 92M18, BRCA2 gene region chromosome 13q12-13 con-
45 tains BRCA2 exons 25, 26 and 27 ESTs and STS.//5.2e-17:232:75//Z73359
R-NT2RP3002512
R-NT2RP3002529//CIT-HSP-2340H2.TR CIT-HSP Homo sapiens genomic clone 2340H2, genomic survey se-
quence.//0.81:266:58//AQ057387
R-NT2RP3002545//Homo sapiens mRNA for KIAA0729 protein, partial cds.//3.3e-82:438:94//AB018272
50 R-NT2RP3002549//Medicago truncatula ENBP1 gene, exons 1 to 12.//0.95:381:56//AJ002479
R-NT2RP3002566//HS_2036_A1_D08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=2036 Col=15 Row=G, genomic survey sequence.//0.18:162:64//AQ230627
R-NT2RP3002587//Homo sapiens clone DJ1090E20, WORKING DRAFT SEQUENCE, 4 unordered pieces.//5.1e-
15:213:73//AC004956
55 R-NT2RP3002590//Arabidopsis thaliana genomic DNA; chromosome 5, P1 clone: MXK3, complete sequence.//
0.00010:431:59//AB019236
R-NT2RP3002602//Mus musculus stannin gene, complete cds.//1.6e-20:339:70//AF030522
R-NT2RP3002603

- R-NT2RP3002631//Homo sapiens chromosome 21 PAC
RPCIP704A9190Q2.//1.0:241:59//AJ006997
R-NT2RP3002659//Rat sodium-hydrogen exchange protein-isoform 3 (NHE-3) mRNA, complete cds.//6.8e-24:
331:76//M85300
- 5 R-NT2RP3002660//H.sapiens partial gene for progesterone receptor and Alu element DNA.//9.8e-43:273:82//
Z49816
R-NT2RP3002663//Lymnaea stagnalis 16S ribosomal RNA gene, mitochondrial gene encoding ribosomal RNA,
partial sequence.//0.60:300:59//U82072
R-NT2RP3002671//S.pombe chromosome III cosmid c553.//1.2e-20:399:66//AL023704
- 10 R-NT2RP3002682//RPCI11-44K6.TJ RPCI11 Homo sapiens genomic clone R-44K6, genomic survey sequence.//
4.7e-09:122:77//AQ202481
R-NT2RP3002687//P.falciparum complete gene map of plastid-like DNA (IR-B).//1.1e-07:494:59//X95276
R-NT2RP3002688//Human 7SL RNA sequence.//2.7e-32:290:79//X01037
R-NT2RP3002701
- 15 R-NT2RP3002713//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 167A19, WORKING
DRAFT SEQUENCE.//0.95:334:59//AL031427
R-NT2RP3002763//***ALU WARNING: Human Alu-J subfamily consensus sequence.//3.9e-40:288:85//U14567
R-NT2RP3002770//R.prowazekii genomic DNA fragment (clone A615F).//0.21:174:63//Z82710
R-NT2RP3002785//Homo sapiens PAC clone DJ0170D19 from Xq23, complete sequence.//0.78:354:59//
20 AC004822
R-NT2RP3002799//Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flank-
ing repeat regions.//1.1e-20:161:77//AF003528
R-NT2RP3002810//Caenorhabditis elegans cosmid F10D2.//0.28:441:56//AF022972
R-NT2RP3002818//HS_3053_A2_A08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
25 nomic clone Plate=3053 Col=16 Row=A, genomic survey sequence.//0.19:220:60//AQ135025
R-NT2RP3002861//P.falciparum complete gene map of plastid-like DNA (IR-B).//9.3e-05:414:60//X95276
R-NT2RP3002869//Homo sapiens chromosome 19, cosmid F21967, complete sequence.//0.14:165:64//
AC005256
R-NT2RP3002876//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50024, WORKING
30 DRAFT SEQUENCE.//2.6e-59:311:96//AL034380
R-NT2RP3002877//Homo sapiens Xp22 bins 87-93 PAC RPCI1-122K4 (Roswell Park Cancer Institute Human
PAC Library) complete sequence.//4.6e-24:422:63//AC003035
R-NT2RP3002909//Homo sapiens mRNA for KIAA0771 protein, partial cds.//4.7e-109:570:95//AB018314
R-NT2RP3002911//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//3.1e-16:471:64//
35 AC005014
R-NT2RP3002948//, complete sequence.//4.5e-94:516:93//AC005500
R-NT2RP3002953//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//3.4e-111:
566:96//AC005754
R-NT2RP3002955//Plasmodium falciparum chromosome 2, section 28 of 73 of the complete sequence.//0.19:424:
40 58//AE001391
R-NT2RP3002969//Rat mRNA for brain acyl-CoA synthetase II, complete cds.//1.1e-89:562:88//D30666
R-NT2RP3002972//Stealth virus 5 clone C1311 T7 genomic sequence.//1.0:122:67//AF067482
R-NT2RP3002978//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 455J7, WORKING
DRAFT SEQUENCE.//4.8e-05:249:63//AL031733
- 45 R-NT2RP3002988//Human DNA sequence from PAC 106H8 on chromosome 1q24. Contains PHOSPHATI-
DYLINISITOL-GLYCAN class C (PIG-C) and DYNAMIN-3 genes. Contains ESTs and STSs and a CpG island.//
0.0097:246:67//Z97195
R-NT2RP3003008//Mus musculus major histocompatibility locus class III regions Hsc70t gene, partial cds; smRNP,
G7A, NG23, MutS homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes.//1.9e-24:
50 188:78//AF109905
R-NT2RP3003032//Arabidopsis thaliana (clone DW1) DNA retrotransposon Ta11-1 integration site.//5.3e-07:376:
63//L47211
R-NT2RP3003059//Homo sapiens chromosome 3, clone hRPK.165_I_16, complete sequence.//1.4e-13:323:66//
AC005669
- 55 R-NT2RP3003061//Homo sapiens mRNA from HIV associated non-Hodgkin's lymphoma (clone hll-10).//3.8e-42:
265:91//Y16708
R-NT2RP3003068//HS_3214_B2_G09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3214 Col=18 Row=N, genomic survey sequence.//0.025:207:64//AQ181894

- R-NT2RP3003071//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 510D11, WORKING DRAFT SEQUENCE.//0.00014:329:60//Z98044
- R-NT2RP3003078//T26A1TF TAMU Arabidopsis thaliana genomic clone T26A1, genomic survey sequence.//0.95:219:63//B27013
- 5 R-NT2RP3003101//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.4e-05:285:62//AC004153
- R-NT2RP3003121//Homo sapiens full-length insert cDNA clone ZD62D10.//2.1e-47:242:98//AF086348
- R-NT2RP3003133//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING DRAFT SEQUENCE.//1.4e-21:199:75//AL031985
- 10 R-NT2RP3003138//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//5.1e-14:287:68//D12646
- R-NT2RP3003139//Rattus norvegicus kappa opioid receptor gene, exon 4 and complete cds.//1.5e-13:122:80//U17995
- R-NT2RP3003150
- 15 R-NT2RP3003157//Homo sapiens 12q15 BAC GSHB-410F4 (Genome Systems Human Bac Library) complete sequence.//5.5e-42:289:74//AC005294
- R-NT2RP3003185//HS_2058_A1_H03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=5 Row=O, genomic survey sequence.//0.025:52:94//AQ231298
- R-NT2RP3003193//Homo sapiens chromosome 17, clone hRPK.628_E_12, complete sequence.//4.8e-40:349:79//AC005701
- 20 R-NT2RP3003197//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 364I1, WORKING DRAFT SEQUENCE.//5.2e-10:180:71//AL031319
- R-NT2RP3003203//Mus musculus IFN alpha-treated embryonic fibroblast mRNA.//1.8e-11:148:77//U51904
- R-NT2RP3003204//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 892F13, WORKING DRAFT SEQUENCE.//6.6e-41:282:86//AL009183
- 25 R-NT2RP3003212//Homo sapiens full-length insert cDNA clone ZB91B11.//1.7e-68:363:95//AF086173
- R-NT2RP3003230//Caenorhabditis elegans cosmid T12B5.//0.0018:279:64//AF100307
- R-NT2RP3003242//Homo sapiens chromosome 7 clone UWGC:g3586a160 from 7p14-15, complete sequence.//1.0:346:57//AC005272
- 30 R-NT2RP3003251//Homo sapiens BAC clone RG060N22 from 7q21, complete sequence.//2.5e-10:436:62//AC003083
- R-NT2RP3003264//CIT-HSP-2296M7.TR CIT-HSP Homo sapiens genomic clone 2296M7, genomic survey sequence.//5.8e-05:308:61//AQ005862
- R-NT2RP3003278//Human HepG2 partial cDNA, clone hmd3b11m5.//9.4e-47:302:89//D17022
- 35 R-NT2RP3003282//Homo sapiens dynamin (DNM) mRNA, complete cds.//7.4e-101:550:93//L36983
- R-NT2RP3003290//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 460J8, WORKING DRAFT SEQUENCE.//3.0e-22:228:78//AL031662
- R-NT2RP3003301
- R-NT2RP3003302//CIT-HSP-2319H19.TR CIT-HSP Homo sapiens genomic clone 2319H19, genomic survey sequence.//1.5e-69:367:95//AQ034950
- 40 R-NT2RP3003311//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//5.1e-08:398:64//AC005505
- R-NT2RP3003313//Caenorhabditis elegans cosmid F39B1, complete sequence.//0.00022:436:58//Z69660
- R-NT2RP3003327//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-237H1 ~complete genomic sequence, complete sequence.//1.5e-16:334:70//AC002287
- 45 R-NT2RP3003330//Homo sapiens full-length insert cDNA YI24C02.//4.4e-96:458:99//AF075015
- R-NT2RP3003344//HS_3235_B2_H09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3235 Col=18 Row=P, genomic survey sequence.//4.1e-18:197:80//AQ303203
- R-NT2RP3003346
- 50 R-NT2RP3003353//CITBI-E1-2523B18.TR CITBI-E1 Homo sapiens genomic clone 2523B18, genomic survey sequence.//8.3e-06:130:73//AQ278834
- R-NT2RP3003377//Homo sapiens clone DJ0919J22, WORKING DRAFT SEQUENCE, 34 unordered pieces.//1.9e-97:481:94//AC005519
- R-NT2RP3003384//Homo sapiens clone DJ0038I10, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.3e-10:226:71//AC004820
- 55 R-NT2RP3003385
- R-NT2RP3003403//Human DNA sequence from clone 227L5 on chromosome Xp11.22-11.3. Contains a Keratin, Type 1 Cytoskeletal 18 (KRT18, CYK18, K18, CK18) pseudogene and an STS, complete sequence.//2.8e-40:496:

- 72//AL031585
 R-NT2RP3003409//Rat POU domain factor (Brn-5) mRNA.//1.5e-20:375:68//L23204
 R-NT2RP3003411//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 438L4, WORKING
 DRAFT SEQUENCE.//1.0:180:61//Z97635
- 5 R-NT2RP3003427//RPC111-45J23.TJ RPC111 Homo sapiens genomic clone R-45J23, genomic survey se-
 quence.//0.82:162:69//AQ195566
 R-NT2RP3003433//Homo sapiens BAC clone NH0044G14 from 7q11.23-21.1, complete sequence.//1.1e-10:379:
 61//AC006031
- 10 R-NT2RP3003464//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//1.1e-95:479:96//
 AF004828
 R-NT2RP3003490//Homo sapiens mRNA for KIAA0725 protein, partial cds.//1.3e-100:527:93//AB018268
 R-NT2RP3003491//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//4.0e-08:
 495:59//AE001398
- 15 R-NT2RP3003500//W.suaveolens mitochondrial ATP9 gene.//0.0074:514:59//X77238
 R-NT2RP3003543//Human clone A9A2BRB7 (CAC)_n(GTG)_n repeat-containing mRNA.//1.3e-31:217:88//
 U00952
 R-NT2RP3003552
 R-NT2RP3003555//Dictyostelium discoideum interaptin (abpD) gene, complete cds.//0.98:321:61//AF057019
 R-NT2RP3003564
- 20 R-NT2RP3003572//Human DNA sequence from BAC 992D9 on chromosome 22q12.1 contains STS.//0.0015:507:
 59//AL008638
 R-NT2RP3003576//Human Chromosome 16 BAC clone CIT987SK-A-61E3, complete sequence.//1.2e-39:359:
 79//AC003007
- 25 R-NT2RP3003589//Plasmodium falciparum MAL3P8, complete sequence.//0.014:539:58//AL034560
 R-NT2RP3003625//Human DNA sequence from clone 1042K10 on chromosome 22q13.1-13.2. Contains the AD-
 SL gene for Adenylosuccinate lyase (EC 4.3.2.2, Adenylosuccinase, ASL) and 4 novel genes (one with probable
 rabGAP domains and Src homology domain 3). Contains ESTs, STSs, GSSs and a putative CpG island, complete
 sequence.//1.8e-44:448:77//AL022238
- 30 R-NT2RP3003656//Homo sapiens chromosome 17, clone hRPK.401_O_9, complete sequence.//0.34:257:62//
 AC005291
 R-NT2RP3003659//O.fuscipennis 16S rRNA gene, partial.//0.021:145:65//Z93701
 R-NT2RP3003665//HS_3078_B2_C09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3078 Col=18 Row=F, genomic survey sequence.//1.3e-75:397:95//AQ140580
- 35 R-NT2RP3003672
 R-NT2RP3003686
 R-NT2RP3003701//Human BAC clone GS310A05 from 7q21-q22, complete sequence.//6.4e-17:464:62//
 AC002452
- 40 R-NT2RP3003716//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 774G10, WORKING
 DRAFT SEQUENCE.//0.00072:425:62//AL034410
 R-NT2RP3003726//Homo sapiens mRNA for KIAA0757 protein, complete cds.//1.7e-101:492:97//AB018300
 R-NT2RP3003746//Homo sapiens Chromosome 16 BAC clone CIT987-SK502C10, complete sequence.//3.7e-
 07:217:66//AC003009
- 45 R-NT2RP3003795//Human DNA sequence from clone 505B13 on chromosome 1p36.2-36.3 Contains CA repeat
 and GSSs, complete sequence.//8.1e-26:456:68//Z98052
 R-NT2RP3003799//cSRL-138g10-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic
 clone cSRL-138g10, genomic survey sequence.//4.9e-09:117:77//B01736
- 50 R-NT2RP3003800//Homo sapiens tyrosine kinase pp60c-src (SRC) gene, exon 12 and partial cds.//2.8e-106:551:
 95//AF077754
 R-NT2RP3003805
 R-NT2RP3003809//Homo sapiens full-length insert cDNA clone YZ95A01.//3.6e-106:533:97//AF086107
 R-NT2RP3003819//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34606, WORKING
 DRAFT SEQUENCE.//6.0e-44:288:81//Z84487
- 55 R-NT2RP3003825//Mus domesticus interleukin 1 receptor antagonist (IL-1RA) mRNA.//0.0014:410:58//M64404
 R-NT2RP3003828
 R-NT2RP3003831//****ALU WARNING: Human Alu-J subfamily consensus sequence.//2.3e-41:289:85//U14567
 R-NT2RP3003833//Homo sapiens clones 24718 and 24825 mRNA sequence.//1.6e-108:541:97//AF070611
 R-NT2RP3003842//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//1.5e-
 46:457:74//AC002980

- R-NT2RP3003846//*Plasmodium falciparum* MAL3P3, complete sequence.//3.5e-06:356:62//Z98547
 R-NT2RP3003870//Homo sapiens full-length insert cDNA clone ZD75H11.//8.2e-09:68:98//AF086402
 R-NT2RP3003876//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORK-
 ING DRAFT SEQUENCE.//0.0027:180:66//AL031650
 5 R-NT2RP3003914//*Dictyostelium discoideum* DNA for transposable element Tdd-3 tandem array.//0.029:234:62//
 X53439
 R-NT2RP3003918
 R-NT2RP3003932//*Mus musculus* MRC OX-2 antigen homolog gene, exons 2-5, and complete cds.//0.00087:164:
 67//AF029215
 10 R-NT2RP3003989
 R-NT2RP3003992//Sequence 1 from patent US 5591825.//0.56:235:59//I33465
 R-NT2RP3004013//HS_3018_A1_G09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3018 Col=17 Row=M, genomic survey sequence.//0.00026:421:60//AQ119904
 R-NT2RP3004016//*Drosophila melanogaster* DNA sequence (P1s DS03465 (D149) and DS08544 (D187)), com-
 15 plete sequence.//4.8e-12:308:62//AC004532
 R-NT2RP3004041//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 598F2, WORKING
 DRAFT SEQUENCE.//0.42:190:64//AL021579
 R-NT2RP3004051//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete sequence.//3.6e-21:332:69//
 AC006130
 20 R-NT2RP3004070//*Plasmodium falciparum* 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING
 DRAFT SEQUENCE, 5 unordered pieces.//2.0e-05:476:57//AC005308
 R-NT2RP3004078//Homo sapiens chromosome 19, cosmid R30335, complete sequence.//2.0e-86:486:93//
 AC005784
 25 R-NT2RP3004093//Human PAC clone 257C22A from 13q12-q13, complete sequence.//5.3e-11:230:69//
 AC002525
 R-NT2RP3004095//Homo sapiens clone NH0486122, WORKING DRAFT SEQUENCE, 5 unordered pieces.//7.5e-
 93:551:92//AC005038
 R-NT2RP3004110//Homo sapiens 12p13.3 PAC RPCI5-940J5 (Roswell Park Cancer Institute Human PAC Library)
 complete sequence.//1.6e-104:317:100//AC006064
 30 R-NT2RP3004125//*Pongo pygmaeus* CT microsatellite, clone #3, from the tandemly repeated genes encoding U2
 small nuclear RNA (RNU2 locus).//0.73:168:60//U36532
 R-NT2RP3004145//Homo sapiens full-length insert cDNA clone ZE09H03.//2.3e-89:427:99//AF086542
 R-NT2RP3004148//*Arabidopsis thaliana* chromosome II BAC T1B8 genomic sequence, complete sequence.//
 0.013:134:70//U78721
 35 R-NT2RP3004155//Homo sapiens PAC clone DJ0320J15 from Xq23, complete sequence.//3.8e-10:101:87//
 AC004081
 R-NT2RP3004206//Homo sapiens clone DJ0794K21, complete sequence.//1.5e-06:442:57//AC005533
 R-NT2RP3004207//Mouse mRNA for seizure-related gene product 6.//1.7e-07:220:69//D29763
 R-NT2RP3004209//Human cosmid Q7A10 (D21S246) insert DNA, complete sequence.//7.3e-89:504:92//D42052
 40 R-NT2RP3004215//*Caenorhabditis elegans* cosmid F11A6, complete sequence.//0.018:353:59//Z81498
 R-NT2RP3004242//*Plasmodium falciparum* chromosome 2, section 52 of 73 of the complete sequence.//4.5e-06:
 407:60//AE001415
 R-NT2RP3004246//Homo sapiens chromosome 10 clone CIT987SK-1010K1 map 10q25, complete sequence.//
 2.8e-105:534:97//AC005385
 45 R-NT2RP3004253//RPCI11-78J12.TJ RPCI11 Homo sapiens genomic clone R-78J12, genomic survey se-
 quence.//4.0e-64:382:90//AQ281324
 R-NT2RP3004258//*Rattus norvegicus* Zis mRNA, complete cds.//7.0e-60:417:84//AF013967
 R-NT2RP3004262//*Mus musculus* heat shock protein hsp40-3 gene, complete cds.//2.7e-43:528:73//AF092536
 R-NT2RP3004334//Homo sapiens chromosome 17, clone hRPC.1110_E_20, complete sequence.//1.4e-06:435:
 50 62//AC004231
 R-NT2RP3004341//CITBI-E1-2503F11.TR CITBI-E1 Homo sapiens genomic clone 2503F11, genomic survey se-
 quence.//0.0018:210:65//AQ263365
 R-NT2RP3004348//Homo sapiens chromosome 17, clone hRPK.85_B_7, complete sequence.//7.1e-46:340:83//
 AC005695
 55 R-NT2RP3004349//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 117O3, WORKING
 DRAFT SEQUENCE.//9.4e-29:263:79//AL020995
 R-NT2RP3004378//Human DNA sequence from PAC 27K14 on chromosome Xp11.3-Xp11.4. Contains monoam-
 ine oxidase B (MAOB), ESTs and polymorphic CA repeats.//2.0e-67:422:90//Z95125

EP 1 074 617 A2

5

10

15

20

25

30

35

40

45

50

55

- 6.2e-26:163:93//AQ200049
 R-NT2RP4000185
 R-NT2RP4000210//Homo sapiens mRNA for KIAA0700 protein, partial cds.//4.6e-99:505:96//AB014600
 R-NT2RP4000212//, complete sequence.//1.0e-106:538:96//AC005300
 5 R-NT2RP4000214//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//1.2e-39:272:88//AC005261
 R-NT2RP4000218//Homo sapiens PAC clone DJ0320J15 from Xq23, complete sequence.//1.6e-09:457:60//AC004081
 R-NT2RP4000243//Homo sapiens mRNA for cartilage-associated protein (CASP).//9.0e-69:354:96//AJ006470
 10 R-NT2RP4000246//Mus musculus mRNA for NDPP-1 protein, complete cds.//2.0e-27:344:73//D10727
 R-NT2RP4000259//Homo sapiens clone 683 unknown mRNA, complete sequence.//9.7e-78:381:99//AF091092
 R-NT2RP4000263//CIT-HSP-2336N24.TF CIT-HSP Homo sapiens genomic clone 2336N24, genomic survey sequence.//0.26:124:69//AQ043515
 R-nnnnnnnnnnnn//ORF 5' of ECLF2...ECRF3=G protein-coupled receptor homolog [herpesvirus saimiri HVS, host-squirrel monkey, Genomic, 4 genes, 3720 nt].//0.12:326:61//S76368
 15 R-NT2RP4000312//Human DNA sequence from clone 523E19 on chromosome 6p11.2-12.3 Contains ESTs STS and GSSs, complete sequence.//2.2e-111:538:98//AL033384
 R-NT2RP4000321//Homo sapiens clone 24453 mRNA sequence.//1.4e-108:515:99//AF070524
 R-NT2RP4000323//S.cerevisiae telomeric sequence DNA, clone YLP108CA-2-i.//0.048:107:69//M34311
 20 R-NT2RP4000355//Homo sapiens clone DJ1136A10, WORKING DRAFT SEQUENCE, 4 unordered pieces.//4.3e-39:350:79//AC004972
 R-NT2RP4000360//Homo sapiens mRNA for KIAA0738 protein, complete cds.//2.4e-109:520:99//AB018281
 R-NT2RP4000367//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//8.7e-109:527:98//AF044195
 25 R-NT2RP4000370//Homo sapiens PAC clone DJ0777O23 from 7p14-p15, complete sequence.//9.9e-25:348:72//AC005154
 R-NT2RP4000376//Rattus norvegicus phospholipase A-2-activating protein (plap) mRNA, complete cds.//2.2e-69:391:89//U17901
 R-NT2RP4000381//Homo sapiens chromosome 17, clone hRPK.394_K_10, complete sequence.//0.066:197:63//AC006080
 30 R-NT2RP4000415//345F19.TV CIT978SKA1 Homo sapiens genomic clone A-345F19, genomic survey sequence.//0.10:79:75//B15527
 R-NT2RP4000417//Homo sapiens full-length insert cDNA clone ZD52B10.//9.6e-96:468:97//AF086313
 R-NT2RP4000424//Homo sapiens DNA sequence from PAC 127D3 on chromosome 1q23-25. Contains FMO2 and FMO3 genes for Flavin-containing Monooxygenase 2 and Flavin-containing Monooxygenase 3 (Dimethyl-aniline Monooxygenase (N-Oxide 3, EC1.14.13.8, Dimethylaniline Oxidase 3, FMO II, FMO 3), and a gene for another, unknown, Flavin-containing Monooxygenase family protein. Contains ESTs and GSSs, complete sequence.//1.8e-08:489:59//AL021026
 35 R-NT2RP4000448//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//3.3e-07:510:60//AC005505
 R-NT2RP4000449//HS_2037_B2_A09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2037 Col=18 Row=B, genomic survey sequence.//1.3e-58:375:88//AQ243047
 R-NT2RP4000455//Phocine herpesvirus type 1 glycoprotein D (gD) gene, partial cds.//0.62:133:63//U92271
 R-nnnnnnnnnnnn
 45 R-NT2RP4000480//cSRL-54b11-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone CSRL-54b11, genomic survey sequence.//2.1e-19:145:88//B05082
 R-nnnnnnnnnnnn
 R-NT2RP4000500
 R-NT2RP4000515//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//1.4e-05:411:59//AC005140
 50 R-NT2RP4000517//Human Chromosome 16 BAC clone CIT987SK-A-61E3, complete sequence.//2.7e-21:230:77//AC003007
 R-NT2RP4000518//Homo sapiens DNA sequence from PAC 206D15 on chromosome 1q24. Contains a Reduced Folate Carrier protein (RFC) LIKE gene, a mitochondrial ATP Synthetase protein 8 (ATP8, MTATP8) LIKE pseudogene, an unknown gene and the last exon of the JEM1 gene coding for the Basic-Leucine Zipper nuclear factor JEM-1. Contains ESTs, an STS and a BAC end sequence (GSS), complete sequence.//0.0080:461:59//AL021068
 55 R-NT2RP4000519
 R-NT2RP4000524

- R-NT2RP4000528//Homo sapiens chromosome 17, clone hRPK.138_P_22, complete sequence.//0.99:158:66//AC005697
- R-NT2RP4000541//Homo sapiens Chromosome 22q11.2 Cosmid Clone 33e In DGCR Region, complete sequence.//1.0:309:59//AC000078
- 5 R-NT2RP4000556//Rattus norvegicus cell cycle protein p55CDC gene, complete cds.//0.0031:126:72//AF052695
- R-NT2RP4000588//Homo sapiens BAC clone RG208K23 from 7q31, complete sequence.//1.0:186:64//AC004161
- R-NT2RP4000614//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-62, complete sequence.//1.4e-06:526:58//AL009013
- 10 R-NT2RP4000638//Homo sapiens chromosome 17, clone hCIT.468_F_23, WORKING DRAFT SEQUENCE, 3 unordered pieces.//6.9e-48:497:75//AC004666
- R-NT2RP4000648//CIT-HSP-2300I7.TR CIT-HSP Homo sapiens genomic clone 2300I7, genomic survey sequence.//0.22:110:68//AQ012747
- R-NT2RP4000657//Lycodichthys dearborni type III antifreeze peptide gene, clone 5'LD-1/NotI-EcoRI subclone SphI-XbaI, partial cds.//0.0065:189:63//U20443
- 15 R-NT2RP4000704//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 409J21, WORKING DRAFT SEQUENCE.//0.22:334:60//Z83824
- R-NT2RP4000724//Homo sapiens Chromosome 22q11.2 Cosmid Clone 56c In DGCR Region, complete sequence.//2.2e-70:448:88//AC000080
- R-NT2RP4000728//CIT-HSP-2310K14.TF CIT-HSP Homo sapiens genomic clone 2310K14, genomic survey sequence.//0.00013:289:61//AQ019669
- 20 R-NT2RP4000739//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE, 21 unordered pieces.//0.53:254:61//AC004765
- R-NT2RP4000781//P.cepacia fusaric acid-resistance genes encoding 5 proteins, complete cds.//1.0:392:59//D12503
- 25 R-NT2RP4000817//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human BAC library) complete sequence.//0.59:378:58//AC003037
- R-NT2RP4000833//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//3.4e-53:307:85//AL023808
- R-NT2RP4000837//Homo sapiens T-cell receptor alpha delta locus from bases 501613 to 752736 (section 3 of 5) of the Complete Nucleotide Sequence.//7.0e-50:367:77//AE000660
- 30 R-NT2RP4000855
- R-NT2RP4000865//Homo sapiens chromosome 17, clone HRPC905N1, complete sequence.//1.5e-78:479:88//AC003098
- R-NT2RP4000878//Mus musculus mRNA for myeloid associated differentiation protein.//4.5e-09:186:69//AJ001616
- 35 R-NT2RP4000879//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//7.8e-08:364:60//AC004153
- R-nnnnnnnnnnnn//Human S-adenosylmethionine decarboxylase (AMD1) gene, exons 5-9.//3.5e-90:459:96//M88006
- 40 R-nnnnnnnnnnnn//H.sapiens ung gene for uracil DNA-glycosylase.//7.6e-09:392:61//X89398
- R-NT2RP4000925//Rattus norvegicus Shal-related potassium channel Kv4.3 mRNA, complete cds.//5.8e-45:264:92//U42975
- R-nnnnnnnnnnnn//epstein-barr virus simple repeat array (ir3).//0.00012:367:61//J02079
- 45 R-NT2RP4000928//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MCL19, complete sequence.//1.0:138:68//AB006698
- R-NT2RP4000929//Human DNA sequence from PAC 293L6 on chromosome 22, complete sequence.//0.45:288:62//Z82197
- R-NT2RP4000955//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 633O19, WORKING DRAFT SEQUENCE.//1.1e-09:322:62//AL022302
- 50 R-NT2RP4000973//Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions.//2.3e-06:326:62//AF003528
- R-NT2RP4000975
- R-NT2RP4000979//HS_3009_B1_F08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone.Plate=3009 Col=15 Row=L, genomic survey sequence.//2.3e-14:117:89//AQ090957
- 55 R-NT2RP4000984//Human immunodeficiency virus type 1 envelope glycoprotein (env) gene, C2-V3 region, isolate HIV194UG011TIN.01_di1PD, partial cds.//0.11:219:62//U44882
- R-NT2RP4000989//Sequence 30 from patent US 5552281.//3.5e-25:154:97//I25669
- R-NT2RP4000996//Plasmodium falciparum strain Dd2 heat shock protein 86 (HSP86), O1 (o1), O3 (o3), O2 (o2),

- CG8 (cg8), CG4 (cg4), CG3 (cg3), CG9 (cg9), CG1 (cg1), CG6 (cg6), chloroquine resistance candidate protein (cg2), and CG7 (cg7) genes, complete cds.//3.8e-07:421:59//AF030694
 R-NT2RP4000997//Homo sapiens chromosome 17, clone 104H12, complete sequence.//4.2e-37:499:72//AC000003
- 5 R-NT2RP4001004//HS_3163_A2_H02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3163 Col=4 Row=O, genomic survey sequence.//2.8e-38:241:90//AQ168515
 R-NT2RP4001006//Homo sapiens clone DJ1147A01, WORKING DRAFT SEQUENCE, 25 unordered pieces.//7.1e-55:372:73//AC006023
- 10 R-NT2RP4001010//Homo sapiens full-length insert cDNA clone ZD38E12.//3.3e-09:153:74//AF086247
 R-NT2RP4001029//Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds.//2.1e-34:361:78//U20086
 R-NT2RP4001041//Homo sapiens chromosome 5, BAC clone 282B7 (LBNL H192), complete sequence.//9.9e-84:435:96//AC005216
- 15 R-NT2RP4001057//Homo sapiens KIAA0399 mRNA, partial cds.//6.2e-50:282:94//AB007859
 R-NT2RP4001064//H.sapiens NOS2 gene, exon 15.//0.71:183:61//X85771
 R-NT2RP4001078//Human D-site binding protein gene, exon 4 and complete cds.//1.9e-114:569:97//U48213
 R-NT2RP4001079//Homo sapiens mRNA for putative Ca²⁺-transporting ATPase, partial.//2.4e-118:574:98//AJ010953
- 20 R-NT2RP4001080//Plasmodium falciparum chromosome 2, section 66 of 73 of the complete sequence.//0.013:430:58//AE001429
 R-nnnnnnnnnnnn//Homo sapiens mRNA for KIAA0592 protein, partial cds.//1.8e-119:548:95//AB011164
 R-NT2RP4001095//Homo sapiens cosmid IM0525, LC1233, Qc3C1, LB1439, Qc12C11 and 220B3 from Xq28, complete sequence.//2.8e-39:312:81//AF003626
- 25 R-NT2RP4001100//Human DNA sequence from cosmid U85A3, between markers DXS366 and DXS87 on chromosome X contains rad21 and T-cell cyclophorin pseudogenes, STS.//8.7e-41:389:78//Z78021
 R-NT2RP4001117//Canis familiaris sec61 homologue mRNA, complete cds.//2.8e-12:292:68//M96629
 R-NT2RP4001122//Caenorhabditis elegans cosmid F44D12, complete sequence.//0.97:129:66//Z68298
 R-NT2RP4001126//HS_3146_A1_805_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3146 Col=9 Row=C, genomic survey sequence.//0.013:268:63//AQ141093
- 30 R-NT2RP4001138
 R-NT2RP4001143//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 64K7, WORKING DRAFT SEQUENCE.//1.8e-31:380:68//AL031668
 R-NT2RP4001148//Homo sapiens clone RG332P12, WORKING DRAFT SEQUENCE, 1 unordered pieces.//1.2e-83:325:92//AC005095
- 35 R-NT2RP4001149//Mouse mRNA for thymic epithelial cell surface antigen, complete cds.//8.1e-32:553:67//D67067
 R-NT2RP4001150//AK011 Genomic DNA Hordeum vulgare genomic clone tel44a similar to barley TAS, genomic survey sequence.//0.91:132:63//AQ248412
 R-NT2RP4001159//Cloning vector pAP3neo DNA, complete sequence.//4.0e-118:437:97//AB003468
- 40 R-NT2RP4001174//Homo sapiens 12q24 BAC RPCI11-162P23 (Roswell Park Cancer Institute Human BAC library) complete sequence.//1.7e-33:289:82//AC002996
 R-nnnnnnnnnnnn//P.falciparum mRNA for AARP2 protein.//0.93:187:64//Y08924
 R-NT2RP4001207
- 45 R-NT2RP4001210//CIT-HSP-2042D13.TF CIT-HSP Homo sapiens genomic clone 2042D13, genomic survey sequence.//3.8e-06:268:63//B74772
 R-NT2RP4001213//Human zinc finger protein 20 (ZNF20) pentanucleotide repeat polymorphism.//4.7e-16:371:66//M99593
- 50 R-NT2RP4001219//HS_2190_A1_A06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2190 Col=11 Row=A, genomic survey sequence.//2.4e-06:288:61//AQ216635
 R-NT2RP4001228//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P2, WORKING DRAFT SEQUENCE.//0.024:357:58//AL031745
- 55 R-NT2RP4001235//HS_3047_A1_E07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3047 Col=13 Row=L, genomic survey sequence.//0.0033:301:63//AQ126918
 R-NT2RP4001256//HS_3007_A2_B06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3007 Col=12 Row=C, genomic survey sequence.//1.5e-11:140:80//AQ118389
 R-NT2RP4001260//Plasmodium falciparum chromosome 2, section 63 of 73 of the complete sequence.//0.0013:486:59//AE001426
- R-NT2RP4001274//RPCI11-24O21.TKBF RPCI-11 Homo sapiens genomic clone RPCI-11-24O21, genomic survey sequence.//3.9e-25:142:99//AQ013887

- R-nnnnnnnnnnn//Homo sapiens full-length insert cDNA clone ZD55D10.//1.2e-10:90:92//AF086334
 R-NT2RP4001313//Mus musculus orphan nuclear hormone receptor (CAR) gene, complete sequence.//7.7e-23:466:66//AF009326
- 5 R-NT2RP4001315//CIT-HSP-2312C6.TR CIT-HSP Homo sapiens genomic clone 2312C6, genomic survey sequence.//0.98:305:62//AQ018036
 R-NT2RP4001339
 R-NT2RP4001345
 R-NT2RP4001351//Fruitfly strain g20 mitochondrial DNA, A+T-rich region, partial sequence.//0.00082:260:59//AB003097
- 10 R-NT2RP4001353//RPC111-55N17.TJ RPC111 Homo sapiens genomic clone R-55N17, genomic survey sequence.//0.74:106:66//AQ081821
 R-NT2RP4001372
 R-NT2RP4001373//Homo sapiens chromosome 17, clone hRPK.394_K_10, complete sequence.//1.5e-09:473:60//AC006080
- 15 R-NT2RP4001375
 R-NT2RP4001379//CIT-HSP-2335A10.TF CIT-HSP Homo sapiens genomic clone 2335A10, genomic survey sequence.//9.4e-41:441:75//AQ040083
 R-NT2RP4001389//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete sequence.//2.4e-22:276:73//AC004691
- 20 R-NT2RP4001407//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.49:254:61//AC005140
 R-NT2RP4001414
 R-NT2RP4001433//Human prohibitin (PHB) gene, exons 1-7.//6.6e-66:357:90//L14272
 R-NT2RP4001442//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.11:307:59//AC005308
- 25 R-NT2RP4001447//cSRL-58d2-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-58d2, genomic survey sequence.//0.0039:112:71//B05220
 R-NT2RP4001474
 R-NT2RP4001483
- 30 R-NT2RP4001498//Plasmodium falciparum (clone Dd2) heat shock protein 86 gene, complete cds.//1.2e-07:339:61//L34027
 R-NT2RP4001502//HS_2187_B1_C10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2187 Col=19 Row=F, genomic survey sequence.//1.3e-20:183:81//AQ214108
 R-NT2RP4001507//Arabidopsis thaliana chromosome 1 BAC T17H3 sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.15:333:62//AC005916
- 35 R-NT2RP4001524//Genomic sequence from Human 13, complete sequence.//0.96:159:65//AC001226
 R-NT2RP4001529//Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds.//9.5e-34:337:80//U20086
 R-NT2RP4001547//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.00027:336:63//AC004710
- 40 R-nnnnnnnnnnn//Arabidopsis thaliana BAC T12H20.//1.5e-11:517:60//AF080119
 R-NT2RP4001555//Human DNA sequence from PAC 481A17 on chromosome X contains ESTs.//0.0069:305:62//Z82212
 R-NT2RP4001567//RPC111-61A2.TJ RPC111 Homo sapiens genomic clone R-61A2, genomic survey sequence.//0.0072:180:60//AQ200771
- 45 R-NT2RP4001568
 R-NT2RP4001571//Trypanoplasma borreli kinetoplast ribosomal protein S12 (RPS12), putative cryptogene (GR11), 12S ribosomal RNA, and apocytochrome b (CYb) genes, primary transcripts, and cytochrome c oxidase subunit III (COIII) gene, complete cds.//1.6e-09:555:58//U14181
 R-NT2RP4001574//HS_2247_B1_B05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2247 Col=9 Row=D, genomic survey sequence.//1.1e-41:254:90//AQ182345
- 50 R-NT2RP4001575//Human DNA sequence from clone 1033B10 on chromosome 6p21.2-21.31. Contains the BING5 gene, exons 11 to 15 of the BING4 gene, the gene for GalT3 (beta3-Galactosyltransferase), the RPS18 (40S ribosomal protein S18) gene, the SACM2L (suppressor of actin mutation 2, yeast, homolog) gene, a pseudogene similar to TAT-SF1, a Pseudogene similar to zinc finger genes, the RING1 gene, the gene for HKE6 (RING2), the gene for HKE4 (RING5), the RXRB (Retinoid X receptor beta) gene, the COL11A2 (collagen, type XI, alpha 2) gene, the HLA-DPB2 pseudogene and part of the HLA-DPA3 pseudogene. Contains predicted CpG islands, ESTs, STSs, and GSSs, complete sequence.//1.1e-118:567:98//AL031228
- 55 R-NT2RP4001592//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING

EP 1 074 617 A2

DRAFT SEQUENCE.//2.5e-09:370:61//AL031650
R-NT2RP4001610//Homo sapiens Xp22 Cosmids U15E4, U115H5, U132E12, U115B9 (Lawrence Livermore hu-
man cosmid library) complete sequence.//0.99:73:75//AC002364
R-NT2RP4001614
5 R-NT2RP4001634//Homo sapiens full-length insert cDNA clone YU73B11.//5.8e-101:526:94//AF087969
R-NT2RP4001638//Homo sapiens clone 23967 unknown mRNA, partial cds.//5.4e-115:559:97//AF007151
R-NT2RP4001644//M.musculus mRNA for map kinase interacting kinase, Mnk2.//6.8e-33:286:79//Y11092
R-NT2RP4001656//Human Chromosome 11 pac pDJ393o15, WORKING DRAFT SEQUENCE, 8 unordered piec-
es.//2.2e-109:515:99//AC000384
10 R-NT2RP4001677//Genomic sequence from Human 9q34, complete sequence.//0.19:504:58//AC000397
R-NT2RP4001696//Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.//4.5e-115:583:96//
U96629
R-NT2RP4001725//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE, 2 unordered pieces.//
0.98:301:60//AC000380
15 R-NNNNNNNNNN//Caenorhabditis elegans cosmid F48E3.//2.2e-17:328:64//U28735
R-NT2RP4001739//RPC111-74E7.TJ RPC111 Homo sapiens genomic clone R-74E7, genomic survey sequence.//
1.1e-08:141:65//AQ268408
R-NT2RP4001753//H.sapiens HZF3 mRNA for zinc finger protein.//1.7e-111:552:96//X78926
R-NT2RP4001760//Mouse oncogene (ect2) mRNA, complete cds.//9.3e-27:358:72//L11316
20 R-NT2RP4001790//Homo sapiens clone GS259H13, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.7e-
99:484:98//AC005020
R-NT2RP4001803//HS_3087_B2_B05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3087 Col=10 Row=D, genomic survey sequence.//2.7e-96:471:97//AQ121405
R-NT2RP4001822
25 R-NT2RP4001823
R-NT2RP4001828//Human DNA sequence from PAC 179115, BRCA2 gene region chromosome 13q12-q13 con-
tains Klotho ESTs and CpG island.//4.1e-14:136:83//Z92540
R-NT2RP4001838//Plasmodium falciparum chromosome 2, section 9 of 73 of the complete sequence.//2.5e-06:
418:60//AE001372
30 R-NT2RP4001849//P.falciparum serine rich protein (SERP I) gene.//0.64:135:67//J03983
R-NT2RP4001889//Homo sapiens PAC clone DJ1182N03 from 7q11.23-q21.1, complete sequence.//4.3e-26:212:
82//AC004548
R-NT2RP4001893//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//1.8e-111:570:96//
AC005014
35 R-NT2RP4001896
R-NT2RP4001901
R-NT2RP4001927//Borrelia burgdorferi (section 32 of 70) of the complete genome.//1.0:242:60//AE001146
R-NT2RP4001938//Human aminopeptidase N gene, exon 1.//3.3e-42:195:85//M55523
R-NT2RP4001946//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING
40 DRAFT SEQUENCE, 9 unordered pieces.//0.97:371:57//AC004157
R-NT2RP4001950//RPC111-69C18.TJ RPC111 Homo sapiens genomic clone R-69C18, genomic survey se-
quence.//4.7e-91:552:89//AQ236641
R-NT2RP4001953//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains
ESTs STS and CpG island.//6.6e-70:325:84//Z93023
45 R-NT2RP4001966//Rat mRNA for growth potentiating factor, complete cds.//5.5e-37:141:86//D42148
R-NT2RP4001975//Human Newcastle disease virus inducible protein mRNA, partial 3'UTR region.//1.0e-46:242:
98//U25276
R-NT2RP4002018//RPC111-76I23.TV RPC111 Homo sapiens genomic clone R-76I23, genomic survey sequence.//
7.9e-89:438:97//AQ268536
50 R-NT2RP4002047//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 97P20, WORKING
DRAFT SEQUENCE.//4.1e-07:325:62//AL031297
R-NT2RP4002052//Human DNA sequence from clone 352E11 on chromosome 22q13.1-13.31. Contains GSSs,
complete sequence.//0.31:452:57//AL022353
R-NT2RP4002058//RPC111-69O1.TJ RPC111 Homo sapiens genomic clone R-69O1, genomic survey sequence.//
55 0.23:163:64//AQ268418
R-NT2RP4002071//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1172A22, WORK-
ING DRAFT SEQUENCE.//1.1e-11:407:62//AL034386
R-NT2RP4002075//Human DNA sequence from clone 21F7 on chromosome 6q16.1-21. Contains part of an exon

of a putative new gene and STSs and GSSs, complete sequence.//0.085:350:61//AL033375
 R-NT2RP4002078//RPCI11-79I16.TV RPCI11 Homo sapiens genomic clone R-79I16, genomic survey sequence.//3.3e-87:452:95//AQ283131
 R-nnnnnnnnnnnnn
 5 R-NT2RP4002083//Homo sapiens mineralocorticoid receptor (MLR), exon 5.//0.50:256:61//AF068619
 R-NT2RP4002408//CIT-HSP-2376023.TF CIT-HSP Homo sapiens genomic clone 2376023, genomic survey sequence.//6.8e-62:320:96//AQ111163
 R-NT2RP4002791//Human PAC clone DJ318C15 from Xq23, complete sequence.//0.022:435:61//AC002476
 R-NT2RP4002888//Homo sapiens BAC clone RG067E13 from 7q21, complete sequence.//6.0e-56:660:71//AC002383
 10 R-NT2RP4002905//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-20, complete sequence.//0.0017:533:57//AL008972
 R-OVARC1000001//Homo sapiens mRNA for KIAA0465 protein, partial cds.//8.7e-114:605:94//AB007934
 R-OVARC1000004//Homo sapiens chromosome 4 clone B368A9 map 4q25, complete sequence.//2.1e-43:326:74//AC005510
 15 R-OVARC1000006//HS_2253_B1_F01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2253 Col=1 Row=L, genomic survey sequence.//3.7e-35:191:98//AQ069124
 R-OVARC1000013//HS_2212_A2_G06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2212 Col=12 Row=M, genomic survey sequence.//0.14:212:63//AQ210584
 20 R-OVARC1000014//Human DNA sequence from PAC 463A9, on chromosome Xq25 contains STS.//0.0053:356:62//Z80232
 R-OVARC1000017
 R-OVARC1000035//RPCI11-65E1.TJ RPCI11 Homo sapiens genomic clone R-65E1, genomic survey sequence.//3.3e-05:236:63//AQ237194
 25 R-OVARC1000058//Homo sapiens DNA sequence from BAC 390C10 on chromosome 22q11.21-12.1. Contains an Immunoglobulin LIKE gene and a pseudogene similar to Beta Crystallin. Contains ESTs, STSs, GSSs and taga and tat repeat polymorphisms, complete sequence.//2.7e-48:325:82//AL008721
 R-OVARC1000060//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 27K12, WORKING DRAFT SEQUENCE.//5.0e-21:297:70//AL033397
 30 R-OVARC1000068//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.00038:553:58//X95276
 R-OVARC1000071//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 596C15, WORKING DRAFT SEQUENCE.//5.1e-110:599:93//AL031387
 R-OVARC1000085//DNA encoding component HC5 of human proteasome.//2.7e-65:366:92//E03413
 35 R-nnnnnnnnnnnnn//CIT-HSP-2172N17.TF CIT-HSP Homo sapiens genomic clone 2172N17, genomic survey sequence.//0.80:285:59//B94391
 R-OVARC1000091
 R-OVARC1000092//CIT-HSP-2373J20.TR CIT-HSP Homo sapiens genomic clone 2373J20, genomic survey sequence.//1.4e-17:141:85//AQ111520
 R-OVARC 1000106
 40 R-OVARC1000113//Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds.//2.6e-100:495:97//AF069250
 R-OVARC1000114//Homo sapiens partial XPGC gene, exon 2.//9.5e-49:392:80//X71342
 R-OVARC1000133//Human Chromosome 16 BAC clone CIT987SK-A-362G6, complete sequence.//0.00020:243:65//U95740
 45 R-OVARC1000145//Homo sapiens chromosome 10 clone CIT987SK-1010K1 map 10q25, complete sequence.//1.8e-16:370:67//AC005385
 R-OVARC1000148//CIT-HSP-2386P14.TF.1 CIT-HSP Homo sapiens genomic clone 2386P14, genomic survey sequence.//1.1e-05:55:98//AQ240492
 R-OVARC1000151//M.musculus GEG-154 mRNA.//9.8e-21:192:81//X71642
 50 R-OVARC1000168//CIT-HSP-2336F6.TR CIT-HSP Homo sapiens genomic clone 2336F6, genomic survey sequence.//0.050:176:62//AQ042932
 R-OVARC1000191//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.7e-08:534:58//AC005506
 R-OVARC1000198//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0366H07; HTGS phase 1, WORKING DRAFT SEQUENCE, 28 unordered pieces.//5.2e-111:556:96//AC004604
 55 R-OVARC1000209//Blacus sp. 16S ribosomal RNA gene, partial sequence.//0.55:165:67//AF003501
 R-OVARC1000212//Mouse DNA for beta-casein.//0.56:225:63//X13484
 R-OVARC1000240//Homo sapiens chromosome 17, clone hRPK.63_A_1, complete sequence.//6.2e-38:193:82//

AC005670

R-OVARC1000241//Mus musculus hypoxia inducible factor three alpha mRNA, complete cds.//1.1e-25:312:73//AF060194

R-OVARC1000288//Human HepG2 3' region Mbol cDNA, clone hmd1d01m3.//5.4e-07:128:70//D17131

5 R-OVARC1000302//Homo sapiens chromosome 17, clone hRPK.651_L_9, complete sequence.//1.7e-10:100:88//AC005971

R-OVARC1000304//Mouse mRNA from Mov10 locus.//7.9e-66:379:81//X52574

R-OVARC 1000309

10 R-OVARC1000321//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12 unordered pieces.//6.5e-83:453:94//AC005236

R-OVARC1000326//Rattus norvegicus lamina-associated polypeptide 1C (LAP1C) mRNA, complete cds.//5.0e-58:455:81//U19614

R-OVARC1000335//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0483I23; HTGS phase 1, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.034:429:60//AC005690

15 R-OVARC1000347//Mus musculus HRS gene, complete cds.//4.6e-06:339:61//AF020308

R-OVARC1000384//D.discoideum glycoprotein 24 A and B (GP24A and GP24B) genes, complete cds.//0.48:296:62//M27588

R-OVARC1000408//Homo sapiens DNA from chromosome 19-cosmid R27740 containing MEF2B and RSRFR2 genes, genomic sequence.//9.4e-39:286:87//AD000812

20 R-OVARC1000411//CIT-HSP-2303H10.TF CIT-HSP Homo sapiens genomic clone 2303H10, genomic survey sequence.//1.5e-07:94:84//AQ016720

R-OVARC1000414//Homo sapiens genomic DNA, 21q region, clone: 149C3X10, genomic survey sequence.//1.8e-32:296:75//AG002388

R-OVARC1000420//Homo sapiens clone DJ1137M13, complete sequence.//2.0e-48:354:77//AC005378

25 R-OVARC1000427//D.discoideum vegetative specific gene V18 gene for ribosomal protein.//2.5e-09:370:59//X15382

R-OVARC1000431//HS_2199_A2_E02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2199 Col=4 Row=I, genomic survey sequence.//1.3e-34:186:98//AQ093722

R-OVARC1000437//Gallus gallus tensin mRNA, 3' end.//1.3e-15:160:80//L06662

30 R-OVARC1000440//Homo sapiens BAC clone NH0538D15 from 7q11.23-q21.1, complete sequence.//0.0054:337:61//AC006043

R-OVARC1000442//CIT-HSP-2335L20.TR CIT-HSP Homo sapiens genomic clone 2335L20, genomic survey sequence.//1.0e-45:322:86//AQ037381

R-OVARC1000443//Homo sapiens mRNA for KIAA0683 protein, complete cds.//1.1e-77:418:94//AB014583

35 R-OVARC1000461//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 215D11, WORKING DRAFT SEQUENCE.//0.62:333:59//AL034417

R-OVARC1000465//Bos taurus guanine nucleotide-exchange protein (ARF-GEP1) mRNA, complete cds.//1.1e-81:489:91//AF023451

40 R-OVARC1000466//Homo sapiens chromosome 17, Neurofibromatosis 1 locus, complete sequence.//0.0088:98:72//AC004526

R-OVARC1000473//Homo sapiens full-length insert cDNA clone YI53C10.//3.2e-92:317:100//AF085851

R-OVARC1000479//Rattus norvegicus mRNA for TIP120, complete cds.//2.7e-70:502:84//D87671

R-OVARC1000486//Dictyostelium discoideum FusC (fusC) gene, partial cds.//0.52:411:58//AF019984

R-OVARC1000496

45 R-OVARC1000520//Homo sapiens PAC clone DJ412A9 from 22, complete sequence.//3.8e-17:294:71//AC005005

R-OVARC1000526//Homo sapiens clone GS438P06, WORKING DRAFT SEQUENCE, 17 unordered pieces.//4.5e-109:547:96//AC005024

R-OVARC1000533//Homo sapiens chromosome 19, cosmid R30385, complete sequence.//3.0e-46:264:93//AC004510

50 R-OVARC1000543//Caenorhabditis elegans cosmid F10C1.//0.00063:417:59//U49831

R-OVARC1000556//Homo sapiens DNA sequence from PAC 168L15 on chromosome 6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS. CpG island, complete sequence.//1.5e-39:144:92//AL022069

R-OVARC1000557//Homo sapiens chromosome 19, cosmid R32469, complete sequence.//1.5e-81:429:96//AC005197

55 R-OVARC1000564//Homo sapiens chromosome 17, clone HRPC837J1, complete sequence.//0.83:301:58//AC004223

R-OVARC1000573//Homo sapiens Xq28 genomic DNA in the region of the ALD locus containing the genes for creatine transporter (SLC6A8), CDM, adrenoleukodystrophy (ALD), Na⁺-isocitrate dehydrogenase gamma subunit

- (IDH), and translocon-associated protein delta (TRAP) genes, complete cds, plexin related protein (PLEXR) and serine kinase (SK) genes, partial cds, Xq28lu1 gene and cytochrome C (CCp) pseudogene.//2.4e-44:300:88//U52111
- 5 R-OVARC1000578//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete sequence.//6.4e-48:436:78//AF001549
- R-OVARC1000588//Homo sapiens chromosome 19, cosmid F19847, complete sequence.//2.7e-32:313:78//AC005952
- R-OVARC 1000605
- 10 R-OVARC1000622//Homo sapiens PAC clone DJ0942116 from 7q11, complete sequence.//6.2e-43:328:83//AC006012
- R-OVARC1000640//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1 ordered pieces.//1.9e-47:514:73//AC005840
- R-OVARC1000661//Homo sapiens mRNA for KIAA0590 protein, complete cds.//1.6e-29:162:100//AB011162.
- 15 R-OVARC1000678//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.50:270:60//AC005140
- R-nnnnnnnnnnnnn//Rattus norvegicus mRNA for myosin-RhoGAP protein Myr 7.//1.4e-83:549:86//AJ001713
- R-OVARC1000681//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 257E24, WORKING DRAFT SEQUENCE.//3.2e-13:160:76//AL034424
- 20 R-OVARC1000689//Schistocerca americana Antennapedia homeotic protein (Antp) mRNA, complete cds.//0.90:230:61//U32943
- R-OVARC1000700//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//5.1e-15:133:85//AC005754
- R-OVARC1000703//Homo sapiens chromosome 22, clone hRPC.130_H_16, complete sequence.//6.9e-48:525:73//AC005585
- 25 R-OVARC1000730//HS_3018_B1_H10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3018 Col=19 Row=P, genomic survey sequence.//0.00019:198:63//AQ093513
- R-OVARC1000746//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.98:154:65//X95276
- R-OVARC1000769//Human coagulation factor XI gene, intron 2, partial, clone pTZ18R.//2.0e-30:187:78//M21185
- R-OVARC1000771
- 30 R-OVARC1000781//Sequence 5 from Patent WO9722695.//8.4e-47:401:77//A63552
- R-OVARC1000787//Homo sapiens PAC clone DJ430N08 from 22q12.1-qter, complete sequence.//7.8e-111:567:96//AC004542
- R-OVARC1000800//Homo sapiens mitochondrial HSP75 mRNA, complete cds.//1.3e-17:119:95//L15189
- 35 R-OVARC1000802//Homo sapiens chromosome 5, BAC clone 120c13 (LBNL H171), complete sequence.//2.3e-51:482:78//AC005574
- R-OVARC1000834//Homo sapiens mRNA for atopy related autoantigen CALC.//3.6e-105:536:95//Y1771
- R-OVARC1000846//Homo sapiens chromosome 16, cosmid clone 390H2 (LANL), complete sequence.//2.7e-107:538:96//AC004494
- R-OVARC1000850//Homo sapiens PB39 mRNA, complete cds.//3.6e-114:579:96//AF045584
- 40 R-OVARC1000862//M.musculus F1f mRNA.//2.3e-20:346:73//X71978
- R-OVARC1000876//Plasmodium falciparum chromosome 2, section 53 of 73 of the complete sequence.//9.1e-08:427:58//AE001416
- R-OVARC1000883//Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds.//5.6e-34:357:78//U20086
- 45 R-OVARC1000885//Lycopersicon esculentum alcohol dehydrogenase homolog (GAD3) mRNA, partial cds.//0.47:305:60//U21801
- R-OVARC 1000886
- R-OVARC1000891//HS_3082_A2_F04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3082 Col=8 Row=K, genomic survey sequence.//1.1e-16:187:79//AQ122500
- 50 R-OVARC1000897//Human DNA sequence from clone 192P9 on chromosome Xp11.23-11.4. Contains a pseudogene similar to rat Plasmolipin, ESTs and GSSs, complete sequence.//7.2e-07:476:60//AL020989
- R-OVARC1000912
- R-OVARC1000915//Homo sapiens chromosome 17, clone hRPC.971_F_3, WORKING DRAFT SEQUENCE, 1 ordered pieces.//5.4e-70:509:86//AC004150
- 55 R-OVARC1000924//Homo sapiens Chromosome 22q11.2 Cosmid Clone cosk In NF1 Region, complete sequence.//1.6e-77:465:90//AC002471
- R-OVARC1000936//HS_2195_A2_C12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2195 Col=24 Row=E, genomic survey sequence.//2.4e-76:463:90//AQ191108

- R-OVARC1000937//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 250D10, WORKING DRAFT SEQUENCE.//0.0028:161:65//Z99716
- R-OVARC1000945//Rattus norvegicus mRNA for atypical PKC specific binding protein, complete cds.//3.5e-62:526:78//AB005549
- 5 R-OVARC1000948//Hypera postica NADH dehydrogenase subunit 1 (ND1) gene, partial cds, tRNA-Leu gene, complete sequence, and 16S ribosomal gene, partial sequence, mitochondrial genes encoding mitochondrial products.//0.018:212:61//U61169
- R-OVARC1000959//CIT-HSP-2371K16.TR CIT-HSP Homo sapiens genomic clone 2371K16, genomic survey sequence.//1.1e-45:303:87//AQ111323
- 10 R-OVARC1000960//Homo sapiens BAC clone GS293C05 from 7q21-q22, complete sequence.//7.5e-44:353:81//AC005021
- R-OVARC1000971//H.sapiens DNA for repeat unit locus D18S51(285 bp).//2.2e-07:223:70//X91255
- R-OVARC1000984
- 15 R-OVARC1000996//Human DNA sequence from clone 272L16 on chromosome 1q32.1-32.3. Contains the 3' end of the LAMB3 gene for Laminin, Beta 3 (Nicein, Kalinin, BM600) and a novel Rat Ca²⁺/Calmodulin dependent Protein Kinase LIKE gene. Contains ESTs, STSs, GSSs, genomic marker D1S491 and a ca repeat polymorphism, complete sequence.//1.3e-06:179:70//AL023754
- R-OVARC1000999//Homo sapiens chromosome 17, clone hCIT.457_L_16, complete sequence.//5.8e-71:332:87//AC003957
- 20 R-OVARC1001000//HS_3032_B1_G11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3032 Col=21 Row=N, genomic survey sequence.//5.1e-51:257:99//AQ096695
- R-OVARC1001004//Homo sapiens from UWGC:y18c282 from 6p21, complete sequence.//5.6e-92:473:96//AC004190
- 25 R-OVARC1001010//RPCI11-10P1.TV RPCI-11 Homo sapiens genomic clone RPCI-11-10P1, genomic survey sequence.//4.1e-05:201:65//B71813
- R-OVARC1001011//Homo sapiens clone DJ1021I20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//7.9e-18:219:69//AC005520
- R-OVARC1001032//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING DRAFT SEQUENCE.//2.7e-89:464:86//AL022345
- 30 R-OVARC1001034//Homo sapiens chromosome 20, BAC clone 99 (LBNL H80), complete sequence.//1.4e-18:451:64//AC005220
- R-OVARC1001038//Homo sapiens TRIAD1 type I mRNA, complete cds.//1.3e-99:501:96//AF099149
- R-OVARC1001040//Homo sapiens chromosome 17, clone hRPK.1096_G_20, complete sequence.//9.7e-17:180:78//AC005410
- 35 R-OVARC1001044
- R-OVARC1001051//H.sapiens mRNA for homologue to yeast ribosomal protein L41.//3.7e-15:124:88//Z12962
- R-OVARC1001055//Homo sapiens, clone hRPK.15_A_1, complete sequence.//2.0e-30:292:76//AC006213
- R-OVARC1001062//Sequence 65 from patent US 5691147.//2.6e-54:312:92//I76237
- 40 R-OVARC1001068//Homo sapiens Era GTPase A protein (HERA-A) mRNA, partial cds.//2.3e-95:463:98//AF082657
- R-OVARC1001072//Gallus gallus chicken brain factor-2 (CBF-2) mRNA, complete cds.//0.92:272:59//U47276
- R-OVARC1001074//HS_2205_A1_D07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2205 Col=13 Row=G, genomic survey sequence.//1.3e-35:205:94//AQ184530
- R-OVARC1001085
- 45 R-OVARC1001092//Homo sapiens mRNA for JM5 protein, complete CDS (clone IMAGE 53337, LLNLc110F1857Q7 (RZPD Berlin) and LLNLc110G0913Q7 (RZPD Berlin)).//4.5e-95:325:98//AJ005897
- R-OVARC1001113//Homo sapiens diaphanous 1 (HDIA1) mRNA, complete cds.//1.0e-73:386:95//AF051782
- R-OVARC1001117//Homo sapiens chromosome 7 clone UWGC:g3586a160 from 7p14-15, complete sequence.//6.1e-37:314:81//AC005272
- 50 R-OVARC1001118//Homo sapiens chromosome 5, P1 clone 1195e2 (LBNL H73), complete sequence.//1.5e-44:390:77//AC005372
- R-OVARC1001129//Rickettsia prowazekii strain Madrid E, complete genome; segment 1/4.//0.81:461:57//AJ235270
- 55 R-OVARC1001161//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 850H21, WORKING DRAFT SEQUENCE.//4.6e-08:342:64//AL031680
- R-OVARC1001162//CIT-HSP-2171J2.TR CIT-HSP Homo sapiens genomic clone 2171J2, genomic survey sequence.//5.9e-48:347:85//B89781
- R-OVARC1001167//Homo sapiens clone DJ1102A12, WORKING DRAFT SEQUENCE, 15 unordered pieces.//

1.3e-28:427:70//AC004963
R-OVARC1001169//RPCI11-36P6.TV RPCI-11 Homo sapiens genomic clone RPCI-11-36P6, genomic survey sequence.//0.56:113:72//AQ045859
5 R-OVARC1001170//Homo sapiens Xp22 BAC GS-377014 (Genome Systems Human BAC library) complete sequence.//8.8e-39:301:85//AC002549
R-OVARC1001173//Human clone HS2.30 Alu-Ya5 sequence.//2.4e-35:183:83//U67213
R-OVARC1001180//Homo sapiens 12q24.1 NOVECTOR P443K8 () complete sequence.//9.1e-41:516:72//AC005907
10 R-OVARC1001188//Homo sapiens Chromosome 11p14.3 PAC clone pDJ1034g4, complete sequence.//1.2e-14:134:85//AC004796
R-OVARC1001200//ALS=85 kda insulin-like growth factor binding protein-3 complex acid-labile subunit [baboons, liver, mRNA Partial, 1818 nt].//0.12:345:60//S83462
R-OVARC1001232//Bovine tyrosine hydroxylase mRNA, complete cds.//0.66:257:59//M36794
15 R-OVARC1001240//Homo sapiens chromosome 17, clone hCIT.124_H_2, complete sequence.//1.4e-41:284:87//AC006071
R-OVARC1001243//HS_2055_B2_C01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2055 Col=2 Row=F, genomic survey sequence.//0.59:83:75//AQ243142
R-OVARC1001261//Crocodylus porosus mRNA for transthyretin.//0.93:121:66//AJ223148
R-OVARC1001268
20 R-OVARC1001270//Plasmodium falciparum MAL3P6, complete sequence.//0.0031:295:62//Z98551
R-OVARC1001271//Homo sapiens chromosome 16, cosmid clone 390H2 (LANL), complete sequence.//1.6e-107:544:97//AC004494
R-OVARC1001282//Homo sapiens Xp22-39-47 PAC RPCI1-199J3 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.025:402:59//AC006062
25 R-OVARC1001296//Homo sapiens echinoderm microtubule-associated protein homolog HuEMAP mRNA, complete cds.//1.1e-05:319:62//U97018
R-nnnnnnnnnnnn//Sequence 13 from patent US 5624818.//5.4e-85:577:84//I41142
R-OVARC1001329//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30G7, WORKING DRAFT SEQUENCE.//4.2e-71:282:88//AL034402
30 R-OVARC1001330//Homo sapiens PAC clone DJ0697H17 from 7q11.23-q21.1, complete sequence.//0.19:256:59//AC004862
R-OVARC1001339//Homo sapiens 12q13 PAC RPCI1-316M24 (Roswell Park Cancer Institute Human PAC library) complete sequence.//2.5e-49:366:83//AC004242
R-OVARC1001341//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 695O20, WORKING DRAFT SEQUENCE.//4.8e-26:447:69//AL032818
35 R-OVARC1001342//Homo sapiens chromosome 10 clone CIT987SK-1175G20 map 10q25.2-10q25.3, complete sequence.//5.5e-86:569:86//AC005874
R-OVARC1001344//Homo sapiens chromosome 5, BAC clone 261j17 (LBNL H190), complete sequence.//2.8e-46:424:78//AC005350
40 R-OVARC1001357//Sequence 1 from patent US 5597707.//3.0e-42:250:93//I34297
R-OVARC1001360//Homo sapiens chromosome 17, clone hRPK.786_O_4, complete sequence.//0.20:335:60//AC005863
R-OVARC 1001369
R-OVARC1001372//S.scrofa DNA for myogenin 3'flanking region (285 bp).//6.9e-29:249:83//X89210
45 R-OVARC1001376//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete sequence.//2.1e-50:491:73//AC004491
R-OVARC1001381//Homo sapiens chromosome 17, clone hRPK.156_L_14, complete sequence.//9.3e-20:422:60//AC005821
R-OVARC1001391
50 R-nnnnnnnnnnnn
R-OVARC1001417//Homo sapiens EXLM1 mRNA, complete cds.//9.9e-110:561:95//AB00665
R-OVARC1001419//CIT-HSP-2362F16.TR CIT-HSP Homo sapiens genomic clone 2362F16, genomic survey sequence.//7.6e-47:242:98//AQ074668
55 R-OVARC1001425//Homo sapiens PAC clone DJ1108A12 from 14q24.3, complete sequence.//2.3e-20:211:66//AC005157
R-OVARC1001436//Human DNA flanking 3' end of transposon L1.1.//0.18:148:66//M80341
R-OVARC1001442
R-OVARC1001453//Human PAC clone DJ525N14 from Xq23, complete sequence.//2.3e-19:181:81//AC002086

- R-OVARC1001476//CITBI-E1-2517B6.TR CITBI-E1 Homo sapiens genomic clone 2517B6, genomic survey sequence.//0.24:308:59//AQ278655
- R-OVARC1001480//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 753D4, WORKING DRAFT SEQUENCE.//0.99:294:62//AL031676
- 5 R-OVARC1001489//E.caballus microsatellite DNA marker (clone ASB32).//0.87:81:71//X93546
- R-OVARC1001496//Homo sapiens C-terminal binding protein 2 mRNA, complete cds.//9.3e-116:585:96//AF016507
- R-OVARC1001506//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-13F4 ~complete genomic sequence, complete sequence.//2.6e-40:285:86//AC002039
- 10 R-OVARC1001525//Homo sapiens clone NH0215P16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.0:320:59//AC006036
- R-OVARC1001542//Homo sapiens hJTB mRNA, complete cds.//5.0e-110:566:95//AB016488
- R-OVARC1001547
- 15 R-OVARC1001577//Homo sapiens SRp46 splicing factor transcribed retropseudogene.//5.9e-33:216:92//AF031165
- R-OVARC1001600//Human Chromosome X, complete sequence.//3.0e-22:157:89//AC002418
- R-OVARC1001610//HS_3070_A2_A06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3070 Col=12 Row=A, genomic survey sequence.//0.47:107:66//AQ103523
- 20 R-OVARC1001611//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING DRAFT SEQUENCE.//0.17:236:63//AL034423
- R-OVARC1001615//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 310O13, WORKING DRAFT SEQUENCE.//1.3e-19:248:70//AL031658
- R-OVARC1001668//HS_3228_A2_E12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3228 Col=24 Row=I, genomic survey sequence.//4.6e-13:156:76//AQ188379
- 25 R-OVARC1001702//CITBI-E1-2501P16.TR.1 CITBI-E1 Homo sapiens genomic clone 2501P16, genomic survey sequence.//1.6e-41:217:99//AQ241965
- R-OVARC1001703
- R-OVARC1001711//CITBI-E1-2502N10.TF CITBI-E1 Homo sapiens genomic clone 2502N10, genomic survey sequence.//2.0e-14:220:72//AQ266194
- 30 R-OVARC1001726//CIT-HSP-2320O1.TF CIT-HSP Homo sapiens genomic clone 2320O1, genomic survey sequence.//0.021:170:62//AQ038145
- R-OVARC1001731//Human mRNA for fibroblast tropomyosin TM30 (pl).//2.5e-72:422:90//X05276
- R-OVARC1001745//Human DNA sequence from clone 796I11 on chromosome 20q12. Contains ESTs, an STS and GSSs, complete sequence.//7.6e-44:314:84//AL031257
- 35 R-nnnnnnnnnnnn//S.cerevisiae N-acetyltransferase (AAA1) mRNA, complete cds.//1.6e-08:396:60//M23166
- R-OVARC1001766//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds.//3.5e-108:567:94//U97670
- R-nnnnnnnnnnnn//Homo sapiens mRNA for KIAA0675 protein, complete cds.//6.3e-108:529:97//AB014575
- 40 R-OVARC1001768//Caenorhabditis elegans cosmid Y57G11A, complete sequence.//0.24:205:64//Z99279
- R-OVARC1001791//Homo sapiens BAC clone RG118P15 from 8q21, complete sequence.//4.6e-58:558:76//AC005066
- R-OVARC1001795
- R-OVARC1001802//Human HLA class III region containing cAMP response element binding protein-related protein (CREB-RP) and tenascin X (tenascin-X) genes, complete cds, complete sequence.//1.1e-37:346:78//U89337
- 45 R-OVARC1001805//Human DNA sequence from clone 511E16 on chromosome 6p24.3-25.1. Contains the last coding exon of the gene for P18 component of aminoacyl-tRNA synthetase complex, part of an unknown gene downstream of a putative CpG island, and an STS with a CA repeat polymorphism, complete sequence.//3.0e-112:581:95//AL023694
- R-OVARC1001812//Human DNA sequence from clone 227L5 on chromosome Xp11.22-11.3. Contains a Keratin, Type 1 Cytoskeletal 18 (KRT18, CYK18, K18, CK18) pseudogene and an STS, complete sequence.//6.6e-41:345:81//AL031585
- 50 R-OVARC1001813//CITBI-E1-2508J18.TR CITBI-E1 Homo sapiens genomic clone 2508J18, genomic survey sequence.//1.6e-72:386:95//AQ263046
- R-OVARC1001820//Human PAC clone DJ525N14 from Xq23, complete sequence.//4.8e-41:320:83//AC002086
- 55 R-OVARC1001828//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//3.4e-08:527:58//AC004688
- R-OVARC1001846//CIT-HSP-2014F15.TR CIT-HSP Homo sapiens genomic clone 2014F15, genomic survey sequence.//0.0045:165:67//B58905

- R-OVARC1001861//M.musculus mRNA for pMEM2 protein.//9.5e-28:405:68//X95350
R-OVARC1001873//Homo sapiens clones 24718 and 24825 mRNA sequence.//5.9e-104:571:91//AF070611
R-OVARC1001879//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from
5 gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island,
complete sequence.//9.1e-20:206:80//AL031864
R-OVARC1001880//RPC11-42115.TJ RPC11 Homo sapiens genomic clone R-42115, genomic survey se-
quence.//3.9e-50:287:88//AQ052700
R-OVARC1001883//Homo sapiens chromosome 17, clone hCIT.123_J_14, complete sequence.//6.1e-13:457:63//
AC003950
10 R-OVARC1001900//Homo sapiens tumorous imaginal discs protein Tid56 homolog (TID1) mRNA, complete cds.//
2.5e-86:346:90//AF061749
R-OVARC1001901//Homo sapiens testis specific methyl-CpG binding protein MBD2 (MBD2) mRNA, partial cds.//
7.2e-89:421:100//AF072246
R-OVARC1001911//Homo sapiens full-length insert cDNA clone ZD52F10.//8.2e-106:510:98//AF086315
15 R-OVARC1001916
R-OVARC1001928
R-OVARC1001942//S.cerevisiae N-acetyltransferase (AAA1) mRNA, complete cds.//0.0013:231:63//M23166
R-OVARC1001943//Human immunodeficiency virus type 1, strain FRMP329, envelope glycoprotein V3 region
(env) gene, partial cds.//0.14:173:64//U58826
20 R-OVARC1001949//Human zinc finger protein 20 (ZNF20) pentanucleotide repeat polymorphism.//1.3e-09:306:
63//M99593
R-OVARC1001950//Homo sapiens chromosome 17, clone hRPK.112_H_10, complete sequence.//8.2e-38:385:
75//AC005666
R-OVARC1001987
25 R-OVARC1001989//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y57G11,
WORKING DRAFT SEQUENCE.//6.3e-08:355:60//Z92841
R-OVARC1002044//Human DNA sequence from clone 681J21 on chromosome 1q23.2-24.3 Contains CpG island,
complete sequence.//5.0e-42:298:86//AL031286
R-OVARC1002050//Homo sapiens mRNA for KIAA0465 protein, partial cds.//1.4e-107:542:96//AB007934
30 R-OVARC1002066//Arabidopsis thaliana chromosome II BAC F14M4 genomic sequence, complete sequence.//
0.23:210:61//AC004411
R-OVARC1002082//Homo sapiens clone DJ0965K10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//
5.4e-99:546:92//AC006015
R-OVARC1002107//Human DNA sequence from PAC 417G15 on chromosome Xq25-Xq26. Contains glypican-3
precursor (intestinal protein OCI-5) (GTR2-2), pseudogene, ESTs.//4.4e-34:375:74//AL009174
35 R-OVARC1002127
R-OVARC1002138//CIT-HSP-2290O18.TF CIT-HSP Homo sapiens genomic clone 2290O18, genomic survey se-
quence.//2.4e-07:316:62//AQ003988
R-OVARC1002143//RPC11-54M8.TJ RPC11 Homo sapiens genomic clone R-54M8, genomic survey sequence.//
40 2.3e-35:220:90//AQ083241
R-OVARC1002156
R-OVARC1002158//CITBI-E1-2514D4.TF CITBI-E1 Homo sapiens genomic clone 2514D4, genomic survey se-
quence.//1.6e-12:140:79//AQ265720
R-OVARC1002165//CIT-HSP-2307C9.TF CIT-HSP Homo sapiens genomic clone 2307C9, genomic survey se-
45 quence.//5.0e-59:291:99//AQ020420
R-OVARC1002182//P. falciparum SD17 gene for knob-associated histidine-rich protein.//0.74:161:65//Y00060
R-PLACE1000004//D.discoideum gene for protein kinase.//0.00081:263:59//Z37981
R-PLACE1000005//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING
DRAFT SEQUENCE, 9 unordered pieces.//0.0082:477:58//AC005507
50 R-PLACE1000007//Homo sapiens clone 24422 mRNA sequence.//1.2e-14:100:97//AF070557
R-PLACE1000014//Homo sapiens genomic DNA, chromosome 21q22.2, p1 clone: T1212 and T1601, WORKING
DRAFT SEQUENCE.//2.8e-44:405:77//D83253
R-PLACE1000031//Homo sapiens clone UWGC:y23c049 from 6p21, complete sequence.//1.8e-24:291:73//
AC006162
55 R-PLACE1000040//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y105C5,
WORKING DRAFT SEQUENCE.//0.00039:289:61//Z98855
R-PLACE1000048//Human BAC clone RG210I04, complete sequence.//4.7e-83:518:89//AC002462
R-PLACE1000050//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING

EP 1 074 617 A2

DRAFT SEQUENCE, 8 unordered pieces.//0.98:73:76//AC005505
R-PLACE1000061//Human ribosomal protein L37a mRNA sequence.//5.9e-21:125:98//L22154
R-PLACE1000066
5 R-PLACE1000078//Homo sapiens chromosome 11 clone CIT987SK-1012F4, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.2e-87:456:95//AC005848
R-PLACE1000081
R-PLACE1000094//RPCI11-91K6.TV RPCI11 Homo sapiens genomic clone R-91K6, genomic survey sequence.//2.3e-83:409:98//AQ282619
10 R-PLACE1000133//Homo sapiens chromosome 17, clone hRPK.746_E_8, complete sequence.//1.8e-06:420:57//AC005358
R-PLACE1000142
R-PLACE1000184//Homo sapiens estrogen-related receptor gamma mRNA, complete cds.//1.3e-112:594:94//AF058291
R-PLACE1000185
15 R-PLACE1000213//CIT-HSP-2308A18.TR CIT-HSP Homo sapiens genomic clone 2308A18, genomic survey sequence.//8.2e-80:410:97//AQ022149
R-PLACE1000214//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-09, complete sequence.//1.6e-05:548:59//AL008989
R-PLACE1000236//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 695O20, WORKING
20 DRAFT SEQUENCE.//2.2e-16:118:91//AL032818
R-PLACE1000246//X.laevis mRNA for XLCL2 protein.//6.5e-13:66:95//Z14122
R-PLACE1000292//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 111B22, WORKING DRAFT SEQUENCE.//6.6e-41:322:84//Z98200
R-PLACE1000332//Homo sapiens chromosome 17, clone hCIT.281_F_24, complete sequence.//1.8e-16:598:62//
25 AC004706
R-PLACE1000347//Homo sapiens PAC clone DJ1090P18 from 7q21-q22, complete sequence.//2.3e-11:237:69//AC005326
R-PLACE1000374//Arabidopsis thaliana chromosome 1 BAC F15K9 sequence, complete sequence.//8.7e-09:492:58//AC005278
30 R-PLACE1000380//Plasmodium falciparum chromosome 2, section 1 of 73 of the complete sequence.//0.59:354:59//AE001364
R-PLACE1000383//Mus musculus myotubularin related protein 1 (Mtmr1) mRNA, complete cds.//0.55:65:84//AF073997
R-PLACE1000401//Homo sapiens clone GS166C05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.6e-17:152:83//AC005015
35 R-PLACE1000406//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K21H1, complete sequence.//0.51:346:58//AB020742
R-PLACE1000420//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 2/15, WORKING DRAFT SEQUENCE.//1.5e-25:243:79//AP000009
40 R-PLACE1000421//HS_2251_B2_G12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2251 Col=24 Row=N, genomic survey sequence.//1.4e-82:430:95//AQ192807
R-PLACE1000424//Human PAC clone DJ515N1 from 22q11.2-q22, complete sequence.//1.8e-36:483:71//AC002073
R-PLACE1000435//Homo sapiens chromosome 21q22.2 cosmid clone Q71A3, complete sequence.//2.6e-37:371:76//AF015724
45 R-PLACE1000444//Homo sapiens chromosome 17, clone hRPK.227_G_15, complete sequence.//1.0e-54:429:81//AC005899
R-PLACE1000453//Murine genomic DNA; partially digested Sau3A fragment, cloned into cosmid vector pEMBLcos2, complete sequence.//0.66:103:72//AF059580
50 R-PLACE1000481//Human DNA sequence from clone 960O17 on chromosome Xp11.21-11.22 Contains EST, CA repeat(DXS991), STS, GSS, complete sequence.//0.019:171:66//AL022166
R-PLACE1000492//Rat vacuolar protein sorting homolog r-vps33b mRNA, complete cds.//3.2e-17:221:72//U35245
R-PLACE1000540//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING
55 DRAFT SEQUENCE, 5 unordered pieces.//0.00045:480:60//AC005308
R-PLACE1000547//Homo sapiens chromosome 19, cosmid F17987, complete sequence.//9.6e-32:231:85//AC004790
R-PLACE1000562//, complete sequence.//1.8e-45:280:92//AC005409

EP 1 074 617 A2

R-PLACE1000564//Human chromosome 16 creatine transporter (SLC6A8) and (CDM) paralogous genes, complete cds.//0.0079:180:65//U41302

R-PLACE1000583//Homo sapiens chromosome 17, clone hRPK.799_N_11, complete sequence.//1.5e-37:414:74//AC005323

5 R-nnnnnnnnnnnn//Human guanylate binding protein isoform I (GBP-2) mRNA, complete cds.//1.9e-77:542:82//M55542

R-PLACE1000596//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.00019:482:59//AC005506

10 R-PLACE1000599//Human germline T-cell receptor beta chain Dopamine-beta-hydroxylase-like, TRY1, TRY2, TRY3, TCRBV27S1P, TCRBV22S1A2N1T, TCRBV9S1A1T, TCRBV7S1A1N2T, TCRBV5S1A1T, TCRBV13S3, TCRBV6S7P, TCRBV7S3A2T, TCRBV13S2A1T, TCRBV9S2A2PT, TCRBV7S2A1N4T, TCRBV13S9/13S2A1T, TCRBV6S5A1N1, TCRBV30S1P, TCRBV31S1, TCRBV13S5, TCRBV6S1A1N1, TCRBV32S1P, TCRBV5S5P, TCRBV1S1A1N1, TCRBV12S2A1T, TCRBV21S1, TCRBV8S4P, TCRBV12S3, TCRBV21S3A2N2T, TCRBV8S5P, TCRBV13S1 genes from bases 1 to 267156 (section 1 of 3).//5.6e-51:369:85//U66059

15 R-PLACE1000610//HS_3071_A1_C05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3071 Col=9 Row=E, genomic survey sequence.//0.051:147:65//AQ103341

R-PLACE1000636//HS_3220_B2_E09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3220 Col=18 Row=J, genomic survey sequence.//0.010:253:64//AQ181157

20 R-PLACE1000653//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//1.6e-99:506:96//AF102265

R-PLACE1000656//Homo sapiens mRNA for JM4 protein, complete CDS (clone IMAGE 546750 and LLNLc110F1857Q7 (RZPD Berlin)).//4.5e-101:559:92//AJ005896

R-PLACE1000706//nuclear protein TIF1 [mice, mRNA, 3951 nt].//9.1e-10:331:63//S78219

25 R-PLACE1000712//Homo sapiens full-length insert cDNA clone ZD76G10.//1.0e-69:345:98//AF086408

R-PLACE1000716//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-279B10, complete sequence.//1.0:174:62//AC002300

R-PLACE1000748//Plasmodium falciparum MAL3P3, complete sequence.//1.0e-06:337:60//Z98547

R-PLACE1000749//cSRL-15g9-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-15g9, genomic survey sequence.//8.8e-26:236:80//B02791

30 R-PLACE1000755//HS_2183_B1_H11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2183 Col=21 Row=P, genomic survey sequence.//0.47:151:65//AQ064202

R-PLACE1000769//Homo sapiens clone DJ0647J21, WORKING DRAFT SEQUENCE, 10 unordered pieces.//7.0e-38:492:74//AC004847

35 R-PLACE1000785//Homo sapiens mRNA for KIAA0648 protein, partial cds.//2.6e-101:513:96//AB014548

R-PLACE1000786//Human putative outer mitochondrial membrane 34 kDa translocase hTOM34 mRNA, complete cds.//0.078:180:68//U58970

R-nnnnnnnnnnnn

R-PLACE1000798//Homo sapiens cosmid D66B10, chromosome 21 5' of IFNAR1.//5.1e-26:348:72//AF039904

40 R-PLACE1000841//Human guanine nucleotide regulatory protein (NET1) mRNA, complete cds.//1.4e-26:110:95//U02081

R-nnnnnnnnnnnn//Homo sapiens full-length insert cDNA clone ZD55D10.//1.4e-13:93:96//AF086334

R-PLACE1000856//Anopheles quadrimaculatus NADH dehydrogenase subunits (1-4, 4L, 5-6); cytochrome oxidase subunits (1-3); adenosine triphosphatase subunits (6,8); cytochrome b; transfer RNA; ribosomal RNA (large and small subunits).//2.7e-09:484:59//L04272

45 R-PLACE1000863

R-PLACE1000909//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//3.0e-05:274:60//AC005505

50 R-PLACE1000931//RPCI11-66P7.TK RPCI11 Homo sapiens genomic clone R-66P7, genomic survey sequence.//3.4e-73:369:97//AQ237489

R-PLACE1000948//RPCI11-64K15.TK RPCI11 Homo sapiens genomic clone R-64K15, genomic survey sequence.//6.6e-06:258:62//AQ239337

R-PLACE1000972//Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.//8.3e-20:223:76//AC005553

55 R-PLACE1000977//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.00030:448:59//AC005506

R-PLACE1000979

R-PLACE1001000//CIT-HSP-229718.TF CIT-HSP Homo sapiens genomic clone 229718, genomic survey se-

quence.//7.0e-07:64:95//AQ004997

R-PLACE1001007//Human endothelial nitric oxide synthase gene, complete cds.//0.0078:215:64//D26607

R-PLACE1001010

R-PLACE1001015//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 150C2, WORKING DRAFT SEQUENCE.//1.5e-16:452:63//AL022318

R-PLACE1001024//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 417M14, WORKING DRAFT SEQUENCE.//0.99:186:63//AL024498

R-PLACE1001036//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.5e-15:313:68//AC005377

R-PLACE1001062//Homo sapiens chromosome 17, clone hCIT54K19, complete sequence.//7.3e-16:119:84//AC003664

R-PLACE1001076

R-PLACE1001088//Human DNA sequence from cosmid 203C2, between markers DXS6791 and DXS8038 on chromosome X contains ESTs.//0.97:332:59//Z74696

R-PLACE1001092//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//6.2e-07:302:62//AC005139

R-PLACE1001104//Plasmodium falciparum chromosome 2, section 9 of 73 of the complete sequence.//0.057:280:60//AE001372

R-PLACE1001118//Homo sapiens DNA sequence from PAC 418A9 on chromosome 6q21. Contains the first (5') two exons of a CDK8 (Cell Division Protein Kinase 8) LIKE gene, a Neutral Calponin LIKE pseudogene, ESTs and STSs, complete sequence.//4.9e-06:334:60//Z84480

R-PLACE1001136//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//1.1e-31:331:75//AC005412

R-PLACE1001168//HS_2036_A1_H04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2036 Col=7 Row=O, genomic survey sequence.//0.40:144:63//AQ230662

R-PLACE1001171

R-PLACE1001185

R-PLACE1001238//Human coxVIb gene, last exon and flanking sequence.//3.4e-36:349:76//X58139

R-PLACE1001241//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-20, complete sequence.//0.11:258:61//AL008972

R-PLACE1001257//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone B4P3; HTGS phase 1, WORKING DRAFT SEQUENCE, 9 unordered pieces.//1.9e-46:484:73//AC000016

R-PLACE1001272//Homo sapiens chromosome 21q22.3 PAC 191P10, complete sequence.//0.89:119:65//AF045448

R-PLACE1001279//Caenorhabditis elegans cosmid Y39A1C, complete sequence.//0.99:95:69//AL023839

R-PLACE1001280//CIT-HSP-2328B24.TF CIT-HSP Homo sapiens genomic clone 2328B24, genomic survey sequence.//5.4e-24:147:76//AQ042129

R-PLACE1001294//M.musculus GEG-154 mRNA.//1.3e-22:472:65//X71642

R-PLACE1001304//Homo sapiens chromosome 19, overlapping cosmids F18547, F11133, R27945, R28830 and R32804, complete sequence.//2.2e-22:139:77//AC003682

R-PLACE1001311//Loligo pealei repeat region.//0.84:232:64//Z18286

R-PLACE1001323//Homo sapiens DNA sequence from PAC 418A9 on chromosome 6q21. Contains the first (5') two exons of a CDK8 (Cell Division Protein Kinase 8) LIKE gene, a Neutral Calponin LIKE pseudogene, ESTs and STSs, complete sequence.//7.2e-39:308:83//Z84480

R-PLACE1001351//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y39B6, WORKING DRAFT SEQUENCE.//0.0018:408:59//Z95399

R-PLACE1001366//Human Na⁺/phosphate co-transporter gene, exon 1, partial sequence.//2.2e-46:369:82//D89927

R-PLACE1001377//Homo sapiens ADAM10 (ADAM10) mRNA, complete cds.//7.1e-80:431:93//AF009615

R-PLACE1001383//Homo sapiens clone 24538 mRNA sequence.//3.6e-35:192:97//AF055030

R-PLACE1001384//Homo sapiens mRNA for multi PDZ domain protein.//2.6e-86:456:94//AJ001319

R-PLACE1001387

R-PLACE1001395//Nyctalus leisleri mitochondrial D-loop, partial sequence.//0.054:148:68//U95355

R-PLACE1001399//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//6.7e-70:352:98//AC005412

R-PLACE1001412//Homo sapiens clone 643 unknown mRNA, complete sequence.//8.0e-44:242:95//AF091087

R-PLACE1001414//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//0.12:53:84//AC006241

EP 1 074 617 A2

R-PLACE1001440//Homo sapiens Xq28 genomic DNA in the region of the ALD locus containing the genes for creatine transporter (SLC6A8), CDM, adrenoleukodystrophy (ALD), Na⁺-isocitrate dehydrogenase gamma subunit (IDH), and translocon-associated protein delta (TRAP) genes, complete cds, plexin related protein (PLEXR) and serine kinase (SK) genes, partial cds, Xq281u1 gene and cytochrome C (CCp) pseudogene.//1.0:250:61//U52111

5 R-PLACE1001456//Borrelia burgdorferi (section 16 of 70) of the complete genome.//0.0077:173:62//AE001130

R-PLACE1001468//HS_3050_A2_D07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3050 Col=14 Row=G, genomic survey sequence.//0.00023:202:65//AQ133920

R-PLACE1001484//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3, complete sequence.//7.2e-17:180:80//AC002368

10 R-PLACE1001502//RPCI11-24F2.TP RPCI-11 Homo sapiens genomic clone RPCI-11-24F2, genomic survey sequence.//0.15:203:66//B84401

R-PLACE1001503//HS_2183_A1_B10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2183 Col=19 Row=C, genomic survey sequence.//1.3e-38:181:82//AQ022613

R-PLACE1001517//Homo sapiens hGAA1 mRNA, complete cds.//6.4e-56:339:90//AB006969

15 R-PLACE1001534//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 620E11, WORKING DRAFT SEQUENCE.//8.6e-59:304:97//AL031667

R-PLACE1001545//Homo sapiens chromosome 3, clone hRPK.165_I_16, complete sequence.//2.6e-18:171:82//AC 005669

R-PLACE1001551

20 R-PLACE1001570//M.capricolum DNA for CONTIG MC188.//0.0043:305:57//Z33135

R-PLACE1001602//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//2.5e-82:408:98//AB020860

R-PLACE1001603//Homo sapiens KE05 protein mRNA, complete cds.//1.5e-40:295:84//AF064605

R-PLACE1001610//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.5e-39:307:82//AC005037

25 R-PLACE1001611//Homo sapiens histone macroH2A1.2 mRNA, complete cds.//4.9e-41:217:97//AF054174

R-PLACE1001632//Human DNA binding protein (HPF2) mRNA, complete cds.//1.4e-08:178:65//M27878

R-PLACE1001634//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone H06C16, WORKING DRAFT SEQUENCE.//0.00026:221:62//Z92791

30 R-PLACE1001640//Homo sapiens chromosome 17, clone hRPK.651_L_9, complete sequence.//2.6e-83:441:95//AC005971

R-PLACE1001672//H.sapiens flow-sorted chromosome 6 TaqI fragment, SC6pA26H8.//0.91:115:69//Z79253

R-PLACE1001691//Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds.//1.5e-111:545:97//AF069250

35 R-PLACE1001692//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//1.0e-46:478:75//AC005077

R-PLACE1001705//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 250D10, WORKING DRAFT SEQUENCE.//0.79:91:73//Z99716

R-PLACE1001716//Homo sapiens Xp22 PAC RPCI1-167A22 (from Roswell Park Cancer Center) complete sequence.//0.96:172:66//AC002349

40 R-PLACE1001720

R-PLACE1001729//Human interleukin-13 (IL-13) precursor gene, complete cds.//0.79:280:60//U31120

R-PLACE1001739//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//1.0:109:65//AC005261

45 R-PLACE1001740//Homo sapiens BAC clone GS114I09 from 7p14-p15, complete sequence.//5.3e-11:249:67//AC006027

R-PLACE1001745

R-PLACE1001746//Homo sapiens chromosome 4 clone B200N5 map 4q25, complete sequence.//6.0e-05:337:61//AC005509

50 R-PLACE1001748//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//1.3e-91:540:89//AF061243

R-PLACE1001756//Human BAC clone RG302F04 from 7q31, complete sequence.//0.074:344:62//AC002463

R-PLACE1001761

R-PLACE1001771//Homo sapiens full-length insert cDNA clone ZD79C11.//4.4e-57:298:96//AF086426

R-PLACE1001781//T.thermophila micronuclear DNA containing to chromosomal breakage sequence Cbs-1, clone Ti819.//4.6e-05:282:61//M15711

55 R-PLACE1001799//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.015:331:58//AC004710

R-PLACE1001817//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//

4.1e-92:463:95//AF058953
 R-PLACE1001821//***ALU WARNING: Human Alu-J subfamily consensus sequence.//3.6e-36:281:82//U14567
 R-PLACE1001845//Mus musculus Paneth cell enhanced expression PCEE mRNA, complete cds.//9.1e-26:313:73//U37351
 5 R-PLACE1001869
 R-PLACE1001897//Mus musculus homeobox protein (D1x5) mRNA, complete cds.//0.0043:207:64//AF033011
 R-PLACE1001912//RPCI11-25F23.TKBR RPCI-11 Homo sapiens genomic clone RPCI-11-25F23, genomic survey sequence.//6.3e-33:248:67//AQ013567
 R-PLACE1001920//Homo sapiens TNF-induced protein GG2-1 mRNA, complete cds.//5.0e-73:363:98//AF070671
 10 R-PLACE1001928//Homo sapiens chromosome 17, clone hRPK.642_C_21, complete sequence.//0.98:248:60//AC005245
 R-PLACE1001983//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y40H7, WORKING DRAFT SEQUENCE.//0.12:157:61//AL021389
 R-PLACE1001989//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING DRAFT SEQUENCE.//1.4e-44:376:80//AL023755
 15 R-PLACE1002046//CITBI-E1-2520J24.TF CITBI-E1 Homo sapiens genomic clone 2520J24, genomic survey sequence.//4.5e-20:144:89//AQ280117
 R-PLACE1002052//Human DNA sequence from cosmid U160A4, between markers DXS366 and DXS87 on chromosome X contains STS.//0.025:362:57//Z80900
 20 R-PLACE1002066//Leishmania tarentolae maxicircle DNA fragment.//0.0034:197:62//X02438
 R-PLACE1002072//Homo sapiens chromosome 5, P1 clone 854b11 (LBNL H44), complete sequence.//9.7e-06:414:60//AC004763
 R-PLACE1002073
 R-PLACE1002090//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-345G4 ~complete genomic sequence, complete sequence.//1.8e-06:278:63//AC002302
 25 R-PLACE1002115//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y214H10, WORKING DRAFT SEQUENCE.//6.0e-12:327:64//AL022344
 R-PLACE1002119//Mus musculus IERS (Ier5) mRNA, complete cds.//5.1e-67:442:86//AF079527
 R-PLACE1002140//Homo sapiens DNA sequence from PAC 454M7 on chromosome Xq25-26.3. Contains the OCRL1 gene for Lowe Oculocerebrorenal Syndrome protein OCRL-1.
 30 Contains ESTs, STSs and GSSs, complete sequence.//2.2e-80:403:97//AL022162 R-PLACE1002150//Human DNA sequence from PAC 145B12 on chromosome Xq27-Xq28. Contains EST, CA repeat and STS.//0.043:455:59//AL008706
 R-PLACE1002157//Human DNA sequence from Fosmid 65B7 on chromosome 22q11.2-qter. Contains exons 6-12 of the SLC5A1 (SGLT1) gene for solute carrier family 5 (sodium/glucose cotransporter) member 1 (High Affinity Sodium-Glucose Cotransporter), complete sequence.//9.8e-58:384:79//Z83849
 35 R-PLACE1002163//Canis familiaris MHC class IIA DLA-DQA (DQA 1 allele) gene, exon 2, partial cds.//0.82:96:70//U44785
 R-PLACE1002171//Homo sapiens PAC clone DJ1100F23 from 7q31, complete sequence.//0.83:196:65//AC004456
 40 R-PLACE1002205//Human DNA sequence from PAC 436M11 on chromosome Xp22.11-22.2. Contains the serine threonine protein phosphatase gene PPEF1, and the first coding exon of the RS1 gene for retinoschisis (X-linked, juvenile) 1 (XLR51). Contains ESTs, an STS and GSSs, complete sequence.//0.0017:193:61//Z94056
 R-PLACE1002213//Homo sapiens chromosome 19, fosmid 37308, complete sequence.//8.0e-42:330:81//AC004152
 45 R-PLACE1002227//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//2.1e-10:126:80//AC003071
 R-PLACE1002256//Homo sapiens clone DJ0853H20, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.7e-06:478:57//AC004907
 50 R-PLACE1002259//Human DNA sequence from cosmid U75A4 on chromosome X.//6.5e-81:501:88//Z82255
 R-PLACE1002319//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.00023:549:58//AC005505
 R-PLACE1002342//Homo sapiens mRNA for KIAA0728 protein, partial cds.//4.9e-94:501:93//AB018271
 R-PLACE1002395//Homo sapiens chromosome 19, cosmid R34382, complete sequence.//1.4e-69:385:93//AC005329
 55 R-PLACE1002399//Human HepG2 3' region cDNA, clone hmd5d06.//2.4e-71:411:92//D16939
 R-PLACE1002433//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 173D1, WORKING DRAFT SEQUENCE.//0.85:176:63//AL031984

R-PLACE1002437//Human BAC clone RG114A06 from 7q31, complete sequence.//0.0040:213:63//AC002542
 R-PLACE1002438//CITBI-E1-2501M20.TF.1 CITBI-E1 Homo sapiens genomic clone 2501M20, genomic survey
 sequence.//0.70:247:61//AQ242104
 5 R-PLACE1002450//Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3.//
 0.00060:471:59//AJ229041
 R-PLACE1002465//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//
 2.5e-10:98:81//AC004854
 R-PLACE1002474//Mus musculus matrilin-2 precursor mRNA, complete cds.//1.7e-25:199:71//U69262
 10 R-PLACE1002477//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE
 LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs.
 Contains polymorphic CA repeat.//1.2e-11:382:63//Z92545
 R-PLACE1002493//Homo sapiens signal transducing adaptor molecule 2A (STAM2) mRNA, complete cds.//1.1e-
 53:307:91//AF042273
 R-PLACE1002499//Plasmodium falciparum MAL3P6, complete sequence.//0.56:270:60//Z98551
 15 R-PLACE1002500//CIT-HSP-2337C20.TR CIT-HSP Homo sapiens genomic clone 2337C20, genomic survey se-
 quence.//3.2e-42:297:85//AQ037614
 R-PLACE1002514//Human DNA Sequence *** SEQUENCING IN PROGRESS *** from clone 212A2, WORKING
 DRAFT SEQUENCE.//7.8e-16:221:73//Z95114
 R-PLACE1002529//Homo sapiens mRNA for KIAA0713 protein, partial cds.//1.6e-86:582:85//AB018256
 20 R-PLACE1002532//Homo sapiens BAC clone RG300E22 from 7q21-q31.1, complete sequence.//9.0e-91:453:97//
 AC004774
 R-PLACE1002537//Hansenula wingei mitochondrial gene for NADH dehydrogenase subunit 5, complete cds.//
 0.0042:489:60//D16253
 R-PLACE1002571//Apis mellifera ligustica complete mitochondrial genome.//0.034:493:55//L06178
 25 R-PLACE1002578//Homo sapiens chromosome 5, Pac clone 9c13 (LBNL H127), complete sequence.//2.5e-44:
 292:84//AC006084
 R-PLACE1002583//Homo sapiens wbscr1 (WBSCR1) and replication factor C subunit 2 (RFC2) genes, complete
 cds.//3.1e-17:517:61//AF045555
 R-PLACE1002591
 30 R-PLACE1002598//Caenorhabditis elegans cosmid Y37D8A, complete sequence.//0.080:308:60//AL032626
 R-PLACE1002604//Human cosmid LL12NC01-88A9, ETV6 gene, exons 6, 7 and 8 and partial cds.//0.0013:176:
 65//U63313
 R-PLACE1002625//HS_2233_B2_H04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=2233 Col=8 Row=P, genomic survey sequence.//5.2e-13:137:79//AQ146663
 35 R-PLACE1002665//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//5.8e-46:272:94//
 AF079765
 R-PLACE1002685//Homo sapiens B cell linker protein BLNK mRNA, alternatively spliced, complete cds.//1.2e-
 77:390:97//AF068180
 R-PLACE1002714//Mus musculus clone OST2473, genomic survey sequence.//1.3e-35:328:78//AF046656
 40 R-PLACE1002722//Sequence 1 from patent US 5686597.//1.7e-42:276:89//I73723
 R-PLACE1002768//Homo sapiens Xp22 bins 169-171 BAC GSHB-383H3 (Genome Systems Human BAC Library)
 complete sequence.//0.0098:197:64//AC005185
 R-PLACE1002772//Homo sapiens PAC clone DJ0560Q14 from 7q21.1-q21.2, complete sequence.//6.7e-49:378:
 82//AC006145
 45 R-PLACE1002782
 R-PLACE1002794
 R-PLACE1002811//CIT-HSP-2316H11.TF CIT-HSP Homo sapiens genomic clone 2316H11, genomic survey se-
 quence.//6.0e-50:250:100//AQ034981
 R-PLACE1002815//Sequence 2 from patent US 5747660.//2.7e-59:312:84//AR005279
 50 R-PLACE1002816//Homo sapiens 12q13.1 PAC RPC15-1057I20 (Roswell Park Cancer Institute Human PAC li-
 brary) complete sequence.//6.3e-59:339:93//AC004466
 R-PLACE1002834//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//1.4e-78:413:95//
 M27877
 R-PLACE1002839//Homo sapiens PAC clone DJ0015I23 from 22, complete sequence.//6.5e-25:301:74//
 AC004819
 55 R-PLACE1002851//CIT-HSP-2317M9.TR CIT-HSP Homo sapiens genomic clone 2317M9, genomic survey se-
 quence.//0.0011:210:61//AQ040519
 R-PLACE1002853//Human interleukin 6 (IL6) gene, 3' flank.//5.8e-06:327:61//J03049

R-PLACE1002881
R-PLACE1002908//HS_3064_A1_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=7 Row=G, genomic survey sequence.//1.9e-09:156:72//AQ142985
R-PLACE1002941
5 R-PLACE1002962
R-PLACE1002968//Human DNA sequence from clone 109F14 on chromosome 6p21.2-21.3. Contains the alternatively spliced gene for Transcriptional Enhancer Factor TEF-5, the 60S Ribosomal Protein RPL10A gene, a PUTATIVE ZNF127 LIKE gene, and the PPARD for Peroxisome Proliferator Activated Receptor Delta (PPAR-Delta, PPAR-Beta, Nuclear Hormone Receptor 1, NUC1, NUCI, PPARB). Contains three putative CpG islands, ESTs,
10 STSs, GSSs and a ca repeat polymorphism, complete sequence.//1.9e-32:314:77//AL022721
R-PLACE1002991//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING DRAFT SEQUENCE.//1.6e-42:343:81//AL023755
R-PLACE1002993//Homo sapiens PAC clone DJ0899E09 from 7q11.23-q21.1, complete sequence.//0.56:88:72//AC004921
15 R-PLACE1002996//HS_2064_A1_A05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2064 Col=9 Row=A, genomic survey sequence.//4.9e-18:117:95//AQ243211
R-PLACE1003025//Homo sapiens PAC clone DJ0560O14 from 7q21.1-q21.2, complete sequence.//0.26:428:58//AC006145
R-PLACE1003027//Homo sapiens chromosome 17, clone hRPK.700_H_6, complete sequence.//1.3e-95:465:98//
20 AC005920
R-PLACE1003044
R-PLACE1003092//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-89, complete sequence.//3.6e-05:358:60//AL010266
R-PLACE1003100//HS_2244_A2_H12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2244 Col=24 Row=O, genomic survey sequence.//2.3e-42:288:86//AQ084224
25 R-PLACE1003108//Homo sapiens clone DJ0781A18, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.00066:233:61//AC004885
R-PLACE1003136//Plasmodium falciparum MAL3P2, complete sequence.//0.019:429:57//AL034558
R-PLACE1003145
30 R-PLACE1003153//Homo sapiens Xp22 BAC GSHB-536K7 (Genome Systems Human BAC library) complete sequence.//3.2e-05:390:58//AC004616
R-PLACE1003174//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MTE17, complete sequence.//2.4e-06:390:60//AB015479
R-PLACE1003176
35 R-PLACE1003190//Homo sapiens clone RG332P12, WORKING DRAFT SEQUENCE, 1 unordered pieces.//4.0e-78:406:81//AC005095
R-PLACE1003200//Plasmodium falciparum MAL3P6, complete sequence.//0.016:411:57//Z98551
R-PLACE1003205//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.00084:288:61//AC005139
40 R-PLACE1003238//Homo sapiens full-length insert cDNA clone ZD79H11.//7.6e-114:567:96//AF086432
R-PLACE1003249//Human Chromosome X, complete sequence.//1.3e-45:317:85//AC002416
R-PLACE1003256//Homo sapiens chromosome 17, clone HCIT421K24, complete sequence.//1.0e-45:328:85//AC004099
R-PLACE1003258
45 R-PLACE1003296//Diphroporia sp. 16S ribosomal RNA gene, mitochondrial gene encoding mitochondrial rRNA, partial sequence.//0.050:228:59//U39952
R-PLACE1003302//Figure 2. Nucleotide and translated protein sequences of HPF1, 2, and-9.//1.7e-91:458:96//M27877
R-PLACE1003334//Homo sapiens DNA sequence from BAC 217C2 on chromosome 22q13-q13.33. Contains a gene for the presumptive isolog of Rat RTP60 (nuclear pore complex protein Npap60). Contains ESTs, complete
50 sequence.//4.3e-34:370:71//Z82243
R-PLACE1003342//CIT-HSP-2311D21.TF CIT-HSP Homo sapiens genomic clone 2311D21, genomic survey sequence.//1.0:159:68//AQ020460
R-PLACE1003343//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.1e-05:330:61//AC004153
55 R-PLACE1003353//Homo sapiens breast cancer antiestrogen resistance 3 protein (BCAR3) mRNA, complete cds.//3.4e-98:469:98//U92715
R-PLACE1003361

R-PLACE1003366//Homo sapiens CAG repeated sequence.//0.018:319:61//AJ006805
 R-PLACE1003369//T18H17-T7 TAMU Arabidopsis thaliana genomic clone T18H17, genomic survey sequence.//0.050:155:63//B20174
 5 R-PLACE1003373//Homo sapiens chromosome 17, clone hRPC.1050_D_4, complete sequence.//1.2e-62:434:83//AC004771
 R-PLACE1003375//Dictyostelium discoideum golgesin (gol) gene, complete cds.//0.042:263:57//U89350
 R-PLACE1003383//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 10/10.//1.7e-83:429:96//AB020878
 10 R-PLACE1003401//Homo sapiens chromosome 17, clone hRPK.85_B_7, complete sequence.//2.4e-13:175:76//AC005695
 R-PLACE1003420//Homo sapiens PAC clone DJ0988G15 from 7q33-q35, complete sequence.//2.1e-05:340:61//AC005587
 R-PLACE1003454//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-64, complete sequence.//0.47:411:58//AL009014
 15 R-PLACE1003478//M.capricolum DNA for CONTIG MC175.//0.51:253:59//Z33125
 R-PLACE1003493//Homo sapiens chromosome 17, clone hRPK.394_K_10, complete sequence.//4.6e-37:319:81//AC006080
 R-PLACE1003516//CIT-HSP-2295M19.TF CIT-HSP Homo sapiens genomic clone 2295M19, genomic survey sequence.//1.0e-40:251:90//AQ007480
 20 R-PLACE1003519//Homo sapiens chromosome 21q22.3 PAC 141B3, complete sequence, containing ribosomal protein homologue pseudogene L23a.//2.7e-29:163:89//AF064859
 R-PLACE1003521//HS_3252_A2_G05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3252 Col=10 Row=M, genomic survey sequence.//0.00017:274:60//AQ221562
 R-PLACE1003528//HS_2041_B1_B07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2041 Col=13 Row=D, genomic survey sequence.//6.6e-40:219:83//AQ230483
 25 R-PLACE1003537//Drosophila melanogaster mitochondrial cytochrome c oxidase subunits, ATPase6, 7 tRNAs (Trp, Cys, Tyr, Leu(UUR), Lys, Asp, Gly) genes, and unidentified reading frames A61, 2 and 3.//8.3e-05:300:61//J01404
 R-PLACE1003553//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 97P20, WORKING DRAFT SEQUENCE.//2.7e-87:450:96//AL031297
 30 R-PLACE1003566
 R-PLACE1003575//Homo sapiens chromosome 16, cosmid clone 325D7, complete sequence.//4.7e-20:148:78//AC003965
 R-PLACE1003583//Human DNA sequence from PAC 388N15 on chromosome Xq21.1.//3.5e-18:287:68//Z99571
 35 R-PLACE1003584
 R-PLACE1003592//Homo sapiens cosmid 223D9 from Xq28, complete sequence.//2.5e-10:153:73//AF061032
 R-PLACE1003593//Human BAC clone RG030H15 from 7q31, complete sequence.//6.9e-07:240:65//AC002066
 R-PLACE1003596//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y87G2, WORKING DRAFT SEQUENCE.//0.13:393:60//AL022597
 40 R-PLACE1003602//Homo sapiens mRNA expressed in placenta.//2.4e-95:576:88//D83200
 R-PLACE1003605//Homo sapiens BAC clone RG331C24 from 7q21, complete sequence.//2.9e-19:302:71//AC002081
 R-nnnnnnnnnnnnn
 R-PLACE1003618//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 191E19, WORKING DRAFT SEQUENCE.//8.3e-57:469:80//AL034451
 45 R-PLACE1003625//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.1e-05:339:62//AC004688
 R-PLACE1003638//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1104E15, WORKING DRAFT SEQUENCE.//2.5e-38:279:84//AL022312
 50 R-PLACE1003669//HS_3054_A2_E07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3054 Col=14 Row=I, genomic survey sequence.//0.014:265:61//AQ132713
 R-PLACE1003704//HS_3213_A1_D12_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3213 Col=23 Row=G, genomic survey sequence.//0.80:195:61//AQ176784
 R-PLACE1003709//Human BAC clone RG126M09 from 7q21-q22, complete sequence.//0.018:152:61//AC002067
 55 R-PLACE1003711//Human endothelial nitric oxide synthase gene, complete cds.//1.7e-61:366:89//D26607
 R-PLACE1003723//Homo sapiens DNA sequence from clone 78F24 on chromosome 22q12.1-12.3. Contains one exon of an Oxysterol-binding protein (OSBP) LIKE gene. Contains GSSs and an STS, complete sequence.//2.7e-

EP 1 074 617 A2

44:505:73//AL022336
R-PLACE1003738//H.sapiens DNA sequence.//0.93:185:60//Z22357
R-PLACE1003760//Human globin gene.//5.9e-97:538:91//M69023
5 R-PLACE1003762//Homo sapiens chromosome 17, clone HCIT39G8, complete sequence.//4.6e-13:134:79//AC003070
R-PLACE1003768//Homo sapiens chromosome 17, clone hRPK.142_H_19, complete sequence.//5.4e-12:189:71//AC005919
R-PLACE1003771//Homo sapiens BAC clone GS164B05 from 7p21-p22, complete sequence.//1.7e-119:619:95//AC004160
10 R-PLACE1003783
R-PLACE1003784//Homo sapiens chromosome 19, CIT-HSP-87m17 BAC clone, complete sequence.//5.6e-15:204:74//AC004659
R-PLACE1003795//CIT-HSP-2374C8.TR CIT-HSP Homo sapiens genomic clone 2374C8, genomic survey sequence.//7.0e-37:234:89//AQ114933
15 R-PLACE1003833//Homo sapiens full-length insert cDNA clone ZE15C06.//4.4e-59:313:95//AF086558
R-PLACE1003850
R-PLACE1003858
R-nnnnnnnnnnnnn
R-PLACE1003870//Homo sapiens Chromosome 22q11.2 Cosmid Clone 15a10 In DGCR Region, complete sequence.//8.7e-33:285:81//AC000072
20 R-nnnnnnnnnnnnn
R-PLACE1003886
R-PLACE1003888//Homo sapiens chromosome 4 clone B71M12 map 4q25, complete sequence.//0.73:127:65//AC004069
25 R-PLACE1003900//Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds.//1.9e-05:239:59//L78810
R-PLACE1003903//Homo sapiens full=length insert cDNA clone ZD78D11.//8.1e-74:369:97//AF086422
R-PLACE1003915//Mus musculus bone morphogenetic protein-6 (BMP-6) gene, exons 6 and 7 and complete cds.//0.56:247:61//U73520
R-PLACE1003923//Caenorhabditis elegans cosmid Y57G11C, complete sequence.//0.67:213:63//Z99281
30 R-PLACE1003932//Human DNA sequence from cosmid U90B3, on chromosome Xp11, contains ESTs.//8.7e-49:342:85//Z74022
R-PLACE1003936//H.sapiens gene for ventricular myosin light chain 2.//2.6e-09:394:61//Z15030
R-PLACE1003968//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-62, complete sequence.//1.3e-07:245:65//AL010247
35 R-PLACE1004104
R-PLACE1004114//Human PAC clone RG212D03, complete sequence.//5.0e-07:336:61//AC002485
R-PLACE1004118//HS_3092_B1_B01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3092 Col=1 Row=D, genomic survey sequence.//0.80:207:60//AQ128151
R-PLACE1004128//Rattus norvegicus guanine nucleotide binding protein beta 4 subunit mRNA, partial cds.//1.8e-06:193:66//AF022085
40 R-PLACE1004149//HS_2253_A2_F11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2253 Col=22 Row=K, genomic survey sequence.//2.4e-59:315:95//AQ129711
R-PLACE1004156//Homo sapiens Xp22 bins 3-5 PAC RPCI4-617A9 (Roswell Park Cancer Institute Human PAC Library) containing Arylsulfatase D and E genes, complete sequence.//8.3e-53:299:76//AC005295
45 R-PLACE1004161
R-PLACE1004183//Homo sapiens for TOM1-like protein.//1.3e-80:434:93//AJ010071
R-PLACE1004197//RPCI11-69N15.TK RPCI11 Homo sapiens genomic clone R-69N15, genomic survey sequence.//0.0078:170:65//AQ265515
R-PLACE1004203//Homo sapiens semaphorin L (SEMA1) mRNA, complete cds.//3.4e-105:501:98//AF030698
50 R-PLACE1004242//Homo sapiens DNA sequence from PAC 124C6 on chromosome 6q21. Contains genomic marker D6S1603, ESTs, GSSs and a STS with a CA repeat polymorphism, complete sequence.//6.1e-65:373:86//AL021326
R-PLACE1004256//Homo sapiens BAC clone NH0044G14 from 7q11.23-21.1, complete sequence.//0.011:383:61//AC006031
55 R-PLACE1004257//Homo sapiens Xp22 BAC GSHB-433024 (Genome Systems Human BAC library) complete sequence.//3.4e-09:576:59//AC004470
R-PLACE1004258//HS_3034_A1_B12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3034 Col=23 Row=C, genomic survey sequence.//1.4e-35:359:77//AQ128936

R-PLACE1004270//CITBI-E1-2504K14.TR CITBI-E1 Homo sapiens genomic clone 2504K14, genomic survey sequence.//2.7e-06:150:74//AQ261108
 R-PLACE1004274//Homo sapiens BAC clone NH0436H22 from 2, complete sequence.//0.025:116:72//AC005234
 R-PLACE1004277//Homo sapiens two pore domain K⁺ channel (TASK-2) mRNA, complete cds.//4.4e-106:581:91//AF084830
 5 R-PLACE1004284//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.59:231:60//AC005308
 R-PLACE1004289//Homo sapiens chromosome 17, clone hRPK.700_H_6, complete sequence.//5.8e-31:340:75//AC005920
 10 R-PLACE1004302//Homo sapiens clone RG332P12, WORKING DRAFT SEQUENCE, 1 unordered pieces.//6.4e-90:572:86//AC005095
 R-PLACE1004316//H.sapiens mRNA for apoptosis specific protein.//1.9e-113:590:94//Y11588
 R-PLACE1004336//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1013A10, WORKING DRAFT SEQUENCE.//2.3e-65:292:82//AL033383
 15 R-PLACE1004358//Homo sapiens connector enhancer of KSR-like protein CNK1 mRNA, complete cds.//2.4e-70:379:93//AF100153
 R-PLACE1004376//CIT-HSP-2287M8.TF CIT-HSP Homo sapiens genomic clone 2287M8, genomic survey sequence.//0.47:173:61//AQ000837
 R-PLACE1004384//CIT-HSP-2316J11.TF CIT-HSP Homo sapiens genomic clone 2316J11, genomic survey sequence.//0.035:109:69//AQ037817
 20 R-PLACE1004388//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-82, complete sequence.//4.2e-06:381:60//AL010149
 R-PLACE1004405//Homo sapiens clone GS512I21, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.20:270:60//AC005027
 25 R-PLACE1004425//Homo sapiens PAC clone DJ0733B09 from 7p14-p13, complete sequence.//1.3e-96:516:94//AC005532
 R-PLACE1004428//Human DNA sequence from clone 888M10 on chromosome 1p36.11-36.31 Contains part of gene KIAA0453, EST, STS, GSS, complete sequence.//5.8e-10:279:65//AL031296
 R-PLACE1004437//Human NAD⁺-specific isocitrate dehydrogenase beta subunit precursor, mRNA, nuclear gene encoding mitochondrial protein, complete cds.//2.9e-88:516:88//U49283
 30 R-PLACE1004451//HS_2258_B2_F01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2258 Col=2 Row=L, genomic survey sequence.//0.82:172:61//AQ221189
 R-PLACE1004460
 R-PLACE1004467//Syrian hamster carbamoylphosphate synthetase-aspartate transcarbamylasedihydroorotase (CAD) gene, exons 1 and 2.//1.2e-24:311:62//M31621
 35 R-PLACE1004471//Homo Sapiens Chromosome X clone bWXD75, complete sequence.//2.1e-34:333:70//AC004389
 R-PLACE1004473
 R-PLACE1004491//Drosophila melanogaster Oregon-R mitochondrial A+T region.//1.0e-08:485:60//U11584
 40 R-PLACE1004506
 R-PLACE1004510//Plasmodium falciparum chromosome 2, section 64 of 73 of the complete sequence.//0.0094:543:56//AE001427
 R-PLACE1004516//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//0.00011:343:59//AC003071
 45 R-PLACE1004518
 R-PLACE1004548//Homo sapiens Xp22 BAC GS-551O19 (Genome Systems Human BAC library) and cosmids U199A7 and U209F2 (Lawrence Livermore X chromosome cosmid library) containing part of human chloride channel 4 gene, complete sequence.//4.9e-40:245:80//AC003666
 R-PLACE1004550
 50 R-PLACE1004564//B.taurus mRNA for cleavage and polyadenylation specificity factor.//2.7e-82:532:86//X75931
 R-PLACE1004629//Homo sapiens chromosome 7 clone UWGC:g3586a230 from 7p14-15, complete sequence.//0.015:437:59//AC004800
 R-PLACE1004645//CIT-HSP-2370D6.TR CIT-HSP Homo sapiens genomic clone 2370D6, genomic survey sequence.//0.033:76:75//AQ110136
 55 R-PLACE1004646//Homo sapiens cosmid 120C12 from Xq28, complete sequence.//2.0e-23:237:79//AF036876
 R-PLACE1004658//Homo sapiens Chromosome 12p13.3 BAC RPCI11-21K20 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//7.1e-09:94:87//AC005343
 R-nnnnnnnnnnnn//RPCI11-79G23.TV RPCI11 Homo sapiens genomic clone R-79G23, genomic survey se-

quence.//2.2e-81:433:94//AQ283692
 R-PLACE1004672//Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene, complete cds.//2.7e-24:263:74//U07561
 R-PLACE1004674//Homo sapiens calcium binding protein (ALG-2) mRNA, complete cds.//1.1e-89:513:91//AF035606
 5 R-PLACE1004681//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//1.3e-96:498:95//AB020860
 R-PLACE1004686
 R-PLACE1004691//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 2/11.//2.1e-33:290:80//AB020859
 10 R-PLACE1004693//Caenorhabditis elegans cosmid Y2H9A, complete sequence.//1.0:195:60//AL021448
 R-PLACE1004716//CITBI-E1-2519C14.TR CITBI-E1 Homo sapiens genomic clone 2519C14, genomic survey sequence.//5.0e-43:245:93//AQ276965
 R-PLACE1004722//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.0022:360:60//AC005507
 15 R-PLACE1004736
 R-PLACE1004740
 R-nnnnnnnnnnnn//Homo sapiens ubiquitin-protein ligase E3-alpha (UBR1) mRNA, partial cds.//5.4e-105:575:92//AF061556
 20 R-PLACE1004751//Homo sapiens Xq28 BACs 360 F12, GSHB-555C13, complete sequence.//9.0e-26:317:76//AC002523
 R-PLACE1004773//Homo sapiens inversin protein mRNA, complete cds.//8.5e-88:437:96//AF084367
 R-PLACE1004777//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 3/15, WORKING DRAFT SEQUENCE.//0.050:138:65//AP000010
 25 R-PLACE1004793//Human endogenous retrovirus HERV-K(HML6) proviral clone HML6.17 putative polymerase and envelope genes, partial cds, and 3'LTR.//5.1e-58:313:80//U60269
 R-nnnnnnnnnnnn//Homo sapiens mRNA for KIAA0606 protein, partial cds.//5.8e-98:580:88//AB011178
 R-PLACE1004813//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//5.3e-09:256:64//AC005140
 30 R-PLACE1004814//Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds.//3.5e-107:358:99//AF069250
 R-PLACE1004815//Human Chromosome 11q12.2 PAC clone pDJ606g6, complete sequence.//3.8e-61:353:89//AC004126
 R-PLACE1004824//Homo sapiens chromosome 17, clone hCIT.468_F_23, WORKING DRAFT SEQUENCE, 3 unordered pieces.//5.7e-42:364:79//AC004666
 35 R-PLACE1004827//Homo sapiens Xp22 BAC GS-594A7 (Genome Systems Human BAC library) contains Bmx gene, complete sequence.//2.7e-14:156:79//AC003669
 R-PLACE1004836//HS_2270_A2_H10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2270 Col=20 Row=O, genomic survey sequence.//8.6e-51:267:96//AQ164110
 40 R-PLACE1004838//CIT-HSP-2343E10.TR CIT-HSP Homo sapiens genomic clone 2343E10, genomic survey sequence.//0.071:168:63//AQ058544
 R-PLACE1004840//Sequence 4 from patent US 5728819.//1.6e-26:150:98//I92820
 R-PLACE1004868//Human Chromosome X clone bWDX342, complete sequence.//0.57:344:59//AC004072
 R-PLACE1004885//HS_3235_B2_E07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3235 Col=14 Row=J, genomic survey sequence.//1.1e-38:175:78//AQ210193
 45 R-PLACE1004900//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//2.0e-44:334:84//AL022577
 50 R-PLACE1004902
 R-nnnnnnnnnnnn//Human DNA sequence from clone J428A131, WORKING DRAFT SEQUENCE.//7.7e-58:377:87//Z82209
 R-PLACE1004918//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//0.00084:373:60//AC004605
 55 R-PLACE1004930//Homo sapiens MDC-3.13 isoform 1 mRNA, complete cds.//2.0e-100:532:93//AF099936
 R-PLACE1004934//Homo sapiens clone RG062N11, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.00030:198:66//AC005683
 R-PLACE1004937//Caenorhabditis elegans SEL-10 (sel-10) mRNA, complete cds.//1.3e-13:367:61//AF020788

EP 1 074 617 A2

R-PLACE1004969//Human DNA sequence from clone LUCA7 on chromosome 3, complete sequence.//0.97:116:71//Z84494
R-PLACE1004972
R-PLACE1004979//Plasmodium falciparum MAL3P4, complete sequence.//0.74:304:60//AL008970
5 R-PLACE1004982//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.7e-05:495:57//AC005308
R-PLACE1004985//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 451B21, WORKING DRAFT SEQUENCE.//2.5e-10:410:60//AL033522
10 R-PLACE1005026//Homo sapiens PAC clone DJ0907C10 from 7q31-3q32, complete sequence.//2.7e-56:158:99//AC004925
R-PLACE1005027
R-PLACE1005046//Homo sapiens chromosome 19, cosmid F20237, complete sequence.//3.1e-63:438:86//AC005775
15 R-PLACE1005052//Homo sapiens chromosome Xp22-135-136 clone GSHB-567I1, WORKING DRAFT SEQUENCE, 35 unordered pieces.//6.1e-87:301:98//AC005867
R-PLACE1005066//Human DNA sequence from clone 67K17 on chromosome 6q24.1-24.3. Contains the HIVEP2 (Schnurri-2) gene for HIV type 1 Enhancer-binding Protein 2, and a possible pseudogene in an intron of this gene. Contains STSs and GSSs and an AAAT repeat polymorphism, complete sequence.//1.1e-09:453:61//AL023584
20 R-PLACE1005077//H.sapiens genes for semenogelin I and semenogelin II.//2.6e-05:199:66//Z47556
R-PLACE1005085//Homo sapiens chromosome 17, clone hRPK.293_K_20, complete sequence.//2.1e-42:384:69//AC005495
R-PLACE1005086//RPCI11-30H10.TV RPCI-11 Homo sapiens genomic clone RPCI-11-30H10, genomic survey sequence.//0.13:112:67//B87788
25 R-PLACE1005101//Homo sapiens (clone zap128) mRNA, 3' end of cds.//2.5e-97:531:92//L40401
R-PLACE1005102//Homo sapiens chromosome 19, cosmid R29388, complete sequence.//1.3e-91:504:92//AC004476
R-PLACE1005108//Homo sapiens BAC129, complete sequence.//4.0e-28:232:84//U85195
R-PLACE1005111//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 566H6, WORKING DRAFT SEQUENCE.//3.0e-18:174:74//AL031845
30 R-PLACE1005128
R-PLACE1005146
R-PLACE1005162//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//2.4e-07:273:61//AC005140
35 R-nnnnnnnnnnnn//Rat alternatively spliced mRNA.//8.1e-20:185:82//M93018
R-PLACE1005181//HS_2182_B2_B05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2182 Col=10 Row=D, genomic survey sequence.//4.9e-05:193:65//AQ030787
R-PLACE1005187//Arabidopsis thaliana chromosome II BAC T14A4 genomic sequence, complete sequence.//0.00073:264:60//AC006161
40 R-PLACE1005206//Homo sapiens full-length insert cDNA YN66A06.//6.3e-64:343:93//AF075043
R-PLACE1005232//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 25J6, WORKING DRAFT SEQUENCE.//1.3e-34:286:81//Z84476
R-PLACE1005243
R-PLACE1005261//Caenorhabditis elegans cosmid ZK666, complete sequence.//0.66:180:60//Z49132
45 R-PLACE1005266//Homo sapiens clone RG122E10, complete sequence.//1.3e-15:166:78//AC005067
R-PLACE1005277//CITBI-E1-2514D4.TF CITBI-E1 Homo sapiens genomic clone 2514D4, genomic survey sequence.//2.5e-34:358:74//AQ265720
R-PLACE1005287//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//4.1e-07:495:60//AL031744
50 R-PLACE1005305//HS_3180_B2_D02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3180 Col=4 Row=H, genomic survey sequence.//1.1e-42:308:85//AQ169443
R-PLACE1005308
R-PLACE1005313//Human Chromosome 11 pac pDJ227b23, WORKING DRAFT SEQUENCE, 19 unordered pieces.//0.00048:320:60//AC000383
55 R-PLACE1005327//chromosome 1 specific transcript KIAA0491.//5.4e-103:537:94//AB007960
R-PLACE1005331//Homo sapiens chromosome 19, cosmid F20569, complete sequence.//2.2e-94:536:91//AC004794
R-PLACE1005335//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE, 2 unordered pieces.//5.3e-32:313:79//AC000380

EP 1 074 617 A2

R-PLACE1005373//Homo sapiens BAC129, complete sequence.//8.8e-10:229:68//U85195
R-PLACE1005374//Homo sapiens chromosome 17, clone hRPK.401_O_9, complete sequence.//3.0e-44:434:77//
AC005291
5 R-PLACE1005409//Human BAC clone RG167B05 from 7q21, complete sequence.//8.8e-105:529:96//AC003991
R-PLACE1005453//Human PAC clone DJ327A19 from Xq25-q26, complete sequence.//4.7e-39:302:82//
AC002477
R-PLACE1005467//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 167P19, WORKING
DRAFT SEQUENCE.//1.1e-40:328:81//Z93014
10 R-PLACE1005471//Human DNA sequence from clone 395P12 on chromosome 1q24-25. Contains the TXGP1
gene for tax-transcriptionally activated glycoprotein 1 (34kD) (OX40 ligand, OX40L) and a GOT2 (Aspartate Ami-
notransferase, mitochondrial precursor, EC 2.6.1.1, Transaminase A, Glutamate Oxaloacetate Transaminase-2)
pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//6.4e-68:409:90//AL022310
R-PLACE1005477//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 32B1, WORKING
DRAFT SEQUENCE.//0.020:216:66//AL023693
15 R-PLACE1005480//Homo sapiens chromosome 19, CIT-HSP BAC 490g23 (BC338531), complete sequence.//
2.8e-44:327:70//AC005392
R-PLACE1005481//Homo sapiens-chromosome 17, clone hRPC.1164_O_3, complete sequence.//4.2e-23:284:
74//AC004703
R-PLACE1005494//Danio rerio homeobox protein LIM-3 (lim3) gene, exon 4.//0.19:468:60//AF031631
20 R-PLACE1005502//Homo sapiens formin binding protein 21 mRNA, complete cds.//1.6e-55:277:98//AF071185
R-PLACE1005526//Human mRNA for alpha-1 type II collagen.//0.10:227:63//X16468
R-PLACE1005528//Homo sapiens genomic DNA, chromosome 21q11.1, segment 9/28, WORKING DRAFT SE-
QUENCE.//2.3e-76:395:96//AP000038
R-PLACE1005530//C.familiaris CA repeat sequence (isolate).//0.023:90:75//X86184
25 R-PLACE1005550//Fugu rubripes GSS sequence, clone 048A08bH1, genomic survey sequence.//2.0e-09:235:
64//AL025928
R-PLACE1005554//Homo sapiens chromosome 17, clone hRPK.215_P_18, complete sequence.//0.069:305:60//
AC005969
R-PLACE1005557//Homo sapiens chromosome 17, clone hRPC.117_B_12, complete sequence.//4.3e-105:587:
30 91//AC004707
R-PLACE1005574//Human BAC 367D17 from chromosome 18, complete sequence.//1.5e-17:274:67//AC003971
R-PLACE1005584//Homo sapiens PAC clone DJ1186C01 from 7q21.2-q31.1, complete sequence.//2.7e-15:191:
77//AC004991
35 R-PLACE1005595//Human Chromosome 11q12.2 PAC clone pDJ606g6, complete sequence.//6.4e-90:453:96//
AC004126
R-PLACE1005603//Homo sapiens cosmid clone U169D2 from Xp22.1-22.2, complete sequence.//0.69:322:61//
U72788
R-PLACE1005611//Borrelia burgdorferi plasmid cp18, OspE (ospE) gene, partial cds.//0.059:473:56//U42599
R-PLACE1005623//Homo sapiens full-length insert cDNA clone ZD76B03.//1.6e-113:575:95//AF086405
40 R-PLACE1005630//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1
ordered pieces.//5.6e-79:270:94//AC005840
R-PLACE1005639//Human BAC clone RG022J17 from 7q21, complete sequence.//8.2e-56:441:83//AC002382
R-PLACE1005646//Homo sapiens RNA helicase-related protein mRNA, complete cds.//3.2e-110:585:93//
AF083255
45 R-PLACE1005656//Homo sapiens chromosome 17, clone hRPK.628_E_12, complete sequence.//8.6e-08:505:
58//AC005701
R-PLACE1005666//Human DNA sequence from PAC 360E18 on chromosome X contains EST, CpG island and
polymorphic CA repeat.//3.2e-27:307:72//Z82203
R-PLACE1005698//344B22.TV CIT978SKA1 Homo sapiens genomic clone A-344B22, genomic survey se-
50 quence.//0.030:91:70//B15144
R-PLACE1005727//Human variable number tandem repeat (VNTR) region, allele 17R1 3' to collagen type II
(COL2A1) gene.//5.2e-10:587:59//L10171
R-PLACE1005730//Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds.//0.0039:239:58//L78810
R-PLACE1005739//Mus musculus IFN-gamma induced (Mg11) mRNA, complete cds.//2.2e-21:270:72//U15635
55 R-PLACE1005755//Caenorhabditis elegans cosmid M03F4.//6.9e-08:219:64//U64601
R-PLACE1005763//Human mRNA for KIAA0118 gene, partial cds.//1.0e-45:268:87//D42087
R-PLACE1005799//Human X chromosome mRNA for CCG1 protein inv. in cell proliferation.//0.030:91:78//X07024
R-PLACE1005802//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequence.//1.4e-69:391:92//

- AC004827
R-PLACE1005803
R-PLACE1005804//Human BAC clone RG341D10 from 7p15-p21, complete sequence.//1.8e-21:175:75//AC002530
- 5 R-PLACE1005828//Homo sapiens chromosome 17, clone hRPC.971_F_3, WORKING DRAFT SEQUENCE, 1 ordered pieces.//2.9e-56:333:91//AC004150
R-PLACE1005834//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P2, WORKING DRAFT SEQUENCE.//0.020:513:55//AL031745
R-PLACE1005845//Rabbit mRNA for protein phosphatase 2A-beta.//1.8e-10:182:69//Y00763 R-PLACE1005850
- 10 R-PLACE1005851//Homo sapiens clone DJ0789I05, WORKING DRAFT SEQUENCE, 2 unordered pieces.//5.5e-06:318:63//AC004887
R-PLACE1005876//B.taurus mRNA for cleavage and polyadenylation specificity factor.//6.7e-28:366:72//X75931
R-PLACE1005884//Human DNA sequence from cosmid V526F1, between markers DXS366 and DXS87 on chromosome X contains STS.//1.0e-06:306:64//Z70281
- 15 R-PLACE1005898//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.0094:449:59//AC005139
R-PLACE1005921//CITBI-E1-2509N21.TF CITBI-E1 Homo sapiens genomic clone 2509N21,-genomic survey sequence.//4.8e-84:494:89//AQ261347
R-PLACE1005923//RPCI11-65N9.TJ RPCI11 Homo sapiens genomic clone R-65N9, genomic survey sequence.//8.3e-97:520:93//AQ237243
- 20 R-PLACE1005925//Human DNA sequence from clone 231L4 on chromosome Xq27.1-27.3 Contains GSS, STS, complete sequence.//5.2e-67:578:78//AL022719
R-PLACE1005932//Caenorhabditis elegans cosmid Y52B11A, complete sequence.//0.0035:176:62//AL032654
R-PLACE1005934
- 25 R-PLACE1005936//Arabidopsis Thaliana BAC F6A4, Chromosome IV, near 60.5 cM, complete sequence.//0.00021:272:62//AF069716
R-PLACE1005951
R-PLACE1005953//Caenorhabditis elegans cosmid F09E5.//1.3e-07:349:60//U37429
R-PLACE1005955//Human HepG2 3' region Mbol cDNA, clone hmd1d01m3.//8.3e-08:128:70//D17131
- 30 R-PLACE1005966//Pontia protodice large subunit ribosomal RNA gene, partial sequence; tRNA-Val gene, complete sequence; and small subunit ribosomal RNA gene, partial sequence, mitochondrial genes for mitochondrial RNAs.//7.0e-09:549:59//AF044863
R-PLACE1005968//Rattus norvegicus mRNA for p47, complete cds.//1.1e-51:394:81//AB002086
R-PLACE1005990//Homo sapiens chromosome 12p13.3 clone RPCI11-407G6, WORKING DRAFT SEQUENCE, 51 ordered pieces.//4.4e-63:369:91//AC005866
- 35 R-PLACE1006002//Human cosmid CRI-JC2015 at D10S289 in 10sp13.//5.9e-27:299:74//U15177
R-PLACE1006003//Mus musculus clone OST18050, genomic survey sequence.//3.5e-07:164:67//AF046375
R-PLACE1006011//Mus musculus poly-(ADPriboseyl)-transferase homolog PARP mRNA, complete cds.//1.1e-32:266:83//AF072521
- 40 R-PLACE1006017//Homo sapiens Chromosome 22q11.2 Cosmid Clone 31e In DGCR Region, complete sequence.//1.8e-17:164:82//AC000077
R-PLACE1006037//Mus musculus B6D2F1 clone 2C11B mRNA.//2.0e-49:557:72//U01139
R-PLACE1006040//Homo sapiens mRNA for alpha endosulfine.//4.3e-13:128:81//X99906
R-PLACE1006076//Homo sapiens clone DJ0781A18, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.3e-18:220:74//AC004885
- 45 R-PLACE1006119//Plasmodium berghei (STRAIN ANKA) gamma-GCS gene, complete CDS.//0.0050:271:63//AJ005122
R-PLACE1006129//Drosophila melanogaster, chromosome 2R, region 31C1-31D6, P1 clone DS08879, complete sequence.//0.43:178:65//AC005454
- 50 R-PLACE1006139//Homo sapiens PAC clone DJ0659J06 from 7q33-q35, complete sequence.//7.5e-13:222:68//AC004849
R-PLACE1006143//Plasmodium falciparum MAL3P6, complete sequence.//0.00019:455:59//Z98551
R-PLACE1006157//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.00018:351:60//AL034557
- 55 R-PLACE1006159//Homo sapiens chromosome 10 clone LA10NC01_124_D_3 map 10q25.1, WORKING DRAFT SEQUENCE, 1 ordered pieces.//1.0e-113:586:96//AC006103
R-PLACE1006164//Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds.//1.0e-

- 28:342:75//U91328
 R-PLACE1006167//Homo sapiens full-length insert cDNA clone ZE14E04.//4.6e-77:426:93//AF086555
 R-nnnnnnnnnnnn//Mouse mRNA for alpha-adaptin (C).//3.0e-46:188:82//X14972
 R-PLACE1006187//Homo sapiens cyclin E2 mRNA, complete cds.//1.6e-116:597:95//AF091433
 5 R-PLACE1006195//Homo sapiens chromosome 19, fosmid 39554, complete sequence.//8.8e-11:148:74//AC004410
 R-PLACE1006196
 R-PLACE1006205//Genomic sequence from Mouse 11, complete sequence.//8.4e-44:332:85//AC000398
 R-PLACE1006223//Human DNA sequence from cosmid U74C11, between markers DXS6791 and DXS8038 on
 10 chromosome X contains ESTs.//0.041:215:61//Z73362
 R-PLACE1006225//Caenorhabditis elegans cosmid Y69H2, complete sequence.//9.7e-13:358:63//Z98877
 R-PLACE1006236//Plasmodium falciparum MAL3P4, complete sequence.//0.00019:538:58//AL008970
 R-nnnnnnnnnnnn//Homo sapiens BAC clone RG118D07 from 7q31, complete sequence.//3.1e-96:497:95//AC004142
 15 R-PLACE1006246//Homo sapiens clone NH0144M13, WORKING DRAFT SEQUENCE, 1 unordered pieces.//0.029:499:56//AC006034
 R-PLACE1006248//Homo sapiens mRNA for KIAA0648 protein, partial cds.//9.2e-96:499:95//AB014548
 R-PLACE1006262//Homo sapiens Xp22 GSHB-314C4 (Genome Systems Human BAC library) complete sequence.//0.00043:160:66//AC004087
 20 R-PLACE1006288//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20N2, WORKING DRAFT SEQUENCE.//3.5e-120:611:96//AL031320
 R-PLACE1006318
 R-PLACE1006325//Plasmodium falciparum MAL3P8, complete sequence.//1.0:426:57//AL034560
 R-PLACE1006335//Human DNA sequence from PAC 849L7 on chromosome Xq21.//0.96:173:66//AL008987
 25 R-PLACE1006357//P.falciparum complete gene map of plastid-like DNA (IR-B).//1.9e-07:491:58//X95276
 R-PLACE1006360//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//0.25:484:56//AE001398
 R-PLACE1006368//Caenorhabditis elegans cosmid Y38H6C, complete sequence.//1.0:240:59//AL031630
 R-PLACE1006371//Homo sapiens chromosome 16, cosmid clone 360H6 (LANL), complete sequence.//3.7e-101:574:91//AC004232
 30 R-PLACE1006382
 R-PLACE1006385//Mus musculus intersectin-EH binding protein lbp2 mRNA, partial cds.//1.4e-50:350:86//AF057286
 R-PLACE1006412//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//5.1e-51:339:82//AC004854
 35 R-PLACE1006414//Homo sapiens 12p13.3 PAC RPCI5-927J10 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.6e-38:297:84//AC004804
 R-PLACE1006438//Homo sapiens full-length insert cDNA YH73H06.//7.6e-73:422:90//AF074985
 R-PLACE1006445//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018K9, WORKING
 40 DRAFT SEQUENCE.//3.0e-07:376:61//AL031726
 R-PLACE1006469
 R-PLACE1006470//Mouse B1 repetitive sequence DNA.//1.0:96:66//M24152
 R-PLACE1006482//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 447C4, WORKING
 DRAFT SEQUENCE.//3.0e-101:535:94//AL021977
 45 R-PLACE1006492//Homo sapiens chromosome 17, clone hRPK.180_P_8, complete sequence.//0.78:44:95//AC005972
 R-PLACE1006506//R.norvegicus BSP gene.//1.0:206:60//X86100
 R-PLACE1006521//RPCI11-13L8.TV RPCI-11 Homo sapiens genomic clone RPCI-11-13L8, genomic survey sequence.//9.0e-17:414:61//B75158
 50 R-PLACE1006531//Plasmodium falciparum coronin gene, isolate 3D7.//0.98:186:63//AJ002197
 R-PLACE1006534//Anopheles gambiae complete mitochondrial genome.//0.051:412:61//L20934
 R-PLACE1006540//Homo sapiens clone UWGC:y55c025 from 6p21, complete sequence.//7.5e-41:470:70//AC004209
 R-PLACE1006552//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y47D3, WORKING DRAFT SEQUENCE.//0.57:355:57//Z98865
 55 R-PLACE1006598//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.016:291:58//AC004710
 R-PLACE1006615//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds.//

EP 1 074 617 A2

2.9e-116:590:95//U97670
R-PLACE1006617//Homo sapiens chromosome 4 clone B207D4 map 4q25, complete sequence.//2.2e-45:209:88//AC004050
R-PLACE1006626//C. elegans cosmid K12H4.//1.2e-16:344:64//L14331
5 R-PLACE1006629//Homo sapiens chromosome 19, cosmid F20900, complete sequence.//2.8e-25:343:70//AC006128
R-PLACE1006640//CIT-HSP-2169L1.TF CIT-HSP Homo sapiens genomic clone 2169L1, genomic survey sequence.//0.00020:201:62//B90038
10 R-PLACE1006673//Homo sapiens clone DJ076B20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.4e-42:309:84//AC004882
R-PLACE1006678//Homo sapiens PAC clone DJ1166G19 from 7p12-p11.2, complete sequence.//6.4e-09:454:59//AC006024
R-PLACE1006704//Human DNA sequence from clone 249C1 on chromosome Xq21.1-22.2 Contains GSS, complete sequence.//0.56:226:63//AL022154
15 R-PLACE1006731//Homo sapiens clone 23923 mRNA sequence.//6.0e-101:486:98//AF038172
R-PLACE1006754//Homo sapiens chromosome 19, cosmid R29124, complete sequence.//1.4e-68:381:93//AC005626
R-PLACE1006760//Homo sapiens clone 24800 mRNA sequence.//6.2e-72:397:92//AF070622
20 R-PLACE1006779//Rattus norvegicus intestinal trefoil factor gene, promoter and partial cds.//1.6e-11:420:61//U20984
R-PLACE1006782//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y47D3, WORKING DRAFT SEQUENCE.//0.60:321:58//Z98865
R-PLACE1006792//Homo sapiens chromosome 4 clone C0026P05 map 4P16, complete sequence.//2.9e-40:379:77//AC005599
25 R-PLACE1006795//Homo sapiens BAC clone RG281G05 from 7p15-p21, complete sequence.//6.2e-07:291:63//AC005083
R-PLACE1006800//HS_2270_B1_D02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2270 Col=3 Row=H, genomic survey sequence.//4.1e-76:367:99//AQ085793
30 R-PLACE1006805//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.00058:354:59//AC005507
R-PLACE1006815//HS_3028_B1_B04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3028 Col=7 Row=D, genomic survey sequence.//1.5e-33:251:77//AQ120174
R-PLACE1006819//Human DNA sequence from PAC 121G13 on chromosome 6 contains flow sorted chromosome 6 HindIII fragment ESTs. polymorphic CA repeat, CpG island, CpG island genomic fragments.//1.4e-76:544:84//Z86062
35 R-PLACE1006829
R-PLACE1006860
R-PLACE1006867//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 323M4, WORKING DRAFT SEQUENCE.//3.2e-107:549:95//AL033378
40 R-PLACE1006878//Homo sapiens full-length insert cDNA clone ZB55G05.//1.4e-46:241:97//AF086155
R-PLACE1006883//Homo sapiens chromosome 16, cosmid clone 360H6 (LANL), complete sequence.//1.3e-38:283:85//AC004232
R-nnnnnnnnnnnnn
45 R-PLACE1006904//Human DNA sequence from PAC 360E18 on chromosome X contains EST, CpG island and polymorphic CA repeat.//4.1e-15:477:62//Z82203
R-PLACE1006917//Homo sapiens Xp22 bins 45-47 BAC GSHB-665N22 (Genome Systems Human BAC Library) complete sequence.//1.3e-42:305:87//AC005184
R-PLACE1006932
50 R-PLACE1006935//Human DNA sequence from PAC 117P19 on chromosome X.//0.0014:114:74//Z86061
R-nnnnnnnnnnnnn//Mouse mRNA for germ cell specific protein APG-1, complete cds.//9.5e-85:590:83//D49482
R-PLACE1006961//Homo sapiens chromosome 17, clone hRPK.349_A_8, complete sequence.//6.7e-42:295:86//AC005544
R-PLACE1006962//Homo sapiens Xp22 PAC RPC11-167A22 (from Roswell Park Cancer Center) complete sequence.//1.1e-19:302:71//AC002349
55 R-PLACE1006966//HS_2219_B2_C02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2219 Col=4 Row=F, genomic survey sequencer.//0.019:180:63//AQ145873
R-PLACE1006989
R-PLACE1007014

- R-PLACE1007021//Homo sapiens chromosome 12p13.3 clone RPCI3-454B23, WORKING DRAFT SEQUENCE, 48 unordered pieces.//1.6e-23:362:70//AC005845
- R-PLACE1007045//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 32B1, WORKING DRAFT SEQUENCE.//2.3e-90:584:86//AL023693
- 5 R-PLACE1007053//Homo sapiens clone DJ0810E06, WORKING DRAFT SEQUENCE, 8 unordered pieces.//2.4e-108:550:96//AC004895
- R-PLACE1007097//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted
- 10 tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//1.8e-103:552:93//AL021368
- R-PLACE1007105//Mus musculus muskulin mRNA, complete cds.//2.7e-32:379:73//U72194
- R-PLACE1007111//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.14:422:57//AC004688
- 15 R-PLACE1007112//Cynips cornifex cytb gene.//0.020:427:58//AJ228479
- R-PLACE1007132//Homo sapiens full-length insert cDNA YH77E09.//5.7e-107:535:96//AF074987
- R-PLACE1007140//Homo sapiens clone RG030L05, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.36:408:58//AC005050
- R-PLACE1007178//Homo sapiens clone HEA4 Cri-du-chat region mRNA.//0.99:63:73//AF009283
- 20 R-PLACE1007226
- R-PLACE1007238
- R-PLACE1007239//Homo sapiens mRNA for transcription elongation factor S-II, hS-II-T1, complete cds.//2.0e-91:534:89//D50495
- R-PLACE1007242//CITBI-E1-2512M9.TF CITBI-E1 Homo sapiens genomic clone 2512M9, genomic survey sequence.//1.3e-05:117:76//AQ279454
- 25 R-PLACE1007243//Prototheca wickerhamii 263-11 complete mitochondrial DNA.//0.21:284:58//U02970
- R-PLACE1007257//Homo sapiens mRNA for dia-12c protein.//6.9e-113:607:93//Y15908
- R-PLACE1007274//Homo sapiens chromosome 17, clone hRPK.394_K_10, complete sequence.//4.4e-10:135:74//AC006080
- 30 R-PLACE1007276//Homo sapiens BAC clone 255A7 from 8q21 containing NBS1 gene, complete sequence.//1.7e-36:435:72//AF069291
- R-PLACE1007282//B.garinii (strain TIs1) p83/100 gene (partial).//0.95:183:60//X81533
- R-PLACE1007286//RPCI11-13L8.TV RPCI-11 Homo sapiens genomic clone RPCI-11-13L8, genomic survey sequence.//6.1e-55:519:76//B75158
- 35 R-PLACE1007301//Human DNA sequence from PAC 106H8 on chromosome 1q24. Contains PHOSPHATIDYLINISITOL-GLYCAN class C (PIG-C) and DYNAMIN-3 genes. Contains ESTs and STSs and a CpG island.//0.75:180:62//Z97195
- R-PLACE1007317//Drosophila dasyncemia 16S ribosomal RNA gene, mitochondrial gene for mitochondrial RNA, partial sequence.//0.59:236:59//U94253
- 40 R-PLACE1007342
- R-PLACE1007346//Homo sapiens estrogen-responsive B box protein (EBBP) mRNA, complete cds.//3.7e-65:367:91//AF096870
- R-PLACE1007367//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//1.0e-06:385:62//AC005507
- 45 R-PLACE1007375//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.10:309:59//AC004709
- R-PLACE1007386//Reclinomonas americana mitochondrial DNA, complete genome.//0.0012:403:58//AF007261
- R-PLACE1007402//HS_2055_A2_D03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2055 Col=6 Row=G, genomic survey sequence.//0.0046:88:79//AQ234824
- 50 R-PLACE1007409//Homo sapiens mitoxantrone resistance protein 1 mRNA, partial sequence.//7.6e-112:590:94//AF093771
- R-PLACE1007416//Homo sapiens chromosome 19, cosmid R26894, complete sequence.//0.96:98:70//AC005594
- R-PLACE1007450//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//1.7e-39:308:82//Z98304
- 55 R-PLACE1007452//Homo sapiens PAC clone DJ0320J15 from Xq23, complete sequence.//2.6e-59:389:82//AC004081
- R-PLACE1007460
- R-PLACE1007478//Homo sapiens 12q13.1 PAC RPCI3-197B17 (Roswell Park Cancer Institute Human PAC li-

brary) complete sequence.//7.0e-08:335:60//AC004241
R-PLACE1007484
R-PLACE1007488//Glossina morsitans morsitans 16S ribosomal RNA gene, mitochondrial gene for mitochondrial RNA, partial sequence.//2.5e-05:421:61//AF072373
5 R-PLACE1007507//Plasmodium falciparum MAL3P7, complete sequence.//2.3e-09:577:57//AL034559
R-PLACE1007511//Homo sapiens chromosome 17, clone hRPC.1110_E_20, complete sequence.//1.2e-79:387:96//AC004231
R-PLACE1007524//Homo sapiens chromosome 19, overlapping cosmids F18547, F11133, R27945, R28830 and R32804, complete sequence.//3.4e-09:148:73//AC003682
10 R-PLACE1007525//Homo sapiens Chromosome 16 BAC clone CIT987SK-44M2, complete sequence.//4.7e-38:297:82//AC004381
R-PLACE1007544
R-PLACE1007547//Human laminin alpha 4 chain (LAMA4*-1) mRNA, complete cds.//4.0e-17:108:97//U77706
R-PLACE1007557//Human BAC clone RG343P13 from 7q31, complete sequence.//2.2e-45:390:77//AC002465
15 R-PLACE1007583//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 545L17, WORKING DRAFT SEQUENCE.//1.0e-56:302:95//AL031665
R-PLACE1007598//Homo sapiens clone 23939 mRNA sequence.//1.5e-102:554:93//AF038179
R-PLACE1007618
R-PLACE1007621//Homo sapiens clone 23859 mRNA sequence.//1.4e-103:537:94//AF038176
20 R-PLACE1007632//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1 ordered pieces.//3.3e-76:289:94//AC005840
R-PLACE1007645//Homo sapiens full-length insert cDNA clone ZD76G10.//0.0080:96:77//AF086408
R-PLACE1007649//CIT-HSP-2308A18.TR CIT-HSP Homo sapiens genomic clone 2308A18, genomic survey sequence.//1.1e-82:412:97//AQ022149
25 R-PLACE1007677//Plasmodium falciparum chromosome 2, section 4 of 73 of the complete sequence.//0.0041:470:57//AE001367
R-PLACE1007688
R-PLACE1007690//Human Chromosome 16 BAC clone CIT987SK-A-418G10, complete sequence.//1.3e-22:162:91//AC002044
30 R-PLACE1007697
R-PLACE1007705//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 460J8, WORKING DRAFT SEQUENCE.//4.4e-121:624:95//AL031662
R-PLACE1007706//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//1.8e-73:374:96//AF061243
R-PLACE1007725//Caenorhabditis elegans cosmid F38A5.//0.070:186:60//U70854
35 R-PLACE1007729//Human endogenous retrovirus HERV-K(HML6) proviral clone HML6.17 putative polymerase and envelope genes, partial cds, and 3'LTR.//3.8e-53:415:81//U60269
R-PLACE1007730//Homo sapiens mRNA for KIAA0685 protein, complete cds.//2.1e-92:556:89//AB014585
R-PLACE1007737//Homo sapiens clone Sb19.12 Alu-Yb8 sequence.//4.0e-43:302:77//AF015169
R-PLACE1007743//Plasmodium falciparum MAL3P8, complete sequence.//1.0e-06:533:59//AL034560
40 R-PLACE1007746//T.brucei mitochondrial maxicircle DNA encoding cytochrome c oxidase subunit I (COI), and NADH dehydrogenase subunits 4 and 5, complete cds.//0.28:386:58//M14820
R-PLACE1007791//D.discoideum gene for protein kinase.//0.17:263:60//Z37981
R-PLACE1007807//Human DNA sequence from clone 878O8 on chromosome Xq21.1-21.33. Contains an EST, STSs, a GSS and genomic marker DXS472, complete sequence.//1.1e-72:324:88//AL031116
45 R-PLACE1007810//Homo sapiens chromosome 7 common fragile site, complete sequence.//2.2e-14:325:67//AF017104
R-PLACE1007829//Human BAC clone GS165I04 from 7q21, complete sequence.//0.00052:455:61//AC002379
R-PLACE1007843//P.falciparum complete gene map of plastid-like DNA (IR-A).//0.0050:447:57//X95275
R-PLACE1007846//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 3/15, WORKING DRAFT SEQUENCE.//2.2e-111:570:95//AP000010
50 R-PLACE1007852//HS_3028_B2_F04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3028 Col=8 Row=L, genomic survey sequence.//1.3e-12:209:71//AQ131021
R-PLACE1007858//Homo sapiens mRNA for KIAA0766 protein, complete cds.//6.6e-110:574:94//AB018309
R-PLACE1007866//Homo sapiens DNA sequence from PAC 454M7 on chromosome Xq25-26.3. Contains the OCRL1 gene for Lowe Oculocerebrorenal Syndrome protein OCRL-1. Contains ESTs, STSs and GSSs, complete sequence.//1.6e-43:551:70//AL022162
55 R-PLACE1007877//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//1.6e-22:222:78//AC005754

R-PLACE1007897//HS_3113_B2_E04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3113 Col=8 Row=J, genomic survey sequencer.//2.9e-72:381:95//AQ186905

R-PLACE1007908//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487.//8.8e-88:460:95//AB007956

5 R-PLACE1007946//Human chromosome Y cosmid 54E8 genomic sequence, WORKING DRAFT SEQUENCE.//4.9e-23:172:78//AC003095

R-PLACE1007954//Homo sapiens BAC clone NH0414C23 from Y, complete sequence.//1.7e-27:303:75//AC006157

10 R-PLACE1007955//Homo sapiens cyclin-D binding Myb-like protein mRNA, complete cds.//3.9e-102:513:95//AF084530

R-PLACE1007958//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.//2.2e-87:465:93//AF079529

R-PLACE1007969//Mus musculus myelin gene expression factor (MEF-2) mRNA, partial cds.//4.8e-72:556:81//U13262

15 R-PLACE1007990//E.tenella antigen LPMC61 mRNA, partial cds.//0.043:273:63//M30933

R-PLACE1008000//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 668J24, WORKING DRAFT SEQUENCE.//8.8e-10:453:62//AL034346

R-PLACE1008002//Homo sapiens clone DJ0613C23, WORKING DRAFT SEQUENCE, 4 unordered pieces.//9.0e-114:563:96//AC005628

20 R-PLACE1008044//Rattus norvegicus nuclear pore complex protein NUP107 mRNA, complete cds.//2.6e-44:509:72//L31840

R-PLACE1008045//Homo sapiens chromosome 5, BAC clone 79a6 (LBNL H172), complete sequence.//0.32:137:66//AC005592

25 R-PLACE1008080//Arabidopsis thaliana chromosome II BAC F10A12 genomic sequence, complete sequence.//0.082:292:59//AC006232

R-PLACE1008095//Homo sapiens BAC clone NH0364H22 from 2, complete sequence.//5.4e-27:260:76//AC005036

R-PLACE1008111//Human variable number tandem repeat (VNTR) region, allele 12R1 3' to collagen type II (COL2A1) gene.//2.2e-07:444:59//L10157

30 R-PLACE1008122//Homo sapiens chromosome 17, clone hRPK.142_H_19, complete sequence.//1.9e-11:384:63//AC005919

R-PLACE1008129//Homo sapiens clone DJ1087M19, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.0e-10:189:66//AC004955

R-PLACE1008132//Human HepG2 3' region cDNA, clone hmd5d06.//7.4e-47:320:86//D16939

35 R-PLACE1008177//Mouse mRNA for meiosis-specific nuclear structural protein 1 (MNS1), complete cds.//2.6e-32:410:70//D14849

R-PLACE1008181//Caenorhabditis elegans cosmid C31H2.//0.055:358:60//U41748

R-PLACE1008198

R-nnnnnnnnnnnnn//Homo sapiens mRNA for KIAA0530 protein, partial cds.//4.8e-103:551:93//AB011102

40 R-PLACE1008209//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1125A11, WORKING DRAFT SEQUENCE.//4.6e-16:250:71//AL034549

R-PLACE1008231//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.13:341:60//AC004688

R-PLACE1008244//P.falciparum P.195 gene.//0.11:212:66//A04562

45 R-PLACE1008273//Human MEST mRNA, complete cds.//0.00013:52:100//D78611

R-nnnnnnnnnnnnn

R-PLACE1008280//Homo sapiens chromosome 7 clone UWGC:g3586a160 from 7p14-15, complete sequence.//1.5e-05:104:76//AC005272

R-PLACE1008309//Human 'at'-rich region adjacent to alpha satellite DNA.//0.70:138:63//M80308

50 R-PLACE1008329//Homo sapiens chromosome 10 clone CIT-HSP-1240G16 map 10q25.1, complete sequence.//0.00061:150:68//AC005886

R-PLACE1008330//Homo sapiens chromosome 19, cosmid F21431, complete sequence.//4.8e-74:252:98//AC005176

R-PLACE1008333//Genomic sequence from Human 13, complete sequence.//1.0:176:65//AC001226

55 R-PLACE1008356//Homo sapiens meningioma-expressed antigen 5 (MEA5) mRNA, 3' UTR.//2.5e-98:556:90//AF036145

R-PLACE1008368//HS-1039-A1-C10-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 821 Col=19 Row=E, genomic survey sequence.//1.2e-05:375:62//B36336

- R-PLACE1008369//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 4/15, WORKING DRAFT SEQUENCE.//2.8e-10:466:61//AP000011
- R-PLACE1008392//Homo sapiens chromosome 17, clone hRPK.471_L_13, complete sequence.//1.0e-46:282:82//AC005244
- 5 R-PLACE1008398//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 215D11, WORKING DRAFT SEQUENCE.//4.1e-101:529:94//AL034417
- R-PLACE1008401//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0366H07; HTGS phase 1, WORKING DRAFT SEQUENCE, 28 unordered pieces.//0.18:379:58//AC004604
- R-nnnnnnnnnnn//Homo sapiens mRNA for p115, complete cds.//1.6e-101:521:95//D86326
- 10 R-PLACE1008405//Human cosmidCRI-JC2015 at D10S289 in 10sp13.//6.8e-22:328:71//U15177
- R-PLACE1008424
- R-PLACE1008426//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 7/11.//7.5e-101:505:96//AB020864
- R-PLACE1008429//Human DNA sequence from clone 20J23 on chromosome Xq26.2-27.2 Contains ras-related C3 botulinum toxin substrate 1 (P21-RAC1) (ras-like protein TC25) EST, CA repeat, STS, CpG island, complete sequence.//1.2e-11:118:78//AL022576
- 15 R-PLACE1008437//H.sapiens genomic DNA (PAC 838L14) from chromosome 11, WORKING DRAFT SEQUENCE.//2.2e-06:159:69//Y12335
- R-PLACE1008455
- 20 R-PLACE1008457//Homo sapiens chromosome 17, Neurofibromatosis 1 locus, complete sequence.//1.2e-109:588:93//AC004526
- R-PLACE1008465//CIT978SK-A-28A11.TVE CIT978SK Homo sapiens genomic clone A-28A11, genomic survey sequence.//1.1e-10:133:77//B78696
- R-PLACE1008488
- 25 R-PLACE1008524//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34B21, WORKING DRAFT SEQUENCE.//7.3e-120:612:95//AL031778
- R-PLACE1008531//Homo sapiens wbscr1 (WBSCR1) and replication factor C subunit 2 (RFC2) genes, complete cds.//8.5e-96:510:93//AF045555
- R-PLACE1008532
- 30 R-PLACE1008533
- R-PLACE1008568//HS_3218_B2_D08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3218 Col=16 Row=H, genomic survey sequence.//0.0042:295:62//AQ214623
- R-PLACE1008584//Human PAC clone DJ0596009 from 7p15, complete sequence.//5.0e-26:254:66//AC003074
- R-PLACE1008621//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//4.0e-78:498:86//AC006120
- 35 R-nnnnnnnnnnnnn
- R-PLACE1008626//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 97P20, WORKING DRAFT SEQUENCE.//5.5e-06:228:67//AL031297
- R-PLACE1008627//Cricetulus griseus mRNA for Zn finger factor.//3.4e-20:335:71//Y12836
- 40 R-PLACE1008629//Homo sapiens clone DJ0309D19, WORKING DRAFT SEQUENCE, 12 unordered pieces.//0.55:326:58//AC004826
- R-PLACE1008630//Homo sapiens genomic DNA, 21q region, clone: B175P11X96, genomic survey sequence.//0.13:440:55//AG011096
- R-PLACE1008643//Human BAC clone RG083J23 from 7q31, complete sequence.//1.3e-58:356:82//AC004001
- 45 R-PLACE1008650//Homo sapiens pleiotropic regulator 1 (PLRG1) mRNA, complete cds.//2.4e-88:434:97//AF044333
- R-PLACE1008693//CIT-HSP-2025M9.TR CIT-HSP Homo sapiens genomic clone 2025M9, genomic survey sequence.//1.2e-41:300:82//B64742
- R-PLACE1008696//Homo sapiens NADH dehydrogenase-ubiquinone Fe-S protein 8 23 kDa subunit (NDUFS8) gene, nuclear gene encoding mitochondrial protein, complete cds.//4.8e-31:320:75//AF038406
- 50 R-PLACE1008715//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 799N4, WORKING DRAFT SEQUENCE.//0.074:478:58//AL022147
- R-PLACE1008748//CIT-HSP-2170P12.TR CIT-HSP.Homo sapiens genomic clone 2170P12, genomic survey sequence.//8.5e-42:160:86//B90841
- 55 R-PLACE1008757//Homo sapiens 12q24.2 PAC RPCI4-765H13 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.99:211:61//AC005864
- R-PLACE1008790//Rattus norvegicus clone1 polymeric immunoglobulin receptor mRNA 3' untranslated region, GA rich region, and microsatellites with GGA-triplet and GAA-triplet repeats.//0.052:108:68//U00762

EP 1 074 617 A2

R-PLACE1008798//Homo sapiens full-length insert cDNA clone YZ86C05.//7.7e-58:285:100//AF086088
R-PLACE1008807//CIT-HSP-2366014.TR CIT-HSP Homo sapiens genomic clone 2366O14, genomic survey sequence.//3.5e-35:223:89//AQ079210
5 R-PLACE1008808//Homo sapiens exonuclease homolog RAD1 (RAD1) mRNA, complete cds.//2.3e-97:499:95//AF030933
R-PLACE1008813//Rattus norvegicus rsec15 mRNA, complete cds.//9.7e-45:394:78//AF032668
R-PLACE1008851//Human Chromosome 15q26.1 PAC clone pDJ460g16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.9e-28:207:87//AC004581
10 R-NNNNNNNNNNNN//CIT-HSP-2172B3.TF CIT-HSP Homo sapiens genomic clone 2172B3, genomic survey sequence.//8.9e-30:166:97//B93289
R-PLACE1008867//Homo sapiens BAC clone RG054D04 from 7q31, complete sequence.//3.5e-76:404:95//AC005058
R-PLACE1008887//Homo sapiens clone DJ0943F02, WORKING DRAFT SEQUENCE, 3 unordered pieces.//7.7e-37:585:67//AC004932
15 R-PLACE1008902//Homo sapiens chromosome Y, clone hCIT.494_G_17, complete sequence.//0.0022:409:60//AC005820
R-PLACE1008920//Homo sapiens mRNA for KIAA0765 protein, partial cds.//8.2e-55:344:89//AB018308
R-PLACE1008925//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y53F4, WORKING DRAFT SEQUENCE.//0.0014:398:58//Z92860
20 R-PLACE1008934
R-PLACE1008941//Homo sapiens chromosome 17, clone hRPK.293_K_20, complete sequence.//9.8e-84:429:92//AC005495
R-PLACE1008947
R-PLACE1009020
25 R-PLACE1009027//Human DNA sequence from clone 914P14 on chromosome Xq23 Contains calpain-like protease gene, DCX (doublecortin) ESTs, CA repeat, GSS, complete sequence.//1.3e-82:434:95//AL031117
R-PLACE1009039//Human DNA sequence from clone 276K20 on chromosome 6p22.1-22.3. Contains STSs, GSSs and a putative CpG island, complete sequence.//0.00010:297:58//AL031391
R-PLACE1009045//Homo sapiens chromosome 17, clone hRPC.117_B_12, complete sequence.//2.9e-06:160:70//AC004707
30 R-PLACE1009048//Human DNA sequence from clone 511E16 on chromosome 6p24.3-25.1. Contains the last coding exon of the gene for P18 component of aminoacyl-tRNA synthetase complex, part of an unknown gene downstream of a putative CpG island, and an STS with a CA repeat polymorphism, complete sequence.//1.3e-16:339:66//AL023694
35 R-PLACE1009050//Aedes aegypti gene sequence, primary transcript.//0.40:393:59//L17023
R-PLACE1009060//Mus musculus mRNA for Alix-SF (ALG-2-interacting protein X, short form, complete CDS.//0.00075:79:83//AJ005074
R-PLACE1009090//Homo sapiens chromosome 1, BAC CIT-HSP-292g8 (BC262482), complete sequence.//6.7e-13:212:73//AC004783
40 R-PLACE1009094//Caenorhabditis elegans cosmid C49F8, complete sequence.//0.49:221:61//Z70206
R-PLACE1009099
R-PLACE1009110//Homo sapiens Xp22 BAC GS-321G17 (Genome Systems Human BAC library) complete sequence.//5.1e-17:301:66//AC004025
R-PLACE1009111//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//1.2e-06:234:61//AC005140
45 R-PLACE1009130//Plasmodium falciparum MAL3P6, complete sequence.//7.5e-06:426:58//Z98551
R-PLACE1009150//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//2.3e-118:614:95//AJ011929
R-PLACE1009155//Homo sapiens genomic DNA, chromosome 21q11.1, segment 2/28, WORKING DRAFT SEQUENCE.//1.4e-107:584:93//AP000031
50 R-PLACE1009158//Homo sapiens full-length insert cDNA clone YP10D03.//1.9e-105:539:95//AF085876
R-PLACE1009166//Homo sapiens chromosome 17, clone hRPK.180_P_8, complete sequence.//2.8e-44:360:71//AC005972
R-PLACE1009172//Human cosmid QLL2C9 from Xq28.//4.1e-37:401:74//Z47046
55 R-PLACE1009174//Homo sapiens PAC clone DJ0907C10 from 7q31-3q32, complete sequence.//2.1e-17:140:81//AC004925
R-PLACE1009183//Homo sapiens DNA sequence from PAC 418A9 on chromosome 6q21. Contains the first (5') two exons of a CDK8 (Cell Division Protein Kinase 8) LIKE gene, a Neutral Calponin LIKE pseudogene, ESTs and

- STSs, complete sequence.//1.9e-46:572:69//Z84480
 R-PLACE1009186//Human Chromosome X, complete sequence.//0.016:322:61//AC004070
 R-PLACE1009190//Plasmodium falciparum MAL3P8, complete sequence.//0.050:487:58//AL034560
 R-PLACE1009200//H.sapiens mRNA for sortilin.//1.0e-31:195:92//X98248
 5 R-PLACE1009230//Homo sapiens chromosome 19, CIT-HSP BAC 490g23 (BC338531), complete sequence.//1.8e-75:364:85//AC005392
 R-PLACE1009246//Cricetulus griseus SRD-2 mutant sterol regulatory element binding protein-2 (SREBP-2) mRNA, complete cds.//6.6e-44:525:71//U22818
 R-PLACE1009308
 10 R-PLACE1009319//Homo sapiens 12q13.1 PAC RPCI1-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.00010:132:75//AC004801
 R-PLACE1009328//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//3.3e-87:576:85//AC006120
 R-PLACE1009335//Borrelia burgdorferi (section 62 of 70) of the complete genome.//0.32:315:60//AE001176
 15 R-PLACE1009338//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//6.8e-05:411:59//AC005140
 R-PLACE1009368//Homo sapiens PAC clone DJ1179J19 from 7q11.23-q21, complete sequence.//0.00040:280:61//AC004989
 R-PLACE1009375//D. yakuba mitochondrial DNA for origin of replication, small ribosomal RNA, transfer RNAs tRNA-fMet, tRNA-Gln, tRNA-Ile and tRNA-Val.//1.1e-08:444:60//X05915
 20 R-PLACE1009388
 R-PLACE1009398//Homo sapiens BAC clone GS011E15 from 5q31, complete sequencer.//0.065:279:61//AC002427
 R-nnnnnnnnnnnnn//Homo sapiens clone NH0486I22, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.0e-06:253:64//AC005038
 25 R-PLACE1009410//Homo sapiens chromosome 17, clone hRPK.142_H_19, complete sequence.//9.8e-112:561:96//AC005919
 R-PLACE1009434//Human DNA sequence from clone 459L4 on chromosome 6p22.3-24.1 Contains EST, STS, GSS, complete sequence.//2.2e-21:126:79//AL031120 R-PLACE1009443//Homo sapiens nucleolar protein Nop30 and cytoplasmic protein Myp (NOP) gene, alternatively spliced products, complete cds.//4.5e-14:117:91//AF064598
 30 R-PLACE1009444//Homo sapiens phosphatidylinositol 4-kinase mRNA, complete cds.//9.6e-85:479:90//L36151
 R-PLACE1009459
 R-PLACE1009476//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-67A1, complete sequence.//5.6e-101:540:94//AC004531
 35 R-PLACE1009477//Homo sapiens, clone hRPK.15_A_1, complete sequence.//3.4e-46:284:91//AC006213
 R-PLACE1009493//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//5.5e-107:581:92//U91321
 R-PLACE1009524//Homo sapiens DNA sequence from PAC 63G5 on chromosome-22q12.3-13.1. Contains part of a gene for a human SEC7 homolog B2-1 (cytohesin-2, Arno, ARF exchange factor) LIKE protein, an unknown gene and a gene coding for a Leucine rich protein. Contains ESTs, STSs and GSSs, complete sequence.//0.74:301:61//Z94160
 40 R-PLACE1009539//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 167A19, WORKING DRAFT SEQUENCE.//5.7e-29:357:74//AL031427
 45 R-PLACE1009542//CIT-HSP-2166P10.TRB CIT-HSP Homo sapiens genomic clone 2166P10, genomic survey sequence.//2.6e-10:145:75//B89614
 R-PLACE1009571//RPCI11-61J16.TK RPCI11 Homo sapiens genomic clone R-61J16, genomic survey sequence.//0.016:68:80//AQ202146
 R-PLACE1009581
 50 R-PLACE1009595//Homo sapiens clone DJ56J10, complete sequence.//1.8e-38:365:79//AC005006
 R-PLACE1009596//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 501A4, WORKING DRAFT SEQUENCE.//1.2e-29:314:76//Z98051
 R-PLACE1009607//cSRL-77g9-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-77g9, genomic survey sequence.//2.1e-05:142:69//B06230
 55 R-PLACE1009613//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-89, complete sequence.//3.6e-08:434:59//AL010266
 R-PLACE1009621//Sequence 50 from patent US 5691147.//1.5e-20:235:73//I76222
 R-PLACE1009622//CIT-HSP-2023D13.TFB CIT-HSP Homo sapiens genomic clone 2023D13, genomic survey

- sequence.//0.72:176:62//B81271
 R-PLACE1009637//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.0068:396:59//X95276
 R-PLACE1009639//Arabidopsis thaliana DNA chromosome 4, BAC clone F10M6 (ESSAI project).//0.013:521:58//AL021811
- 5 R-PLACE1009659//Homo sapiens mRNA for KIAA0587 protein, complete cds.//1.0e-107:589:92//AB011159
 R-PLACE1009665//Human PAC clone DJ0658N05 from 7p21, complete sequence.//8.4e-72:487:85//AC003075
 R-PLACE1009670//Homo sapiens genethonin 1 mRNA, complete cds.//2.0e-61:310:97//AF062534
 R-PLACE1009708//Homo sapiens clone DJ0935K16, complete sequence.//2.8e-103:542:94//AC006011
 R-PLACE1009721//Human Cosmid g0771a222 from 7q31.3, complete sequence.//4.6e-85:518:88//AC000109
- 10 R-PLACE1009731//Homo sapiens DNA sequence from PAC 434O14 on chromosome 1q32.3-41. Contains the HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs, complete sequence.//0.0033:215:65//AL022398
 R-PLACE1009763//Homo sapiens UBA3 (UBA3) mRNA, complete cds.//6.2e-116:598:95//AF046024
- 15 R-PLACE1009794
 R-nnnnnnnnnnnnn//Human DNA sequence from clone 1189B24 on chromosome Xq25-26.3. Contains NADH-Ubi-quinone Oxidoreductase MLRQ subunit (EC 1.6.5.3, EC 1.6.99.3, CI-MLRQ), Tubulin Beta and Proto-oncogene Tyrosine-protein Kinase FER (EC 2.7.1.112, P94-FER, C-FER, TYK3) pseudogenes, and part of a novel gene similar to hypothetical proteins S. pombe C22F3.14C and C. elegans C16A3.8. Contains ESTs, an STS and GSSs, complete sequence.//7.5e-88:191:96//AL030996
- 20 R-PLACE1009845//Homo sapiens DNA sequence from PAC 234H5 on chromosome 6q21. Contains an unknown gene, ESTs and STSs, complete sequence.//8.7e-19:226:69//Z98172
 R-PLACE1009879//Homo sapiens genomic DNA, 21q region, clone: 149C3A68, genomic survey sequence.//2.1e-29:230:76//AG002672
- 25 R-PLACE1009886//Homo sapiens PAC clone DJ0997N05 from 7q11.23-q21.1, complete sequence.//0.99:203:61//AC004945
 R-PLACE1009888//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//5.3e-91:577:88//AC006116
 R-nnnnnnnnnnnnn
- 30 R-PLACE1009921//Homo sapiens cosmid clone HDAB (1S149) insert DNA, complete cosmid.//4.7e-81:385:84//M63005
 R-PLACE1009924//HS_3151_B1_B10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3151 Col=19 Row=D, genomic survey sequence.//5.5e-47:240:99//AQ167412
 R-PLACE1009925//CIT978SK-A-931F6.TV CIT978SK Homo sapiens genomic clone A-931F6, genomic survey sequence.//0.00010:159:68//B51673
- 35 R-PLACE1009935//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.081:238:65//AC005308
 R-PLACE1009947//Homo sapiens PAC clone 248015 from 13q12-q13, complete sequence.//1.0:353:58//AC002483
- 40 R-PLACE1009971//Homo sapiens full-length insert cDNA clone ZD38E12.//3.7e-11:152:75//AF086247
 R-PLACE1009992
 R-PLACE1009995//Plasmodium falciparum chromosome 2, section 4 of 73 of the complete sequence.//0.0019:305:61//AE001367
- 45 R-PLACE1009997//Homo sapiens chromosome 10 clone CIT987SK-1175G20 map 10q25.2-10q25.3, complete sequence.//1.8e-43:462:76//AC005874
 R-PLACE1010023//HS_3018_B1_H10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3018 Col=19 Row=P, genomic survey sequence.//0.00013:198:63//AQ093513
 R-PLACE1010031//Human DNA sequence from clone 30M3 on chromosome 6p22.1-22.3. Contains three novel genes, one similar to C. elegans Y63D3A.4 and one similar to (predicted) plant, worm, yeast and archaea bacterial genes, and the first exon of the KIAA0319 gene. Contains ESTs, GSSs and putative CpG islands, complete sequence.//7.4e-115:581:96//AL031775
- 50 R-PLACE1010053//M.musculus Spnr mRNA for RNA binding protein.//1.9e-05:136:74//X84692
 R-PLACE1010069//CIT-HSP-2328B12.TF CIT-HSP Homo sapiens genomic clone 2328B12, genomic survey sequence.//2.6e-60:324:94//AQ042094
- 55 R-PLACE1010074//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//4.6e-87:543:88//AF065482
 R-PLACE1010076//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0473M13; HTGS phase 1, WORKING DRAFT SEQUENCE, 4 unordered pieces.//6.3e-08:489:58//AC005699
 R-PLACE1010083

R-PLACE1010089//F19F22-Sp6 IGF Arabidopsis thaliana genomic clone F19F22, genomic survey sequence.//
 0.14:400:59/B10583
 R-PLACE1010096//R.norvegicus mRNA for 100 kDa protein.//4.3e-91:562:87//X64411
 R-PLACE1010102//Apis mellifera tRNA-Leu cytochrome oxidase II intergenic spacer region, mitochondrial se-
 5 quence.//1.5e-08:357:60//AF039556
 R-PLACE1010105//Plasmodium falciparum chromosome 2, section 11 of 73 of the complete sequence.//4.0e-09:
 510:59//AE001374
 R-PLACE1010106//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING
 DRAFT SEQUENCE.//1.4e-12:194:73//Z98304
 10 R-PLACE1010134
 R-PLACE1010148//HS_3128_A1_D09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3128 Col=17 Row=G, genomic survey sequence.//0.17:281:61//AQ140790
 R-PLACE1010152//Mouse mRNA for arylhydrocarbon receptor, complete cds.//3.1e-45:351:81//D38417
 R-PLACE1010181//Homo sapiens clone DJ0914M06, WORKING DRAFT SEQUENCE, 1 unordered pieces.//
 15 3.6e-06:207:66//AC004928
 R-PLACE101019411HS_2232_B1_H10_MR CIT Approved Human Genomic Sperm Library D. Homo sapiens ge-
 nomic clone Plate=2232 Col=19 Row=P, genomic survey sequence.//2.4e-08:134:74//AQ185425
 R-PLACE1010202//Human DNA sequence from clone 227L5 on chromosome Xp11.22-11.3. Contains a Keratin,
 Type 1 Cytoskeletal 18 (KRT18, CYK18, K18, CK18) pseudogene and an STS, complete sequence.//0.00035:383:
 20 61//AL031585
 R-PLACE1010231//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 287G14, WORKING
 DRAFT SEQUENCE.//1.2e-95:519:94//AL033377
 R-PLACE1010261
 R-PLACE1010270//H.sapiens CpG island DNA genomic MseI fragment, clone 85a6, reverse read cpg85a61rt1a.//
 25 0.068:171:63//Z63482
 R-PLACE1010274//S.douglasii gene for cytochrome b.//4.5e-07:276:63//X59280
 R-PLACE1010293//Homo sapiens chromosome 2 PAC RPCI3-417E16 (Roswell Park Cancer Institute Human
 PAC library) complete sequence.//4.7e-91:522:90//AC004464
 R-PLACE1010321
 30 R-PLACE1010324//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y38E10,
 WORKING DRAFT SEQUENCE.//5.7e-08:484:57//AL021149
 R-PLACE1010329//Homo sapiens Chromosome 22q11.2 Cosmid Clone 50d10 In IGLC Region, complete se-
 quence.//7.9e-35:328:79//AC000024
 R-PLACE1010341//Homo sapiens clone DJ1125K23, WORKING DRAFT SEQUENCE, 21 unordered pieces.//
 35 1.3e-31:418:66//AC004971
 R-PLACE1010362
 R-PLACE1010364//Mus cookii mitochondrion DNA fragment.//0.23:162:64//M77098
 R-PLACE1010383//Homo sapiens chromosome 17, clone hCIT.186_H_2, complete sequence.//1.4e-105:543:95//
 AC004675
 40 R-PLACE1010401//Human Chromosome 15q11-q13 PAC clone pDJ223c9 from the Prader-Willi/Angelman Syn-
 drome region, complete sequence.//0.00017:268:62//AC004137
 R-PLACE1010481//Bos taurus C5-glucuronyl epimerase mRNA, partial cds.//8.6e-79:556:83//AF003927
 R-PLACE1010491//Homo sapiens Cre binding protein-like 2 mRNA, complete cds.//7.3e-88:438:96//AF039081
 R-PLACE1010492//HS_3169_B2_B04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 45 nomic clone Plate=3169 Col=8 Row=D, genomic survey sequence.//0.98:171:63//AQ169892
 R-PLACE1010522//WORKING DRAFT SEQUENCE, 6 unordered pieces.//0.34:407:62//AC006082
 R-nnnnnnnnnnnnn
 R-PLACE1010562//CITBI-E1-2503B16.TF CITBI-E1 Homo sapiens genomic clone 2503B16, genomic survey se-
 quence.//6.4e-17:152:84//AQ265929
 50 R-PLACE1010579//Torulopsis glabrata mitochondrial gene for ribosomal protein varl.//1.7e-05:271:65//X02893
 R-PLACE1010580
 R-PLACE1010599
 R-PLACE1010616//Human BAC clone RG343P13 from 7q31, complete sequence.//3.0e-13:151:75//AC002465
 R-PLACE1010622//Arabidopsis thaliana BAC F1104.//0.00031:366:60//AF096370
 55 R-PLACE1010624//Homo sapiens chromosome 7q22 sequence, complete sequence.//8.2e-34:322:79//
 AF053356
 R-PLACE1010628//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21 unordered pieces.//
 2.3e-97:515:94//AC004846

R-PLACE1010629//HS_3003_A2_C08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3003 Col=16 Row=E, genomic survey sequence.//5.6e-60:321:95//AQ130493

R-PLACE1010630//Plasmodium falciparum chromosome 2, section 19 of 73 of the complete sequence.//0.051:372:59//AE001382

5 R-PLACE1010631//Homo sapiens mRNA for KIAA0530 protein, partial cds.//2.6e-92:497:93//AB011102

R-PLACE1010661//CIT-HSP-2008K15.TR CIT-HSP Homo sapiens genomic clone 2008K15, genomic survey sequence.//5.7e-27:160:95//B57089

R-PLACE1010662//Caenorhabditis elegans cosmid C12C8, complete sequence.//9.4e-09:151:73//Z81467

10 R-PLACE1010702//CIT-HSP-2314C3.TR CIT-HSP Homo sapiens genomic clone 2314C3, genomic survey sequence.//1.3e-90:459:96//AQ028536

R-PLACE1010714//Saccharomyces douglasii mitochondrial tRNA-Ser and tRNA-Phe genes, partial sequence, and Var1p (var1) gene, mitochondrial gene encoding mitochondrial protein, complete cds.//5.3e-08:478:58//U49822

15 R-PLACE1010720//Homo sapiens chromosome-associated protein-C (hCAP-C) mRNA, partial cds.//3.8e-55:300:95//AF092564

R-PLACE1010739//Human DNA sequence from clone 393P23 on chromosome Xq21.1-21.33. Contains GSSs, complete sequence.//3.4e-89:507:90//Z95400

R-PLACE1010743

R-PLACE1010761//Homo sapiens chromosome 17, clone hRPK.294_J_22, complete sequence.//3.0e-103:511:97//AC005921

20 R-PLACE1010771

R-PLACE1010786

R-PLACE1010800//Homo sapiens clone NH0084K19, WORKING DRAFT SEQUENCE, 30 unordered pieces.//1.8e-43:545:71//AC005682

25 R-PLACE1010802//Phoebeis agarithe large subunit ribosomal RNA gene, partial sequence; tRNA-Val gene, complete sequence; and small subunit ribosomal RNA gene, partial sequence, mitochondrial genes for mitochondrial RNAs.//1.9e-09:492:59//AF044862

R-PLACE1010811//Homo sapiens Xp22 BAC GSHB-257G1 (Genome Systems BAC Library) complete sequence.//0.041:415:59//AC002524

30 R-PLACE1010833

R-PLACE1010856//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.0022:512:55//AC004153

R-PLACE1010857//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 11/11//4.9e-85:507:90//AB020868

35 R-PLACE1010870//RPC111-59K21:TK RPC111 Homo sapiens genomic clone R-59K21, genomic survey sequence.//8.2e-85:422:97//AQ195697

R-PLACE1010877//Homo sapiens mRNA for KIAA0610 protein, partial cds.//7.0e-100:501:96//AB011182

R-PLACE1010891//Homo sapiens chromosome X, clone 592, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.10:162:61//AC002489

40 R-PLACE1010896//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.00032:409:59//AC005505

R-PLACE1010900//Homo sapiens DNA, trinucleotide repeats region.//3.2e-07:180:71//AB018488

R-PLACE1010916//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.041:205:60//AL034557

45 R-PLACE1010917

R-PLACE1010925//HS_2027_B2_B09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2027 Col=18 Row=D, genomic survey sequence.//1.6e-46:404:77//AQ247031

R-PLACE1010926//Homo sapiens mRNA for KIAA0554 protein, partial cds.//4.2e-65:402:89//AB011126

R-nnnnnnnnnnnnn//Homo sapiens intersectin short form mRNA, complete cds.//1.9e-80:441:93//AF064243

50 R-PLACE1010944

R-PLACE1010947//D.discoideum rasG gene.//0.00044:181:65//Z11533

R-PLACE1010954//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//3.0e-51:518:74//AC005077

55 R-PLACE1010960//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 451B21, WORKING DRAFT SEQUENCE.//0.022:292:63//AL033522

R-PLACE1010965//Human mariner1 transposase gene, complete consensus sequence.//1.0e-64:444:84//U52077

R-PLACE1011026//Rickettsia prowazekii strain Madrid E, complete genome; segment 3/4.//0.59:345:61//

- AJ235272
 R-PLACE1011032//Human DNA sequence from PAC 389A20 on chromosome X contains ESTs STS, CpG islands and polymorphic CA repeat.//0.62:82:75//Z93242
 R-PLACE1011041//H.sapiens DNA sequence.//0.051:162:66//Z22248
- 5 R-nnnnnnnnnnnn//Homo sapiens mRNA for KIAA0581 protein, partial cds.//2.9e-100:563:91//AB011153
 R-PLACE1011054//Human DNA sequence from PAC 46H23, BRCA2 gene region chromosome 13q12-13 contains Klotho, ESTs.//4.7e-29:280:73//Z84483
 R-PLACE1011056//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 341D10, WORKING DRAFT SEQUENCE.//1.7e-39:288:84//Z97985
- 10 R-PLACE1011057//CIT-HSP-2014F10.TF CIT-HSP Homo sapiens genomic clone 2014F10, genomic survey sequence.//2.4e-60:370:90//B58896
 R-PLACE1011090//Homo sapiens chromosome 4 clone B200N5 map 4q25, complete sequence.//0.12:489:59//AC005509
 R-PLACE1011109//Homo sapiens chromosome Y, clone 486, O, 2, complete sequence.//8.4e-43:427:76//AC002531
- 15 R-PLACE1011114//Homo sapiens mRNA from HIV associated non-Hodgkin's lymphoma (clone hl1-14).//1.7e-29:179:94//Y16709
 R-PLACE1011133//HS-1058-B1-H02-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 780 Col=3 Row=P, genomic survey sequence.//1.0:133:63//44006
- 20 R-PLACE1011143//H.sapiens CpG island DNA genomic Mse1 fragment, clone 127a4, forward read cpg127a4.f1a.//1.0:127:67//Z56550
 R-PLACE1011160//Homo sapiens HRIHFB2038 mRNA, partial cds.//2.4e-95:534:91//AB015333
 R-PLACE1011165//Human Cosmid g5129s232 from 7q31.3, complete sequence.//0.47:355:58//AC003968
 R-PLACE1011185//Homo sapiens clone DJ0038I10, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.3e-26:403:70//AC004820
- 25 R-PLACE1011203//paramecium species 4.51er mt dna dimer: replication init. region, clone 1.//1.0e-10:379:60//K00908
 R-PLACE1011219//HS_3036_B1_F08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3036 Col=15 Row=L, genomic survey sequence.//2.6e-39:253:88//AQ104587
- 30 R-PLACE1011221//Homo sapiens T-cell receptor alpha delta locus from bases 250472 to 501670 (section 2 of 5) of the Complete Nucleotide Sequence.//0.32:279:60//AE000659
 R-PLACE1011229//HS_3002_B1_E10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3002 Col=19 Row=J, genomic survey sequence.//9.3e-31:317:74//AQ303626
 R-PLACE1011263//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//1.2e-109:571:94//AC005014
- 35 R-PLACE1011273//Saccharomyces douglasii mitochondrial cytochrome c oxidase subunit I (COXI) gene, complete cds.//0.00027:337:61//M97514
 R-PLACE1011291
 R-PLACE1011296//H.sapiens steroid reductase pseudogene.//4.2e-37:326:80//M68887
- 40 R-PLACE1011310//H.sapiens 5' flanking sequence of gene for corticotropin.//0.0017:416:60//X67661
 R-PLACE1011325//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.3.0e-10:511:59//AE001398
 R-PLACE1011332//Homo sapiens chromosome 17, clone HCIT3L16, WORKING DRAFT SEQUENCE, 7 unordered pieces.//8.3e-06:250:64//AC002344
- 45 R-PLACE1011340//Human BAC clone RG341D10 from 7p15-p21, complete sequence.//0.67:290:58//AC002530
 R-PLACE1011375//Mus musculus Kv3.4 gene, exon 4.//6.8e-23:190:86//AJ010310
 R-PLACE1011399//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.22:359:60//AC005140
 R-PLACE1011419//Human DNA sequence from cosmid U90B3, on chromosome Xp11, contains ESTs.//5.1e-32:282:81//Z74022
- 50 R-nnnnnnnnnnnn//Homo sapiens mRNA for KIAA0530 protein, partial cds.//1.5e-112:600:94//AB011102
 R-PLACE1011452//Homo sapiens clone DJ0945F02, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.9e-77:303:85//AC006013
 R-PLACE1011465
- 55 R-PLACE1011472//Homo sapiens mRNA for KIAA0712 protein, complete cds.//7.9e-103:515:96//AB018255
 R-PLACE1011492//A-837A4.TP CIT978SK Homo sapiens genomic clone A-837A4, genomic survey sequence.//6.5e-37:234:82//B14085
 R-PLACE1011503//Homo sapiens chromosome 17, clone hRPC.1171_I_10, complete sequence.//0.99:267:60//

- AC004687
 R-PLACE1011520//Homo sapiens clone DJ1119N05, complete sequence.//2.0e-116:591:96//AC004968
 R-PLACE1011563//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING
 DRAFT SEQUENCE, 4 unordered pieces.//1.2e-13:566:59//AC004688
- 5 R-PLACE1011567//Plasmodium-falciparum MAL3P6, complete sequence.//0.62:358:61//Z98551
 R-PLACE1011576//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//8.7e-45:400:78//
 AC003973
 R-PLACE1011586//Homo sapiens chromosome 17, clone HRPC890E16, complete sequence.//2.2e-59:338:93//
 AC004477
- 10 R-PLACE1011635//C.pasteurianum pfl gene and act gene.//0.71:288:60//X93463
 R-PLACE1011641//Mycoplasma genitalium random genomic clone sg11, partial cds.//0.023:232:60//U02205
 R-PLACE1011643//Homo sapiens chromosome 19, cosmid R33590, complete sequence.//1.4e-21:432:67//
 AC005620
 R-PLACE1011649//Homo sapiens clone 24432 mRNA sequence.//7.8e-72:414:91//AF070535
- 15 R-PLACE1011650//Human PAC clone DJ327A19 from Xq25-q26, complete sequence.//5.1e-27:174:79//
 AC002477
 R-PLACE1011664//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone. 460D19, WORKING
 DRAFT SEQUENCE.//7.4e-05:238:65//AL031905
 R-PLACE1011675//CIT-HSP-2370M16.TR CIT-HSP Homo sapiens genomic clone 2370M16, genomic survey se-
 quence.//1.3e-27:233:81//AQ108283
- 20 R-PLACE1011682//H.sapiens HLA-DMB gene.//2.3e-22:390:67//X76776
 R-PLACE1011719//Homo sapiens 12q24.2 BAC RPC111-360E11 (Roswell Park Cancer Institute Human BAC Li-
 brary) complete sequence.//3.1e-24:409:66//AC004806
 R-PLACE1011725//Homo sapiens unknown mRNA downregulated by induced differentiation with 13-cis retinoic
 acid.//0.13:143:65//AF026526
- 25 R-PLACE1011729//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING
 DRAFT SEQUENCE.//1.1e-15:157:82//AL022345
 R-PLACE1011749//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.5e-
 38:314:81//AC005089
- 30 R-PLACE1011762//Homo sapiens BAC clone RG067E13 from 7q21, complete sequence.//1.9e-35:538:68//
 AC002383
 R-PLACE1011778//CIT-HSP-2326C17.TV CIT-HSP Homo sapiens genomic clone 2326C17, genomic survey se-
 quence.//2.8e-58:346:91//AQ028782
 R-PLACE1011783//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 229A8, WORKING
- 35 DRAFT SEQUENCE.//4.6e-38:288:84//Z86090
 R-PLACE1011858//Human DNA sequence from clone 496N17 on chromosome 6p11.2-12.3 Contains EST, GSS,
 complete sequence.//4.1e-104:524:97//AL031321
 R-PLACE1011874//Homo Sapiens Chromosome X clone bWXD312, complete sequence.//2.1e-100:511:95//
 AC004478
- 40 R-PLACE1011875
 R-PLACE1011891//Human lens membrane protein (mp19) gene, exon 11.//0.0011:195:64//L04193
 R-PLACE1011896//Homo sapiens DNA sequence from PAC 434014 on chromosome 1q32.3-41. Contains the
 HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE
 pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs,
- 45 complete sequence.//0.010:110:74//AL022398
 R-PLACE1011922//Homo sapiens chromosome 21q22.3 PAC 171F15, complete sequence.//3.5e-10:152:74//
 AF042090
 R-PLACE1011923//Homo sapiens serum-inducible kinase mRNA, complete cds.//7.0e-98:546:92//AF059617
 R-PLACE1011962//CIT-HSP-2294L24.TF CIT-HSP Homo sapiens genomic clone 2294L24, genomic survey se-
 quence.//0.31:131:63//AQ006352
- 50 R-PLACE1011964//Homo sapiens chromosome 17, clone HRPC987K16, complete sequence.//2.5e-08:393:63//
 AC002994
 R-PLACE1011982//Arabidopsis thaliana genomic DNA, chromosome 3, P1 clone: MDJ14, complete sequence.//
 9.6e-09:463:62//AB016889
- 55 R-PLACE1011995//Human Down Syndrome region of chromosome 21, clone A12H1-2H4.//2.7e-39:294:82//
 U44738
 R-PLACE1012031//Homo sapiens mRNA for KIAA0713 protein, partial cds.//2.5e-104:540:95//AB018256
 R-PLACE2000003//Human PAC clone DJ404F18 from Xq23, complete sequence.//4.9e-10:439:63//AC004000

R-PLACE2000007//Human fibroblast growth factor receptor 3 (FGFR3) gene, intron 3.//1.0:151:66//L78722
 R-PLACE2000011//Homo sapiens clone 614 unknown mRNA, complete sequence.//1.5e-103:524:95//AF091080
 R-PLACE2000015//Homo sapiens PAC clone DJ269005 from Xq23, complete sequence.//0.94:372:57//AC005191
 R-PLACE2000017//Homo sapiens chromosome 17, clone hCIT.162_E_12, complete sequence.//3.0e-55:299:86//
 5 AC006236
 R-PLACE2000021//CIT-HSP-2343C18.TR CIT-HSP Homo sapiens genomic clone 2343C18, genomic survey se-
 quence.//4.5e-54:295:94//AQ058140
 R-PLACE2000033//H.sapiens gene for mitochondrial ATP synthase c subunit (P1 form).//6.5e-38:298:82//X69907
 R-PLACE2000034//Homo sapiens clone DJ0613C23, WORKING DRAFT SEQUENCE, 4 unordered pieces.//5.3e-
 10 34:200:79//AC005628
 R-PLACE2000039//Homo sapiens BAC clone RG060N22 from 7q21, complete sequence.//1.8e-49:274:89//
 AC003083
 R-PLACE2000047//CIT-HSP-2373C2.TR CIT-HSP Homo sapiens genomic clone 2373C2, genomic survey se-
 quence.//1.8e-48:389:79//AQ112243
 15 R-PLACE2000050//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 117715, WORKING
 DRAFT SEQUENCE.//0.0027:95:76//AL022315
 R-PLACE2000061//Homo sapiens mRNA for KIAA0575 protein, complete cds.//2.9e-39:429:72//AB011147
 R-PLACE2000062//Homo sapiens clone DJ0539M06, WORKING DRAFT SEQUENCE, 10 unordered pieces.//
 5.9e-40:310:84//AC004832
 20 R-PLACE2000072//Homo sapiens ZNF202 beta (ZNF202) mRNA, complete cds.//1.9e-109:550:95//AF027219
 R-PLACE2000097//Homo sapiens chromosome 12p13.3 clone RPC11-189M20, WORKING DRAFT SE-
 QUENCE, 39 unordered pieces.//1.6e-106:553:95//AC005910
 R-PLACE2000100//Human DNA sequence from clone 301K23 on chromosome 1p35.1-36.21. Contains the 5' part
 of a novel gene similar to predicted yeast and worm genes. Contains ESTs and GSSs, complete sequence.//1.8e-
 25 38:285:84//AL031730
 R-PLACE2000103//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20208, WORKING
 DRAFT SEQUENCE.//4.3e-113:559:97//AL031848
 R-PLACE2000111//Rat MLC1V gene encoding alkali myosin ventricel light chain, exon 1.//0.00041:347:61//
 X16325
 30 R-PLACE2000115//Cervus elaphus MHC class II DRB pseudogene, intron 2 microsatellite.//0.50:165:63//U63067
 R-PLACE2000132
 R-PLACE2000136//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-30, complete
 sequence.//0.0032:310:61//AL008974
 R-PLACE2000140//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 11703, WORKING
 35 DRAFT SEQUENCE.//1.1e-111:566:96//AL020995
 R-PLACE2000164
 R-PLACE2000170//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0024K08;
 HTGS phase 1, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.9e-40:390:76//AC005598
 R-PLACE2000172
 40 R-PLACE2000176
 R-PLACE2000187//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 268H5, WORKING
 DRAFT SEQUENCE.//8.7e-45:298:87//AL008718
 R-PLACE2000216//Dog nonerythroid beta-spectrin mRNA, 3' end.//5.6e-88:495:92//L02897
 R-PLACE2000223
 45 R-PLACE2000235//HS_3159_B1_B06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3159 Col=11 Row=D, genomic survey sequence.//1.8e-88:454:96//AQ179271
 R-PLACE2000246//Homo sapiens chromosome 3p clone RPC14-544D10, WORKING DRAFT SEQUENCE, 58
 unordered pieces.//9.1e-41:282:86//AC005902
 R-PLACE2000264//Homo sapiens DNA sequence from PAC 95C20 on chromosome Xp11.3-11.4. Contains STSs
 50 and the DXS7 locus with GT and GTG repeat polymorphisms, complete sequence.//8.3e-35:305:80//Z97181
 R-PLACE2000274//Human Chromosome 16 BAC clone CIT987SK-A-211C6, complete sequence.//3.5e-18:325:
 67//AC002394
 R-PLACE2000302//Homo sapiens chromosome 17, clone HRPC1067M6, complete sequence.//1.5e-39:287:85//
 AC003043
 55 R-PLACE2000305//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 16915, WORKING
 DRAFT SEQUENCE.//1.2e-43:295:85//Z93015
 R-PLACE2000317//Human DNA sequence from clone 245G19 on chromosome Xp22.11-22.2 Contains serine-
 threonine kinase (Tpx3) gene, a pseudogene similar to ALPHA-1 PROTEIN ((CONNEXIN 43, CX43, GAP JUNC-

TION 43 KD HEART PROTEIN)), and the 3' end of the RS1 (X-linked juvenile retinoschisis precursor protein) gene. Contains ESTs, STSs and GSSs, complete sequence.//4.0e-05:284:65//Z92542
R-PLACE2000335//Homo sapiens clone DJ0755D09, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.5e-26:334:70//AC006147

5 R-PLACE2000342//Fugu rubripes cosmid 258N02 containing IGFII, TH, NAP2 genes.//4.0e-05:254:64//AL021880
R-PLACE2000347//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 799N4, WORKING DRAFT SEQUENCE.//1.6e-82:504:88//AL022147
R-PLACE2000359//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 40E16, WORKING DRAFT SEQUENCE.//2.0e-36:314:80//AL031963

10 R-PLACE2000366//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 796F18, WORKING DRAFT SEQUENCE.//2.0e-48:389:80//AL031291
R-PLACE2000371
R-PLACE2000373//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 324M8, WORKING DRAFT SEQUENCE.//0.61:231:61//AL008734

15 R-PLACE2000379//Homo sapiens clone DJ0892G19, complete sequence.//3.5e-11:287:67//AC004917
R-PLACE2000394//Human DNA sequence from clone 465N24 on chromosome 1p35.1-36.13. Contains two novel genes, ESTs, GSSs and CpG islands, complete sequence.//6.8e-108:553:96//AL031432
R-PLACE2000398//Homo sapiens clone RG074A24, WORKING DRAFT SEQUENCE, 25 unordered pieces.//2.9e-26:326:73//AC005059

20 R-PLACE2000399
R-PLACE2000404//Homo sapiens chromosome 5, BAC clone 282B7 (LBNL H192), complete sequence.//6.5e-84:434:96//AC005216
R-PLACE2000411//P.clarkii mRNA; repeat region (ID 2R).//0.47:104:70//Z54273
R-PLACE2000419

25 R-PLACE2000425//Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions.//1.9e-40:447:74//AF003528
R-PLACE2000427
R-PLACE2000433//Human Chromosome 15 pac pDJ24m8, complete sequence.//3.5e-40:286:85//AC000379
R-PLACE2000435

30 R-PLACE2000438//Homo sapiens full-length insert cDNA clone ZE04D01.//2.2e-107:523:98//AF086521
R-PLACE2000450 4.1e-42:328:79//AG006257
R-PLACE2000455
R-PLACE2000458//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete-sequence.//5.1e-116:570:97//AC005740

35 R-PLACE2000465//Human BAC clone RG191D16, complete sequence.//6.3e-37:408:75//AC002460
R-PLACE2000477//M.musculus tex264 mRNA (3'region).//7.5e-06:117:76//X80427
R-PLACE3000004
R-PLACE3000029//Human DNA sequence from PAC 506G2 contains STSs and a CpG island.//5.8e-34:308:78//Z82976

40 R-PLACE3000059//Mus musculus mRNA for ubiquitin conjugating enzyme.//1.1e-36:273:87//Y17267
R-PLACE3000070//Homo sapiens chromosome 5, PAC clone 17e19 (LBNL H148), complete sequence.//2.3e-10:181:71//AC004648
R-PLACE3000103//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30A23, WORKING DRAFT SEQUENCE.//1.2e-48:495:74//AL022156

45 R-PLACE3000119//Homo sapiens Chromosome 22q12 BAC Clone 58b8 In Meningioma Deletion Region, complete sequence.//3.4e-39:283:85//AC000026
R-PLACE3000124//Homo sapiens chromosome 5, P1 clone 793c5 (LBNL H57), complete sequence.//9.2e-23:171:76//AC005200
R-PLACE3000136//U.arctos microsatellite DNA, clone UarMU23.//0.00052:171:65//Y09645

50 R-PLACE3000142//HS_3037_82_B02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3037 Col=4 Row=D, genomic survey sequence.//0.88:121:66//AQ097023
R-PLACE3000147//Mus musculus DNA for ADAMTS-1, complete cds.//3.3e-23:472:66//AB001735
R-PLACE3000148//Human DNA from cosmid L27h9, Huntington's Disease Region, chromosome 4p16.3 contains CpG island.//3.5e-11:176:73//Z49237

55 R-PLACE3000155//Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.//6.9e-106:549:94//AC005277
R-PLACE3000156//Homo sapiens BAC clone RG067E13 from 7q21, complete sequence.//7.0e-38:545:70//AC002383

R-PLACE3000157
 R-PLACE3000158//, complete sequence.//1.4e-33:283:81//AC005500
 R-PLACE3000160
 5 R-PLACE3000169//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete sequence.//5.2e-43:229:85//AC006130
 R-PLACE3000194
 R-PLACE3000197//Homo sapiens chromosome 17, clone hRPK.401_O_9, complete sequence.//7.2e-61:394:89//AC005291
 10 R-PLACE3000199//Homo sapiens Xq28 genomic DNA in the region of the L1CAM locus containing the genes for neural cell adhesion molecule L1 (L1CAM), arginine-vasopressin receptor (AVPR2), C1 p115 (C1), ARD)1 N-acetyltransferase related protein (TE2), renin-binding protein (RbP), host cell factor 1 (HCF1), and interleukin-1 receptor-associated kinase (IRAK) genes, complete cds, and Xq281u2 gene.//0.23:309:57//U52112 R-PLACE3000207//CIT-HSP-384B14.TR CIT-HSP Homo sapiens genomic clone 384B14, genomic survey sequence.//1.1e-15:156:81//B54637
 15 R-PLACE3000208//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 591N18, WORKING DRAFT SEQUENCE.//1.3e-16:139:87//AL031594
 R-PLACE3000218//HS_3185_B1_B01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3185 Col=1 Row=D, genomic survey sequence.//3.5e-07:120:75//AQ155720
 R-PLACE3000220//Homo sapiens chromosome 17, clone HRPC1096F1, complete sequence.//2.4e-44:363:80//AC004167
 20 R-PLACE3000226//Caenorhabditis elegans cosmid M01G5.//0.88:95:77//AF078786
 R-PLACE3000230//Homo sapiens ccr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//5.3e-69:536:81//U95626
 R-PLACE3000242//Sequence 1 from patent US 5599918.//3.2e-62:546:78//I35489
 25 R-PLACE3000244//M.musculus mRNA for 200 kD protein.//1.7e-45:404:75//X80169
 R-PLACE3000254//Human mRNA for KIAA0309 gene, partial cds.//7.5e-28:174:94//AB002307
 R-PLACE3000271//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//3.9e-54:492:77//AL034379
 R-PLACE3000276//Homo sapiens PAC clone DJ0320J15 from Xq23, complete sequence.//5.4e-12:176:69//AC004081
 30 R-PLACE3000304//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//5.7e-114:555:97//AC005328
 R-PLACE3000310//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 467L1, WORKING DRAFT SEQUENCE.//6.2e-51:314:84//Z98884
 35 R-PLACE3000320//Homo sapiens elastin gene, exons 5-27 and alternatively spliced products, partial cds.//2.5e-44:289:90//U93037
 R-PLACE3000322//Human argininosuccinate lyase (ASL) gene, exon 3.//5.9e-20:153:88//M21006
 R-PLACE3000331//Homo sapiens clone DJ0592G07, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.1e-43:230:84//AC005480
 40 R-PLACE3000339
 R-PLACE3000341//Homo sapiens 3p22 Contig 7 PAC RPCI4-672N11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.5e-111:550:97//AC006055
 R-PLACE3000350//Human DNA sequence from clone 243E7 on chromosome 22q12.1. Contains ESTs, STSs and GSSs, complete sequence.//1.5e-44:314:78//AL022323
 45 R-PLACE3000352//HS_3095_B1_E09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3095 Col=17 Row=J, genomic survey sequence.//8.5e-73:356:99//AQ123142
 R-PLACE3000353//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS *** from clone Y22F5, WORKING DRAFT SEQUENCE.//0.21:194:63//Z99712
 R-PLACE3000362//Plasmodium falciparum coronin gene, isolate 3D7.//0.26:360:60//AJ002197
 50 R-PLACE3000363
 R-PLACE3000365//Human BAC clone RG343P13 from 7q31, complete sequence.//4.6e-52:487:76//AC002465
 R-PLACE3000373//HS_3202_B1_G05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3202 Col=9 Row=N, genomic survey sequence.//2.4e-75:437:90//AQ252699
 R-PLACE3000388//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 732E4, WORKING DRAFT SEQUENCE.//6.4e-61:515:81//AL008722
 55 R-PLACE3000399//Homo sapiens clone DJ1186P10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//0.00098:444:60//AC005231
 R-PLACE3000400//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING

DRAFT SEQUENCE, 7 unordered pieces.//0.78:155:66//AC005506
 R-PLACE3000401//Homo sapiens clone DJ1147A01, WORKING DRAFT SEQUENCE, 25 unordered pieces.//
 8.0e-47:223:81//AC006023
 R-PLACE3000402//Homo sapiens chromosome 17, clone 104H12, complete sequence.//1.0:179:63//AC000003
 5 R-PLACE3000405//Homo sapiens chromosome 7q telo BAC F6, complete sequence.//2.4e-44:466:74//AF104455
 R-PLACE3000406//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 268H5, WORKING
 DRAFT SEQUENCE.//7.7e-49:471:75//AL008718
 R-PLACE3000413
 R-PLACE3000416//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC 1577, WORKING DRAFT SE-
 10 QUENCE.//5.4e-42:416:77//AJ009612
 R-PLACE3000425//Human DNA sequence from PAC 130G2 on chromosome 6p22.2-22.3. Contains ribosomal
 protein L29 pseudogene, ESTs and STSs.//1.1e-41:366:78//AL008627
 R-PLACE3000455//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 469D22, WORKING
 DRAFT SEQUENCE.//3.8e-98:549:92//AL031284
 15 R-PLACE3000475//Human signal transducing adaptor molecule STAM mRNA, complete cds.//1.9e-82:440:92//
 U43899
 R-PLACE3000477
 R-PLACE4000009//R. norvegicus mRNA encoding 45kDa protein which binds to heyman nephritis antigen
 gp330.//6.6e-17:344:68//Z11995
 20 R-PLACE4000014//Homo sapiens mRNA for KIAA0809 protein, partial cds.//2.7e-83:433:95//AB018352
 R-PLACE4000034//cSRL-51C5-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone
 cSRL-51C5, genomic survey sequence.//0.54:116:66//B04984
 R-PLACE4000049//Human BAC clone GS165I04 from 7q21, complete sequence.//0.29:313:59//AC002379
 R-PLACE4000052//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING
 25 DRAFT SEQUENCE.//0.0058:466:57//AL034557
 R-PLACE4000063//Homo sapiens chromosome 7q22 sequence, complete sequence.//0.98:246:61//AF053356
 R-PLACE4000089//RPCI11-1511.TUB RPCI-11 Homo sapiens genomic clone RPCI-11-1511, genomic survey se-
 quence.//3.2e-07:284:60//B82414
 R-PLACE4000093//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING
 30 DRAFT SEQUENCE, 7 unordered pieces.//2.4e-07:429:60//AC005506
 R-PLACE4000100
 R-PLACE4000106//Homo sapiens clone 24561 unknown mRNA, partial cds.//9.3e-100:419:91//AF055010
 R-PLACE4000128//Human Chromosome 16 BAC clone CIT987SK-A-61E3, complete sequence.//9.6e-45:284:
 90//AC003007
 35 R-PLACE4000129//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0500.//1.6e-19:118:100//
 AB007969
 R-PLACE4000147//Homo sapiens BAC clone NH0342K06 from 2, complete sequence.//8.9e-17:208:73//
 AC005034
 R-PLACE4000156//Homo sapiens DNA sequence from PAC 352A20 on chromosome 6q24.1-25.1. Contains a
 40 pseudogene similar to yeast, bacterial, worm and slime mold hypothetical genes, and a gene coding for an aldehyde
 dehydrogenase family protein. Contains ESTs, STSs and GSSs, complete sequence.//3.7e-43:281:90//AL021939
 R-PLACE4000192
 R-PLACE4000222//Homo sapiens clone DJ1129J21, WORKING DRAFT SEQUENCE, 25 unordered pieces.//
 5.4e-44:280:82//AC005631
 45 R-PLACE4000233//Homo sapiens full-length insert cDNA YH59G06.//1.8e-79:414:97//AF074981
 R-PLACE4000247//Homo sapiens chromosome 17, clone hRPK.156_L_14, complete sequence.//5.7e-59:558:
 76//AC005821
 R-PLACE4000250//CIT-HSP-2335L20.TR CIT-HSP Homo sapiens genomic clone 2335L20, genomic survey se-
 quence.//1.7e-44:313:84//AQ037381
 50 R-PLACE4000252//Homo sapiens chromosome 17, clone hRPK.700_H_6, complete sequence.//1.5e-39:311:83//
 AC005920
 R-PLACE4000261//H.sapiens BF1P-g1H03np gene for immunoglobulin heavy chain variable region.//0.33:197:
 61//Z80410
 R-PLACE4000269//Homo sapiens chromosome 4 clone B368A9 map 4q25, complete sequence.//1.4e-31:327:
 55 68//AC005510
 R-PLACE4000270//Homo sapiens DNA for amyloid precursor protein, complete cds.//2.3e-32:345:74//D87675
 R-PLACE4000300//Sequence 61 from patent US 5744300.//0.0017:51:98//AR003339
 R-PLACE4000320//Human DNA sequence from clone 441J1 on chromosome 6p24 Contains STS, GSS, complete

sequence.//8.2e-41:295:85//Z99495
 R-PLACE4000323//Human chromosome 11 187a8 cosmid, complete sequence.//1.3e-32:404:75//U73640
 R-PLACE4000326
 R-PLACE4000344//Homo sapiens PAC clone DJ0988G15 from 7q33-q35, complete sequence.//0.32:135:68//
 5 AC005587
 R-PLACE4000367//H.sapiens gene encoding RING finger protein.//0.61:146:67//Y07829
 R-PLACE4000369//HS_3181_A1_B02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3181 Col=3 Row=C, genomic survey sequence.//7.1e-80:424:94//AQ173222
 R-PLACE4000379//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1104E15, WORKING
 10 DRAFT SEQUENCE.//1.7e-05:160:65//AL022312
 R-PLACE4000387//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.4e-
 47:351:81//AC004913
 R-PLACE4000392//Human DNA sequence from clone 751H9 on chromosome 6q13. Contains part of an unknown
 gene, ESTs, STSs and GSSs, complete sequence.//8.5e-88:541:88//AL034377
 15 R-PLACE4000401//Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22, WORKING DRAFT
 SEQUENCE, 17 unordered pieces.//2.7e-17:143:83//AC000406
 R-PLACE4000411
 R-PLACE4000445//Homo sapiens clone DJ0613C23, WORKING DRAFT SEQUENCE, 4 unordered pieces.//
 0.028:91:78//AC005628
 20 R-PLACE4000465//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30A23, WORKING
 DRAFT SEQUENCE.//1.6e-43:532:71//AL022156
 R-PLACE4000489//Plasmodium falciparum chromosome 2, section 64 of 73 of the complete sequence.//4.1e-06:
 357:61//AE001427
 R-PLACE4000494//Homo sapiens 12p13.3 PAC RPCI5-1063M23 (Roswell Park Cancer Institute Human PAC
 25 Library) complete sequence.//2.7e-37:416:74//AC005865
 R-PLACE4000522
 R-PLACE4000548//Homo sapiens 12p13.3 PAC RPCI5-1096D14 (Roswell Park Cancer Institute Human PAC Li-
 brary) complete sequence.//0.0020:383:60//AC005342
 R-PLACE4000558//Homo sapiens 12q24 BAC RPCI11-162P23 (Roswell Park Cancer Institute Human BAC li-
 30 brary) complete sequence.//2.9e-44:465:75//AC002996
 R-THYRO1000026//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 37E16, WORKING
 DRAFT SEQUENCE.//2.2e-43:354:82//Z83844
 R-THYRO1000034//Plasmodium falciparum chromosome 2, section 59 of 73 of the complete sequence.//0.022:
 327:60//AE001422
 35 R-THYRO1000035//HS_3018_B2_F10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3018 Col=20 Row=L, genomic survey sequence.//2.3e-36:228:91//AQ092318
 R-THYRO1000040//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING
 DRAFT SEQUENCE, 9 unordered pieces.//1.0:367:56//AC004157
 R-THYRO1000070//***ALU WARNING: Human Alu-Sq subfamily consensus sequence.1/1e-44:284:89//U14573
 40 R-THYRO1000072//***ALU WARNING: Human Alu-J subfamily consensus sequence.//6.6e-33:150:83//U14567
 R-THYRO1000085
 R-THYRO1000092//Homo sapiens chromosome 7qtelo BAC F6, complete sequence.//3.3e-36:301:78//AF104455
 R-THYRO1000107//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 125I3, WORKING
 DRAFT SEQUENCE.//1.4e-35:282:82//AL033528
 45 R-THYRO1000111//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-279B10, complete sequence.//4.0e-
 32:351:65//AC002300
 R-THYRO1000121//Human chromosome 16 BAC clone CIT987SK-A-962B4, complete sequence.//6.6e-77:507:
 85//U91318
 R-THYRO1000124//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1
 50 ordered pieces.//0.66:334:59//AC005840
 R-THYRO1000129//Homo sapiens TED protein (TED) mRNA, complete cds.//2.3e-88:449:96//AF087142
 R-THYRO1000132//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 212A2, WORKING
 DRAFT SEQUENCE.//1.1e-40:298:84//Z95114
 R-THYRO1000156//Homo sapiens chromosome 17, clone hRPK.849_N_15, complete sequence.//3.4e-37:425:
 55 73//AC005703
 R-THYRO1000163//RPCI11-1B20.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-1B20, genomic survey
 sequence.//8.4e-38:276:84//B63536
 R-THYRO1000173//Human DNA sequence from PAC 323B6 on chromosome X contains ESTs CpG island.//1.1e-

70:553:81//Z83841
 R-THYRO1000186//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 410I8, WORKING DRAFT SEQUENCE.//6.7e-41:345:81//AL031732
 R-THYRO1000187//Human thymopoietin (TMPO) gene, partial exon 6, complete exon 7, partial exon 8, and partial
 5 cds for thymopoietin beta.//1.3e-43:356:80//U18271
 R-THYRO1000190//Homo sapiens chromosome 17, clone HRPC843B9, complete sequence.//2.6e-40:386:77//AC004139
 R-THYRO1000197//Homo sapiens mRNA for poly(A)-specific ribonuclease.//1.1e-108:535:97//AJ005698
 R-THYRO1000199//Homo sapiens mRNA for KIAA0652 protein, complete cds.//1.4e-113:559:97//AB014552
 10 R-THYRO1000206//Rat PMSG-induced ovarian mRNA, 3'sequence, N4.//4.0e-43:318:86//D84482
 R-THYRO1000221//Human DNA from overlapping chromosome 19 cosmids R31396, F25451, and R31076 containing COX6B and UPKA, genomic sequence, complete sequence.//2.7e-44:452:76//AC002115
 R-THYRO1000241//Homo sapiens Cosmid Clone p129d11 unknown chromosomal location, complete sequence.//4.8e-58:447:81//AC000039
 15 R-THYRO 1000242
 R-THYRO1000253//Homo sapiens DNA sequence from PAC 179N16 on chromosome 6p21.1-21.33. Contains the SAPK4 (MAPK p38delta) gene, and the alternatively spliced SAPK2 gene coding for CSaids binding protein CSBP2 and a MAPK p38beta LIKE protein. Contains ESTs, STSs and two predicted CpG islands, complete sequence.//3.4e-56:300:84//Z95152
 20 R-THYRO1000270
 R-THYRO1000279//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 531H16, WORKING DRAFT SEQUENCE.//4.8e-113:584:96//AL031664
 R-THYRO1000288//Homo sapiens mRNA for Hs Ste24p, complete cds.//1.1e-98:566:91//AB016068
 R-THYRO1000320//HS_2033_B1_A07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2033 Col=13 Row=B, genomic survey sequence.//0.97:211:63//AQ233366
 25 R-THYRO1000327//Sequence 1 from patent US 5541298.//2.8e-52:289:93//I24058
 R-THYRO1000343//Homo sapiens mRNA for KIAA0790 protein, partial cds.//1.1e-111:559:96//AB018333
 R-THYRO1000358//Human selenium-binding protein (hSBP) mRNA, complete cds.//4.6e-47:317:87//U29091
 R-THYRO1000368//HS_3049_A1_E12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3049 Col=23 Row=I, genomic survey sequence.//7.0e-11:111:83//AQ126777
 30 R-nnnnnnnnnnnnn
 R-THYRO1000387//Homo sapiens PAC clone DJ1048B16 from 7q34-q36, complete sequence.//2.4e-101:545:93//AC006019
 R-THYRO1000394//Homo sapiens Chromosome 11q12.2 PAC clone pDJ688p12 containing uteroglobin gene, WORKING DRAFT SEQUENCE, 11 unordered pieces.//1.6e-46:233:88//AC006078
 35 R-THYRO1000395//Mouse MIPP mRNA for a placenta-expressed gene.//2.3e-57:395:85//X58523
 R-THYRO 1000401
 3.3e-111:546:97//AF051907
 R-THYRO1000438//Homo sapiens clone DJ1186P10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.7e-44:289:89//AC005231
 40 R-THYRO1000452//Homo sapiens chromosome 17, clone hRPK.243_K_12, complete sequence.//6.7e-27:222:82//AC005668
 R-THYRO1000471//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 102D24, WORKING DRAFT SEQUENCE.//2.4e-36:369:76//AL021391
 45 R-THYRO1000484//Homo sapiens clone DJ1099N07, complete sequence.//1.6e-43:288:81//AC004962
 R-THYRO1000488//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//1.6e-95:512:94//AC005740
 R-THYRO1000501//HS_2208_A1_G11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2208 Col=21 Row=M, genomic survey sequence.//0.0063:189:63//AQ091586
 50 R-THYRO1000502//Homo sapiens eIF-1A, Y isoform (EIF1AY) mRNA, complete cds.//0.19:468:60//AF000987
 R-THYRO1000505//Homo sapiens chromosome 19, cosmid R31546, complete sequence.//0.20:214:58//AC004798
 R-THYRO1000558
 R-THYRO 1000569
 55 R-THYRO1000570//Homo sapiens full-length insert cDNA clone ZD76G10.//4.3e-41:209:100//AF086408
 R-nmmmmnnnnn//Homo sapiens protein associated with Myc mRNA, complete cds.//8.2e-107:533:97//AF075587
 R-THYRO 000596//Mus musculus mitochondrial DNA polymerase accessory subunit (MtPolB) mRNA, nuclear gene encoding mitochondrial protein, partial cds.//0.36:170:67//AF006072

EP 1 074 617 A2

R-THYRO1000602//Homo sapiens DNA for amyloid precursor protein, complete cds.//2.2e-53:289:92//D87675
R-THYRO 1000605
R-THYRO1000625//Homo sapiens chromosome 19, cosmid R29425, complete sequence.//1.3e-31:261:82//
AC005546
5 R-THYRO1000637//Human DNA sequence from clone 243E7 on chromosome 22q12.1. Contains ESTs, STSs
and GSSs, complete sequence.//4.0e-06:249:63//AL022323
R-THYRO1000641//P.falciparum glutamic acid-rich protein gnen, complete cds.//3.1e-08:244:68//J03998
R-THYRO1000658//***ALU WARNING: Human Alu-Sp subfamily consensus sequence.//3.9e-49:282:93//U14572
R-nnnnnnnnnnnnn
10 R-THYRO1000666//Homo sapiens DNA sequence from PAC 329E20 on chromosome 1p34.4-36.13. Contains
endothelin-converting-enzyme 1 (ECE-1), EST, STS, CA repeat, complete sequence.//1.9e-20:215:77//AL031005
R-THYRO1000676//Homo sapiens chromosome 4 clone B71M12 map 4q25, complete sequence.//1.2e-06:227:
64//AC004069
R-THYRO1000684
15 R-THYRO1000699
R-THYRO1000712
R-THYRO1000734//Human BAC clone RG191D16, complete sequence.//3.7e-14:468:64//AC002460
R-THYRO1000748//Homo sapiens cosmid 123E15, complete sequence.//2.6e-11:182:73//AF024533
R-THYRO1000756//Sequence 21 from patent US 5552281.//1.4e-15:106:98//I25660
20 R-THYRO1000777//Plasmodium falciparum MAL3P2, complete sequence.//1.0:175:66//AL034558
R-THYRO1000783//CIT-HSP-2335P6.TF CIT-HSP Homo sapiens genomic clone 2335P6, genomic survey se-
quence.//1.2e-81:391:99//AQ038226
R-THYRO1000787//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//9.4e-07:494:58//
AC004617
25 R-THYRO1000793
R-THYRO1000796//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 167P19, WORKING
DRAFT SEQUENCE.//1.7e-42:379:79//Z93014
R-THYRO1000805//Human Chromosome 11 pac pDJ610i20, WORKING DRAFT SEQUENCE, 18 unordered piec-
es.//4.7e-40:362:76//AC002555
30 R-THYRO1000815//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 316D5, WORKING
DRAFT SEQUENCE.//4.0e-58:295:92//Z82199
R-THYRO1000829//Sequence 7 from patent US 5716622.//0.97:362:61//I87788
R-THYRO1000843//Homo sapiens Chromosome 15q11-q13 PAC clone pDJ351h23 from the Prader-Willi/Angel-
man Syndrome region, complete sequence.//3.3e-57:522:76//AC004738
35 R-THYRO1000852//Homo sapiens chromosome 11 clone CIT-HSP-1337H24, WORKING DRAFT SEQUENCE,
9 unordered pieces.//4.2e-17:291:69//AC005849
R-THYRO1000855//Human DNA sequence from clone 366B10 on chromosome 22q12.2-12.3. Contains GSSs,
complete sequence.//1.1e-41:419:75//AL031592
R-THYRO1000865//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1125A11, WORK-
40 ING DRAFT SEQUENCE.//9.0e-47:294:84//AL034549
R-THYRO1000895//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 380F5, WORKING
DRAFT SEQUENCE.//3.7e-111:569:96//AL031719
R-THYRO1000916//Homo sapiens clone DJ0965K10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//
1.0e-97:554:92//AC006015
45 R-THYRO1000926//Homo sapiens CAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.//9.6e-109:
566:94//AF079529
R-THYRO1000934//Homo sapiens full-length insert cDNA clone ZD69A10.//1.6e-104:539:95//AF086378
R-THYRO1000951//Homo sapiens Chromosome 11q12 pac pDJ57114, WORKING DRAFT SEQUENCE, 29 un-
ordered pieces.//8.9e-61:479:81//AC004229
50 R-THYRO1000952//Human autoimmune thyroid disease-related antigen mRNA.//5.3e-16:116:93//M28639
R-THYRO1000974//Homo sapiens ribosomal protein L33-like protein mRNA, complete cds.//3.2e-59:321:95//
AF047440
R-THYRO1000975//Homo sapiens chromosome 19, cosmid F18718, complete sequence.//1.9e-44:396:79//
AC006126
55 R-THYRO1000983//Homo sapiens chromosome 17, clone hRPK.271_K_11, complete sequence.//0.99:71:78//
AC005562
R-THYRO1000984//Homo sapiens Chromosome 11q12.2 PAC clone pDJ688p12 containing uteroglobin gene,
WORKING DRAFT SEQUENCE, 11 unordered pieces.//6.7e-42:320:84//AC006078

R-THYRO1000988//Homo sapiens DNA sequence from PAC 230G1 on chromosome Xp11.3. Contains EST, STS and GSS, complete sequence.//6.7e-39:292:78//Z84466
 R-THYRO1001003//HS_3051_B1_H01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3051 Col=1 Row=P, genomic survey sequence.//2.5e-39:310:83//AQ253727
 5 R-THYRO1001031//Homo sapiens DNA sequence from PAC 230G1 on chromosome Xp11.3. Contains EST, STS and GSS, complete sequence.//2.5e-50:300:88//Z84466
 R-THYRO1001033//CIT-HSP-2007J14.TF CIT-HSP Homo sapiens genomic clone 2007J14, genomic survey sequence.//5.1e-26:143:100//B56677
 R-THYRO1001062//CIT-HSP-2386P3.TF.1 CIT-HSP Homo sapiens genomic clone 2386P3, genomic survey sequence.//1.4e-48:316:87//AQ239882
 10 R-THYRO1001093
 R-THYRO1001100//Homo sapiens BAC clone RG152G17 from 7q22-q31.1, complete sequence.//0.47:102:73//AC005070
 R-THYRO1001120
 15 R-THYRO1001121//Homo sapiens mRNA for beta-tubulin folding cofactor D.//8.9e-81:429:94//AJ006417
 R-THYRO1001133//CIT-HSP-2381I10.TR CIT-HSP Homo sapiens genomic clone 2381I10, genomic survey sequence.//4.7e-12:237:67//AQ111077
 R-THYRO1001134
 R-THYRO1001142//H.sapiens CpG island DNA genomic Mse1 fragment, clone 81d1, reverse read cpg81d1.rt1a.//0.95:214:60//Z56037
 20 R-THYRO1001173//cSRL-27c11-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-27c11, genomic survey sequence.//4.6e-26:262:77//B04145
 R-THYRO1001177
 R-THYRO1001189//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//1.0e-41:281:87//AC003973
 25 R-THYRO 1001204
 R-THYRO1001213//Human Alu repeat sequence A6.//3.8e-38:236:88//U12581
 R-THYRO1001262//Homo sapiens, clone hRPK.16_A_1, complete sequence.//8.7e-53:442:79//AC006227
 R-THYRO1001271//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0224P12; HTGS phase 1, WORKING DRAFT SEQUENCE, 13 unordered pieces.//0.53:330:61//AC004630
 30 R-THYRO 1001290
 R-THYRO1001313//H.sapiens CpG island DNA genomic Mse1 fragment, clone 195h3, forward read cpg195h3.ft1b.//0.046:126:66//Z57783
 R-THYRO1001320//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//3.0e-58:476:80//Z82207
 35 R-THYRO100132//Plasmodium falciparum MAL3P2, complete sequence.//1.0e-08:408:62//AL034558
 R-nnnnnnnnnnnnn
 R-THYRO1001347//Homo sapiens mRNA for KIAA0745 protein, partial cds.//3.2e-08:266:64//AB018288
 R-THYRO1001363//cSRL-72f5-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-72f5, genomic survey sequence.//1.7e-85:471:92//B05884
 40 R-THYRO1001365//Homo sapiens chromosome 10 clone CIT987SK-1163G10 map 10q25, complete sequence.//1.8e-109:584:94//AC005660
 R-THYRO1001374
 R-THYRO1001401//Human pigment epithelium-derived factor gene, complete cds.//4.2e-51:333:88//U29953
 45 R-THYRO1001403//Human PAC clone DJ222H05 from Xq25-q26, complete sequence.//8.7e-38:307:82//AC002377
 R-THYRO1001405
 R-THYRO1001406//RPC11-69F22.TK RPC11 Homo sapiens genomic clone R-69F22, genomic survey sequence.//1.9e-67:400:90//AQ238297
 50 R-THYRO1001411//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 80N2, WORKING DRAFT SEQUENCE.//2.2e-06:349:63//AL031123
 R-THYRO1001426//*** SEQUENCING IN PROGRESS *** Homo sapiens genomic DNA (PAC 1118i22) from chromosome 11; HTGS phase 1, WORKING DRAFT SEQUENCE.//2.2e-89:506:86//AJ002553
 R-THYRO1001434//Microcentus caryae 12S mitochondrial ribosomal RNA, small subunit, mitochondrial gene, partial sequence.//1.0:176:61//U77877
 55 R-THYRO1001458//Human DNA sequence from clone 453C12 on chromosome 20q12-13.12 Contains SDC4 (syndecan 4 (amphiglycan, ryudocan)) predicts a gene like the mouse transcription factor RBP-L, MATN4 (matriilin-4) STS, GSS, CpG island, complete sequence.//3.3e-07:196:67//AL021578

- R-THYRO1001480//Homo sapiens clone DJ0756H11, WORKING DRAFT SEQUENCE, 5 unordered piece.//1.2e-99:517:95//AC006001
- R-THYRO1001487//Homo sapiens, WORKING DRAFT SEQUENCE, 97 unordered pieces.//8.5e-14:221:70//AC004085
- 5 R-THYRO10001534//HS_2242_B2_H04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2242 Col=8 Row=P, genomic survey sequence.//0.00012:141:68//AQ182326
- R-THYRO1001537//Human DNA sequence from clone 111F4 on chromosome Xq23 Contains GSSs, complete sequence.//0.42:323:60//AL023876
- 10 R-THYRO1001541//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//1.7e-42:370:78//AC005077
- R-THYRO1001559//Homo sapiens 12q24.2 PAC RPCI5-944M2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.0:144:67//AC005868
- R-THYRO1001570//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.43:268:61//AC005308
- 15 R-THYRO1001573//M.avium rpsL gene.//0.98:131:66//X80120
- R-THYRO1001584//A.longa plastid genes for ribosomal proteins and tRNAs.//0.29:502:58//X75653
- R-THYRO1001595//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//1.5e-33:319:78//AL023808
- 20 R-THYRO1001602//Homo sapiens chromosome 17, clone hRPK.142_H_19, complete sequence.//4.4e-13:320:67//AC005919
- R-THYRO1001605//Human DNA sequence from PAC 358H7 on chromosome X.//1.9e-32:391:76//Z77249
- R-THYRO1001617//Homo sapiens cDNA for dihydroxyacetone phosphate acyltransferase (DAP-AT).//1.9e-81:448:92//AJ002190
- 25 R-THYRO1001637//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 688G8, WORKING DRAFT SEQUENCE.//5.4e-41:381:78//AL031671
- R-THYRO1001656//HS_2201_B2_A08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2201 Col=16 Row=B, genomic survey sequence.//0.096:162:63//AQ293168
- R-THYRO1001661//Human immunoglobulin-associated (B29) gene, promoter and exon 1, partial cds.//1.0:229:62//U22954
- 30 R-THYRO1001671//Homo sapiens mRNA for 2'-5' oligoadenylate synthetase 59 kDa isoform.//4.8e-110:562:95//AJ225089
- R-THYRO1001673//CIT-HSP-2327D12.TR CIT-HSP Homo sapiens genomic clone 2327D12, genomic survey sequence.//1.5e-17:224:68//AQ042426
- R-THYRO1001703//Homo sapiens clone 198 unknown mRNA, partial sequence.//1.6e-44:251:93//AF091072
- 35 R-THYRO1001706//Homo sapiens clone DJ0935K16, complete sequence.//1.8e-26:378:68//AC006011
- R-THYRO1001721//, complete sequence.//1.3e-101:571:92//AC005500
- R-nnnnnnnnnnnnn
- R-THYRO1001745//Homo sapiens chromosome 5, PAC clone 247f3 (LBNL H85), complete sequence.//1.1e-15:193:70//AC004777
- 40 R-THYRO1001746//Human inter-alpha-trypsin inhibitor light chain (ITI) gene, exon 3.//0.54:260:61//M88244
- R-THYRO1001772//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30A23, WORKING DRAFT SEQUENCE.//1.6e-12:285:64//AL022156
- R-THYRO1001793
- 45 R-THYRO1001809//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1071N3, WORKING DRAFT SEQUENCE.//2.5e-43:486:74//AL031728
- R-THYRO1001854//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete sequence.//5.0e-41:245:87//AC005696
- R-THYRO1001895//Human Chromosome 11p14.3 PAC clone 6-106f23, complete sequence.//4.4e-12:419:61//AC005137
- 50 R-THYRO1001907//Homo sapiens Chromosome 22q11.2 Cosmid Clone 24b In DGCR Region, complete sequence.//8.1e-35:340:78//AC000075
- R-VESEN1000122//Homo sapiens Luman mRNA, complete cds.//1.3e-23:138:98//AF009368
- R-Y79AA1000013
- 55 R-Y79AA1000033//Homo sapiens BAC clone GS114I09 from 7p14-p15, complete sequence.//9.9e-112:551:97//AC006027
- R-Y79AA1000037//CIT-HSP-2334F3.TR CIT-HSP Homo sapiens genomic clone 2334F3, genomic survey sequence.//0.16:308:60//AQ036673
- R-Y79AA1000059//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-279B10, complete sequence.//6.1e-

56:314:88//AC002300
R-Y79AA1000065//Human carboxylesterase gene, exon 5.//0.64:203:63//D21079
R-Y79AA1000131//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0548N01;
HTGS phase 1, WORKING DRAFT SEQUENCE, 31 unordered pieces.//7.0e-18:169:79//AC004795
5 R-Y79AA1000181//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from
gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island,
complete sequence.//1.1e-106:474:98//AL031864
R-Y79AA1000202//CIT978SK-A-518G2.TP CIT978SK Homo sapiens genomic clone A-518G2, genomic survey
sequence.//1.0e-10:78:97//B68074
10 R-Y79AA1000214//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//
6.5e-59:386:90//AC004854
R-Y79AA1000230//Cyttauxzoon felis 18S ribosomal RNA.//1.0:167:62//L19080
R-Y79AA1000231//HS_3009_A1_H03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
nomic clone Plate=3009 Col=5 Row=O, genomic survey sequence.//6.4e-52:348:88//AQ090225
15 R-Y79AA1000258//Hepatitis C virus HCV-B9 gene for NS5, partial cds.//0.65:127:65//D10558
R-Y79AA1000268//Human DNA sequence from PAC 162H14 on chromosome 22. Contains 3' part of a FIBULIN
1 like gene and ESTs, complete sequence.//4.7e-40:300:84//Z98047
R-Y79AA10003131//Human DNA sequence from PAC 179I15, BRCA2 gene region chromosome 13q12-q13 con-
tains Klotho ESTs and CpG island.//5.0e-14:136:83//Z92540
20 R-Y79AA1000328
R-Y79AA1000342//S.clavuligerus linear plasmid pSCL (complete sequence).//0.55:189:65//X54107
R-Y79AA1000346//Human MEST mRNA, complete cds.//0.00013:52:100//D78611
R-Y79AA1000349//M.musculus Spnr mRNA for RNA binding protein.//8.8e-36:300:81//X84692
R-Y79AA1000355//Human DNA sequence from clone 551E13 on chromosome Xp11.2-11.3 Contains farnesyl
25 pyrophosphate synthetase pseudogene, VT4 protein pseudogene, EST, GSS, complete sequence.//5.7e-45:403:
80//AL022163
R-Y79AA1000368
R-Y79AA1000405//RPCI11-16B12.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-16B12, genomic survey
sequence.//0.10:171:65//B88000
30 R-Y79AA1000410//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 92N15, WORKING
DRAFT SEQUENCE.//4.1e-50:361:83//Z93097
R-Y79AA1000420//Plasmodium falciparum merozoite surface protein 4, merozoite surface protein 5, merozoite
surface protein 2, and adenylosuccinate lyase genes, complete cds.//0.071:474:57//AF033037
R-Y79AA1000469//Homo sapiens clone NH0140K04, complete sequence.//1.8e-86:221:90//AC005033
35 R-Y79AA1000480//Homo sapiens chromosome 4 clone B240N9 map 4q25, complete sequence.//2.1e-14:179:
72//AC004057
R-Y79AA1000538//Homo sapiens clone DJ0826E18, WORKING DRAFT SEQUENCE, 4 unordered pieces.//4.5e-
43:321:83//AC005282
R-Y79AA1000539//Homo sapiens PAC clone DJ0074M20 from X, complete sequence.//0.0012:275:59//
40 AC006143
R-Y79AA1000540//Z.diploperemnis repetitive DNA (clone ZEAR 260).//0.0017:258:62//X53609
R-Y79AA1000560//Mouse mRNA for alpha-adaptin (C).//6.1e-32:390:70//X14972
R-Y79AA1000574//Homo sapiens chromosome 9q34, clone 23B4, complete sequence.//0.96:224:61//AC002325
R-Y79AA1000627//Homo sapiens full-length insert cDNA ZA77G02.//6.3e-100:533:94//AF075117
45 R-Y79AA1000705//RPCI11-76G7.TV RPCI11 Homo sapiens genomic clone R-76G7, genomic survey sequence.//
4.6e-88:429:98//AQ268433
R-Y79AA1000734//Homo sapiens peroxisomal biogenesis factor (PEX11b) mRNA, complete cds.//2.7e-112:586:
95//AF093670
R-Y79AA1000748
50 R-Y79AA1000752
R-Y79AA1000774//CIT-HSP-2288K24.TF CIT-HSP Homo sapiens genomic clone 2288K24, genomic survey se-
quence.//5.3e-45:316:86//AQ005014
R-Y79AA1000782//Human mRNA for KIAA0246 gene, partial cds.//5.0e-17:107:100//D87433
R-Y79AA1000784//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING
55 DRAFT SEQUENCE, 8 unordered pieces.//0.00034:520:55//AC005505
R-Y79AA1000794//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 989H11, WORKING
DRAFT SEQUENCE.//0.015:322:60//Z83851
R-Y79AA1000800//M.musculus tex264 mRNA (3'region).//1.1e-06:104:78//X80427

- R-nnnnnnnnnnnnn//CIT-HSP-2295G6.TF CIT-HSP Homo sapiens genomic clone 2295G6, genomic survey sequence.//0.67:152:62//AQ007605
- R-Y79AA1000805//Human Chromosome 11 Cosmid cSRL30h11, complete sequence.//3.1e-26:423:68//U73642
- 5 R-Y79AA1000824//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 329A5, WORKING DRAFT SEQUENCE.//1.1e-08:449:61//Z97832
- R-Y79AA1000827//Triticum aestivum heat shock protein 101 kDa (HSP101) mRNA, complete cds.//1.0:101:69//AF083344
- R-Y79AA1000850//Homo sapiens small optic lobes homolog (SOLH) mRNA, complete cds.//0.40:386:59//U85647
- 10 R-Y79AA1000962//CIT-HSP-2298N11.TR CIT-HSP Homo sapiens genomic clone 2298N11, genomic survey sequence.//0.00019:253:65//AQ013111
- R-Y79AA1000968//Rattus norvegicus initiation factor eIF-2B gamma subunit (eIF-2B gamma) mRNA, complete cds.//1.7e-58:446:80//U38253
- R-Y79AA1000969
- 15 R-Y79AA1000976//CIT-HSP-2350C4.TF CIT-HSP Homo sapiens genomic clone 2350C4, genomic survey sequence.//3.3e-60:295:100//AQ061422
- R-Y79AA1000985//Mus musculus pericentrin mRNA, complete cds.//5.9e-38:348:76//U05823
- R-Y79AA1001023
- R-Y79AA1001041
- R-Y79AA1001048
- 20 R-Y79AA1001061//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-427H10, complete sequence.//1.2e-60:537:78//AC004626
- R-Y79AA1001068//Homo sapiens P1 clone GSP13996 from 5q12, complete sequence.//2.3e-41:405:77//AC005031
- R-Y79AA1001077
- 25 R-Y79AA1001078//Homo sapiens 12q13.1 PAC RPCI1-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.0e-09:534:59//AC004801
- R-Y79AA1001105//Staphylococcus epidermidis trimethoprim resistance plasmid pSK639//0.0072:309:63//U40259
- R-Y79AA1001145//RPCI11-59N12.TK RPCI11 Homo sapiens genomic clone R-59N12, genomic survey sequence.//3.7e-07:256:64//AQ200068
- 30 R-Y79AA1001167//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 5/15, WORKING DRAFT SEQUENCE.//0.55:223:61//AP000012
- R-Y79AA1001177//Human gene for Gi3 alpha protein, intron 7 through exon 9, variant U6 gene, and snRNP E protein pseudogene LH87.//7.0e-09:203:69//X54048
- R-Y79AA1001185
- 35 R-Y79AA1001211//Homo sapiens 12p13.3 BAC RPCI11-543P15 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//2.1e-32:277:81//AC005912
- R-Y79AA1001216//Human chromosome 12p13 sequence, complete sequence.//0.98:325:59//U47924
- R-Y79AA1001228//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone: MAB16, complete sequence.//0.0034:378:59//AB018112
- 40 R-Y79AA1001233//Homo sapiens clone DJ1178G13, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.19:106:72//AC004988
- R-Y79AA1001236//Homo sapiens mRNA for JM23 protein, complete coding sequence (clone IMAGE 34581 and IMAGE 45355 and LLNLc110I133Q7 (RZPD Berlin)).//3.4e-109:549:95//AJ005892
- R-Y79AA1001281
- 45 R-Y79AA1001299//Homo sapiens SNF5/INI1 gene, exon 9.//6.3e-24:133:100//Y17126
- R-Y79AA1001312//Human immunodeficiency virus type 1 variant 43 polymerase pseudogene, partial cds.//0.0070:284:58//U45372
- R-Y79AA1001323//Fugu rubripes GSS sequence, clone 027L23aG3, genomic survey sequence.//0.11:125:70//AL025355
- 50 R-Y79AA1001384//W.makrii mitochondrial CYTB and tRNA genes.//0.070:209:65//X66594
- R-Y79AA1001391//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P2, WORKING DRAFT SEQUENCE.//0.80:163:62//AL031745
- R-Y79AA1001394//Homo sapiens DNA from chromosome 19, cosmid R29144, complete sequence.//0.99:241:63//AC004221
- 55 R-Y79AA1001402//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.25:81:80//AC005924
- R-Y79AA1001493
- R-Y79AA1001511//Human DNA sequence from clone 931K24 on chromosome 20p12 Contains ESTs and GSSs,

complete sequence.//1.3e-35:207:95//AL034430
R-Y79AA1001533//Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds.//2.7e-44:285:81//D14336
5 R-nnnnnnnnnnnn//Human DNA sequence from clone 113J7 on chromosome Xp11.22-11.4. Contains part of a putative Homeobox (pseudo?) gene, ESTs and an STS, complete sequence.//0.70:365:60//AL023574
R-Y79AA1001548//Homo sapiens phosphatidylinositol 4-kinase mRNA, complete cds.//5.9e-95:517:91//L36151
R-Y79AA1001555
R-Y79AA1001585
10 R-Y79AA1001594//Human DNA sequence from PAC 60G11 on chromosome X; contains STS.//6.6e-19:241:76//Z94722
R-Y79AA1001603//H.sapiens CpG island DNA genomic Mse1 fragment, clone 72f8, forward read cpg72f8.ft1a.//3.3e-21:131:96//Z62766
R-Y79AA1001613
15 R-Y79AA1001647//Human DNA sequence from PAC 36J3, between markers DXS1192 and DXS102 on chromosome X.//6.3e-08:338:63//Z82975
R-Y79AA1001665//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 1/15, WORKING DRAFT SEQUENCE.//3.2e-11:114:84//AP000008
R-Y79AA1001679//O.cuniculus lambda-crystallin mRNA, complete cds.//3.9e-15:270:68//M22743
20 R-nnnnnnnnnnnn//RPCI11-42M5.TJ RPCI11 Homo sapiens genomic clone R-42M5, genomic survey sequence.//0.013:64:89//AQ052792
R-Y79AA1001696//Apis mellifera ligustica complete mitochondrial genome.//9.3e-09:428:58//L06178
R-Y79AA1001705
R-Y79AA1001711//Mus musculus 60 kDa ribonucleoprotein Ro gene, partial cds.//2.2e-45:554:75//AF042139
25 R-Y79AA1001781//Plasmodium falciparum chromosome 2, section 39 of 73 of the complete sequence.//1.0:414:57//AE001402
R-nnnnnnnnnnnn//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 510D11, WORKING DRAFT SEQUENCE.//2.8e-05:329:61//Z98044
R-Y79AA1001827//Oryctolagus cuniculus PiUS mRNA, complete cds.//2.3e-90:557:89//U74297
30 R-Y79AA1001846//Homo sapiens DNA sequence from PAC 179N16 on chromosome 6p21.1-21.33. Contains the SAPK4 (MAPK p38delta) gene, and the alternatively spliced SAPK2 gene coding for CSaids binding protein CSBP2 and a MAPK p38beta LIKE protein. Contains ESTs, STSs and two predicted CpG islands, complete sequence.//2.1e-34:306:78//Z95152
R-Y79AA1001848//Sequence 11 from patent US 5449616.//1.0:221:59//I14369
35 R-Y79AA1001866//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K23L20, complete sequence.//0.0089:527:58//AB016874
R-Y79AA1001874
R-Y79AA1001875//M.musculus mRNA for Rab7 protein.//5.8e-45:170:92//X89650
R-Y79AA1001923//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//1.0:138:68//AL022577
40 R-Y79AA1002027//Liverwort Marchantia polymorpha chloroplast genome DNA.//0.71:153:67//X04465
R-Y79AA1002083//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 172B20, WORKING DRAFT SEQUENCE.//1.0:178:64//AL022319
45 R-Y79AA1002089//Homo sapiens clone GS111G14, WORKING DRAFT SEQUENCE, 5 unordered pieces.//6.3e-49:377:81//AC005011
R-Y79AA1002093//Homo sapiens (clone SEL366) 17q YAC (368C7) RNA.//4.0e-32:174:99//L77612
R-Y79AA1002103//CIT-HSP-2328I21.TR CIT-HSP Homo sapiens genomic clone 2328I21, genomic survey sequence.//1.9e-44:245:96//AQ044502
50 R-Y79AA1002115//CITBI-E1-2514F10.TF CITBI-E1 Homo sapiens genomic clone 2514F10, genomic survey sequence.//1.8e-24:249:78//AQ265752
R-Y79AA1002125//RPCI11-15J6.TV RPCI-11 Homo sapiens genomic clone RPCI-11-15J6, genomic survey sequence.//8.5e-21:147:91//B75354
R-Y79AA1002139
55 R-Y79AA1002204
R-nnnnnnnnnnnn//Human ankyrin G (ANK-3) mRNA, complete cds.//0.040:319:59//U13616
R-Y79AA1002209//Psilotum nudum RT gene for reverse transcriptase (PT4).//0.99:106:65//X65415
R-Y79AA1002210

R-Y79AA1002211//H.sapiens NGAL gene.//1.0:311:59//X99133
 R-Y79AA1002220//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING
 DRAFT SEQUENCE.//5.9e-07:535:57//AL034557
 R-Y79AA1002229
 5 R-Y79AA1002234//Homo sapiens mRNA for KIAA0692 protein, partial cds.//6.1e-117:564:98//AB014592
 R-Y79AA1002246
 R-Y79AA1002258//Homo sapiens mRNA for HIP3, complete cds.//1.3e-92:453:97//AB013384
 R-Y79AA1002298//HS_3071_B2_E08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens ge-
 nomic clone Plate=3071 Col=16 Row=J, genomic survey sequence.//1.9e-56:384:87//AQ171331
 10 R-Y79AA1002307//Homo sapiens mRNA for KIAA0634 protein, partial cds.//2.5e-108:403:99//AB014534
 R-Y79AA1002311//Homo sapiens chromosome 10 clone CIT987SK-117312 map 10q25, complete sequence.//
 1.1e-07:368:61//AC005887
 R-Y79AA1002351
 R-Y79AA1002361//H.sapiens CpG island DNA genomic MseI fragment, clone 65b9, reverse read cpg65b9.rt1a.//
 15 0.57:59:79//Z62206
 R-Y79AA1002399//Homo sapiens chromosome 17, clone hRPK.700_H_6, complete sequence.//2.0e-98:385:99//
 AC005920
 R-Y79AA1002407//Homo sapiens chromosome 17, clone hRPC.842_A_23, complete sequence.//5.4e-59:490:
 76//AC004662
 20 R-Y79AA1002416//Homo sapiens Xp22 GSHB-314C4 (Genome Systems Human BAC library) complete se-
 quence.//6.3e-08:103:80//AC004087
 R-Y79AA1002431
 R-nnnnnnnnnnnn//Mouse transcriptional control element.//0.064:84:71//M17284
 R-Y79AA1002472//Homo sapiens chromosome 19, BAC CTY-B-393i15 (BC301323), complete sequence.//1.6e-
 25 103:525:96//AC006116
 R-Y79AA1002482//Homo sapiens chromosome 18, clone hRPK.474_N_24, complete sequence.//9.7e-38:302:
 83//AC006238
 R-Y79AA1002487//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.23:266:61//X95276

30 Homology Search Result Data 4.

[0307] The result of the homology search of the Human Unigene using the clone sequence of 5'-end.

[0308] Data include

35 the name of clone,
 title of the top hit data,
 the P-value: the length of the compared sequence: identity (%), and
 the Accession No. of the top hit data, as in the order separated by //.

40 [0309] Data are not shown for the clones in which the P-value was higher than 1.

F-HEMBA1000005//EST//4.3e-87:422:97//Hs.147830:AI222069
 F-HEMBA1000012//Human endosome-associated protein (EEA1) mRNA, complete cds//0.82:170:64//Hs.2864:
 L40157
 45 F-HEMBA1000020//Homo sapiens beta 2 gene//4.0e-74:529:83//Hs.150244:U83668
 F-HEMBA1000030//ESTs//1.1e-91:494:93//Hs.7958:W22078
 F-HEMBA1000042//ESTs//3.5e-22:228:77//Hs.145406:AI253247
 F-HEMBA1000046//ESTs, Highly similar to PRE-MRNA SPLICING FACTOR RNA HELICASE PRP22 [Saccharo-
 myces cerevisiae]//0.00019:192:65//Hs.7900:W22411
 50 F-HEMBA1000050//EST//0.81:74:72//Hs.156298:AI336759
 F-HEMBA1000076//ESTs//0.11:252:62//Hs.131939:AI417910
 F-HEMBA1000111//ESTs//8.5e-89:449:96//Hs.41105:N66734
 F-HEMBA1000129//Human phosphatidylinositol 3-kinase catalytic subunit p110delta mRNA, complete cds//0.27:
 342:61//Hs.14207:U86453
 55 F-HEMBA1000141//Homo sapiens mRNA for KIAA0797 protein, partial cds//6.8e-169:791:98//Hs.27197:
 AB018340
 F-HEMBA1000150//Homo sapiens mRNA for KIAA0788 protein, partial cds//1.4e-37:243:88//Hs.2397:Z70200
 F-HEMBA1000156//ESTs, Weakly similar to The KIAA0138 gene product is novel. [H.sapiens]//5.3e-80:383:98//

- Hs.135552:AI215187
 F-HEMBA1000158//Homo sapiens OPA-containing protein mRNA, complete cds//2.1e-07:265:63//Hs.85313:AF071309
 F-HEMBA1000168//ESTs//6.1e-35:257:85//Hs.13533:H23079
 5 F-HEMBA1000180//ESTs, Moderately similar to RETROVIRUS-RELATED POL POLYPROTEIN [H.sapiens]//1.3e-18:111:96//Hs.163863:W28729
 F-HEMBA1000185//H.sapiens ERF-2 mRNA//1.0:125:68//Hs.78909:U07802
 F-HEMBA1000193//EST//1.5e-48:266:95//Hs.160642:AI240133
 F-HEMBA1000201//Human Ini1 mRNA, complete cds//6.5e-75:440:92//Hs.155626:U04847
 10 F-HEMBA1000213//ESTs//0.21:239:62//Hs.26838:AA527529
 F-HEMBA1000216//Homo sapiens clone 23698 mRNA sequence//1.1e-57:529:68//Hs.8136:U81984
 F-HEMBA1000227//Human RNA-binding protein CUG-BP/hNab50 (NAB50) mRNA, complete cds//1.3e-05:311:64//Hs.81248:U63289
 F-HEMBA1000231
 15 F-HEMBA1000243//EST//5.9e-52:359:85//Hs.141433:N23377
 F-HEMBA1000244//H.sapiens mRNA for cytokine inducible nuclear protein//0.0022:350:60//Hs.74019:X83703
 F-HEMBA1000251//ESTs//3.2e-84:443:95//Hs.21068:N47460
 F-HEMBA1000264//ESTs//0.76:227:61//Hs.5159:AA588562
 F-HEMBA1000280//EST//1.7e-12:149:75//Hs.103418:AA035568
 20 F-HEMBA1000282//ESTs//1.7e-16:164:79//Hs.123111:AA813186
 F-HEMBA1000288//ESTs//5.4e-06:154:68//Hs.54174:N64406
 F-HEMBA1000290//Human novel homeobox mRNA for a DNA binding protein//3.8e-07:412:61//Hs.37035:U07664
 F-HEMBA1000302//EST//1.2e-41:238:94//Hs.147245:AI206095
 F-HEMBA1000303
 25 F-HEMBA1000304//ESTs//3.5e-11:96:87//Hs.163057:AA728946
 F-HEMBA1000307//EST//7.7e-05:280:62//Hs.146462:AI124898
 F-HEMBA1000327//ESTs//5.3e-92:435:99//Hs.100605:AA305965
 F-HEMBA1000333//Human mRNA for KIAA0206 gene, partial cds//0.84:395:56//Hs.79299:D86961
 F-HEMBA1000338//ESTs, Moderately similar to novel stromal cell protein [M.musculus]//2.4e-38:317:80//Hs.99189:X84712
 30 F-HEMBA1000351//Human Line-1 repeat mRNA with 2 open reading frames//0.020:334:59//Hs.23094:M19503
 F-HEMBA1000355//Myosin, heavy polypeptide 11, smooth muscle//0.11:336:61//Hs.78344:AF001548
 F-HEMBA1000356//H.sapiens ERF-2 mRNA//0.031:317:59//Hs.78909:U07802
 F-HEMBA1000357//Human mRNA for KIAA0118 gene, partial cds//1.2e-50:441:78//Hs.154326:D42087
 35 F-HEMBA1000366//ESTs//0.025:56:87//Hs.141629:H74010
 F-HEMBA1000369//Homo sapiens PAC clone DJ0669B10 from 7q33-q35//0.99:433:58//Hs.159899:AC004853
 F-HEMBA1000376//Oxytocin receptor//3.4e-43:569:70//Hs.2820:X64878
 F-HEMBA1000387//ESTs//8.2e-104:535:94//Hs.78110:AA741320
 F-HEMBA1000390//Homo sapiens BAC clone RG119C02 from 7p15//2.3e-141:712:95//Hs.22900:AC004520
 40 F-HEMBA1000392//Homo sapiens clone 24619 mRNA sequence//1.7e-47:461:74//Hs.139088:AF070533
 F-HEMBA1000396//ESTs, Weakly similar to hypothetical protein [H.sapiens]//1.2e-26:351:70//Hs.138992:C14008
 F-HEMBA1000411//EST//2.8e-27:401:71//Hs.138719:N52915
 F-HEMBA1000418//ESTs//0.0094:375:61//Hs.40140:AI079253
 F-HEMBA1000422//EST//6.2e-23:225:78//Hs.132635:A1032875
 45 F-HEMBA1000428//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501//7.6e-31:616:66//Hs.159897:AB007970
 F-HEMBA1000434//EST//0.0031:157:64//Hs.162328:AA559034
 F-HEMBA1000442//EST//1.0:201:61//Hs.162434:AA577398
 F-HEMBA1000456//Fanconi anemia complementation group C//0.58:362:59//Hs.37953:X66893
 50 F-HEMBA1000459//EST//9.2e-21:157:86//Hs.132635:AI032875
 F-HEMBA1000460//ESTs//2.9e-77:409:95//Hs.27135:W49590
 F-HEMBA1000464//ESTs//6.6e-17:365:65//Hs.150675:AA127853
 F-HEMBA1000469
 F-HEMBA1000488//Homo sapiens HIV-1 inducer of short transcripts binding protein (FBI1) mRNA, complete cds//0.15:253:58//Hs.104640:AF000561
 55 F-HEMBA1000490//Homo sapiens kinectin mRNA, complete cds//0.71:539:56//Hs.82709:Z22551
 F-HEMBA1000491//ESTs//2.0e-21:361:65//Hs.152453:AA864970
 F-HEMBA1000501//Homo sapiens tapasin (NGS-17) mRNA, complete cds//2.5e-39:312:77//Hs.5247:AF029750

F-HEMBA1000504//Homo sapiens mRNA for osteoblast specific factor 2 (OSF-2os)//1.3e-08:57:100//Hs.155095:
 D13666
 F-HEMBA1000505//Homo sapiens KE04p mRNA, complete cds//1.0:197:62//Hs.131962:AF064093
 F-HEMBA1000508//EST//0.67:156:60//Hs.162898:AA659646
 5 F-HEMBA1000518
 F-HEMBA1000519//EST//6.8e-52:300:91//Hs.149580:AI281881
 F-HEMBA1000520//ESTs, Weakly similar to coded for by C. elegans cDNA CEESB82F [C.elegans]//2.9e-16:132:
 84//Hs.155871:AA533783
 F-HEMBA1000523//ESTs, Highly similar to TESTIS-SPECIFIC PROTEIN PBS13 [Mus musculus]//2.1e-25:192:
 10 87//Hs.22383:R51067
 F-HEMBA1000531//ESTs, Weakly similar to heat shock protein [H.sapiens]//2.4e-57:288:97//Hs.116022:
 AA455706
 F-HEMBA1000534//Homo sapiens PYRIN (MEFV) mRNA, complete cds//2.8e-47:153:88//Hs.113283:AF018080
 F-HEMBA1000540//ESTs//8.6e-07:60:100//Hs.109755:AA180809
 15 F-HEMBA1000542//Human lysyl oxidase-like protein mRNA, complete cds//0.088:581:57//Hs.65436:U24389
 F-HEMBA1000545//Human kpni repeat mrna (cdna clone pcd-kpni-4), 3' end//7.8e-106:731:83//Hs.139107:
 K00629
 F-HEMBA1000555//Human mRNA for KIAA0242 gene, partial cds//0.75:283:58//Hs.77495:D87684
 F-HEMBA1000557//ESTs//3.9e-27:389:71//Hs.125087:AA495729
 20 F-HEMBA1000561//Homo sapiens mRNA for KIAA0760 protein, partial cds//3.8e-64:665:72//Hs.137168:
 AB018303
 F-HEMBA1000563//ESTs//3.8e-51:257:98//Hs.47122:AI338977
 F-HEMBA1000568//EST//0.12:270:61//Hs.134833 :AI091046
 F-HEMBA1000569//H.sapiens mRNA encoding GPI-anchored protein p137//3.8e-19:409:62//Hs.119283:Z48042
 25 F-HEMBA1000575//EST//0.060:156:64//Hs.126277:AA826681
 F-HEMBA1000588//ESTs, Weakly similar to weakly similar to myosin heavy chain [C.elegans]//7.7e-41:217:96//
 Hs.55084:AA479162
 F-HEMBA1000591//Homo sapiens mRNA for E1B-55kDa-associated protein//2.3e-44:228:97//Hs.155218:
 AJ007509
 30 F-HEMBA1000592//ESTs, Weakly similar to sorting nexin 1 [H.sapiens]//1.7e-27:463:65//Hs.13794:AA203241
 F-HEMBA1000594//Human clone 230971 defective mariner transposon Hsmar2 mRNA sequence//4.0e-68:574:
 79//Hs.159176:U92019
 F-HEMBA1000604//ESTs//3.3e-21:158:74//Hs.142924:AI092535
 F-HEMBA1000608//Homo sapiens mRNA for KIAA0456 protein, partial cds//3.7e-120:561:99//Hs.5003:AB007925
 35 F-HEMBA1000622//Homo sapiens DEC-205 mRNA, complete cds//5.2e-34:592:68//Hs.153563:AF011333
 F-HEMBA1000636//ESTs, Weakly similar to 50S RIBOSOMAL PROTEIN L20 [E.coli]//7.4e-22:166:84//Hs.26252:
 AA643235
 F-HEMBA1000637//Homo sapiens mRNA for KIAA0690 protein, partial cds//2.1e-138:639:99//Hs.60103:
 AB014590
 40 F-HEMBA1000655//ESTs//1.2e-54:503:77//Hs.140864:AA176174
 F-HEMBA1000657//Mucin 1, transmembrane//0.99:219:61//Hs.89603:J05582
 F-HEMBA1000662//ESTs//2.2e-52:257:99//Hs.63243:AI123912
 F-HEMBA1000673//H.sapiens mRNA for translin associated protein X//1.7e-47:366:79//Hs.96247:X95073
 F-HEMBA1000682//Oxytocin receptor//4.7e-59:673:72//Hs.2820:X64878
 45 F-HEMBA1000686
 F-HEMBA1000702
 F-HEMBA1000705//EST//0.047:363:60//Hs.136379:AA521309
 F-HEMBA1000719//ESTs//2.7e-68:333:98//Hs.146195:AI039850
 F-HEMBA1000722//ESTs//0.49:283:60//Hs.21108:N92630
 50 F-HEMBA1000726//EST//1.1e-45:183:87//Hs.149580:AI281881
 F-HEMBA1000727//ESTs//4.8e-95:442:100//Hs.22119:AA885491
 F-HEMBA1000747
 F-HEMBA1000749//ESTs//8.0e-14:108:77//Hs.154892:AI091568
 F-HEMBA1000752//EST//1.3e-25:344:69//Hs.160992:H52716
 55 F-HEMBA1000769//ESTs//0.0018:206:63//Hs.153268:AA887239
 F-HEMBA1000773//ESTs//0.56:336:58//Hs.105964:N35803
 F-HEMBA1000774//EST//4.0e-38:312:79//Hs.162197:AA535216
 F-HEMBA1000791//ESTs//2.8e-87:413:99//Hs.112050:AA431300

- F-HEMBA1000817//ESTs//5.6e-124:617:96//Hs.101366:AA167536
 F-HEMBA1000822//ESTs//0.94:347:58//Hs.23905:AA928542
 F-HEMBA1000827//EST//0.064:133:60//Hs.138738:N58367
 F-HEMBA1000843
 5 F-HEMBA1000851//Fragile X mental retardation 1//0.014:219:62//Hs.89764:X69962
 F-HEMBA1000852//Arylsulfatase D//6.7e-38:244:75//Hs.43887:X83572
 F-HEMBA1000867
 F-HEMBA1000869//ESTs//5.1 e-33:166:77//Hs.141186:R99609
 F-HEMBA1000870//EST//0.032:130:66//Hs.157351:AI367237
 10 F-HEMBA1000872//ESTs//2.4e-20:134:92//Hs.155982:AA406047
 F-HEMBA1000876//EST//5.3e-20:233:72//Hs.124339:AA829660
 F-HEMBA1000908//ESTs//5.4e-28:219:84//Hs.12247:AI203154
 F-HEMBA1000910//Human DNA sequence from clone 14O9 on chromosome Xp11.1-11.4. Contains a Inter-Alpha-
 Trypsin Inhibitor Heavy Chain LIKE gene, a alternatively spliced Melanoma-Associated Antigen MAGE LIKE gene
 15 and a 6-Phosphofructo-2-kinase (Fructose-2,6-bisphosphatase) LIKE pseudogene. Contains ESTs, STSs and ge-
 nomic marker DXS8032//2.8e-11:309:65//Hs.4943:Z98046
 F-HEMBA1000918//ESTs//0.11:234:59//Hs.96499:AA252537
 F-HEMBA1000919//Human mRNA for histone H1x, complete cds//0.18:221:64//Hs.109804:D64142
 F-HEMBA1000934//Homo sapiens mRNA for KIAA0547 protein, complete cds//3.8e-09:360:62//Hs.36850:
 20 AB011119
 F-HEMBA1000942//ESTs, Highly similar to PMS4 homolog mismatch repair protein [H.sapiens]//9.4e-10:77:93//
 Hs.111445:H00596
 F-HEMBA1000943//ESTs, Highly similar to ZINC FINGER PROTEIN 10 [Homo sapiens]//0.0039:54:92//Hs.58338:
 AA609476
 25 F-HEMBA1000946//Phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide-synthetase, phos-
 phoribosylaminoimidazole synthetase//0.93:132:66//Hs.82285:X54199
 F-HEMBA1000960//ESTs, Moderately similar to !!!! ALU SUBFAMILY SX WARNING ENTRY !!!! [H.sapiens]//
 0.080:128:71//Hs.118972:AA761369
 F-HEMBA1000968//Human transposon-like element mRNA//2.8e-95:352:87//Hs.84775:M23161
 30 F-HEMBA1000971//ESTs//8.4e-88:417:98//Hs.128631:AI127903
 F-HEMBA1000972//EST//0.75:134:64//Hs.117228:AA682775
 F-HEMBA1000974//ESTs//1.3e-103:497:98//Hs.126786:U74314
 F-HEMBA1000975//Homo sapiens diacylglycerol kinase iota (DGKi) mRNA, complete cds//1.3e-05:424:59//Hs.
 159564:AF061936
 35 F-HEMBA1000985//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0492//0.0036:389:60//Hs.
 127338:AB007961
 F-HEMBA1000986//ESTs//0.00025:272:64//Hs.12364:H09132
 F-HEMBA1000991//Homo sapiens mRNA for Hrs, complete cds//3.9e-24:193:84//Hs.24756:U43895
 F-HEMBA1001007//EST//0.96:70:71//Hs.163258:AA828835
 40 F-HEMBA1001008//Human G protein-coupled receptor (STRL22) mRNA, complete cds//4.9e-43:472:74//Hs.
 46468:U45984
 F-HEMBA1001009//Immunoglobulin mu//0.18:367:59//Hs.75758:X58529
 F-HEMBA1001017//Homo sapiens mRNA for KIAA0468 protein, complete cds//1.4e-140:661:98//Hs.158287:
 AB007937
 45 F-HEMBA1001019//EST//4.1e-14:251:68//Hs.148769:AI239572
 F-HEMBA1001020//Von Hippel-Lindau syndrome//2.2e-28:253:69//Hs.78160:AF010238
 F-HEMBA1001022
 F-HEMBA1001024//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501//6.8e-28:376:72//Hs.
 159897:AB007970
 50 F-HEMBA1001026//Homo sapiens klotho mRNA, complete cds//1.3e-05:745:57//Hs.94592:AB005142
 F-HEMBA1001043//ESTs//2.1e-28:448:67//Hs.112469:AA598515
 F-HEMBA1001051//EST//3.1e-48:310:87//Hs.149580:AI281881
 F-HEMBA1001052//EST//0.94:149:67//Hs.31216:AI017971
 F-HEMBA1001059//N-ACETYL GALACTOSAMINE-6-SULFATASE PRECURSOR//4.6e-165:777:98//Hs.159479:
 55 U06088
 F-HEMBA1001060//ESTs//6.8e-14:150:78//Hs.24821:AA044813
 F-HEMBA1001071//Alpha-1 type 3 collagen//3.5e-32:181:96//Hs.119571:X14420
 F-HEMBA1001077//ESTs, Moderately similar to transcription intermediary factor 1 [H.sapiens]//1.1e-98:487:97//

- Hs.147802:R71297
 F-HEMBA1001080//Human N-type calcium channel alpha-1 subunit mRNA, complete cds//0.013:385:58//Hs.69949:M94172
 F-HEMBA1001085//Human hSIAH2 mRNA, complete cds//0.55:338:59//Hs.20191:U76248
 5 F-HEMBA1001088//Human PINCH protein mRNA, complete cds//7.3e-73:303:78//Hs.83987:U09284
 F-HEMBA1001094//Interleukin 8//0.092:530:58//Hs.624:M17017
 F-HEMBA1001099
 F-HEMBA1001109//Homo sapiens tapasin (NGS-17) mRNA, complete cds//2.4-61:341:85//Hs.5247:AF029750
 F-HEMBA1001121//EST//7.3e-13:265:64//Hs.142423:AA412497
 10 F-HEMBA1001122//Homo sapiens mRNA for KIAA0471 protein, complete cds//0.066:649:56//Hs.5347:AB007940
 F-HEMBA1001123//Homo sapiens mRNA for KIAA0448 protein, complete cds//1.5e-10:231:68//Hs.27349:AB007917
 F-HEMBA1001133//EST//0.50:222:63//Hs.131018:AI015747
 F-HEMBA1001137//Homo sapiens mRNA for KIAA0798 protein, complete cds//2.2e-73:527:77//Hs.159277:AB018341
 15 F-HEMBA1001140//Homo sapiens mRNA for KIAA0682 protein, complete cds//0.020:141:65//Hs.7482:AB014582
 F-HEMBA1001172//EST//0.77:158:60//Hs.158894:AI378457
 F-HEMBA1041174//ESTs//1.4e-63:363:92//Hs.132798:AA922226
 F-HEMBA1001197//ESTs, Weakly similar to Rap2 interacting protein 8 [M.musculus]//5.0e-54:555:71//Hs.55165:AA573499
 20 F-HEMBA1001208//EST//6.2e-26:213:77//Hs.146964:AI183463
 P-HEMBA1001213//Human mRNA for KIAA0013 gene, complete cds//0.026:569:57//Hs.48824:D87717
 F-HEMBA1001226//ESTs//1.9e-11:407:65//Hs.157977:AI369694
 F-HEMBA1001235//ESTs//0.0042:161:63//Hs.155170:AA167748
 25 F-HEMBA1001247//ESTs//1.2e-91:429:99//Hs.143304:AI084058
 F-HEMBA1001257//Human zinc finger protein (MAZ) mRNA//0.017:330:62//Hs.7647:M94046
 F-HEMBA1001265
 F-HEMBA1001281
 F-HEMBA1001286//Natriuretic peptide precursor B//0.76:163:63//Hs.937:AL021155
 30 F-HEMBA1001289//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-69G12//5.1e-30:530:64//Hs.154050:AC004131
 F-HEMBA1001294//Homo sapiens mRNA for matrilin-3//0.00023:657:56//Hs.119534:AJ224741
 F-HEMBA1001299//Small inducible cytokine A5 (RANTES)//2.2e-27:271:77//Hs.155464:AF088219
 F-HEMBA1001302//ESTs, Moderately similar to Cab45a [M.musculus]//3.3e-53:272:97//Hs.154563:AI129590
 35 F-HEMBA1001303//ESTs, Weakly similar to RNA splicing-related protein [R.norvegicus]//2.6e-66:241:99//Hs.120847:AA731201
 F-HEMBA1001310//ESTs//2.0e-21:133:93//Hs.159116:W55873
 F-HEMBA1001319//Homo sapiens mRNA for KIAA0758 protein, partial cds//0.23:562:58//Hs.22039:AB018301
 F-HEMBA1001323//Wingless-type MMTV integration site 5A, human homolog//2.5e-31:165:99//Hs.152213:L20861
 40 F-HEMBA1001326//ESTs, Highly similar to HYPOTHETICAL 55.1 KD PROTEIN IN FAB1-PES4 INTERGENIC REGION [Saccharomyces cerevisiae]//8.9e-08:185:68//Hs.108734:AI073427
 F-HEMBA1001327//ESTs//0.085:337:60//Hs.114157:AA703013
 F-HEMBA1001330//EST//0.0018:225:63//Hs.127987:AA970569
 45 F-HEMBA1001351//Homo sapiens VAMP-associated protein of 33 kDa (VAP-33) mRNA, complete cds//3.6e-105:516:97//Hs.9006:AF057358
 F-HEMBA1001361//ESTs//1.2e-62:317:97//Hs.6639:R39794
 F-HEMBA1001375//ESTs//0.93:180:60//Hs.148425:AI198074
 F-HEMBA1001377//ESTs//9.2e-87:414:99//Hs.48469:N62156
 50 F-HEMBA1001383//ESTs//0.0023:336:60//Hs.140622:AA844353
 F-HEMBA1001387//ESTs, Highly similar to RAS-LIKE PROTEIN TC10 [Homo sapiens]//1.0e-132:643:97//Hs.124217:AA020848
 F-HEMBA1001388
 F-HEMBA1001391//ESTs//5.6e-32:191:93//Hs.71628:N41660
 55 F-HEMBA1001398
 F-HEMBA1001405//EST//1.0:135:63//Hs.146833:AI151117
 F-HEMBA1001407//ESTs//10.53:390:57//Hs.150447:AI017798
 F-HEMBA1001411//EST//8.8e-06:270:62//Hs.145386:AI253108

- F-HEMBA1001413
 F-HEMBA1001415//EST//1.3e-12:176:75//Hs.133172:AI051605
 F-HEMBA1001432//RING3 PROTEIN//0.57:345:59//Hs.75243:D42040
 F-HEMBA1001433//ESTs//1.3e-21:333:69//Hs.131648:AI025726
 5 F-HEMBA1001435//Cytochrome P450, subfamily I (aromatic compound-inducible), polypeptide 2//1.2e-74:469:80//Hs.1361:M55053
 F-HEMBA1001442//EST//0.29:181:64//Hs.116883:AA663031
 F-HEMBA1001446//ESTs, Weakly similar to Rap2 interacting protein 8 [M.musculus]//6.8e-47:550:71//Hs.55165:AA573499
 10 F-HEMBA1001450//Homo sapiens GTPase-activating protein (SIPA1) mRNA, complete cds//0.82:312:58//Hs.7019:AB005666
 F-HEMBA1001454//ESTs//1.2e-46:297:80//Hs.152395:AA533107
 F-HEMBA1001455//ESTs//7.3e-103:502:97//Hs.112860:AA442412
 F-HEMBA1001463//Human mRNA for KIAA0392 gene, partial cds//8.7e-51:323:88//Hs.40100:AB002390
 15 F-HEMBA1001476//Homo sapiens mRNA for KIAA0572 protein, partial cds//6.2e-104:489:99//Hs.14409:AB011144
 F-HEMBA1001478//EST//0.013:205:61//Hs.157309:AI365451
 F-HEMBA1001497//Small inducible cytokine A5 (RANTES)//5.9e-45:307:84//Hs.155464:AF088219
 F-HEMBA1001510//H.sapiens mRNA for G13 protein//2.1e-71:405:92//Hs.42853:X98054
 20 F-HEMBA1001515//Human Line-1 repeat mRNA with 2 open reading frames//4.5e-105:773:82//Hs.23094:M19503
 F-HEMBA1001517//EST//3.6e-09:271:65//Hs.162347:AA564902
 F-HEMBA1001522//ESTs//4.3e-13:85:95//Hs.126707:AI376869
 F-HEMBA1001526
 25 F-HEMBA1001533//EST//1.0:75:73//Hs.145360:AI252476
 F-HEMBA1001557//EST//3.5e-13:261:64//Hs.161496:N66580
 F-HEMBA1001566//EST//3.7e-07:354:64//Hs.43830:N26652
 F-HEMBA1001569//Homo sapiens mRNA for vesicle associated membrane protein 2 (VAMP2)//8.0e-68:338:97//Hs.91589:M36205
 30 F-HEMBA1001570//ESTs//1.5e-47:369:82//Hs.107657:AA126814
 F-HEMBA1001579//Homo sapiens mRNA for NS1-binding protein (NS1-BP)//7.0e-175:678:99//Hs.159597:AJ012449
 F-HEMBA1001581//ESTs//4.4e-07:237:67//Hs.152304:AA605184
 F-HEMBA1001585//ESTs//1.1e-11:81:100//Hs.16364:AI357228
 35 F-HEMBA1001589//Human mRNA for KIAA0166 gene, complete cds//0.82:210:64//Hs.115778:D79988
 F-HEMBA1001595//Human mRNA for KIAA0128 gene, partial cds//2.6e-110:855:78//Hs.90998:D50918
 F-HEMBA1001608//EST//1.0:201:60//Hs.136747:AA749210
 F-HEMBA1001620//ESTs//1.5e-39:211:98//Hs.131063:AI016400
 F-HEMBA1001635//ESTs//4.0e-33:168:100//Hs.122655:AI361870
 40 F-HEMBA1001636//ESTs, Moderately similar to !!!! ALU SUBFAMILY SP WARNING ENTRY !!!! [H.sapiens]//0.038:198:64//Hs.34579:AI338536
 F-HEMBA1001640//ESTs//1.1e-24:315:71//Hs.34114:AA776899
 F-HEMBA1001647//Human plectin (PLEC1) mRNA, complete cds//0.00049:629:61//Hs.79706:U53204
 F-HEMBA1001651//EST//3.6e-07:285:63//Hs.132558:AA948560
 45 F-HEMBA1001655//ESTs//1.4e-95:497:96//Hs.59563:AA203283
 F-HEMBA1001658//EST//0.18:251:59//Hs.117724:H47121
 F-HEMBA1001661
 F-HEMBA1001672//Homo sapiens methyl-CpG binding protein MBD3 (MBD3) mRNA, complete cds//7.9e-146:669:99//Hs.107254:AC005943
 50 F-HEMBA1001675//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//2.0e-57:447:79//Hs.158095:AB007953
 F-HEMBA1001678//ESTs//4.0e-50:360:83//Hs.146811:AA410788
 F-HEMBA1001681//EST//1.0:165:58//Hs.136790:AA776060
 F-HEMBA1001702//EST//0.015:312:61//Hs.162839:AA648760
 55 F-HEMBA1001709//EST//0.85:131:65//Hs.131451:AI023995
 F-HEMBA1001711//ESTs//0.084:425:56//Hs.125346:AI302836
 F-HEMBA1001712//EST//0.26:214:59//Hs.159088:AI383114
 F-HEMBA1001714//ESTs, Highly similar to ATPASE INHIBITOR, MITOCHONDRIAL PRECURSOR [Rattus nor-

vegicus//3.0e-30:195:92//Hs.132948:AA194452
 F-HEMBA1001718//EST//0.0044:275:60//Hs.125969:AA889554
 F-HEMBA1001723//INTERLEUKIN ENHANCER-BINDING FACTOR//0.24:501:57//Hs.101524:U58197
 F-HEMBA1001731//EST//1.2e-06:261:63//Hs.132331:AI028363
 5 F-HEMBA1001734//ESTs//0.018:177:63//Hs.129631:AI000415
 F-HEMBA1001744//EST//8.7e-77 :420:92//Hs.133226:AI052250
 F-HEMBA1001745//Homo sapiens mRNA for TSC403 protein, complete cds//0.37:300:62//Hs.10887:AB013924
 F-HEMBA1001746//ESTs//0.31:168:66//Hs.27237:N68328
 F-HEMBA1001761//ESTs, Weakly similar to ZINC FINGER PROTEIN 91 [H.sapiens]//0.76:218:60//Hs.135553:
 10 N41598
 F-HEMBA1001781//Homo sapiens chromosome 19, cosmid R30953//0.98:219:60//Hs.98776:AC005622
 F-HEMBA1001784//Homo sapiens mRNA for KJAA0474 protein, complete cds//6.4e-09:265:67//Hs.158232:
 AB007943
 F-HEMBA1001791
 15 F-HEMBA1001800//EST//3.1e-41:331:81//Hs.127142:AA937570
 F-HEMBA1001803//EST//0.0062:269:59//Hs.49075:N64817
 F-HEMBA1001804//Human POU domain protein (Brn-3b) mRNA, complete cds//1.8e-07:439:59//Hs.266:U06233
 F-HEMBA1001808//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0500//2.-5e-175:809:98//Hs.
 118164:AB007969
 20 F-HEMBA1001809//ESTs//6.0e-101:497:97//Hs.155127:AA625305
 F-HEMBA1001815
 F-HEMBA1001819//Human kruppel-related zinc finger protein (ZNF184) mRNA, partial cds//4.9e-80:842:70//Hs.
 158174:U66561
 F-HEMBA1001820//EST//0.057:214:62//Hs.148715:A1223845
 25 F-HEMBA1001822//Homo sapiens intersectin short form mRNA, complete cds//6.7e-42:510:65//Hs.66392:
 AF064244
 F-HEMBA1001824//Homo sapiens OPA-containing protein mRNA, complete cds//5.2e-13:253:68//Hs.85313:
 AF071309
 F-HEMBA1001835//Human mRNA for KIAA0235 gene, partial cds//0.96:288:60//Hs.6151:D87078
 30 F-HEMBA1001844//ESTs//1.1e-29:197:80//Hs.I55243:N70293
 F-HEMBA1001847//Human mRNA for KIAA0326 gene, partial cds//2.0e-23:379:68//Hs.6833:AB002324
 F-HEMBA1001861//Homo sapiens mRNA for KIAA0617 protein, complete cds//2.8e-185:865:98//Hs.78946:
 AB014517
 F-HEMBA1001864//EST//0.27:145:63//Hs.162585:AA593121
 35 F-HEMBA1001866//ESTs, Weakly similar to UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE
 PRECURSOR [D.melanogaster]//3.2e-39:293:84//Hs.152332:AI141922
 F-HEMBA1001869//ESTs, Weakly similar to ASH1 [D.melanogaster]//8.1e-70:367:95//Hs.15423:T84036
 F-HEMBA1001888//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//5.4e-86:835:76//Hs.
 158095:AB007953
 40 F-HEMBA1001896
 F-HEMBA1001910//Human calpain-like protease (htra-3) mRNA, complete cds//0.43:114:71//Hs.6133:U94346
 F-HEMBA1001912//ESTs//4.1e-79:398:97//Hs.26660:AI312633
 F-HEMBA1001913//Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA, complete cds//0.00031:
 200:62//Hs.9573:AF027302
 45 F-HEMBA1001915//EST//0.082:128:64//Hs.126542:AA916511
 F-HEMBA1001918//Homo sapiens SEC63 (SEC63) mRNA, complete cds//0.46:374:59//Hs.31575:AF100141
 F-HEMBA1001921//Homo sapiens germinal center kinase related protein kinase mRNA, complete cds//6.7e-186:
 855:99//Hs.154934:AF000145
 F-HEMBA1001939//ESTs//4.9e-34:342:77//Hs.132711:AI377295
 50 F-HEMBA1001940//ESTs//8.6e-15:149:81//Hs.141129:R86221
 F-HEMBA1001942//ESTs//0.0014:271:62//Hs.124514:AI219882
 F-HEMBA1001945//EST//0.98:142:64//Hs.161540:N85943
 F-HEMBA1001950//ESTs//0.99:188:64//Hs.28639:R78360
 F-HEMBA1001960//Homo sapiens methyl-CpG binding protein MBD2 (MBD2) mRNA, complete cds//0.30:85:69//
 55 Hs.25674:AF072242
 F-HEMBA1001962//ESTs//0.0012:289:59//Hs.125492:AA938930
 F-HEMBA1001964//EST//0.73:153:64//Hs.112161:AA477708
 F-HEMBA1001967//Human DNA sequence from clone 341E18 on chromosome 6p11.2-12.3. Contains a Serine/

- Threonine Protein Kinase gene (presumptive isolog of a Rat gene) and a novel alternatively spliced gene. Contains a putative CpG island, ESTs and GSSs//4.6e-156:720:99//Hs.11050:AL031178
 F-HEMBA1001979//ESTs//0.86:184:67//Hs.77208:AA044732
 F-HEMBA1001987//ESTs, Moderately similar to hTAFII68 [H.sapiens]//2.8e-29:151:100//Hs.124106:AA948100
 5 F-HEMBA1001991//Homo sapiens clone 24540 mRNA sequence//0.049:121:70//Hs.153529:AF070581
 F-HEMBA1002003//Keratin 10 (epidermolytic hyperkeratosis; keratosis palmaris et plantaris)//9.8e-09:294:63//Hs.99936:X14487
 F-HEMBA1002008//ESTs//0.12:299:59//Hs.132803:W63582
 F-HEMBA1002018//PROTEIN-TYROSINE PHOSPHATASE ZETA PRECURSOR//0.98:212:64//Hs.78867:
 10 M93426
 F-HEMBA1002022//Human p37NB mRNA, complete cds//0.00044:58:96//Hs.155545:U32907
 F-HEMBA1002035//EST//6.4e-07:145:68//Hs.135336:AI049827
 F-HEMBA1002039//EST//0.99:79:67//Hs.98451:AA426057
 F-HEMBA1002049//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//4.5e-26:
 15 223:81//Hs.105292:AA504776
 F-HEMBA1002084
 F-HEMBA1002092
 F-HEMBA1002100//Homo sapiens zinc finger homeodomain protein (ATBF1-A) mRNA, complete cds//5.6e-21:
 124:96//Hs.101842:L32832
 20 F-HEMBA1002102//ESTs, Highly similar to ANKYRIN [Mus musculus]//5.9e-09:434:62//Hs.135102:AI190276
 F-HEMBA1002113//ESTs//0.049:255:63//Hs.106137:AI129973
 F-HEMBA1002119
 F-HEMBA1002125//H.sapiens ERF-2 mRNA//0.026:341:59//Hs.78909:U07802
 F-HEMBA1002139//ESTs//0.082:309:60//Hs.36383:W52393
 25 F-HEMBA1002144//Human mRNA for KIAA0227 gene, partial cds//5.6e-06:601:60//Hs.79170:D86980
 F-HEMBA1002150//Homo sapiens mRNA for KIAA0720 protein, partial cds//5.6e-06:353:62//Hs.23741:AB018263
 F-HEMBA1002151
 F-HEMBA1002153//EST//10.014:328:60//Hs.149115:AI244695
 F-HEMBA1002160//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0507//5.6e-49:303:79//Hs.
 30 158241:AB007976
 F-HEMBA1002161//Myosin, heavy polypeptide 7, cardiac muscle, beta//1.2e-40:616:67//Hs.929:M57965
 F-HEMBA1002162//Homo sapiens mRNA for XPR2 protein//3.4e-48:749:67//Hs.44766:AJ007590
 F-HEMBA1002166//Small inducible cytokine A5 (RANTES)//2.1e-60:485:79//Hs.155464:AF088219
 F-HEMBA1002177//Homo sapiens yotiao mRNA, complete cds//2.4e-19:151:86//Hs.114808:AF026245
 35 F-HEMBA1002185//EST//0.00011:233:65//Hs.125552:AA884141
 F-HEMBA1002189//EST//5.1 e-24:193:81//Hs.163161:AA778363
 F-HEMBA1002191//Homo sapiens mRNA for KIAA0689 protein, partial cds//0.27:382:59//Hs.21992:AB014589
 F-HEMBA1002199//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501//1.2e-14:199:72//Hs.
 159897:AB007970
 40 F-HEMBA1002204//ESTs//0.46:312:59//Hs.61210:AA024696
 F-HEMBA1002212//ESTs//1.0:191:63//Hs.149752:AI285767
 F-HEMBA1002215//ESTs, Highly similar to TESTIN 2 PRECURSOR [Mus musculus]//1.6e-47:251:96//Hs.59906:
 AA001281
 F-HEMBA1002226//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488//2.4e-57:375:71//Hs.
 45 67619:AB007957
 F-HEMBA1002229//Homo sapiens KIAA0395 mRNA, partial cds//7.9e-47:377:80//Hs.43681:AL022394
 F-HEMBA1002237//EST//0.044:1 37:66//Hs.144448:AA812455
 F-HEMBA1002241
 F-HEMBA1002253//EST//2.2e-41:219:96//Hs.137065:AA888887
 50 F-HEMBA1002257//Homo sapiens diacylglycerol kinase iota (DGKi) mRNA, complete cds//1.1e-152:731:97//Hs.
 159564:AF061936
 F-HEMBA1002265//ESTs//5.4e-11:337:65//Hs.112639:AI125420
 F-HEMBA1002267//Homo sapiens GDP-L-fucose pyrophosphorylase (GFPP) mRNA, complete cds//1.0:395:60//
 Hs.150926:AF017445
 55 F-HEMBA1002270//ESTs//2.5e-87:504:89//Hs.124440:H95404
 F-HEMBA1002321//Homo sapiens oxidized low-density lipoprotein receptor mRNA, complete cds//0.17:338:60//
 Hs.77729:AB010710
 F-HEMBA1002328//ESTs//7.9e-103:480:99//Hs.123318:AI201982

- F-HEMBA1002337//Human mRNA for KIAA0118 gene, partial cds//0.93:220:61//Hs.154326:D42087
 F-HEMBA1002341//Homo sapiens mRNA for KIAA0771 protein, partial cds//7.8e-187:872:98//Hs.6162:AB018314
 F-HEMBA10023481//EST//1.0e-19:285:70//Ms.121860:AA776692
 F-HEMBA1002349//EST//0.011:385:59//Hs.148533:AI200996
 5 F-HEMBA1002363//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds//2.4e-189:872:99//Hs.119023:AF092563
 F-HEMBA1002381//EST//7.9e-34:236:77//Hs.162197:AA535216
 F-HEMBA1002389//ESTs//4.3e-59:342:92//Hs.133391:AA535144
 F-HEMBA1002417//Homo sapiens chromosome 19, cosmid R28784//2.2e-159:775:97//Hs.25527:AC005954
 10 F-HEMBA1002419//EST, Moderately similar to ROD CGMP-SPECIFIC 3',5'-CYCLIC PHOSPHODIESTERASE BETA-SUBUNIT [H.sapiens]//1.0:144:65//Hs.136096:W27141
 F-HEMBA1002430//Human clone 23695 mRNA sequence//2.7e-06:563:59//Hs.90798:U79289
 F-HEMBA1002439//EST, Weakly similar to LINE-1 REVERSE TRANSCRIPTASE HOMOLOG [H.sapiens]//0.11:111:67//Hs.162154:AA528561
 15 F-HEMBA1002458//ESTs, Weakly similar to hypothetical protein B, 6.8K [H.sapiens]//1.3e-71:346:98//Hs.136121:W26490
 F-HEMBA1002460//ESTs//2.1e-94:484:96//Hs.106441:R53160
 F-HEMBA1002462//Homo sapiens N-methyl-D-aspartate receptor 2D subunit precursor (NMDAR2D) mRNA, complete cds//0.00024:240:64//Hs.113286:U77783
 20 F-HEMBA1002469//Human mRNA for KIAA0122 gene, partial cds//1.3e-109:603:92//Hs.154583:D50912
 F-HEMBA1002475//RYANODINE RECEPTOR, SKELETAL MUSCLE//0.025:261:63//Hs.89631:U48508
 F-HEMBA1002477//Homo sapiens mRNA for KIAA0561 protein, partial cds//2.8e-45:331:83//Hs.6189:AB011133
 F-HEMBA1002486//EST//0.00039:174:67//Hs.96680:AA303235
 F-HEMBA1002495
 25 F-HEMBA1002498//ESTs//1.2e-91:460:97//Hs.118327:W79161
 F-HEMBA1002503//H.sapiens mRNA for MACH-alpha-2 protein//4.8e-13:164:74//Hs.19949:X98173
 F-HEMBA1002508//Homo sapiens PYRIN (MEFV) mRNA, complete cds//6.1e-79:460:83//Hs.113283:AF018080
 F-HEMBA1002513//Homo sapiens mRNA for histone deacetylase-like protein (JM21)//9.0e-159:738:98//Hs.6764:AJ011972
 30 F-HEMBA1002515//ESTs//3.6e-08:185:69//Hs.118701:AA420795
 F-HEMBA1002538//ESTs//0.97:68:73//Hs.134672:AI087951
 F-HEMBA1002542//Homo sapiens mRNA for chemokine LEC precursor, complete cds//6.1e-46:238:87//Hs.10458:AF088219
 F-HEMBA1002547//Homo sapiens agrin precursor mRNA, partial cds//1.1e-138:655:98//Hs.68900:AF016903
 35 F-HEMBA1002552//Human Hep27 protein mRNA, complete cds//2.8e-08:173:68//Hs.102137:U31875
 F-HEMBA1002555//Homo sapiens mRNA for APC 2 protein, complete cds//0.00020:603:57//Hs.20912:AB012162
 F-HEMBA1002558//ESTs//6.0e-25:262:77//Hs.136304:AA431205
 F-HEMBA1002561//Human clone 23574 mRNA sequence//4.7e-17:268:72//Hs.79385:U90905
 F-HEMBA1002569//Homo sapiens protein associated with Myc mRNA, complete cds//4.3e-142:457:99//Hs.151411:AF075587
 40 F-HEMBA1002583//Homo sapiens UKLF mRNA for ubiquitous Kruppel like factor, complete cds//2.8e-30:156:100//Hs.32170:AB015132
 F-HEMBA1002590//ESTs//1.0e-30:277:77//Hs.139158:AA226159
 F-HEMBA1002592//ESTs//2.4e-20:233:75//Hs.159329:AI378363
 45 F-HEMBA1002609//Homo sapiens mRNA for KIAA0597 protein, partial cds//1.4e-176:820:99//Hs.20141:AB011169
 F-HEMBA1002621//EST//0.99:208:60//Hs.159127:AI384013
 F-HEMBA1002624//Homo sapiens mRNA for KIAA0808 protein, complete cds//9.2e-189:632:97//Hs.91338:AB018351
 50 F-HEMBA1002628//Human mRNA for KIAA0336 gene, complete cds//0.079:231:65//Hs.125129:AB002334
 F-HEMBA1002629//Human density enhanced phosphatase 1 mRNA, complete cds//1.3e-07:473:61//Hs.1177:U10886
 F-HEMBA1002645//ESTs//2.6e-32:209:88//Hs.141323:N80390
 F-HEMBA1002651
 55 F-HEMBA1002659//Human vascular endothelial growth factor related protein VRP mRNA, complete cds//0.74:223:60//Hs.79141:U43142
 F-HEMBA1002661//Human Line-1 repeat mRNA with 2 open reading frames//1.4e-122:781:85//Hs.23094:M19503

F-HEMBA1002666//ESTs//0.39:117:65//Hs.3794:T08497
 F-HEMBA1002678//EST//0.0081:148:64//Hs.156768:AI351368
 F-HEMBA1002679//Cyclic nucleotide gated channel (photoreceptor), cGMP gated 1 (alpha)//0.00096:418:61//Hs.1323:S42457
 5 F-HEMBA1002688//Homo sapiens hyperpolarization-activated channel 1 (IH1) mRNA, partial cds//1.8e-11:541:601//Hs.124161:AF065164
 F-HEMBA10026961//Homo sapiens DNA from chromosome 19, cosmid R29144//1.9e-06:345:61//Hs.155647:AC004221
 F-HEMBA1002703//Homo sapiens mRNA for KIAA0455 protein, complete cds//6.0e-12:327:62//Hs.13245:AB007924
 10 F-HEMBA1002712
 F-HEMBA1002716//EST//1.2e-56:284:97//Hs.131329:AA922800
 F-HEMBA1002728//Homo sapiens mRNA for KIAA0621 protein, partial cds//3.7e-127:614:97//Hs.132942:AB014521
 15 F-HEMBA1002730//Homo sapiens microsomal glutathione S-transferase 3 (MGST3) mRNA, complete cds//0.21:157:66//Hs.111811:AB007867
 F-HEMBA1002742//EST//0.97:138:60//Hs.160545:71596
 F-HEMBA1002746//Human HOX4C mRNA for a homeobox protein//0.72:347:58//Hs.74061:X59372
 F-HEMBA1002748//ESTs, Weakly similar to C27H6.5 [C.elegans]//0.24:83:74//Hs.40806:AA018786
 20 F-HEMBA1002750//ESTs//5.8e-37:185:76//Hs.140577:AA827817
 F-HEMBA1002768//Homo sapiens mRNA for KIAA0554 protein, partial cds//2.9e-178:834:98//Hs.74750:AB011126
 F-HEMBA1002770//ESTs, Highly similar to TIP120 [R.norvegicus]//8.0e-98:492:96//Hs.11833:AI299947
 F-HEMBA1002777//Homo sapiens prostate apoptosis response protein par-4 mRNA, complete cds//3.9e-05:528:59//Hs.128208:U63809
 25 F-HEMBA1002779//ESTs//8.1e-134:662:96//Hs.107295:W80392
 F-HEMBA1002780//ESTs//3.8e-41:421:74//Hs.141576:N90326
 F-HEMBA1002794//Protein kinase C, mu//4.8e-06:244:67//Hs.2891:X75756
 F-HEMBA1002801//ESTs//2.1e-24:182:87//Hs.124633:AA856938
 30 F-HEMBA1002810//Homo sapiens formin binding protein 21 mRNA, complete cds//3.4e-169:820:97//Hs.28307:AF071185
 F-HEMBA1002816//ESTs//2.5e-91:387:94//Hs.8008:R52744
 F-HEMBA1002818//Homo sapiens UPH1 (UPH1) mRNA, complete cds//7.0e-122:733:89//Hs.6059:AF093119
 F-HEMBA1002826//ESTs//0.00015:235:62//Hs.119383:M279904
 35 F-HEMBA1002833
 F-HEMBA1002850//EST//0.0014:201:65//Hs.156235:AA770550
 F-HEMBA1002863//ESTs//1.2e-50:295:91//Hs.57980:W68823
 F-HEMBA1002876//ESTs, Weakly similar to HYPOTHETICAL 26.4 KD PROTEIN EEED8.8 IN CHROMOSOME II [C.elegans]//4.9e-18:110:94//Hs.13322:AA151730
 40 F-HEMBA1002886//EST//0.99:184:65//Hs.160684:AE79429
 F-HEMBA1002896//ESTs//2.1e-11:72:100//Hs.149215:AI051679
 F-HEMBA1002921
 F-HEMBA1002924//EST//3.7e-05:291:64//Hs.134677:AI088001
 F-HEMBA1002934//ESTs//2.3e-42:324:80//Hs.141658:N77915
 45 F-HEMBA1002935//Homo sapiens mRNA for KIAA0576 protein, partial cds//1.6e-174:803:99//Hs.14687:AB011148
 F-HEMBA1002937//ESTs, Weakly similar to homologous to mouse gene PC326:GenBank Accession Number M95564 [H.sapiens]//8.1e-36:256:85//Hs.36899:AA130053
 F-HEMBA1002939//H.sapiens mRNA for cytokine inducible nuclear protein//1.1e-05:479:59//Hs.74019:X83703
 50 F-HEMBA1002944//Human putative endothelin receptor type B-like protein mRNA, complete cds//0.83:326:58//Hs.27747:U87460
 F-HEMBA1002951//ESTs//6.1e-08:137:70//Hs.26762:AA913925
 F-HEMBA1002954//ESTs//9.3e-39:249:89//Hs.146185:R19099
 F-HEMBA1002968//ESTs//0.73:142:64//Hs.136371:AA506092
 55 F-HEMBA1002970//EST//2.9e-10:103:82//Hs.162580:AA593828
 F-HEMBA1002971//ESTs//3.5e-21:190:81//Hs.61170:AA454219
 F-HEMBA1002973//Phosphodiesterase 4B, cAMP-specific (dunce (Drosophila)-homolog phosphodiesterase E4)//1.5e-37:247:89//Hs.188:L20971

- F-HEMBA1002997//Homo sapiens chromosome-associated protein-C (hCAP-C) mRNA, partial cds//1.7e-05:797:58//Hs.50758:AF092564
- F-HEMBA1002999//EST//9.9e-38:453:70//Hs.161635:W22525
- F-HEMBA1003021//Small inducible cytokine A5 (RANTES)//4.6e-49:373:81//Hs.155464:AF088219
- 5 F-HEMBA1003033//ESTs//5.0e-64:340:95//Hs.154270:N26486
- F-HEMBA1003034//Homo sapiens PYRIN (MEFV) mRNA, complete cds//7.4e-70:330:78//Hs.113283:AF018080
- F-HEMBA1003035//Homo sapiens mRNA for testican-3//0.041:623:57//Hs.159425:AJ001454
- F-HEMBA1003037//EST//0.53:59:74//Hs.148011:M268003
- F-HEMBA1003041//ESTs, Weakly similar to F58G11.6 [C.elegans]//1.7e-64:337:95//Hs.I05907:AA186514
- 10 F-HEMBA1003046//Homo sapiens mitochondrial processing peptidase beta-subunit mRNA, complete cds//3.2e-166:777:98//Hs.44097:AF054182
- F-HEMBA1003064//ESTs//3.2e-07:320:65//Hs.23466:AI223438
- F-HEMBA1003067
- F-HEMBA1003071//Homo sapiens hyperpolarization-activated channel 1 (IH1) mRNA, partial cds//1.5e-15:611:59//Hs.124161:AF065164
- 15 F-HEMBA1003077//Homo sapiens KIAA0405 mRNA, complete cds//2.2e-29:542:62//Hs.48998:AB007865
- F-HEMBA1003078//CYTOCHROME P450 IVF3//2.0e-29:452:67//Hs.106242:AB002454
- F-HEMBA1003079//EST//2.0e-20:273:73//Hs.138001:AI034461
- F-HEMBA1003083//EST//2.0e-48:314:86//Hs.149580:AI281881
- 20 F-HEMBA1003086//ESTs//2.6e-20:237:73//Hs.129331:AI090721
- F-HEMBA1003096//ESTs, Weakly similar to HMG-box transcription factor [M.musculus]//0.98:216:61//Hs.97865:AA405872
- F-HEMBA1003098//EST//2.9e-19:239:73//Hs.152366:AA486721
- F-HEMBA1003117//H.sapiens ERF-2 mRNA//0.0048:447:59//Hs.78909:U07802
- 25 F-HEMBA1003129//Homo sapiens clone 24407 mRNA sequence//1.9e-06:507:58//Hs.12432:AF070575
- F-HEMBA1003133//Homo sapiens mRNA for KIAA0771 protein, partial cds//0.038:288:63//Hs.6162:AB018314
- F-HEMBA1003136
- F-HEMBA1003142//ESTs//3.6e-112:526:99//Hs.55982:AA284279
- F-HEMBA1003148//Homo sapiens mRNA for dachshund protein//2.2e-184:850:99//Hs.63931:AJ005670
- 30 F-HEMBA1003166//Homo sapiens mRNA for KIAA0688 protein, complete cds//1.1e-24:171:83//Hs.I41874:AB014588
- F-HEMBA1003175//EST//0.91:168:60//Hs.123335:AA810740
- F-HEMBA1003179//EST, Weakly similar to hypothetical protein in purB 5' region [E.coli]//4.7e-20:118:97//Hs.II8831:AA211895
- 35 F-HEMBA1003197//ESTs//0.049:265:58//Hs.153718:AI215523
- F-HEMBA1003199//SOX-3 PROTEIN//0.00034:383:60//Hs.157429:X71135
- F-HEMBA1003202//ESTs//7.1e-84:408:98//Hs.130134:AA905412
- F-HEMBA1003204//Homo sapiens PYRIN (MEFV) mRNA, complete cds//4.6e-33:154:85//Hs.113283:AF018080
- F-HEMBA1003212//ESTs//1.0e-31:159:84//Hs.134067:AI076765
- 40 F-HEMBA1003220//EST//8.6e-29:317:73//Hs.150552:AI053784
- F-HEMBA1003222//ESTs//0.77:208:62//Hs.85451:AA181310
- F-HEMBA1003229//EST//0.084:233:60//Hs.98176:AA417012
- F-HEMBA1003235//Homo sapiens antigen NY-CO-16 mRNA, complete cds//0.00054:432:58//Hs.I32206:AF039694
- 45 F-HEMBA1003250
- F-HEMBA1003257//Homo sapiens fibroblast growth factor 18 (FGF18) mRNA, complete cds//4.3e-08:426:64//Hs.49585:AF075292
- F-HEMBA1003273//EST//0.00078:195:65//Hs.158019:AA867991
- F-HEMBA1003276//EST//6.6e-09:159:74//Hs.162664:AA605020
- 50 F-HEMBA1003278//ESTs//0.89:257:63//Hs.23207:R42864
- F-HEMBA1003281//ESTs//2.6e-33:175:98//Hs.122278:AA781867
- F-HEMBA1003286//Homo sapiens chromosome 3q13 beta-1,4-galactosyltransferase mRNA, complete cds//2.9e-146:539:97//Hs.13225:AF038662
- F-HEMBA1003291//Homo sapiens mRNA for KIAA0537 protein, complete cds//1.6e-167:799:98//Hs.12836:AB011109
- 55 F-HEMBA1003296//EST//0.0013:49:97//Hs.137157:R44912
- F-HEMBA1003304//ESTs//0.047:164:64//Hs.94448:AA770160
- F-HEMBA1003309//ESTs//7.8e-123:589:98//Hs.I05486:AA521012

F-HEMBA1003314//Homo sapiens mRNA for leucine zipper bearing kinase, complete cds//1.5e-189:865:99//Hs.124224:AB001872
 F-HEMBA1003322//H.sapiens mRNA for sigma 3B protein//4.5e-49:399:80//Hs.154782:X99459
 F-HEMBA1003327//EST//7.7e-10:165:72//Hs.114826:AA056254
 5 F-HEMBA1003328//EST//0.00023:128:67//Hs.126467:AA913328
 F-HEMBA1003330
 F-HEMBA1003348//Human mRNA for KIAA0331 gene, complete cds//4.8e-26:256:78//Hs.146395:AB002329
 F-HEMBA1003369//Homo sapiens DNA from chromosome 19p13.2 cosmid R31240, R30272 and R28549 containing the EKLF, GCDH, CRTCL, and RAD23A genes, genomic sequence//0.37:187:65//Hs.80265:AD000092
 10 F-HEMBA1003370//ESTs//8.2e-36:196:79//Hs.139158:AA226159
 F-HEMBA1003373//ESTs//1.0:195:61//Hs.127307:AI263819
 F-HEMBA1003376//Clathrin, light polypeptide (Lcb)//2.3e-29:606:64//Hs.73919:X81637
 F-HEMBA1003380//ESTs//2.5e-21:303:70//Hs.37528:H58017
 F-HEMBA1003384//ESTs//0.14:281:61//Hs.159650:N95552
 15 F-HEMBA1003395//ESTs//0.53:121:70//Hs.144873:AI202488
 F-HEMBA1003402//EST//0.029:148:66//Hs.116798:AA633813
 F-HEMBA1003403//Adducin 2 (beta) {alternative products }//5.0e-05:445:61//Hs.90951:U43959
 F-HEMBA1003408//ESTs//9.0e-12:87:98//Hs.70266:Z78309
 F-HEMBA1003417//Glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), regulatory (30.8kD)//9.5e-05:541:58//Hs.89709:L35546
 20 F-HEMBA1003418//ESTs//3.5e-85:399:100//Hs.154489:AA564962
 F-HEMBA1003433//Homo sapiens nibrin (NBS) mRNA, complete cds//2.0e-149:686:99//Hs.25812:AF058696
 F-HEMBA1003447//Human mRNA for KIAA0380 gene, complete cds//0.43:271:60//Hs.47822:AB002378
 F-HEMBA1003461//Glycoprotein Ib (platelet), beta polypeptide//4.8e-08:775:58//Hs.3847:U59632
 25 F-HEMBA1003463//ESTs//3.3e-22:121:99//Hs.130847:AA058578
 F-HEMBA1003480//Homo sapiens mRNA for KIAA0700 protein, partial cds//0.16:321:60//Hs.13999:AB014600
 F-HEMBA1003528//ESTs//3.8e-53:315:91//Hs.129688:AA057443
 F-HEMBA1003531//Human mRNA for KIAA0033 gene, partial cds//4.9e-51:451:78//Hs.22271:D26067
 F-HEMBA1003538//ESTs//1.2e-82:415:96//Hs.162075:AI392811
 30 F-HEMBA1003545//ISL1 transcription factor, LIM/homeodomain, (islet-1)//5.0e-75:736:73//Hs.505:U07559
 F-HEMBA1003548//ESTs//8.7e-77:411:95//Hs.163443:R23311
 F-HEMBA1003555//Human nucleotide-binding protein mRNA, complete cds//3.6e-33:562:64//Hs.81469:U01833
 F-HEMBA1003556
 F-HEMBA1003560//EST//3.7e-29:202:86//Hs.136858:AA767122
 35 F-HEMBA1003568//ESTs//2.4e-06:214:65//Hs.143371:AI342327
 F-HEMBA1003569//Human metastasis-associated mtal mRNA, complete cds//2.0e-58:455:66//Hs.101448:U35113
 F-HEMBA1003571//ESTs//0.0025:198:63//Hs.116448:AA648972
 F-HEMBA1003579//ESTs//6.0e-110:513:99//Hs.97372:AA398546
 40 F-HEMBA1003581//ESTs, Highly similar to TALIN [Mus musculus]//3.6e-19:108:99//Hs.18420:AA599232
 F-HEMBA1003591//ESTs, Weakly similar to R74.5 [C.elegans]//5.2e-85:487:92//Hs.57937:W68285
 F-HEMBA1003595//Membrane cofactor protein (CD46, trophoblast-lymphocyte cross-reactive antigen)//2.8e-06:439:62//Hs.83532:X59405
 F-HEMBA1003597//ESTs//0.0025:200:64//Hs.8473:T40827
 45 F-HEMBA1003598//ESTs//0.18:187:63//Hs.98641:AA429916
 F-HEMBA1003615//ESTs, Highly similar to phosphorylation regulatory protein HP-10 [H.sapiens]//2.4e-133:644:97//Hs.3566:AA314782
 F-HEMBA1003617//Homa sapiens mRNA for HRIHFB2157, partial cds//7.9e-171:501:97//Hs.124956:AB015344
 F-HEMBA1003621//Homo sapiens protein inhibitor of activated STAT protein PIASx-alpha mRNA, complete cds//4.4e-16:161:78//Hs.111323:AF077954
 50 F-HEMBA1003622//EST//0.0085:251:62//Hs.97343:AA401750
 F-HEMBA1003630//ESTs//7.5e-05:304:61//Hs.87131:AA233159
 F-HEMBA1003637//Homo sapiens homolog of the Aspergillus nidulans sudD gene product mRNA, complete cds//7.9e-26:546:63//Hs.109901:AF013591
 55 F-HEMBA1003640//ESTs//1.1e-11:267:661//Hs.34359:AI122791
 F-HEMBA1003645
 F-HEMBA1003646
 F-HEMBA1003656

F-HEMBA1003662
 F-HEMBA1003667//ESTs//1.5e-27:235:81//Hs.55855:AA621381
 F-HEMBA1003679//ESTs//4.3e-49:251:97//Hs.152811:AA630906
 F-HEMBA1003680//Human plectin (PLEC1) mRNA, complete cds//3.4e-06:464:61//Hs.79706:U53204
 5 F-HEMBA1003684//ESTs, Weakly similar to zinc finger protein C2H2-171 [H.sapiens]//1.6e-100:478:98//Hs.118866:AI017072
 F-HEMBA1003690//Homo sapiens mRNA for KIAA0600 protein, partial cds//9.5e-74:606:77//Hs.9028:AF039691
 F-HEMBA1003692//ESTs//4.2e-43:252:92//Hs.39748:AA487187
 F-HEMBA1003711//Homo sapiens mRNA for KIAA0544 protein, partial cds//0.81:254:62//Hs.32316:AB011116
 10 F-HEMBA1003714//ESTs//6.4e-98:495:95//Hs.43846:N49995
 F-HEMBA1003715//ESTs//1.3e-11:228:69//Hs.101237:AA708760
 F-HEMBA1003720//Homo sapiens clone 23892 mRNA sequence//5.5e-45:692:68//Hs.91916:AF035317
 F-HEMBA1003725//EST//2.5e-46:228:100//Hs.160069:AA926921
 F-HEMBA1003729//ESTs//4.1e-48:253:96//Hs.26270:AA258839
 15 F-HEMBA1003733//Human Line-1 repeat mRNA with 2 open reading frames//8.6e-102:753:81//Hs.23094:M19503
 F-HEMBA1003742//Homo sapiens chromosome 19, cosmid
 R31180//0.16:242:62//Hs.153325:AC005390
 F-HEMBA1003758//ESTs//9.3e-12:408:61//Hs.148459:AI198946
 20 F-HEMBA1003760//Homo sapiens clone 23698 mRNA sequence//9.7e-35:430:69//Hs.8136:U81984
 F-HEMBA1003773//EST//0.76:191:61//Hs.127020:AA934920
 F-HEMBA1003783//ESTs, Weakly similar to C01H6.7 [C.elegans]//1.7e-24:224:81//Hs.18171:AA524327
 F-HEMBA1003784//ESTs//0.13:120:67//Hs.161993:AA503172
 F-HEMBA1003799//Interleukin 9 receptor//2.0e-17:263:70//Hs.1702:L39064
 25 F-HEMBA1003803//Homo sapiens calcium-activated potassium channel (KCNN3) mRNA, complete cds//0.13:222:61//Hs.89230:AF031815
 F-HEMBA1003804//ESTs//1.4e-112:275:98//Hs.72132:AF039239
 F-HEMBA1003805//Human p62 mRNA, complete cds//1.1e-11:523:60//Hs.119537:M88108
 F-HEMBA1003807//ESTs//4.1e-08:279:68//Hs.115679:AI379721
 30 F-HEMBA1003827//Homo sapiens mRNA for KIAA0616 protein, partial cds//3.3e-85:586:87//Hs.6051:AB014516
 F-HEMBA1003836//EST//6.8e-06:98:74//Hs.145447:AI204220
 F-HEMBA1003838//ESTs, Moderately similar to !!!! ALU SUBFAMILY SC WARNING ENTRY !!!! [H.sapiens]//3.8e-40:151:88//Hs.139007:H74314
 F-HEMBA1003856//ESTs//8.6e-53286:95//Hs.116645:AI005167
 35 F-HEMBA1003864//Human mRNA for KIAA0369 gene, complete cds//0.11:144:66//Hs.21355:AB002367
 F-HEMBA1003866//Homo sapiens semaphorin F homolog mRNA, complete cds//4.3e-30:580:63//Hs.27621:U52840
 F-HEMBA1003879//Nuclear cap binding protein, 80kD//6.7e-10:87:95//Hs.89563:D32002
 F-HEMBA1003880
 40 F-HEMBA1003885//Homo sapiens mRNA for KIAA0752 protein, partial cds//4.2e-18:302:67//Hs.23711:AB018295
 F-HEMBA1003893//ESTs, Weakly similar to HYPOTHETICAL 27.8 KD PROTEIN IN VMA7-RPS31A INTERGENIC REGION [S.cerevisiae]//1.2e-49:295:92//Hs.114673:W72675
 F-HEMBA1003902//ESTs//1.1e-11:165:74//Hs.54632:AA976236
 F-HEMBA1003908//Homo sapiens mRNA for KIAA0525 protein, partial cds//0.081:345:58//Hs.78494:AB011097
 45 F-HEMBA1003926//EST//2.5e-32:253:83//Hs.132635:AI032875
 F-HEMBA1003937//Human mRNA for KIAA0391 gene, complete cds//2.9e-38:313:69//Hs.154668:AB002389
 F-HEMBA1003939//ESTs//3.4e-07:150:71//Hs.148926:R59562
 F-HEMBA1003942//EST, Weakly similar to 24 KD PROTEIN [Xenopus laevis]//0.0029:222:61//Hs.144236:W52380
 F-HEMBA1003950//ESTs//0.98:200:62//Hs.163912:W20055
 50 F-HEMBA1003953//Zinc finger protein 7 (KOX 4, clone HF.16)//0.00014:271:66//Hs.2076:M29580
 F-HEMBA1003958//ESTs, Moderately similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//2.1e-44:243:76//Hs.91146:N73230
 F-HEMBA1003959//ESTs//0.067:251:59//Hs.39915:H78567
 F-HEMBA1003976//EST//6.7e-09:109:81//Hs.154635:AI138965
 55 F-HEMBA1003978
 F-HEMBA1003985//EST//0.32:115:69//Hs.102617:N47009
 F-HEMBA1003987//ESTs//7.8e-07:60:100//Hs.66058:AA424456
 F-HEMBA1003989//Homo sapiens HIV-1 inducer of short transcripts binding protein (FBI1) mRNA, complete cds//

EP 1 074 617 A2

0.022:349:58//Hs.104640:AF000561
 F-HEMBA1004000//EST//7.2e-07:200:66//Hs.119082:AA358468
 F-HEMBA1004011//EST//0.019:241:62//Hs.116989:AA676493
 F-HEMBA1004012//ESTs//3.6e-09:177:68//Hs.106132:AA812573
 5 F-HEMBA1004015//ESTs//3.0e-86:407:99//Hs.115679:AI379721
 F-HEMBA1004024//Homo sapiens mRNA for KIAA0772 protein, complete cds//5.2e-51:359:84//Hs.I5519:
 AB018315
 F-HEMBA1004038//ESTs//1.2e-58:324:94//Hs.61658:AI239930
 F-HEMBA1004042//EST//0.00088:272:61//Hs.155763:AI312281
 10 F-HEMBA1004045//EST//2.7e-20:408:66//Hs.I62529:AA584160
 F-HEMBA1004048//Transforming growth factor beta//0.026:462:57//Hs.6101:M60315
 F-HEMBA1004049//ESTs//8.1e-68:430:86//Hs.146307:AA584638
 F-HEMBA1004055//Human chromosome 3p21.1 gene sequence//1.5e-10:457:58//Hs.82837:L13435
 F-HEMBA1004056//Homo sapiens mRNA for alpha(1,2)fucosyltransferase, complete cds//1.5e-46:199:80//Hs.
 15 46328:D87942
 F-HEMBA1004074//ESTs//3.0e-23:219:74//Hs.70279:AA757426
 F-HEMBA1004086//EST//0.36:189:62//Hs.156218:AA770107
 F-HEMBA1004097//NADH-CYTOCHROME B5 REDUCTASE//1.0:302:57//Hs.75666:M28713
 F-HEMBA1004111//Human G protein-coupled receptor (STRL22) mRNA, complete cds//4.3e-39:335:79//Hs.
 20 46468:U45984
 F-HEMBA1004131//Human mRNA for KIAA0202 gene, partial cds//1.9e-24:610:61//Hs.80712:D86957
 F-HEMBA1004132//EST//3.5e-06:143:70//Hs.136799:AA780064
 F-HEMBA1004133//ESTs//1.0:157:68//Hs.161226:AI419759
 F-HEMBA1004138//H.sapiens mRNA for RanGTPase activating protein 1//0.00055:343:62//Hs.5923:X82260
 25 F-HEMBA1004143
 F-HEMBA1004146
 F-HEMBA1004150//EST//0.0046:402:57//Hs.147027:AI186056
 F-HEMBA1004164//Homo sapiens mRNA for KIAA0798 protein, complete cds//1.8e-15:591:60//Hs.159277:
 AB018341
 30 F-HEMBA1004168//Homo sapiens geminin mRNA, complete cds//1.5e-134:649:97//Hs.59988:AF067855
 F-HEMBA1004199
 F-HEMBA1004200//ESTs//0.0083:150:66//Hs.116424:AI375427
 F-HEMBA1004202//ESTs, Weakly similar to GTP-BINDING PROTEIN YPTM1 [Zea mays]//1.2e-35:205:94//Hs.
 10092:AI189282
 35 F-HEMBA1004203//ESTs//3.9e-14:237:70//Hs.118273:AA626040
 F-HEMBA1004207//Leptin receptor//1.1e-167:791:98//Hs.54515:U50748
 F-HEMBA1004225//ESTs//0.00087:231:64//Hs.13109:AA192514
 F-HEMBA1004227//ESTs, Weakly similar to F55A11.4 [C.elegans]//0.012:156:67//Hs.I63588:AI073878
 F-HEMBA1004238
 40 F-HEMBA1004241//ESTs//8.7e-05:51:96//Hs.162826:AA679571
 F-HEMBA1004246//EST//1.2e-36:198:96//Hs.121343:AA758522
 F-HEMBA1004248//Homo sapiens insulin induced protein 1 (INSIG1) gene, complete cds//1.1e-28:295:72//Hs.
 56205:U96876
 F-HEMBA1004264//Human HCF1 gene related mRNA sequence//3.1e-07:553:60//Hs.83634:U52112
 45 F-HEMBA1004267//Homo sapiens mRNA for KIAA0688 protein, complete cds//4.9e-73:490:77//Hs.141874:
 AB014588
 F-HEMBA1004272
 F-HEMBA1004274//EST//0.43:154:61//Hs.125347:AA876444
 F-HEMBA1004275//Human mRNA for KIAA0333 gene, partial cds//0.71:118:65//Hs.155313:AB002331
 50 F-HEMBA1004276//Homo sapiens mRNA for KIAA0800 protein, complete cds//1.0:364:56//Hs.118738:AB018343
 F-HEMBA1004286//Homo sapiens TGF beta receptor associated protein-1 mRNA, complete cds//6.9e-187:868:
 99//Hs.101766:AF022795
 F-HEMBA1004289
 F-HEMBA1004295//EST//0.20:149:62//Hs.162415:AA573484
 55 F-HEMBA1004306//ESTs//0.041:177:64//Hs.158234:AI270047
 F-HEMBA1004312//ESTs//0.83:253:59//Hs.121898:AI336314
 F-HEMBA1004321//Zinc finger protein 136 (clone pHZ-20)//2.3e-40:452:65//Hs.69740:U09367
 F-HEMBA1004323//EST//0.44:134:64//Hs.145464:AI204532

EP 1 074 617 A2

F-HEMBA1004327//Homo sapiens SOX22 protein (SOX22) mRNA, complete cds//0.017:209:64//Hs.43627:U35612
F-HEMBA1004330//ESTs//4.5e-27:171:91//Hs.112838:AA614062
F-HEMBA1004334//EST//2.4e-53:556:75//Hs.139093:AA166888
5 F-HEMBA1004335//Homo sapiens mRNA for KIAA0706 protein, complete cds//0.49:80:73//Hs.139648:AB014606
F-HEMBA1004341
F-HEMBA1004353//Homo sapiens mRNA for c-myc binding protein, complete cds//2.7e-39:270:86//Hs.80686:D89667
F-HEMBA1004354//Human CHL1 potential helicase (CHLR1), complete cds//1.3e-46:190:92//Hs.27424:U75968
10 F-HEMBA1004356//Thyrotropin-releasing hormone receptor//0.15:296:62//Hs.3022:D85376
F-HEMBA1004366//ESTs, Weakly similar to transposon LRE2 reverse transcriptase homolog [H.sapiens]//7.8e-10:396:61//Hs.33688:AA020928
F-HEMBA1004372//ESTs//0.90:172:62//Hs.145611:R68800
F-HEMBA1004389//Zinc finger protein 148 (pHZ-52)//8.0e-28:359:67//Hs.112180:AF039019
15 F-HEMBA1004394//ESTs//0.023:357:58//Hs.47212:N51250
F-HEMBA1004396//EST//3.4e-22:244:74//Hs.162554:AA584818
F-HEMBA1004405//EST//4.0e-43:214:100//Hs.33100:H42199
F-HEMBA1004408//ESTs, Weakly similar to The ha1539 protein is related to cyclophilin. [H.sapiens]//1.4e-20:144:88//Hs.121076:AI246426
20 F-HEMBA1004429//Fucosyltransferase 1 (galactoside 2-alpha-L-fucosyltransferase, Bombay phenotype included)//4.8e-18:248:72//Hs.69747:M35531
F-HEMBA1004433//Small inducible cytokine A5 (RANTES)//8.2e-39:248:81//Hs.155464:AF088219
F-HEMBA1004460//Homo sapiens PYRIN (MEFV) mRNA, complete cds//5.6e-87:650:81//Hs.113283:AF018080
F-HEMBA1004461//ESTs//0.057:217:61//Hs.26989:Z41606
25 F-HEMBA1004479//Homo sapiens clone 23698 mRNA sequence//4.9e-17:223:71//Hs.8136:U81984
F-HEMBA1004482//EST//0.0056:261:59//Hs.45012:N39450
F-HEMBA1004499//ESTs//4.1e-68:340:97//Hs.134266:AA992600
F-HEMBA1004502//ESTs//7.7e-32:195:91//Hs.134906:H93431
F-HEMBA1004506//Human Line-1 repeat mRNA with 2 open reading frames//9.0e-89:758:76//Hs.23094:M19503
30 F-HEMBA1004507//ESTs, Weakly similar to T19B10.6 [C.elegans]//1.4e-61:296:99//Hs.114622:AA693492
F-HEMBA1004509//Homo sapiens suppressor of white apricot homolog 2 (SWAP2) mRNA, complete cds//0.014:265:61//Hs.43543:AF042800
F-HEMBA1004534//Filamin 1 (actin-binding protein-280)//5.0e-74:678:74//Hs.76279:X53416
F-HEMBA1004538//EST//0.00047:268:58//Hs.136870:AA805381
35 F-HEMBA1004542//Human butyrophilin protein (BT3.3) mRNA, partial cds//0.74:74:75//Hs.87497:U90552
F-HEMBA1004554
F-HEMBA1004560//ESTs//3.1e-19:240:73//Hs.112637:AA805331
F-HEMBA1004573//EST//2.4e-59:290:99//Hs.112908:AA620802
F-HEMBA1004577//ESTs, Weakly similar to UTR1 PROTEIN [S.cerevisiae]//1.2e-17:334:67//Hs.24536:AA479825
40 F-HEMBA1004586//Von Hippel-Lindau syndrome//5.1 e-35:337:78//Hs.78160:AF010238
F-HEMBA1004596//ESTs//3.3e-32:189:94//Hs.42530:N41661
F-HEMBA1004604//Human hindlimb expressed homeobox protein backfoot (Bft) mRNA, complete cds//0.42:186:66//Hs.84136:1170370
45 F-HEMBA1004610//ESTs, Moderately similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//2.3e-16:297:68//Hs.106008:AA147606
F-HEMBA1004617//EST//0.027:188:61//Hs.I59094:AI383198
F-HEMBA1004629//ESTs//7.8e-09:348:63//Hs.138358:T66178
F-HEMBA1004631//EST//0.0012:268:60//Hs.150685:AA923416
50 F-HEMBA1004632//ESTs//0.82:125:67//Hs.143619:AI360891
F-HEMBA1004637//ESTs//0.0034:229:64//Hs.157178:AI346780
F-HEMBA1004638//ESTs//2.0e-11:166:71//Hs.128657:AI017522
F-HEMBA1004666//EST//0.44:294:58//Hs.44780:N36083
F-HEMBA1004669//ESTs//1.7e-28:200:86//Hs.8084:W22796
55 F-HEMBA1004670//Mucin 1, transmembrane//0.060:416:57//Hs.89603:J05582
F-HEMBA1004672//ESTs//0.27:44:95//Hs.86237:AA206141
F-HEMBA1004693//ESTs//5.3e-55:301:95//Hs.159066:AI093252
F-HEMBA1004697//H.sapiens mRNA for ribosomal protein L18a homologue//0.64:313:61//Hs.118578:X80821

EP 1 074 617 A2

F-HEMBA1004705//Homo sapiens KIAA0432 mRNA, complete cds//4.5e-19:230:73//Hs.155174:AB007892
 F-HEMBA1004709//ESTs//3.1e-31:176:88//Hs.152413:AA780515
 F-HEMBA1004711//Cholinergic receptor, nicotinic, delta polypeptide//1.0:244:57//Hs.99975:X55019
 F-HEMBA1004725//Homo sapiens agrin precursor mRNA, partial cds//0.24:328:60//Hs.68900:AF016903
 5 F-HEMBA1004730//ESTs, Weakly similar to ORF2-like protein [H.sapiens]//5.9e-32:476:70//Hs.116874:AA524909
 F-HEMBA1004733//ESTs//3.8e-16:96:79//Hs.152413:AA780515
 F-HEMBA1004734//Human epidermoid carcinoma mRNA for ubiquitin-conjugating enzyme E2 similar to Drosophila bendless gene product, complete cds//0.16:329:58//Hs.75355:D83004
 10 F-HEMBA1004736//Human Line-1 repeat mRNA with 2 open reading frames//2.0e-61:663:71//Hs.23094:M19503
 F-HEMBA1004748//ESTs//1.5e-05:343:63//Hs.42241:H96813
 F-HEMBA1004751//ESTs//3.7e-32:147:80//Hs.138788:N54504
 F-HEMBA1004752//Homo sapiens mRNA for KIAA0288 gene, complete cds//0.00020:521:59//Hs.91400:AB006626
 15 F-HEMBA1004753//Homo sapiens DEC-205 mRNA, complete cds//5.1e-46:337:84//Hs.I53563:AF011333
 F-HEMBA1004756//Human transporter protein (g17) mRNA, complete cds//3.1e-24:416:65//Hs.76460:U49082
 F-HEMBA1004758//Homosapiens transcription factor SL1 mRNA, complete cds//1.2e-136:769:91//Hs.153088:L39060
 F-HEMBA1004763//Loricrin//0.0018:227:62//Hs.I55657:M61120
 20 F-HEMBA1004768//Human Line-1 repeat mRNA with 2 open reading frames//4.5e-115:909:78//Hs.23094:M19503
 F-HEMBA1004770//Human Rad50 (Rad50) mRNA, complete cds//0.020:728:57//Hs.41587:U63139
 F-HEMBA1004771
 F-HEMBA1004776//ESTs, Weakly similar to progesterone receptor-related protein p23 [H.sapiens]//1.0:158:63//Hs.62004:AF039235
 25 F-HEMBA1004778//ESTs//1.2e-70:336:99//Hs.113052:AI222106
 F-HEMBA1004795
 F-HEMBA1004803//ESTs//5.0e-75:454:88//Hs.138632:H97952
 F-HEMBA1004806//EST//0.080:142:65//Hs.160268:AI148971
 30 F-HEMBA1004807//Human HIV1 tata element modulatory factor mRNA sequence from chromosome 3//4.5e-48:171:92//Hs.134510:L01042
 F-HEMBA1004816//EST//1.0e-17:175:71//Hs.140680:AA873646
 F-HEMBA1004820//ESTs//1.3e-136:629:99//Hs.160726:AI300481
 F-HEMBA1004847//ESTs//2.1 e-09:66:98//Hs.158161:AA312511
 35 F-HEMBA1004850//EST//0.033:253:64//Hs.158782:A376601
 F-HEMBA1004863//Homo sapiens mRNA for KIAA0578 protein, partial cds//0.83:179:62//Hs.22998:AB011150
 F-HEMBA1004864//ESTs, Weakly similar to ANON-66Db [D.melanogaster]//1.7e-13:81:100//Hs.75884:AA446987
 F-HEMBA1004865//ESTs//0.92:148:65//Hs.126980:AA934077
 40 F-HEMBA1004880//H.sapiens mRNA for retrotransposon//1.2e-30:264:79//Hs.6940:Z48633
 F-HEMBA1004889//Growth arrest-specific //0.20:146:68//Hs.65029:L13698
 F-HEMBA1004900//ESTs//1.6e-32:196:93//Hs.132032:R85304
 F-HEMBA1004909//ESTs//3.4e-13:154:75//Hs.151467:N51106
 F-HEMBA1004918//EST//0.78:122:61//Hs.I45491:AI254348
 45 F-HEMBA1004923//ELK1, member of ETS oncogene family//1.6e-40:340:79//Hs.116549:AL009172
 F-HEMBA1004929//Cardiac gap junction protein//0.0048:588:57//Hs.74471:X52947
 F-HEMBA1004930//ESTs//1.5e-17:227:74//Hs.148739:AI224959
 F-HEMBA1004933//Human pseudoautosomal homeodomain-containing protein (PHOG) mRNA, complete cds//0.11:182:65//Hs.105932:U89331
 50 F-HEMBA1004934
 F-HEMBA1004944//EST//1.2e-67:349:96//Hs.162281:AA553981
 F-HEMBA1004954//ESTs//0.0i4:404:60//Hs.11177:AA417813
 F-HEMBA1004956//EST//2.3e-05:208:64//Hs.146958:AI174478
 F-HEMBA1004960//ESTs//0.79:169:62//Hs.11637:W03274
 55 F-HEMBA1004972
 F-HEMBA1004973//Homo sapiens mRNA for KIAA0445 protein, complete cds//0.073:574:58//Hs.154139:AB007914
 F-HEMBA1004977//EST//4.4e-12:86:94//Hs.157819:AI361946

- F-HEMBA1004978//ESTs//0.097:337:60//Hs.114157:AA703013
 F-HEMBA1004980//EST//3.2e-10:169:65//Hs.149123:AI244750
 F-HEMBA1004983//EST//0.93:85:71//Hs.162267:AA553589
 F-HEMBA1004995//ESTs//0.46:296:61//Hs.135168:AI394026
 5 F-HEMBA1005008//ESTs//1.5e-20:156:85//Hs.114140:U35429
 F-HEMBA1005009//Homo sapiens chromosome 7q22 sequence//1.5e-52:379:72//Hs.151887:AF053356
 F-HEMBA1005019//Homo sapiens mRNA for KIAA0648 protein, partial cds//4.5e-148:693:98//Hs.31921:AB014548
 F-HEMBA1005029//Homo sapiens mRNA for KIAA0660 protein, complete cds//1.0:215:65//Hs.6727:AB014560
 10 F-HEMBA1005035//ESTs, Weakly similar to HYPOTHETICAL 82.8 KD PROTEIN B0303.4 IN CHROMOSOME III [C.elegans]//9.4e-106:503:98//Hs.21362:AF039237
 F-HEMBA1005039//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//5.8e-60:272:89//Hs.103948:K00627
 F-HEMBA1005047//Homo sapiens MAD-related gene SMAD7 (SMAD7) mRNA, complete cds//0.078:442:59//Hs.100602:AF010193
 15 F-HEMBA1005050//H.sapiens ERF-2 mRNA//0.0025:251:63//Hs.78909:U07802
 F-HEMBA1005062//ESTs//0.020:268:59//Hs.146181:AI264462
 F-HEMBA1005066//Homo sapiens X-ray repair cross-complementing protein 2 (XRCC2) mRNA, complete cds//1.5e-59:411:85//Hs.129727:AF035587
 F-HEMBA1005075//Human mRNA for KIAA0383 gene, partial cds//0.00010:395:57//Hs.27590:AB002381
 20 F-HEMBA1005079//Dihydrolipoamide branched chain transacylase (E2 component of branched chain keto acid dehydrogenase complex)//3.5e-26:344:72//Hs.89479:X66785
 F-HEMBA1005083//Homo sapiens centrosomal Nek2-associated protein 1 (C-NAP1) mRNA, complete cds//0.59:631:59//Hs.27910:AF049105
 F-HEMBA1005101//Homo sapiens SYT interacting protein SIP mRNA, complete cds//4.1e-163:762:98//Hs.11170:AF080561
 25 F-HEMBA1005113//ESTs//0.52:109:68//Hs.106330:AI031916
 F-HEMBA1005123//Homo sapiens mRNA for KIAA0761 protein, partial cds//1.3e-52:468:78//Hs.93121:AB018304
 F-HEMBA1005133//ESTs//1.6e-27:366:73//Hs.151467:N51106
 F-HEMBA1005149//EST//3.3e-37:304:80//Hs.132635:AI032875
 30 F-HEMBA1005152//ESTs//3.9e-09:285:62//Hs.155876:AA593021
 F-HEMBA1005159//EST//8.4e-05:289:64//Hs.125563:AA884216
 F-HEMBA1005185//ESTs//1.4e-22:129:96//Hs.14920:AA910914
 F-HEMBA1005201//EST//4.0e-16:96:98//Hs.89002:AA282197
 F-HEMBA1005202
 35 F-HEMBA1005206//Homo sapiens sox1 gene//0.0079:431:58//Hs.144029:Y13436
 F-HEMBA1005219//ESTs//4.3e-47:299:88//Hs.5019:W26547
 F-HEMBA1005223//ESTs//0.00030:168:66//Hs.76487:N37081
 F-HEMBA1005232//EST//0.0078:209:61//Hs.46852:N48302
 F-HEMBA1005241//Homo sapiens neuronal thread protein AD7c-NTP mRNA, complete cds//6.0e-54:399:79//Hs.129735:AF010144
 40 F-HEMBA1005244//ESTs//2.5e-14:85:10011Hs.128744:AI191922
 F-HEMBA1005251//ESTs//0.012:49:95//Hs.161554:AA393896
 F-HEMBA1005252//Homo sapiens mRNA for KIAA0585 protein, partial cds//4.7e-151:705:98//Hs.72660:AB011157
 45 F-HEMBA1005274//ESTs//7.1e-09:298:64//Hs.145522:AI261380
 F-HEMBA1005275//ESTs//7.9e-13:375:63//Hs.148974:AA001777
 F-HEMBA1005293//Homo sapiens clone 23662 mRNA sequence//7.7e-22:338:65//Hs.12451:U97018
 F-HEMBA1005296//ESTs//0.055:299:60//Hs.86320:AI149232
 F-HEMBA1005304//Small inducible cytokine A5 (RANTES)//1.7e-45:322:85//Hs.155464:AF088219
 50 F-HEMBA1005311
 F-HEMBA1005314//ESTs//8.1e-39:199:98//Hs.119974:AI279516
 F-HEMBA1005315//ESTs//1.9e-07:266:64//Hs.141440:N21615
 F-HEMBA1005318//ESTs//5.3e-06:161:72//Hs.119411:AA937117
 F-HEMBA1005331//Human checkpoint suppressor 1 mRNA, complete cds//0.00075:310:63//Hs.111597:U68723
 55 F-HEMBA1005338//Homo sapiens mRNA for matrilin-4, partial//4.4e-153:740:97//Hs.29361:AJ007581
 F-HEMBA1005353//EST//5.4e-09:2-22:68//Hs.119508:AA485732
 F-HEMBA1005359//Zinc finger protein 137 (clone pHZ-30)//5.7e-100:500:88//Hs.151689:U09414
 F-HEMBA1005367//Homo sapiens melastatin 1 (MLSN1) mRNA, complete cds//2.5e-70:572:73//Hs.43265:

AF071787
 F-HEMBA1005372//ESTs//0.00045:163:66//Hs.164058:AI417905
 F-HEMBA1005374//Human melanoma antigen recognized by T-cells (MART-1) mRNA/6.1e-43:341:81//Hs.154069:U06452
 5 F-HEMBA1005382//EST//2.4e-32:167:99//Hs.147186:AI93053
 F-HEMBA1005389//ESTs//0.0021:245:59//Hs.104463:AA804448
 F-HEMBA1005394//ESTs, Weakly similar to No definition line found [C.elegans]//1.0e-130:620:98//Hs.108990:N25951
 F-HEMBA1005403//ESTs, Weakly similar to No definition line found [C.elegans]//7.7e-151:727:97//Hs.17118:AI033807
 10 F-HEMBA1005408//ESTs//3.2e-70:426:89//Hs.158078:H24513
 F-HEMBA1005410//EST//2.5e-25:460:67//Hs.138765:N70347
 F-HEMBA1005411
 F-HEMBA1005423//Homo sapiens cyclin-dependent kinase inhibitor (CDKN2C) mRNA, complete cds//3.3e-171:537:99//Hs.4854:AF041248
 15 F-HEMBA1005426//EST//1.0:148:64//Hs.44469:N33323
 F-HEMBA1005443//Zinc finger protein 157 (HZF22)//9.0e-34:259:72//Hs.89897:U28687
 F-HEMBA1005447//EST//3.9e-10:211:70//Hs.145960:AI276783
 F-HEMBA1005468//ESTs//8.4e-53:390:81//Hs.152395:AA533107
 20 F-HEMBA1005469//Human (clone E5.1) RNA-binding protein mRNA, complete cds//3.1e-29:155:99//Hs.75104:L37368
 F-HEMBA1005472//Human Line-1 repeat mRNA with 2 open reading frames//1.4e-88:481:92//Hs.23094:M19503
 F-HEMBA1005474//Small inducible cytokine A5 (RANTES)//4.2e-29:257:78//Hs.155464:AF088219
 F-HEMBA1005475//Homo sapiens antigen NY-CO-16 mRNA, complete cds//5.3e-09:414:60//Hs.132206:AF039694
 25 F-HEMBA1005497//Glucocorticoid receptor alpha { alternative products}//8.7e-41:588:69//Hs.102761:U25029
 F-HEMBA1005500//Homo sapiens PAC clone DJ1093017 from 7q11.23-q21//1.1e-28:318:73//Hs.159530:AC004957
 F-HEMBA1005506//Human mRNA for KIAA0010 gene, complete cds//0.67:351:58//Hs.155287:D13635
 30 F-HEMBA1005508//ESTs//0.45:326:59//Hs.102756:AA526911
 F-HEMBA1005511//Human mRNA for KIAA0355 gene, complete cds//4.2e-49:400:79//Hs.153014:AB002353
 F-HEMBA1005513//ESTs, Weakly similar to males-absent on the first [D.melanogaster]//5.3e-76:378:97//Hs.22767:N99220
 F-HEMBA1005517//Homo sapiens transcription factor forkhead-like 7 (FKHL7) gene, complete cds//0.54:623:56//Hs.143551:AF048693
 35 F-HEMBA1005518//ESTs//0.10:207:60//Hs.72447:AA160575
 F-HEMBA1005520//Human mRNA for tryptophan hydroxylase (EC 1.14.16.4)//3.1e-55:288:85//Hs.144563:AF057280
 F-HEMBA1005526//Small inducible cytokine A5 (RANTES)//5.4e-48:176:76//Hs.155464:AF088219
 40 F-HEMBA1005528//ESTs, Highly similar to POP2 PROTEIN [Saccharomyces cerevisiae]//1.2e-30:166:96//Hs.17035:AI080471
 F-HEMBA1005530
 F-HEMBA1005548//Homo sapiens short form transcription factor C-MAF (c-maf) mRNA, complete cds//4.6e-18:391:64//Hs.30250:AF055376
 45 F-HEMBA1005552//ESTs//1.8e-46:238:88//Hs.138856:H47461
 F-HEMBA1005558//Human involucrin mRNA//3.0e-07:501:60//Hs.157091:M13903
 F-HEMBA1005568//ESTs//0.013:259:63//Hs.13669:H47257
 F-HEMBA1005570//ESTs//0.0084:442:59//Hs.125384:AI346507
 F-HEMBA1005576//Homo sapiens mRNA for KIAA0463 protein, partial cds//1.9e-128:610:98//Hs.77738:AB007932
 50 F-HEMBA1005577//ESTs//0.98:199:61//Hs.146226:AI312873
 F-HEMBA1005581//Homo sapiens mRNA for MEGF5, partial cds//9.1e-53:830:64//Hs.57929:AB011538
 F-HEMBA1005582
 F-HEMBA1005583
 55 F-HEMBA1005588//ESTs//1.3e-35:386:70//Hs.55855:AA621381
 F-HEMBA1005593//S-ADENOSYLMETHIONINE SYNTHETASE ALPHA AND BETA FORMS//0.54:439:591//Hs.2137:D49357
 F-HEMBA1005595//Human mRNA for KIAA0325 gene, partial cds//5.5e-06:378:57//Hs.7720:AB002323

- F-HEMBA1005606//EST//2.0e-60:324:94//Hs.5062:D19609
 F-HEMBA1005609//ESTs//6.0e-39:378:76//Hs.142242:H06982
 F-HEMBA1005616//Human mRNA for tryptophan hydroxylase (EC 1.14.16.4)//8.2e-22:721:61//Hs.144563:AF057280
- 5 F-HEMBA1005621//ESTs, Weakly similar to MITOTIC MAD2 PROTEIN [S.cerevisiae]//1.8e-89:454:96//Hs.19400:AA662845
 F-HEMBA1005627//EST//1.0:161:60//Hs.162765:AA622535
 F-HEMBA1005631//EST//0.74:124:62//Hs.156185:AA723734
 F-HEMBA1005632//ESTs//1.0:96:70//Hs.141321:N70199
- 10 F-HEMBA1005634//EST//6.6e-10:105:73//Hs.159692:AI416956
 F-HEMBA1005666
 F-HEMBA1005670//Homo sapiens mRNA for KIAA0570 protein, complete cds//2.7e-45:255:79//Hs.114293:AB011142
 F-HEMBA1005679//Human kpni repeat mrna (cdna clone pcd-kpni-4), 3' end//1.2e-37:356:77//Hs.139107:K00629
- 15 F-HEMBA1005680
 F-HEMBA1005685
 F-HEMBA1005699//Human putative EPH-related PTK receptor ligand LERK-8 (Eplg8) mRNA, complete cds//3.3e-71:497:85//Hs.26988:U66406
 F-HEMBA1005705//ESTs//0.00093:149:65//Hs.163564:R43678
- 20 F-HEMBA1005717//EST//0.018:115:66//Hs.160541:AI270143
 F-HEMBA1005732//Farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstransferase, geranyltranstransferase)//2.6e-20:151:88//Hs.77393:D14697
 F-HEMBA1005737//ESTs//9.5e-34:235:88//Hs.160197:AA393754
 F-HEMBA1005746//ESTs//0.20:260:59//Hs.112451:AI264024
- 25 F-HEMBA1005755//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//1.8e-48:425:78//Hs.103948:K00627
 F-HEMBA1005765//Small inducible cytokine A5 (RANTES)//1.3e-36:280:81//Hs.155464:AF088219
 F-HEMBA1005780//ESTs//1.0:139:67//Hs.88684:AA885141
 F-HEMBA10058131//ESTs//0.012:209:63//Hs.113365:R77747
 F-HEMBA1005815//Human calpain-like protease (htra-3) mRNA, complete cds//2.0e-07:439:62//Hs.6133:U94346
- 30 F-HEMBA1005822//ESTs//9.3e-06:444:59//Hs.124344:T10577
 F-HEMBA1005829//ESTs//1.1e-47:394:80//Hs.146811:AA410788
 F-HEMBA1005834//Human Line-1 repeat mRNA with 2 open reading frames//7.9e-42:690:66//Hs.23094:M19503
 F-HEMBA1005852//Human plectin (PLEC1) mRNA, complete cds//0.17:470:56//Hs.79706:U53204
 F-HEMBA1005853//EST//0.013:211:60//Hs.162604:AA595150
- 35 F-HEMBA1005884//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//1.4e-53:332:83//Hs.158095:AB007953
 F-HEMBA1005891//ESTs//1.1e-77:393:97//Hs.28545:AI268097
 F-HEMBA1005894//Human G protein-coupled receptor (STRL22) mRNA, complete cds//7.2e-45:411:77//Hs.46468:U45984
- 40 F-HEMBA1005909//Human neuropeptide y2 receptor mRNA, complete cds//0.00054:477:59//Hs.37125:U42766
 F-HEMBA1005911//Thromboxane A2 receptor//4.1e-45:419:75//Hs.89887:D38081
 F-HEMBA1005921//Homo sapiens haemopoietic progenitor homeobox HPX42B (HPX42B) mRNA, complete cds//2.0e-46:434:78//Hs.125231:AF068006
 F-HEMBA1005931//ESTs, Weakly similar to kruppel-related zinc finger protein [H.sapiens]//1.2e-46:228:100//Hs.152178:AI224880
- 45 F-HEMBA1005934//EST//3.1e-14:121:85//Hs.150003:AI291588
 F-HEMBA1005962//EST//0.0010:212:62//Hs.163197:AA767883
 F-HEMBA1005963
 F-HEMBA1005990//Homo sapiens l-1 receptor candidate protein mRNA, complete cds//4.2e-151:697:99//Hs.26285:AF082516
- 50 F-HEMBA1005991//EST//3.0e-07:361:59//Hs.146442:AI127530
 F-HEMBA1005999//EST//1.2e-14:350:66//Hs.122326:AA782526
 F-HEMBA1006002
 F-HEMBA1006005//ESTs, Weakly similar to TH1 protein [D.melanogaster]//0.98:197:61//Hs.5184:AA709151
- 55 F-HEMBA1006031
 F-HEMBA1006035
 F-HEMBA1006036//Homo sapiens PYRIN (MEFV) mRNA, complete cds//5.4e-92:617:84//Hs.113283:AF018080
 F-HEMBA1006042//ESTs//6.3e-41:161:81//Hs.41186:R99609

EP 1 074 617 A2

F-HEMBA1006067//ESTs//2.0e-74:354:99//Hs.43321:AI139422
 F-HEMBA1006081
 F-HEMBA1006090//EST//1.2e-12:340:62//Hs.61195:AI418788
 F-HEMBA1006091//ESTs//4.7e-98:473:98//Hs.9658:AA506313
 5 F-HEMBA1006100//ESTs//7.1 e-22:273:73//Hs.144407:AA737799
 F-HEMBA1006108//ESTs, Weakly similar to ZK792.1 [C.elegans]//2.1e-26:273:66//Hs.8763:W30741
 F-HEMBA1006121//EST//0.00012:232:59//Hs.117096:AA677968
 F-HEMBA1006124//EST//0.047:251:62//Hs.132257:AI027222
 F-HEMBA1006130//Human HOX4C mRNA for a homeobox protein//1.0:150:62//Hs.74061:X59372
 10 F-HEMBA1006138//ESTs//1.8e-27:132:84//Hs.141575:AA211734
 F-HEMBA1006142//EST//2.5e-47:310:87//Hs.149580:AI281881
 F-HEMBA1006155
 F-HEMBA1006158//ESTs//5.1e-105:506:98//Hs.93468:N40575
 F-HEMBA1006173//ESTs//2.5e-24:195:84//Hs.79092:H29627
 15 F-HEMBA1006182//ESTs//2.5e-19:237:72//Hs.141840:AA028117
 F-HEMBA1006198//ESTs//0.017:133 :67//Hs.142168:AA292540
 F-HEMBA1006235//Homo sapiens clone 24422 mRNA sequence//8.6e-177:836:98//Hs.109268:AF070557
 F-HEMBA1006248//Human zinc finger protein (MAZ) mRNA//0.0014:221:67//Hs.7647:M94046
 F-HEMBA1006252
 20 F-HEMBA1006253//EST//1.3e-100:467:100//Hs.146619:AI140706
 F-HEMBA1006259//Homo sapiens mRNA for KIAA0798 protein, complete cds//0.00037:158:69//Hs.159277:
 AB018341
 F-HEMBA1006268//ESTs//1.1e-20:376:67//Hs.72814:AA706631
 F-HEMBA1006272//EST//4.8e-20:252:69//Hs.162992:AA688140
 25 F-HEMBA1006278//H.sapiens PAP mRNA//6.5e-57:610:71//Hs.49007:X76770
 F-HEMBA1006283
 F-HEMBA1006284//ESTs//0.00017:248:63//Hs.143840:AI189964
 F-HEMBA1006291
 F-HEMBA1006293
 30 F-HEMBA1006309//Homo sapiens T cell immune response cDNA7 (TIRC7) mRNA, complete cds//0.76:416:58//
 Hs.46465:U45285
 F-HEMBA1006310//Homo sapiens mRNA for KIAA0602 protein, partial cds//9.3e-49:637:68//Hs.37656:AB011174
 F-HEMBA1006328//ESTs//1.8e-71:429:88//Hs.139922:AA281350
 F-HEMBA1006334//EST//0.082:267:57//Hs.136449:AA572789
 35 F-HEMBA1006344//ESTs//6.2e-08:67:94//Hs.42302:AI032142
 F-HEMBA1006347//ESTs, Weakly similar to males-absent on the first [D.melanogaster]//5.3e-76:378:97//Hs.
 22767:N99220
 F-HEMBA1006349//ESTs//0.87:276:60//Hs.23628:H03287
 F-HEMBA1006359//Zinc finger protein 43 (HTF6)//4.4e-117:823:81//Hs.74107:X59244
 40 F-HEMBA1006364//EST//0.0012:168:66//Hs.156756:AI351026
 F-HEMBA1006377//Homo sapiens RaiBP1-interacting protein (POB1) mRNA, complete cds//0.0028:422:59//Hs.
 80667:AF010233
 F-HEMBA1006380//Homo sapiens syntaxin 4 binding protein UNC-18c (UNC-18c) mRNA, complete cds//0.41:
 265:61//Hs.8813:AF032922
 45 F-HEMBA1006381//ESTs//3.8e-78:382:98//Hs.132171:AI042531
 F-HEMBA1006398//Human Line-1 repeat mRNA with 2 open reading frames//2.1e-49:395:80//Hs.23094:M19503
 F-HEMBA1006416//EST//7.3e-12:154:77//Hs.134086:AI077477
 F-HEMBA1006419//EST//4.6e-51:179:86//Hs.149580:AI281881
 F-HEMBA1006421//ISLET AMYLOID POLYPEPTIDE PRECURSOR//4.9e-46:517:72//Hs.51048:X68830
 50 F-HEMBA1006424//ESTs//2.7e-08:380:60//Hs.44369:AI206835
 F-HEMBA1006426//ESTs//3.0e-98:465:99//Hs.129251:AA993264
 F-HEMBA1006438//EST//1.3e-29:183:93//Hs.147412:AI209194
 F-HEMBA1006445
 F-HEMBA1006446//EST//0.14:200:59//Hs.160695:AI282889
 55 F-HEMBA1006461//Thiopurine S-methyltransferase//1.4e-29:210:72//Hs.51124:AF019369
 F-HEMBA1006467
 F-HEMBA1006471//ESTs//1.4e-05:391:60//Hs.121282:AI091453
 F-HEMBA1006474//ESTs, Highly similar to 40 KD PROTEIN [Borna disease virus]//1.1e-13:346:63//Hs.31257:

- AA875998
 F-HEMBA1006483//Thromboxane A2 receptor//2.2e-51:386:82//Hs.89887:D38081
 F-HEMBA1006485//EST//5.4e-111:516:99//Hs.61925:AA039532
 F-HEMBA1006486//EST//4.7e-23:286:72//Hs.137800:AA886897
 5 F-HEMBA1006489//ESTs//2.5e-06:137:71//Hs.28621:AA910431
 F-HEMBA1006492
 F-HEMBA1006494//ESTs//8.5e-24:299:72//Hs.153413:AI248625
 F-HEMBA1006497//EST//0.00034:431:61//Hs.130057:AA903389
 F-HEMBA1006502//ESTs//2.6e-11:131:80//Hs.141267:H22072
 10 F-HEMBA1006507//Homo sapiens mRNA for KIAA0666 protein, partial cds//7.3e-141:470:98//Hs.153858:
 AB014566
 F-HEMBA1006521//ESTs, Weakly similar to 3-oxoacyl-[acyl-carrier protein] reductase [E.coli]//3.9e-98:483:97//
 Hs.94811:AA011185
 F-HEMBA1006530//EST//1.7e-42:530:71//Hs.163207:AA808002
 15 F-HEMBA1006535//ESTs//2.9e-84:404:98//Hs.128679:AI160081
 F-HEMBA1006540//Homo sapiens multi PDZ domain protein MUPP1 (MUPP1) mRNA, complete cds//4.4e-173:
 654:98//Hs.21301:AF093419
 F-HEMBA1006546//ESTs//2.8e-45:391:78//Hs.146307:AA584638
 F-HEMBA1006559//Homo sapiens KIAA0438 mRNA, complete cds//2.1e-47:363:79//Hs.21490:AB007898
 20 F-HEMBA1006562//ESTs//4.5e-09:116:75//Hs.142368:AI198425
 F-HEMBA1006566//EST//0.85:100:68//Hs.13052:T67136
 F-HEMBA1006569//ESTs//2.7e-06:213:64//Hs.44372:AI346522
 F-HEMBA1006579//EST//0.064:160:62//Hs.126244:AA873479
 F-HEMBA1006583//Homo sapiens Jagged 2 mRNA, complete cds//1.7e-07:533:60//Hs.106387:AF029778
 25 F-HEMBA1006595//Small inducible cytokine A5 (RANTES)//6.8e-69:328:81//Hs.155464:AF088219
 F-HEMBA1006597//Homo sapiens mRNA for KIAA0752 protein, partial cds//2.6e-38:441:69//Hs.23711:AB018295
 F-HEMBA1006612//ESTs//8.8e-135:668:97//Hs.7942:AA205862
 F-HEMBA1006617//EST//4.6e-31:254:81//Hs.132635:AI032875
 F-HEMBA1006624//ESTs, Weakly similar to HYPOTHETICAL 41.9 KD PROTEIN IN SDS3-THS1 INTERGENIC
 30 REGION [S.cerevisiae]//2.5e-75:379:97//Hs.40911:AI391502
 F-HEMBA1006631//ESTs//1.4e-126:612:98//Hs.131737:AI343331
 F-HEMBA1006635//EST//0.65:145:63//Hs.104560:AA340589
 F-HEMBA1006639//ESTs, Highly similar to POLYADENYLATE-BINDING PROTEIN [Homo sapiens]//9.1e-27:170:
 92//Hs.109818:AA411185
 35 F-HEMBA1006643//ESTs, Moderately similar to putative p150 [H.sapiens]//9.7e-05:259:65//Hs.105747:
 AA505003
 F-HEMBA1006648//Homo sapiens integrin-linked kinase (ILK) mRNA, complete cds//3.9e-28:108:93//Hs.6196:
 U40282
 F-HEMBA1006652//ESTs, Highly similar to 60S RIBOSOMAL PROTEIN L7 [Drosophila melanogaster]//3.0e-87:
 40 452:96//Hs.159574:AA190615
 F-HEMBA1006653
 F-HEMBA1006659//Homo sapiens PAC clone DJ0905J08 from 7p12-p14//2.9e-92:438:98//Hs.8173:AC005189
 F-HEMBA1006665//Homo sapiens clone 23892 mRNA sequence//2.8e-18:180:80//Hs.91916:AF035317
 F-HEMBA1006674//Homo sapiens mRNA for nucleolar protein hNop56//1.6e-16:122:90//Hs.5092:Y12065
 45 F-HEMBA1006676
 F-HEMBA1006682//EST//0.12:193:61//Hs.128367:AA974575
 F-HEMBA1006695//ESTs//5.6e-27:110:80//Hs.159510:AA297145
 F-HEMBA1006696//EST//3.2e-12:160:75//Hs.146472:AI128198
 F-HEMBA1006708
 50 F-HEMBA1006709//ESTs//0.69:60:80//Hs.152752:AA643545
 F-HEMBA1006717//ESTs//12.6e-31:286:78//Hs.55573:W37226
 F-HEMBA1006737//ESTs//1.6e-37:189:99//Hs.97490:AA394105
 F-HEMBA1006744//Human mRNA for KIAA0118 gene, partial cds//1.9e-52:360:84//Hs.154326:D42087
 F-HEMBA1006754//Homo sapiens X-ray repair cross-complementing protein 2 (XRCC2) mRNA, complete cds//
 55 2.0e-92:817:78//Hs.129727:AF035587
 F-HEMBA1006758//Human mRNA for KIAA0327 protein, complete cds//4.0e-10:576:56//Hs.149323:AB002325
 F-HEMBA1006767//ESTs//1.7e-18:252:72//Hs.141073:W72720
 F-HEMBA1006779//EST//9.1e-26:395:69//Hs.145366:AI252657

EP 1 074 617 A2

F-HEMBA1006780//EST//1.0:93:69//Hs.116946:AA680250
 F-HEMBA1006789//ESTs//0.0060:276:59//Hs.144121:AI369798
 F-HEMBA1006795//Human Line-1 repeat mRNA with 2 open reading frames//4.1e-37:781:64//Hs.23094:M19503
 F-HEMBA1006796//Human clone 23803 mRNA, partial cds//1.4e-07:202:68//Hs.34054:U79298
 5 F-HEMBA1006807//ESTs, Moderately similar to HYPOTHETICAL 46.4 KD PROTEIN T16H12.5 IN CHROMO-
 SOME III [C.elegans]//4.8e-110:523:98//Hs.125790:AA287723
 F-HEMBA1006821//EST//5.1e-11:246:66//Hs.150542:AI051551
 F-HEMBA1006824//ESTs//1.4e-29:158:98//Hs.127712:AA961624
 F-HEMBA1006832//EST//3.1e-24:277:74//Hs.139357:AA420970
 10 F-HEMBA1006849//ESTs//0.99:332:57//Hs.128993:AA985327
 F-HEMBA1006865
 F-HEMBA1006877//ESTs, Highly similar to HYPOTHETICAL 113.8 KD PROTEIN IN ERG7-NMD2 INTERGENIC
 REGION [Saccharomyces cerevisiae]//2.4e-61:311:97//Hs.127793:W25938
 F-HEMBA1006885//ESTs, Highly similar to HYPOTHETICAL 29.1 KD PROTEIN IN URA7-POL12 INTERGENIC
 15 REGION [Saccharomyces cerevisiae]//9.1e-128:805:87//Hs.32376:AA758214
 F-HEMBA1006900//EST//6.8e-05:255:63//Hs.163173:AA781592
 F-HEMBA1006914//EST//0.065 :366:621//Hs.162914:AA666199
 F-HEMBA1006921//ESTs//2.9e-42:347:82//Hs.159266:AI376989
 F-HEMBA1006926//Human I kappa BR mRNA, complete cds//0.90:545:59//Hs.154764:U16258
 20 F-HEMBA1006929//EST//0.00013:403:61//Hs.162642:AA602539
 F-HEMBA1006936//ESTs//0.00014:60:93//Hs.8737:W22712
 F-HEMBA1006938//ESTs//4.7e-51:256:98//Hs.143651:AI150382
 F-HEMBA1006941//Homo sapiens mRNA for putative thioredoxin-like protein//4.4e-92:437:98//Hs.42644:
 AJ010841
 25 F-HEMBA1006949//H.sapiens mRNA for retrotransposon//6.9e-43:385:76//Hs.6940:Z48633
 F-HEMBA1006973//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds//1.8e-144:740:94//Hs.
 14934:AF004828
 F-HEMBA1006976//H.sapiens mRNA for Gal-beta(1-3/1-4)GlcNAc alpha-2,3-sialyltransferase//1.9e-79:447:89//
 Hs.75268:X74570
 30 F-HEMBA1006993//ESTs//5.4e-19:380:66//Hs.152635:AA600968
 F-HEMBA1006996//ESTs//0.17:242:59//Hs.106879:AA054723
 F-HEMBA1007002
 F-HEMBA1007017//EST//1.0:59:72//Hs.113400:R39282
 F-HEMBA1007018//Homo sapiens dynein light intermediate chain 2 (LIC2) mRNA, complete cds//2.5e-78:827:
 35 70//Hs.43003:AF035812
 F-HEMBA1007045
 F-HEMBA1007051//EST//0.85:65:73//Hs.158641:AI370659
 F-HEMBA1007052
 F-HEMBA1007062
 40 F-HEMBA1007066//ESTs//0.94:160:63//Hs.56071:W52212
 F-HEMBA1007073//ESTs//3.6e-50:246:80//Hs.142678:H37845
 F-HEMBA1007078//Human arginine-rich nuclear protein mRNA, complete cds//6.7e-75:417:91//Hs.80510:
 M74002
 F-HEMBA1007080
 45 F-HEMBA1007085//Guanylate cyclase 2D, membrane (retina-specific)//1.3e-06:568:61//Hs.1974:M92432
 F-HEMBA1007087//Human mevalonate pyrophosphate decarboxylase (MPD) mRNA, complete cds//0.95:541:
 57//Hs.3828:U49260
 F-HEMBA1007112//ESTs//3.4e-104:494:98//Hs.19207:AA039595
 F-HEMBA1007113//ESTs//0.71:246:62//Hs.96235:AA196354
 50 F-HEMBA1007121//ESTs//3.Se-69:335:98//Hs.140519:AA643182
 F-HEMBA1007129
 F-HEMBA1007147//ESTs//3.2e-07:235:641//Hs.124813:W46172
 F-HEMBA1007149//ESTs//7.2e-08:161:68//Hs.121179:AA757136
 F-HEMBA1007151
 55 F-HEMBA1007174//Homo sapiens epsin 2b mRNA, complete cds//6.6e-64:318:97//Hs.22396:AF062085
 F-HEMBA1007178//ESTs, Moderately similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//4.2e-
 39:248:90//Hs.157148:AA311921
 F-HEMBA1007194//ESTs//2.3e-107:503:99//Hs.100605:AA305965

EP 1 074 617 A2

F-HEMBA1007203//Homo sapiens mRNA for KIAA0214 protein, complete cds//5.6e-158:478:98//Hs.3363:
D86987
F-HEMBA1007206//EST//0.23:119:66//Hs.144402:AA609252
F-HEMBA1007224//Homo sapiens mRNA for KIAA0797 protein, partial cds//1.6e-177:839:98//Hs.27197:
5 AB018340
F-HEMBA1007243//Hypoxanthine phosphoribosyltransferase 1 (Lesch-Nyhan syndrome)//2.7e-56:647:69//Hs.
82314:M31642
F-HEMBA1007251//Human plectin (PLEC1) mRNA, complete cds//0.19:210:67//Hs.79706:U53204
F-HEMBA1007256//Homo sapiens clone 24407 mRNA sequence//1.0:144:6411Hs.12432:AF070575
10 F-HEMBA1007267//Human homolog of yeast mutL (hPMS1) gene, complete cds//0.99:239:60//Hs.111749:
U13695
F-HEMBA1007273//ESTs//5.6e-24:271:73//Hs.144951:N34836
F-HEMBA1007279//ESTs//6.1e-36:185:78//Hs.141022:H06475
F-HEMBA1007281//ESTs//0.74:94:65//Hs.162533:AA584529
15 F-HEMBA1007288//EST//0.83:99:67//Hs.127878:AA968637
F-HEMBA1007300//EST//3.6e-62:355:91//Hs.150139:AI300062
F-HEMBA1007301//Collagen, type I, alpha 1//1.5e-09:406:61//Hs.111913:Z74615
F-HEMBA1007319//EST//0.0068:50:96//Hs.163362:AA890506
F-HEMBA1007320//ESTs//1.0:133:66//Hs.38032:N63634
20 F-HEMBA1007322//ESTs//0.0077:187:66//Hs.4852:R84241
F-HEMBA1007327//ESTs, Weakly similar to HOST CELL FACTOR C1 [H.sapiens]//3.5e-09:144:76//Hs.20597:
W58370
F-HEMBA1007341//ESTs//7.5e-61:302:98//Hs.154944:AA494130
F-HEMBA1007342//ESTs//2.9e-12:289:64//Hs.135555:AA911006
25 F-HEMBA1007347//EST//0.44:89:70//Hs.65949:Z40561
F-HEMBA1000005//ESTs//1.6e-07:337:60//Hs.126718:AA916568
F-HEMBA1000008//H.sapiens mRNA for translin associated protein X//1.1e-43:370:78//Hs.96247:X95073
F-HEMBA1000018//Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (p105)//1.0:108:70//Hs.
83428:M58603
30 F-HEMBA1000024//EST//5.4e-07:137:70//Hs.125389:AA878307
F-HEMBA1000025//EST//0.99:362:58//Hs.121221:AA757392
F-HEMBA1000030//H.sapiens mRNA for cyclin II//1.3e-10:525:62//Hs.3232:Z46788
F-HEMBA1000036
F-HEMBA1000037//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds//6.2e-102:450:
35 98//Hs.20815:AF084928
F-HEMBA1000039//EST//0.0034:97:73//Hs.141684:W35358
F-HEMBA1000044//ESTs//0.0048:218:63//Hs.123161:AA807319
F-HEMBA1000048//EST//0.00025:222:62//Hs.122474:AA765131
F-HEMBA1000050//ESTs//5.6e-28:293:75//Hs.136839:H93717
40 F-HEMBA1000054//Human Line-1 repeat mRNA with 2 open reading frames//3.3e-54:259:88//Hs.23094:M19503
F-HEMBA1000055//ESTs//0.0017:289:62//Hs.125755:AA286923
F-HEMBA1000059//Homo sapiens mRNA for KIAA0761 protein, partial cds//5.9e-59:286:84//Hs.93121:AB018304
F-HEMBA1000083
F-HEMBA1000089//EST//0.0016:192:661//Hs.137093:AA917621
45 F-HEMBA1000099//ESTs//5.7e-20:213:76//Hs.57883:AA218645
F-HEMBA1000103//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//4.9e-43:418:74//Hs.103948:K00627
F-HEMBA1000113//EST//4.6e-23:221:76//Hs.142065:AA173763
F-HEMBA1000119//Homo sapiens ASMTL gene//2.5e-132:621:98//Hs.6315:Y15521
F-HEMBA1000136//ESTs//12.3e-101:507:96//Hs.12659:AA195207
50 F-HEMBA1000141//ESTs//2.1e-15:283:69//Hs.126257:AI279044
F-HEMBA1000144//EST//4.5e-52:298:91//Hs.149580:AI281881
F-HEMBA1000173//Zinc finger protein 74 (Cos52)//2.4e-63:285:82//Hs.3057:X92715
F-HEMBA1000175//EST//1.0:101:65//Hs.162898:AA659646
F-HEMBA1000198//EST//0.99:179:56//Hs.116880:AA662457
55 F-HEMBA1000215//Homo sapiens mRNA for KIAA0557 protein, partial cds//1.4e-15:139:82//Hs.101414:
AB011129
F-HEMBA1000217//ESTs//3.4e-06:81:88//Hs.121151:T66277
F-HEMBA1000218//EST//0.11:136:63//Hs.134683:AI092013

EP 1 074 617 A2

F-HEM BB1000226//Fragile X mental retardation 1//0.99:126:65//Hs.89764:X69962
 F-HEM BB1000240//H.sapiens mRNA for Nup88 protein//1.0:334:57//Hs.90734:Y08612
 F-HEM BB1000244//ESTs//3.2e-15:139:81//Hs.134549:AI078483
 5 F-HEM BB1000250//Homo sapiens protein associated with Myc mRNA, complete cds//2.1e-156:735:981//Hs.151411:AF075587
 F-HEM BB1000258//EST//0.0091:325:60//Hs.97533:AA435884
 F-HEM BB1000264//Human CHL1 potential helicase (CHLR1), complete cds//1.4e-33:100:100//Hs.27424:U75968
 F-HEM BB1000266//Homo sapiens mRNA for myosin phosphatase target subunit 1 (MYPT1)//0.0019:373:60//Hs.16533:D87930
 10 F-HEM BB1000272//ESTs//1.3e-93:440:99//Hs.I09224:N46684
 F-HEM BB1000274//ESTs//0.41:221:65//Hs.71990:AA151796
 F-HEM BB1000284//EST//0.00024:108:73//Hs.100725:F13689
 F-HEM BB1000307//EST//3.6e-10:149:73//Hs.140415:AA778574
 F-HEM BB1000312//Homo sapiens mRNA for KIAA0783 protein, complete cds//0.00092:252:65//Hs.41153:AB018326
 15 F-HEM BB1000317//Thrombospondin 1//7.1e-05:342:59//Hs.87409:X14787
 F-HEM BB1000318//EST//0.014:184:61//Hs.155758:AI311870
 F-HEM BB1000335//EST//0.99:187:63//Hs.137424:AA243729
 F-HEM BB1000336//EST//1.0:209:63//Hs.150410:AI003611
 20 F-HEM BB1000337//EST//0.086:133:66//Hs.128207:AA972330
 F-HEM BB1000338//EST//7.1e-07:129:72//Hs.140488:AA767127
 F-HEM BB1000339//Small inducible cytokine A5 (RANTES)//1.2e-36:336:7611Hs.155464:AF088219
 F-HEM BB1000341
 F-HEM BB1000343//EST//0.66:163:63//Hs.150822:AI302729
 25 F-HEM BB1000354//ESTs//7.e-61:292:100//Hs.152266:AA926874
 F-HEM BB1000369//ESTs, Highly similar to t-BOP [M.musculus]/10.013:157:64//Hs.129982:AI420970
 F-HEM BB1000374//ESTs//8.7e-53:454:79//Hs.133518:R69934
 F-HEM BB1000376//ESTs//5.9e-14:87:97//Hs.163973:AA744348
 F-HEM BB1000391//ESTs//0.033:237:64//Hs.135289:AI092963
 30 F-HEM BB1000399//Homo sapiens mRNA for cell cycle checkpoint protein//9.4e-165:762:98//Hs.16184:AJ001642
 F-HEM BB1000402//EST//0.013:291:59//Hs.149191:AI246155
 F-HEM BB1000404//ESTs//3.0e-69:353:96//Hs.135857:AA947194
 F-HEM BB1000420//EST//6.3e-52:258:98//Hs.136434:AA557925
 F-HEM BB1000434//Homo sapiens neuronal thread protein AD7c-NTP mRNA, complete cds//9.4e-73:364:83//Hs.129735AF010144
 35 F-HEM BB1000438//ESTs//0.073:446:58//Hs.134632:AI223429
 F-HEM BB1000441//Interleukin 10//1.7e-38:336:77//Hs.2180:M57627
 F-HEM BB1000449//EST//5.5e-21:356:671//Hs.157848:AI362501
 F-HEM BB1000455//ESTs//0.092:147:65//Hs.106446:N93227
 40 F-HEM BB1000472
 F-HEM BB1000480//EST//0.98:83:71//Hs.146462:AI124898
 F-HEM BB1000487//ESTs//1.4e-59:341:92//Hs.48561:N79206
 F-HEM BB1000490//ESTs//2.5e-27:200:79//Hs.56825:AI057560
 F-HEM BB1000491
 45 F-HEM BB1000493//ESTs//0.019:103:69//Hs.138358:T66178
 F-HEM BB1000510//Glucocorticoid receptor alpha {alternative products}//1.6e-46:409:77//Hs.102761:U25029
 F-HEM BB1000518//ESTs//3.7e-06:187:64//Hs.140989:R68413
 F-HEM BB1000523//ESTs//0.69:332:59//Hg.106845:W19543
 F-HEM BB1000530//H.sapiens mRNA for extracellular matrix protein collagen type XIV, C-terminus//2.1e-38:138:96//Hs.36131:Y11710
 50 F-HEM BB1000550//ESTs, Weakly similar to !!!! ALU SUBFAMILY SC WARNING ENTRY !!!! [H.sapiens]/7.7e-31:554:67//Hs.157142:U85996
 F-HEM BB1000554//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//4.0e-27:282:75//Hs.158095:AB007953
 55 F-HEM BB1000556//Homo sapiens mRNA for KIAA0750 protein, complete cds//2.0e-33:537:65//Hs.5444:AB018293
 F-HEM BB1000564
 F-HEM BB1000573//H.sapiens HCG II mRNA//7.5e-27:197:76//Hs.146333:X81001

F-HEMBB1000575//Von Hippel-Lindau syndrome//2.7e-72:255:79//Hs.78160:AF010238
 F-HEMBB1000586//Dystrophin (muscular dystrophy, Duchenne and Becker types), includes DXS142, DXS164, DXS206, DXS230, DXS239, DXS268, DXS269, DXS270, DXS272//0.011:338:59//Hs.79012:M18533
 F-HEMBB1000589//PLATELET GLYCOPROTEIN V PRECURSOR//2.4e-22:228:79//Hs.73734:Z23091
 5 F-HEMBB1000591//ESTs//1.0e-17:370:64//Hs.58156:W71990
 F-HEMBB1000592//EST//0.0038:51:88//Hs.148022:AI269323
 F-HEMBB1000593//Homo sapiens chromosome 7q22 sequence//4.7e-109:503:99//Hs.3386:AF053356
 F-HEMBB1000598//Ribosomal protein L5//3.5e-29:537:66//Hs.118781:U66589
 F-HEMBB1000623//H.sapiens mRNA for GAIP protein//0.89:376:59//Hs.22698:X91809
 10 F-HEMBB1000630//Homo sapiens KIAA0404 mRNA, partial cds//0.074:168:61//Hs.105850:AB007864
 F-HEMBB1000631//ESTs//1.7e-06:247:64//Hs.156864:AI346481
 F-HEMBB1000632//Human mRNA for KIAA0351 gene, complete cds//5.1e-50:811:65//Hs.29963:AB002349
 F-HEMBB1000637//Sialophorin (gpL115, leukosialin, CD43)//2.4e-79:304:85//Hs.80738:X52075
 F-HEMBB1000638//EST//0.0076:92:75//Hs.125496:AA883735
 15 F-HEMBB1000643//ISLET AMYLOID POLYPEPTIDE PRECURSOR//3.5e-45:477:74//Hs.51048:X68830
 F-HEMBB1000649//Homo sapiens histone H2A.1b mRNA, complete cds//7.4e-52:533:75//Hs.51011:L19778
 F-HEMBB1000652//ESTs//1.6e-49:345:84//Hs.132722:AA618531
 F-HEMBB1000665//EST//0.44:152:63//Hs.149534:AI280924
 F-HEMBB1000671//Human Line-1 repeat mRNA with 2 open reading frames//2.2e-79:280:85//Hs.23094:M19503
 20 F-HEMBB1000673//ESTs//0.99:177:59//Hs.149864:N80474
 F-HEMBB1000684//Protein kinase, interferon-inducible double stranded RNA dependent//2.6e-31:220:87//Hs.73821:M35663
 F-HEMBB1000693//Homo sapiens neuroanl mRNA, complete cds//5.3e-120:575:97//Hs.158300:AF040723
 F-HEMBB1000705//ESTs//4.7e-65:350:94//Hs.24610:R33125
 25 F-HEMBB1000706//EST//8.6e-14:373:61//Hs.138281:RS5703
 F-HEMBB1000709//EST//0.99:110:651//Hs.162437:AA577510
 F-HEMBB1000725//RAS-RELATED PROTEIN RAB-8//1.7e-77:635:77//Hs.123109:X56741
 F-HEMBB1000726//EST//1.3e-43:257:84//Hs.162197:AA535216
 F-HEMBB1000738//EST//5.9e-13:259:64//Hs.159699:AI417328
 30 F-HEMBB1000749//EST//3.1e-42:271:871//Hs.162197:AA535216
 F-HEMBB1000763
 F-HEMBB1000770//ESTs, Weakly similar to MOESIN/EZRIN/RADIXIN HOMOLOG [D.melanogaster]//0.021:111:72//Hs.38178:AA921830
 F-HEMBB1000774//ESTs, Weakly similar to mTERF [H.sapiens]//2.5 e-116:580:97//Hs.5009:AA081390
 35 F-HEMBB1000781//Human MEK kinase 3 mRNA, complete cds//5.3e-47:426:74//Hs.86201:U78876
 F-HEMBB1000789//Homo sapiens mRNA for KIAA0677 protein, complete cds//3.0e-65:672:71//Hs.155983:AB014577
 F-HEMBB1000790//ESTs//1.2e-52:344:86//Hs.35254:AI133727
 F-HEMBB1000794//ESTs//0.00098:289:59//Hs.138782:N73572
 40 F-HEMBB1000807//ESTs//2.1e-91:434:99//Hs.61334:AI298375
 F-HEMBB1000810//ESTs//0.038:92:71//Hs.148763:AA66887
 F-HEMBB1000821//EST//0.94:129:62//Hs.162299:AA555154
 F-HEMBB1000822//ESTs//7.5e-05:199:63//Hs.117018:AA832421
 F-HEMBB1000826//ESTs//4.8e-13:343:65//Hs.153429:AI283069
 45 F-HEMBB1000827
 F-HEMBB1000831
 F-HEMBB1000835//EST//4.3e-27:201:851//Hs.141451:N29915
 F-HEMBB1000840//EST//6.3e-75:380:96//Hs.142557:AA464948
 F-HEMBB1000848//Human Line-1 repeat mRNA with 2 open reading frames//1.4e-135:875:85//Hs.23094:M19503
 50 F-HEMBB1000852//Phosphoribosyl pyrophosphate amidotransferase//0.12:292:61//Hs.311:U00238
 F-HEMBB1000870//EST//0.00091:246:62//Hs.126502:AA913831
 F-HEMBB1000876//Homo sapiens ELISC-1 mRNA, partial cds//4.9e-34:200:94//Hs.128434:AF085351
 F-HEMBB1000883//ESTs//0.42:107:67//Hs.154173:AI379823
 55 F-HEMBB1000887
 F-HEMBB1000888//ESTs//1.0:137:67//Hs.8121:AA521290
 F-HEMBB1000890//ESTs//1.0:116:65//Hs.7105:T23433
 F-HEMBB1000893//EST//0.0079:408:58//Hs.146504:AI129834

EP 1 074 617 A2

F-HEMBB1000908//EST//9.2e-21:205:79//Hs.132635:AI032875
 F-HEMBB1000910//Human mRNA for KIAA0231 gene, partial cds//0.16:327:60//Hs.7938:D86984
 F-HEMBB1000913//ESTs//1.0e-12:233:68//Hs.137545:AA487049
 F-HEMBB1000915//ESTs//2.5e-90:423:99//Hs.135254:AI095468
 5 F-HEMBB1000917//EST//2.8e-49:241:100//Hs.162216:AA548089
 F-HEMBB1000927//Hippocalcin//1.2e-31:528:65//Hs.89692:D16593
 F-HEMBB1000947
 F-HEMBB1000959//Cytochrome P450, 51 (lanosterol 14-alpha-demethylase)//9.3e-48:572:72//Hs.2379:U23942
 F-HEMBB1000973//ESTs//4.5e-26:286:76//Hs.137393:AA142938
 10 F-HEMBB1000975//ESTs//0.78:180:66//Hs.104789:AA417124
 F-HEMBB1000981
 F-HEMBB1000985//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//6.7e-07:308:62//Hs.122967:AF059569
 F-HEMBB1000991//EST//0.12:125:66//Hs.22945:R43713
 15 F-HEMBB1000996//ESTs//6.9e-05:273:63//Hs.133116:AI054055
 F-HEMBB1001004//Homo sapiens mRNA for KIAA0665 protein, complete cds//0.62:193:62//Hs.119004:AB014565
 F-HEMBB1001008//EST//4.7e-09:203:65//Hs.105221:AA489025
 F-HEMBB1001011//Human Chromosome 16 BAC clone CIT987SK-A-635H12//2.4e-17:384:67//Hs.108604:AC002310
 20 F-HEMBB1001014//EST, Weakly similar to putative p150 [H.sapiens]//0.21:284:60//Hs.161547:W04991
 F-HEMBB1001020//ESTs//9.7e-37:186:76//Hs.138852:AA284247
 F-HEMBB1001024//ESTs, Highly similar to t-BOP [M.musculus]//0.11:242:61//Hs.129982:AI420970
 F-HEMBB1001037//EST//0.0057:192:66//Hs.149987:AI291177
 25 F-HEMBB1001047//ESTs//1.6e-22:360:70//Hs.120734:W58721
 F-HEMBB1001051//H.sapiens mRNA for FAN protein//3.8e-29:160:98//Hs.78687:X96586
 F-HEMBB1001056//Homo sapiens mRNA for KIAA0618 protein, complete cds//1.0e-42:149:96//Hs.15832:AB014518
 F-HEMBB1001058//Small inducible cytokine A5 (RANTES)//1.1e-45:349:82//Hs.155464:AF088219
 30 F-HEMBB1001060//ESTs//1.6e-62:464:81//Hs.138663:N24942
 F-HEMBB1001063
 F-HEMBB1001068//Homo sapiens liprin-beta2 mRNA, partial cds//9.9e-148:736:95//Hs.12953:AF034803
 F-HEMBB1001096//EST//0.017:154:66//Hs.130403:AA909272
 F-HEMBB1001102//ESTs//2.1e-18:120:95//Hs.163767:R06293
 35 F-HEMBB1001105//Human BRCA2 region, mRNA sequence
 CG016//0.30:84:75//Hs.112434:U50529
 F-HEMBB1001112//ESTs, Highly similar to PROTEIN TRANSPORT PROTEIN SEC61 ALPHA SUBUNIT [Canis familiaris]//9.3e-38:341:77//Hs.14038:R06800
 F-HEMBB1001114//EST//6.4e-07:296:62//Hs.128420:AA975062
 40 F-HEMBB1001117//EST//1.6e-99:464:99//Hs.130493:AA928139
 F-HEMBB1001119
 F-HEMBB1001126
 F-HEMBB1001133//H.sapiens mRNA for translin associated protein X//1.2e-28:739:61//Hs.96247:X95073
 F-HEMBB1001137
 45 F-HEMBB1001142//Human mRNA for KIAA0331 gene, complete cds//2.1e-23:340:69//Hs.146395:AB002329
 F-HEMBB1001151//ESTs//2.6e-30:252:79//Hs.6880:W26854
 F-HEMBB1001153//ESTs//7.6e-16:97:96//Hs.113307:H16716
 F-HEMBB1001169//ESTs//1.4e-32:374:71//Hs.161682:AA206863
 F-HEMBB1001175//Human mRNA for ankyrin motif, complete cds//7.1e-36:509:66//Hs.73073:D78334
 50 F-HEMBB1001177//ESTs, Weakly similar to HYPOTHETICAL TRP-ASP REPEATS CONTAINING PROTEIN IN HXT14-PHA2 INTERGENIC REGION [S.cerevisiae]//1.5e-65:312:100//Hs.86878:AA599183
 F-HEMBB1001182//Electron-transfer-flavoprotein, beta polypeptide//0.94:199:64//Hs.74047:X71129
 F-HEMBB1001199
 F-HEMBB1001208//ESTs//0.12:120:69//Hs.130093:AA928802
 55 F-HEMBB1001209//EST//0.00028:215:65//Hs.118276:W15258
 F-HEMBB1001210//EST//2.9e-05:297:60//Hs.88840:AA281452
 F-HEMBB1001218//Homo sapiens mRNA for KIAA0585 protein, partial cds//8.5e-37:260:76//Hs.72660:AB011157
 F-HEMBB1001221//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0507//0.00046:650:58//Hs.

- 158241:AB007976
 F-HEM BB1001234//ESTs, Highly similar to 65 KD YES-ASSOCIATED PROTEIN [Mus musculus]//6.7e-103:477:100//Hs.127835:AI378790
- 5 F-HEM BB1001242//Homo sapiens mRNA for LAK-1, complete cds//1.2e-31:458:67//Hs.129918:AB005754
 F-HEM BB1001249//EST//0.26:203:63//Hs.140791:AA935909
 F-HEM BB1001253//ESTs//4.0e-91:433:98//Hs.120636:AA325219
 F-HEM BB1001254//ESTs//2.0e-24:180:85//Hs.136391:H04977
 F-HEM BB1001267//Ataxia telangiectasia mutated (includes complementation groups A, C and D)//6.1e-24:146:78//Hs.51187:U82828
- 10 F-HEM BB1001271//ESTs//2.5e-05:686:58//Hs.115423:AI359248
 F-HEM BB1001282//GA-binding protein transcription factor, beta subunit 2 (47kD)//0.39:531:57//Hs.78915:U13045
 F-HEM BB1001288//ESTs, Highly similar to HYPOTHETICAL 27.3 KD PROTEIN ZK353.7 IN CHROMOSOME III [Caenorhabditis elegans]//4.9e-10:91:89//Hs.16606:W81021
- 15 F-HEM BB1001289//ESTs//6.4e-100:467:99//Hs.151720:AI287890
 F-HEM BB1001294//ESTs, Highly similar to RAS-LIKE PROTEIN TC10 [Homo sapiens]//1.3e-135:654:98//Hs.124217:AA020848
 F-HEM BB1001302
 F-HEM BB1001304//ESTs//0.98:109:68//Hs.138972:AA047725
- 20 F-HEM BB1001314//ESTs//7.4e-39:285:77//Hs.144749:AI217339
 F-HEM BB1001315//Small inducible cytokine A5 (RANTES)//1.9e-40:355:78//Hs.155464:AF088219
 F-HEM BB1001317//Human Line-1 repeat mRNA with 2 open reading frames//4.7e-98:625:85//Hs.23094:M19503
 F-HEM BB1001326//ESTs//0.00030:257:63//Hs.62208:H12380
 F-HEM BB1001331//ESTs, Weakly similar to DFS70 [H.sapiens]//1.0e-48:332:87//Hs.43071:AA206222
- 25 F-HEM BB1001335
 F-HEM BB1001337//Homo sapiens mRNA for KIAA0563 protein, complete cds//8.5e-56:282:87//Hs.15731:AB011135
 F-HEM BB1001339//Homo sapiens antigen NY-CO-16 mRNA, complete cds//0.039:161:65//Hs.132206:AF039694
 F-HEM BB1001346//Oxytocin receptor//4.2e-42:456:73//Hs.2820:X64878
- 30 F-HEM BB1001348//Homo sapiens mRNA for KIAA0570 protein, complete cds//1.2e-45:176:77//Hs.114293:AB011142
 F-HEM BB1001356//EST//0.32:292:59//Hs.135771:AI005648
 F-HEM BB1001364
 F-HEM BB1001366//EST//7.8e-24:367:69//Hs.138765:N70347
- 35 F-HEM BB1001367//Small inducible cytokine A5 (RANTES)//8.7e-50:326:86//Hs.155464:AF088219
 F-HEM BB1001369//EST//0.17:211:63//Hs.120066:AA707973
 F-HEM BB1001380//Homo sapiens mRNA for KIAA0527 protein, partial cds//8.2e-36:225:79//Hs.129748:AB011099
 F-HEM BB1001384
- 40 F-HEM BB1001387//ESTs//0.61:215:60//Hs.145915:AI342230
 F-HEM BB1001394//Human Line-1 repeat mRNA with 2 open reading frames//3.8e-94:568:83//Hs.23094:M19503
 F-HEM BB1001410//Homo sapiens keratan sulfate proteoglycan mRNA, complete cds//0.021:373:58//Hs.125750:AF065988
 F-HEM BB1001424//EST//0.20:307:58//Hs.135336:AI049827
- 45 F-HEM BB1001426//Homo sapiens clone 23579 mRNA sequence//8.3e-17:205:72//Hs.83466:AF038174
 F-HEM BB1001429//ESTs, Highly similar to CYTOSOL AMINOPEPTIDASE [Bos taurus]//5.5e-153:729:96//Hs.21679:AF034175
 F-HEM BB1001436//Human mRNA for KIAA0347 gene, complete cds//1.2e-44:316:85//Hs.101996:AB002345
 F-HEM BB1001443
- 50 F-HEM BB1001449//Homo sapiens sodium bicarbonate cotransporter (HNBC1) mRNA, complete cds//0.033:478:58//Hs.5462:AF007216
 F-HEM BB1001454//ESTs//1.4e-46:279:93//Hs.104866:AA426038
 F-HEM BB1001458//EST//1.7e-09:106:83//Hs.141422:N20920
 F-HEM BB1001463//Homo sapiens mRNA for semaphorin E, complete cds//0.18:387:59//Hs.62705:AB000220
- 55 F-HEM BB1001464//Homo sapiens Coch-5B2 mRNA, complete cds//0.26:189:67//Hs.21016:AF006740
 F-HEM BB1001482//Homo sapiens mRNA for KIAA0760 protein, partial cds//1.2e-27:292:74//Hs.137168:AB018303
 F-HEM BB1001500//ESTs//8.1e-28:312:74//Hs.18498:N52088

- F-HEMBB1001521//Homo sapiens mRNA for alpha(1,2)fucosyltransferase, complete cds//8.8e-54:359:74//Hs.46328:D87942
- F-HEMBB1001527//Protein tyrosine phosphatase, receptor type, f polypeptide//1.0:198:63//Hs.75216:Y00815
- 5 F-HEMBB1001531//ESTs//4.3e-33:403:75//Hs.44862:N38735
- F-HEMBB1001535//ESTs//0.0029:47:93//Hs.124864:AA663093
- F-HEMBB1001536//ESTs//0.0047:120:68//Hs.144858:R67748
- F-HEMBB1001537//ESTs, Weakly similar to eukaryotic initiation factor eIF-2 alpha kinase [D.melanogaster]//3.7e-20:297:73//Hs.42457:AA523306
- 10 F-HEMBB1001555//Human ring zinc-finger protein (ZNF127-Xp) gene and 5' flanking sequence//1.1e-35:188:77//Hs.102877:U41315
- F-HEMBB1001562//ESTs//0.95:161:61//Hs.145075:AI208240
- F-HEMBB1001564//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//3.4e-49:526:73//Hs.158095:AB007953
- 15 F-HEMBB1001565//Homo sapiens PYRIN (MEFV) mRNA, complete cds//1.9e-44:324:84//Hs.113283:AF018080
- F-HEMBB1001585
- F-HEMBB1001586//EST//0.84:132:64//Hs.145264:AI218708
- F-HEMBB1001588//Human clone 23695 mRNA sequence//6.6e-20:327:67//Hs.90798:U79289
- F-HEMBB1001603//ESTs//1.3e-12:84:96//Hs.13380:R60414
- F-HEMBB1001618//ESTs//4.4e-11:349:63//Hs.132046:AA693680
- 20 F-HEMBB1001619//ESTs//2.1e-06:246:63//Hs.63428:AA058314
- F-HEMBB1001630//EST//1.4e-07:334:62//Hs.145698:AI266713
- F-HEMBB1001635//ESTs//0.92:282:60//Hs.126980:AA934077
- F-HEMBB1001637//ELK1, member of ETS oncogene family//1.1e-27:395:64//Hs.116549:AL009172
- 25 F-HEMBB1001641//EST//0.11:53:81//Hs.112445:AA594279
- F-HEMBB1001653//EST//0.91:124:64//Hs.144213:T40480
- F-HEMBB1001665//Human mRNA for apolipoprotein E receptor 2, complete cds//7.0e-13:473:63//Hs.54481:D86407
- F-HEMBB1001668//ESTs//0.94:83:69//Hs.146202:AI252519
- 30 F-HEMBB1001673//Homo sapiens mRNA for KIAA0646 protein, complete cds//2.3e-172:803:98//Hs.24439:AB014546
- F-HEMBB1001684//ESTs, Highly similar to Tbc1 [M.musculus]//5.4e-20:110:100//Hs.106104:AA599496
- F-HEMBB1001685//EST//2.2e-05:112:73//Hs.130984:AI015430
- F-HEMBB1001695//Human novel homeobox mRNA for a DNA binding protein//1.6e-08:425:62//Hs.37035:U07664
- 35 F-HEMBB1001704//EST//5.8e-20:295:69//Hs.140231:AI054398
- F-HEMBB1001706
- F-HEMBB1001707//EST//0.091:241:60//Hs.136830:AA769219
- F-HEMBB1001717//ESTs//2.9e-06:325:60//Hs.150063:AI298064
- F-HEMBB1001735//Small inducible cytokine A5 (RANTES)//3.2e-46:326:83//Hs.155464:AF088219
- F-HEMBB1001736//ESTs, Weakly similar to E04D5.1 [C.elegans]//5.4e-99:485:97//Hs.120581:W25578
- 40 F-HEMBB1001747//ESTs//8.3e-87:421:98//Hs.137051:AA884244
- F-HEMBB1001749//Homo sapiens neuronal thread protein AD7c-NTP mRNA, complete cds//3.5e-75:315:83//Hs.129735:AF010144
- F-HEMBB1001753//ESTs//0.00013:35:100//Hs.139643:H06263
- F-HEMBB1001756//ESTs//2.3e-89:433:98//Hs.128868:AA931077
- 45 F-HEMBB1001760//ESTs//6.5e-06:503:58//Hs.21766:AI357639
- F-HEMBB1001762//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0507//2.9e-13:498:60//Hs.158241:AB007976
- F-HEMBB1001785//EST//0.16:262:60//Hs.162526:AA584102
- F-HEMBB1001797//ESTs//0.37:201:63//Hs.91559:AA806370
- 50 F-HEMBB1001802//ESTs//1.6e-06:447:58//Hs.134672:AI087951
- F-HEMBB1001812//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487//1.3e-54:311:81//Hs.92381:AB007956
- F-HEMBB1001816//ESTs//2.2e-39:302:84//Hs.35985:AA783017
- F-HEMBB1001831//Homo sapiens PAM COOH-terminal interactor protein 1 (PCIP1) mRNA, complete cds//7.6e-164:763:98//Hs.159396:AF056209
- 55 F-HEMBB1001834//TRICHOHYALIN//7.1e-05:548:60//Hs.82276:L09190
- F-HEMBB1001836//Human mRNA for KIAA0033 gene, partial cds//4.0e-34:272:86//Hs.22271:D26067
- F-HEMBB1001839//Pyruvate carboxylase//0.050:686:59//Hs.89890:S72370

F-HEMBB1001850//EST//0.0035:204:61//Hs.7311:T23858
 F-HEMBB1001863//Small inducible cytokine A5 (RANTES)//3.0e-48:357:82//Hs.155464:AF088219
 F-HEMBB1001867//ESTs//2.2e-40:265:88//Hs.146323:AI251752
 F-HEMBB1001868//ESTs//5.2e-06:131:73//Hs.123362:AA811371
 5 F-HEMBB1001869//ESTs//1.0e-86:429:96//Hs.141208:AA825503
 F-HEMBB1001872
 F-HEMBB1001874//H.sapiens mRNA for CHD5 protein//0.0033:388:60//Hs.19923:Y12478
 F-HEMBB1001875//H.sapiens mRNA for RNA helicase (Myc-regulated dead box protein)//0.32:346:60//Hs.100555:X98743
 10 F-HEMBB1001880//EST//4.0e-28:171:92//Hs.151194:AI125868
 F-HEMBB1001899//ESTs//0.17:242:62//Hs.136969:AA830918
 F-HEMBB1001905
 F-HEMBB1001906//ESTs//5.6e-49:290:92//Hs.127298:H09155
 F-HEMBB1001908//Human monocytic leukaemia zinc finger protein (MOZ) mRNA, complete cds//1.2e-83:672:81//Hs.82210:U47742
 15 F-HEMBB1001910//EST, Weakly similar to albumin [H.sapiens]//0.047:206:62//Hs.159777:Z19955
 F-HEMBB1001911
 F-HEMBB1001915//ESTs//0.92:136:71//Hs.144465:R68882
 F-HEMBB1001921//EST//2.0e-19:398:67//Hs.44789:N36113
 20 F-HEMBB1001922//ESTs//4.3e-05:370:59//Hs.123669:AA805245
 F-HEMBB1001925//ESTs//5.7e-27:329:71//Hs.141071:H16398
 F-HEMBB1001930//EST//0.043:157:63//Hs.161927:AA483904
 F-HEMBB1001944//Human mRNA for KIAA0118 gene, partial cds//5.7e-55:444:80//Hs.154326:D42087
 F-HEMBB1001945//ESTs//1.1e-19:142:88//Hs.7341:N57875
 25 F-HEMBB1001947//Human mRNA for KIAA0392 gene, partial cds//1.8e-21:333:66//Hs.40100:AB002390
 F-HEMBB1001950//Homo sapiens Notch3 (NOTCH3) mRNA, complete cds//0.020:384:60//Hs.8546:U97669
 F-HEMBB1001952//EST//7.0e-13:302:63//Hs.120089:AA708101
 F-HEMBB1001953//ATL-derived PMA-responsive (APR) peptide//0.97:252:60//Hs.96:D90070
 F-HEMBB1001957//ESTs//6.1e-32:446:67//Hs.51305:T47418
 30 F-HEMBB1001962//Cytochrome P450, subfamily I (aromatic compound-inducible), polypeptide 2//2.3e-31:390:70//Hs.1361:M55053
 F-HEMBB1001967//H.sapiens mRNA for urea transporter//9.7e-52:322:88//Hs.66710:X96969
 F-HEMBB1001973//Myelin oligodendrocyte glycoprotein {alternative products}//2.1e-48:426:78//Hs.53217:Z48051
 35 F-HEMBB1001983
 F-HEMBB1001988//ESTs//6.5e-05:237:63//Hs.49760:AA741051
 F-HEMBB1001990//ESTs//0.25:171:64//Hs.7961:AA401205
 F-HEMBB1001996//ESTs//1.8e-19:436:65//Hs.125539:AI339103
 F-HEMBB1001997//EST//5.3e-33:294:76//Hs.161041:H82636
 40 F-HEMBB1002002//ESTs//1.9e-06:224:67//Hs.110915:AA132964
 F-HEMBB1002005//ESTs//5.8e-17:170:78//Hs.141825:AA017093
 F-HEMBB1002009//ESTs//0.066:441:58//Hs.125313:AI201685
 F-HEMBB1002015//EST//2.3e-18:310:68//Hs.145899:AI274951
 F-HEMBB1002042//CYTOCHROME P450 IVB1//2.9e-11:446:62//Hs.687:X16699
 45 F-HEMBB1002043//ESTs, Weakly similar to T06E6.d [C.elegans]//1.0:217:60//Hs.3487:AA425553
 F-HEMBB1002044
 F-HEMBB1002045
 F-HEMBB1002049//Homo sapiens mRNA for KIAA0713 protein, partial cds//0.082:201:61//Hs.88756:AB018256
 F-HEMBB1002050//Breakpoint cluster region protein BCR//0.84:267:59//Hs.2557:Y00661
 50 F-HEMBB1002068//Homo sapiens mRNA for KIAA0612 protein, partial cds//8.1e-07:402:61//Hs.112499:AB014512
 F-HEMBB1002069
 F-HEMBB1002092//EST//5.1e-15:180:75//Hs.127928:AA969239
 F-HEMBB1002094//EST//2.0e-52:264:98//Hs.71763:AA146625
 55 F-HEMBB1002115//EST//0.0083:244:64//Hs.125353:AA877080
 F-HEMBB1002134//ESTs//1.7e-69:398:91//Hs.157492:AI361027
 F-HEMBB1002139//ESTs//0.64:145:71//Hs.157821:AI362013
 F-HEMBB1002142//ESTs//0.013:311:59//Hs.150037:AI292214

EP 1 074 617 A2

F-HEMBB1002152//ESTs//8.4e-12:121:82//Hs.119540:T95254
 F-HEMBB1002189//EST//0.26:81:70//Hs.147726:AI220208
 F-HEMBB1002190//Alcohol dehydrogenase 2 (class I), beta polypeptide//0.16:608:58//Hs.4:X03350
 F-HEMBB1002193//Human sky mRNA for Sky, complete cds//6.6e-35:179:100//Hs.301:U18934
 5 F-HEMBB1002217//Homo sapiens mRNA for zinc finger protein 10//3.7e-25:405:67//Hs.104115:X52332
 F-HEMBB1002218//EST//0.015:241:61//Hs.105298:AA489813
 F-HEMBB1002232//Small inducible cytokine A5 (RANTES)//9.0e-31:365:71//Hs.155464:AF088219
 F-HEMBB1002247
 F-HEMBB1002249//Homo sapiens haemopoietic progenitor homeobox HPX42B (HPX42B) mRNA, complete cds//
 10 6.8e-47:418:77//Hs.125231:AF068006
 F-HEMBB1002254//Homo sapiens mRNA for KIAA0594 protein, partial cds//5.0e-47:437:77//Hs.154872:
 AB011166
 F-HEMBB1002255//ESTs//0.017:255:61//Hs.126786:U74314
 F-HEMBB1002266//Homo sapiens retinoblastoma-associated protein HEC mRNA, complete cds//0.17:511:57//
 15 Hs.58169:AF017790
 F-HEMBB1002280//EST//4.0e-35:182:98//Hs.127701:AA864998
 F-HEMBB1002300
 F-HEMBB1002306//Human G protein-coupled receptor (STRL22) mRNA, complete cds//6.3e-14:228:72//Hs.
 46468:U45984
 20 F-HEMBB1002327//EST//4.3e-21:242:75//Hs.72377:AA161083
 F-HEMBB1002329//ESTs, Weakly similar to C17G10.1 [C.elegans]//1.7e-77:399:96//Hs.105837:AA536054
 F-HEMBB1002340//INSULIN-DEGRADING ENZYME//1.0:319:60//Hs.1508:M21188
 F-HEMBB1002342//Homo sapiens mRNA for putative thioredoxin-like protein//1.4e-155:724:98//Hs.42644:
 AJ010841
 25 F-HEMBB1002358//Deoxythymidylate kinase//1.1e-37:192:98//Hs.79006:L16991
 F-HEMBB1002359//Human Rev interacting protein Rip-1 mRNA, complete cds//1.7e-06:66:96//Hs.154762:
 U00943
 F-HEMBB1002364//EST//4.7e-16:201:73//Hs.149925:AI288838
 F-HEMBB1002371//EST//2.4e-07:319:61//Hs.136459:AA577796
 30 F-HEMBB1002381
 F-HEMBB1002383//vasoactive intestinal peptide receptor 2//0.98:190:63//Hs.2126:L36566
 F-HEMBB1002387//EST//2.1e-07:253:61//Hs.145993:AI277784
 F-HEMBB1002409//ESTs//1.4e-11:94:91//Hs.125958:AI206456
 F-HEMBB1002415//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501//2.0e-32:371:73//Hs.
 35 159897:AB007970
 F-HEMBB1002425//Fc fragment of IgA, receptor for//2.7e-32:156:82//Hs.54486:X54150
 F-HEMBB1002442
 F-HEMBB1002453//Human mRNA for KIAA0118 gene, partial cds//5.6e-53:461:77//Hs.154326:D42087
 F-HEMBB1002457//ESTs//3.4e-25:184:70//Hs.140225:AA704101
 40 F-HEMBB1002458//ESTs//7.0e-10:343:62//Hs.163816:N76274
 F-HEMBB1002477//Human Grb2-associated binder-1 mRNA, complete cds//6.0e-89:493:92//Hs.159605:U43885
 F-HEMBB1002489//Homo sapiens 195 kDa cornified envelope precursor mRNA, complete cds//0.019:228:63//
 Hs.74304:AF001691
 F-HEMBB1002492//EST//0.24:149:62//Hs.146790:AI149051
 45 F-HEMBB1002495//Fc fragment of IgE, high affinity I, receptor for; beta polypeptide//1.3e-22:331:71//Hs.30:
 M89796
 F-HEMBB1002502//ESTs//1.3e-41:380:78//Hs.61199:AA024494
 F-HEMBB1002509//ESTs//0.017:220:63//Hs.155263:AI273725
 F-HEMBB1002510//ESTs//6.4e-102:476:99//Hs.152289:AI247354
 50 F-HEMBB1002520//Human Line-1 repeat mRNA with 2 open reading frames//2.4e-50:580:72//Hs.23094:M19503
 F-HEMBB1002522//EST//0.010:172:62//Hs.147224:AI205719
 F-HEMBB1002531
 F-HEMBB1002534//Small inducible cytokine A5 (RANTES)//3.7e-59:258:88//Hs.155464:AF088219
 F-HEMBB1002545//ESTs//3.9e-24:181:86//Hs.13753:AI088102
 55 F-HEMBB1002550//Syntaxin 5A//0.27:354:59//Hs.154546:U26648
 F-HEMBB1002556//ESTs//1.7e-33:286:79//Hs.146173:AA906191
 F-HEMBB1002579//EST//1.0:77:68//Hs.147935:AI250286
 F-HEMBB1002582//ESTs//0.00032:178:68//Hs.139163:AA226095

F-HEMBB1002590//ESTs//0.64:132:63//Hs.155688:AI003657
 F-HEMBB1002596//ESTs//3.4e-19:462:64//Hs.124399:AA832336
 F-HEMBB1002600//Homo sapiens tetraspan NET-5 mRNA, complete cds//3.0e-152:710:98//Hs.129826:AF089749
 5 F-HEMBB1002601//EST//9.6e-13:368:62//Hs.137080:AA894817
 F-HEMBB1002603//EST//0.10:144:63//Hs.158180:AI367945
 F-HEMBB1002607//ESTs//0.024:345:62//Hs.143304:AI084058
 F-HEMBB1002610//EST//2.1e-14:291:64//Hs.140573:AA826323
 F-HEMBB1002613//ESTs//1.9e-17:192:75//Hs.141161:AA210711
 10 F-HEMBB1002614//ESTs//0.0048:136:71//Hs.106280:R13901
 F-HEMBB1002617//EST//0.034:320:59//Hs.41223:H89127
 F-HEMBB1002623//ESTs//0.88:222:60//Hs.129920:AA167217
 F-HEMBB1002635//Human MAP kinase mRNA, complete cds//3.1e-23:127:100//Hs.151051:U07620
 F-HEMBB1002664//EST//0.00013:203:61//Hs.117141:AA678811
 15 F-HEMBB1002677//ESTs//2.4e-22:439:66//Hs.132046:AA693680
 F-HEMBB1002683//ESTs//0.23:224:61//Hs.128883:AI026679
 F-HEMBB1002684//ESTs//7.2e-09:82:87//Hs.140457:H05124
 F-HEMBB1002686//EST//0.25:189:62//Hs.132431:AA909674
 F-HEMBB1002692//ESTs//0.00020:162:66//Hs.118180:N68504
 20 F-HEMBB1002697//EST//7.2e-17:219:74//Hs.100459:T61992
 F-HEMBB1002699//Homo sapiens transmembrane activator and CAML interactor (TACI) mRNA, complete cds//0.059:297:62//Hs.158341:AF023614
 F-HEMBB1002702//ESTs//0.26:284:61//Hs.41250:H89588
 F-HEMBB1002705//ESTs, Weakly similar to HYPOTHETICAL 38.5 KD PROTEIN IN SUI2-TDH2 INTERGENIC
 25 REGION [Saccharomyces cerevisiae]//0.0048:84:83//Hs.20814:AI242922
 F-HEMBB1002712//ESTs//0.0025:317:58//Hs.7344:AA972729
 F-MAMMA1000009//Human c-yes-1mRNA//1.0e-48:447:77//Hs.75680:M15990
 F-MAMMA1000019
 F-MAMMA1000020//EST//2.6e-84:431:95//Hs.143333:H51750
 30 F-MAMMA1000025//EST//1.0:169:59//Hs.130165:AA906945
 F-MAMMA1000043//Human NSCL-1 mRNA sequence//0.94:262:60//Hs.30956:M96739
 F-MAMMA1000045//ESTs//1.7e-48:499:75//Hs.158469:AA897461
 F-MAMMA1000055//ESTs, Highly similar to TESTIN 2 PRECURSOR [Mus musculus]//2.7e-18:330:63//Hs.59906:AA001281
 35 F-MAMMA1000057//Homo sapiens DNA fragmentation factor 40 kDa subunit (DFF40) mRNA, complete cds//1.2e-50:367:75//Hs.133089:AF064019
 F-MAMMA1000069//ESTs//0.58:286:60//Hs.134417:AI336840
 F-MAMMA1000084//Human mRNA for KIAA0033 gene, partial cds//1.1e-48:641:70//Hs.22271:D26067
 F-MAMMA1000085//Homo sapiens mRNA for KIAA0602 protein, partial cds//0.00013:199:69//Hs.37656:AB011174
 40 F-MAMMA1000092//Homo sapiens telomeric repeat binding factor (TRF1) mRNA, complete cds//1.2e-52:346:77//Hs.90357:U40705
 F-MAMMA1000103//Homo sapiens mRNA for extracellular matrix protein, complete cds//1.0:151:64//Hs.35094:AB011792
 45 F-MAMMA1000117
 F-MAMMA1000129//RYANODINE RECEPTOR, SKELETAL MUSCLE//0.0015:492:60//Hs.89631:U48508
 F-MAMMA1000133//ESTs//1.0:125:67//Hs.118309:AA653402
 F-MAMMA1000134//EST//1.2e-08:75:92//Hs.160674:AI248319
 F-MAMMA1000139//EST//5.5e-10:139:76//Hs.159121:AI383843
 50 F-MAMMA1000143//Homo sapiens mRNA for KIAA0685 protein, complete cds//2.2e-26:148:97//Hs.153121:AB014585
 F-MAMMA1000155//Homo sapiens homeobox transcription factor barx2 (BARX2) mRNA, complete cds//3.3e-31:219:87//Hs.129724:AF031924
 F-MAMMA1000163//ESTs//1.2e-59:317:94//Hs.49559:AA401050
 55 F-MAMMA1000171//ESTs//1.7e-09:161:69//Hs.119070:AA629695
 F-MAMMA1000173//Human drebrin E2 mRNA (DBN1), complete cds//9.2e-40:686:65//Hs.89434:D17530
 F-MAMMA1000175//ESTs//0.65:141:68//Hs.133152:H91657
 F-MAMMA1000183//Human mRNA for KIAA0065 gene, partial cds//1.0e-92:904:72//Hs.70617:D31763

- F-MAMMA1000198//ESTs//0.0092:235:62//Hs.98783:AI091739
 F-MAMMA1000221//EST//3.3e-16:95:98//Hs.128271:AA973035
 F-MAMMA1000227//ESTs//0.010:268:60//Hs.16412:AA506926
 F-MAMMA1000241//ESTs//0.13:140:67//Hs.12328:AI377913
 5 F-MAMMA1000251//EST//3.7e-07:118:73//Hs.153116:AA856873
 F-MAMMA1000254//ESTs//0.00023:245:59//Hs.150513:AI247587
 F-MAMMA1000257//EST//4.2e-10:155:74//Hs.150409:AI003543
 F-MAMMA1000264//ESTs//2.0e-18:217:75//Hs.152748:N53015
 F-MAMMA1000266//EST//0.14:270:60//Hs.132593:AI031874
 10 F-MAMMA1000270//Human mRNA for KIAA0118 gene, partial cds//2.5e-54:354:87//Hs.154326:D42087
 F-MAMMA1000277//Hydroxysteroid (11-beta) dehydrogenase 2//1.0e-07:306:65//Hs.1376:U26726
 F-MAMMA1000278//ESTs//4.0e-09:197:67//Hs.157034:AI347361
 F-MAMMA1000279//Complement component 5 receptor 1 (C5a ligand)//8.4e-34:341:68//Hs.2161:M62505
 F-MAMMA1000284
 15 F-MAMMA1000287//Human mRNA for KIAA0118 gene, partial cds//5.4e-50:245:84//Hs.154326:D42087
 F-MAMMA1000302//EST//5.3e-40:213:98//Hs.122363:AA788641
 F-MAMMA1000307//Polycystic kidney disease 1 (autosomal dominant)//0.55:510:57//Hs.75813:L33243
 F-MAMMA1000309//Apolipoprotein E//9.7e-06:691:58//Hs.76260:M12529
 F-MAMMA1000312//EST//0.042:183:63//Hs.158928:AI379519
 20 F-MAMMA1000313
 F-MAMMA1000331
 F-MAMMA1000339
 F-MAMMA1000340//ESTs, Highly similar to HYPOTHETICAL 29.4 KD PROTEIN IN STE6-LOS1 INTERGENIC
 REGION [*Saccharomyces cerevisiae*]//2.9e-11:87:93//Hs.13096:AA180963
 25 F-MAMMA1000348//Homo sapiens KIAA0432 mRNA, complete cds//3.6e-23:270:72//Hs.155174:AB007892
 F-MAMMA1000356//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//3.7e-24:233:72//Hs.
 158095:AB007953
 F-MAMMA1000360//Human Line-1 repeat mRNA with 2 open reading frames//9.0e-75:498:85//Hs.23094:M19503
 F-MAMMA1000361//Human mRNA for KIAA0118 gene, partial cds//9.1e-50:304:85//Hs.154326:D42087
 30 F-MAMMA1000372//EST//1.2e-53:376:86//Hs.144295:AA136569
 F-MAMMA1000385//ESTs//1.4e-22:220:76//Hs.142552:AA235344
 F-MAMMA1000388//Homo sapiens UKLF mRNA for ubiquitous Kruppel like factor, complete cds//1.2e-149:710:
 98//Hs.32170:AB015132
 F-MAMMA1000395//Acyl-Coenzyme A dehydrogenase, very long chain//0.74:330:60//Hs.82208:L46590
 35 F-MAMMA1000402//Human Line-1 repeat mRNA with 2 open reading frames//2.4e-58:834:68//Hs.23094:M19503
 F-MAMMA1000410//Human NADH:ubiquinone oxidoreductase subunit B13 (B13) mRNA, complete cds//1.2e-08:
 117:84//Hs.83916:U53468
 F-MAMMA1000413//ESTs//3.3e-31:209:88//Hs.146154:AI200725
 F-MAMMA1000414//ESTs//0.82:132:62//Hs.124857:AA687092
 40 F-MAMMA1000416//ESTs, Weakly similar to HYPOTHETICAL 32.0 KD PROTEIN C09F5.2 IN CHROMOSOME
 III [*C.elegans*]//9.8e-33:267:81//Hs.32370:AA521111
 F-MAMMA1000421//ESTs//7.3e-33:320:75//Hs.121659:H02532
 F-MAMMA1000422//Homo sapiens protocadherin (PCDH8) mRNA, complete cds//0.98:553:56//Hs.19492:
 AF061573
 45 F-MAMMA1000423//EST//0.0075:179:63//Hs.162974:AA678459
 F-MAMMA1000424//ESTs//1.3e-17:313:67//Hs.139858:AI377641
 F-MAMMA1000429//Homo sapiens sorting nexin 3 (SNX3) mRNA, complete cds//5.1e-48:491:72//Hs.12102:
 AF034546
 F-MAMMA1000431//ISLET AMYLOID POLYPEPTIDE PRECURSOR//5.1e-39:320:81//Hs.51048:X68830
 50 F-MAMMA1000444//Homo sapiens mRNA for KIAA0594 protein, partial cds//9.1e-39:342:78//Hs.154872:
 AB011166
 F-MAMMA1000446
 F-MAMMA1000458//ESTs, Weakly similar to similar to CCAAT/enhancer-binding protein [*C.elegans*]//5.1e-08:58:
 93//Hs.9043:W21827
 55 F-MAMMA1000468//Homo sapiens mRNA for 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase, complete
 cds//0.58:311:63//Hs.66721:D49818
 F-MAMMA1000472//ISLET AMYLOID POLYPEPTIDE PRECURSOR//2.1e-44:346:80//Hs.51048:X68830
 F-MAMMA1000478//Homo sapiens PYRIN (MEFV) mRNA, complete cds//0.0017:157:73//Hs.113283:AF018080

F-MAMMA1000483//ISLET AMYLOID POLYPEPTIDE PRECURSOR//4.5e-39:400:75//Hs.51048:X68830
 F-MAMMA1000490//ESTs//3.6e-52:331:88//Hs.163686:AA291948
 F-MAMMA1000500//EST//9.7e-73:346:99//Hs.98812:AA434482
 F-MAMMA1000501//Small inducible cytokine A5 (RANTES)//2.3e-50:325:86//Hs.155464:AF088219
 5 F-MAMMA1000516//Oxytocin receptor//1.6e-29:660:64//Hs.2820:X64878
 F-MAMMA1000522//ESTs//2.9e-23:328:70//Hs.125142:AA421352
 F-MAMMA1000524//ESTs//1.1e-08:211:65//Hs.33467:R85497
 F-MAMMA1000559//EST//4.7e-17:207:71//Hs.162733:AA614352
 F-MAMMA1000565
 10 F-MAMMA1000567//Homo sapiens haemopoietic progenitor homeobox HPX42B (HPX42B) mRNA, complete
 cds//5.8e-51:404:80//Hs.125231:AF068006
 F-MAMMA1000576//ESTs//3.8e-32:236:74//Hs.140039:AA047045
 F-MAMMA1000583//ESTs//0.00099:123:70//Hs.135173:AI276780
 F-MAMMA1000585//Homo sapiens class-I MHC-restricted T cell associated molecule (CRTAM) mRNA, complete
 15 cds//8.8e-45:390:78//Hs.159523:AF001622
 F-MAMMA1000594//ESTs//8.3e-42:322:81//Hs.161660:AA167744
 F-MAMMA1000597//Homo sapiens KIAA0426 mRNA, complete cds//2.6e-37:592:68//Hs.97476:AB007886
 F-MAMMA1000605//Homo sapiens 4F5S mRNA, complete cds//5.1e-26:228:73//Hs.32567:AF073519
 F-MAMMA1000612//Homo sapiens Gx protein (GX) mRNA, complete cds//0.00091:300:60//Hs.29207:AF071494
 20 F-MAMMA1000616//ESTs//0.41:373:59//Hs.130699:AA621478
 F-MAMMA1000621//EST//0.027:146:62//Hs.148305:AA909605
 F-MAMMA1000623
 F-MAMMA1000625//Homo sapiens ES/130 mRNA, complete cds//0.89:428:56//Hs.98614:AF006751
 F-MAMMA1000643//Homo sapiens nephrocystin (NPHP1) mRNA, partial cds//0.092:365:59//Hs.75474:
 25 AF023674
 F-MAMMA1000664//ESTs//7.6e-07:259:64//Hs.140622:AA844353
 F-MAMMA1000669//Human kpni repeat mrna (cdna clone pcd-kpni-4),3' end//9.0e-30:531:64//Hs.139107:
 K00629
 F-MAMMA1000670//ESTs//6.6e-83:389:100//Hs.148595:AI244490
 30 F-MAMMA1000672//Homo sapiens CAGH32 mRNA, partial cds//0.17:109:73//Hs.4316:U80743
 F-MAMMA1000684//Homo sapiens forkhead protein FREAC-2 mRNA, complete cds//3.3e-07:249:62//Hs.44481:
 U13220
 F-MAMMA1000696//Interleukin 10//5.6e-47:355:82//Hs.2180:M57627
 F-MAMMA1000707//ESTs//1.4e-09:225:65//Hs.138722:N51081
 35 F-MAMMA1000713//Acetylcholinesterase [I4-E5 domain] {human, tumor cell lines, Genomic, 847 nt}//0.16:84:72//
 Hs.157124:S71129
 F-MAMMA1000714//Human clone 23947 mRNA, partial cds//0.97:263:6//Hs.27414:U79275
 F-MAMMA1000718//ESTs, Weakly similar to putative p150 [H.sapiens]//5.0e-07:210:66//Hs.71148:AA854648
 F-MAMMA1000720//ESTs//1.4e-50:301:83//Hs.138852:AA284247
 40 F-MAMMA1000723//ESTs, Weakly similar to ORF2-like protein [H.sapiens]//8.1e-22:288:72//Hs.114685:
 AA700024
 F-MAMMA1000731//Homo sapiens CHD1 mRNA, complete cds//1.5e-23:292:66//Hs.22670:AF006513
 F-MAMMA1000732//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//4.8e-40:288:78//Hs.
 158095:AB007953
 45 F-MAMMA1000733//RAS GTPASE-ACTIVATING-LIKE PROTEIN IQGAP1//0.25:467:58//Hs.1742:L33075
 F-MAMMA1000734//Homo sapiens SEC63 (SEC63) mRNA, complete cds//2.3e-169:802:98//Hs.31575:
 AF100141
 F-MAMMA1000738//EST//1.0:149:63//Hs.136928:AA812580
 F-MAMMA1000744//Homo sapiens mRNA for KIAA0575 protein, complete cds//3.3e-51:323:88//Hs.153468:
 50 AB011147
 F-MAMMA1000746//ESTs//2.3e-42:409:76//Hs.61199:AA024494
 F-MAMMA1000752//EST, Weakly similar to putative p150 [H.sapiens]//1.1e-14:285:68//Hs.162011:AA513663
 F-MAMMA1000760//Myelin oligodendrocyte glycoprotein {alternative products}//6.2e-47:341:82//Hs.53217:
 Z48051
 55 F-MAMMA1000761//ESTs, Moderately similar to !!!! ALU SUBFAMILY SX WARNING ENTRY !!!! [H.sapiens]//
 9.8e-19:131:76//Hs.118972:AA761369
 F-MAMMA1000775//EST//6.9e-32:424:69//Hs.44554:N34288
 F-MAMMA1000776//ESTs//5.5e-43:154:84//Hs.141581:AA315361

EP 1 074 617 A2

F-MAMMA1000778//EST//4.4e-28:226:80//Hs.128952:AA984114
 F-MAMMA1000782//ESTs//0.35:270:60//Hs.29153:AA551137
 F-MAMMA1000798//Homo sapiens clone 24407 mRNA sequence//1.6e-23:531:65//Hs.12432:AF070575
 F-MAMMA1000802//ESTs//3.1e-67:340:97//Hs.126081:AA459849
 5 F-MAMMA1000824//ESTs//0.98:44:90//Hs.42802:N20130
 F-MAMMA1000831//ESTs//0.0081:194:60//Hs.150400:AI298089
 F-MAMMA1000839//Small inducible cytokine A5 (RANTES)//4.7e48:241:74//Hs.155464:AF088219
 F-MAMMA1000841
 F-MAMMA1000842//Human monocytic leukaemia zinc finger protein (MOZ) mRNA, complete cds//0.18:483:59//
 10 Hs.82210:U47742
 F-MAMMA1000843//EST//0.34:113:68//Hs.58415:W74696
 F-MAMMA1000845//EST//2.9e-06:56:80//Hs.123243:AA804877
 F-MAMMA1000851//EST//0.78:103:65//Hs.135656:AA907022
 F-MAMMA1000855
 15 F-MAMMA1000856//Homo sapiens preprocathepsin P mRNA, partial cds//0.14:320:59//Hs.71388:AF032906
 F-MAMMA1000859//SOX-3 PROTEIN//0.014:474:57//Hs.157429:X71135
 F-MAMMA1000862//EST//1.0:92:66//Hs.157599:AI357342
 F-MAMMA1000863//ELK1, member of ETS oncogene family//1.2e-30:214:75//Hs.116549:AL009172
 F-MAMMA1000865//ESTs//0.99:127:66//Hs.125230:AA873812
 20 F-MAMMA1000867//EST//0.027:236:60//Hs.147156:AI191777
 F-MAMMA1000875//Human mRNA for KIAA0269 gene, complete cds//0.96:245:59//Hs.75850:D87459
 F-MAMMA1000876//ESTs//1.5e-39:192:90//Hs.132020:AA704147
 F-MAMMA1000877//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//1.4e-91:
 484:94//Hs.138938:AA012894
 25 F-MAMMA1000880//EST//0.014:142:66//Hs.137044:AA878812
 F-MAMMA1000883//EST//1.0:166:62//Hs.126352:AA894465
 F-MAMMA1000897//H.sapiens mRNA for inter-alpha-trypsin inhibitor heavy chain H3//2.6e-06:211:63//Hs.76716:
 X67055
 F-MAMMA1000905//Cartilage matrix protein//0.97:190:64//Hs.150366:M55683
 30 F-MAMMA1000906//ESTs//3.0e-07:145:72//Hs.133556:AA702506
 F-MAMMA1000908//ESTs//1.1e-70:484:84//Hs.142497:AA189081
 F-MAMMA1000914//Angiopoietin 1//0.14:450:59//Hs.2463:D13628
 F-MAMMA1000921//ESTs//6.8e-96:448:99//Hs.135721:AI125239
 F-MAMMA1000931//CD4 receptor {exons 1 and 2} [human, T-lymphocyte, mRNA, 3429 nt]//1.0e-25:312:66//Hs.
 35 116007:S79267
 F-MAMMA1000940//EST//2.9e-42:209:76//Hs.140567:AA825968
 F-MAMMA1000941//Dihydrolipoamide branched chain transacylase (E2 component of branched chain keto acid
 dehydrogenase complex)//1.8e-38:395:71//Hs.89479:X66785
 F-MAMMA1000942//ESTs//1.9e-19:252:71//Hs.141575:AA211734
 40 F-MAMMA1000943//Human mRNA for KIAA0305 gene, complete cds//0.077:236:63//Hs.83790:AB002303
 F-MAMMA1000956//Homo sapiens hRVP1 mRNA for RVP1, complete cds//8.8e-33:566:64//Hs.25640:AB000714
 F-MAMMA1000957//ESTs//1.0:177:59//Hs.149864:N80474
 F-MAMMA1000962//Homo sapiens neuronal thread protein AD7c-NTP mRNA, complete cds//1.1e-56:310:85//
 Hs.129735:AF010144
 45 F-MAMMA1000968//ESTs//9.2e-18:128:89//Hs.163980:AA715814
 F-MAMMA1000975//ESTs//3.8e-08:219:66//Hs.110937:AA137096
 F-MAMMA1000979//EST//0.00022:155:65//Hs.101379:Z39802
 F-MAMMA1000987//EST//1.1e-48:373:81//Hs.139034:W27062
 F-MAMMA1000998//EST//2.0e-07:356:62//Hs.132467:AA922007
 50 F-MAMMA1001003//ESTs//0.47:129:67//Hs.164016:AI003724
 F-MAMMA1001008//ESTs//1.9e-17:153:82//Hs.141161:AA210711
 F-MAMMA1001021//Homo sapiens beta-dystrobrevin (BDTN) mRNA, complete cds//4.7e-17:100:100//Hs.13451:
 Y15718
 F-MAMMA1001024//ESTs//0.97:251:62//Hs.59389:R93968
 55 F-MAMMA1001030//Homo sapiens orphan G protein-coupled receptor HG38 mRNA, complete cds//3.6e-32:753:
 61//Hs.98384:AF062006
 F-MAMMA1001035//ESTs//6.9e-28:268:77//Hs.139536:AA180857
 F-MAMMA1001038

EP 1 074 617 A2

F-MAMMA1001041//ALPHA-ACTININ 1, CYTOSKELETAL ISOFORM//2.7e-10:357:65//Hs.119000:M95178
F-MAMMA1001050//EST//1.8e-29:321:74//Hs.161240:AI419882
F-MAMMA1001059//ESTs, Weakly similar to protein synthesis initiation factor 4A-II homolog//7.9e-87:415:99//Hs.135623:AA134719
5 F-MAMMA1001067//EST//0.30:166:60//Hs.148441:AI198503
F-MAMMA1001073//ESTs//1.0e-98:476:98//Hs.98321:AA455585
F-MAMMA1001074//ESTs//1.6e-82:396:98//Hs.118923:AA252116
F-MAMMA1001075//Homo sapiens (clone F4) transmembrane protein mRNA sequence//3.7e-29:559:65//Hs.135251:L09749
10 F-MAMMA1001078//Human Line-1 repeat mRNA with 2 open reading frames//2.7e-99:689:83//Hs.23094:M19503
F-MAMMA1001080//IG ALPHA-2 CHAIN C REGION//5.8e-43:319:81//Hs.32225:AF067420
F-MAMMA1001082//ESTs//6.2e-28:275:77//Hs.152685:AA613896
F-MAMMA1001091//Homo sapiens mRNA for KIAA0711 protein, complete cds//0.0081:586:57//Hs.5333:AB018254
15 F-MAMMA1001092//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//5.1e-24:328:72//Hs.103948:K00627
F-MAMMA1001105//Homo sapiens OVO-like 1 binding protein (OVOL1) mRNA, complete cds//2.1e-24:507:66//Hs.97905:AF016045
F-MAMMA1001110//Human mRNA for KIAA0125 gene, complete cds//0.94:448:57//Hs.38365:D50915
20 F-MAMMA1001126//Small inducible cytokine A5 (RANTES)//4.6e-18:123:85//Hs.155464:AF088219
F-MAMMA1001133
F-MAMMA1001139
F-MAMMA1001143//ESTs//2.6e-18:121:82//Hs.135117:AI091534
F-MAMMA1001145//ESTs//1.5e-36:442:69//Hs.124712:H90217
25 F-MAMMA1001154//EST//0.054:208:61//Hs.162088:AA505741
F-MAMMA1001161//Homo sapiens mRNA for KIAA0575 protein, complete cds//6.6e-38:337:77//Hs.153468:AB011147
F-MAMMA1001162//EST//4.7e-16:117:90//Hs.130894:AI014299
F-MAMMA1001181
30 F-MAMMA1001186//Human macrophage-derived chemokine precursor (MDC) mRNA, complete cds//6.5e-47:313:81//Hs.97203:U83171
F-MAMMA1001191//ESTs//5.8e-34:197:94//Hs.121575:AA758083
F-MAMMA1001198
F-MAMMA1001202//ESTs//1.5e-37:210:83//Hs.79788:AA527348
35 F-MAMMA1001203//ESTs//1.2e-29:199:76//Hs.141605:H92974
F-MAMMA1001206//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//5.5e-25:275:75//Hs.105292:AA504776
F-MAMMA1001215//ESTs//1.9e-06:300:63//Hs.113566:T03200
F-MAMMA1001220//Human mRNA for KIAA0118 gene, partial cds//2.7e-53:367:84//Hs.154326:D42087
40 F-MAMMA1001222//Homo sapiens mRNA for KIAA0634 protein, partial cds//1.8e-05:435:59//Hs.30898:AB014534
F-MAMMA1001243//ESTs//5.2e-19:118:94//Hs.122830:AA765587
F-MAMMA1001244
F-MAMMA1001249//ESTs//1.3e-89:420:99//Hs.147744:AI220476
45 F-MAMMA1001256//ESTs//2.1e-34:282:80//Hs.46158:AI160121
F-MAMMA1001259//ESTs//2.9e-07:68:95//Hs.6193:AA045149
F-MAMMA1001260//Homo sapiens mRNA for KIAA0661 protein, complete cds//2.8e-41:659:64//Hs.65238:AB014561
F-MAMMA1001268//Human Line-1 repeat mRNA with 2 open reading frames//1.7e-33:336:74//Hs.23094:M19503
50 F-MAMMA1001271//Homo sapiens CAGH3 mRNA, complete cds//3.4e-06:487:59//Hs.21858:U80747
F-MAMMA1001274//Human mRNA for KIAA0080 gene, partial cds//5.1e-62:396:76//Hs.74554:D38522
F-MAMMA1001280//ESTs//7.3e-14:273:67//Hs.126503:AA913832
F-MAMMA1001292//Human mRNA for KIAA0176 gene, partial cds//5.6e-54:616:71//Hs.4935:D79998
F-MAMMA1001296//ESTs//4.8e-34:136:85//Hs.70279:AA757426
55 F-MAMMA1001298//ESTs//0.021:73:80//Hs.114233:N91305
F-MAMMA1001305//Human DNA sequence from PAC 127B20 on chromosome 22q11.2-qter, contains gene for GTPase-activating protein similar to rhoGAP protein. ribosomal protein L6 pseudogene, ESTs and CA repeat//1.9e-58:295:97//Hs.102336:Z83838

- F-MAMMA1001322//ESTs//9.4e-18:221:74//Hs.139132:AA211087
 F-MAMMA1001324//Human endogenous retrovirus pHE.1 (ERV9)//6.7e-75:745:73//Hs.93174:X57147
 F-MAMMA1001330//ESTs//2.6e-26:169:91//Hs.4209:AA205806
 F-MAMMA1001341//ESTs//0.10:267:62//Hs.155922:AI147197
 5 F-MAMMA1001343//ESTs//0.0024:323:62//Hs.119238:AA476267
 F-MAMMA1001346//Homo sapiens mRNA for KIAA0715 protein, partial cds//0.94:89:75//Hs.109358:AB018258
 F-MAMMA1001383//Putative mismatch repair/binding protein hMSH3//7.3e-49:273:80//Hs.42674:U61981
 F-MAMMA1001388//INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN COMPLEX ACID LABILE CHAIN
 PRECURSOR//4.6e-09:415:58//Hs.839:M86826
 10 F-MAMMA1001397//Prostaglandin I2 (prostacyclin) synthase //1.3e-26:358:67//Hs.61333:D83402
 F-MAMMA1001408//ESTs//7.2e-06:123:72//Hs.26753:R60763
 F-MAMMA1001411//Autosomal dominant polycystic kidney disease type II//1.0:176:64//Hs.82001:U50928
 F-MAMMA1001419//Homo sapiens KIAA0395 mRNA, partial cds//4.1e-45:409:80//Hs.43681:AL022394
 F-MAMMA1001420//Homo sapiens mRNA for alpha(1,2)fucosyltransferase, complete cds//0.00042:125:75//Hs.
 15 46328:D87942
 F-MAMMA1001435//Human HsLIM15 mRNA for HsLim15, complete cds//8.2e-43:543:71//Hs.37181:D64108
 F-MAMMA1001442//ESTs//7.9e-15:103:92//Hs.25780:R51321
 F-MAMMA1001446//ESTs//3.5e-44:292:73//Hs.111583:AA463590
 F-MAMMA1001452//ESTs//0.73:152:65//Hs.163766:AI424040
 20 F-MAMMA1001465//ESTs//1.0e-15:201:75//Hs.8836:AA181053
 F-MAMMA1001476//Human mRNA for 5'-terminal region of UMK, complete cds//2.0e-24:273:72//Hs.75939:
 D78335
 F-MAMMA1001487//ESTs, Weakly similar to ORF2-like protein [H.sapiens]//3.2e-25:397:68//Hs.116874:
 AA524909
 25 F-MAMMA1001501//CALPAIN 1, LARGE//3.1e-53:438:81//Hs.2575:X04366
 F-MAMMA1001502//Human p120E4F transcription factor mRNA, complete cds//0.99:258:61//Hs.154196:U87269
 F-MAMMA1001510//ESTs//8.7e-09:380:61//Hs.118701:AA420795
 F-MAMMA1001522//ESTs//7.1e-44:321:80//Hs.120170:AI018506
 F-MAMMA1001547
 30 F-MAMMA1001551//Homo sapiens mRNA for KIAA0462 protein, partial cds//7.5e-130:614:98//Hs.129937:
 AB007931
 F-MAMMA1001575//ESTs, Weakly similar to zinc finger protein C2H2-171 [H.sapiens]//0.71:181:62//Hs.118866:
 AI017072
 F-MAMMA1001576//Tubulin, gamma polypeptide//5.7e-97:529:91//Hs.150785:M61764
 35 F-MAMMA1001590//EST//1.7e-13:94:92//Hs.95900:AA160339
 F-MAMMA1001600//EST//1.0e-08:81:87//Hs.149220:AI247132
 F-MAMMA1001604//EST//0.0070:157:62//Hs.162516:AA583375
 F-MAMMA1001606//Human clone 23627 mRNA, complete cds//0.64:336:58//Hs.23642:U79266
 F-MAMMA1001620//ESTs//6.8e-16:99:79//Hs.164052:AA836152
 40 F-MAMMA1001627//Pregnancy-associated plasma protein A//0.27:379:58//Hs.158229:U28727
 F-MAMMA1001630//Human DNA sequence from clone 71L16 on chromosome Xp11. Contains a probable Zinc
 Finger protein (pseudo)gene, an unknown putative gene, a pseudogene with high similarity to part of antigen KI-
 67, a putative Chondroitin 6-Sulfotransferase LIKE gene and a KIAA0267 LIKE putative Na(+)/H(+) exchanger
 protein gene. Contains a predicted CpG island, ESTs, STSs and GSSs and genomic markers DXS1003 and
 45 DXS1055//1.4e-40:447:73//Hs.154353:AL022165
 F-MAMMA1001633//Human zinc finger protein (LD5-1) mRNA, complete cds//3.6e-44:611:67//Hs.57679:U57796
 F-MAMMA1001635
 F-MAMMA1001649//ESTs//1.4e-47:238:99//Hs.124063:T75524
 F-MAMMA1001654//Homo sapiens retinal rod Na-Ca+K exchanger (NCKX1) mRNA, complete cds//0.00069:140:
 50 68//Hs.59829:AB014602
 F-MAMMA1001663//Homo sapiens mRNA for KIAA0448 protein, complete cds//0.015:135:71//Hs.27349:
 AB007917
 F-MAMMA1001670//ESTs, Highly similar to 52 KD RO PROTEIN [Homo sapiens]//0.064:472:60//Hs.110819:
 AI027548
 55 F-MAMMA1001671
 F-MAMMA1001679//ESTs//0.94:55:83//Hs.152506:AA573317
 F-MAMMA1001683//ESTs//1.6e-92:480:96//Hs.118496:AA036889
 F-MAMMA1001686//ESTs//0.00019:171:66//Hs.140402:AI138765

F-MAMMA1001692//ESTs//0.97:104:70//Hs.27596:AI188549
 F-MAMMA1001711//Human G protein-coupled receptor (STRL22) mRNA, complete cds//8.0e-45:323:83//Hs.46468:U45984
 F-MAMMA1001715//ESTs//1.3e-14:188:72//Hs.130815:AA936548
 5 F-MAMMA1001730//ESTs//0.048:198:65//Hs.116412:AA506926
 F-MAMMA1001735//Human beta-tubulin class III isotype (beta-3) mRNA, complete cds//1.5e-111:725:84//Hs.159154:U47634
 F-MAMMA1001740//EST//0.77:119:65//Hs.148140:AA887098
 F-MAMMA1001743//ESTs//6.5e-27:195:72//Hs.163688:H48768
 10 F-MAMMA1001744//EST//0.00019:134:70//Hs.146863:AI161245
 F-MAMMA1001745//Human Line-1 repeat mRNA with 2 open reading frames//4.7e-67:822:69//Hs.23094:M19503
 F-MAMMA1001751//Homo sapiens two P domain potassium channel subunit (HOHO1) mRNA, complete cds//1.0e-36:583:65//Hs.79351:U33632
 F-MAMMA1001754//ESTs//5.1e-97:456:99//Hs.157928:AA775822
 15 F-MAMMA1001757//EST//0.042:177:63//Hs.144436:R07109
 F-MAMMA1001760//Homo sapiens RET finger protein-like 1 antisense transcript, partial//6.6e-41:309:84//Hs.102576:AJ010230
 F-MAMMA1001764//ESTs//0.057:290:60//Hs.68647:AA524072
 F-MAMMA1001768//Human transcription factor, forkhead related activator 4 (FREAC-4) mRNA, complete cds//2.2e-05:504:60//Hs.96028:AF042832
 20 F-MAMMA1001769//Homo sapiens PYRIN (MEFV) mRNA, complete cds//1.1e-85:686:79//Hs.113283:AF018080
 F-MAMMA1001771//Human semaphorin III family homolog mRNA, complete cds//0.00071:392:60//Hs.32981:U38276
 F-MAMMA1001783//ESTs//8.8e-23:206:79//Hs.142524:H02940
 25 F-MAMMA1001785//ESTs//1.3e-52:270:97//Hs.61809:AA503549
 F-MAMMA1001788//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//6.7e-21:212:77//Hs.103948:K00627
 F-MAMMA1001790//Homo sapiens KIAA0409 mRNA, partial cds//2.2e-06:139:72//Hs.5158:AB007869
 F-MAMMA1001806//ESTs//6.4e-44:373:79//Hs.105665:H78987
 30 F-MAMMA1001812//ESTs//4.8e-83:407:97//Hs.98613:D83884
 F-MAMMA1001815//EST//2.1e-56:374:85//Hs.141488:N47096
 F-MAMMA1001817//EST//8.6e-39:336:78//Hs.162236:AA551582
 F-MAMMA1001818//EST//0.32:375:58//Hs.72729:AA167589
 F-MAMMA1001820//Homo sapiens cytokine-like factor-1 precursor (CLF-1) mRNA, complete cds//0.082:153:66//Hs.114948:AF059293
 35 F-MAMMA1001824//EST//0.0013:195:63//Hs.129275:AA992742
 F-MAMMA1001836//ESTs//7.4e-52:283:95//Hs.92290:R78691
 F-MAMMA1001837//Homo sapiens mRNA for zinc finger protein FPM315, complete cds//2.0e-29:641:62//Hs.56808:D88827
 40 F-MAMMA1001848//ESTs//3.5e-53:264:99//Hs.116430:AA644665
 F-MAMMA1001851//ESTs//0.00050:251:64//Hs.163776:AI393028
 F-MAMMA1001854
 F-MAMMA1001858//EST//1.0:113:68//Hs.132482:AA922218
 F-MAMMA1001864//EST//1.3e-06:399:60//Hs.161500:N68060
 45 F-MAMMA1001868//Homo sapiens nuclear receptor co-repressor N-CoR mRNA, complete cds//0.084:672:58//Hs.152455:AF044209
 F-MAMMA1001874//ESTs//0.97:292:58//Hs.24553:AI150687
 F-MAMMA1001878
 F-MAMMA1001880//ESTs//9.2e-09:277:62//Hs.15776:T91944
 50 F-MAMMA1001890//EST//1.7e-85:440:97//Hs.128842:AA977576
 F-MAMMA1001907//EST//2.7e-26:294:74//Hs.98794:AA434078
 F-MAMMA1001908//ESTs//3.2e-109:505:100//Hs.146145:AI391521
 F-MAMMA1001931//ESTs//1.0:108:67//Hs.126624:AA768874
 F-MAMMA1001956//Apolipoprotein E//1.0:322:59//Hs.76260:M12529
 55 F-MAMMA1001963//ESTs//0.84:320:60//Hs.6523:AA218859
 F-MAMMA1001969//Homo sapiens clone 23892 mRNA sequence//3.6e-79:423:81//Hs.91916:AF035317
 F-MAMMA1001970//Oxytocin receptor//9.7e-31:626:64//Hs.2820:X64878
 F-MAMMA1001992//EST, Weakly similar to reverse transcriptase [H.sapiens]//7.9e-09:150:72//Hs.118222:

N91115
 F-MAMMA1002009//ESTs//2.2e-18:234:69//Hs.21978:AA009633
 F-MAMMA1002011//ESTs//0.91:276:59//Hs.141196:AA704826
 F-MAMMA1002032//ESTs//7.8e-40:344:77//Hs.141658:N77915
 5 F-MAMMA1002033//ESTs//2.5e-30:293:76//Hs.139158:AA226159
 F-MAMMA1002041//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//1.2e-54:455:70//Hs.158095:AB007953
 F-MAMMA1002042//ESTs//1.4e-20:199:79//Hs.140913:R44580
 F-MAMMA1002047//EST//4.2e-14:170:75//Hs.124348:AA830225
 10 F-MAMMA1002056//EST//2.1e-49:414:80//Hs.162335:AA564256
 F-MAMMA1002058//EST//4.7e-26:268:78//Hs.140520:AA809305
 F-MAMMA1002068//Human Line-1 repeat mRNA with 2 open reading frames//8.5e-36:382:75//Hs.23094:M19503
 F-MAMMA1002078
 F-MAMMA1002082
 15 F-MAMMA1002084//EST//0.37:351:59//Hs.46576:N46012
 F-MAMMA1002093//Homo sapiens mRNA for ATP-dependent RNA helicase, partial//0.54:388:57//Hs.99423:AJ010840
 F-MAMMA1002108//Loricrin//0.00066:410:56//Hs.155657:M61120
 F-MAMMA1002118//EST//0.50:202:64//Hs.126872:AA932932
 20 F-MAMMA1002125//Small inducible cytokine A5 (RANTES)//2.4e-39:272:86//Hs.155464:AF088219
 F-MAMMA1002132//EST//6.4e-05:245:60//Hs.149361:AI272963
 F-MAMMA1002140//ESTs//5.8e-33:212:77//Hs.141203:H52638
 F-MAMMA1002143//SERUM PROTEIN MSE55//1.9e-12:192:70//Hs.148101:M88338
 F-MAMMA1002145//EST//0.12:204:60//Hs.160983:AI392837
 25 F-MAMMA1002153
 F-MAMMA1002155//ESTs, Weakly similar to p40 [H.sapiens]//3.6e-67:335:97//Hs.88424:AA281385
 F-MAMMA1002156//Integrin, beta 3 (platelet glycoprotein IIIa, antigen CD61)//0.99:310:58//Hs.87149:M35999
 F-MAMMA1002158//EST//0.015:278:58//Hs.162666:AA605196
 F-MAMMA1002170//40S RIBOSOMAL PROTEIN S2//6.9e-82:573:82//Hs.119389:X17206
 30 F-MAMMA1002174//Human NOF1 mRNA, complete cds//2.2e-42:375:78//Hs.75859:U39400
 F-MAMMA1002198//H.sapiens mRNA for thiol-specific antioxidant//3.3e-36:121:98//Hs.146354:Z22548
 F-MAMMA1002209//ESTs//1.1e-84:409:98//Hs.139235:AA278362
 F-MAMMA1002215//Loricrin//0.0024:369:57//Hs.155657:M61120
 F-MAMMA1002219//ESTs, Weakly similar to coded for by C. elegans cDNA yk52b10.3 [C.elegans]//9.5e-41:202:100//Hs.118849:AA215645
 35 F-MAMMA1002230//ESTs//0.92:253:60//Hs.4222:AI024063
 F-MAMMA1002236//ESTs, Moderately similar to initiation factor eIF-2B gamma subunit [R.norvegicus]//4.6e-69:344:90//Hs.76822:AI359536
 F-MAMMA1002243//Homo sapiens serine threonine kinase 11 (STK11) mRNA, complete cds//0.99:454:56//Hs.122755:AF032986
 40 F-MAMMA1002250//Human involucrin mRNA//0.0037:396:62//Hs.157091:M13903
 F-MAMMA1002267//ESTs//2.0e-12:296:62//Hs.155686:AI308841
 F-MAMMA1002268//Human N-type calcium channel alpha-1 subunit mRNA, complete cds//1.2e-06:427:61//Hs.69949:M94172
 45 F-MAMMA1002269
 F-MAMMA1002282//ESTs//5.9e-65:342:95//Hs.13962:T72715
 F-MAMMA1002292//EST//0.0050:346:58//Hs.97639:AA398440
 F-MAMMA1002293//Homo sapiens DNA fragmentation factor 40 kDa subunit (DFF40) mRNA, complete cds//2.8e-60:387:75//Hs.133089:AF064019
 50 F-MAMMA1002294//Human growth/differentiation factor 1 (GDF-1) mRNA, complete cds//4.3e-07:349:64//Hs.92614:M62302
 F-MAMMA1002297//EST//0.98:98:68//Hs.148207:AA897460
 F-MAMMA1002298//Paired basic amino acid cleaving system 4//0.0061:471:57//Hs.77234:AB001914
 F-MAMMA1002299//ESTs//1.0:162:68//Hs.134132:AA205935
 55 F-MAMMA1002308//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//6.9e-41:293:83//Hs.105292:AA504776
 F-MAMMA1002310//Homo sapiens serine protease-like protease (nes1) mRNA, complete cds//0.0037:173:67//Hs.69423:AF055481

F-MAMMA1002311//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487//1.8e-41:473:65//Hs.
 92381:AB007956
 F-MAMMA1002312//ESTs//0.0017:279:60//Hs.163773:AA806291
 F-MAMMA1002317//ESTs//1.0:131:64//Hs.66075:F08908
 5 F-MAMMA1002319//Homo sapiens clone 24566 mRNA sequence//1.2e-28:410:68//Hs.133342:AF070536
 F-MAMMA1002322//ESTs//1.2e-47:356:82//Hs.152413:AA780515
 F-MAMMA1002329//Homo sapiens clone 24444 RaP2 interacting protein 8 (RPIP8) mRNA, complete cds//0.0079:
 143:67//Hs.6755:AF055026
 F-MAMMA1002332//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//1.2e-26:342:72//Hs.103948:
 10 K00627
 F-MAMMA1002333//Homo sapiens mRNA for KIAA0711 protein, complete cds//6.8e-07:669:58//Hs.5333:
 AB018254
 F-MAMMA1002339//H.sapiens mRNA for retrotransposon//3.2e-40:348:73//Hs.6940:Z48633
 F-MAMMA1002347//EST, Moderately similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//3.9e-
 15 14:146:81//Hs.163073:R02591
 F-MAMMA1002351//ESTs//1.2e-74:371:96//Hs.111429:W28907
 F-MAMMA1002352//EST//1.7e-09:198:68//Hs.149218:AI247086
 F-MAMMA1002353//ESTs//7.4e-15:163:77//Hs.157253:AI357539
 F-MAMMA1002355//Homo sapiens KIAA0441 mRNA, complete cds//7.7e-47:307:78//Hs.32511:AB007901
 20 F-MAMMA1002356//ESTs//0.012:380:58//Hs.105349:AA779733
 F-MAMMA1002359//EST//1.1e-44:264:77//Hs.141095:H23818
 F-MAMMA1002360//ESTs//7.6e-15:200:70//Hs.19770:AA447830
 F-MAMMA1002361//ESTs//2.5e-29:277:79//Hs.155115:AA669923
 F-MAMMA1002362//EST//0.25:304:58//Hs.1.62427:AA576345
 25 F-MAMMA1002380//FACTOR VIII INTRON 22 PROTEIN//0.29:485:59//Hs.83363:M34677
 F-MAMMA1002384//ESTs//1.1 e-05:220:65//Hs.141388:R52022
 F-MAMMA1002385//ESTs, Moderately similar to T11G6.8 [C.elegans]//8.4e-118:578:97//Hs.25516:AI086362
 F-MAMMA1002392//EST//0.85:319:57//Hs.126484:AA913624
 F-MAMMA1002411//ESTs//0.00044:89:76//Hs.141685:AI142632
 30 F-MAMMA1002413//ESTs//0.0020:303:61//Hs.94903:W85737
 F-MAMMA1002417//ESTs//1.4e-06:223:65//Hs.143695:AA662745
 F-MAMMA1002427//ESTs//5.4e-48:356:82//Hs.146811:AA410788
 F-MAMMA1002428//EST//1.0:96:71//Hs.105130:AA482030
 F-MAMMA1002434//Human mRNA for KIAA0118 gene, partial cds//2.2e-52:370:83//Hs.154326:D42087
 35 F-MAMMA1002446
 F-MAMMA1002454//ESTs//9.1e-50:163:100//Hs.80162:AA534809
 F-MAMMA1002461//Human diacylglycerol kinase (DAGK) mRNA, complete cds//6.3e-06:595:59//Hs.99932:
 L38707
 F-MAMMA1002470
 40 F-MAMMA1002475//Human MAP kinase activated protein kinase 2 mRNA, complete cds//0.018:417:58//Hs.
 75074:U12779
 F-MAMMA1002480//ESTs//0.0015:258:62//Hs.132082:N67059
 F-MAMMA1002485//Homo sapiens stanniocalcin-2 (STC-2) mRNA, complete cds//9.4e-120:560:98//Hs.155223:
 AF055460
 45 F-MAMMA1002494//ESTs//2.4e-68:359:95//Hs.124652:AA857628
 F-MAMMA1002498//ESTs, Weakly similar to hypothetical protein [H.sapiens]//4.0e-07:257:63//Hs.133013:
 AA604920
 F-MAMMA1002524//Huntingtin (Huntington disease)//0.0085:215:65//Hs.79391:L12392
 F-MAMMA1002530//Homo sapiens cytosolic phospholipase A2 gamma (cPLA2 gamma) mRNA, complete cds//
 50 4.5e-162:775:97//Hs.18858:AF065214
 F-MAMMA1002545//ESTs//6.4e-46:351:81//Hs.146811:AA410788
 F-MAMMA1002554
 F-MAMMA1002556//Human beige-like protein (BGL) mRNA, partial cds//0.96:187:62//Hs.62354:M83822
 F-MAMMA1002566//ESTs//0.0033:130:68//Hs.117018:AA832421
 55 F-MAMMA1002571//EST//0.28:115:66//Hs.156768:AI351368
 F-MAMMA1002573//ESTs//2.1e-4.8:265:94//Hs.155128:AI224516
 F-MAMMA1002585
 F-MAMMA1002590//ESTs//3.2e-11:280:63//Hs.36049:AA436831

EP 1 074 617 A2

F-MAMMA1002597//ESTs//4.8e-10:118:77//Hs.156166:AI334107
 F-MAMMA1002598//Ribosomal protein L7//3.6e-23:123:100//Hs.153:X57958
 F-MAMMA1002603//EST//0.070:99:71//Hs.122387:AA789220
 5 F-MAMMA1002612//ESTs, Moderately similar to hCDC10 protein [H.sapiens]//8.3e-18:353:65//Hs.60895:
 AA428463
 F-MAMMA1002617//B94 PROTEIN//0.0097:229:62//Hs.75522:M92357
 F-MAMMA1002618
 F-MAMMA1002619
 F-MAMMA1002622//Homo sapiens advillin mRNA, complete cds//4.7e-22:157:90//Hs.47344:AF041449
 10 F-MAMMA1002623//EST//1.5e-33:168:81//Hs.141526:N52300
 F-MAMMA1002625
 F-MAMMA1002629//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0507//1.1e-35:355:76//Hs.
 158241:AB007976
 F-MAMMA1002636//Homo sapiens mRNA for KIAA0288 gene, complete cds//1.9e-05:439:61//Hs.91400:
 15 AB006626
 F-MAMMA1002637//KINESIN LIGHT CHAIN//2.0e-47:367:72//Hs.117977:L04733
 F-MAMMA1002646//EST//1.2e-32:302:78//Hs.112540:AA601385
 F-MAMMA1002650//TRICHOHYALIN//1.2e-08:570:63//Hs.82276:L09190
 F-MAMMA1002655//EST//8.8e-40:198:100//Hs.159724:AI393335
 20 F-MAMMA1002662//EST//0.99:95:63//Hs.144074:AI005489
 F-MAMMA1002665//Lysosomal-associated membrane protein 2//1.8e-35:722:64//Hs.8262:U36336
 F-MAMMA1002671//Cyclin-dependent kinase inhibitor 1C (p57, Kip2)//8.6e-06:272:64//Hs.106070:U22398
 F-MAMMA1002673
 F-MAMMA1002684//Homo sapiens mRNA for KIAA0214 protein, complete cds//1.2e-162:752:99//Hs.3363:
 25 D86987
 F-MAMMA1002685//ESTs//7.5e-40:373:78//Hs.163937:N69915
 F-MAMMA1002698//ESTs//2.5e-09:190:68//Hs.138292:AI220397
 F-MAMMA1002699//Homo sapiens epsin 2b mRNA, complete cds//4.7e-56:398:81//Hs.22396:AF062085
 F-MAMMA1002701//ESTs//4.3e-10:110:80//Hs.156041:AI274697
 30 F-MAMMA1002708//Homo sapiens mRNA for alpha(1,2)fucosyltransferase, complete cds//1.1e-51:307:79//Hs.
 46328:D87942
 F-MAMMA1002711//EST//3.6e-38:186:77//Hs.139715:N25041
 F-MAMMA1002721//EST//3.9e-06:110:71//Hs.136758:AA714692
 F-MAMMA1002727//EST//0.97:137:63//Hs.145153:AI150165
 35 F-MAMMA1002728//ESTs, Highly similar to PAB-DEPENDENT POLY(A)-SPECIFIC RIBONUCLEASE [Saccha-
 romyces cerevisiae]//2.6e-12:129:81//Hs.154181:AA193502
 F-MAMMA1002744//ESTs//0.0026:420:58//Hs.95793:AA617853
 F-MAMMA1002746//ESTs//0.28:117:69//Hs.12925:T66312
 F-MAMMA1002748
 40 F-MAMMA1002754//ESTs//1.1e-34:340:77//Hs.163641:R61848
 F-MAMMA1002758//Homo sapiens KIAA0442 mRNA, partial cds//1.1e-27:151:98//Hs.32168:AB007902
 F-MAMMA1002764//ESTs//1.7e-45:323:84//Hs.155243:N70293
 F-MAMMA1002765//EST//3.2e-11:145:73//Hs.162551:AA584782
 F-MAMMA1002769
 45 F-MAMMA1002775//Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene//
 7.6e-84:417:97//Hs.77705:U07563
 F-MAMMA1002780//EST//0.78:210:63//Hs.149413:AI273988
 F-MAMMA1002782
 F-MAMMA1002796//ESTs//0.021:122:65//Hs.132221:AI380710
 50 F-MAMMA1002807//EST//1.0e-31:184:71//Hs.161497:N66919
 F-MAMMA1002820//ESTs//0.21:292:59//Hs.132513:AI778514
 F-MAMMA1002830//Homo sapiens mRNA for KIAA0563 protein, complete cds//2.4e-57:286:88//Hs.15731:
 AB011135
 F-MAMMA1002833//Human mRNA for KIAA0033 gene, partial cds//9.1e-52:583:72//Hs.22271:D26067
 55 F-MAMMA1002835
 F-MAMMA1002838//ESTs, Weakly similar to NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1 [Locusta mi-
 gratoria]//7.7e-38:179:78//Hs.141344:H29951
 F-MAMMA1002842//ESTs//1.7e-19:134:89//Hs.111583:AA463590

EP 1 074 617 A2

F-MAMMA1002843//Homo sapiens mRNA for KIAA0810 protein, partial cds//5.4e-137:635:99//Hs.7531:AB018353

F-MAMMA1002844//ESTs, Weakly similar to Y53C12A.3 [C.elegans]//1.6e-07:329:58//Hs.107747:AI357868

F-MAMMA1002858

5 F-MAMMA1002868//EST//4.1e-23:180:77//Hs.163196:AA767643

F-MAMMA1002869//Human PINCH protein mRNA, complete cds//7.0e-88:696:78//Hs.83987:U09284

F-MAMMA1002871//ESTs//3.4e-93:466:96//Hs.11873:T68423

F-MAMMA1002880//EST//2.0e-09:364:59//Hs.145181:AI183632

F-MAMMA1002881//Homo sapiens mRNA for 25 kDa trypsin inhibitor, complete cds//3.8e-30:680:61//Hs.129732:D45027

10 F-MAMMA1002886//Long (electrocardiographic) QT syndrome 2//0.00075:504:60//Hs.19944:U04270

F-MAMMA1002887//ESTs//0.044:144:68//Hs.133152:H91657

F-MAMMA1002890//EST//1.7e-05:74:86//Hs.116013:AA612666

F-MAMMA1002892//EST//2.1e-67:383:93//Hs.22815:R44265

15 F-MAMMA1002895//Human transcription factor ERF-1 mRNA, complete cds//0.00053:382:57//Hs.61796:U85658

F-MAMMA1002908//EST//0.0022:132:68//Hs.161697:AA224952

F-MAMMA1002909//ESTs//9.1e-21:343:70//Hs.142068:AA176125

F-MAMMA1002930//ESTs//0.55:72:72//Hs.132440:AA923730

F-MAMMA1002937//ESTs, Weakly similar to ZINC FINGER PROTEIN 84 [H.sapiens]//7.9e-103:485:99//Hs.102928:AI346344

20 F-MAMMA1002938//Homo sapiens mRNA for KIAA0698 protein, complete cds//1.6e-194:910:98//Hs.31720:AB014598

F-MAMMA1002941//ESTs//9.5e-19:196:67//Hs.137945:AI423389

F-MAMMA1002947//ESTs//1.2e-96:460:99//Hs.156001:AI313418

25 F-MAMMA1002964//Homo sapiens KIAA0424 mRNA, partial cds//0.48:250:60//Hs.54697:AB007884

F-MAMMA1002970//EST//2.0e-16:132:84//Hs.136518:AA601400

F-MAMMA1002972

F-MAMMA1002973//ESTs//3.2e-43:225:74//Hs.155179:AA223932

F-MAMMA1002982//ESTs//0.0017:162:66//Hs.152669:AA604944

30 F-MAMMA1002987//EST//0.044:254:59//Hs.135014:AI095645

F-MAMMA1003003//Coagulation factor III (thromboplastin, tissue factor)//3.9e-22:185:83//Hs.62192:J02931

F-MAMMA1003004//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501//1.0e-16:343:61//Hs.159897:AB007970

F-MAMMA1003007//EST//6.6e-10:265:66//Hs.144389:AA530979

35 F-MAMMA1003011//Homo sapiens histone macroH2A1.2 mRNA, complete cds//6.2e-51:620:69//Hs.75258:AF054174

F-MAMMA1003013//Human HOX4C mRNA for a homeobox protein//0.73:347:58//Hs.74061:X59372

F-MAMMA1003015//EST//2.5e-11:137:77//Hs.141312:H73062

F-MAMMA1003019//ESTs//0.0099:182:65//Hs.60787:AI374951

40 F-MAMMA1003026//EST//1.0:136:67//Hs.9123:T50137

F-MAMMA1003031//EST//1.3e-11:244:67//Hs.136611:AA669549

F-MAMMA1003035

F-MAMMA1003039//ESTs//1.4e-23:265:74//Hs.33393:R83391

F-MAMMA1003040//Homo sapiens tapasin (NGS-17) mRNA, complete cds//1.5e-93:339:85//Hs.5247:AF029750

45 F-MAMMA1003044//Cyclin D2//1.0:234:61//Hs.75586:D13639

F-MAMMA1003047//H.sapiens mRNA for F25B3.3 kinase like protein from C.elegans//1.0:209:60//Hs.99491:Y12336

F-MAMMA1003049//EST//0.99:126:67//Hs.162634:AA601742

F-MAMMA1003055//ESTs//0.00011:130:70//Hs.130539:R68518

50 F-MAMMA1003056

F-MAMMA1003057//ESTs, Moderately similar to hypothetical protein MD6 [M.musculus]//1.3e-88:334:97//Hs.96500:AI206781

F-MAMMA1003066//ESTs//0.77:88:71//Hs.143618:AI022618

F-MAMMA1003089//Homo sapiens mRNA for KIAA0631 protein, partial cds//4.5e-51:329:71//Hs.75154:AB014531

55 F-MAMMA1003099//Homo sapiens actin-binding protein homolog ABP-278 mRNA, complete cds//8.5e-44:288:88//Hs.81008:AF043045

F-MAMMA1003104//H.sapiens mRNA for ASM-like phosphodiesterase 3a//1.0:213:60//Hs.42945:Y08136

EP 1 074 617 A2

F-MAMMA1003113//Homo sapiens mRNA for hair keratin acidic 3-II//0.99:200:64//Hs.32950:X82634
F-MAMMA1003127//Homo sapiens brush border myosin I (BBMI) mRNA, complete cds//5.4e-27:421:66//Hs.5394:
AF105424
F-MAMMA1003135//Envoplakin//0.56:250:62//Hs.25482:U53786
5 F-MAMMA1003140
F-MAMMA1003146//Homo sapiens mRNA for GalT3 protein//7.2e-82:397:97//Hs.151344:Y15062
F-MAMMA1003150//Homo sapiens mRNA for KIAA0515 protein, partial cds//0.00019:297:61//Hs.108945:
AB011087
F-MAMMA1003166//Glycoprotein Ib (platelet), beta polypeptide//1.2e-31:487:65//Hs.3847:U59632
10 F-NT2RM1000001//Human plectin (PLEC1) mRNA, complete cds//0.16:244:63//Hs.79706:U53204
F-NT2RM1000018//Human mRNA for KIAA0066 gene, partial cds//1.5e-66:385:92//Hs.82510:D31886
F-NT2RM1000032
F-NT2RM1000035//Human mRNA for KIAA0199 gene, partial cds//4.1e-110:849:81//Hs.78442:D83782
F-NT2RM1000037//Homo sapiens mRNA for KIAA0690 protein, partial cds//3.5e-108:542:95//Hs.60103:
15 AB014590
F-NT2RM1000039//Human plectin (PLEC1) mRNA, complete cds//0.11:545:57//Hs.79706:U53204
F-NT2RM1000055//ESTs, Highly similar to TIP120 [R.norvegicus]//3.2e-69:353:96//Hs.154980:AA948067
F-NT2RM1000059//Homo sapiens T cell immune response cDNA7 (TIRC7) mRNA, complete cds//0.029:281:59//
Hs.46465:U45285
20 F-NT2RM1000062//ESTs//0.30:368:59//Hs.131675:AA843210
F-NT2RM1000080//Homo sapiens chromosome 9, P1 clone 11659//2.8e-102:493:97//Hs.3439:AC004472
F-NT2RM1000086//Homo sapiens mRNA for KIAA0661 protein, complete cds//5.8e-116:550:97//Hs.65238:
AB014561
F-NT2RM1000092//Murine leukemia viral (bmi-1) oncogene homolog//0.42:190:63//Hs.431:L13689
25 F-NT2RM1000118//Homo sapiens clone 23763 unknown mRNA, partial cds//0.00086:126:70//Hs.92693:
AF007155
F-NT2RM1000119//Peroxisome receptor 1//0.00055:458:58//Hs.158084:Z48054
F-NT2RM1000127
F-NT2RM1000131
30 F-NT2RM1000132//Homo sapiens NADH:ubiquinone oxidoreductase NDUFS6 subunit mRNA, nuclear gene en-
coding mitochondrial protein, complete cds//3.7e-92:448:97//Hs.49767:AF044959
F-NT2RM1000153//Homo sapiens mRNA for MTG8-related protein MTG16a, complete cds//1.0:546:58//Hs.
110099:AB010419
35 F-NT2RM1000186//Homo sapiens clone 23763 unknown mRNA, partial cds//0.00081:126:70//Hs.92693:
AF007155
F-NT2RM1000187//ESTs//3.4e-79:400:96//Hs.54971:AI424382
F-NT2RM1000199//Homo sapiens mRNA for KIAA0722 protein, complete cds//0.87:454:59//Hs.47061:AF045458
F-NT2RM1000242
F-NT2RM1000244//Homo sapiens centrosomal Nek2-associated protein 1 (C-NAP1) mRNA, complete cds//0.97:
40 135:66//Hs.27910:AF049105
F-NT2RM1000252//TRICHOHYALIN//0.030:273:58//Hs.82276:L09190
F-NT2RM1000256//Glutamine-fructose-6-phosphate transaminase//1.5e-13:248:69//Hs.1674:M90516
F-NT2RM1000257//ESTs, Highly similar to similar to mago nashi [H.sapiens]//2.9e-98:530:93//Hs.104650:
AI037879
45 F-NT2RM1000260//Human mRNA for KIAA0130 gene, complete cds//2.1e-58:460:80//Hs.23106:D50920
F-NT2RM1000271//ESTs//0.93:224:60//Hs.91226:AA649047
F-NT2RM1000272
F-NT2RM1000280//ESTs, Highly similar to VACUOLAR ATP SYNTHASE SUBUNIT D [Bos taurus]//1.3e-21:308:
73//Hs.15071:AA781144
50 F-NT2RM1000300
F-NT2RM1000314//Human mRNA for KIAA0159 gene, complete cds//2.6e-128:708:92//Hs.5719:D63880
F-NT2RM1000318//Human mRNA for ribosomal protein L39, complete cds//1.8e-35:182:99//Hs.9837:D79205
F-NT2RM1000341//ESTs//2.3e-72:381:95//Hs.23070:AA631976
F-NT2RM1000354//EST//5.2e-27:202:84//Hs.151186:AI125798
55 F-NT2RM1000355//ESTs, Weakly similar to putative [M.musculus]//7.7e-75:387:95//Hs.108619:W28608
F-NT2RM1000365//ESTs//1.7e-99:495:97//Hs.103926:AA165691
F-NT2RM1000377//ESTs, Weakly similar to protein-tyrosine-phosphatase [H.sapiens]//7.4e-91:481:95//Hs.
163707:AA137181

EP 1 074 617 A2

F-NT2RM1000388//65 KD YES-ASSOCIATED PROTEIN//0.36:340:57//Hs.8939:X80507
 F-NT2RM1000394//HISTONE H3.3//8.5e-91:474:93//Hs.118838:M11353
 F-NT2RM1000399
 F-NT2RM1000421
 5 F-NT2RM1000430//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds//1.2e-85:418:97//
 Hs.20815:AF084928
 F-NT2RM1000499//ESTs, Weakly similar to KIAA0167 protein [H.sapiens]//1.6e-38:201:97//Hs.106262:AI052382
 F-NT2RM1000539//EST//0.070:145:62//Hs.149711:AI284660
 F-NT2RM1000553//EST//2.2e-48:265:95//Hs.99230:AA449847
 10 F-NT2RM1000555//ESTs//0.82:193:61//Hs.96944:AI359957
 F-NT2RM1000563//Human plectin (PLEC1) mRNA, complete cds//1.0:336:58//Hs.79706:U53204
 F-NT2RM1000623//Homo sapiens mRNA for KIAA0287 gene, partial cds//0.98:226:61//Hs.17931:AB006625
 F-NT2RM1000648//ESTs, Weakly similar to similar to M. musculus MER5 and other AHPC/TSA proteins [C.ele-
 gans]//6.2e-51:254:98//Hs.132096:AA314601
 15 F-NT2RM1000661//Homo sapiens translation initiation factor 4e mRNA, complete cds//8.5e-55:276:97//Hs.19122:
 AF038957
 F-NT2RM1000666//Homo sapiens BAI 1 mRNA, complete cds//0.87:274:60//Hs.113936:AB005297
 F-NT2RM1000669//ESTs//5.5e-63:481:85//Hs.90527:AI188279
 F-NT2RM1000672
 20 F-NT2RM1000691//Homa sapiens mRNA for HRIHFB2060, partial cds//7.0e-121:582:98//Hs.146282:AB015348
 F-NT2RM1000699//ESTs//1.1e-89:435:97//Hs.28964:AA715101
 F-NT2RM1000702//ESTs//5.4e-90:429:99//Hs.151001:AA564706
 F-NT2RM1000725//Homo sapiens mRNA for neuropathy target esterase//1.5e-66:435:85//Hs.5038:AJ004832
 F-NT2RM1000741//Homo sapiens mRNA for KIAA0567 protein, partial cds//2.6e-127:690:92//Hs.147946:
 25 AB011139
 F-NT2RM1000742//Homo sapiens AC133 antigen mRNA, complete cds//8.2e-68:524:83//Hs.112360:AF027208
 F-NT2RM1000746//ESTs//2.6e-37:231:89//Hs.94446:AA845465
 F-NT2RM1000770//Homo sapiens KIAA0425 mRNA, complete cds//3.3e-09:321:63//Hs.150390:AB007885
 F-NT2RM1000772//Eukaryotic translation initiation factor 3 (eIF-3) p36 subunit//0.053:271:60//Hs.139745 :
 30 U39067
 F-NT2RM1000780//Human Line-1 repeat mRNA with 2 open reading frames//6.9e-20:128:94//Hs.23094:M19503
 F-NT2RM1000781//ESTs//4.4e-60:346:92//Hs.35089:N50845
 F-NT2RM1000800
 F-NT2RM1000802
 35 F-NT2RM1000811//Homo sapiens AC133 antigen mRNA, complete cds//1.2e-64:490:84//Hs.112360:AF027208
 F-NT2RM1000826//ESTs//0.82:193:61//Hs.96944:AI359957
 F-NT2RM1000829//Mannose-binding lectin, soluble (opsonic defect)//0.92:283:58//Hs.2314:X15422
 F-NT2RM1000833//Hydroxysteroid (11-beta) dehydrogenase 2//0.022:178:67//Hs.1376:U26726
 F-NT2RM1000850//Human protein tyrosine kinase related mRNA sequence//3.8e-06:384:59//Hs.90314:L05148
 40 F-NT2RM1000852//Homo sapiens mRNA for ATP-dependent RNA helicase, partial//3.0e-149:726:97//Hs.99423:
 AJ010840
 F-NT2RM1000857//ESTs//0.52:274:60//Hs.112095:AA447643
 F-NT2RM1000867//ESTs, Highly similar to signal peptidase:SUBUNIT//5.3e-54:277:96//Hs.11125:AI015619
 F-NT2RM1000874//ESTs//0.032:185:64//Hs.97713:AA442239
 45 F-NT2RM1000882//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1
 gene//4.0e-155:750:97//Hs.132898:AC004770
 F-NT2RM1000883//Homo sapiens I-1 receptor candidate protein mRNA, complete cds//8.8e-158:762:97//Hs.
 26285:AF082516
 F-NT2RM1000885//Homo sapiens mRNA for KIAA0661 protein, complete cds//6.3e-19:310:67//Hs.65238:
 50 AB014561
 F-NT2RM1000894
 F-NT2RM1000898
 F-NT2RM1000905//EST//4.8e-07:77:84//Hs.148017:AI268701
 F-NT2RM1000924//HOMEBOX PROTEIN HOX-A5//0.00051:458:59//Hs.37034:M26679
 55 F-NT2RM1000927//Homo sapiens mRNA for KIAA0807 protein, partial cds//0.084:386:58//Hs.101474:AB018350
 F-NT2RM1000962//Human mRNA for KIAA0252 gene, partial cds//0.98:299:59//Hs.83419:D87440
 F-NT2RM1000978
 F-NT2RM1001003//Homo sapiens alpha-catenin related protein (ACRP) mRNA, complete cds//1.3e-161:760:98//

Hs.58488:U97067
 F-NT2RM1001008//ESTs//1.3e-12:144:75//Hs.133122:AI025200
 F-NT2RM1001043//EST//0.24:117:64//Hs.161536:N80395
 F-NT2RM1001044//ESTs, Weakly similar to C43E11.9[C.elegans]//3.0e-98:491:96//Hs.102173:AA045270
 5 F-NT2RM1001059//Human plectin (PLEC1) mRNA, complete cds//0.52:533:57//Hs.79706:U53204
 F-NT2RM1001066//ESTs//1.2e-114:538:99//Hs.129020:AI380703
 F-NT2RM1001072//Human beige-like protein (BGL) mRNA, partial cds//0.69:586:56//Hs.62354:M83822
 F-NT2RM1001074//Macrophage stimulating 1 (hepatocyte growth factor-like)//0.0019:294:64//Hs.30223:X90846
 F-NT2RM1001082//Archain//3.9e-37:290:81//Hs.33642:X81198
 10 F-NT2RM1001085
 F-NT2RM1001092//Zinc finger protein 43 (HTF6)//1.9e-57:770:68//Hs.74107:X59244
 F-NT2RM1001102//ESTs//1.2e-35:638:63//Hs.131737:AI343331
 F-NT2RM1001105//WEE1-LIKE PROTEIN KINASE//0.0024:246:63//Hs.75188:U10564
 F-NT2RM1001112//ESTs//8.9e-82:437:93//Hs.6330:H38495
 15 F-NT2RM1001115
 F-NT2RM1001139//Keratin 9//1.5e-05:518:59//Hs.2783:Z29074
 F-NT2RM2000006//ESTs//3.9e-16:96:98//Hs.101117:AA576113
 F-NT2RM2000013//RNA polymerase II polypeptide B (140 kD)//6.3e-13:640:59//Hs.148027:X63563
 F-NT2RM2000030
 20 F-NT2RM2000032//ESTs//7.1 e-18:138:68//Hs.114031:AA700958
 F-NT2RM2000042//ESTs//0.0091:241:61//Hs.147895:AI286243
 F-NT2RM2000092
 F-NT2RM2000093//ESTs//2.6e-40:226:94//Hs.163521:H42085
 F-NT2RM2000101//ESTs//1.0:235:61//Hs.48860:N27428
 25 F-NT2RM2000124//Protein kinase, cAMP-dependent, catalytic, alpha//5.8e-46:287:88//Hs.77271:X07767
 F-NT2RM2000191//Homo sapiens cGMP phosphodiesterase A1 (PDE9A) mRNA, complete cds//3.0e-139:566:
 97//Hs.18953:AF067223
 F-NT2RM2000192//EST//3.5e-07:168:65//Hs.163122:AA756999
 F-NT2RM2000239//ESTs, Weakly similar to K04G2.6 [C.elegans]//3.6e-93:489:95//Hs.143499:R72672
 30 F-ntnnnnnnnnnn//ESTs//1.0e-70:269:97//Hs.156175:AI334328
 F-NT2RM2000250//Homo sapiens mRNA for KIAA0590 protein, complete cds//1.0e-129:615:98//Hs.111862:
 AB011162
 F-NT2RM2000259//ESTs//6.1e-30:172:85//Hs.116406:AA209520
 F-NT2RM2000260//ESTs//2.5e-25:133:93//Hs.14169:AA203500
 35 F-NT2RM2000287//ESTs//6.2e-13:97:83//Hs.118523:H98981
 F-NT2RM2000322//Interferon regulatory factor 5//0.84:208:61//Hs.54434:U51127
 F-NT2RM2000359//Homo sapiens mRNA for KIAA0560 protein, complete cds//2.8e-176:805:99//Hs.129952:
 AB011132
 F-NT2RM2000363//ESTs//1.2e-24:139:96//Hs.48818:N63543
 40 F-NT2RM2000368//Homo sapiens protein kinase C-binding protein RACK7 mRNA, partial cds//3.7e-96:599:86//
 Hs.75871:U48251
 F-NT2RM2000371
 F-NT2RM2000374//ESTs//3.2e-13:98:91//Hs.65853:AI050866
 F-NT2RM2000395//Growth arrest-specific 1//0.80:129:67//Hs.65029:L13698
 45 F-NT2RM2000402//Human p76 mRNA, complete cds//7.2e-23:714:59//Hs.28757:U81006
 F-NT2RM2000407//ESTs//9.4e-92:458:96//Hs.148873:T33582
 F-NT2RM2000420//EST//1.8e-61:296:99//Hs.147186:AI193053
 F-NT2RM2000422//Solute carrier family 6 (neurotransmitter transporter, serotonin), member 4//1.5e-06:260:61//
 Hs.553:L05568
 50 F-NT2RM2000452//ESTs//1.0:132:62//Hs.110004:AI097379
 F-NT2RM2000469//ESTs//0.34:249:60//Hs.149575:AI281807
 F-NT2RM2000490//Homo sapiens mRNA for KIAA0747 protein, partial cds//2.4e-16:386:63//Hs.8309:AB018290
 F-NT2RM2000502//Human nicotinamide N-methyltransferase (NNMT) mRNA, complete cds//0.99:272:61//Hs.
 76669:U08021
 55 F-NT2RM2000504//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds//1.6e-172:824:97//Hs.4812:
 AF061243
 F-NT2RM2000522//Homo sapiens Nck-2 (NCK2) mRNA, complete cds//0.18:313:60//Hs.129725:AF047487
 F-NT2RM2000540//ESTs, Weakly similar to C27F2.7 gene product [C.elegans]//2.7e-41:231:94//Hs.7049:

- AI141736
 F-NT2RM2000556//ESTs//3.1e-33:183:96//Hs.136990:AA769220
 F-NT2RM2000566//Integrin, alpha 7B//2.0e-155:751:97//Hs.74369:AF032108
 F-NT2RM2000567//RYANODINE RECEPTOR, SKELETAL MUSCLE//6.3e-09:689:59//Hs.89631:U48508
 5 F-NT2RM2000569//ESTs//5.4e-17:170:77//Hs.158277:H09128
 F-NT2RM2000577//ESTs, Highly similar to ISOLEUCYL-TRNA SYNTHETASE, MITOCHONDRIAL [*Saccharomyces cerevisiae*]//1.4e-33:214:92//Hs.55609:W37993
 F-NT2RM2000581//Homo sapiens mRNA for KIAA0214 protein, complete cds//1.8e-175:820:98//Hs.3363:D86987
 10 F-NT2RM2000588//ESTs//1.5e-33:183:97//Hs.136990:AA769220
 F-NT2RM2000594
 F-NT2RM2000599//Homo sapiens Mad4 homolog (Mad4) mRNA, complete cds//0.017:253:65//Hs.102402:AF040963
 F-NT2RM2000609//ESTs//1.0:220:59//Hs.110155:AA007313
 15 F-NT2RM2000612//ESTs//0.97:208:59//Hs.73217:AA846548
 F-NT2RM2000623//Homo sapiens mRNA for KIAA0521 protein, partial cds//0.024:326:59//Hs.6150:AB011093
 F-NT2RM2000624//ESTs//2.3e-118:557:99//Hs.145904:AA203258
 F-NT2RM2000635//Homo sapiens mRNA for KIAA0729 protein, partial cds//2.0e-143:664:98//Hs.19542:AB018272
 20 F-NT2RM2000636//Homo sapiens mRNA for KIAA0658 protein, partial cds//2.4e-139:664:98//Hs.7278:AB014558
 F-NT2RM2000639//ESTs//0.98:144:65//Hs.154364:AI189702
 F-NT2RM2000649//Homo sapiens mRNA for KIAA0676 protein, partial cds//3.4e-169:518:99//Hs.115763:AB014576
 F-NT2RM2000669//ESTs//1.3e-56:283:98//Hs.156342:AI337371
 25 F-NT2RM2000691//Homo sapiens actin-related protein Arp3 (ARP3) mRNA, complete cds//6.7e-86:746:74//Hs.5321:AF006083
 F-NT2RM2000714//Human mRNA for KIAA0231 gene, partial cds//2.2e-50:748:64//Hs.7938:D86984
 F-NT2RM2000718//Homa sapiens mRNA for HRIHFB2436, partial cds//7.6e-126:594:98//Hs.136058:AB015342
 F-NT2RM2000735//Zinc finger protein 43 (HTF6)//2.7e-112:756:82//Hs.74107:X59244
 30 F-NT2RM2000740//ESTs, Highly similar to HYPOTHETICAL 132.7 KD HELICASE IN ALG7-ENP1 INTERGENIC REGION [*Saccharomyces cerevisiae*]//4.2e-85:464:91//Hs.161551:W24286
 F-NT2RM2000795//Homo sapiens tapasin (NGS-17) mRNA, complete cds//1.0e-82:640:81//Hs.5247:AF029750
 F-NT2RM2000821//Human mRNA for KIAA0340 gene, partial cds//0.32:679:59//Hs.105919:AB002338
 F-NT2RM2000837//ESTs//2.3e-105:501:98//Hs.101514:AI346701
 35 F-NT2RM2000951//Homo sapiens XYLB mRNA for xylulokinase, complete cds//2.8e-185:847:99//Hs.137580:AB015046
 F-NT2RM2000952//ESTs, Weakly similar to lethal(2)denticleless [*D.melanogaster*]//6.2e-94:441:99//Hs.59075:AI023761
 F-NT2RM2000984//Human mRNA for KIAA0246 gene, partial cds//0.94:351:62//Hs.84753:D87433
 40 F-NT2RM2001004//ESTs//5.0e-10:247:64//Hs.36049:AA436831
 F-NT2RM2001035//ESTs, Highly similar to POP2 PROTEIN [*Saccharomyces cerevisiae*]//2.9e-48:282:93//Hs.17035:AI080471
 F-NT2RM2001065
 F-NT2RM2001100//Homo sapiens mRNA for serin protease with IGF-binding motif, complete cds//1.7e-08:449:62//Hs.75111:D87258
 45 F-NT2RM2001105//Homo sapiens proline and glutamic acid rich nuclear protein isoform mRNA, partial cds//0.00079:274:59//Hs.102732:U88153
 F-NT2RM2001131//TRICHOHYALIN//2.5e-20:684:62//Hs.82276:L09190
 F-NT2RM2001141
 50 F-NT2RM2001152//ESTs//0.53:333:58//Hs.153087:AA649042
 F-NT2RM2001177
 F-NT2RM2001194//ESTs, Weakly similar to T28H10.2 [*C.elegans*]//2.4e-23:149:93//Hs.10618:AI288739
 F-NT2RM2001196//ESTs//4.0e-98:486:97//Hs.59628:W91959
 F-NT2RM2001201//Human mRNA for KIAA0005 gene, complete cds//2.8e-44:554:69//Hs.155291:D13630
 55 F-NT2RM2001221//Homo sapiens mRNA for KIAA0806 protein, complete cds//0.97:165:64//Hs.24279:AB018349
 F-NT2RM2001238//EST//6.8e-67:420:89//Hs.130586:AI004766
 F-NT2RM2001243//V-jun avian sarcoma virus 17 oncogene homolog//0.87:125:64//Hs.75889:U65928
 F-NT2RM2001247//Homo sapiens antigen NY-CO-16 mRNA, complete cds//0.0066:321:61//Hs.132206:

AF039694
 F-NT2RM2001256
 F-NT2RM2001291//ESTs//1.1e-86:459:93//Hs.10267:W27845
 F-NT2RM2001306//Homo sapiens paraoxonase (PON2) mRNA, complete cds//1.0:182:65//Hs.75221:AF001601
 5 F-NT2RM2001312//ESTs//2.0e-35:338:70//Hs.141440:N21615
 F-NT2RM2001319//ESTs, Weakly similar to No definition line found [C.elegans]//5.2e-30:277:77//Hs.25347:AI138605
 F-NT2RM2001324//Homo sapiens mRNA for beta-spectrin III, complete cds//0.031:245:62//Hs.26915:AB008567
 F-NT2RM2001345//ESTs//9.2e-91:428:99//Hs.151001:AA564706
 10 F-NT2RM2001360//ESTs//0.98:45:80//Hs.133520:AA878905
 F-NT2RM2001370//Human transportin (TRN) mRNA, complete cds//0.72:224:61//Hs.82925:U70322
 F-NT2RM2001393//Mannosidase, alpha B, lysosomal//0.42:383:57//Hs.108969:U68382
 F-NT2RM2001420//EST//1.0:287:62//Hs.125285:AA830378
 F-NT2RM2001424//Homo sapiens mRNA for E1B-55kDa-associated protein//2.3e-97:453:99//Hs.155218:AJ007509
 15 F-NT2RM2001499//Ecotropic retroviral receptor//5.4e-47:589:68//Hs.2928:X57303
 F-NT2RM2001504//Homo sapiens agrin precursor mRNA, partial cds//0.25:328:60//Hs.68900:AF016903
 F-NT2RM2001524//ESTs//1.0e-11:93:90//Hs.33687:R85969
 F-NT2RM2001544//ESTs//1.0e-25:157:92//Hs.137451:AA351459
 20 F-NT2RM2001547//ESTs//2.0e-29:168:96//Hs.116392:AA936262
 F-NT2RM2001575//Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro)//6.9e-28:582:64//Hs.1042:M62800
 F-NT2RM2001582//ESTs, Moderately similar to red-1 [M.musculus]//0.0032:57:89//Hs.114722:AA448077
 F-NT2RM2001588//Homo sapiens KIAA0442 mRNA, partial cds//2.3e-11:282:65//Hs.32168:AB007902
 25 F-NT2RM2001592//ESTs//4.8e-73:372:95//Hs.163801:AI391729
 F-NT2RM2001605//Homo sapiens clone 23592 mRNA sequence//7.3e-87:749:75//Hs.76272:S66431
 F-NT2RM2001613//ESTs, Highly similar to PROTEIN TRANSPORT PROTEIN SEC61 ALPHA SUBUNIT [Canis familiaris]//1.3e-17:181:75//Hs.131840:AI016073
 F-NT2RM2001632//EST//8.7e-18:222:76//Hs.160402:AI393918
 30 F-NT2RM2001635//Homo sapiens mRNA for KIAA0618 protein, complete cds//3.0e-154:740:98//Hs.15832:AB014518
 F-NT2RM2001637//ESTs//2.2e-06:386:61//Hs.145198:AI276952
 F-NT2RM2001641//ESTs, Highly similar to NADH-CYTOCHROME B5 REDUCTASE [Bos taurus]//3.5e-13:94:92//Hs.22142:AA814725
 35 F-NT2RM2001648//ESTs, Highly similar to PROTEIN TRANSPORT PROTEIN SEC61 ALPHA SUBUNIT [Canis familiaris]//1.3e-17:181:75//Hs.131840:AI016073
 F-NT2RM2001652//ESTs//2.5e-06:82:80//Hs.128203:AA972301
 F-NT2RM2001659//ESTs//2.8e-15:92:98//Hs.123321:AA810287
 F-NT2RM2001664//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds//1.2e-173:802:99//Hs.31323:AF044195
 40 F-NT2RM2001668//ESTs, Weakly similar to DNA MISMATCH REPAIR PROTEIN MSH6 [H.sapiens]//1.1e-136:671:97//Hs.27721:U17907
 F-NT2RM2001670//Homo sapiens mRNA for KIAA0557 protein, partial cds//1.1e-25:352:70//Hs.101414:AB011129
 45 F-NT2RM2001671//ESTs//1.8e-08:63:98//Hs.158069:AI365356
 F-NT2RM2001675
 F-NT2RM2001681//ESTs//0.16:197:63//Hs.20585:R10305
 F-NT2RM2001688//ESTs//1.8e-24:130:100//Hs.162504:AA668211
 F-NT2RM2001695//EST//5.6e-51:189:89//Hs.162197:AA535216
 50 F-NT2RM2001696//ESTs, Highly similar to gene ERCC5 protein [H.sapiens]//5.8e-16:144:84//Hs.14671:T79937
 F-NT2RM2001698//ESTs//0.14:184:63//Hs.148080:AI277415
 F-NT2RM2001699//ESTs//6.5e-14:136:79//Hs.127790:AI003817
 F-NT2RM2001700//Homo sapiens putative seven pass transmembrane protein (TM7SF1) mRNA, complete cds//0.95:270:61//Hs.15791:AF027826
 55 F-NT2RM2001706//ESTs//2.8e-47:304:86//Hs.146811:AA410788
 F-NT2RM2001716//Semenogelin I//0.98:153:64//Hs.1968:M81650
 F-NT2RM2001718
 F-NT2RM2001723//Homo sapiens clone 23770 mRNA sequence//4.4e-28:163:95//Hs.12457:AF052123

- F-NT2RM2001727//Homo sapiens mRNA for KIAA0462 protein, partial cds//2.0e-112:530:98//Hs.129937:AB007931
- F-NT2RM2001730//Homo sapiens mRNA for KIAA0560 protein, complete cds//0.95:269:58//Hs.129952:AB011132
- 5 F-NT2RM2001743
- F-NT2RM2001753//Human AF-6 mRNA, complete cds//0.095:350:59//Hs.100469:AB011399
- F-NT2RM2001760//ESTs, Highly similar to PROTEIN TRANSPORT PROTEIN SEC61 ALPHA SUBUNIT [Canis familiaris]//1.3e-17:181:75//Hs.131840:AI016073
- F-NT2RM2001768//ESTs//0.61:189:62//Hs.144847:AI222742
- 10 F-NT2RM2001771//Zinc finger protein 10 (KOX 1)//1.1e-66:669:71//Hs.2479:X78933
- F-NT2RM2001782//YY1 transcription factor//0.094:149:65//Hs.97496:M77698
- F-NT2RM2001784//ESTs//8.2e-31:190:92//Hs.144587:AI193595
- F-NT2RM2001785//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1 gene//1.6e-48:476:74//Hs.132898:AC004770
- 15 F-NT2RM2001797//Human mRNA for KIAA0065 gene, partial cds//6.1e-66:481:72//Hs.70617:D31763
- F-NT2RM2001800//Human mRNA for transcriptional activator hSNF2b, complete cds//0.49:142:66//Hs.78202:U29175
- F-NT2RM2001803//Homo sapiens I kappa B kinase complex associated protein (IKAP) mRNA, complete cds//2.7e-179:827:99//Hs.31323:AF044195
- 20 F-NT2RM2001805//EST//1.0:45:80//Hs.159007:AI381341
- F-NT2RM2001813//EST//0.41:268:58//Hs.150031:AI292068
- F-NT2RM2001823//H.sapiens mRNA for 218kD Mi-2 protein//9.7e-21:554:60//Hs.74441:X86691
- F-NT2RM2001839//Homo sapiens calumein (Calu) mRNA, complete cds//1.2e-132:738:90//Hs.7753:AF013759
- F-NT2RM2001840//Homo sapiens PYRIN (MEFV) mRNA, complete cds//5.8e-58:329:86//Hs.113283:AF018080
- 25 F-NT2RM2001855//ADP-ribosylation factor 5//1.0:301:60//Hs.77541:M57567
- F-NT2RM2001867//ESTs, Weakly similar to ZK792.1 [C.elegans]//3.0e-28:421:66//Hs.8763:W30741
- F-NT2RM2001879//ESTs//6.3e-43:234:94//Hs.122546:AA186723
- F-NT2RM2001886//Homo sapiens mRNA for KIAA0710 protein, complete cds//6.1e-189:866:97//Hs.4198:AB014610
- 30 F-NT2RM2001896//Homo sapiens mRNA for JM23 protein, complete coding sequence (clone IMAGE 34581 and IMAGE 45355 and LLNLc110I133Q7 (RZPD Berlin))//3.0e-13:606:57//Hs.23170:AJ005892
- F-NT2RM2001903//Homo sapiens mRNA for KIAA0462 protein, partial cds//9.4e-178:859:97//Hs.129937:AB007931
- F-NT2RM2001930//Homo sapiens semaphorin F homolog mRNA, complete cds//4.2e-08:481:59//Hs.27621:U52840
- 35 F-NT2RM2001935//ESTs, Highly similar to MULTIDRUG RESISTANCE PROTEIN HOMOLOG 50 [Drosophila melanogaster]//0.37:424:60//Hs.118634:U66688
- F-NT2RM2001936//Homo sapiens clone 614 unknown mRNA, complete sequence//2.2e-139:653:98//Hs.21811:AF091080
- 40 F-NT2RM2001950//ESTs//0.12:91:76//Hs.107295:W80392
- F-NT2RM2001982
- F-NT2RM2001983//Homo sapiens Tax interaction protein 2 mRNA, partial cds//1.2e-21:123:98//Hs.6454:AF089816
- F-NT2RM2001989//Homo sapiens mRNA for DRIM protein//0.71:319:59//Hs.104135:AJ006778
- 45 F-NT2RM2001997//ESTs//1.7e-25:135:100//Hs.126894:AA932538
- F-NT2RM2001998//ESTs, Weakly similar to Mi-2 protein [H.sapiens]//0.99:271:60//Hs.63888:AA203398
- F-NT2RM2002004//Homo sapiens mRNA for KIAA0731 protein, partial cds//3.5e-37:509:65//Hs.6214:AB018274
- F-NT2RM2002014//Homo sapiens mRNA for CRM1 protein, complete cds//0.79:429:58//Hs.79090:D89729
- F-NT2RM2002030//Glutamine-fructose-6-phosphate transaminase//9.0e-89:822:73//Hs.1674:M90516
- 50 F-NT2RM2002049//ESTs//0.99:109:71//Hs.19303:AA928427
- F-NT2RM2002055//ESTs//1.1e-91:453:98//Hs.158370:AI382154
- F-NT2RM2002088//ESTs//6.1e-75:302:96//Hs.153471:AI198377
- F-NT2RM2002091//RYANODINE RECEPTOR, SKELETAL MUSCLE//0.69:293:58//Hs.89631:U48508
- F-NT2RM2002100//Homo sapiens mRNA for ATP-dependent RNA helicase, partial//2.5e-165:776:98//Hs.99423:AJ010840
- 55 F-NT2RM2002109//Homo sapiens glioma amplified on chromosome 1 protein (GAC1) mRNA, complete cds//7.6e-145:684:98//Hs.26312:AF030435
- F-NT2RM2002128

F-NT2RM2002142//ESTs//0.0031:183:66//Hs.144505:AA757274
 F-NT2RM2002145//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds//1.4e-144:800:92//Hs.20815:AF084928
 F-NT2RM2002178//Homo sapiens mRNA for KIAA0467 protein, partial cds//1.7e-165:787:97//Hs.11147:AB007936
 5 F-NT2RM2002580//Keratin 10 (epidermolytic hyperkeratosis; keratosis palmaris et plantaris)//0.064:291:61//Hs.99936:X14487
 F-NT2RM4000024//RNA polymerase II polypeptide B (140 kD)//8.0e-10:610:59//Hs.148027:X63563
 F-NT2RM4000027//ESTs//1.6e-64:352:94//Hs.21331:H93074
 10 F-NT2RM4000030//ESTs//1.0:115:63//Hs.131055:AI391464
 F-NT2RM4000046//ESTs//2.6e-09:207:65//Hs.143533:AI094674
 F-NT2RM4000061//ESTs//0.89:207:60//Hs.98445:AI038511
 F-NT2RM4000085//ESTs, Weakly similar to The KIAA0134 gene product is related to human RNA helicase A. [H.sapiens]//1.6e-30:369:70//Hs.114623:AI204280
 15 F-NT2RM4000086
 F-NT2RM4000104//Homo sapiens chromosome 16 zinc finger protein ZNF210 (ZNF210) mRNA, complete cds//1.3e-24:345:69//Hs.13128:AF060865
 F-NT2RM4000139
 F-NT2RM4000155
 20 F-NT2RM4000156//ESTs//5.9e-73:345:100//Hs.155958:AA573632
 F-NT2RM4000167//Homo sapiens kinesin family member protein KIF3A mRNA, complete cds//9.8e-30:676:61//Hs.159228:AF041853
 F-NT2RM4000169//ESTs//2.0e-103:483:99//Hs.43729:AA497044
 F-NT2RM4000191//TRICHOHYALIN//0.011:324:60//Hs.82276:L09190
 25 F-NT2RM4000197//ESTs//1.5e-48:311:88//Hs.136144:W27744
 F-NT2RM4000199//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//0.13:322:61//Hs.145088:AI221147
 F-NT2RM4000200
 F-NT2RM4000202//Homo sapiens mRNA for KIAA0288 gene, complete cds//0.0027:424:60//Hs.91400:AB006626
 30 F-NT2RM4000210//Homo sapiens mRNA for KIAA0712 protein, complete cds//4.4e-184:856:98//Hs.111138:AB018255
 F-NT2RM4000215//SET translocation (myeloid leukemia-associated)//0.0013:358:60//Hs.75055:M93651
 F-NT2RM4000229//Homo sapiens mRNA for KIAA0722 protein, complete cds//0.65:572:60//Hs.47061:AF045458
 35 F-NT2RM4000233//ESTs//2.0e-37:269:85//Hs.148873:T33582
 F-NT2RM4000244//EST//0.83:319:57//Hs.162412:AA573439
 F-NT2RM4000251//ESTs, Weakly similar to CUT1 PROTEIN [Schizosaccharomyces pombe]//1.1e-16:112:92//Hs.93841:AA442297
 F-NT2RM4000265//Homo sapiens mRNA for alpha(1,2)fucosyltransferase, complete cds//1.8e-48:229:83//Hs.46328:D87942
 40 F-NT2RM4000290//Human transducin-like enhancer protein (TLE3) mRNA, complete cds//2.5e-154:609:93//Hs.31305:M99438
 F-NT2RM4000324//Homo sapiens hCPE-R mRNA for CPE-receptor, complete cds//0.070:460:59//Hs.5372:AB000712
 45 F-NT2RM4000327//ESTs//0.019:269:60//Hs.153697:AI240707
 F-NT2RM4000344//ESTs, Highly similar to YME1 PROTEIN [Saccharomyces cerevisiae]//2.7e-83:432:95//Hs.12796:W27884
 F-NT2RM4000349//Human mRNA for KIAA0005 gene, complete cds//5.2e-53:666:68//Hs.155291:D13630
 F-NT2RM4000354//ESTs, Weakly similar to lethal(2)denticleless [D.melanogaster]//0.0078:55:92//Hs.59075:M023761
 50 F-NT2RM4000356//ESTs//1.0:225:60//Hs.161175:AI418425
 F-NT2RM4000366//Homo sapiens mRNA for KIAA0642 protein, partial cds//5.3e-135:628:99//Hs.8152:AB014542
 F-NT2RM4000368//ESTs//4.9e-13:323:63//Hs.143695:AA662745
 F-NT2RM4000386//Human DNA sequence from clone 1052M9 on chromosome Xq25. Contains the SH2D1A gene for SH2 domain protein 1A, Duncan's disease (lymphoproliferative syndrome) (DSHP), part of a 60S Acidic Ribosomal protein 1 (RPLP1) LIKE gene and part of a mouse DOC4 LIKE gene. Contains ESTs and GSSs//2.0e-72:843:68//Hs.23796:AL022718
 55 F-NT2RM4000395//Nitric oxide synthase 2A (inducible, hepatocytes)//0.63:166:65//Hs.946:X73029

- F-NT2RM4000414//Homo sapiens XYLB mRNA for xylulokinase, complete cds//4.9e-17:114:94//Hs.137580:AB015046
- F-NT2RM4000421
- 5 F-NT2RM4000425//Homo sapiens mRNA for KIAA0594 protein, partial cds//1.1e-42:432:74//Hs.154872:AB011166
- F-NT2RM4000433//Colony stimulating factor 3 receptor (granulocyte)//0.023:543:58//Hs.2175:M59820
- F-NT2RM4000457
- F-NT2RM4000471//Human transcriptional corepressor hKAP1/TIF1B mRNA, complete cds//0.060:178:631//Hs.66369:U95040
- 10 F-NT2RM4000486//ESTs//9.2e-48:237:99//Hs.160685:AI280004
- F-NT2RM4000496//ESTs//0.069:252:61//Hs.155958:AA573632
- F-NT2RM4000511//EST//0.92:191:58//Hs.61517:AA028915
- F-NT2RM4000514
- F-NT2RM4000515//ESTs//7.3e-93:450:98//Hs.120975:AA034409
- 15 F-NT2RM4000520//ESTs//0.13:183:65//Hs.144828:AI221305
- F-NT2RM4000531//ESTs, Highly similar to ZINC FINGER PROTEIN MLZ-4 [Mus musculus]//1.8e-153:756:96//Hs.125870:AI364967
- F-NT2RM4000532//ESTs//7.7e-43:388:78//Hs.105665:H78987
- F-NT2RM4000534
- 20 F-NT2RM4000585
- F-NT2RM4000590//Homo sapiens mRNA for KIAA0469 protein, complete cds//1.2e-19:593:62//Hs.7764:AB007938
- F-NT2RM4000595//ESTs, Highly similar to HYPOTHETICAL 54.9 KD PROTEIN C02F5.7 IN CHROMOSOME III [Caenorhabditis elegans]//3.1e-104:532:96//Hs.6092:T75227
- 25 F-NT2RM4000603//Human mRNA for KIAA0392 gene, partial cds//1.7e-15:305:68//Hs.40100:AB002390
- F-NT2RM4000611//EST//0.76:268:58//Hs.150031:AI292068
- F-NT2RM4000616
- F-NT2RM4000674
- F-NT2RM4000689
- 30 F-NT2RM4000698//Apolipoprotein E//1.0:290:59//Hs.76260:M12529
- F-NT2RM4000700
- F-NT2RM4000712//Homo sapiens ubiquitin hydrolyzing enzyme I (UBH1) mRNA, partial cds//3.5e-91:744:77//Hs.42400:AF022789
- F-NT2RM4000717//ESTs, Highly similar to BONE MORPHOGENETIC PROTEIN 1 PRECURSOR [Mus musculus]//2.6e-163:771:97//Hs.6823:W18181
- 35 F-NT2RM4000733//PUTATIVE TACHYKININ RECEPTOR//0.70:257:60//Hs.957:M84605
- F-NT2RM4000734//Homo sapiens mRNA for KIAA0760 protein, partial cds//1.2e-159:743:98//Hs.137168:AB018303
- F-NT2RM4000741
- 40 F-NT2RM4000751//ESTs, Highly similar to ZINC FINGER PROTEIN MLZ-4 [Mus musculus]//1.1e-75:388:96//Hs.112361:R99396
- F-NT2RM4000764//ESTs//3.8e-104:539:95//Hs.24739:H67815
- F-NT2RM4000778//ESTs//1.5e-85:419:97//Hs.99838:AA204731
- F-NT2RM4000779//Homo sapiens mRNA for KIAA0451 protein, complete cds//1.8e-173:810:98//Hs.18586:AB007920
- 45 F-NT2RM4000787//EST//0.011:182:65//Hs.159928:AA969186
- F-NT2RM4000790//Homo sapiens chromosome 19, cosmid R27216//4.5e-156:736:98//Hs.25817:AC005306
- F-NT2RM4000795//ESTs, Highly Similar to LIVER CARBOXYLESTERASE PRECURSOR [Homo sapiens]//6.7e-19:160:80//Hs.124902:AI337820
- 50 F-NT2RM4000796//Human K⁺ channel subunit gene, complete cds//0.96:292:62//Hs.124212:M64676
- F-NT2RM4000798//ESTs//1.9e-34:271:82//Hs.128203:AA972301
- F-NT2RM4000813//Homo sapiens snRNA activating protein complex 190kD subunit (SNAP190) mRNA, complete cds//0.052:238:64//Hs.113265:AF032387
- F-NT2RM4000820//ESTs//0.053:274:61//Hs.23748:H16568
- 55 F-NT2RM4000833
- F-NT2RM4000848//Human mRNA for KIAA0324 gene, partial cds//0.97:374:61//Hs.7841:AB002322
- F-NT2RM4000852//EST//1.0:222:60//Hs.120354:AA718934
- F-NT2RM4000855//ESTs, Highly similar to RAS-RELATED C3 BOTULINUM TOXIN SUBSTRATE 2 [Homo sapiens]

ens]/4.4e-29:164:95//Hs.115095:AI392943
 F-NT2RM4000887
 F-NT2RM4000895//Homo sapiens HuUAP1 mRNA for UDP-N-acetylglucosamine pyrophosphorylase, complete
 cds//6.8e-22:407:64//Hs.21293:AB011004
 5 F-NT2RM4000950
 F-NT2RM4000971//ESTs//3.6e-27:142:100//Hs.130912:AI014546
 F-NT2RM4000979//Homo sapiens KIAA0415 mRNA, complete cds//3.7e-63:571:77//Hs.7289:AB007875
 F-NT2RM4000996//Zinc finger protein 3 (A8-51)/8.7e-34:381:67//Hs.2481:X78926
 F-NT2RM4001002//Homo sapiens mRNA for KIAA0729 protein, partial cds//1.6e-171:803:98//Hs.19542:
 10 AB018272
 F-NT2RM4001016//Homo sapiens mRNA for KIAA0639 protein, partial cds//1.1e-126:584:99//Hs.15711:
 AB014539
 F-NT2RM4001032//Homo sapiens mRNA for KIAA0711 protein, complete cds//4.8e-05:469:58//Hs.5333:
 AB018254
 15 F-NT2RM4001047//ESTs, Moderately similar to MO25 PROTEIN [M.musculus]/7.0e-56:340:92//Hs.87310:
 AI247543
 F-NT2RM4001054//HIGH AFFINITY IMMUNOGLOBULIN GAMMA FC RECEPTOR I "A FORM" PRECURSOR//
 0.79:142:69//Hs.77424:M63835
 F-NT2RM4001084
 20 F-NT2RM4001092//Human mRNA for KIAA0050 gene, complete cds//0.045:235:62//Hs.108947:D30758
 F-NT2RM4001116
 F-NT2RM4001140//Human engrailed protein (EN2) gene, 5' end//0.00029:225:61//Hs.134989:L12701
 F-NT2RM4001151//ESTs//1.1e-07:190:65//Hs.151691:AA443730
 F-NT2RM4001155//ESTs//2.2e-12:181:74//Hs.128826:AI004145
 25 F-NT2RM4001160//EST//0.83:166:61//Hs.117051:AA677351
 F-NT2RM4001187
 F-NT2RM4001191//ESTs//1.3e-42:248:93//Hs.13475:R18220
 F-NT2RM4001200//Zinc finger protein 10 (KOX 1)/4.0e-68:799:69//Hs.2479:X78933
 F-NT2RM4001203//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds//1.4e-153:707:99//Hs.
 30 14934:AF004828
 F-NT2RM4001204//ESTs, Moderately similar to HYPOTHETICAL 59.1 KD PROTEIN ZK637.1 IN CHROMOSOME
 III [Caenorhabditis elegans]/0.19:291:62//Hs.31582:AA877205
 F-NT2RM4001217//Homo sapiens nuclear matrix protein NRP/B (NRPB) mRNA, complete cds//7.0e-63:715:70//
 Hs.104925:AF059611
 35 F-NT2RM4001256//ESTs, Weakly similar to probable CBP3 protein homolog [C.elegans]/1.1e-67:208:96//Hs.
 26676:AA033997
 F-NT2RM4001258//Homo sapiens mRNA for KIAA0481 protein, complete cds//0.0019:435:59//Hs.6360:
 AB007950
 F-NT2RM4001309//Human Chromosome 16 BAC clone CIT987SK-254P9//0.019:356:59//Hs.26971:AC003003
 40 F-NT2RM4001313//H.sapiens mRNA for phosphatidylinositol 3-kinase//8.0e-79:474:89//Hs.32971:Z46973
 F-NT2RM4001316//ESTs//1.2e-14:126:84//Hs.154344:AA258335
 F-NT2RM4001320//Human mRNA for Neuroblastoma, complete cds//3.6e-43:642:66//Hs.87435:D89016
 F-NT2RM4001340//EST//0.40:135:70//Hs.161198:AI418988
 F-NT2RM4001344//ESTs, Highly similar to HYPOTHETICAL GTP-BINDING PROTEIN IN PMI40-PAC2 INTER-
 45 GENIC REGION [Saccharomyces cerevisiae]/0.0096:284:58//Hs.120997:R56714
 F-NT2RM4001347//ESTs, Weakly similar to weakly similar to ANK repeat region of Fowlpox virus BamHI-orf7
 protein [C.elegans]/3.7e-52:252:100//Hs.15301:AA167818
 F-NT2RM4001371//EST//0.52:262:59//Hs.145991:AI277656
 F-NT2RM4001382//Homo sapiens RanBP7/importin 7 mRNA, complete cds//7.2e-169:790:98//Hs.5151:
 50 AF098799
 F-NT2RM4001384
 F-NT2RM4001410//ESTs//1.1e-47:290:91//Hs.72447:AA160575
 F-NT2RM4001411//Homo sapiens mRNA for APS, complete cds//2.5e-23:475:64//Hs.105052:AB000520
 F-NT2RM4001412
 55 F-NT2RM4001414//ESTs, Moderately similar to 18547_1 [H.sapiens]/5.2e-18:133:87//Hs.28209:AI073817
 F-NT2RM4001437//Human mRNA for KIAA0118 gene, partial cds//2.5e-42:611:70//Hs.154326:D42087
 F-NT2RM4001444
 F-NT2RM4001454//ESTs//3.9e-31:169:96//Hs.117982:AA644658

EP 1 074 617 A2

F-NT2RM4001455//ESTs//0.0054:48:100//Hs.14920:AA910914
 F-NT2RM4001483//ESTs, Weakly similar to ZINC FINGER PROTEIN ZFP-36 [H.sapiens]//1.1e-71:313:99//Hs.163754:AA587784
 5 F-NT2RM4001489//Homo sapiens mRNA for KIAA0685 protein, complete cds//3.9e-157:724:99//Hs.153121:AB014585
 F-NT2RM4001519//ESTs//0.66:264:59//Hs.139891:AA553619
 F-NT2RM4001522//ESTs, Weakly similar to D9481.12 gene product [S.cerevisiae]//1.3e-114:536:99//Hs.88820:AA456247
 F-NT2RM4001557
 10 F-NT2RM4001565//ESTs//1.7e-107:509:99//Hs.146139:AA731487
 F-NT2RM4001566//Human phosphatidylinositol 3-kinase catalytic subunit p110delta mRNA, complete cds//1.0:255:60//Hs.14207:U86453
 F-NT2RM4001569//ESTs//1.4e-86:417:98//Hs.153044:AI198859
 F-NT2RM4001582
 15 F-NT2RM4001592//EST//0.61:142:64//Hs.162900:AA664566
 F-NT2RM4001594//Homo sapiens mRNA for KIAA0522 protein, partial cds//0.0072:484:60//Hs.129892:AB011094
 F-NT2RM4001597//ESTs, Moderately similar to red-1 [M.musculus]//2.3e-72:387:95//Hs.114722:AA448077
 F-NT2RM4001605//Homo sapiens mRNA for KIAA0791 protein, complete cds//1.1e-163:750:99//Hs.23255:AB018334
 20 F-NT2RM4001611//ESTs, Weakly similar to F25H9.6 [C.elegans]//8.6e-05:91:79//Hs.24647:W19739
 F-NT2RM4001629//ESTs, Moderately similar to 55 KD ERYTHROCYTE MEMBRANE PROTEIN [Homo sapiens]//0.0042:153:68//Hs.114832:AI147946
 F-NT2RM4001650//Human mRNA for KIAA0341 gene, partial cds//0.95:328:60//Hs.101761:AB002339
 25 F-NT2RM4001662//Human mRNA for KIAA0322 gene, partial cds//8.3e-83:449:93//Hs.153685:AB002320
 F-NT2RM4001666//ESTs//2.1e-11:78:96//Hs.152446:AA555323
 F-NT2RM4001682//EST//0.027:145:70//Hs.133253:AI052638
 F-NT2RM4001710//ESTs//0.098:140:62//Hs.5796:AA767384
 F-NT2RM4001714//Human mRNA for KIAA0202 gene, partial cds//2.2e-86:748:74//Hs.80712:D86957
 30 F-NT2RM4001715//ESTs//1.3e-104:490:99//Hs.127336:AI332905
 F-NT2RM4001731//Human involucrin mRNA//0.23:432:59//Hs.157091:M13903
 F-NT2RM4001741//Human mRNA for KIAA0320 gene, partial cds//6.9e-80:737:73//Hs.150443:AB002318
 F-NT2RM4001746//H.sapiens NF-H gene, exon 1 (and joined CDS)//2.1e-07:418:61//Hs.75735:X15306
 F-NT2RM4001754//ESTs, Weakly similar to RETROVIRUS-RELATED POL POLYPROTEIN [Mus musculus]//2.0e-27:205:83//Hs.110601:AA206719
 35 F-NT2RM4001758//H.sapiens mRNA for serine/threonine protein kinase EMK//2.1e-86:729:75//Hs.157199:X97630
 F-NT2RM4001776//Homo sapiens mRNA for KIAA0727 protein, partial cds//7.4e-175:803:99//Hs.39871:AB018270
 40 F-NT2RM4001783//ESTs, Weakly similar to T12D8.i [C.elegans]//3.1e-71:376:95//Hs.108396:AA160677
 F-NT2RM4001810//Homo sapiens centrosomal Nek2-associated protein 1 (C-NAP1) mRNA, complete cds//0.99:446:58//Hs.27910:AF049105
 F-NT2RM4001813//Homo sapiens clone 24820 mRNA sequence//6.6e-14:249:70//Hs.146312:AF070547
 F-NT2RM4001819//Cell division cycle 2-like 1 (PITSLRE proteins)//1.4e-35:195:95//Hs.963:M37712
 45 F-NT2RM4001823//ESTs, Weakly similar to ZINC FINGER PROTEIN 91 [H.sapiens]//2.3e-40:252:90//Hs.119294:AI379442
 F-NT2RM4001828//Zinc finger protein 157 (HZF22)//1.8e-75:688:72//Hs.89897:U28687
 F-NT2RM4001836//NUCLEOBINDIN PRECURSOR//0.0022:588:59//Hs.953:M96824
 F-NT2RM4001841//ESTs//0.86:156:67//Hs.146276:AI214204
 50 F-NT2RM4001842//ESTs//0.20:191:62//Hs.107657:AA126814
 F-NT2RM4001856
 F-NT2RM4001858//Human putative cerebral cortex transcriptional regulator T-Brain-1 (Tbr-1) mRNA, complete cds//8.0e-10:244:66//Hs.22138:U49250
 F-NT2RM4001865//Homo sapiens mRNA for atopy related autoantigen CALC//2.3e-150:704:98//Hs.61628:Y17711
 55 F-NT2RM4001876//Human mRNA for KIAA0231 gene, partial cds//9.1e-44:621:66//Hs.7938:D86984
 F-NT2RM4001880
 F-NT2RM4001905//ESTs//7.5e-11:137:75//Hs.86950:AI204212

- F-NT2RM4001922//ESTs//2.5e-51:291:93//Hs.26660:AI312633
 F-NT2RM4001930//Homo sapiens mRNA for putative glucosyltransferase, partial cds//0.98:359:57//Hs.155356:AJ224875
 F-NT2RM4001938
 5 F-NT2RM4001940//Homo sapiens timeless homolog mRNA, complete cds//3.6e-172:808:98//Hs.118631:AF098162
 F-NT2RM4001953//Human mRNA for KIAA0118 gene, partial cds//5.0e-54:362:83//Hs.154326:D42087
 F-NT2RM4001965//ESTs, Weakly similar to KIAA0157 gene product is novel. [H.sapiens]//1.8e-65:337:96//Hs.130135:AA905493
 10 F-NT2RM4001969//ESTs//0.00024:261:63//Hs.157579:AI312862
 F-NT2RM4001979//Homo sapiens mRNA for KIAA0798 protein, complete cds//3.2e-63:527:76//Hs.159277:AB018341
 F-NT2RM4001984//EST//7.1e-05:235:61//Hs.105444:AA508082
 F-NT2RM4001987//Homo sapiens mRNA for KIAA0467 protein, partial cds//0.73:181:65//Hs.11147:AB007936
 15 F-NT2RM4002013//ESTs//0.97:185:63//Hs.103345:AI302271
 F-NT2RM4002018//ESTs//2.5e-76:398:94//Hs.119544:T95601
 F-NT2RM4002034
 F-NT2RM4002044//ESTs//9.6e-83:410:97//Hs.128162:AA815048
 F-NT2RM4002054//EST//8.5e-12:176:71//Hs.137181:R56912
 20 F-NT2RM4002055//Homo sapiens mRNA for KIAA0640 protein, partial cds//3.3e-173:803:98//Hs.153026:AB014540
 F-NT2RM4002062//ESTs, Weakly similar to ASPARTYL-TRNA SYNTHETASE [Thermus aquaticus thermophilus]//7.0e-94:396:94//Hs.59346:AI126802
 F-NT2RM4002063
 25 F-NT2RM4002066//Homo sapiens OPA-containing protein mRNA, complete cds//1.1e-74:889:69//Hs.85313:AF071309
 F-NT2RM4002067//ESTs//2.3e-34:455:69//Hs.118273:AA626040
 F-NT2RM4002073//Insulin-like growth factor binding protein 2//3.2e-10:470:61//Hs.162:X16302
 F-NT2RM4002075//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//2.9e-24:588:61//Hs.122967:AF059569
 30 F-NT2RM4002093//Polypyrimidine tract binding protein (hnRNP I) {alternative products}//9.2e-34:532:65//Hs.146459:X66975
 F-NT2RM4002109//Homo sapiens mitotic centromere-associated kinesin mRNA, complete cds//0.99:408:62//Hs.69360:U63743
 35 F-NT2RM4002128//Homo sapiens mRNA for KIAA0642 protein, partial cds//0.93:202:63//Hs.8152:AB014542
 F-NT2RM4002140//Human p300 protein mRNA, complete cds//0.99:320:59//Hs.25272:U01877
 F-NT2RM4002145//CARBOXYPEPTIDASE N 83 KD CHAIN//2.7e-06:388:59//Hs.73858:J05158
 F-NT2RM4002146//ESTs, Highly similar to similar to mago nashi [H.sapiens]//1.6e-135:646:97//Hs.104650:AI037879
 40 F-NT2RM4002161//Homo sapiens laforin (EPM2A) mRNA, partial cds//1.4e-150:763:95//Hs.22464:AF084535
 F-NT2RM4002174
 F-NT2RM4002189//Mucin 2, intestinal/tracheal//0.087:298:61//Hs.315:L21998
 F-NT2RM4002194//Human semaphorin III family homolog mRNA, complete cds//7.3e-11:454:60//Hs.32981:U38276
 45 F-NT2RM4002205//EST//2.6e-21:270:71//Hs.120013:AA707454
 F-NT2RM4002213//Homo sapiens mRNA for KIAA0610 protein, partial cds//0.52:313:61//Hs.118087:AB011182
 F-NT2RM4002226//ESTs, Highly similar to GTPASE ACTIVATING PROTEIN ROTUND [Drosophila melanogaster]//8.4e-125:588:98//Hs.23900:U82984
 F-NT2RM4002251//ESTs//1.0:77:74//Hs.155135:AA910966
 50 F-NT2RM4002256//ESTs//7.5e-28:358:74//Hs.13356:AI205764
 F-NT2RM4002266//Human kinase Myt1 (Myt1) mRNA, complete cds//0.73:502:57//Hs.77783:AF014118
 F-NT2RM4002278//EST//0.33:138:63//Hs.144096:AI032180
 F-NT2RM4002281
 F-NT2RM4002287//ESTs//0.00037:55:98//Hs.11134:T62979
 55 F-NT2RM4002294//Human mRNA for KIAA0281 gene, complete cds//6.7e-50:511:72//Hs.31463:D87457
 F-NT2RM4002301
 F-NT2RM4002323//ESTs//3.6e-09:105:87//Hs.131737:AI343331
 F-NT2RM4002339

EP 1 074 617 A2

F-NT2RM4002344//EST//0.16:166:64//Hs.128600:AA906454
F-NT2RM4002373//Homo sapiens mRNA for KIAA0649 protein, complete cds//9.1e-151:708:98//Hs.26163:AB014549
5 F-NT2RM4002374//Homo sapiens mRNA for KIAA0720 protein, partial cds//0.0040:303:63//Hs.23741:AB018263
F-NT2RM4002383//ESTs//8.0e-16:153:78//Hs.155243:N70293
F-NT2RM4002390
F-NT2RM4002398
F-NT2RM4002409
10 F-NT2RM4002438//ESTs, Weakly similar to probable CBP3 protein homolog [C.elegans]//1.1e-55:282:96//Hs.26676:AA033997
F-NT2RM4002446//Homo sapiens clone 24574 mRNA sequence//0.59:339:60//Hs.18686:AF052151
F-NT2RM4002452
F-NT2RM4002457//Homo sapiens mRNA for epiregulin, complete cds//3.2e-25:228:81//Hs.115263:D30783
F-NT2RM4002460//EST//1.0:142:65//Hs.145370:AI252780
15 F-NT2RM4002479//Homo sapiens RNA helicase-related protein mRNA, complete cds//8.9e-165:777:98//Hs.8765:AF083255
F-NT2RM4002482//Homo sapiens mRNA for KIAA0691 protein, complete cds//7.3e-95:464:97//Hs.94781:AB014591
F-NT2RM4002493
20 F-NT2RM4002499//ESTs//1.3e-44:653:67//Hs.23790:N99347
F-NT2RM4002504//Small inducible cytokine A5 (RANTES)//4.3e-30:225:83//Hs.155464:AF088219
F-NT2RM4002527//Human pre-B cell enhancing factor (PBEF) mRNA, complete cds//0.99:290:60//Hs.154968:U02020
F-NT2RM4002532//Human mRNA for KIAA0238 gene, partial cds//1.0:232:61//Hs.82042:D87075
25 F-NT2RM4002534//Homo sapiens angiotensin/vasopressin receptor AII/AVP mRNA, complete cds//1.0:100:70//Hs.159483:AF054176
F-NT2RM4002558//Homo sapiens amphiphysin II mRNA, complete cds//0.17:393:61//Hs.6619:U84004
F-NT2RM4002565//Homo sapiens mRNA for Asparaginyl tRNA Synthetase, complete cds//1.0:226:60//Hs.84043:D84273
30 F-NT2RM4002567//ESTs, Weakly similar to C17G10.1 [C.elegans]//3.3e-88:484:93//Hs.105837:AA536054
F-NT2RM4002571//ESTs, Weakly similar to UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase [H.sapiens]//0.059:121:70//Hs.155413:AA429394
F-NT2RM4002593//ESTs//1.0e-15:103:95//Hs.108920:W28151
F-NT2RM4002594//Homo sapiens 26S proteasome regulatory subunit (SUG2) mRNA, complete cds//1.0e-06:499:59//Hs.79357:D78275
35 F-NT2RM4002623//ESTs//1.2e-11:92:92//Hs.164046:T97402
F-NT2RP1000018//Homo sapiens mRNA for KIAA0687 protein, partial cds//2.0e-102:746:81//Hs.3628:AB014587
F-NT2RP1000035//Homo sapiens mRNA for NS1-binding protein (NS1-BP)//3.7e-155:747:96//Hs.159597:AJ012449
40 F-NT2RP1000040//ESTs//1.3e-58:338:92//Hs.17534:H16907
F-NT2RP1000063//ESTs//0.0013:72:83//Hs.108196:W81647
F-NT2RP1000086//Human mRNA for KIAA0360 gene, partial cds//5.4e-185:548:91//Hs.79971:X98834
F-NT2RP1000101//Homo sapiens hook2 protein (HOOK2) mRNA, complete cds//0.33:247:61//Hs.30792:AF044924
45 F-NT2RP1000111
F-NT2RP1000112//TTK protein kinase//3.2e-40:324:81//Hs.2052:M86699
F-NT2RP1000124//ESTs//2.4e-42:268:89//Hs.146078:AI084025
F-NT2RP1000130//ESTs, Moderately similar to HEPATOMA-DERIVED GROWTH FACTOR [H.sapiens]//1.4e-71:382:94//Hs.127842:W38901
50 F-NT2RP1000163//Homo sapiens cell cycle progression 2 protein (CPR2) mRNA, complete cds//2.1e-06:77:90//Hs.3760:AF011792
F-NT2RP1000170//EST//0.68:130:63//Hs.146994:AI184430
F-NT2RP1000174//Homo sapiens clone 24432 mRNA sequence//8.3e-140:679:97//Hs.78019:AF070535
F-NT2RP1000191//ESTs//1.3e-71:405:93//Hs.24054:N46499
55 F-NT2RP1000202//H.sapiens mRNA for cytokine inducible nuclear protein//2.0e-05:591:58//Hs.74019:X83703
F-NT2RP1000243
F-NT2RP1000259
F-NT2RP1000272//Homo sapiens TLS-associated protein TASR-2 mRNA, complete cds//5.4e-109:528:97//Hs.

- 4214:AF067730
 F-NT2RP1000324//ESTs//3.4e-98:499:96//Hs.42530:N41661
 F-NT2RP1000326//Homo sapiens metaxin 2 (MTX2) mRNA, nuclear gene encoding mitochondrial protein, complete cds//1.3e-148:693:98//Hs.31584:AF053551
- 5 F-NT2RP1000333//Homo sapiens monocyte/macrophage Ig-related receptor MIR-10 (MIR cl-10) mRNA, complete cds//0.28:328:60//Hs.22405:AF004231
 F-NT2RP1000348//Human plectin (PLEC1) mRNA, complete cds//0.018:337:62//Hs.79706:U53204
 F-NT2RP1000357
 F-NT2RP1000358//DYNAMIN-1//0.96:273:59//Hs.126:L07807
- 10 F-NT2RP1000363//Homo sapiens mRNA for KIAA0638 protein, partial cds//3.2e-126:497:86//Hs.77864:AB014538
 F-NT2RP1000376//Homo sapiens calcium-independent phospholipase A2 mRNA, complete cds//5.9e-178:877:96//Hs.120360:AF064594
 F-NT2RP1000409//ESTs//5.4e-59:415:83//Hs.140578:AA828031
- 15 F-NT2RP1000413//Homo sapiens mRNA for KIAA0587 protein, complete cds//3.0e-179:710:98//Hs.21862:AB011159
 F-NT2RP1000416//ESTs, Highly similar to BONE MORPHOGENETIC PROTEIN 1 PRECURSOR [Mus musculus] //7.3e-177:857:97//Hs.6823:W18181
 F-NT2RP1000418//Homo sapiens calcium-activated potassium channel (KCNN3) mRNA, complete cds//0.46:222:60//Hs.89230:AF031815
- 20 F-NT2RP1000439//EST//0.98:339:56//Hs.137377:AA101603
 F-NT2RP1000443//Human SLP-76 associated protein mRNA, complete cds//1.0:356:59//Hs.58435:AF001862
 F-NT2RP1000460
 F-NT2RP1000470//Human DNA from chromosome 19-specific cosmid R27090, genomic sequence//3.7e-134:665:96//Hs.143187:AC002985
- 25 F-NT2RP1000478//Human beta-tubulin class III isotype (beta-3) mRNA, complete cds//6.2e-57:440:80//Hs.159154:U47634
 F-NT2RP1000481//ESTs//4.8e-21:154:87//Hs.17392:AA535102
 F-NT2RP1000493
- 30 F-NT2RP1000513//ESTs//2.2e-71:409:91//Hs.121029:AA480977
 F-NT2RP1000522//Homo sapiens clone DT1P1A11 mRNA, CAG repeat region//0.21:255:62//Hs.98834:U92992
 F-NT2RP1000547//H.sapiens mRNA for transmembrane protein rnp24//1.9e-06:337:63//Hs.75914:X92098
 F-NT2RP1000574//Homo sapiens homeobox protein MEIS2 (MEIS2) mRNA, partial cds//1.4e-82:295:92//Hs.104105:AF017418
- 35 F-NT2RP1000577//Human sialoprotein mRNA, complete cds//0.014:235:65//Hs.121552:J05213
 F-NT2RP1000581//VON WILLEBRAND FACTOR PRECURSOR//1.6e-33:223:89//Hs.110802:X04385
 F-NT2RP1000609//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1 gene//2.2e-49:506:73//Hs.132898:AC004770
 F-NT2RP1000629//Human clathrin assembly protein 50 (AP50) mRNA, complete cds//3.6e-19:556:62//Hs.152936:D63475
- 40 F-NT2RP1000630
 F-NT2RP1000677//Human breast tumor autoantigen mRNA, complete sequence//2.4e-05:389:59//Hs.3844:U24576
 F-NT2RP1000688//ESTs, Weakly similar to T06E6.d [C.elegans]//2.5e-43:232:95//Hs.3487:AA425553
- 45 F-NT2RP1000695//ESTs, Weakly similar to C27F2.7 gene product [C.elegans]//9.2e-53:312:90//Hs.7049:AI141736
 F-NT2RP1000701//Myogenic factor 3//0.81:186:63//Hs.2834:AF027148
 F-NT2RP1000721//Homo sapiens mRNA for repressor protein, partial cds//4.0e-33:278:78//Hs.58167:D30612
 F-NT2RP1000730//ESTs, Weakly similar to putative p150 [H.sapiens]//6.2e-40:297:84//Hs.18122:AI338045
- 50 F-NT2RP1000733//G1 to S phase transition 1//1.4e-31:286:78//Hs.2707:X17644
 F-NT2RP1000738//Homo sapiens Wolf-Hirschhorn syndrome candidate 2 protein (WHSC2) mRNA, complete cds//2.6e-123:604:96//Hs.21771:AF101434
 F-NT2RP1000746
 F-NT2RP1000767
- 55 F-NT2RP1000782//Human globin gene//3.6e-21:140:91//Hs.100090:M69023
 F-NT2RP1000796//H.sapiens mRNA for ROX protein//0.17:404:57//Hs.25497:X96401
 F-NT2RP1000825//Human DNA sequence from PAC 127B20 on chromosome 22q11.2-qter, contains gene for GTPase-activating protein similar to rhoGAP protein. ribosomal protein L6 pseudogene, ESTs and CA repeat//

- 2.7e-23:147:91//Hs.102336:Z83838
 F-NT2RP1000833//Homo sapiens cGMP phosphodiesterase A1 (PDE9A) mRNA, complete cds//5.4e-143:424:96//Hs.18953:AF067223
 F-NT2RP1000834//ESTs//0.18:280:60//Hs.157215:AI332903
 5 F-NT2RP1000836//EST//0.60:103:66//Hs.145708:AI267990
 F-NT2RP1000846//EST//1.2e-15:322:65//Hs.149925:AI288838
 F-NT2RP1000851//ESTs//6.1e-96:459:98//Hs.121586:AA423875
 F-NT2RP1000856//Human globin gene//6.7e-22:140:91//Hs.100090:M69023
 F-NT2RP1000860//Homo sapiens KL04P mRNA, complete cds//2.2e-107:551:95//Hs.125156:AF064094
 10 F-NT2RP1000902//EST//1.8e-28:218:85//Hs.145258:AI218683
 F-NT2RP1000915//ESTs//8.8e-11:102:81//Hs.163740:AI248847
 F-NT2RP1000916//ESTs, Weakly similar to coded for by C. elegans cDNA cm04e9 [C.elegans]//2.2e-27:159:94//Hs.122153:AA780270
 F-NT2RP1000943//Human hSIAH2 mRNA, complete cds//0.45:130:68//Hs.20191:U76248
 15 F-NT2RP1000944//EST//0.99:116:63//Hs.116633:AA668400
 F-NT2RP1000947//Human E2 ubiquitin conjugating enzyme Ubch5B (UBCH5B) mRNA, complete cds//2.7e-26:185:87//Hs.108332:U39317
 F-NT2RP1000954//Homo sapiens BACH1 mRNA, complete cds//0.81:329:56//Hs.154276:AB002803
 F-NT2RP1000958//ESTs//1.3e-20:129:92//Hs.163740:AI248847
 20 F-NT2RP1000959//Ribosomal protein, large, P0//0.36:76:73//Hs.73742:M17885
 F-NT2RP1000966//NUCLEOLIN//1.2e-72:353:98//Hs.79110:M60858
 F-NT2RP1000980//ESTs//1.6e-109:555:96//Hs.84429:N28866
 F-NT2RP1000988//Human chromosome 3p21.1 gene sequence//2.6e-73:665:80//Hs.82837:L13435
 F-NT2RP1001011
 25 F-NT2RP1001013//ESTs//3.4e-40:393:74//Hs.120206:AI089163
 F-NT2RP1001014
 F-NT2RP1001033//Tubulin, gamma polypeptide//0.00041:313:59//Hs.150785:M61764
 F-NT2RP1001073//Glucocorticoid receptor//1.0:204:61//Hs.75772:M10901
 F-NT2RP1001079//ESTs//1.0:174:62//Hs.158209:AI360531
 30 F-NT2RP1001080//Homo sapiens forkhead protein (FKHRL1) mRNA, complete cds//0.57:215:64//Hs.14845:AF032886
 F-NT2RP1001113//ESTs, Weakly similar to coded for by C. elegans cDNA CEESB82F [C.elegans]//1.4e-65:293:95//Hs.32751:H38087
 F-NT2RP1001173
 35 F-NT2RP1001177//Homo sapiens histone macroH2A1.2 mRNA, complete cds//6.1e-26:259:74//Hs.75258:AF054174
 F-NT2RP1001185//EST//1.4e-27:266:77//Hs.122245:AA781524
 F-NT2RP1001199//ESTs//0.97:75:73//Hs.131498:AI022150
 F-NT2RP1001247//Human endometrial bleeding associated factor mRNA, complete cds//1.6e-19:120:95//Hs.25195:U81523
 40 F-NT2RP1001248//ESTs//3.0e-21:143:93//Hs.157243:AI337094
 F-NT2RP1001253//PUTATIVE GLUCOSAMINE-6-PHOSPHATE ISOMERASE//1.2e-89:344:93//Hs.3090:AJ002231
 F-NT2RP1001286//H.sapiens mRNA for adenosine triphosphatase, calcium//0.026:392:57//Hs.5541:Y15724
 45 F-NT2RP1001294
 F-NT2RP1001302
 F-NT2RP1001310//Homo sapiens creatine transporter mRNA, complete cds//3.6e-07:379:61//Hs.154503:U36341
 F-NT2RP1001311//ESTs//9.5e-73:403:93//Hs.24739:H67815
 F-NT2RP1001313//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1 gene//3.1e-87:437:97//Hs.132898:AC004770
 50 F-NT2RP1001361//ESTs, Highly similar to NADH-UBIQUINONE OXIDOREDUCTASE SUBUNIT B14.5B [Bos tau-rus]//6.8e-101:480:94//Hs.75017:AA166853
 F-NT2RP1001385//EST//0.86:127:65//Hs.156304:AI336859
 F-NT2RP1001395//Homo sapiens stannin mRNA, complete cds//0.75:355:58//Hs.76691:AF070673
 55 F-NT2RP1001410//Thromboxane A2 receptor//1.0:157:63//Hs.89887:D38081
 F-NT2RP1001424//ESTs//5.3e-20:118:95//Hs.159792:R60700
 F-NT2RP1001432//ESTs//5.3e-20:118:95//Hs.159792:R60700
 F-NT2RP1001449//Homo sapiens clone 24733 mRNA sequence//5.7e-86:422:97//Hs.21970:AF052149

F-NT2RP1001457//H.sapiens DAP-kinase mRNA//0.40:231:61//Hs.153924:X76104
 F-NT2RP1001466
 F-NT2RP1001475//ESTs//1.2e-98:495:97//Hs.14347:AA287742
 F-NT2RP1001482
 5 F-NT2RP1001494
 F-NT2RP1001543//ESTs//1.2e-38:207:98//Hs.131063:AI016400
 F-NT2RP1001546//Homo sapiens mRNA for DAP-1 beta, complete cds//0.00077:254:64//Hs.75814:AB000277
 F-NT2RP1001569
 F-NT2RP1001616//Homo sapiens Tax interaction protein 1 mRNA, partial cds//2.5e-41:496:74//Hs.12956:U90913
 10 F-NT2RP1001665//ESTs//9.4e-58:311:96//Hs.127391:AA954420
 F-NT2RP2000001//Homo sapiens clone 617 unknown mRNA, complete sequence//4.7e-137:685:96//Hs.93677:AF091081
 F-NT2RP2000006//ESTs, Weakly similar to B0035.14 [C.elegans]//8.2e-47:300:89//Hs.6473:AA853955
 F-NT2RP2000007//Human mRNA for KIAA0392 gene, partial cds//1.1e-15:241:68//Hs.40100:AB002390
 15 F-NT2RP2000008//Human mRNA for KIAA0065 gene, partial cds//1.5e-29:526:66//Hs.70617:D31763
 F-NT2RP2000027//ESTs, Highly similar to LINE-1 REVERSE TRANSCRIPTASE HOMOLOG [Homo sapiens]//2.0e-26:214:82//Hs.140385:AA773359
 F-NT2RP2000032//ESTs//0.91:368:57//Hs.131209:AI038867
 F-NT2RP2000040//Homo sapiens mRNA for KIAA0747 protein, partial cds//6.1e-78:383:97//Hs.8309:AB018290
 20 F-NT2RP2000045//Homo sapiens tumorous imaginal discs protein Tid56 homolog (TID1) mRNA, complete cds//7.8e-97:467:97//Hs.6216:AF061749
 F-NT2RP2000054//HOMEBOX/POU DOMAIN PROTEIN RDC-1//1.0:110:70//Hs.74095:L20433
 F-NT2RP2000056//Human HPTP epsilon mRNA for protein tyrosine phosphatase epsilon//1.2e-27:146:100//Hs.155991:X54134
 25 F-NT2RP2000067//Human DNA sequence from clone 1052M9 on chromosome Xq25. Contains the SH2D1A gene for SH2 domain protein 1A, Duncan's disease (lymphoproliferative syndrome) (DSHP), part of a 60S Acidic Ribosomal protein 1 (RPLP1) LIKE gene and part of a mouse DOC4 LIKE gene. Contains ESTs and GSSs//8.1e-41:767:61//Hs.23796:AL022718 F-NT2RP2000070//Homo sapiens chromosome 5, BAC clone 203o13 (LBNL H155), complete sequence//6.5e-08:344:58//Hs.159402:AC005609
 30 F-NT2RP2000076//H.sapiens mRNA for TFIIA//0.00023:356:62//Hs.121686:D14887
 F-NT2RP2000077//Homo sapiens growth arrest specific 11 (GAS11) mRNA, complete cds//6.8e-79:278:97//Hs.54877:AF050078
 F-NT2RP2000079//ESTs//1.2e-36:202:94//Hs.17606:AI279879
 F-NT2RP2000088//Homo sapiens mRNA for KIAA0795 protein, partial cds//7.1e-160:752:98//Hs.22926:AB018338
 35 F-NT2RP2000091
 F-NT2RP2000097
 F-NT2RP2000098//ESTs//0.086:92:69//Hs.159389:AI371963
 F-NT2RP2000108//Human mRNA for KIAA0392 gene, partial cds//1.4e-18:200:77//Hs.40100:AB002390
 40 F-NT2RP2000114//Homo sapiens mRNA for GM3 synthase, complete cds//1.6e-115:551:97//Hs.17706:AB018356
 F-NT2RP2000120//ESTs, Weakly similar to HYPOTHETICAL 68.7 KD PROTEIN ZK757.1 IN CHROMOSOME III [C.elegans]//0.019:72:81//Hs.5268:W22670
 F-NT2RP2000126//Homo sapiens chromodomain-helicase-DNA-binding protein mRNA, complete cds//1.4e-120:607:96//Hs.159273:AF054177
 45 F-NT2RP2000133//Neuronal pentraxin II//0.00014:401:61//Hs.3281:U29195
 F-NT2RP2000147//Human clathrin assembly protein 50 (AP50) mRNA, complete cds//2.2e-18:559:60//Hs.152936:D63475
 F-NT2RP2000153//Homo sapiens splicing factor (CC1.3) mRNA, complete cds//0.33:85:70//Hs.256:L10910
 50 F-NT2RP2000157//ESTs//0.53:75:81//Hs.24885:R49291
 F-NT2RP2000161//ESTs//2.6e-06:89:84//Hs.21738:AI188190
 F-NT2RP2000173
 F-NT2RP2000175
 F-NT2RP2000183//Homo sapiens mRNA for dihydropyrimidinase related protein 4, complete cds//0.0018:324:58//Hs.100058:AB006713
 55 F-NT2RP2000195//ESTs, Weakly similar to C37E2.2 [C.elegans]//3.6e-37:233:90//Hs.56750:AI148761
 F-NT2RP2000205//ESTs//5.6e-58:317:93//Hs.49559:AA401050
 F-NT2RP2000208

F-NT2RP2000224//Homo sapiens hLRp105 mRNA for LDL receptor related protein 105, complete cds//0.0071:243:61//Hs.143641:AB009462
 F-NT2RP2000232//EST//0.0087:187:62//Hs.151024:Z39990
 F-NT2RP2000233//Homo sapiens Notch3 (NOTCH3) mRNA, complete cds//0.17:342:59//Hs.8546:U97669
 5 F-NT2RP2000239//Human mRNA for KIAA0380 gene, complete cds//1.0:227:60//Hs.47822:AB002378
 F-NT2RP2000248//EST//0.49:117:70//Hs.61016:AA019719
 F-NT2RP2000257//Macrophage stimulating 1 (hepatocyte growth factor-like)//0.51:227:60//Hs.30223:X90846
 F-NT2RP2000258//ESTs//3.1e-48:261:94//Hs.128230:AA972691
 F-NT2RP2000270//ESTs//2.9e-38:357:75//Hs.140329:AA714011
 10 F-NT2RP2000274//ESTs//1.1e-106:508:98//Hs.47646:AA307599
 F-NT2RP2000283//EST//1.0:139:63//Hs.128256:AA972910
 F-NT2RP2000288
 F-NT2RP2000289
 F-NT2RP2000297//Human repressor transcriptional factor (ZNF85) mRNA, complete cds//4.2e-60:744:70//Hs.37138:U35376
 15 F-NT2RP2000298//ESTs//6.1e-46:322:85//Hs.159490:AI123467
 F-NT2RP2000310//Human proline dehydrogenase/proline oxidase (PRODH) mRNA, complete cds//4.3e-13:140:80//Hs.58218:U82381
 F-NT2RP2000327//ESTs//4.3e-18:108:98//Hs.126212:AI417006
 20 F-NT2RP2000328//ESTs//6.3e-88:437:96//Hs.127336:AI332905
 F-NT2RP2000329//GTP:AMP PHOSPHOTRANSFERASE MITOCHONDRIAL//6.6e-41:607:66//Hs.101642:X60673
 F-NT2RP2000337//Homo sapiens neurocan (CSPG3) mRNA, complete cds//0.96:126:69//Hs.153706:AF026547
 F-NT2RP2000346//Homo sapiens apoptosis associated protein (GADD34) mRNA, complete cds//1.2e-130:627:97//Hs.76556:U83981
 25 F-NT2RP2000369//Homo sapiens mRNA for KIAA0630 protein, partial cds//0.56:464:57//Hs.12259:AB014530
 F-NT2RP2000412//ESTs//1.0:214:60//Hs.91226:AA649047
 F-NT2RP2000414//Homo sapiens HnRNP F protein mRNA, complete cds//1.6e-67:375:93//Hs.808:L28010
 F-NT2RP2000420//ESTs, Moderately similar to zinc finger protein [H.sapiens]//3.9e-75:413:92//Hs.36779:AA626790
 30 F-NT2RP2000422//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds//6.7e-128:609:96//Hs.5819:AF102265
 F-NT2RP2000438//ESTs//1.3e-05:50:98//Hs.156532:AA913381
 F-NT2RP2000448//EST//1.1e-24:136:98//Hs.160402:AI393918
 35 F-NT2RP2000459//H.sapiens mRNA for imogen 38//1.9e-22:158:87//Hs.154655:Z68747
 F-NT2RP2000498//ESTs//1.0e-17:181:79//Hs.155243:N70293
 F-NT2RP2000503//ESTs//4.5e-41:205:100//Hs.62751:AA765702
 F-NT2RP2000510
 F-NT2RP2000516
 40 F-NT2RP2000523//ESTs, Highly similar to APOLIPOPROTEIN B MRNA EDITING PROTEIN [Rattus norvegicus]//3.2e-15:167:75//Hs.10984:AA806768
 F-NT2RP2000603//Homo sapiens mRNA for KIAA0572 protein, partial cds//5.6e-38:196:98//Hs.14409:AB011144
 F-NT2RP2000617//Myosin, heavy polypeptide 6, cardiac muscle, alpha (cardiomyopathy, hypertrophic 1)//1.0:242:57//Hs.114001:Z20656
 45 F-NT2RP2000634//Homo sapiens mRNA for KIAA0614 protein, partial cds//4.2e-151:732:97//Hs.7314:AB014514
 F-NT2RP2000644//ESTs//0.035:276:60//Hs.43660:N33174
 F-NT2RP2000656
 F-NT2RP2000658//ESTs//0.032:281:59//Hs.124853:AA420602
 F-NT2RP2000668
 50 F-NT2RP2000678//ESTs//2.9e-16:310:65//Hs.126867:AI093453
 F-NT2RP2000704//ESTs, Highly similar to PUTATIVE SERINE/THREONINE-PROTEIN KINASE C41C4.4 IN CHROMOSOME II PRECURSOR [Caenorhabditis elegans]//2.4e-31:233:78//Hs.114905:AA088442
 F-NT2RP2000710
 F-NT2RP2000715
 55 F-NT2RP2000731
 F-NT2RP2000758//EST//1.0e-14:199:71//Hs.162409:AA573242
 F-NT2RP2000764//ESTs, Weakly similar to NIFS-LIKE 54.5 KD PROTEIN [Saccharomyces cerevisiae]//1.6e-74:445:89//Hs.21421:AA911739

F-NT2RP2000809//ESTs//1.2e-36:235:89//Hs.154580:N34101
 F-NT2RP2000812//Homo sapiens pendrin (PDS) mRNA, complete cds//0.22:351:58//Hs.159275:AF030880
 F-NT2RP2000814
 5 F-NT2RP2000816//Homo sapiens mRNA for KIAA0610 protein, partial cds//1.0:311:61//Hs.118087:AB011182
 F-NT2RP2000819
 F-NT2RP2000841//Human mRNA for KIAA0294 gene, complete cds//3.4e-28:390:70//Hs.20695:AB002292
 F-NT2RP2000842//Human lysophosphatidic acid receptor homolog mRNA, complete cds//9.5e-29:167:94//Hs.
 75794:U80811
 F-NT2RP2000845//ESTs//1.0e-83:403:98//Hs.156828:AI336850
 10 F-NT2RP2000863//ESTs, Highly similar to HYPOTHETICAL 36.7 KD PROTEIN C2F7.02C IN CHROMOSOME I
 [Schizosaccharomyces pombe]//6.4e-34:207:92//Hs.135235:AI081880
 F-NT2RP2000880//Homo sapiens mRNA for KIAA0741 protein, complete cds//7.7e-142:732:94//Hs.3615:
 AB018284
 F-NT2RP2000892//ESTs, Weakly similar to mitogen-activated kinase kinase kinase 5 [H.sapiens]//0.50:189:65//
 15 Hs.46146:AA418097
 F-NT2RP2000931//MATRIN3//1.1e-130:610:98//Hs.78825:AB018266
 F-NT2RP2000932//Homo sapiens BAC clone GS166A23 from 7p21//5.5e-66:326:97//Hs.15144:AC005014
 F-NT2RP2000938//ESTs//1.8e-28:296:75//Hs.22822:H06408
 F-NT2RP2000943//Homo sapiens mRNA for KIAA0755 protein, complete cds//1.9e-113:533:98//Hs.19822:
 20 AB018298
 F-NT2RP2000965//ESTs//5.3e-59:328:94//Hs.35575:R96494
 F-NT2RP2000970
 F-NT2RP2000985//ESTs, Weakly similar to HYPOTHETICAL 96.8 KD PROTEIN IN SIS2-MTD1 INTERGENIC
 REGION [Saccharomyces cerevisiae]//7.3e-76:385:96//Hs.21875:AA243700
 25 F-NT2RP2000987//ESTs//5.6e-11:177:72//Hs.15776:T91944
 F-NT2RP2001036//ESTs//2.0e-55:352:88//Hs.122131:AA789292
 F-NT2RP2001044//EST//0.069:267:60//Hs.102808:N67117
 F-NT2RP2001056//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488//1.0e-145:696:97//Hs.
 67619:AB007957
 30 F-NT2RP2001065
 F-NT2RP2001070//Human mRNA for KIAA0315 gene, partial cds//1.0:310:60//Hs.3989:AB002313
 F-NT2RP2001081
 F-NT2RP2001094//ESTs//0.0071:262:64//Hs.128115:AI356560
 F-NT2RP2001119//Small inducible cytokine A5 (RANTES)//2.2e-34:311:78//Hs.155464:AF088219
 35 F-NT2RP2001127//Human mRNA for KIAA0234 gene, complete cds//3.5e-33:519:63//Hs.80358:U52191
 F-NT2RP2001137//ESTs, Highly similar to RAB GDP DISSOCIATION INHIBITOR ALPHA [Bos taurus]//6.4e-34:
 201:91//Hs.118470:AI336362
 F-NT2RP2001149//EST//3.9e-27:244:78//Hs.162236:AA551582
 F-NT2RP2001168//ESTs//0.0023:216:62//Hs.134938:AI091361
 40 F-NT2RP2001173//Homo sapiens mRNA for KIAA0480 protein, complete cds//7.4e-114:567:96//Hs.26247:
 AB007949
 F-NT2RP2001174//H.sapiens ZNF81 gene//0.21:256:59//Hs.104020:X68011
 F-NT2RP2001196
 F-NT2RP2001218//ESTs//1.1e-65:337:96//Hs.115710:AA524598
 45 F-NT2RP2001226//Guanylate cyclase 1, soluble, alpha 2//0.030:395:59//Hs.2685:Z50053
 F-NT2RP2001233//Zinc finger protein 136 (clone pHZ-20)//4.4e-58:656:70//Hs.69740:U09367
 F-NT2RP2001245//EST//0.018:228:62//Hs.116798:AA633813
 F-NT2RP2001268//Homo sapiens mRNA for KIAA0810 protein, partial cds//8.1e-108:514:97//Hs.7531:AB018353
 F-NT2RP2001277//EST//0.42:127:66//Hs.42834:N20277
 50 F-NT2RP2001290//Homo sapiens alpha SNAP mRNA, complete cds//1.8e-62:527:76//Hs.75848:U39412
 F-NT2RP2001295//ESTs//3.4e-29:90:100//Hs.123321:AA810287
 F-NT2RP2001312//ESTs//1.0:121:61//Hs.160261:AI146387
 F-NT2RP2001327//Human B12 protein mRNA, complete cds//1.9e-30:359:71//Hs.76090:M80783
 F-NT2RP2001328//ESTs//5.2e-103:532:94//Hs.69476:AA628522
 55 F-NT2RP2001347//ESTs//4.3e-28:217:82//Hs.31775:H41883
 F-NT2RP2001366//ESTs, Weakly similar to ZK1058.5 [C.elegans]//1.8e-72:418:91//Hs.107039:W27244
 F-NT2RP2001378
 F-NT2RP2001381//ESTs//0.59:235:62//Hs.118569:AI377558

F-NT2RP2001392//Homo sapiens chromosome 5, BAC clone 203o13 (LBNL H155), complete sequence//0.28:
 225:62//Hs.159402:AC005609
 F-NT2RP2001394//ESTs//8.3e-22:133:78//Hs.109655:AI189767
 F-NT2RP2001397//ESTs//0.090:265:60//Hs.152775:AA633088
 5 F-NT2RP2001420
 F-NT2RP2001423//ESTs, Weakly similar to hypothetical protein [H.sapiens]//0.030:443:59//Hs.140506:AA308018
 F-NT2RP2001427//EST//1.9e-19:174:79//Hs.132635:AI032875
 F-NT2RP2001436//EST//0.16:132:66//Hs.128265:AA972966
 F-NT2RP2001440//Tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, eta polypeptide//
 10 9.8e-56:603:72//Hs.75544:Z82248
 F-NT2RP2001445//ESTs//2.2e-26:193:86//Hs.128610:AA504218
 F-NT2RP2001449
 F-NT2RP2001450
 F-NT2RP2001467
 15 F-NT2RP2001506
 F-NT2RP2001511//ESTs, Weakly similar to F48F7.1 [C.elegans]//3.2e-83:409:98//Hs.156161:AI333779
 F-NT2RP2001520//Homo sapiens mRNA for mitochondrial carrier protein ARALAR1//6.4e-138:657:97//Hs.4277:
 Y14494
 F-NT2RP2001526//EST//1.0:180:61//Hs.136311:AA437134
 20 F-NT2RP2001536//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds//
 5.2e-105:384:94//Hs.99742:AF035586
 F-NT2RP2001560
 F-NT2RP2001569//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488//1.4e-124:590:98//Hs.
 67619:AB007957
 25 F-NT2RP2001576//Erythrocyte membrane protein band 4.9 (dematin)//0.046:521:60//Hs.75936:U28389
 F-NT2RP2001581//EST//1.0:28:96//Hs.148002:AI264876
 F-NT2RP2001597//Casein kinase 2, alpha prime polypeptide//0.069:165:65//Hs.82201:M55268
 F-NT2RP2001601//Homo sapiens mRNA for KIAA0797 protein, partial cds//2.3e-138:647:98//Hs.27197:
 AB018340
 30 F-NT2RP2001613
 F-NT2RP2001628//ESTs//4.9e-45:238:96//Hs.135222:AI082229
 F-NT2RP2001634//Homo sapiens alpha-catenin related protein (ACRP) mRNA, complete cds//4.9e-124:604:96//
 Hs.58488:U97067
 F-NT2RP2001660//Homo sapiens putative 13 S Golgi transport complex 90kD subunit brain-specific isoform mR-
 35 NA, complete cds//1.3e-145:687:97//Hs.159558:AF058718
 F-NT2RP2001663//Enolase 1, (alpha)//4.2e-38:372:74//Hs.675:M14328
 F-NT2RP2001675//X-LINKED HELICASE III//0.040:454:58//Hs.96264:U72936
 F-NT2RP2001677//Homo sapiens mRNA for KIAA0771 protein, partial cds//0.028:285:63//Hs.6162:AB018314
 F-NT2RP2001678//Homo sapiens semaphorin F homolog mRNA, complete cds//1.7e-34:328:76//Hs.27621:
 40 U52840
 F-NT2RP2001699//EST//0.029:94:68//Hs.125936:AA889091
 F-NT2RP2001720//ESTs, Highly similar to Rap2 interacting protein 8 [M.musculus]//1.0:173:62//Hs.107361:
 AI197870
 F-NT2RP2001721
 45 F-NT2RP2001740//Homo sapiens Rigui (RIGUI) mRNA, complete cds//0.58:403:57//Hs.8114:AF022991
 F-NT2RP2001748//Farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltranstran-
 sferase, geranyltranstransferase)//1.2e-19:151:86//Hs.77393:D14697
 F-NT2RP2001762//Homo sapiens exonuclease 1a (EXO1a) mRNA, complete_cds//5.2e-34:191:96//Hs.47504:
 AF091754
 50 F-NT2RP2001813//EST//0.46:183:57//Hs.144096:AI032180
 F-NT2RP2001839//EST//2.5e-12:86:94//Hs.133226:AI052250
 F-NT2RP2001861//Homo sapiens mRNA for paraplegin//0.068:146:71//Hs.78497:Y16610
 F-NT2RP2001869//Homo sapiens ZNF202 alpha (ZNF202) mRNA, complete cds//0.0013:174:62//Hs.9443:
 AF027219
 55 F-NT2RP2001876//Allograft inflammatory factor 1//2.2e-08:162:67//Hs.76364:Y14768
 F-NT2RP2001883
 F-NT2RP2001898//75 KD INOSITOL-1,4,5-TRISPHOSPHATE 5-PHOSPHATASE PRECURSOR//3.0e-113:633:
 90//Hs.142189:M74161

EP 1 074 617 A2

F-NT2RP2001900//EST//1.9e-14:132:84//Hs.130049:AA902650
 F-NT2RP2001907//ESTs, Weakly similar to ankyrin 3, long form [H.sapiens]//0.37:263:62//Hs.106377:H29757
 F-NT2RP2001926//ESTs//1.1e-87:430:97//Hs.133487:AI393754
 F-NT2RP2001936
 5 F-NT2RP2001943
 F-NT2RP2001946//ESTs//1.0:110:69//Hs.7941:AA894797
 F-NT2RP2001947
 F-NT2RP2001969//ESTs//3.3e-93:433:93//Hs.9622:W44489
 F-NT2RP2001976//Homo sapiens KIAA0432 mRNA, complete cds//0.20:238:63//Hs.155174:AB007892
 10 F-NT2RP2001985//Homo sapiens mRNA for KIAA0545 protein, partial cds//7.4e-05:235:62//Hs.129943:AB011117
 F-NT2RP2001991//EST//0.0027:163:68//Hs.162458:AA579196
 F-NT2RP2002025//Homo sapiens mRNA for KIAA0756 protein, partial cds//3.2e-62:314:97//Hs.116604:AB018299
 15 F-NT2RP2002032
 F-NT2RP2002033//EST//1.2e-16:224:74//Hs.150409:AI003543
 F-NT2RP2002041//EST//0.022:139:69//Hs.127219:AA939336
 F-NT2RP2002046//ESTs//1.1e-35:218:92//Hs.130678:R51509
 F-NT2RP2002047//ESTs//0.43:131:64//Hs.153939:AI284198
 20 F-NT2RP2002058//Homo sapiens mRNA for KIAA0741 protein, complete cds//0.96:137:71//Hs.3615:AB018284
 F-NT2RP2002066//Homo sapiens transmembrane receptor UNC5C (UNC5C) mRNA, complete cds//3.1e-36:509:66//Hs.44553:AF055634
 F-NT2RP2002070//ESTs//0.00027:107:72//Hs.4852:R84241
 F-NT2RP2002076//Homo sapiens clone 24804 mRNA sequence//3.4e-129:643:96//Hs.11039:AF052183
 25 F-NT2RP2002078//EST//1.0:83:65//Hs.115996:AA609014
 F-NT2RP2002079//ESTs//6.2e-06:326:60//Hs.134202:AI313156
 F-NT2RP2002099//Homo sapiens mRNA for E1B-55kDa-associated protein//3.2e-112:533:97//Hs.155218:AJ007509
 F-NT2RP2002105//Homo sapiens serine threonine kinase 11 (STK11) mRNA, complete cds//6.1e-07:408:60//Hs.122755:AF032986
 30 F-NT2RP2002124//ESTs//1.3e-90:459:96//Hs.142053:AA224286
 F-NT2RP2002137//ATPase, Ca++ transporting, plasma membrane 4//0.0032:319:59//Hs.995:M83363
 F-NT2RP2002154//Homo sapiens mRNA for C17orf1 protein//1.0:149:65//Hs.100217:AJ008112
 F-NT2RP2002172//EST//4.4e-14:276:67//Hs.148392:AI085314
 35 F-NT2RP2002185//ESTs, Weakly similar to ubiquitin S6(1) [D.melanogaster]//6.8e-61:354:91//Hs.109966:C06057
 F-NT2RP2002192//Human 75-kD autoantigen (PM-Sc1) mRNA, complete cds//3.7e-37:194:97//Hs.91728:M58460
 F-NT2RP2002193//Homo sapiens protein inhibitor of activated STAT protein PIASx-alpha mRNA, complete cds//6.8e-15:228:67//Hs.111323:AF077954
 40 F-NT2RP2002208
 F-NT2RP2002219//ESTs//0.0059:247:61//Hs.36495:AA151628
 F-NT2RP2002231//ESTs//0.29:167:63//Hs.112013:AI394318
 F-NT2RP2002235//H.sapiens mRNA for PHAPI2b protein//0.86:67:82//Hs.84264:U70439
 45 F-NT2RP2002252//Homo sapiens mRNA for KIAA0527 protein, partial cds//0.79:264:59//Hs.129748:AB011099
 F-NT2RP2002256//Homo sapiens retinoic acid hydroxylase mRNA, complete cds//2.1e-51:315:89//Hs.150595:AF005418
 F-NT2RP2002259//Human L-myc protein gene, complete cds//1.2e-26:343:71//Hs.92137:M19720
 F-NT2RP2002270//ESTs, Weakly similar to AF-9 PROTEIN [H.sapiens]//1.3e-31:206:88//Hs.4029:Z78373
 50 F-NT2RP2002292//ESTs//1.3e-07:153:67//Hs.13533:H23079
 F-NT2RP2002312//Homo sapiens CDP-diacylglycerol synthase 2 (CDS2) mRNA, partial cds//5.0e-95:467:96//Hs.24812:AF069532
 F-NT2RP2002316//ESTs//0.95:194:63//Hs.157214:AA805445
 F-NT2RP2002325//Homo sapiens peroxisomal biogenesis factor (PEX11a) mRNA, complete cds//1.3e-124:640:95//Hs.31034:AB015594
 55 F-NT2RP2002333//Protein-tyrosine kinase tyk2 (non-receptor)//1.0:257:60//Hs.75516:X54637
 F-NT2RP2002373
 F-NT2RP2002385//Homo sapiens synaptic glycoprotein SC2 spliced variant mRNA, complete cds//3.1e-139:673:

EP 1 074 617 A2

97//Hs.109051:AF038958
 F-NT2RP2002394//Human clone 23695 mRNA sequence//0.16:456:59//Hs.90798:U79289
 F-NT2RP2002408//HOMEBOX/POU DOMAIN PROTEIN RDC-1//0.00069:265:65//Hs.74095:L20433
 F-NT2RP2002426//EST//4.3e-33:271:79//Hs.145743:AI269098
 5 F-NT2RP2002439//ESTs//0.0041:129:68//Hs.146064:AA714326
 F-NT2RP2002442//ESTs, Weakly similar to similar to molybdopter biosynthesis MOEB proteins [C.elegans]//5.6e-26:169:89//Hs.25198:AA904265
 F-NT2RP2002457//ESTs//0.00031:121:71//Hs.134860:AI091436
 F-NT2RP2002464//Human mRNA for KIAA0086 gene, complete cds//0.0013:207:63//Hs.1560:D42045
 10 F-NT2RP2002475//ESTs//1.0:85:75//Hs.155371:AI139929
 F-NT2RP2002479//Homo sapiens mRNA for ABC transporter 7 protein, complete cds//7.6e-125:607:96//Hs.125856:AB005289
 F-NT2RP2002498
 F-NT2RP2002503//Human zinc finger protein (FDZF2) mRNA, complete cds//2.2e-89:314:87//Hs.102681:U95044
 15 F-NT2RP2002504//Homo sapiens mRNA for KIAA0791 protein, complete cds//3.8e-159:761:97//Hs.23255:AB018334
 F-NT2RP2002520//RAB6, member RAS oncogene family//0.99:216:59//Hs.107563:M28212
 F-NT2RP2002537
 F-NT2RP2002546//EST//0.81:161:65//Hs.120562:AA741096
 20 F-NT2RP2002549//ESTs//0.76:228:61//Hs.146313:AA594979
 F-NT2RP2002591//Homo sapiens mRNA for KIAA0798 protein, complete cds//2.9e-33:285:78//Hs.159277:AB018341
 F-NT2RP2002595//Adenylate cyclase 8 (brain)//0.39:377:59//Hs.2522:Z35309
 F-NT2RP2002606//Human Line-1 repeat mRNA with 2 open reading frames//6.4e-24:144:95//Hs.23094:M19503
 25 F-NT2RP2002609//Human guanine nucleotide regulatory protein (tim1) mRNA, complete cds//1.0:120:68//Hs.334:U02082
 F-NT2RP2002618//H.sapiens mRNA for arginine methyltransferase, splice variant, 1262 bp//4.3e-28:460:63//Hs.20521:Y10805
 F-NT2RP2002621
 30 F-NT2RP2002643//Human p300/CBP-associated factor (P/CAF) mRNA, complete cds//0.0022:210:64//Hs.155302:U57317
 F-NT2RP2002672//ESTs//7.4e-30:226:84//Hs.94694:W52493
 F-NT2RP2002701//ESTs, Highly similar to HYPOTHETICAL 68.7 KD PROTEIN ZK757.1 IN CHROMOSOME III [Caenorhabditis elegans]//8.3e-56:278:97//Hs.109857:AA088385
 35 F-NT2RP2002706//CEREBELLIN 1 PRECURSOR//0.00042:367:61//Hs.662:M58583
 F-NT2RP2002710//Homo sapiens mRNA for KIAA0672 protein, complete cds//8.0e-42:631:65//Hs.6336:AB014572
 F-NT2RP2002727
 F-NT2RP2002736//ESTs//3.2e-67:336:97//Hs.86583:AA761217
 40 F-NT2RP2002740//EST//1.0e-70:352:97//Hs.145168:AI150297
 F-NT2RP2002741//Human mRNA for Neuroblastoma, complete cds//2.4e-30:628:62//Hs.87435:D89016
 F-NT2RP2002750//Human mRNA for KIAA0331 gene, complete cds//2.1e-29:285:75//Hs.146395:AB002329
 F-NT2RP2002752//EST//2.2e-06:126:74//Hs.159913:AA862709
 F-NT2RP2002753//ESTs//4.3e-14:137:81//Hs.133478:T79705
 45 F-NT2RP2002769//Human plectin (PLEC1) mRNA, complete cds//0.017:507:57//Hs.79706:U53204
 F-NT2RP2002778//EST//1.6e-57:319:93//Hs.147519:AI216407
 F-NT2RP2002800
 F-NT2RP2002839//ESTs//0.075:177:62//Hs.132445:AA921763
 F-NT2RP2002857//ESTs//0.99:88:69//Hs.132104:AI382142
 50 F-NT2RP2002862
 F-NT2RP2002880
 F-NT2RP2002891//Homo sapiens mRNA for KIAA0673 protein, partial cds//1.0:237:62//Hs.106487:AB014573
 F-NT2RP2002925//ESTs//1.6e-33:318:77//Hs.16808:W22606
 F-NT2RP2002928//Homo sapiens pre-mRNA splicing factor (PRP17) mRNA, complete cds//3.9e-136:623:99//Hs.116674:AF038392
 55 F-NT2RP2002929//Homo sapiens ataxin-7 (SCA7) mRNA, complete cds//0.24:158:65//Hs.108447:AJ000517
 F-NT2RP2002939
 F-NT2RP2002954

F-NT2RP2002959//Human E2 ubiquitin conjugating enzyme Ubch5B (UBCH5B) mRNA, complete cds//6.4e-21:
 135:91//Hs.108332:U39317
 F-NT2RP2002979
 F-NT2RP2002980
 5 F-NT2RP2002986//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//7.8e-11:272:61//Hs.
 122967:AF059569
 F-NT2RP2002987//ESTs//8.2e-20:99:82//Hs.138965:AI004740
 F-NT2RP2002993
 F-NT2RP2003000//Small inducible cytokine A5 (RANTES)//2.1e-46:353:81//Hs.155464:AF088219
 10 F-NT2RP2003034//ESTs//1.6e-08:263:66//Hs.164048:AA811741
 F-NT2RP2003073//Human clone 230971 defective mariner transposon Hsmar2 mRNA sequence//4.6e-43:381:
 78//Hs.159176:U92019
 F-NT2RP2003099//TRICHOHYALIN//0.98:183:62//Hs.82276:L09190
 F-NT2RP2003108//H.sapiens nek2 mRNA for protein kinase//0.025:185:67//Hs.153704:U11050
 15 F-NT2RP2003117//ESTs//7.6e-30:219:88//Hs.153408:AA416633
 F-NT2RP2003121//ESTs//1.9e-13:158:73//Hs.129998:AI291379
 F-NT2RP2003125//Serum response factor (c-fos serum response element-binding transcription factor)//4.5e-06:
 556:57//Hs.155321:J03161
 F-NT2RP2003129//ESTs//0.095:218:63//Hs.70836:AA121544
 20 F-NT2RP2003137
 F-NT2RP2003157//Homo sapiens mRNA for KIAA0620 protein, partial cds//0.40:227:61//Hs.105958:AB014520
 F-NT2RP2003158//Homo sapiens mRNA for proteasome subunit p58, complete cds//5.7e-113:581:93//Hs.9736:
 D67025
 F-NT2RP2003161//ESTs//0.0095:120:65//Hs.163532:AI424170
 25 F-NT2RP2003164//EST//0.11:179:63//Hs.163299:AA853944
 F-NT2RP2003165//Human mRNA for KIAA0355 gene, complete cds//1.0e-39:342:79//Hs.153014:AB002353
 F-NT2RP2003177//ESTs//3.6e-80:414:96//Hs.4767:N91123
 F-NT2RP2003194//ESTs//5.4e-20:119:95//Hs.149531:AI393223
 F-NT2RP2003206//EST//0.095:182:60//Hs.88461:AA278594
 30 F-NT2RP2003228//CDC21 HOMOLOG//9.3e-138:726:93//Hs.154443:X74794
 F-NT2RP2003230//ESTs//3.0e-10:239:62//Hs.163720:AA526947
 F-NT2RP2003237//Human 53K isoform of Type II phosphatidylinositol-4-phosphate 5-kinase (PIPK) mRNA, com-
 plete cds//1.3e-62:543:77//Hs.108966:U48696
 F-NT2RP2003243//Homo sapiens proline and glutamic acid rich nuclear protein isoform mRNA, partial cds//0.52:
 35 200:62//Hs.102732:U88153
 F-NT2RP2003265
 F-NT2RP2003272//ESTs, Weakly similar to ubiquitin S6(1) [D.melanogaster]//5.8e-57:313:93//Hs.109966:
 C06057
 F-NT2RP2003277//Homo sapiens mRNA for KIAA0625 protein, partial cds//4.9e-147:714:96//Hs.154919:
 40 AB014525
 F-NT2RP2003280
 F-NT2RP2003286//Homo sapiens mRNA for KIAA0587 protein, complete cds//0.0097:243:65//Hs.21862:
 AB011159
 F-NT2RP2003293//ESTs//5.5e-28:418:70//Hs.146227:AI269334
 45 F-NT2RP2003295//Homo sapiens RMP mRNA for RPB5 meidating protein, complete cds//2.0e-86:416:97//Hs.
 7943:AB006572
 F-NT2RP2003297//EST//0.99:240:60//Hs.133228:AI052312
 F-NT2RP2003307//ESTs//5.6e-15:137:81//Hs.90020:AA442752
 F-NT2RP2003308
 50 F-NT2RP2003329//ESTs, Highly similar to HYPOTHETICAL 54.9 KD PROTEIN C02F5.7 IN CHROMOSOME III
 [Caenorhabditis elegans]//1.8e-102:532:95//Hs.6092:T75227
 F-NT2RP2003339//ESTs//0.13:166:63//Hs.149649:AI346765
 F-NT2RP2003347//ESTs//0.96:185:59//Hs.125003:H85963
 F-NT2RP2003367//Human HsLIM15 mRNA for HsLim15, complete cds//0.99:243:60//Hs.37181:D64108
 55 F-NT2RP2003391
 F-NT2RP2003393
 F-NT2RP2003394//Homo sapiens Ran-GTP binding protein mRNA, partial cds//0.86:416:57//Hs.4976:AF039023
 F-NT2RP2003401

- F-NT2RP2003433//ESTs, Highly similar to PROTEIN TRANSPORT PROTEIN SEC61 ALPHA SUBUNIT [Canis familiaris]/3.7e-33:303:77//Hs.14038:R06800
- F-NT2RP2003445//EST//1.7e-06:154:65//Hs.142843:R36893
- 5 F-NT2RP2003446//Prostaglandin receptor, ep1 subtype//0.81:273:61//Hs.159360:L22647
- F-NT2RP2003456//EST//0.17:95:65//Hs.147190:AI193320
- F-NT2RP2003466//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1 gene//4.3e-53:339:78//Hs.132874:AC004770
- F-NT2RP2003480//Calpain, small polypeptide//1.1e-06:154:66//Hs.74451:X04106
- 10 F-NT2RP2003499//Homo sapiens delta-catenin mRNA, complete cds//3.1e-10:481:60//Hs.80220:U96136
- F-NT2RP2003506
- F-NT2RP2003511//Spectrin, beta, non-erythrocytic 1//0.76:189:62//Hs.107164:M96803
- F-NT2RP2003513//Human mRNA for KIAA0270 gene, partial cds//8.3e-78:403:94//Hs.78482:Y16270
- F-NT2RP2003517//Platelet-derived growth factor beta polypeptide (simian sarcoma viral (v-sis) oncogene homolog)//1.3e-24:151:95//Hs.1976:M12783
- 15 F-NT2RP2003522//Zinc finger protein 148 (pHZ-52)//1.1e-17:512:60//Hs.112180:AF039019
- F-NT2RP2003533//ESTs//1.8e-76:373:98//Hs.140402:AI138765
- F-NT2RP2003543//ESTs//9.3e-65:363:92//Hs.70643:AA030010
- F-NT2RP2003559//ESTs//0.00037:93:77//Hs.157564:AI356513
- F-NT2RP2003564//Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro)//2.9e-28:664:63//Hs.1042:M62800
- 20 F-NT2RP2003567//Homo sapiens mRNA for KIAA0462 protein, partial cds//1.3e-114:541:98//Hs.129937:AB007931
- F-NT2RP2003581//EST//1.0:59:76//Hs.158575:AI368947
- F-NT2RP2003596//ESTs, Weakly similar to No definition line found [C.elegans]/1.3e-63:224:95//Hs.34627:AA126463
- 25 F-NT2RP2003604//Homo sapiens alpha-catenin related protein (ACRP) mRNA, complete cds//1.7e-124:585:98//Hs.58488:U97067
- F-NT2RP2003629//ESTs//2.0e-103:535:95//Hs.105633:AA479166
- F-NT2RP2003643//Kallmann syndrome 1 sequence//0.85:216:61//Hs.89591:M97252
- 30 F-NT2RP2003668//Homo sapiens haemopoietic progenitor homeobox HPX42B (HPX42B) mRNA, complete cds//9.4e-47:371:80//Hs.125231:AF068006
- F-NT2RP2003687//EST//2.9e-14:134:80//Hs.132635:AI032875
- F-NT2RP2003691//ESTs//8.2e-47:296:83//Hs.138852:AA284247
- F-NT2RP2003702//DNA POLYMERASE EPSILON, CATALYTIC SUBUNIT A//0.85:190:61//Hs.18366:L09561
- 35 F-NT2RP2003704//ESTs, Weakly similar to putative p150 [H.sapiens]/5.1e-44:269:91//Hs.139757:N95271
- F-NT2RP2003706//Homo sapiens mRNA for KIAA0525 protein, partial cds//8.3e-110:518:98//Hs.78494:AB011097
- F-NT2RP2003713
- F-NT2RP2003714//Homo sapiens hematopoietic cell derived zinc finger protein mRNA, complete cds//2.7e-56:252:83//Hs.86371:AF054180
- 40 F-NT2RP2003727//EST//0.52:277:59//Hs.69507:AA111879
- F-NT2RP2003737//Human E2 ubiquitin conjugating enzyme Ubch5C (UBCH5C) mRNA, complete cds//4.0e-55:584:71//Hs.118797:U39318
- F-NT2RP2003751
- 45 F-NT2RP2003760
- F-NT2RP2003764
- F-NT2RP2003769
- F-NT2RP2003770//RETINOBLASTOMA BINDING PROTEIN 3//0.58:247:59//Hs.96055:U47677
- F-NT2RP2003777
- 50 F-NT2RP2003781//ESTs, Weakly similar to C47D12.3 [C.elegans]/3.7e-63:356:92//Hs.16131:AA568689
- F-NT2RP2003793//ESTs//4.8e-68:392:92//Hs.93949:AA782955
- F-NT2RP2003825//ESTs//7.6e-79:232:98//Hs.14347:AA287742
- F-NT2RP2003840//DNAJ PROTEIN HOMOLOG HSJ1//0.95:300:59//Hs.77768:X63368
- F-NT2RP2003857//EST//1.0:112:62//Hs.139216:AA244425
- 55 F-NT2RP2003859
- F-NT2RP2003871//ESTs//2.5e-44:222:99//Hs.146295:AA935780
- F-NT2RP2003885
- F-NT2RP2003912//ESTs, Weakly similar to G2-SPECIFIC PROTEIN KINASE NIMA [Emericella nidulans]/2.2e-

- 113:632:92//Hs.50072:AI378221
 F-NT2RP2003952//ESTs, Moderately similar to 60S RIBOSOMAL PROTEIN L32 [H.sapiens]//1.0:146:67//Hs.156920:AA489296
- 5 F-NT2RP2003968//Homo sapiens hUBP mRNA for ubiquitin specific protease, complete cds//6.8e-30:165:96//Hs.35086:AB014458
 F-NT2RP2003976//Homo sapiens mRNA for KIAA0447 protein, complete cds//7.9e-116:610:94//Hs.7302:AB007916
 F-NT2RP2003981//Homo sapiens mRNA for KIAA0804 protein, partial cds//3.2e-161:783:96//Hs.7316:AB018347
 F-NT2RP2003984
- 10 F-NT2RP2003986//ESTs//1.3e-39:296:83//Hs.152482:AI050036
 F-NT2RP2003988//Thiopurine S-methyltransferase//7.1e-44:532:70//Hs.51124:AF019369
 F-NT2RP2004013//ESTs, Highly similar to TRANSCRIPTION FACTOR BTF3 [Homo sapiens]//7.0e-104:556:93//Hs.111081:AI380378
 F-NT2RP2004014
- 15 F-NT2RP2004041//Homo sapiens chromosome 19, cosmid F17127//6.0e-11:120:80//Hs.10116:AC004780
 F-NT2RP2004042
 F-NT2RP2004066//Homo sapiens zinc finger protein (ZnF20) mRNA, complete cds//0.80:292:61//Hs.1147:AF011573
 F-NT2RP2004081//ESTs//5.7e-87:427:96//Hs.102296:AI217942
- 20 F-NT2RP2004098//Homo sapiens leucine-rich repeat protein SHOC-2 (SHOC-2) mRNA, complete cds//0.15:199:60//Hs.104315:AF054828
 F-NT2RP2004124//Homo sapiens mRNA for ephrin-A2//0.98:233:59//Hs.158306:AJ007292
 F-NT2RP2004142
 F-NT2RP2004152//ESTs//5.7e-35:187:96//Hs.98977:AA625872
- 25 F-NT2RP2004165//Homo sapiens serine kinase SRPK2 mRNA, complete cds//0.69:176:63//Hs.78353:U88666
 F-NT2RP2004170//ESTs//3.9e-05:380:61//Hs.143748:AI419966
 F-NT2RP2004172//ESTs//5.8e-18:104:99//Hs.157031:AI343501
 F-NT2RP2004187//ESTs, Moderately similar to zinc finger protein [H.sapiens]//1.7e-16:276:67//Hs.36779:AA626790
- 30 F-NT2RP2004194//Human p300/CBP-associated factor (P/CAF) mRNA, complete cds//1.0:124:69//Hs.155302:U57317
 F-NT2RP2004196
 F-NT2RP2004207//ESTs//3.8e-11:92:88//Hs.22678:AA604756
 F-NT2RP2004226//ESTs, Weakly Similar to teg292 protein [M.musculus]//1.8e-80:386:98//Hs.68791:AA527270
- 35 F-NT2RP2004232//Protein kinase C, mu//3.9e-36:448:67//Hs.2891:X75756
 F-NT2RP2004239//ESTs//0.12:196:61//Hs.127209:AA976680
 F-NT2RP2004240//EST//1.0:134:63//Hs.104466:AA282536
 F-NT2RP2004242//Homo sapiens Nck-2 (NCK2) mRNA, complete cds//0.27:313:59//Hs.129725:AF047487
 F-NT2RP2004245//ESTs, Weakly similar to No definition line found [C.elegans]//8.2e-51:474:74//Hs.108990:N25951
- 40 F-NT2RP2004270//MUELLERIAN INHIBITING FACTOR PRECURSOR//1.6e-06:490:60//Hs.12432:AC005263
 F-NT2RP2004300//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE BETA 3//0.35:157:67//Hs.37121:Z37544
 F-NT2RP2004316//Homo sapiens EXT-like protein 2 (EXTL2) mRNA, complete cds//1.5e-151:735:97//Hs.61152:AF000416
- 45 F-NT2RP2004321//ESTs//2.6e-64:385:88//Hs.133128:W27735
 F-NT2RP2004339//ESTs//3.3e-46:338:83//Hs.145091:AA814510
 F-NT2RP2004347//ESTs//1.0:184:61//Hs.134469:AA731632
 F-NT2RP2004364//ESTs//2.9e-70:366:95//Hs.14928:AA256202
- 50 F-NT2RP2004365
 F-NT2RP2004366//Homo sapiens mRNA for DFFRY protein, abundant transcript//0.60:295:57//Hs.39163:AF000986
 F-NT2RP2004373
 F-NT2RP2004389//ESTs, Highly similar to HYPOTHETICAL 70.7 KD PROTEIN F09G8.3 IN CHROMOSOME III [Caenorhabditis elegans]//3.3e-97:477:98//Hs.30490:AA146916
- 55 F-NT2RP2004392//ESTs//2.6e-61:305:98//Hs.43100:AA186588
 F-NT2RP2004396//Homo sapiens BAC clone RG135C18 from 7q21//1.4e-174:875:95//Hs.152759:AC005164
 F-NT2RP2004399//ESTs, Weakly similar to K01H12.1 [C.elegans]//1.2e-92:519:91//Hs.13275:AI341468

EP 1 074 617 A2

F-NT2RP2004400//EST//0.018:150:65//Hs.158739:AI375367
 F-NT2RP2004412
 F-NT2RP2004425//EST//0.049:145:64//Hs.160759:R36944
 F-NT2RP2004463//ESTs//1.5e-40:207:98//Hs.98057:C15687
 5 F-NT2RP2004476//Homo sapiens TWIK-related acid-sensitive K⁺ channel (TASK) mRNA, complete cds//0.45:208:61//Hs.24040:AF006823
 F-NT2RP2004490
 F-NT2RP2004512//ESTs//0.0012:330:61//Hs.70258:AI091203
 F-NT2RP2004523//Human high-affinity copper uptake protein (hCTR1) mRNA, complete cds//1.3e-29:270:79//
 10 Hs.73614:U83460
 F-NT2RP2004538//Homo sapiens mRNA for KIAA0591 protein, partial cds//4.6e-139:687:96//Hs.129908:AB011163
 F-NT2RP2004551//ESTs//0.0075:285:62//Hs.149442:AI346891
 F-NT2RP2004568//Homo sapiens antigen NY-CO-16 mRNA, complete cds//8.8e-06:291:61//Hs.132206:AF039694
 15 F-NT2RP2004580//Small inducible cytokine A5 (RANTES)//1.2e-45:334:82//Hs.155464:AF088219
 F-NT2RP2004587//Homo sapiens mRNA for KIAA0766 protein, complete cds//0.98:136:64//Hs.28020:AB018309
 F-NT2RP2004594//ESTs, Highly similar to MKR2 PROTEIN [Mus musculus]//1.0:104:68//Hs.125729:N99898
 F-NT2RP2004600//Homo sapiens mRNA for Hrs, complete cds//0.20:260:60//Hs.24756:U43895
 20 F-NT2RP2004602//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//3.0e-59:273:93//Hs.12845:N28835
 F-NT2RP2004614//EST//0.99:103:68//Hs.148738:AI224908
 F-NT2RP2004655//Homo sapiens mRNA for leucine rich protein//8.4e-104:496:98//Hs.5198:AJ006291
 F-NT2RP2004664//Homo sapiens mRNA for KIAA0460 protein, partial cds//5.2e-155:728:98//Hs.29956:AB007929
 25 F-NT2RP2004675//EST//0.65:151:62//Hs.130504:AI003839
 F-NT2RP2004681
 F-NT2RP2004689//Homo sapiens mRNA for KIAA0625 protein, partial cds//4.1e-61:327:94//Hs.154919:AB014525
 30 F-NT2RP2004709//ESTs//2.2e-05:98:77//Hs.161898:AA286942
 F-NT2RP2004710//ESTs//0.0035:76:82//Hs.108470:R93780
 F-NT2RP2004736//Homo sapiens mRNA for KIAA0478 protein, complete cds//2.1e-118:582:96//Hs.4236:AB007947
 F-NT2RP2004743//EST//0.11:170:64//Hs.112670:AA609242
 35 F-NT2RP2004767//EST//1.5e-09:303:65//Hs.148374:AA948183
 F-NT2RP2004768//ESTs, Highly similar to SERINE/THREONINE-PROTEIN KINASE PAK [Rattus norvegicus]//3.7e-110:548:96//Hs.85768:W16504
 F-NT2RP2004775//Homo sapiens transcriptional regulatory protein p54 mRNA, complete cds//0.025:547:57//Hs.107474:AF045451
 40 F-NT2RP2004791//Human endosome-associated protein (EEA1) mRNA, complete cds//0.99:121:64//Hs.2864:L40157
 F-NT2RP2004799//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds//4.9e-118:594:95//Hs.40820:AF058953
 F-NT2RP2004802//ESTs//5.6e-16:116:91//Hs.153841:N36043
 45 F-NT2RP2004816//Homo sapiens H beta 58 homolog mRNA, complete cds//6.8e-103:495:97//Hs.67052:AF054179
 F-NT2RP2004841//Human transposon-like element mRNA//3.0e-70:519:83//Hs.84775:M23161
 F-NT2RP2004861//ESTs//6.7e-89:427:98//Hs.132980:AI290258
 F-NT2RP2004897//ESTs//6.4e-81:431:94//Hs.130961:N79111
 50 F-NT2RP2004933//Homo sapiens mRNA for ZIP-kinase, complete cds//6.5e-84:418:95//Hs.25619:AB007144
 F-NT2RP2004936
 F-NT2RP2004959
 F-NT2RP2004961//Human mRNA for KIAA0065 gene, partial cds//7.2e-26:456:66//Hs.70617:D31763
 F-NT2RP2004962//EST//2.8e-15:242:69//Hs.146794:AI149478
 55 F-NT2RP2004967//ESTs//0.0022:218:63//Hs.131987:AI239735
 F-NT2RP2004978//Homo sapiens mRNA for KIAA0458 protein, complete cds//1.0:218:61//Hs.7414:AB007927
 F-NT2RP2004982//Human kinesin-like spindle protein HKSP (HKSP) mRNA, complete cds//0.13:260:60//Hs.41723:U37426

F-NT2RP2004985//Human mRNA for KIAA0144 gene, complete cds//4.8e-22:431:65//Hs.8127:D63478
 F-NT2RP2004999
 F-NT2RP2005000//Homo sapiens hyperpolarization-activated channel 1 (IH1) mRNA, partial cds//0.99:269:58//
 Hs.124161:AF065164
 5 F-NT2RP2005001//Homo sapiens mRNA for KIAA0615 protein, complete cds//1.9e-160:782:97//Hs.155972:
 AB014515
 F-NT2RP2005003//H.sapiens Staf50 mRNA//9.9e-44:430:75//Hs.68054:X82200
 F-NT2RP2005012//Homo sapiens SEC63 (SEC63) mRNA, complete cds//4.5e-100:501:96//Hs.31575:AF100141
 F-NT2RP2005018//Arachidonate 5-lipoxygenase//1.0:232:58//Hs.89499:J03600
 10 F-NT2RP2005020//ESTs//1.2e-06:61:100//Hs.106160:AA527433
 F-NT2RP2005022//Eukaryotic translation initiation factor 3 (eIF-3) p36 subunit//0.095:271:60//Hs.139745:U39067
 F-NT2RP2005031//Homo sapiens mRNA for SCP-1, complete cds//0.99:338:61//Hs.112743:D67035
 F-NT2RP2005037//Homo sapiens mRNA for repressor protein, partial cds//0.098:217:60//Hs.58167:D30612
 F-NT2RP2005038//Homo sapiens protease-activated receptor 4 mRNA, complete cds//0.22:498:59//Hs.137574:
 15 AF055917
 F-NT2RP2005108//ESTs//0.74:145:63//Hs.116557:AA657838
 F-NT2RP2005116//Homo sapiens mRNA for KIAA0664 protein, partial cds//6.4e-105:495:98//Hs.22616:
 AB014564
 F-NT2RP2005126//H.sapiens mRNA for RNA helicase (Myc-regulated dead box protein)//9.2e-29:157:98//Hs.
 20 100555:X98743
 F-NT2RP2005139//ESTs//2.6e-91:479:95//Hs.125037:W42803
 F-NT2RP2005140//ESTs//0.81:308:59//Hs.27308:AA534947
 F-NT2RP2005144//Homo sapiens tubby like protein 3 (TULP3) mRNA, complete cds//8.3e-91:447:96//Hs.132226:
 AF045583
 25 F-NT2RP2005147
 F-NT2RP2005159//ESTs//1.5e-44:242:94//Hs.109819:AI357582
 F-NT2RP2005162//ESTs, Weakly similar to Y53C12A.3 [C.elegans]//0.97:80:73//Hs.107747:AI357868
 F-NT2RP2005168//Homo sapiens mRNA for E1B-55kDa-associated protein//4.4e-127:633:96//Hs.155218:
 AJ007509
 30 F-NT2RP2005204//H.sapiens 5T4 gene for 5T4 Oncofetal antigen//0.0034:187:66//Hs.82128:AJ012159
 F-NT2RP2005227//Homo sapiens PAC clone DJ0905J08 from 7p12-p14//1.3e-66:340:95//Hs.8173:AC005189
 F-NT2RP2005239//EST//1.3e-05:215:66//Hs.129528:AA994783
 F-NT2RP2005254//H.sapiens mRNA for PHAPI2b protein//1.0:101:71//Hs.84264:U70439
 F-NT2RP2005270//Homo sapiens creatine transporter mRNA, complete cds//0.56:114:68//Hs.154503:U36341
 35 F-NT2RP2005276//Homo sapiens acyl-CoA synthetase 4 (ACS4) mRNA, complete cds//1.2e-40:594:65//Hs.
 81452:AF030555
 F-NT2RP2005287//ESTs//8.2e-07:175:70//Hs.117134:AI383932
 F-NT2RP2005288//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds//2.3e-123:604:96//
 Hs.27007:AF060219
 40 F-NT2RP2005289//Homo sapiens mRNA for XPR2 protein//1.3e-141:670:98//Hs.44766:AJ007590
 F-NT2RP2005293//EST//1.9e-50:254:98//Hs.162017:AA505833
 F-NT2RP2005315//Homo sapiens mRNA for KIAA0676 protein, partial cds//3.6e-97:483:96//Hs.115763:
 AB014576
 45 F-NT2RP2005325//Human LIM-homeobox domain protein (hLH-2) mRNA, complete cds//2.6e-23:166:90//Hs.
 1569:U11701
 F-NT2RP2005336//Homo sapiens snRNA activating protein complex 190kD subunit (SNAP190) mRNA, complete
 cds//0.016:353:62//Hs.113265:AF032387
 F-NT2RP2005344//Homo sapiens mRNA for KIAA0566 protein, partial cds//2.8e-30:456:66//Hs.44697:AB011138
 F-NT2RP2005354//ESTs//0.71:192:60//Hs.39063:AA708958
 50 F-NT2RP2005358//Homo sapiens methyl-CpG binding protein MBD3 (MBD3) mRNA, complete cds//1.4e-100:
 489:96//Hs.107254:AC005943
 F-NT2RP2005360//ESTs//8.2e-35:190:95//Hs.163038:AA700122
 F-NT2RP2005393//Homo sapiens CTG26 alternate open reading frame mRNA, complete cds//0.87:244:59//Hs.
 113252:U80761
 55 F-NT2RP2005407
 F-NT2RP2005436//Homo sapiens mRNA for KIAA0561 protein, partial cds//0.28:338:57//Hs.6189:AB011133
 F-NT2RP2005441//ESTs//3.3e-45:238:96//Hs.5209:AA780068
 F-NT2RP2005453//ESTs//2.1e-20:115:99//Hs.133087:AI091164

- F-NT2RP2005457//ESTs, Highly similar to NADH-UBIQUINONE OXIDOREDUCTASE SUBUNIT B14.5B [Bos tau-
rus]/8.5e-48:295:90//Hs.75017:AA166853
- F-NT2RP2005464//ESTs//2.0e-99:495:96//Hs.3530:AA808243
- F-NT2RP2005465//V-crk avian sarcoma virus CT10 oncogene homolog//0.032:176:64//Hs.16:D10656
- 5 F-NT2RP2005472//ESTs//1.4e-34:180:98//Hs.158892:AD78412
- F-NT2RP2005476//Homo sapiens mRNA for KIAA0772 protein, complete cds//9.9e-48:432:77//Hs.15519:
AB018315
- F-NT2RP2005490//ESTs//4.5e-19:165:84//Hs.134382:AA083573
- F-NT2RP2005491
- 10 F-NT2RP2005495//ESTs//5.6e-96:452:99//Hs.145417:AI084164
- F-NT2RP2005496//Human mRNA for KIAA0326 gene, partial cds//4.4e-48:621:68//Hs.6833:AB002324
- F-NT2RP2005498//Human protein phosphatase 2A beta subunit mRNA, complete cds//1.6e-63:503:78//Hs.7688:
M64930
- F-NT2RP2005501//Homo sapiens Notch3 (NOTCH3) mRNA, complete cds//0.56:139:66//Hs.8546:U97669
- 15 F-NT2RP2005509//Glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), regulatory (30.8kD)//1.0:
291:59//Hs.89709:L35546
- F-NT2RP2005520//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds//1.2e-82:
444:92//Hs.119023:AF092563
- F-NT2RP2005525//Homo sapiens mRNA for KIAA0764 protein, complete cds//2.2e-19:112:99//Hs.6232:
20 AB018307
- F-NT2RP2005531//ESTs, Weakly similar to erythrocyte membrane protein 4.1 [H.sapiens]/3.5e-50:366:83//Hs.
61833:AA036735
- F-NT2RP2005539//Homo sapiens mRNA for NS1-binding protein (NS1-BP)//9.4e-155:747:97//Hs.159597:
AJ012449
- 25 F-NT2RP2005540//Homo sapiens mRNA for KIAA0494 protein, complete cds//1.9e-131:618:98//Hs.62515:
AB007963
- F-NT2RP2005549//ESTs, Weakly similar to HYPOTHETICAL 32.0 KD PROTEIN C16C10.10 IN CHROMOSOME
III [C.elegans]/2.5e-51:292:93//Hs.105684:H24407
- F-NT2RP2005555//EST//0.046:308:57//Hs.145962:AI276822
- 30 F-NT2RP2005557//ESTs//4.6e-48:382:79//Hs.125014:AI422839
- F-NT2RP2005581//ESTs//6.3e-28:166:93//Hs.87803:AA034436
- F-NT2RP2005600//ESTs//1.6e-40:228:93//Hs.160085:AI218627
- F-NT2RP2005605//ESTs//5.7e-13:115:86//Hs.37718:H60071
- F-NT2RP2005620//Homo sapiens epsin 2b mRNA, complete cds//3.1e-92:447:97//Hs.22396:AF062085
- 35 F-NT2RP2005622//ESTs//0.16:242:63//Hs.136395:AA523702
- F-NT2RP2005635
- F-NT2RP2005637//ESTs//0.055:96:69//Hs.105998:R90905
- F-NT2RP2005640//ESTs//4.5e-16:107:92//Hs.150823:AI292145
- F-NT2RP2005645//ESTs//2.7e-29:181:90//Hs.121653:AI375440
- 40 F-NT2RP2005651//Oxysterol binding protein//0.00011:122:69//Hs.1433065:M86917
- F-NT2RP2005654//Homo sapiens mRNA for KIAA0288 gene, complete cds//1.5e-08:351:62//Hs.91400:
AB006626
- F-NT2RP2005669//ESTs//0.016:185:64//Hs.97713:AA442239
- F-NT2RP2005675//Homo sapiens growth suppressor related (DOC-1R) mRNA, complete cds//7.7e-96:462:98//
45 Hs.25664:AF089814
- F-NT2RP2005683//ESTs//0.83:242:62//Hs.136395:AA523702
- F-NT2RP2005690//PYRROLINE-5-CARBOXYLATE REDUCTASE//2.5e-11:328:61//Hs.79217:M77836
- F-NT2RP2005694
- F-NT2RP2005701//Homo sapiens protein phosphatase 2A B56-epsilon (PP2A) mRNA, complete cds//0.15:496:
50 55//Hs.79326:L76703
- F-NT2RP2005712//Homo sapiens mRNA for KIAA0799 protein, partial cds//5.1e-126:599:97//Hs.61638:
AB018342
- F-NT2RP2005719//ESTs//0.58:326:60//Hs.157209:N57527
- F-NT2RP2005722//Zinc finger protein 136 (clone pHZ-20)//8.2e-46:415:77//Hs.69740:U09367
- 55 F-NT2RP2005723//ESTs//1.0e-15:141:81//Hs.163747:AA174017
- F-NT2RP2005726//EST//3.4e-15:96:95//Hs.156170:AI334191
- F-NT2RP2005732//ESTs//0.99:162:62//Hs.154914:AA721086
- F-NT2RP2005741//Homo sapiens chondroadherin gene, 5'flanking region and//0.80:362:58//Hs.97220:U96769

EP 1 074 617 A2

F-NT2RP2005748//H.sapiens ZNF33B gene//0.47:99:65//Hs.72991:X68688
 F-NT2RP2005752//Homo sapiens TNFR-related death receptor-6 (DR6) mRNA, complete cds//2.5e-23:134:96//
 Hs.159651:AF068868
 5 F-NT2RP2005753//Homo sapiens I-1 receptor candidate protein mRNA, complete cds//4.0e-102:486:98//Hs.
 26285:AF082516
 F-NT2RP2005763//EUKARYOTIC INITIATION FACTOR 4A-LIKE NUK-34//2.3e-05:425:56//Hs.79768:D21853
 F-NT2RP2005767//Homolog 2 of Drosophila large discs//0.085:262:61//Hs.23205:X82895
 F-NT2RP2005773//PYRROLINE-5-CARBOXYLATE REDUCTASE//2.0e-16:153:82//Hs.79217:M77836
 F-NT2RP2005775//Human thimet oligopeptidase (THOP1) mRNA, complete cds//1.7e-42:645:64//Hs.78769:
 10 Z50115
 F-NT2RP2005781//ESTs//1.1e-19:132:90//Hs.13550:AI378556
 F-NT2RP2005784//Inhibitor of DNA binding 4, dominant negative helix-loop-helix protein//2.9e-06:201:67//Hs.
 34853:U28368
 F-NT2RP2005804//ESTs//1.2e-07:62:93//Hs.125509:AA883820
 15 F-NT2RP2005812
 F-NT2RP2005815//ESTs//1.9e-32:173:97//Hs.144587:AI193595
 F-NT2RP2005835
 F-NT2RP2005841//Homo sapiens retinal rod Na-Ca+K exchanger (NCKX1) mRNA, complete cds//0.94:148:65//
 Hs.59829:AB014602
 20 F-NT2RP2005853
 F-NT2RP2005857//Homo sapiens chromosome-associated protein-C (hCAP-C) mRNA, partial cds//5.4e-176:829:
 98//Hs.50758:AF092564
 F-NT2RP2005859//ESTs//2.1e-97:537:92//Hs.131915:W22567
 F-NT2RP2005868
 25 F-NT2RP2005886//Human putative M phase phosphoprotein 1 (MPP1) mRNA, partial cds//0.26:728:57//Hs.240:
 L16782
 F-NT2RP2005890//ESTs//2.0e-97:453:100//Hs.88671:AA279943
 F-NT2RP2005901//ESTs//0.99:188:64//Hs.28639:R78360
 F-NT2RP2005908//ESTs//2.5e-43:325:82//Hs.152340:AA521399
 30 F-NT2RP2005933//ESTs, Highly similar to nucleoporin p54 [R.norvegicus]//7.9e-90:326:98//Hs.156882:
 AA292186
 F-NT2RP2005942//H.sapiens PAP mRNA//5.1e-48:618:67//Hs.49007:X76770
 F-NT2RP2005980//ESTs//2.8e-22:358:68//Hs.125446:AA883339
 F-NT2RP2006023
 35 F-NT2RP2006038//ESTs//8.0e-37:351:74//Hs.128787:AA418382
 F-NT2RP2006043//Human novel homeobox mRNA for a DNA binding protein//0.51:271:59//Hs.37035:U07664
 F-NT2RP2006052//ESTs//4.0e-05:233:63//Hs.124864:AA663093
 F-NT2RP2006069//Human mRNA for KIAA0279 gene, partial cds//0.0082:770:58//Hs.57652:D87469
 F-NT2RP2006071//ESTs//2.1e-24:396:65//Hs.104404:AI337416
 40 F-NT2RP2006098//ESTs//0.97:125:67//Hs.97996:AA405970
 F-NT2RP2006100
 F-NT2RP2006103//ESTs//5.2e-11:102:83//Hs.125656:AA883135
 F-NT2RP2006106//ESTs//1.6e-78:456:90//Hs.133496:AA315349
 F-NT2RP2006141//ESTs//1.7e-20:262:72//Hs.128677:AA649240
 45 F-NT2RP2006166
 F-NT2RP2006184//H.sapiens p63 mRNA for transmembrane protein//1.0:94:73//Hs.74368:X69910
 F-NT2RP2006186//Homo sapiens mRNA for KIAA0654 protein, partial cds//2.5e-114:567:96//Hs.109299:
 AB014554
 F-NT2RP2006196//Homo sapiens mRNA for KIAA0772 protein, complete cds//2.0e-23:187:85//Hs.15519:
 50 AB018315
 F-NT2RP2006200//ESTs//1.0:224:62//Hs.144100:AI205503
 F-NT2RP2006219//H.sapiens mRNA for DGCR6 protein//4.4e-118:618:93//Hs.153910:X96484
 F-NT2RP2006237
 F-NT2RP2006238
 55 F-NT2RP2006258//ESTs//0.0034:143:69//Hs.145798:AI269970
 F-NT2RP2006261//H.sapiens mRNA for serine/threonine protein kinase EMK//0.019:111:71//Hs.157199:X97630
 F-NT2RP2006275//Homo sapiens mRNA for serin protease with IGF-binding motif, complete cds//2.4e-05:388:
 60//Hs.75111:D87258

- F-NT2RP2006312//Homo sapiens BAF57 (BAF57) gene, complete cds//2.1e-121:598:97//Hs.3404:AF035262
 F-NT2RP2006320//ESTs, Moderately similar to maternal transcript Maid [M.musculus]//1.9e-29:151:100//Hs.36794:AI038407
 F-NT2RP2006321//ESTs//7.0e-15:141:82//Hs.71241:H09371
 5 F-NT2RP2006323//Homo sapiens mRNA for NBPhox, complete cds//4.7e-06:170:70//Hs.87202:D82344
 F-NT2RP2006333//Homo sapiens TRRAP protein (TRRAP) mRNA, complete cds//0.11:43:100//Hs.6892:AF076974
 F-NT2RP2006334//Homo sapiens mRNA for KIAA0602 protein, partial cds//3.1e-05:233:65//Hs.37656:AB011174
 F-NT2RP2006365//ESTs//8.9e-46:268:93//Hs.58403:AA058501
 10 F-NT2RP2006393//ESTs//1.2e-20:159:86//Hs.146018:AA280341
 F-NT2RP2006436//Human homeodomain-containing protein (HANF) mRNA, complete cds//0.59:133:64//Hs.95838:AF059734
 F-NT2RP2006441//ESTs//1.6e-82:400:98//Hs.143514:AI221934
 F-NT2RP2006454//EST//5.2e-07:172:68//Hs.157742:AI360509
 15 F-NT2RP2006456
 F-NT2RP2006464//Homo sapiens mRNA for AND-1 protein//1.1e-149:545:98//Hs.72160:AJ006266
 F-NT2RP2006467
 F-NT2RP2006472
 F-NT2RP2006534//ESTs//5.6e-05:192:66//Hs.135750:AA160048
 20 F-NT2RP2006554//EST//0.60:116:65//Hs.160110:AA922134
 F-NT2RP2006565//Homo sapiens secretory carrier-associated membrane protein (SCAMP) mRNA, complete cds//2.1e-115:669:90//Hs.31218:AF038966
 F-NT2RP2006571//Cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6//2.1e-24:476:64//Hs.73864:U22029
 25 F-NT2RP2006573
 F-NT2RP2006598//ESTs//1.3e-16:137:85//Hs.131350:AA805223
 F-NT2RP3000002//ESTs//3.6e-32:215:86//Hs.155446:AA188180
 F-NT2RP3000031//Homo sapiens mRNA for histone deacetylase-like protein (JM21)//1.9e-137:637:98//Hs.6764:AJ011972
 30 F-NT2RP3000046//Homo sapiens TTF-I interacting peptide 20 mRNA, partial cds//9.1e-07:568:61//Hs.79531:AF000560
 F-NT2RP3000047
 F-NT2RP3000050//Human repressor transcriptional factor (ZNF85) mRNA, complete cds//1.2e-58:633:69//Hs.37138:U35376
 35 F-NT2RP3000055//ESTs//1.2e-07:200:66//Hs.127362:AA954961
 F-NT2RP3000068
 F-NT2RP3000072//EST//0.99:199:63//Hs.8469:T40769
 F-NT2RP3000080//Landsteiner-Wiener blood group glycoprotein//4.8e-41:353:78//Hs.108287:L27670
 F-NT2RP3000085//Propionyl-coA carboxylase alpha chain//7.9e-30:665:60//Hs.80741:X14608
 40 F-NT2RP3000092//EST//2.0e-15:94:97//Hs.145389:AI253140
 F-NT2RP3000109//ESTs//6.8e-11:77:96//Hs.153931:AI243595
 F-NT2RP3000134//Homo sapiens PAC clone DJ0905J08 from 7p12-p14//5.0e-94:438:100//Hs.8173:AC005189
 F-NT2RP3000142//Homo sapiens mRNA for KIAA0592 protein, partial cds//2.9e-182:849:98//Hs.13273:AB011164
 45 F-NT2RP3000149//Human Line-1 repeat mRNA with 2 open reading frames//4.1e-20:133:94//Hs.23094:M19503
 F-NT2RP3000186//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0492//6.6e-08:152:71//Hs.127338:AB007961
 F-NT2RP3000197//ESTs//1.1e-58:301:96//Hs.87461:AA292779
 F-NT2RP3000207
 50 F-NT2RP3000220
 F-NT2RP3000233//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//6.6e-20:509:58//Hs.122967:AF059569
 F-NT2RP3000235//ESTs//1.7e-06:220:62//Hs.42771:N26740
 F-NT2RP3000247//Human mRNA for KIAA0218 gene, complete cds//6.7e-111:691:86//Hs.75863:D86972
 55 F-NT2RP3000251//ESTs//6.7e-48:245:97//Hs.28249:AA203733
 F-NT2RP3000252
 F-NT2RP3000255
 F-NT2RP3000267//ESTs//0.14:53:92//Hs.151586:W45568

- F-NT2RP3000299//Homo sapiens enhancer of filamentation (HEF1) mRNA, complete cds//1.7e-13:214:67//Hs.80261:L43821
- F-NT2RP3000312//ESTs//2.6e-50:255:97//Hs.146263:AA255863
- 5 F-NT2RP3000320//Homo sapiens proline and glutamic acid rich nuclear protein isoform mRNA, partial cds//0.0088:236:63//Hs.102732:U88153
- F-NT2RP3000324//ESTs//3.8e-10:102:83//Hs.55495:AI091242
- F-NT2RP3000333//ESTs, Weakly similar to mitogen-activated kinase kinase kinase 5 [H.sapiens]//0.57:189:65//Hs.46146:AA418097
- 10 F-NT2RP3000341//Human mRNA for KIAA0392 gene, partial cds//1.1e-49:442:78//Hs.40100:AB002390
- F-NT2RP3000348
- F-NT2RP3000350//H.sapiens mRNA for GTP-binding protein//0.93:164:59//Hs.78582:X80754
- F-NT2RP3000359//GTP:AMP PHOSPHOTRANSFERASE MITOCHONDRIAL//1.8e-43:649:66//Hs.101642:X60673
- 15 F-NT2RP3000361//ESTs//2.6e-112:531:98//Hs.17672:AA305921
- F-NT2RP3000366//ESTs, Highly similar to RAS-RELATED PROTEIN RAB-18A [Lymnaea stagnalis]//4.0e-116:596:95//Hs.21094:AI337016
- F-NT2RP3000393//ESTs//2.6e-18:137:89//Hs.115600:AA351639
- F-NT2RP3000397//ESTs//8.7e-44:355:73//Hs.121961:AA777873
- 20 F-NT2RP3000403//Homo sapiens formin binding protein 21 mRNA, complete cds//1.6e-175:841:97//Hs.28307:AF071185
- F-NT2RP3000418//Human Line-1 repeat mRNA with 2 open reading frames//2.7e-33:610:65//Hs.23094:M19503
- F-NT2RP3000433//ESTs//1.5e-32:246:69//Hs.120892:AA724948
- F-NT2RP3000439//Adenosine A2b receptor//0.44:210:62//Hs.45743:X68487
- F-NT2RP3000441
- 25 F-NT2RP3000449//ESTs//0.60:177:64//Hs.132605:AI051562
- F-NT2RP3000451//Receptor protein-tyrosine kinase EDDR1//0.95:315:58//Hs.75562:U48705
- F-NT2RP3000456//ESTs//7.5e-23:140:92//Hs.5209:AA780068
- F-NT2RP3000484//EST//2.5e-06:166:67//Hs.149950:AI289822
- F-NT2RP3000487//ESTs//1.2e-63:311:98//Hs.143304:AI084058
- 30 F-NT2RP3000512//Homeo box B3//3.1e-18:109:97//Hs.49931:X16667
- F-NT2RP3000526//ESTs//3.7e-74:424:93//Hs.42991:N21379
- F-NT2RP3000527//Human mRNA for KIAA0211 gene, complete cds//8.0e-36:706:63//Hs.79347:D86966
- F-NT2RP3000531//ESTs//9.6e-75:392:95//Hs.144148:H08308
- F-NT2RP3000542//ESTs//3.2e-88:448:96//Hs.30622:AA486412
- 35 F-NT2RP3000561//EST//0.88:92:64//Hs.148290:AA908404
- F-NT2RP3000562//ESTs//1.1e-112:522:99//Hs.125153:AA453723
- F-NT2RP3000578
- F-NT2RP3000582//ESTs//2.1e-82:413:97//Hs.118544:R17277
- F-NT2RP3000584
- 40 F-NT2RP3000590//ESTs//1.0:134:64//Hs.12969:N56904
- F-NT2RP3000592//Paired basic amino acid cleaving system 4//3.4e-05:502:57//Hs.77234:AB001914
- F-NT2RP3000596//ESTs//6.8e-71:361:95//Hs.118741:AA179811
- F-NT2RP3000599//ESTs, Weakly similar to T19B10.6 [C.elegans]//9.3e-61:355:92//Hs.114622:AA693492
- 45 F-NT2RP3000603//Human mRNA for KIAA0227 gene, partial cds//6.3e-10:553:59//Hs.79170:D86980
- F-NT2RP3000605//ESTs//5.8e-51:283:94//Hs.127152:AI421203
- F-NT2RP3000622//ESTs//1.7e-10:72:98//Hs.155360:AA984683
- F-NT2RP3000624//64 KD AUTOANTIGEN D1//0.99:194:61//Hs.79386:X54162
- F-NT2RP3000628//ESTs//0.96:221:61//Hs.131161:AI017333
- F-NT2RP3000632//ESTs//4.4e-53:244:77//Hs.143010:AA767904
- 50 F-NT2RP3000644//Small inducible cytokine A5 (RANTES)//3.0e-49:343:84//Hs.155464:AF088219
- F-NT2RP3000661
- F-NT2RP3000665//Homo sapiens putative transcription factor CA150 mRNA, complete cds//0.62:305:59//Hs.13063:AF017789
- F-NT2RP3000685
- 55 F-NT2RP3000690//EST//1.0:149:64//Hs.140263:AA709001
- F-NT2RP3000736//ESTs//5.3e-26:146:97//Hs.98613:D83884
- F-NT2RP3000739//ESTs//0.0046:66:87//Hs.6880:W26854
- F-NT2RP3000742//ESTs//5.5e-08:311:61//Hs.152224:AI369426

- F-NT2RP3000753//ESTs//2.6e-63:318:97//Hs.153000:AA777765
 F-NT2RP3000759//Homo sapiens mRNA for follistatin-related protein (FRP), complete cds//1.6e-38:245:91//Hs.2427:D89937
 F-NT2RP3000815
 5 F-NT2RP3000825//EST//1.0:220:61//Hs.135944:N45132
 F-NT2RP3000826//Homo sapiens deltex (Dx) mRNA, complete cds//0.00040:263:65//Hs.124024:AF053700
 F-NT2RP3000836//ESTs, Highly similar to CLATHRIN COAT ASSEMBLY PROTEIN AP47 HOMOLOG 2 [H.sapiens]//1.1e-71:363:96//Hs.23803:AA126476
 F-NT2RP3000841//EST//0.36:224:60//Hs.162094:AA524012
 10 F-NT2RP3000845//H.sapiens mRNA for serine/threonine protein kinase EMK//6.5e-48:593:68//Hs.157199:X97630
 F-NT2RP3000847//ESTs//0.0028:56:92//Hs.116406:AA209520
 F-NT2RP3000850//Small inducible cytokine A5 (RANTES)//2.0e-49:323:86//Hs.155464:AF088219
 F-NT2RP3000852
 15 F-NT2RP3000859//ESTs//0.39:169:62//Hs.148948:AA699918
 F-NT2RP3000865//EST//0.15:236:62//Hs.123366:AA811476
 F-NT2RP3000868//Human ovarian cancer downregulated myosin heavy chain homolog (Doc1) mRNA, complete cds//6.4e-31:766:60//Hs.15432:U53445
 F-NT2RP3000869//Human plectin (PLEC1) mRNA, complete cds//1.1e-13:701:60//Hs.79706:U53204
 20 F-NT2RP3000875
 F-NT2RP3000901//ESTs//8.2e-26:191:87//Hs.18793:R99101
 F-NT2RP3000904//EST//2.4e-49:240:100//Hs.160842:AI348374
 F-NT2RP3000917
 F-NT2RP3000919//MAP KINASE PHOSPHATASE-1//0.19:340:60//Hs.109895:X68277
 25 F-NT2RP3000968//40S RIBOSOMAL PROTEIN S15A//7.7e-44:351:83//Hs.2953:X84407
 F-NT2RP3000980//ESTs//6.5e-10:102:81//Hs.86950:AI204212
 F-NT2RP3000994//ESTs//4.1e-120:571:98//Hs.127295:AA918411
 F-NT2RP3001004//ESTs//1.1e-76:438:88//Hs.144554:N92198
 F-NT2RP3001007
 30 F-NT2RP3001055//ESTs, Weakly similar to weak similarity to procollagen alpha chain 1(V) chain [C.elegans]//2.9e-121:588:98//Hs.128781:AA160707
 F-NT2RP3001057//ESTs, Highly similar to ZINC FINGER PROTEIN 45 [Homo sapiens]//9.8e-54:282:97//Hs.30303:AI244662
 F-NT2RP3001081//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds//2.7e-51:534:74//Hs.27007:AF060219
 35 F-NT2RP3001084//Homo sapiens mRNA for KIAA0782 protein, partial cds//3.7e-16:474:60//Hs.21264:AB018325
 F-NT2RP3001096//Homo sapiens mRNA for cartilage-associated protein (CASP)//4.4e-16:428:60//Hs.155481:AJ006470
 F-NT2RP3001107//Human mRNA for KIAA0215 gene, complete cds//2.8e-34:712:64//Hs.82292:D86969
 40 F-NT2RP3001109//ESTs//1.2e-67:323:99//Hs.134734:AI337050
 F-NT2RP3001111
 F-NT2RP3001113//EST//1.1e-33:173:99//Hs.112640:AA609088
 F-NT2RP3001115//EST//1.3e-22:122:100//Hs.162990:AA688023
 F-NT2RP3001116//ESTs//1.1e-15:93:98//Hs.58412:W74779
 45 F-NT2RP3001119//Homo sapiens BC-2 protein mRNA, complete cds//0.96:258:61//Hs.12107:AF042384
 F-NT2RP3001120//Zinc finger protein 136 (clone pHZ-20)//2.4e-77:687:75//Hs.69740:U09367
 F-NT2RP3001126//Homo sapiens mRNA for KIAA0775 protein, complete cds//0.00018:341:60//Hs.94790:AB018318
 F-NT2RP3001133//Homeo box A4//0.00011:484:59//Hs.77637:M74297
 50 F-NT2RP3001140//Homo sapiens mRNA for KIAA0762 protein, partial cds//1.1e-180:851:98//Hs.5378:AB018305
 F-NT2RP3001147
 F-NT2RP3001150//PUTATIVE TACHYKININ RECEPTOR//0.97:257:59//Hs.957:M84605
 F-NT2RP3001155//Homo sapiens mRNA for AND-1 protein//1.7e-191:891:98//Hs.72160:AJ006266
 F-NT2RP3001176
 55 F-NT2RP3001214//EST//0.88:218:60//Hs.161147:AI417859
 F-NT2RP3001216//ESTs//1.5e-66:340:96//Hs.105994:W19981
 F-NT2RP3001221//ESTs, Weakly similar to M05D6.7 [C.elegans]//1.7e-97:512:95//Hs.103816:AA130866
 F-NT2RP3001232//EST//0.0016:116:71//Hs.136498:AA594010

F-NT2RP3001236//ESTs//3.7e-97:455:99//Hs.157488:AI362756
 F-NT2RP3001239//MICROTUBULE-ASSOCIATED PROTEIN 1B//1.7e-20:501:62//Hs.103042:L06237
 F-NT2RP3001245//ESTs//7.1e-80:434:93//Hs.22587:AA743132
 F-NT2RP3001253//Human prepromultimerin mRNA, complete cds//0.99:293:60//Hs.32934:U27109
 5 F-NT2RP3001260//Homo sapiens mRNA for KIAA0726 protein, complete cds//1.2e-48:761:64//Hs.107809:
 AB018269
 F-NT2RP3001268//Zinc finger protein 45 (a Kruppel-associated box (KRAB) domain polypeptide)//1.2e-42:454:
 72//Hs.41728:L75847
 F-NT2RP3001272//ESTs//5.0e-21:162:87//Hs.69149:AA102566
 10 F-NT2RP3001274
 F-NT2RP3001281//ESTs//2.1e-39:186:73//Hs.161662:AA836811
 F-NT2RP3001297//Human mRNA for KIAA0281 gene, complete cds//2.4e-48:544:69//Hs.31463:D87457
 F-NT2RP3001307//Human homeodomain protein (Prox 1) mRNA, complete cds//0.72:151:68//Hs.159437:
 U44060
 15 F-NT2RP3001318//Amylo-1,6-glucosidase, 4-alpha-glucanotransferase (glycogen debranching enzyme, glyco-
 gen storage disease type III)//0.012:522:56//Hs.904:U84010
 F-NT2RP3001325//ESTs//2.9e-80:396:97//Hs.99838:AA204731
 F-NT2RP3001338//Human mRNA for KIAA0211 gene, complete cds//1.6e-30:345:73//Hs.79347:D86966
 F-NT2RP3001339//Homo sapiens mRNA for KIAA0451 protein, complete cds//6.3e-67:559:80//Hs.18586:
 20 AB007920
 F-NT2RP3001340//Homo sapiens hyperpolarization-activated channel 1 (IH1) mRNA, partial cds//0.00019:473:
 61//Hs.124161:AF065164
 F-NT2RP3001355//ESTs, Weakly similar to ADP,ATP CARRIER PROTEIN, LIVER ISOFORM T2 [H.sapiens]//
 1.1e-81:421:96//Hs.32508:H29831
 25 F-NT2RP3001356//Homo sapiens Nck-2 (NCK2) mRNA, complete cds//0.15:313:60//Hs.129725:AF047487
 F-NT2RP3001374//ESTs//0.98:269:59//Hs.125303:AA873022
 F-NT2RP3001383//Homo sapiens mRNA for Sck, partial cds//0.73:173:65//Hs.30965:AB001451
 F-NT2RP3001384//Homa sapiens mRNA for HRIHFB2018, partial cds//2.1e-158:743:98//Hs.146214:AB015332
 F-NT2RP3001392//ESTs//0.013:246:63//Hs.95111:AA514595
 30 F-NT2RP3001396//ESTs//5.6e-16:141:85//Hs.97664:H10783
 F-NT2RP3001398//Zinc finger protein 45 (a Kruppel-associated box (KRAB) domain polypeptide)//1.0e-05:189:
 66//Hs.41728:L75847
 F-NT2RP3001399//Homo sapiens mitochondrial citrate transport protein (CTP) mRNA, 3' end//0.77:132:66//Hs.
 111024:L77567
 35 F-NT2RP3001407//EST//0.015:167:65//Hs.42217:H96658
 F-NT2RP3001420//ESTs//1.0:214:60//Hs.91226:AA649047
 F-NT2RP3001426
 F-NT2RP3001427
 F-NT2RP3001428//Neurotrophic tyrosine kinase, receptor, type 1//1.8e-73:431:91//Hs.85844:X66397
 40 F-NT2RP3001432//ESTs, Moderately similar to !!!! ALU SUBFAMILY SX WARNING ENTRY !!!! [H.sapiens]//6.9e-
 05:195:65//Hs.115868:AA568393
 F-NT2RP3001447
 F-NT2RP3001449//RYANODINE RECEPTOR, SKELETAL MUSCLE//0.00033:187:68//Hs.89631:U48508
 F-NT2RP3001453//ESTs//0.020:260:60//Hs.97882:AA203212
 45 F-NT2RP3001457//ESTs//9.4e-29:165:94//Hs.71749:AA988323
 F-NT2RP3001459
 F-NT2RP3001472//Homo sapiens Sox-like transcriptional factor mRNA, complete cds//4.2e-10:168:70//Hs.32317:
 AF072836
 F-NT2RP3001490//ESTs//3.1e-35:198:94//Hs.163665:AA250877
 50 F-NT2RP3001495//ESTs//2.5e-47:239:98//Hs.128045:AA970231
 F-NT2RP3001497//Homo sapiens multiple membrane spanning receptor TRC8 (TRC8) mRNA, complete cds//
 2.8e-172:804:98//Hs.28285:AF064801
 F-NT2RP3001527//Human lymphoid-specific SP100 homolog (LYSP100-B) mRNA, complete cds//9.4e-139:743:
 91//Hs.85283:U36500
 55 F-NT2RP3001529//ESTs, Moderately similar to topoisomerase IC-terminal fragment [H.sapiens]//0.28:224:65//Hs.
 105912:AI431328
 F-NT2RP3001538//ESTs//4.1e-05:139:71//Hs.148425:AI198074
 F-NT2RP3001554//Microtubule-associated protein 1A//9.8e-16:327:64//Hs.147918:U38291

- F-NT2RP3001580//Insulin-like growth factor binding protein 2//1.9e-06:426:59//Hs.162:X16302
 F-NT2RP3001587//Guanine nucleotide binding protein (G protein), alpha 11 (Gq class)//0.049:185:65//Hs.1686:M69013
 5 F-NT2RP3001589//Human mRNA for tryptophan hydroxylase (EC 1.14.16.4)//9.6e-51:345:82//Hs.144563:AF057280
 F-NT2RP3001607//ESTs//1.3e-07:299:63//Hs.43231:N22688
 F-NT2RP3001608//ESTs//5.7e-14:85:98//Hs.161133:AI091349
 F-NT2RP3001621//ESTs//1.6e-106:310:96//Hs.128505:AA306435
 F-NT2RP3001629
 10 F-NT2RP3001634//Homo sapiens TRIAD1 type I mRNA, complete cds//1.4e-62:276:97//Hs.9899:AF099149
 F-NT2RP3001642//ESTs//1.0:148:63//Hs.159495:T70173
 F-NT2RP3001646
 F-NT2RP3001671//Homo sapiens mRNA for NS1-binding protein (NS1-BP)//1.1e-172:816:98//Hs.159597:AJ012449
 15 F-NT2RP3001672//ESTs//5.0e-16:138:82//Hs.151864:T69027
 F-NT2RP3001676//ESTs, Highly similar to GTP-BINDING PROTEIN LEPA [*Pseudomonas fluorescens*]/9.0e-53:375:85//Hs.41127:AA555184
 F-NT2RP3001678//Human mRNA for KIAA0233 gene, complete cds//0.21:321:65//Hs.79077:D87071
 F-NT2RP3001679//ESTs, Highly similar to HYPOTHETICAL 68.7 KD PROTEIN ZK757.1 IN CHROMOSOME III [*Caenorhabditis elegans*]/4.0e-111:518:99//Hs.20364:AI420022
 20 F-NT2RP3001688//Homo sapiens mRNA expressed in thyroid gland//1.0:230:63//Hs.7486:D83198
 F-NT2RP3001690//EST//0.15:291:59//Hs.162336:AA564329
 F-NT2RP3001698//ESTs//0.24:134:69//Hs.129551:AA885219
 F-NT2RP3001708//ESTs, Weakly similar to TWISTED GASTRULATION PROTEIN PRECURSOR [*D.melanogaster*]/1.4e-31:191:94//Hs.131279:AA486291
 25 F-NT2RP3001712//Human SLP-76 associated protein mRNA, complete cds//0.41:259:59//Hs.58435:AF001862
 F-NT2RP3001716//ESTs, Highly similar to BONE MORPHOGENETIC PROTEIN 1 PRECURSOR [*Mus musculus*]/7.6e-159:747:98//Hs.6823:W18181
 F-NT2RP3001724//Homo sapiens chromodomain-helicase-DNA-binding protein mRNA, complete cds//4.4e-161:565:97//Hs.159273:AF054177
 30 F-NT2RP3001727//ESTs, Highly similar to HYPOTHETICAL 37.7 KD PROTEIN ZK686.3 IN CHROMOSOME III [*Caenorhabditis elegans*]/3.5e-116:554:98//Hs.144332:AA046836
 F-NT2RP3001730//Human mRNA for KIAA0128 gene, partial cds//1.3e-105:811:78//Hs.90998:D50918
 F-NT2RP3001739
 35 F-NT2RP3001752//ELK1, member of ETS oncogene family//7.2e-35:299:80//Hs.116549:AL009172
 F-NT2RP3001753//Human putative cerebral cortex transcriptional regulator T-Brain-1 (Tbr-1) mRNA, complete cds//0.10:528:56//Hs.22138:U49250
 F-NT2RP3001764//Human protein-tyrosine phosphatase mRNA, complete cds//2.4e-47:725:64//Hs.41688:U27193
 40 F-NT2RP3001777//Human eukaryotic translation initiation factor (eIF3) mRNA, complete cds//0.42:198:61//Hs.57783:U78525
 F-NT2RP3001782//Homo sapiens mRNA for KIAA0459 protein, partial cds//9.1e-153:710:98//Hs.28169:AB007928
 F-NT2RP3001792//Human M4 protein mRNA, complete cds//5.6e-27:358:69//Hs.79024:L03532
 45 F-NT2RP3001799//ESTs//0.0088:178:64//Hs.134938:AI091361
 F-NT2RP3001819//Collagen, type IX, alpha 3//0.026:530:58//Hs.53563:L41162
 F-NT2RP3001844//Homo sapiens mRNA for hair keratin acidic 3-III//0.90:379:58//Hs.32950:X82634
 F-NT2RP3001854//ESTs//1.5e-100:501:96//Hs.72217:AA166729
 F-NT2RP3001855//Human homeobox-containing protein mRNA, complete cds//7.8e-35:481:67//Hs.158225:U68727
 50 F-NT2RP3001857//ESTs//2.7e-85:414:98//Hs.151001:AA564706
 F-NT2RP3001896//ESTs, Weakly similar to F20D12.3 gene product [*C.elegans*]/2.9e-94:452:98//Hs.54952:AA872675
 F-NT2RP3001898//Homo sapiens mRNA for synaptogyrin 1a//0.65:245:61//Hs.6139:AL022326
 55 F-NT2RP3001915//ESTs//1.1e-83:397:99//Hs.157125:AA723896
 F-NT2RP3001926//EST//0.53:362:57//Hs.127917:AA969185
 F-NT2RP3001929//ESTs//7.4e-16:141:82//Hs.138852:AA284247
 F-NT2RP3001931

F-NT2RP3001938//Cyclin-dependent kinase inhibitor 1C (p57, Kip2)//0.0022:268:61//Hs.106070:U22398
 F-NT2RP3001943//Homo sapiens mRNA for KIAA0675 protein, complete cds//5.8e-167:815:96//Hs.15869:
 AB014575
 5 F-NT2RP3001944//ESTs//0.00052:60:91//Hs.131731:AI339335
 F-NT2RP3001969
 F-NT2RP3001989//EST//0.00016:263:63//Hs.144096:AI032180
 F-NT2RP3002002//Small inducible cytokine A5 (RANTES)//4.0e-61:293:83//Hs.155464:AF088219
 F-NT2RP3002004//H.sapiens mRNA for FAST kinase//5.2e-28:104:100//Hs.75087:X86779
 F-NT2RP3002007//ESTs//0.025:88:69//Hs.163310:AA856946
 10 F-NT2RP3002014//ESTs//4.8e-70:291:98//Hs.123693:AA283821
 F-NT2RP3002033//Homo sapiens mRNA for HYA22, complete cds//0.021:175:67//Hs.147189:D88153
 F-NT2RP3002045//ESTs, Highly similar to ALPHA-ADAPTIN [M.musculus]//3.8e-48:353:81//Hs.127507:
 AA993745
 F-NT2RP3002054//ESTs, Weakly similar to KIAA0319 [H.sapiens]//3.0e-25:212:83//Hs.71622:AA195155
 15 F-NT2RP3002056//ESTs, Highly similar to RETINOBLASTOMA BINDING PROTEIN 1 [Homo sapiens]//4.2e-82:
 407:97//Hs.131888:AI091806
 F-NT2RP3002057//Human Line-1 repeat mRNA with 2 open reading frames//3.7e-21:168:85//Hs.23094:M19503
 F-NT2RP3002062//EST//0.46:198:62//Hs.157711:AI359710
 F-NT2RP3002063//Membrane metallo-endopeptidase (neutral endopeptidase, enkephalinase, CALLA, CD10)//
 20 0.91:194:65//Hs.1298:J03779
 F-NT2RP3002081
 F-NT2RP3002097//Homo sapiens proline and glutamic acid rich nuclear protein isoform mRNA partial cds//0.073:
 297:61//Hs.102732:U88153
 F-NT2RP3002102//EST//2.8e-16:237:67//Hs.136255:T70256
 25 F-NT2RP3002108
 F-NT2RP3002142//ESTs//4.3e-138:654:98//Hs.5729:AA306018
 F-NT2RP3002146//H.sapiens mRNA for RanGTPase activating protein 1//0.27:276:62//Hs.5923:X82260
 F-NT2RP3002147//Human DNA sequence from clone 431H6 on chromosome 16. Contains a novel gene with
 some homology to mouse HN1 (Hematological and Neurological expressed sequence 1) downstream of a putative
 30 CpG island. Contains ESTs and GSSs//6.0e-51:204:99//Hs.107256:AL031009
 F-NT2RP3002151//G1 to S phase transition 1//2.6e-37:292:81//Hs.2707:X17644
 F-NT2RP3002163//Human DNA fragmentation factor-45 mRNA, complete cds//0.46:224:60//Hs.155344:U91985
 F-NT2RP3002165//ESTs, Highly similar to TRANSCRIPTIONAL REGULATOR PROTEIN HCNGP [Mus musculus]
 //3.0e-61:340:93//Hs.11379:AA594140
 35 F-NT2RP3002166//EST//0.039:114:69//Hs.140335:AA737046
 F-NT2RP3002173//ESTs, Weakly similar to HYPOTHETICAL 92.1 KD PROTEIN ZK1098.3 IN CHROMOSOME
 III [Caenorhabditis elegans]//4.0e-39:255:72//Hs.141429:AA631915
 F-NT2RP3002181//ESTs//3.6e-111:518:99//Hs.128505:AA30643
 F-NT2RP3002244//Myosin, heavy polypeptide 6, cardiac muscle, alpha (cardiomyopathy, hypertrophic1)//0.98:
 40 242:57//Hs.114001:Z20656
 F-NT2RP3002248
 F-NT2RP3002255//ESTs//8.4e-19:227:75//Hs.122817:AA772261
 F-NT2RP3002273//Homo sapiens homeobox protein A10 (HOXA10) gene, complete cds//0.42:189:62//Hs.
 110637:AC004080
 45 F-NT2RP3002276//ESTs//8.2e-97:463:98//Hs.45120:AA225139
 F-NT2RP3002303//ESTs//7.1e-10:96:87//Hs.135700:AA989386
 F-NT2RP3002304//Protein phosphatase 1, catalytic subunit, beta isoform//1.3e-05:496:60//Hs.21537:X80910
 F-NT2RP3002330//ESTs//1.3e-81:482:90//Hs.121460:AA744871
 F-NT2RP3002343//Homo sapiens potassium channel mRNA, complete cds//0.30:462:56//Hs.143624:AF033383
 50 F-NT2RP3002351//NAD-DEPENDENT METHYLENETETRAHYDROFOLATE DEHYDROGENASE//1.6e-65:
 588:75//Hs.154672:X16396
 F-NT2RP3002352//Homo sapiens mRNA for protein encoded by cxorf5 (71-7A) gene//4.2e-166:770:98//Hs.6483:
 Y16355
 F-NT2RP3002377//Homo sapiens mRNA for KIAA0788 protein, partial cds//7.5e-161:911:89//Hs.2397:Z70200
 55 F-NT2RP3002399
 F-NT2RP3002402//ESTs, Weakly similar to F02E9.6 [C.elegans]//4.3e-41:233:94//Hs.22880:AA056274
 F-NT2RP3002455//Homo sapiens mRNA for KIAA0678 protein, partial cds//3.9e-140:649:99//Hs.12707:
 AB014578

F-NT2RP3002484//ESTs//0.95:166:63//Hs.149993:AI291310
 F-NT2RP3002501//ESTs//0.92:43:90//Hs.119314:AA432108
 F-NT2RP3002512//Homo sapiens mRNA for KIAA0466 protein, partial cds//1.0:173:61//Hs.81234:AB007935
 5 F-NT2RP3002529//Human vacuolar protein sorting homolog h-vps45 mRNA, complete cds//4.4e-146:763:93//Hs.57738:U35246
 F-NT2RP3002545//Homo sapiens mRNA for KIAA0729 protein, partial cds//5.9e-180:833:98//Hs.19542:AB018272
 F-NT2RP3002549//ESTs, Weakly similar to POLYPOSIS LOCUS PROTEIN 1 [H.sapiens]//1.3e-42:510:70//Hs.96759:AA469984
 10 F-NT2RP3002566//Carnitine acetyltransferase//0.032:226:62//Hs.12068:X78706
 F-NT2RP3002587//EST//4.8e-31:330:74//Hs.139415:AA426054
 F-NT2RP3002590//EST//1.3e-40:202:100//Hs.144716:AI187919
 F-NT2RP3002602//RYANODINE RECEPTOR, SKELETAL MUSCLE//1.3e-06:280:63//Hs.89631:U48508
 F-NT2RP3002603
 15 F-NT2RP3002628//Homo sapiens mRNA for MSJ-1, complete cds//1.5e-05:264:61//Hs.3845:AB014888
 F-NT2RP3002631//Homo sapiens ADAM 21 mRNA, partial cds//0.97:320:58//Hs.121287:AF029900
 F-NT2RP3002650//Homo sapiens mRNA for cartilage-associated protein (CASP)//2.6e-13:441:63//Hs.155481:AJ006470
 F-NT2RP3002659//Human TAR RNA loop binding protein (TRP-185) mRNA, complete cds//1.7e-05:615:58//Hs.151518:U38847
 20 F-NT2RP3002660//ESTs//2.9e-32:164:100//Hs.152982:AA584308
 F-NT2RP3002663//ESTs, Highly similar to OXYSTEROL-BINDING PROTEIN [Homo sapiens]//4.1e-38:493:70//Hs.41086:AI337400
 F-NT2RP3002671//ESTs//3.7e-05:288:59//Hs.161359:AI421991
 25 F-NT2RP3002682//ESTs, Weakly similar to F17C11.8 [C.elegans]//1.6e-61:294:100//Hs.128750:AI367584
 F-NT2RP3002687
 F-NT2RP3002688//EST//1.0:312:58//Hs.156800:AI352200
 F-NT2RP3002701//EST//0.00083:55:87//Hs.159750:AI393657
 F-NT2RP3002713//ESTs//0.93:229:61//Hs.150459:AI279514
 30 F-NT2RP3002763//ESTs//1.7e-97:419:96//Hs.121593:W86291
 F-NT2RP3002770//Homo sapiens G protein-coupled receptor kinase 6 (GRK6) gene, partial cds//0.91:161:62//Hs.129736:AF040753
 F-NT2RP3002785
 F-NT2RP3002799//EST//1.7e-17:199:73//Hs.118694:AA148713
 35 F-NT2RP3002810//ESTs, Weakly similar to KIAA0062 [H.sapiens]//1.4e-76:423:93//Hs.41068:AA844350
 F-NT2RP3002818//Homo sapiens jerky gene product homolog mRNA, complete cds//2.2e-55:615:70//Hs.105940:AF004715
 F-NT2RP3002861//ESTs//1.1e-88:468:94//Hs.159821:AA524070
 F-NT2RP3002869//ESTs//3.4e-23:132:97//Hs.148873:T33582
 40 F-NT2RP3002876//Homo sapiens mRNA for B120, complete cds//2.7e-90:557:88//Hs.123090:AB001895
 F-NT2RP3002877//ESTs//1.1e-19:160:84//Hs.118273:AA626040
 F-NT2RP3002909//Homo sapiens mRNA for KIAA0771 protein, partial cds//1.8e-181:853:98//Hs.6162:AB018314
 F-NT2RP3002911//ESTs//2.8e-07:160:70//Hs.140402:AI138765
 F-NT2RP3002948//ESTs, Highly similar to RING CANAL PROTEIN [Drosophila melanogaster]//1.4e-133:645:97//Hs.3826:U69560
 45 F-NT2RP3002953//Homo sapiens mRNA for KIAA0588 protein, complete cds//5.2e-13:594:57//Hs.74599:AB011160
 F-NT2RP3002955//Homo sapiens mRNA for KIAA0719 protein, complete cds//0.76:412:57//Hs.21198:AB018262
 F-NT2RP3002969//EST//3.7e-50:272:94//Hs.162331:AA563870
 50 F-NT2RP3002972//Homo sapiens PAC clone DJ130H16 from 22q12.1-qter//5.1e-35:361:75//Hs.8003:AC004997
 F-NT2RP3002978//ESTs//2.8e-46:253:95//Hs.151924:AI287703
 F-NT2RP3002985//Human TFIIIB related factor hBRF (HBRF) mRNA, complete cds//0.071:550:58//Hs.32935:U28838
 F-NT2RP3002988//EST//0.0016:180:63//Hs.147632:AI218308
 55 F-NT2RP3003008//Human DNA-binding protein (HRC1) mRNA, complete cds//0.59:201:63//Hs.72925:M91083
 F-NT2RP3003032//ESTs//9.1e-40:241:92//Hs.113363:C06446
 F-NT2RP3003059//ESTs//0.0015:399:58//Hs.136895:AA897749
 F-NT2RP3003061//Ankyrin 1, erythrocytic//4.5e-14:633:59//Hs.1242:X16609

F-NT2RP3003068//EST//0.00014:80:83//Hs.121993:AA777928
 F-NT2RP3003071//ESTs//1.1e-62:315:98//Hs.16141:W56079
 F-NT2RP3003078
 F-NT2RP3003101
 5 F-NT2RP3003121//EST, Moderately similar to !!!! ALU SUBFAMILY SC WARNING ENTRY !!!! [H.sapiens]//0.98:88:68//Hs.99715:AA292700
 F-NT2RP3003133//EST//8.0e-17:218:68//Hs.134815:AI090740
 F-NT2RP3003138//Homo sapiens vasopressin-activated calcium mobilizing putative receptor protein (VACM-1) mRNA, complete cds//0.013:438:57//Hs.101299:AF017061
 10 F-NT2RP3003139//ESTs//0.020:260:61//Hs.59142:W88975
 F-NT2RP3003145//Homo sapiens aortic carboxypeptidase-like protein ACLP mRNA, complete cds//2.2e-20:430:63//Hs.118397:AF053944
 F-NT2RP3003150
 F-NT2RP3003157//Human repressor transcriptional factor (ZNF85) mRNA, complete cds//2.0e-72:894:68//Hs.37138:U35376
 15 F-NT2RP3003185//Homo sapiens mRNA for KIAA0521 protein, partial cds//0.045:410:59//Hs.6150:AB011093
 F-NT2RP3003193//Zinc finger protein 10 (KOX 1)//2.4e-74:737:71//Hs.2479:X78933
 F-NT2RP3003197//ESTs//1.8e-24:130:100//Hs.162504:AA668211
 F-NT2RP3003203//ESTs//3.5e-30:232:82//Hs.6880:W26854
 20 F-NT2RP3003204//ESTs//3.1e-109:524:98//Hs.152982:AA584308
 F-NT2RP3003210//ESTs//3.6e-16:113:91//Hs.121030:AA625325
 F-NT2RP3003212//EST//1.0e-52:500:74//Hs.161635:W22525
 F-NT2RP3003230//Human mRNA for actin binding protein p57, complete cds//6.0e-55:587:70//Hs.109606:D44497
 25 F-NT2RP3003242//Homo sapiens stanniocalcin-2 (STC-2) mRNA, complete cds//1.2e-129:617:98//Hs.155223:AF055460
 F-NT2RP3003251//H.sapiens Staf50 mRNA//1.1e-68:651:76//Hs.68054:X82200
 F-NT2RP3003264//Human bullous 230 kDa pemphigoid antigen (BPAG1) mRNA, complete cds//0.069:382:59//Hs.620:M69225
 30 F-NT2RP3003278//Homo sapiens hook2 protein (HOOK2) mRNA, complete cds//0.98:261:59//Hs.30792:AF044924
 F-NT2RP3003282//Homo sapiens dynamin (DNM) mRNA, complete cds//4.2e-133:694:93//Hs.11702:L36983
 F-NT2RP3003290//Human mRNA for RTP, complete cds//6.3e-66:662:71//Hs.75789:D87953
 F-NT2RP3003301//EST//1.0:58:74//Hs.158575:AI368947
 35 F-NT2RP3003302//Human Line-1 repeat mRNA with 2 open reading frames//3.1e-91:681:80//Hs.23094:M19503
 F-NT2RP3003311//ESTs//0.95:308:59//Hs.27308:AA534947
 F-NT2RP3003313//ESTs//0.0016:345:61//Hs.143304:AI084058
 F-NT2RP3003327//H.sapiens Staf50 mRNA//8.0e-31:253:67//Hs.68054:X82200
 F-NT2RP3003330
 40 F-NT2RP3003344
 F-NT2RP3003346//H.sapiens mRNA for delta 4-3-oxosteroid 5 beta-reductase//1.2e-42:644:66//Hs.2638:Z28339
 F-NT2RP3003353//Breast cancer 1, early onset//0.30:145:67//Hs.66746:L78833
 F-NT2RP3003377//Human mRNA for cadherin-15, complete cds//0.019:416:60//Hs.148090:D83542
 F-NT2RP3003384//ESTs//1.1e-65:346:96//Hs.35012:R92791
 45 F-NT2RP3003385//ESTs, Highly similar to SKD3 [M.musculus]//7.0e-74:384:96//Hs.21263:H16363
 F-NT2RP3003403//ESTs//4.9e-12:335:63//Hs.87258:AA463850
 F-NT2RP3003409//Human DHHC-domain-containing cysteine-rich protein mRNA, complete cds//3.2e-22:430:63//Hs.113272:U90653
 F-NT2RP3003411//Human metallothionein-le gene (hMT-le)//0.99:116:62//Hs.74170:M10942
 50 F-NT2RP3003427//ESTs//0.24:447:61//Hs.160907:AI422830
 F-NT2RP3003433//Protein tyrosine phosphatase, non-receptor type 12//1.0:243:61//Hs.62:M93425
 F-NT2RP3003464//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds//1.7e-182:853:98//Hs.14934:AF004828
 F-NT2RP3003490//Homo sapiens mRNA for KIAA0725 protein, partial cds//5.2e-175:826:98//Hs.26450:AB018268
 55 F-NT2RP3003491//Ryanodine receptor 2 (cardiac)//1.0:148:66//Hs.90821:X98330
 F-NT2RP3003500//ESTs//0.86:211:62//Hs.136037:AA013302
 F-NT2RP3003543//Homo sapiens clone 23790 unknown protein mRNA, complete cds//0.64:626:58//Hs.150828:

AF038169
 F-NT2RP3003552
 F-NT2RP3003555//ESTs//1.4e-12:81:98//Hs.144487:AI418322
 F-NT2RP3003564//EST//4.5e-08:186:69//Hs.116769:AA630365
 5 F-NT2RP3003572//EST//0.27:105:69//Hs.162134:AA526311
 F-NT2RP3003576//ESTs//1.2e-57:277:84//Hs.138852:AA284247
 F-NT2RP3003589//RAS-RELATED PROTEIN RAB-8//6.3e-38:373:73//Hs.123109:X56741
 F-NT2RP3003621//HEPATOCTE GROWTH FACTOR ACTIVATOR PRECURSOR//8.0e-09:564:61//Hs.104:
 D14012
 10 F-NT2RP3003625
 F-NT2RP3003656
 F-NT2RP3003659
 F-NT2RP3003665//ESTs//0.015:221:62//Hs.153705:AA527586
 F-NT2RP3003672//ESTs//0.70:351:57//Hs.27633:N76184
 15 F-NT2RP3003680//Human Bcl2, p53 binding protein Bbp/53BP2 (BBP/53BP2) mRNA, complete cds//0.013:190:
 63//Hs.44585:U58334
 F-NT2RP3003686//Homo sapiens clone 24519 unknown mRNA, partial cds//0.69:246:62//Hs.118463:AF055000
 F-NT2RP3003701//EST//0.93:79:69//Hs.145285:AI249848
 F-NT2RP3003716//Homo sapiens KIAA0405 mRNA, complete cds//8.3e-24:478:61//Hs.48998:AB007865
 20 F-NT2RP3003726//Homo sapiens mRNA for KIAA0757 protein, complete cds//7.4e-150:700:98//Hs.48513:
 AB018300
 F-NT2RP3003746
 F-NT2RP3003795//ESTs//7.1e-20:228:74//Hs.159571:AA454230
 F-NT2RP3003799
 25 F-NT2RP3003800//Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene homolog//4.7e-41:432:73//Hs.1422:
 M19722
 F-NT2RP3003805//Myosin, heavy polypeptide 6, cardiac muscle, alpha (cardiomyopathy, hypertrophic 1)//0.98:
 242:57//Hs.114001:Z20656
 F-NT2RP3003809//Human transcription factor, forkhead related activator 4 (FREAC-4) mRNA, complete cds//
 30 5.1e-07:624:59//Hs.96028:AF042832
 F-NT2RP3003819//Human ring zinc-finger protein (ZNF127-Xp) gene and 5' flanking sequence//0.84:171:63//Hs.
 102877:U41315
 F-NT2RP3003825
 F-NT2RP3003828//ESTs//2.1e-12:434:61//Hs.156864:AI346481
 35 F-NT2RP3003831
 F-NT2RP3003833//Homo sapiens clones 24718 and 24825 mRNA sequence//2.6e-48:242:98//Hs.25300:
 AF070611
 F-NT2RP3003842//Integrin, beta 8//1.0:345:60//Hs.832:M73780
 F-NT2RP3003846//Homo sapiens mRNA for KIAA0725 protein, partial cds//1.3e-37:335:68//Hs.26450:AB018268
 40 F-NT2RP3003870//Homo sapiens mRNA for KIAA0800 protein, complete cds//1.3e-175:805:99//Hs.118738:
 AB018343
 F-NT2RP3003876//ESTs, Highly similar to Rabin3 [R.norvegicus]//6.8e-39:243:90//Hs.124832:AA846576
 F-NT2RP3003914//ESTs, Weakly similar to UDP-GLUCOSE:GLYCOPROTEIN GLUCOSYLTRANSFERASE
 PRECURSOR [D.melanogaster]//1.1e-107:499:99//Hs.105794:AA701659
 45 F-NT2RP3003918//Homo sapiens VAMP-associated protein of 33 kDa (VAP-33) mRNA, complete cds//8.3e-49:
 404:77//Hs.9006:AF057358
 F-NT2RP3003932//ESTs//0.94:278:58//Hs.15661:W02396
 F-NT2RP3003989//ESTs//1.0:174:64//Hs.8095:AI359006
 F-NT2RP3003992//Cyclic nucleotide gated channel (photoreceptor), cGMP gated 2 (beta)//0.00070:433:58//Hs.
 50 93909:AF042498
 F-NT2RP3004013//ESTs, Moderately similar to M-phase phosphoprotein 4 [H.sapiens]//2.8e-127:617:97//Hs.
 142151:AA984061
 F-NT2RP3004016//Human p300/CBP-associated factor (P/CAF) mRNA, complete cds//0.0086:283:62//Hs.
 155302:U57317
 55 F-NT2RP3004041//EST//0.98:264:58//Hs.127552:AA953234
 F-NT2RP3004051//Human mRNA for KIAA0319 gene, complete cds//7.0e-63:774:67//Hs.26441:AB002317
 F-NT2RP3004070//EST//6.8e-22:163:85//Hs.132635:AI032875
 F-NT2RP3004078//Regulatory factor (trans-acting) 2 (influences HLA class II expression)//5.3e-90:520:90//Hs.

100007:X76091
 F-NT2RP3004093
 F-NT2RP3004095//Human clone 23732 mRNA, partial cds//3.3e-27:372:69//Hs.81281:U79258
 F-NT2RP3004110//Human mRNA for KIAA0392 gene, partial cds//1.2e-20:211:77//Hs.40100:AB002390
 5 F-NT2RP3004125//ESTs, Highly similar to OOCYTE ZINC FINGER PROTEIN XLCOF7.1 [Xenopus laevis]//1.0e-126:590:99//Hs.129888:AI096509
 F-NT2RP3004145
 F-NT2RP3004148
 F-NT2RP3004155//Homo sapiens timing protein CLK-1 mRNA, complete cds//2.1e-121:578:98//Hs.157113:
 10 AF032900
 F-NT2RP3004189//ESTs//1.3e-80:409:97//Hs.151001:AA564706
 F-NT2RP3004206//Human mRNA for stac, complete cds//1.0:245:60//Hs.56045:D86640
 F-NT2RP3004207//Transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47)//0.095:281:62//Hs.101047:M31523
 15 F-NT2RP3004209//ESTs//5.8e-87:458:94//Hs.155303:AI221835
 F-NT2RP3004215//ESTs//0.074:56:80//Hs.163590:H43361
 F-NT2RP3004242
 F-NT2RP3004246//EST//0.20:219:63//Hs.161920:AA483240
 F-NT2RP3004253//ESTs//1.2e-36:204:96//Hs.143588:AI149140
 20 F-NT2RP3004258//Human gene for neurofilament subunit M (NF-M)//7.2e-07:369:59//Hs.71346:Y00067
 F-NT2RP3004262//Homo sapiens heat shock protein hsp40-3 mRNA, complete cds//1.0e-154:733:98//Hs.158471:AF088982
 F-NT2RP3004282//Homo sapiens torsinA (DYT1) mRNA, complete cds//4.2e-26:597:61//Hs.19261:AF007871
 F-NT2RP3004332
 25 F-NT2RP3004334//ESTs//8.8e-27:142:99//Hs.28068:H06285
 F-NT2RP3004341//EST//0.0068:213:64//Hs.153208:X98426
 F-NT2RP3004348//ESTs//1.2e-18:126:93//Hs.58595:AA830999
 F-NT2RP3004349//ESTs, Weakly similar to HYPOTHETICAL 92.1 KD PROTEIN ZK1098.3 IN CHROMOSOME III [Caenorhabditis elegans]//3.9e-45:337:83//Hs.141429:AA631915
 30 F-NT2RP3004378//ESTs, Weakly similar to weak similarity to procollagen alpha chain 1(V) chain [C.elegans]//4.3e-125:608:98//Hs.128781:AA160707
 F-NT2RP3004399//H.sapiens mRNA for leucine-rich primary response protein 1//2.3e-141:804:90//Hs.123122:X97249
 F-NT2RP3004424//ESTs, Weakly similar to JTV-1 [H.sapiens]//3.2e-122:609:96//Hs.20132:AA203113
 35 F-NT2RP3004428//Homo sapiens ALR mRNA, complete cds//0.00044:458:60//Hs.153638:AF010403
 F-NT2RP3004451//Bone morphogenetic protein 8 (osteogenic protein 2)//0.00023:357:59//Hs.99948:M97016
 F-NT2RP3004454//Homo sapiens mRNA for KIAA0448 protein, complete cds//2.0e-124:583:99//Hs.27349:AB007917
 F-NT2RP3004466//Homo sapiens mRNA for KIAA0664 protein, partial cds//0.48:399:58//Hs.22616:AB014564
 40 F-NT2RP3004470//EST//1.3e-56:331:91//Hs.136830:AA769219
 F-NT2RP3004472
 F-NT2RP3004475//Homo sapiens mRNA for KIAA0456 protein, partial cds//9.8e-152:715:98//Hs.5003:AB007925
 F-NT2RP3004480//ESTs, Highly similar to VACUOLAR SORTING PROTEIN 35 [Saccharomyces cerevisiae]//4.6e-118:547:99//Hs.124768:AA307735
 45 F-NT2RP3004490//Homo sapiens mRNA for Musashi, complete cds//2.3e-156:752:97//Hs.158311:AB012851
 F-NT2RP3004498//ESTs, Moderately similar to ROSA26AS [M.musculus]//3.5e-89:425:99//Hs.126082:AI077718
 F-NT2RP3004503//EST//5.3e-49:399:81//Hs.162335:AA564256
 F-NT2RP3004504//Homo sapiens mRNA for KIAA0479 protein, partial cds//1.0:370:59//Hs.158244:AB007948
 F-NT2RP3004507//Human zinc finger protein (MAZ) mRNA//0.86:129:66//Hs.7647:M94046
 50 F-NT2RP3004527//EST//0.053:260:62//Hs.123314:AA810110
 F-NT2RP3004534//ESTs//3.5e-78:370:99//Hs.132808:AI031571
 F-NT2RP3004539//Homo sapiens mRNA for KIAA0632 protein, partial cds//2.7e-146:679:98//Hs.75970:AB014532
 F-NT2RP3004544//Homo sapiens mRNA for KIAA0554 protein, partial cds//9.1e-171:793:98//Hs.74750:AB011126
 55 F-NT2RP3004566//ESTs, Highly similar to ZINC FINGER PROTEIN MLZ-4 [Mus musculus]//2.2e-66:362:94//Hs.125870:AI364967
 F-NT2RP3004569

- F-NT2RP3004572//Homo sapiens cofactor of initiator function (CIF50) mRNA, complete cds//3.3e-181:860:97//Hs.122752:AF026445
- F-NT2RP3004578//Homo sapiens mRNA for KIAA0454 protein, partial cds//4.0e-85:422:97//Hs.129928:AB007923
- 5 F-NT2RP3004594//Homo sapiens mRNA for AND-1 protein//3.7e-160:796:95//Hs.72160:AJ006266
- F-NT2RP3004617//ESTs, Weakly similar to estrogen-responsive finger protein, efp [H.sapiens]//6.4e-13:356:64//Hs.124138:AI266336
- F-NT2RP3004618//ESTs//1.5e-42:481:70//Hs.130768:AA909232
- F-NT2RP3004669//Human plectin (PLEC1) mRNA, complete cds//0.0099:538:56//Hs.79706:U53204
- 10 F-NT2RP3004670//Homo sapiens sox1 gene//0.11:311:58//Hs.144029:Y13436
- F-NT2RP4000008//ESTs, Highly similar to CHLORINE CHANNEL PROTEIN P64 [Bos taurus]//8.0e-177:827:98//Hs.118991:AA675919
- F-NT2RP4000023//ESTs//1.4e-33:182:96//Hs.122722:AA455668
- F-NT2RP4000035//ESTs//1.1e-23:283:72//Hs.142147:AA706495
- 15 F-NT2RP4000049//Homo sapiens decoy receptor 2 mRNA, complete cds//6.8e-83:556:85//Hs.129844:AF029761
- F-NT2RP4000051//Homo sapiens mRNA for cartilage-associated protein (CASP)//4.9e-13:441:62//Hs.155481:AJ006470
- F-NT2RP4000078//Homo sapiens mRNA for NS1-binding protein (NS1-BP)//8.0e-151:720:97//Hs.159597:AJ012449
- 20 F-NT2RP4000102//ESTs//8.8e-33:184:82//Hs.93054:H47743
- F-NT2RP4000109//Homo sapiens mRNA for MEGF5, partial cds//1.4e-167:774:99//Hs.57929:AB011538
- F-NT2RP4000111
- F-NT2RP4000129//Homo sapiens mRNA for KIAA0483 protein, partial cds//1.1e-115:548:98//Hs.64691:AB007952
- 25 F-NT2RP4000147//Human mRNA for KIAA0041 gene, partial cds//0.00045:212:63//Hs.75520:D26069
- F-NT2RP4000150
- F-NT2RP4000151//Homo sapiens chromosome 7q22 sequence//0.98:431:59//Hs.3386:AF053356
- F-NT2RP4000159
- F-NT2RP4000167
- 30 F-NT2RP4000185//ESTs//1.1e-51:240:68//Hs.33020:N31946
- F-NT2RP4000210//Homo sapiens mRNA for KIAA0700 protein, partial cds//1.6e-175:825:98//Hs.13999:AB014600
- F-NT2RP4000212//ESTs//1.6e-10:74:95//Hs.111885:AA422006
- F-NT2RP4000214//ESTs//3.9e-11:225:68//Hs.59793:AA451731
- 35 F-NT2RP4000218//Human G protein-coupled receptor (STRL22) mRNA, complete cds//6.2e-34:425:71//Hs.46468:U45984
- F-NT2RP4000243//Homo sapiens mRNA for cartilage-associated protein (CASP)//8.6e-158:771:97//Hs.155481:AJ006470
- F-NT2RP4000246//ESTs, Highly similar to NPC DERIVED PROLINE RICH PROTEIN 1 [M.musculus]//1.9e-62:384:89//Hs.115498:AA436298
- 40 F-NT2RP4000259//Homo sapiens clone 683 unknown mRNA, complete sequence//9.4e-130:604:99//Hs.43728:AF091092
- F-NT2RP4000263
- F-NT2RP4000290//EST//1.0:149:63//Hs.136928:AA812580
- 45 F-NT2RP4000312//Human mRNA for KIAA0147 gene, partial cds//1.5e-42:685:63//Hs.158132:D63481
- F-NT2RP4000321//Homo sapiens gene for insulin receptor substrate-2, complete cds//8.6e-05:547:57//Hs.143648:AB000732
- F-NT2RP4000323//Human HCF1 gene related mRNA sequence//0.48:589:58//Hs.83634:U52112
- F-NT2RP4000355
- 50 F-NT2RP4000360//Homo sapiens mRNA for KIAA0738 protein, complete cds//6.4e-142:654:99//Hs.107479:AB018281
- F-NT2RP4000367//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds//8.5e-137:649:97//Hs.31323:AF044195
- F-NT2RP4000370//ESTs, Weakly similar to MITOCHONDRIAL PEPTIDE CHAIN RELEASE FACTOR 1 PRECURSOR [S.cerevisiae]//1.2e-09:157:76//Hs.97950:AI382073
- 55 F-NT2RP4000376//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE BETA 2//0.098:291:59//Hs.994:M95678
- F-NT2RP4000381//Myosin, heavy polypeptide 7, cardiac muscle, beta//0.00025:509:59//Hs.929:M57965

- F-NT2RP4000398//Zinc finger protein 140 (clone pHZ-39)//4.9e-60:469:68//Hs.154205:U09368
 F-NT2RP4000415//ESTs//0.85:89:67//Hs.152312:AA485688
 F-NT2RP4000417//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds//0.014:178:66//Hs.125315:AF027156
- 5 F-NT2RP4000424//Human G protein-coupled receptor (STRL22) mRNA, complete cds//2.0e-34:431:73//Hs.46468:U45984
 F-NT2RP4000448//Human mRNA for KIAA0118 gene, partial cds//1.9e-37:360:75//Hs.154326:D42087
 F-NT2RP4000449//EST//0.84:113:65//Hs.145274:AI249468
 F-NT2RP4000455//ALPHA-2C-1 ADRENERGIC RECEPTOR//0.063:221:61//Hs.123022:J03853
- 10 F-NT2RP4000457//H.sapiens mRNA for herpesvirus associated ubiquitin-specific protease (HAUSP)//1.1e-05:532:57//Hs.78683:Z72499
 F-NT2RP4000480//Homo sapiens mRNA, complete cds//0.056:655:60//Hs.133151:AB001535
 F-NT2RP4000481//Human mRNA for KIAA0268 gene, partial cds//0.46:272:58//Hs.78862:D87742
 F-NT2RP4000498//Human DNA binding protein FKHL15 (FKHL15) mRNA, complete cds//0.94:133:69//Hs.159234:U89995
- 15 F-NT2RP4000500//V-myb avian myeloblastosis viral oncogene homolog-like 2//0.60:335:61//Hs.74605:X13293
 F-NT2RP4000515//ESTs//2.9e-45:253:95//Hs.104898:AA429594
 F-NT2RP4000517//EST//0.043:131:64//Hs.99030:AA443904
 F-NT2RP4440518//Homo sapiens mRNA for ATP-dependent RNA helicase, partial//2.0e-34:203:93//Hs.99423:AJ010840
- 20 F-NT2RP4000519//Human mRNA for KIAA0374 gene, complete cds//0.33:154:66//Hs.100837:AB002372
 F-NT2RP4000524
 F-NT2RP4000528
 F-NT2RP4000541//ESTs//2.1e-51:251:99//Hs.157240:AI348154
- 25 F-NT2RP4000556//ESTs, Highly similar to 60S RIBOSOMAL PROTEIN L11 [R.norvegicus]//1.1e-27:162:93//Hs.25597:H93026
 F-NT2RP4000560//ESTs//2.5e-09:181:66//Hs.122609:AA778351
 F-NT2RP4000588//ESTs//1.4e-46:533:70//Hs.8836:AA181053
 F-NT2RP4000614//Homo sapiens TLS-associated protein TASR-2 mRNA, complete cds//1.0e-139:666:98//Hs.4214:AF067730
- 30 F-NT2RP4000638//Fibroblast growth factor 2 (basic)//1.0:226:61//Hs.56066:J04513
 F-NT2RP4000648//ESTs//2.5e-11:116:80//Hs.115449:AA418396
 F-NT2RP4000657//Homo sapiens bone morphogenetic protein 11 (BMP11) mRNA, complete cds//0.00056:367:60//Hs.144626:AF100907
- 35 F-NT2RP4000704//Homo sapiens mRNA expressed in 19week fetal lung, clone IMAGE:300856//8.0e-167:676:98//Hs.50748:AB004848
 F-NT2RP4000713//Homo sapiens N-methyl-D-aspartate receptor 2D subunit precursor (NMDAR2D) mRNA, complete cds//6.9e-07:494:61//Hs.113286:U77783
 F-NT2RP4000724//ESTs, Weakly similar to pol/env ORF [H.sapiens]//2.8e-46:411:78//Hs.111817:T80622
- 40 F-NT2RP4000728//Homo sapiens mRNA for KIAA0606 protein, partial cds//9.9e-43:350:71//Hs.38176:AB011178
 F-NT2RP4000737//Human mRNA for KIAA0252 gene, partial cds//0.97:409:60//Hs.83419:D87440
 F-NT2RP4000739//DESMOPLAKIN I AND II//0.99:192:63//Hs.74316:AL031058
 F-NT2RP4000781//Homo sapiens mRNA for APC 2 protein, complete cds//0.023:351:60//Hs.20912:AB012162
 F-NT2RP4000787//Human mRNA for ESP1/CRP2, complete cds//0.0051:276:58//Hs.70327:D42123
- 45 F-NT2RP4000817//Homo sapiens mRNA for KIAA0470 protein, complete cds//4.8e-176:816:98//Hs.25132:AB007939
 F-NT2RP4000833//Homo sapiens PAC clone DJ0905J08 from 7p12-p14//1.3e-93:438:99//Hs.8173:AC005189
 F-NT2RP4000837//Homo sapiens SALL1 gene, partial//5.9e-05:470:59//Hs.123094:X98833
 F-NT2RP4000839//ESTs//5.7e-11:133:82//Hs.103852:W27603
- 50 F-NT2RP4000855//Homo sapiens DNA-binding protein (CROC-1B) mRNA, complete cds//1.4e-37:680:63//Hs.75875:U49278
 F-NT2RP4000865//Zinc finger protein 136 (clone pHZ-20)//2.0e-96:415:78//Hs.69740:U09367
 F-NT2RP4000878//ESTs//2.7e-16:390:63//Hs.163451:AI206803
 F-NT2RP4000879//ESTs//0.89:184:64//Hs.122333:AA782843
- 55 F-NT2RP4000907//Homo sapiens BAC clone RG118D07 from 7q31//4.5e-52:933:61//Hs.3781:AC004142
 F-NT2RP4000915//Homo sapiens mRNA for ZNF198 protein//3.0e-80:584:78//Hs.109526:AJ224901
 F-NT2RP4000918
 F-NT2RP4000925//Homo sapiens KIAA0405 mRNA, complete cds//1.9e-47:861:61//Hs.48998:AB007865

- F-NT2RP4000927//ESTs//0.37:159:63//Hs.147949:AI341503
 F-NT2RP4000928//Homo sapiens CDP-diacylglycerol synthase 2 (CDS2) mRNA, partial cds//1.1e-164:781:97//Hs.24812:AF069532
 F-NT2RP4000929//ESTs//0.88:284:60//Hs.141317:AI281371
- 5 F-NT2RP4000955//Human mRNA for cadherin-15, complete cds//0.0019:495:58//Hs.148090:D83542
 F-NT2RP4000973//Homo sapiens mRNA for MSJ-1, complete cds//1.2e-05:318:60//Hs.3845:AB014888
 F-NT2RP4000975//ESTs//0.0051:345:61//Hs.143304:AI084058
 F-NT2RP4000979
 F-NT2RP4000984
- 10 F-NT2RP4000989//Homo sapiens Tax interaction protein 1 mRNA, partial cds//0.85:257:63//Hs.12956:U90913
 F-NT2RP4000996//ESTs//4.3e-10:329:62//Hs.33085:AA258068
 F-NT2RP4000997//Human plectin (PLEC1) mRNA, complete cds//1.0:218:58//Hs.79706:U53204
 F-NT2RP4001004
 F-NT2RP4001006//ESTs, Moderately similar to ROSA26AS [M.musculus]//7.4e-90:425:99//Hs.126082:AI077718
- 15 F-NT2RP4001010//Homo sapiens PSD-95/SAP90-associated protein-2 mRNA, partial cds//2.8e-19:689:61//Hs.113287:AF009204
 F-NT2RP4001029//Human transcription factor LSF mRNA, complete cds//9.6e-84:778:74//Hs.154970:U03494
 F-NT2RP4001041//Human endosome-associated protein (EEA1) mRNA, complete cds//0.95:170:64//Hs.2864:L40157
- 20 F-NT2RP4001057//EST//9.6e-05:122:72//Hs.132518:AA928157
 F-NT2RP4001064//Homo sapiens mRNA for cartilage-associated protein (CASP)//7.2e-13:441:63//Hs.155481:AJ006470
 F-NT2RP4001078//ESTs//1.3e-29:165:95//Hs.113817:AA702497
 F-NT2RP4001079//Homo sapiens mRNA for putative Ca²⁺-transporting ATPase, partial//1.4e-131:634:98//Hs.106778:AJ010953
- 25 F-NT2RP4001080//Polypyrimidine tract binding protein (hnRNP I) {alternative products}//0.025:166:66//Hs.146459:X66975
 F-NT2RP4001086//Homo sapiens mRNA for KIAA0592 protein, partial cds//1.5e-85:604:86//Hs.13273:AB011164
 F-NT2RP4001095
- 30 F-NT2RP4001100//ESTs, Weakly similar to C17G10.1 [C.elegans]//1.4e-93:448:98//Hs.105837:AA536054
 F-NT2RP4001117//ESTs, Highly similar to PROTEIN TRANSPORT PROTEIN SEC61 ALPHA SUBUNIT [Canis familiaris]//2.2e-26:171:92//Hs.14038:R06800
 F-NT2RP4001122//Human mRNA for histone H1x, complete cds//0.99:185:66//Hs.109804:D64142
 F-NT2RP4001126//ESTs, Moderately similar to The KIAA0138 gene product is novel. [H.sapiens]//5.8e-37:185:100//Hs.126925:AA931237
- 35 F-NT2RP4001138//ESTs//3.4e-09:125:77//Hs.1433 82:AA476266
 F-NT2RP4001143//ESTs//1.0:282:57//Hs.157423:AI358261
 F-NT2RP4001148//ESTs//0.82:206:62//Hs.129259:AA992207
 F-NT2RP4001149//EST//1.3e-17:140:88//Hs.101727:H16171
- 40 F-NT2RP4001150//AXONIN-1 PRECURSOR//7.7e-07:562:59//Hs.2998:X67734
 F-NT2RP4001159//EST//0.26:125:66//Hs.152092:AA377324
 F-NT2RP4001174//ESTs//2.9e-103:502:98//Hs.125886:AA884264
 F-NT2RP4001206//EST//0.33:125:66//Hs.152092:AA377324
 F-NT2RP4001207
- 45 F-NT2RP4001210//ESTs//3.1e-95:460:97//Hs.46913:AI017636
 F-NT2RP4001213//KRAB zinc finger protein {alternative products}//1.1e-45:187:74//Hs.22556:U37251
 F-NT2RP4001219//ESTs//1.4e-69:352:96//Hs.116392:AA936262
 F-NT2RP4001228//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//7.2e-28:855:60//Hs.122967:AF059569
- 50 F-NT2RP4001235//Homo sapiens Jagged 2 mRNA, complete cds//1.0:257:59//Hs.106387:AF029778
 F-NT2RP4001256//Human mRNA for KIAA0273 gene, complete cds//0.96:247:62//Hs.75899:D87463
 F-NT2RP4001260//Syntrophin, alpha (dystrophin-associated protein A1, 59kD, acidic component)//0.015:246:62//Hs.31121:U40571
 F-NT2RP4001274//Homo sapiens clone 24674 mRNA sequence//1.2e-06:259:64//Hs.71168:AF070578
- 55 F-NT2RP4001276//Homo sapiens CAGF9 mRNA, partial cds//7.6e-06:266:62//Hs.110826:U80736
 F-NT2RP4001313//Homo sapiens mitochondrial outer membrane protein (TOM40) mRNA, nuclear gene encoding mitochondrial protein, complete cds//2.3e-31:535:65//Hs.30928:AF043250
 F-NT2RP4001315//EST//9.5e-20:146:88//Hs.158755:AI375917

F-NT2RP4001336//ESTs//1.0:128:67//Hs.99598:AA603110
 F-NT2RP4001339
 F-NT2RP4001343
 F-NT2RP4001345//Lecithin-cholesterol acyltransferase//8.0e-39:686:64//Hs.112125:M12625
 5 F-NT2RP4001351//Human ovarian cancer downregulated myosin heavy chain homolog (Doc1) mRNA, complete
 cds//2.0e-31:784:62//Hs.15432:U53445
 F-NT2RP4001353//Homo sapiens chromosome 7q22 sequence//0.0034:497:57//Hs.125742:AF053356
 F-NT2RP4001372
 F-NT2RP4001373//Homo sapiens clone Dt1P1b11 mRNA, CAG repeat region//0.43:290:58//Hs.82101:Z50194
 10 F-NT2RP4001375
 F-NT2RP4001379//TRICHOHYALIN//8.2e-05:591:58//Hs.82276:L09190
 F-NT2RP4001389//EST//5.3e-27:212:84//Hs.160402:AI393918
 F-NT2RP4001407//Homo sapiens mRNA for RGS5, complete cds//0.93:218:58//Hs.24950:AB008109
 F-NT2RP4001414//Human mRNA for KIAA0202 gene, partial cds//6.3e-78:818:71//Hs.80712:D86957
 15 F-NT2RP4001433//Zinc finger protein 10 (KOX 1)//1.1e-88:839:73//Hs.2479:X78933
 F-NT2RP4001442
 F-NT2RP4001447//Homo sapiens mRNA for KIAA0783 protein, complete cds//0.0075:218:63//Hs.41153:
 AB018326
 F-NT2RP4001474//ESTs, Weakly similar to probable CBP3 protein homolog [C.elegans]//2.1e-90:460:96//Hs.
 20 26676:AA033997
 F-NT2RP4001483//Oxoglutarate dehydrogenase (lipoamide)//8.1e-61:480:75//Hs.75533:D10523
 F-NT2RP4001498//ESTs, Weakly similar to GA BINDING PROTEIN BETA-2 CHAIN [H.sapiens]//0.25:216:60//Hs.
 63220:AA522707
 F-NT2RP4001502//ESTs//2.6e-41:206:99//Hs.159257:N40395
 25 F-NT2RP4001507//H.sapiens mRNA for RanGTPase activating protein 1//0.51:281:61//Hs.5923:X82260
 F-NT2RP4001524//ESTs, Weakly similar to F13B12.1 [C.elegans]//9.4e-30:173:94//Hs.5570:AI377863
 F-NT2RP4001529//Human transcription factor LSF mRNA, complete cds//1.3e-35:329:76//Hs.154970:U03494
 F-NT2RP4001547//Homo sapiens forkhead protein FREAC-2 mRNA, complete cds//0.0015:221:65//Hs.44481:
 U13220
 30 F-NT2RP4001551//Human BRCA2 region, mRNA sequence CG003//0.56:428:59//Hs.30649:U50534
 F-NT2RP4001555//EST//0.99:225:64//Hs.96863:AA347174
 F-NT2RP4001567
 F-NT2RP4001568//ESTs, Weakly similar to HYPOTHETICAL 32.6 KD PROTEIN IN MET30-CBR5 INTERGENIC
 REGION [Saccharomyces cerevisiae]//1.1e-54:252:83//Hs.158208:AA167836
 35 F-NT2RP4001571//ESTs//3.0e-94:475:96//Hs.65322:AA019410
 F-NT2RP4001574
 F-NT2RP4001575//Homo sapiens mRNA for ARE1-like protein//1.8e-169:796:98//Hs.108826:AL031228
 F-NT2RP4001592
 F-NT2RP4001610//Human involucrin mRNA//0.94:462:59//Hs.157091:M13903
 40 F-NT2RP4001614//ESTs//0.71:331:58//Hs.116533:AI343952
 F-NT2RP4001634
 F-NT2RP4001638//ESTs, Weakly similar to HYPOTHETICAL 117.9 KD PROTEIN IN FKH1-STH1 INTERGENIC
 REGION [S.cerevisiae]//8.6e-57:287:97//Hs.117439:C18436
 F-NT2RP4001644//Human mRNA for MNK1, complete cds//1.7e-53:415:80//Hs.5591:AB000409
 45 F-NT2RP4001656//ESTs, Highly similar to PHENYLALANYL-TRNA SYNTHETASE MITOCHONDRIAL PRECUR-
 SOR [Saccharomyces cerevisiae]//1.0:311:59//Hs.57969:AA203629
 F-NT2RP4001677//Homo sapiens short form transcription factor C-MAF (c-maf) mRNA, complete cds//0.19:162:
 67//Hs.30250:AF055376
 F-NT2RP4001679//Homo sapiens PYRIN (MEFV) mRNA, complete cds//2.2e-50:332:86//Hs.113283:AF018080
 50 F-NT2RP4001696
 F-NT2RP4001725//Galactokinase 1//1.0:202:63//Hs.92357:L76927
 F-NT2RP4001730//Human growth/differentiation factor 1 (GDF-1) mRNA, complete cds//0.0035:247:62//Hs.
 92614:M62302
 F-NT2RP4001739//Complement component 8, gamma polypeptide//0.74:654:56//Hs.1285:U08198
 55 F-NT2RP4001753//Zinc finger protein 84 (HPF2)//4.5e-29:476:67//Hs.9450:M27878
 F-NT2RP4001760//ESTs//1.0:411:60//Hs.108548:AA081656
 F-NT2RP4001790//Homo sapiens PAC clone DJ0604G05 from 7q22-q31.1//9.1e-34:400:68//Hs.154212:
 AC004522

EP 1 074 617 A2

F-NT2RP4001803//Human high conductance inward rectifier potassium channel alpha subunit mRNA, complete cds//0.028:580:58//Hs.2363:L36069
F-NT2RP4001822//ESTs//3.4e-50:307:90//Hs.113509:AA132131
5 F-NT2RP4001823//Human facio-genital dysplasia (FGD1) mRNA, complete cds//3.1e-07:509:59//Hs.1572:U11690
F-NT2RP4001828
F-NT2RP4001838//Human mRNA for KIAA0071 gene, partial cds//6.9e-55:555:73//Hs.78398:D31888
F-NT2RP4001841//ESTs//0.99:215:60//Hs.136895:AA897749
F-NT2RP4001849//Homo sapiens mRNA for KIAA0672 protein, complete cds//5.6e-57:813:65//Hs.6336:AB014572
10 F-NT2RP4001861//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//4.8e-12:84:94//Hs.140232:AA705170
F-NT2RP4001889
F-NT2RP4001893//Homo sapiens BAC clone GS166A23 from 7p21//4.4e-108:535:97//Hs.15144:AC005014
15 F-NT2RP4001896
F-NT2RP4001901//ESTs//1.4e-50:291:93//Hs.67991:AA147848
F-NT2RP4001927
F-NT2RP4001938//ESTs, Weakly similar to ZINC FINGER PROTEIN 91 [H.sapiens]//2.8e-54:375:84//Hs.119294:AI379442
20 F-NT2RP4001946//EST//0.050:268:60//Hs.148341:AA921894
F-NT2RP4001950//EST//7.9e-14:336:63//Hs.112810:AA610063
F-NT2RP4001953//ESTs//0.018:206:65//Hs.130105:AA904868
F-NT2RP4001966//Human DNA sequence from clone 1052M9 on chromosome Xq25. Contains the SH2D1A gene for SH2 domain protein 1A, Duncan's disease (lymphoproliferative syndrome) (DSHP), part of a 60S Acidic Ribosomal protein 1 (RPLP1) LIKE gene and part of a mouse DOC4 LIKE gene. Contains ESTs and GSSs//1.7e-54:788:65//Hs.23796:AL022718 F-NT2RP4001975//Homo sapiens homeobox protein Six3 (SIX3) gene, complete cds//0.0019:279:65//Hs.159439:AF092047
25 F-NT2RP4002018//ESTs, Highly similar to RING CANAL PROTEIN [Drosophila melanogaster]//0.58:463:55//Hs.3826:U69560
30 F-NT2RP4002047//EST//2.5e-13:102:90//Hs.148997:AI243139
F-NT2RP4002052
F-NT2RP4002058//ESTs//5.2e-41:347:72//Hs.121961:AA777873
F-NT2RP4002071//Homo sapiens TTAGGG repeat binding factor 2 (hTRF2) mRNA, complete cds//0.97:227:60//Hs.100030:AF002999
35 F-NT2RP4002075
F-NT2RP4002078//ESTs, Moderately similar to zinc finger protein [H.sapiens]//1.0e-38:243:90//Hs.139115:AA325104
F-NT2RP4002081//TATA box binding protein//0.0059:310:60//Hs.1100:M55654
F-NT2RP4002083//H.sapiens Pur (pur-alpha) mRNA, complete cds//0.0015:152:70//Hs.25180:M96684
40 F-NT2RP4002408//Human protein kinase C-L (PRKCL) mRNA, complete cds//8.0e-10:401:59//Hs.89616:M55284
F-NT2RP4002791//Ataxin 1//1.0:215:61//Hs.74520:X79204
F-NT2RP4002888
F-NT2RP4002905//ESTs//3.4e-50:280:94//Hs.131697:H14960
F-NT2RP5003459//Glyceraldehyde-3-phosphate dehydrogenase//1.3e-35:193:96//Hs.74456:U34995
45 F-NT2RP5003461//ESTs//3.6e-104:513:98//Hs.88088:AA521071
F-NT2RP5003477//Eukaryotic translation initiation factor 3 (eIF-3) p36 subunit//0.18:271:60//Hs.139745:U39067
F-NT2RP5003492
F-NT2RP5003500//Homo sapiens mRNA for heparan-sulfate 6-sulfotransferase, complete cds//6.1e-56:750:69//Hs.132884:AB006179
50 F-NT2RP5003506//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-69G12//5.1e-14:348:62//Hs.154050:AC004131
F-NT2RP5003512//Homo sapiens mRNA for KIAA0642 protein, partial cds//0.94:202:63//Hs.8152:AB014542
F-NT2RP5003522
F-NT2RP5003524//ESTs//8.7e-08:340:62//Hs.152730:AI308943
55 F-NT2RP5003534
F-OVARC1000001//Homo sapiens mRNA for KIAA0465 protein, partial cds//4.0e-69:373:94//Hs.108258:AB007934
F-OVARC1000004//ESTs//6.0e-38:216:93//Hs.163801:AI391729

- F-OVARC1000006//ESTs, Highly similar to HISTONE H2A [Cairina moschata]//4.4e-75:355:99//Hs.36727:AI051983
- F-OVARC1000013//ESTs//0.65:331:58//Hs.146326:AA534304
- 5 F-OVARC1000014//Homo sapiens GLE1 (GLE1) mRNA, complete cds//1.8e-171:815:98//Hs.81449:AF058922
- F-OVARC1000017//Homo sapiens mRNA for NTAK, complete cds//0.50:482:58//Hs.113264:AB005060
- F-OVARC1000035//Homo sapiens GA17 protein mRNA, complete cds//2.2e-37:238:89//Hs.69469:AF064603
- F-OVARC1000058//ESTs//1.1e-23:132:97//Hs.61809:AA503549
- F-OVARC1000060//ESTs, Highly similar to ribonuclease 6 precursor [H.sapiens]//6.7e-60:305:97//Hs.31696:H50008
- 10 F-OVARC1000068//ESTs//3.8e-10:69:100//Hs.89048:AA282798
- F-OVARC1000071//ESTs//1.9e-36:202:95//Hs.125013:AA400543
- F-OVARC1000085
- F-OVARC1000087//EST//1.0:199:58//Hs.122919:AA768442
- F-OVARC1000091//Homo sapiens Jagged 2 mRNA, complete . cds//0.00017:414:59//Hs.106387:AF029778
- 15 F-OVARC1000092//ESTs//4.6e-06:410:60//Hs.152250:AA203600
- F-OVARC1000106//ESTs, Weakly similar to C25A1.1 [C.elegans]//2.9e-73:406:92//Hs.109463:AI205174
- F-OVARC1000109
- F-OVARC1000113//Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds//5.3e-135:663:96//Hs.3688:AF069250
- 20 F-OVARC1000114//Homo sapiens mRNA for KIAA0562 protein, complete cds//3.4e-43:532:72//Hs.118401:AB011134
- F-OVARC1000133//ESTs//9.4e-50:249:98//Hs.159146:AI384010
- F-OVARC1000139
- F-OVARC1000145//ESTs//1.6e-09:87:90//Hs.25219:AA291293
- 25 F-OVARC1000148//ESTs//4.4e-28:146:100//Hs.133223:AA677414
- F-OVARC1000151
- F-OVARC1000168//ESTs//2.3e-48:264:95//Hs.14539:H67305
- F-OVARC1000191//Thrombopoietin (myeloproliferative leukemia virus oncogene ligand, megakaryocyte growth and development factor)//0.10:504:59//Hs.154083:U70136
- 30 F-OVARC1000198//ESTs//1.3e-103:505:97//Hs.149341:AI249131
- F-OVARC1000209//EST//1.0:73:72//Hs.162600:AA594840
- F-OVARC1000212//ESTs//1.7e-17:121:91//Hs.50473:W68834
- F-OVARC1000240//ESTs, Highly similar to THREONYL-TRNA SYNTHETASE, CYTOPLASMIC [Homo sapiens]//2.7e-31:264:79//Hs.151895:AA196379
- 35 F-OVARC1000241//Homo sapiens clone 23698 mRNA sequence//3.4e-35:466:68//Hs.8136:U81984
- F-OVARC1000288//ESTs, Weakly similar to Y53C12A.3 [C.elegans]//0.00084:170:65//Hs.107747:AI357868
- F-OVARC1000302//EST//4.1e-05:249:60//Hs.136432:AA555306
- F-OVARC1000304//ESTs//1.0:252:64//Hs.12126:AA203287
- F-OVARC1000309//ESTs, Highly similar to BRAIN ENRICHED HYALURONAN BINDING PROTEIN PRECURSOR [Felis catus]//0.51:193:66//Hs.6194:AI378579
- 40 F-OVARC1000321
- F-OVARC1000326//Homo sapiens T-type calcium channel alpha-1 subunit mRNA, complete cds//0.0018:507:60//Hs.122359:AF051946
- F-OVARC1000335//ESTs//9.3e-39:202:98//Hs.132849:AA779444
- 45 F-OVARC1000347
- F-OVARC1000384//Homo sapiens (clone PEBP2aA1) core-binding factor, runt domain, alpha subunit 1 (CBFA1) mRNA, 3' end of cds//3.4e-06:353:62//Hs.121895:AF001450
- F-OVARC1000408//Human mRNA for KIAA0140 gene, complete cds//0.94:231:64//Hs.156016:D50930
- F-OVARC1000411//EST//0.43:234:59//Hs.124673:AA858162
- 50 F-OVARC1000414//EST//5.2e-05:105:72//Hs.98827:AA435682
- F-OVARC1000420//Human mRNA for KIAA0140 gene, complete cds//0.86:231:58//Hs.156016:D50930
- F-OVARC1000427//ESTs, Moderately similar to ORF1 [H.sapiens]//1.7e-25:190:84//Hs.139513:AA259082
- F-OVARC1000431//ESTs//0.041:356:57//Hs.139907:AA621615
- F-OVARC1000437//Filamin 1 (actin-binding protein-280)//0.93:281:60//Hs.76279:X53416
- 55 F-OVARC1000440//Human PINCH protein mRNA, complete cds//8.8e-21:116:99//Hs.83987:U09284
- F-OVARC1000442//ESTs//2.0e-19:207:78//Hs.134071:AI377423
- F-OVARC1000443//Homo sapiens mRNA for KIAA0683 protein, complete cds//3.2e-140:566:99//Hs.12334:AB014583

EP 1 074 617 A2

F-OVARC1000461//ESTs//1.0e-39:215:95//Hs.131532:AI024524
 F-OVARC1000465//Homo sapiens clone 24781 mRNA sequence//1.0:252:58//Hs.108112:AF070640
 F-OVARC1000466//ESTs//3.6e-14:189:71//Hs.164041:R51854
 F-OVARC1000473//ESTs//0.00012:77:85//Hs.29173:AA134926
 5 F-OVARC1000479
 F-OVARC1000486//ESTs//4.2e-07:409:60//Hs.99280:AA453036
 F-OVARC1000496//ESTs//6.0e-14:240:69//Hs.131900:AI023327
 F-OVARC1000520//Homo sapiens supervillin mRNA, complete cds//6.9e-115:539:99//Hs.111285:AF051850
 F-OVARC1000526//ESTs//2.9e-08:368:611//Hs.42771:N26740
 10 F-OVARC1000533//EST//3.4e-14:137:82//Hs.123405:AA813492
 F-OVARC1000543//ESTs//0.13:278:61//Hs.54894:N98475
 F-OVARC1000556//ESTs//1.4e-31:217:90//Hs.106385:W26667
 F-OVARC1000557//ESTs//3.8e-20:208:76//Hs.138919:AA827410
 F-OVARC1000564//Human dsRNA adenosine deaminase DRADA2b (DRADA2b) mRNA, complete cds//0.87:135:
 15 66//Hs.85302:U76421
 F-OVARC1000573//ESTs//2.1e-22:268:76//Hs.121852:AA776358
 F-OVARC1000576//ESTs//9.4e-22:124:98//Hs.24220:W22200
 F-OVARC1000578//EST//4.7e-31:335:74//Hs.162881:AA652729
 F-OVARC1000588//Human BMK1 alpha kinase mRNA, complete cds//0.67:263:63//Hs.3080:U29725
 20 F-OVARC1000605//EST//1.0:148:62//Hs.163346:AA883722
 F-OVARC1000622//EST//4.3e-50:313:88//Hs.149580:AI281881
 F-OVARC1000640//ESTs//2.6e-55:441:80//Hs.105319:AA470097
 F-OVARC1000649//Human squamous cell carcinoma of esophagus mRNA for GRB-7 SH2 domain protein, com-
 plete cds//1.6e-78:424:93//Hs.86859:D43772
 25 F-OVARC1000661//Homo sapiens mRNA for KIAA0590 protein, complete cds//1.6e-100:536:94//Hs.111862:
 AB011162
 F-OVARC1000678//EST//1.3e-08:131:77//Hs.145970:AI277106
 F-OVARC1000679//ESTs//0.66:223:61//Hs.134782:H74279
 F-OVARC1000681//EST//0.017:315:61//Hs.147799:AI221639
 30 F-OVARC1000682//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds//4.8e-153:549:99//Hs.
 125315:AF027156
 F-OVARC1000689//Homo sapiens clone 24640 mRNA sequence//0.030:479:57//Hs.4764:AB018306
 F-OVARC 1000700
 F-OVARC1000703//ESTs//0.41:100:68//Hs.160699:AI284320
 35 F-OVARC1000722//Homo sapiens chromosome 1q21-1q23 beta-1,4-galactosyltransferase mRNA, complete cds//
 1.2e-110:451:91//Hs.13476:AF038661
 F-OVARC1000730//ESTs, Weakly similar to C27F2.7 gene product [C.elegans]//2.9e-53:318:91//Hs.7049:
 AI141736
 F-OVARC1000746//ESTs//3.2e-123:570:99//Hs.127295:AA918411
 40 F-OVARC1000769//ESTs//0.072:177:67//Hs.142573:AA601196
 F-OVARC1000771//ESTs, Moderately similar to RAS-RELATED PROTEIN RAB-2 [H.sapiens]//1.2e-38:194:99//
 Hs.157059:W28130
 F-OVARC1000781//ESTs//4.0e-14:113:89//Hs.41972:AA626793
 F-OVARC1000787//EST//0.92:91:64//Hs.163258:AA828835
 45 F-OVARC1000800//ESTs//1.6e-44:193:81//Hs.163971:N27584
 F-OVARC1000802//ESTs//4.6e-43:395:80//Hs.115401:AA400032
 F-OVARC1000834//ESTs//1.9e-91:431:99//Hs.154450:AA069390
 F-OVARC1000846//Homo sapiens mRNA for KIAA0643 protein, partial cds//1.9e-151:432:100//Hs.155995:
 AB014543
 50 F-OVARC1000850//Homo sapiens PB39 mRNA, complete cds//3.3e-137:632:99//Hs.18910:AF045584
 F-OVARC1000862//ESTs, Highly similar to gene Fif protein [M.musculus]//6.1e-31:183:93//Hs.108620:AA418155
 F-OVARC1000876//Human DNA binding protein FKHL15 (FKHL15) mRNA, complete cds//0.54:133:69//Hs.
 159234:U89995
 F-OVARC1000883//ESTs//0.44:154:63//Hs.98183:AA417143
 55 F-OVARC1000885//EST//0.91:152:63//Hs.160765 :AI313323
 F-OVARC1000886//ESTs//4.6e-08:375:61//Hs.131653:AI025777
 F-OVARC 1000890
 F-OVARC1000891

F-OVARC1000897//ESTs//1.1e-07:145:69//Hs.119878:AA706818
 F-OVARC1000912//EST//3.6e-08:376:61//Hs.158782:AI376601
 F-OVARC1000915//Homo sapiens mRNA for KIAA0600 protein, partial cds//2.3e-85:419:97//Hs.9028:AF039691
 F-OVARC1000924//ESTs//3.6e-113:540:98//Hs.66058:AA424456
 5 F-OVARC1000936//Human endogenous retrovirus envelope region mRNA (PL1)//4.3e-64:623:72//Hs.114440:M11119
 F-OVARC1000937//EST//2.4e-39:170:96//Hs.129138:AA988078
 F-OVARC1000945//ESTs, Weakly similar to protein tyrosine phosphatase [H.sapiens]//2.4e-29:157:97//Hs.136243:AA307843
 10 F-OVARC 1000948
 F-OVARC1000959//EST//0.65:293:55//Hs.134725:AI088986
 F-OVARC1000960//Ley I-L//1.4e-41:425:72//Hs.37062:AC005952
 F-OVARC1000964//ESTs//1.4e-95:486:96//Hs.57079:D45288
 F-OVARC1000971//ESTs//0.19:198:62//Hs.153429:AI283069
 15 F-OVARC1000984//Breakpoint cluster region protein BCR//0.26:365:56//Hs.2557:Y00661
 F-OVARC1000996//Human p300/CBP-associated factor (P/CAF) mRNA, complete cds//6.8e-10:312:65//Hs.155302:U57317
 F-OVARC1000999//Homo sapiens mRNA for chemokine LEC precursor, complete cds//0.0056:209:62//Hs.10458:AF088219
 20 F-OVARC1001000//EST//4.2e-24:242:77//Hs.128952:AA984114
 F-OVARC1001004
 F-OVARC1001010
 F-OVARC1001011//ESTs, Moderately similar to Tera [M.musculus]//3.8e-47:234:99//Hs.110327:AA205866
 F-OVARC1001032//HUMAN IMMUNODEFICIENCY VIRUS TYPE I ENHANCER-BINDING PROTEIN 2//0.0076:624:57//Hs.75063:AL023584
 25 F-OVARC1001034//ESTs, Highly similar to mitogen-induced [M.musculus]//3.9e-97:578:89//Hs.111974:AI050735
 F-OVARC1001038//Homo sapiens TRIAD1 type I mRNA, complete cds//8.6e-152:733:97//Hs.9899:AF099149
 F-OVARC 1001040//ESTs//2.2e-38:204:96//Hs.128927:AI168074
 F-OVARC1001044//EST//0.036:304:61//Hs.137342:AA017385
 30 F-OVARC1001051
 F-OVARC1001055//Human pre-B cell enhancing factor (PBEF) mRNA, complete cds//1.1e-46:381:81//Hs.154968:U02020
 F-OVARC1001062//ESTs//0.020:265:60//Hs.146226:AI312873
 F-OVARC1001065//ESTs, Weakly similar to C50F4.12 [C.elegans]//1.4e-21:183:84//Hs.46680:AA809451
 35 F-OVARC1001068//Homo sapiens Era GTPase A protein (HERA-A) mRNA, partial cds//6.6e-132:620:98//Hs.3426:AF082657
 F-OVARC1001072//ESTs//1.1e-24:289:74//Hs.139614:AA709013
 F-OVARC1001074//ESTs//0.059:198:63//Hs.59974:AA001937
 F-OVARC1001085//H.sapiens mRNA for sortilin//0.99:142:67//Hs.104247:X98248
 40 F-OVARC1001092//Homo sapiens mRNA for JM5 protein, complete CDS (clone IMAGE 53337, LLNLc110F1857Q7 (RZPD Berlin) and LLNLc110G0913Q7 (RZPD Berlin))//1.3e-75:289:95//Hs.21753:AJ005897
 F-OVARC1001107//Homo sapiens SKB1Hs mRNA, complete cds//1.2e-73:351:86//Hs.12912:AF015913
 F-OVARC1001113//Homo sapiens diaphanous 1 (HDIA1) mRNA, complete cds//2.1e-151:710:98//Hs.26584:AF051782
 45 F-OVARC1001117//ESTs//3.8e-73:347:99//Hs.116029:AA813102
 F-OVARC1001118
 F-OVARC1001129
 F-OVARC1001154//Granulin//2.4e-94:686:83//Hs.75451:AF055008
 F-OVARC1001161//ESTs//2.2e-40:208:97//Hs.113006:AA621725
 50 F-OVARC1001162
 F-OVARC1001167
 F-OVARC1001169//ESTs//0.81:158:63//Hs.48527:AI078279
 F-OVARC1001170//ESTs//9.0e-87:412:99//Hs.116550:AA813287
 F-OVARC1001171//ESTs//4.9e-26:167:79//Hs.139158:AA226159
 55 F-OVARC1001173//ESTs, Moderately similar to GLUTAMATE DEHYDROGENASE 1 PRECURSOR [Homo sapiens]//1.8e-11:192:69//Hs.130020:AA887581
 F-OVARC1001176//Homo sapiens chromosome 19, cosmid R26529//0.61:387:58//Hs.91103:AC005551
 F-OVARC1001180//ESTs, Weakly similar to ubiquitin S6(1) [D.melanogaster]//1.5e-13:199:71//Hs.109966:

C06057
 F-OVARC1001188//ESTs, Weakly similar to HYPOTHETICAL 27.8 KD PROTEIN IN VMA7-RPS31A INTERGENIC
 REGION [S.cerevisiae]/1.4e-52:324:90//Hs.114673:W72675
 F-OVARC1001200//ESTs//3.9e-16:104:94//Hs.125520:AA883889
 5 F-OVARC1001232//Cyclin A//0.95:124:67//Hs.85137:X51688
 F-OVARC1001240//EST//0.017:351:60//Hs.120655:AA745676
 F-OVARC1001243//ESTs//0.78:291:59//Hs.132458:AI424825
 F-OVARC1001244//RING3 PROTEIN//2.8e-19:118:95//Hs.75243:D42040
 F-OVARC1001261//EST//1.9e-42:225:96//Hs.158854:AI377837
 10 F-OVARC1001268//ESTs//0.66:239:61//Hs.132525:AA576821
 F-OVARC1001270//ESTs//0.99:204:60//Hs.144647:AA625224
 F-OVARC1001271//Homo sapiens mRNA for KIAA0643 protein, partial cds//6.8e-144:644:96//Hs.155995:
 AB014543
 F-OVARC1001282//ESTs, Weakly similar to Ydr438wp [S.cerevisiae]/0.11:355:60//Hs.108812:AA044835
 15 F-OVARC1001296//ESTs//1.1e-46:237:98//Hs.33746:N78172
 F-OVARC1001306//Homo sapiens nuclear receptor co-repressor N-CoR mRNA, complete cds//0.20:188:64//Hs.
 152455:AF044209
 F-OVARC1001329//ESTs//1.4e-97:486:97//Hs.125886:AA884264
 F-OVARC1001330
 20 F-OVARC1001339//Solute carrier family 4, anion exchanger, member 2 (erythrocyte membrane protein band 3-like
 1)//0.021:232:62//Hs.79410:U62531
 F-OVARC1001341//ESTs, Weakly similar to C17G10.1 [C.elegans]/2.5e-76:363:99//Hs.105837:AA536054
 F-OVARC1001342//EST//0.98:97:65//Hs.148210:AA897493
 F-OVARC1001344//EST//5.3e-10:241:64//Hs.138777:N67251
 25 F-OVARC1001357//Homo sapiens jerky gene product homolog mRNA, complete cds//0.64:198:61//Hs.105940:
 AF004715
 F-OVARC1001360//ESTs//4.9e-87:429:97//Hs.130145:AI264633
 F-OVARC1001369//ESTs//6.3e-07:371:62//Hs.131653:AI025777
 F-OVARC1001372//Homo sapiens mRNA for KIAA0654 protein, partial cds//1.4e-69:533:74//Hs.109299:
 30 AB014554
 F-OVARC1001376//Homo sapiens neuronal thread protein AD7c-NTP mRNA, complete cds//2.5e-49:365:73//Hs.
 129735:AF010144
 F-OVARC1001381//Homo sapiens mRNA for candidate tumor suppressor involved in B-CLL//4.1e-149:683:99//
 Hs.151428:AJ224819
 35 F-OVARC1001391//Homo sapiens methyl-CpG binding protein MBD2 (MBD2) mRNA, complete cds//0.097:235:
 65//Hs.25674:AF072242
 F-OVARC1001399//ESTs//1.1e-35:264:83//Hs.59379:W28225
 F-OVARC1001417//Homo sapiens EXLM1 mRNA, complete cds//1.3e-150:707:98//Hs.21586:AB006651
 F-OVARC1001419//Homo sapiens GOK (STIM1) mRNA, complete cds//1.6e-49:586:69//Hs.74597:U52426
 40 F-OVARC1001425//ESTs//2.4e-11:258:67//Hs.119197:T83651
 F-OVARC1001436
 F-OVARC1001442
 F-OVARC1001453
 F-OVARC1001476//ESTs, Weakly similar to HYPOTHETICAL 38.6 KD PROTEIN IN TIF4631-KRE11 INTERGEN-
 45 IC REGION [S.cerevisiae]/1.9e-125:581:99//Hs.110950:AI041823
 F-OVARC1001480//ESTs//0.95:125:72//Hs.152584:AA584568
 F-OVARC1001489//EST//4.9e-72:341:100//Hs.148191:AA897343
 F-OVARC1001496//Homo sapiens C-terminal binding protein 2 mRNA, complete cds//2.6e-86:479:92//Hs.6534:
 AF016507
 50 F-OVARC1001506//Polycystic kidney disease 1 (autosomal dominant)//1.1e-97:538:92//Hs.75813:L33243
 F-OVARC1001525
 F-OVARC1001542//Envoplakin//0.34:258:60//Hs.25482:U53786
 F-OVARC1001547//EST//0.0046:237:62//Hs.54638:N90595
 F-OVARC1001555
 55 F-OVARC1001577//Homo sapiens SRp46 splicing factor retropseudogene mRNA//6.8e-57:275:98//Hs.155160:
 AF031166
 F-OVARC1001600//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]/0.0035:
 271:60//Hs.108465:AI144299

EP 1 074 617 A2

F-OVARC1001610//ESTs, Weakly similar to F22E10.5 [C.elegans]//1.4e-43:216:99//Hs.120002:AI038398
 F-OVARC1001611
 F-OVARC1001615//EST//0.99:135:68//Hs.129410:AA993500
 F-OVARC1001668//Homo sapiens mRNA for KIAA0572 protein, partial cds//3.3e-37:217:94//Hs.14409:AB011144
 5 F-OVARC1001702//Homo sapiens mRNA for hSOX20 protein, complete cds//5.9e-49:393:81//Hs.95582:
 AB006867
 F-OVARC1001703//EST//1.7e-24:172:88//Hs.121198:AA757229
 F-OVARC1001711//Fms-related tyrosine kinase 3 ligand//0.049:353:61//Hs.428:U03858
 F-OVARC1001713//ESTs//8.9e-37:263:86//Hs.110298:AA621807
 10 F-OVARC1001726//ESTs//2.0e-12:121:82//Hs.153332:AA236863
 F-OVARC1001731//Tropomyosin beta chain (skeletal muscle)//1.7e-83:617:80//Hs.155652:X06825
 F-OVARC1001745//EST//0.75:174:64//Hs.146778:AI148588
 F-OVARC1001762
 F-OVARC1001766//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds//
 15 1.4e-150:706:98//Hs.155377:U97670
 F-OVARC1001767//Homo sapiens mRNA for KIAA0675 protein, complete cds//9.8e-117:580:96//Hs.15869:
 AB014575
 F-OVARC 1001768//ESTs//0.035:179:64//Hs.87279:AI218697
 F-OVARC1001791
 20 F-OVARC1001795//ESTs//0.19:68:76//Hs.37699:AA062830
 F-OVARC1001802//EST//3.7e-45:254:92//Hs.130620:AI005102
 F-OVARC1001805//Homo sapiens mRNA for KIAA0744 protein, complete cds//0.77:362:58//Hs.116753:
 AB018287
 F-OVARC1001809//Human N-type calcium channel alpha-1 subunit mRNA, complete cds//2.2e-07:435:62//Hs.
 25 69949:M94172
 F-OVARC1001812//ESTs//3.0e-47:360:83//Hs.141756:AA700825
 F-OVARC1001813//EST//1.8e-57:277:100//Hs.162414:AA573453
 F-OVARC1001820//ESTs//1.4e-64:310:99//Hs.137398:AA164567
 F-OVARC1001828//EST//1.0e-09:184:66//Hs.130435:AA923537
 30 F-OVARC1001846//ESTs//1.8e-80:410:97//Hs.114539:N54973
 F-OVARC1001861
 F-OVARC1001873//Homo sapiens clones 24718 and 24825 mRNA sequence//3.9e-20:122:95//Hs.25300:
 AF070611
 F-OVARC1001879//Homo sapiens putative tumor suppressor gene 26 protein alpha 2 delta calcium channel sub-
 35 unit mRNA, complete cds//0.042:199:67//Hs.127436:AF040709
 F-OVARC1001880//Interferon regulatory factor 5//1.1e-06:489:60//Hs.54434:U51127
 F-OVARC1001883//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//9.5e-33:509:68//Hs.
 158095:AB007953
 F-OVARC1001900//Homo sapiens tumorous imaginal discs protein Tid56 homolog (TID1) mRNA, complete cds//
 40 2.6e-57:300:96//Hs.6216:AF061749
 F-OVARC1001901//ESTs//2.3e-07:185:69//Hs.145630:AI263834
 F-OVARC1001911//EST//0.88:101:66//Hs.162622:AA601261
 F-OVARC1001916//H.sapiens mRNA for prepronociceptin//1.0:540:58//Hs.89040:U48263
 F-OVARC1001928
 45 F-OVARC1001942//Human plectin (PLEC1) mRNA, complete cds//0.038:290:62//Hs.79706:U53204
 F-OVARC1001943//ESTs, Weakly similar to HYPOTHETICAL 62.2 KD PROTEIN ZK652.6 IN CHROMOSOME III
 [C.elegans]//2.3e-119:565:98//Hs.5392:AA313794
 F-OVARC1001949//KRAB zinc finger protein {alternative products}//1.8e-17:294:67//Hs.22556:U37251
 F-OVARC1001950//ESTs//1.5e-15:300:65//Hs.138501:AI051228
 50 F-OVARC1001987//ESTs//6.7e-34:202:92//Hs.115600:AA351639
 F-OVARC1001989//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//1.2e-23:
 213:78//Hs.105292:AA504776
 F-OVARC1002044//EST//0.26:164:66//Hs.161094:N30417
 F-OVARC1002050//Homo sapiens mRNA for KIAA0465 protein, partial cds//6.6e-160:739:98//Hs.108258:
 55 AB007934
 F-OVARC1002066//ESTs//1.8e-103:482:99//Hs.124923:AI375865
 F-OVARC1002082//EST//2.5e-09:213:67//Hs.112810:AA610063
 F-OVARC1002107

EP 1 074 617 A2

F-OVARC1002112//Homo sapiens histone macroH2A1.2 mRNA, complete cds//2.7e-101:498:96//Hs.75258:AF054174

F-OVARC1002127//ESTs//1.6e-76:397:96//Hs.33432:R83913

F-OVARC1002138//Homo sapiens p60 katanin mRNA, complete cds//3.5e-20:399:62//Hs.112725:AF056022

5 F-OVARC1002143//EST//4.2e-09:240:65//Hs.140547:AA812795

F-OVARC1002156//EST//0.35:112:66//Hs.136761:AA738097

F-OVARC1002158//ESTs, Weakly similar to Y53C12A.3 [C.elegans]//7.4e-07:329:58//Hs.107747:AI357868

F-OVARC1002165//H.sapiens BDP1 mRNA for protein-tyrosine-phosphatase//0.00010:300:64//Hs.118929:X79568

10 F-OVARC1002182//Homo sapiens ataxin-7 (SCA7) mRNA, complete cds//0.19:178:64//Hs.108447:AJ000517

F-PLACE1000004//ESTs//0.79:332:59//Hs.120221:AA731230

F-PLACE1000005//ESTs//1.8e-10:89:87//Hs.158913:AI378928

F-PLACE1000007//Homo sapiens ubiquitin hydrolyzing enzyme I (UBH1) mRNA, partial cds//1.2e-52:550:72//Hs.42400:AF022789

15 F-PLACE1000014

F-PLACE1000031

F-PLACE1000040//ESTs//3.1e-18:123:91//Hs.138387:AA873088

F-PLACE1000048//ESTs//1.2e-43:387:78//Hs.61199:AA024494

F-PLACE1000050//ESTs//1.8e-84:421:96//Hs.128632:AI076755

20 F-PLACE1000061//Ribosomal protein L37a//5.5e-29:177:93//Hs.1946:L06499

F-PLACE1000066//ESTs, Weakly similar to coded for by C. elegans cDNA yk10c10.3 [C.elegans]//1.4e-47:266:93//Hs.30026:AI356771

F-PLACE1000078//ESTs, Weakly similar to !!!! ALU SUBFAMILY SB1 WARNING ENTRY !!!! [H.sapiens]//6.4e-15:203:70//Hs.157422:R85366

25 F-PLACE1000081//Human transporter protein (g17) mRNA, complete cds//0.30:324:60//Hs.76460:U49082

F-PLACE1000094

F-PLACE1000133//ESTs, Highly similar to TRANSCRIPTION FACTOR BTF3 [Homo sapiens]//6.2e-82:476:92//Hs.111081:AI380378

F-PLACE1000142//ESTs, Weakly similar to enoyl-CoA hydratase [H.sapiens]//7.7e-27:205:85//Hs.9670:AA632135

30 F-PLACE1000184//Homo sapiens estrogen-related receptor gamma mRNA, complete cds//2.5e-151:737:97//Hs.151017:AF058291

F-PLACE1000185

F-PLACE1000213

35 F-PLACE1000214//ESTs//0.00059:335:59//Hs.143849:AI167255

F-PLACE1000236//Fanconi anemia, complementation group A//0.44:306:61//Hs.86297:X99226

F-PLACE1000246//ESTs//7.3e-80:457:89//Hs.57209:W22022

F-PLACE1000292//ESTs//1.8e-05:323:60//Hs.59962:AI278202

F-PLACE1000308//EST//0.0024:253:62//Hs.144238:W52294

40 F-PLACE1000332//EST//5.6e-18:223:74//Hs.99532:AA461047

F-PLACE1000347//ESTs//6.4e-33:169:99//Hs.122975:AA428675

F-PLACE1000374//Human CCAAT-box-binding factor (CBF) mRNA, complete cds//0.26:45:95//Hs.147991:M37197

F-PLACE1000380//Homo sapiens proline and glutamic acid rich nuclear protein isoform mRNA, partial cds//1.0:262:58//Hs.102732:U88153

45 F-PLACE1000383//Myotubular myopathy 1//1.1e-50:669:67//Hs.75302:U46024

F-PLACE1000401//Homo sapiens mRNA for KIAA0616 protein, partial cds//0.036:471:58//Hs.6051:AB014516

F-PLACE1000406//ESTs, Highly similar to PTB-ASSOCIATED SPLICING FACTOR [Homo sapiens]//8.7e-63:346:93//Hs.19501:AA742260

50 F-PLACE1000420//Homo sapiens mRNA for KIAA0602 protein, partial cds//0.0023:216:65//Hs.37656:AB011174

F-PLACE1000421//Human lipid-activated protein kinase PRK1 mRNA, complete cds//0.55:212:63//Hs.2499:U33053

F-PLACE1000424

F-PLACE1000435//Homo sapiens mRNA for XPR2 protein//0.58:674:55//Hs.44766:AJ007590

55 F-PLACE1000444//Fucosyltransferase 1 (galactoside 2-alpha-L-fucosyltransferase, Bombay phenotype included)//2.7e-52:421:80//Hs.69747:M35531

F-PLACE1000453//Human mRNA for MTG8a protein, complete cds//0.026:240:60//Hs.31551:D43638

F-PLACE1000481//Oxytocin receptor//1.6e-25:347:71//Hs.2820:X64878

F-PLACE1000492//Human mRNA for KIAA0355 gene, complete cds//0.58:302:60//Hs.153014:AB002353
 F-PLACE1000540//EST//0.32:229:59//Hs.163011:AA700573
 F-PLACE1000547//Human heparan sulfate proteoglycan (HSPG2) mRNA, complete cds//0.0046:223:65//Hs.75578:M85289
 5 F-PLACE1000562
 F-PLACE1000564//ESTs//8.0e-35:247:89//Hs.12999:AA278538
 F-PLACE1000583//Homo sapiens clone 23939 mRNA sequence//6.6e-47:525:72//Hs.21838:AF038179
 F-PLACE1000588//Guanylate binding protein 1, interferon-inducible, 67kD//2.3e-85:503:88//Hs.62661:M55542
 F-PLACE1000596//Homo sapiens mRNA for NS1-binding protein (NS1-BP)//1.2e-165:798:97//Hs.159597:
 10 AJ012449
 F-PLACE1000599//ESTs//0.65:201:58//Hs.98216:AA758751
 F-PLACE1000610//Homo sapiens mRNA for KIAA0642 protein, partial cds//0.98:215:60//Hs.8152:AB014542
 F-PLACE1000611//ESTs//7.2e-20:406:64//Hs.128966:AA620986
 F-PLACE1000636
 15 F-PLACE1000653//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds//5.0e-154:747:96//Hs.5819:AF102265
 F-PLACE1000656//Homo sapiens mRNA for JM4 protein, complete CDS (clone IMAGE 546750 and LLNLc110F1857Q7 (RZPD Berlin))//7.5e-158:775:97//Hs.29595:AJ005896
 F-PLACE1000706//Homo sapiens transcription intermediary factor 1 (TIF1) mRNA, complete cds//1.0e-57:675:
 20 69//Hs.128763:AF009353
 F-PLACE1000712//EST//0.56:171:61//Hs.112790:AA609949
 F-PLACE1000716//Human mRNA for KIAA0258 gene, complete cds//6.1e-38:426:70//Hs.47313:D87447
 F-PLACE1000748//ESTs//2.6e-43:233:95//Hs.110754:AA112288
 F-PLACE1000749//Human MAGE-9 antigen (MAGE9) gene, complete cds//0.72:331:57//Hs.37110:U10694
 25 F-PLACE1000755//NUCLEOLIN//0.0038:186:66//Hs.79110:M60858
 F-PLACE1000769
 F-PLACE1000785//Homo sapiens mRNA for KIAA0648 protein, partial cds//1.1e-139:663:98//Hs.31921:AB014548
 F-PLACE1000786//Myosin, heavy polypeptide 9, non-muscle//8.5e-06:362:59//Hs.44782:Z82215
 30 F-PLACE1000793//ESTs//2.7e-62:315:97//Hs.16141:W56079
 F-PLACE1000798//ESTs//1.4e-55:316:93//Hs.139119:N32189
 F-PLACE1000841//EST//0.47:143:61//Hs.144096:AI032180
 F-PLACE1000849//Homo sapiens CAGF9 mRNA, partial cds//1.6e-06:266:63//Hs.110826:U80736
 F-PLACE1000856//ESTs//2.6e-60:319:96//Hs.25994:AA470000
 35 F-PLACE1000863//EST//9.4e-29:249:78//Hs.121919:AA777428
 F-PLACE1000909//ESTs//0.97:214:60//Hs.128601:AA906455
 F-PLACE1000931//ESTs//2.1e-46:592:70//Hs.154244:AA195201
 F-PLACE1000948
 F-PLACE1000972//Homo sapiens enhancer of filamentation (HEF1) mRNA, complete cds//7.9e-10:294:66//Hs.80261:L43821
 40 F-PLACE1000977//ESTs, Weakly similar to coded for by C. elegans cDNA yk28h2.5 [C.elegans]//9.3e-45:309:88//Hs.13531:R61789
 F-PLACE1000979//Zinc finger protein 91 (HPF7, HTF10)//0.0034:229:62//Hs.8597:L11672
 F-PLACE1000987//Homo sapiens mRNA for KIAA0724 protein, complete cds//2.6e-141:694:96//Hs.158497:AB018267
 45 F-PLACE1001000//ESTs//0.0035:116:73//Hs.144532:H39913
 F-PLACE1001007//Guanylate cyclase 2D, membrane (retina-specific)//0.050:338:61//Hs.1974:M92432
 F-PLACE1001010//H.sapiens mRNA for retrotransposon//1.6e-45:371:80//Hs.6940:Z48633
 F-PLACE1001015//ESTs//8.6e-27:211:71//Hs.88040:AA256876
 50 F-PLACE1001024
 F-PLACE1001036//EST//1.0:133:65//Hs.161424:AI424741
 F-PLACE1001054//Human plectin (PLEC1) mRNA, complete cds//0.98:284:59//Hs.79706:U53204
 F-PLACE1001062
 F-PLACE1001076//EST//0.84:223:59//Hs.161147:AI417859
 55 F-PLACE1001088
 F-PLACE1001092//Homo sapiens sorting nexin 4 mRNA, complete cds//1.0e-96:489:96//Hs.95448:AF065485
 F-PLACE1001104//ESTs//0.19:249:64//Hs.152627:AA595817
 F-PLACE1001118//Homo sapiens KRAB domain zinc finger protein (ZFP37) mRNA, complete cds//8.2e-66:676:

71//Hs.150406:AF022158
 F-PLACE1001136//Amphiregulin (schwannoma-derived growth factor)//1.5e-16:122:91//Hs.1257:M30704
 F-PLACE1001168
 F-PLACE1001171//ESTs//4.3e-12:214:72//Hs.141392:R95135
 5 F-PLACE1001185//ESTs, Weakly similar to ZK792.1 [C.elegans]//1.6e-28:421:66//Hs.8763:W30741
 F-PLACE1001238
 F-PLACE1001241//ESTs//1.1e-22:225:79//Hs.159786:R49494
 F-PLACE1001257//ESTs//1.9e-23:165:89//Hs.126518:AA913929
 F-PLACE1001272//COATOMER BETA'SUBUNIT//0.012:50:96//Hs.75724:X70476
 10 F-PLACE1001279//ESTs//0.97:377:59//Hs.152628:N51283
 F-PLACE1001280//Homo sapiens hyperpolarization-activated channel 1 (IH1) mRNA, partial cds//1.2e-08:586:58//Hs.124161:AF065164
 F-PLACE1001294//Homo sapiens mRNA for myosin phosphatase target subunit 1 (MYPT1)//0.91:221:61//Hs.16533:D87930
 15 F-PLACE1001304//Human zinc finger protein mRNA, complete cds//8.6e-08:370:60//Hs.42672:AF016052
 F-PLACE1001311//ESTs//1.7e-44:480:73//Hs.155384:Z78385
 F-PLACE1001323//ESTs//1.1e-25:151:95//Hs.134120:AA699591
 F-PLACE1001351
 F-PLACE1001366//Homo sapiens mRNA for KIAA0799 protein, partial cds//2.8e-26:155:95//Hs.61638:AB018342
 20 F-PLACE1001377//Homo sapiens ADAM10 (ADAM10) mRNA, complete cds//3.4e-44:393:79//Hs.152005:AF009615
 F-PLACE1001383//ESTs//1.0:159:65//Hs.128501:AA973748
 F-PLACE1001384//Homo sapiens multi PDZ domain protein MUPP1 (MUPP1) mRNA, complete cds//2.6e-09:117:84//Hs.21301:AF093419
 25 F-PLACE1001387//ESTs, Weakly similar to EPIDERMAL GROWTH FACTOR RECEPTOR KINASE SUBSTRATE EPS8 [H.sapiens]//0.00083:187:64//Hs.5399:N30646
 F-PLACE1001395//Homo sapiens mRNA for putative DNA methyltransferase, complete CDS//0.0038:496:57//Hs.97681:AJ223333
 F-PLACE1001399//Human melanoma antigen recognized by T-cells (MART-1) mRNA//7.0e-45:456:75//Hs.154069:U06452
 30 F-PLACE1001412//Homo sapiens clone 643 unknown mRNA, complete sequence//6.5e-71:365:96//Hs.110404:AF091087
 F-PLACE1001414//EST//1.2e-75:364:98//Hs.136622:AA633232
 F-PLACE1001440//ESTs//2.8e-05:163:66//Hs.141082:H18987
 35 F-PLACE1001456//EST//0.95:132:61//Hs.20373:R09510
 F-PLACE1001468//ESTs//0.00019:184:66//Hs.126536:AI379455
 F-PLACE1001484//EST//8.6e-18:190:76//Hs.160992:H52716
 F-PLACE1001502//Apolipoprotein E//2.5e-05:306:60//Hs.76260:M12529
 F-PLACE1001503
 40 F-PLACE1001517//ESTs//1.9e-12:138:78//Hs.120352:AA718914
 F-PLACE1001534//EST//0.015:121:65//Hs.144156:R85753
 F-PLACE1001545
 F-PLACE1001551
 F-PLACE1001570//EST//0.58:286:59//Hs.120202:AA728835
 45 F-PLACE1001602//Human POU domain protein (Brn-3b) mRNA, complete cds//0.013:159:66//Hs.266:U06233
 F-PLACE1001603//Homo sapiens nitrilase 1 (NIT1) mRNA, complete cds//1.1e-10:133:77//Hs.146406:AF069987
 F-PLACE1001608//ESTs//0.022:187:60//Hs.145915:AI342230
 F-PLACE1001610//ESTs//1.4e-77:377:97//Hs.115700:AA808005
 F-PLACE1001611//Human faciogenital dysplasia (FGD1) mRNA, complete cds//0.96:141:66//Hs.1572:U11690
 50 F-PLACE1001632//Homo sapiens mRNA for KIAA0798 protein, complete cds//3.4e-76:702:75//Hs.159277:AB018341
 F-PLACE1001634//ESTs//1.2e-43:260:92//Hs.134064:AI276198
 F-PLACE1001640
 F-PLACE1001672//EST//2.8e-21:201:82//Hs.123341:AA810927
 55 F-PLACE1001691//Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds//2.8e-148:726:96//Hs.3688:AF069250
 F-PLACE1001692//ESTs, Highly similar to S-ACYL FATTY ACID SYNTHASE THIOESTERASE, MEDIUM CHAIN [Rattus norvegicus]//1.1e-95:481:92//Hs.24309:AI125696

EP 1 074 617 A2

F-PLACE1001705//Human RNA polymerase III subunit (RPC39) mRNA, complete cds//6.0e-30:347:76//Hs.101555:U93869
 F-PLACE1001716//Human mRNA for KIAA0191 gene, partial cds//2.1e-69:369:73//Hs.12413:D83776
 F-PLACE1001720//ESTs//1.2e-27:146:99//Hs.106432:AI391686
 5 F-PLACE1001729//Homo sapiens mRNA for KIAA0522 protein, partial cds//0.0084:484:60//Hs.129892:AB011094
 F-PLACE1001739//Histidine-rich calcium binding protein//0.14:240:64//Hs.1480:M60052
 F-PLACE1001740//ESTs//4.9e-32:343:74//Hs.139158:AA226159
 F-PLACE1001745
 F-PLACE1001746//ESTs//7.0e-15:168:80//Hs.46601:N78361
 10 F-PLACE1001748//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds//2.8e-160:773:97//Hs.4812:AF061243
 F-PLACE1001756//Homo sapiens tapasin (NGS-17) mRNA, complete cds//2.7e-35:269:83//Hs.5247:AF029750
 F-PLACE1001761//ESTs//6.9e-27:159:93//Hs.78277:AA131283
 F-PLACE1001771//Human putative calcium influx channel (htrp3) mRNA, complete cds//3.4e-52:548:72//Hs.150981:U47050
 15 F-PLACE1001781
 F-PLACE1001799//EST//5.4e-07:145:70//Hs.121840:AA776115
 F-PLACE1001810//ESTs//0.024:134:67//Hs.43134:AA766138
 F-PLACE1001817//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds//
 20 3.6e-110:546:96//Hs.40820:AF058953
 F-PLACE1001821
 F-PLACE1001844//ESTs//5.4e-45:387:79//Hs.61199:AA024494
 F-PLACE1001845//ESTs//2.5e-47:232:100//Hs.120809:AA150214
 F-PLACE1001869//EST//1.0:139:59//Hs.122285:AA781906
 25 F-PLACE1001897//ESTs//0.29:348:57//Hs.139993:AI343257
 F-PLACE1001912//ESTs//4.0e-10:95:89//Hs.13475:R18220
 F-PLACE1001920//Homo sapiens TNF-induced protein GG2-1 mRNA, complete cds//4.0e-153:685:95//Hs.17839:AF099936
 F-PLACE1001928//H.sapiens HUMM9 mRNA//0.063:196:66//Hs.2750:X74837
 30 F-PLACE1001983//Homo sapiens Jagged 2 mRNA, complete cds//9.8e-06:431:58//Hs.106387:AF029778
 F-PLACE1001989
 F-PLACE1002004
 F-PLACE1002046
 F-PLACE1002052//Human mRNA for phospholipase C, complete cds//0.0092:465:58//Hs.153322:D42108
 35 F-PLACE1002066//EST//0.49:307:61//Hs.150652:AA908555
 F-PLACE1002072//EST//1.0:103:65//Hs.116488:F13707
 F-PLACE1002073//Homo sapiens mRNA for KIAA0606 protein, partial cds//4.2e-39:635:64//Hs.38176:AB011178
 F-PLACE1002090//Homo sapiens signal recognition particle 72 (SRP72) mRNA, complete cds//4.3e-83:388:99//
 Hs.5171:AF069765
 40 F-PLACE1002115//EST//0.18:215:62//Hs.135747:AI002637
 F-PLACE1002119//Human transcription factor ETR101 mRNA, complete cds//6.2e-13:384:61//Hs.737:M62831
 F-PLACE1002140//EST, Moderately similar to ALPHA-1-ANTITRYPSIN PRECURSOR [Homo sapiens]//0.89:60:75//Hs.144290:T61747
 F-PLACE1002150//ESTs//0.56:245:64//Hs.24119:AA115631
 45 F-PLACE1002157//Human mRNA for KIAA0392 gene, partial cds//2.8e-51:440:79//Hs.40100:AB002390
 F-PLACE1002163//ESTs//0.76:212:61//Hs.112494:AI366891
 F-PLACE1002170//ESTs//6.5e-09:108:76//Hs.41418:H90627
 F-PLACE1002171//ESTs//3.5e-81:493:89//Hs.122553:H66674
 F-PLACE1002205//Human clone 23695 mRNA sequence//0.00080:472:60//Hs.90798:U79289
 50 F-PLACE1002213//ESTs//0.041:146:67//Hs.119162:AA399989
 F-PLACE1002227//ESTs//9.4e-06:173:66//Hs.127882:AI024442
 F-PLACE1002256//ESTs//1.8e-93:440:99//Hs.128700:AA970935
 F-PLACE1002259//Human Line-1 repeat mRNA with 2 open reading frames//2.3e-75:434:83//Hs.23094:M19503
 F-PLACE1002319//ESTs//0.82:188:62//Hs.50918:AA036675
 55 F-PLACE1002342//EST//0.61:148:66//Hs.144319:AA280279
 F-PLACE1002395//ESTs//1.2e-18:168:83//Hs.3853:AA034291
 F-PLACE1002399//EST//0.0011:166:65//Hs.137500:AA436710
 F-PLACE1002433//ESTs//1.2e-14:151:80//Hs.161837:AA421067

EP 1 074 617 A2

F-PLACE1002437//Human ATP binding cassette transporter (ABCR) mRNA, complete cds//2.6e-23:458:66//Hs.
 40993:AF000148
 F-PLACE1002438//EST//0.81:48:77//Hs.158575:AI368947
 F-PLACE1002450//Homo sapiens KRAB domain zinc finger protein (ZFP37) mRNA, complete cds//7.1e-07:270:
 5 66//Hs.150406:AF022158
 F-PLACE1002465
 F-PLACE1002474//Homo sapiens mRNA for matrilin-4, partial//1.3e-14:369:63//Hs.129361:AJ007581
 F-PLACE1002477//ESTs//3.5e-13:125:71//Hs.145032:AA343523
 F-PLACE1002493
 10 F-PLACE1002499
 F-PLACE1002500//Human putative zinc transporter ZnT-3 (ZnT-3) mRNA, complete cds//4.3e-19:708:59//Hs.
 111967:U76010
 F-PLACE1002514//ESTs//3.1e-07:178:66//Hs.70932:AA126482
 F-PLACE1002529//Homo sapiens mRNA for KIAA0713 protein, partial cds//2.9e-144:583:95//Hs.88756:
 15 AB018256
 F-PLACE1002532//Homo sapiens BAC clone RG300E22 from 7q21-q31.1//3.1e-115:566:96//Hs.99348:
 AC004774
 F-PLACE1002537//Thiopurine S-methyltransferase//1.9e-28:198:86//Hs.51124:AF019369
 F-PLACE1002571//Homo sapiens mRNA for TP55, complete cds//0.99:274:59//Hs.138202:AF027866
 20 F-PLACE1002578//ESTs//7.3e-10:185:73//Hs.41418:H90627
 F-PLACE1002583//EST//0.0028:348:61//Hs.160396:AI393725
 F-PLACE1002591//Human mRNA for actin binding protein p57, complete cds//2.8e-27:279:74//Hs.109606:
 D44497
 F-PLACE1002598//EST//0.011:209:62//Hs.131470:AI024187
 25 F-PLACE1002604//EST//0.47:220:61//Hs.145434:AI198915
 F-PLACE1002625
 F-PLACE1002655//GELSOLIN PRECURSOR, PLASMA//1.7e-36:693:62//Hs.80562:X04412
 F-PLACE1002665//EST//0.15:156:65//Hs.161793:AA380706
 F-PLACE1002685//Homo sapiens B cell linker protein BLNK mRNA, alternatively spliced, complete cds//1.1e-187:
 30 804:97//Hs.124903:AF068180
 F-PLACE1002714//Human involucrin mRNA//3.6e-08:509:60//Hs.157091:M13903
 F-PLACE1002722//Human protease-activated receptor 3 (PAR3) mRNA, complete cds//0.34:230:58//Hs.159196:
 U92971
 F-PLACE1002768//EST//0.37:126:69//Hs.125353:AA877080
 35 F-PLACE1002772//ESTs//0.0017:147:69//Hs.132439:AA923728
 F-PLACE1002775//EST//5.5e-09:129:75//Hs.135336:AI049827
 F-PLACE1002782//Homo sapiens I-1 receptor candidate protein mRNA, complete cds//0.0031:298:62//Hs.26285:
 AF082516
 F-PLACE1002794//ESTs//0.71:125:66//Hs.97441:AI368926
 40 F-PLACE1002811//Human mRNA for KIAA0172 gene, partial cds//5.8e-46:567:70//Hs.77546:D79994
 F-PLACE1002815
 F-PLACE1002816//Homo sapiens mRNA for KIAA0600 protein, partial cds//4.3e-70:687:73//Hs.9028:AF039691
 F-PLACE1002834//ESTs//2.6e-41:393:74//Hs.120206:AI089163
 F-PLACE1002839//ESTs//0.26:177:63//Hs.149013:AI334167
 45 F-PLACE1002851//EST//0.0034:102:72//Hs.129630:AI000405
 F-PLACE1002853//ESTs//1.1e-20:136:90//Hs.125895:AA889024
 F-PLACE1002881//Interleukin 10//1.1e-41:454:72//Hs.2180:M57627
 F-PLACE1002908//ESTs//3.8e-48:325:88//Hs.54702:AI040029
 F-PLACE1002941//ESTs//5.0e-18:128:88//Hs.17376:AA855056
 50 F-PLACE1002962
 F-PLACE1002968//ESTs, Highly similar to trg gene product [R.norvegicus]//0.031:372:59//Hs.8021:AI041815
 F-PLACE1002991
 F-PLACE1002993
 F-PLACE1002996//ESTs, Weakly similar to T20D3.3 [C.elegans]//1.3e-12:104:86//Hs.124808:T86959
 55 F-PLACE1003025//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0510//0.99:192:64//Hs.92660:
 AB007979
 F-PLACE1003027//Homo sapiens mRNA for KIAA0516 protein, partial cds//2.0e-131:632:97//Hs.129872:
 AB011088

EP 1 074 617 A2

F-PLACE1003044//Homo sapiens mRNA for KIAA0667 protein, partial cds//2.7e-14:555:58//Hs.154740:AB014567
F-PLACE1003045
F-PLACE1003092//ESTs//1.1e-108:506:99//Hs.22119:AA885491
5 F-PLACE1003100//Human Hep27 protein mRNA, complete cds//2.9e-66:650:73//Hs.102137:U31875
F-PLACE1003108//EST//0.016:181:65//Hs.119762:AA703419
F-PLACE1003136
F-PLACE1003145
F-PLACE1003153//ESTs//3.1e-09:209:65//Hs.111583:AA463590
10 F-PLACE1003174//ESTs//0.073:97:69//Hs.12992:W01997
F-PLACE1003176//ESTs//3.3e-60:296:90//Hs.58239:AA215797
F-PLACE1003190//Homo sapiens C19steroid specific UDP-glucuronosyltransferase mRNA, complete cds//0.98:221:60//Hs.139756:U59209
F-PLACE1003200//EST//0.0021:309:60//Hs.140561:AA765532
15 F-PLACE1003205//EST//1.2e-07:204:65//Hs.147372:AI208770
F-PLACE1003238//ESTs//7.4e-62:343:94//Hs.121302:AA758208
F-PLACE1003249//Insulin-like growth factor 1 (somatomedia C)//0.99:175:62//Hs.85112:X57025
F-PLACE1003256
F-PLACE1003258//H.sapiens mRNA for ZYG homologue//0.00020:217:64//Hs.29285:X99802
20 F-PLACE1003296//ESTs//2.6e-14:80:86//Hs.155441:AA533106
F-PLACE1003302//Human repressor transcriptional factor (ZNF85) mRNA, complete cds//4.3e-51:700:67//Hs.37138:U35376
F-PLACE1003334
F-PLACE1003342//ESTs//0.94:310:57//Hs.131502:AI023308
25 F-PLACE1003343//EST//1.2e-09:114:77//Hs.103418:AA035568
F-PLACE1003353//Homo sapiens breast cancer antiestrogen resistance 3 protein (BCAR3) mRNA, complete cds//2.6e-144:773:92//Hs.6564:U92715
F-PLACE1003361//ESTs, Weakly similar to ATP SYNTHASE A CHAIN [Trypanosoma brucei brucei]//8.9e-35:332:78//Hs.163820:H71277
30 F-PLACE1003366//Homo sapiens dysferlin mRNA, complete cds//7.9e-06:502:57//Hs.143897:AF075575
F-PLACE1003369//NUCLEOLIN//0.00037:282:60//Hs.79110:M60858
F-PLACE1003373//EST//1.1e-11:420:63//Hs.156592:AI343009
F-PLACE1003375//EST//0.75:119:68//Hs.160270:AI149069
F-PLACE1003383
35 F-PLACE1003394//ESTs, Highly similar to RAS-RELATED PROTEIN RAB-14 [Rattus norvegicus]//8.9e-113:590:94//Hs.125175:AI142546
F-PLACE1003401//ESTs//0.55:176:66//Hs.154292:AA886178
F-PLACE1003420//Macrophage stimulating 1 (hepatocyte growth factor-like)//0.40:206:62//Hs.30223:X90846
F-PLACE1003454//ESTs//0.98:74:72//Hs.127131:AA150912
40 F-PLACE1003478//EST//5.0e-06:183:69//Hs.127524:AA952874
F-PLACE1003493//Protein-tyrosine kinase 7//0.98:232:63//Hs.90572:U33635
F-PLACE1003516//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//3.4e-85:357:86//Hs.103948:K00627
F-PLACE1003519//ESTs//1.6e-33:288:72//Hs.159510:AA297145
F-PLACE1003521//H.sapiens mRNA for retrotransposon//1.4e-45:269:76//Hs.6940:Z48633
45 F-PLACE1003528//ESTs//0.65:120:68//Hs.162376:AA570248
F-PLACE1003537//ESTs, Weakly similar to ZK858.6 [C.elegans]//3.6e-110:543:97//Hs.120416:AA057428
F-PLACE1003553
F-PLACE1003566//ESTs//0.0015:508:59//Hs.5724:AA156780
F-PLACE1003575//Homo sapiens cdc14 homolog mRNA, complete cds//4.4e-05:499:58//Hs.65993:AF000367
50 F-PLACE1003583//ESTs//5.5e-19:448:63//Hs.161701:AA225932
F-PLACE1003584//EST//1.6e-46:263:94//Hs.147412:AI209194
F-PLACE1003592//ESTs, Moderately similar to !!!! ALU CLASS B WARNING ENTRY !!!! [H.sapiens]//1.4e-50:287:93//Hs.154799:AA130620
F-PLACE1003593//ESTs//0.0025:318:61//Hs.106771:AA806965
55 F-PLACE1003596//Integral transmembrane protein 1//1.9e-54:685:68//Hs.89650:L38961
F-PLACE1003602//Homo sapiens mRNA expressed in placenta//3.4e-140:679:97//Hs.56851:D83200
F-PLACE1003605//Homo sapiens Cdc14B2 phosphatase mRNA, partial cds//0.00065:236:64//Hs.22116:AF064104

EP 1 074 617 A2

F-PLACE1003611//EST//0.00015:318:59//Hs.28788:R66896
F-PLACE1003618//Human Line-1 repeat mRNA with 2 open reading frames//1.3e-122:737:87//Hs.23094:M19503
F-PLACE1003625//ESTs//1.6e-16:103:96//Hs.111223:N51105
5 F-PLACE1003638//ESTs//0.60:305:57//Hs.19104:W07762
F-PLACE1003669//ESTs, Weakly similar to 3-7 gene product [H.sapiens]//0.021:445:58//Hs.158275:AI365413
F-PLACE1003704//Human mRNA for KIAA0301 gene, partial cds//0.014:622:56//Hs.76730:AB002299
F-PLACE1003709//Homo sapiens protein kinase (BUB1) mRNA, complete cds//1.4e-133:669:95//Hs.98658:AF053305
F-PLACE1003711//ESTs//2.2e-14:178:77//Hs.114831:T57101
10 F-PLACE1003723//Homo sapiens mRNA for T lymphocyte specific adaptor protein//8.5e-09:393:60//Hs.103527:AJ000553
F-PLACE1003738//ESTs, Weakly similar to ZINC FINGER PROTEIN 84 [H.sapiens]//1.8e-53:260:99//Hs.102928:AI346344
F-PLACE1003760//ESTs//5.1e-08:334:63//Hs.43675:AA805648
15 F-PLACE1003762//ESTs//1.0:59:83//Hs.29863:W28983
F-PLACE1003768//Human kpni repeat mrna (cdna clone pcd-kpni-4), 3' end//2.7e-40:608:68//Hs.139107:K00629
F-PLACE1003771//ESTs//6.6e-10:226:65//Hs.15776:T91944
F-PLACE1003783
F-PLACE1003784//Homo sapiens mRNA for KIAA0765 protein, partial cds//1.0:457:57//Hs.62318:AB018308
20 F-PLACE1003795//Human homologue of yeast sec7 mRNA, complete cds//0.85:314:60//Hs.1050:M85169
F-PLACE1003833//ESTs, Weakly similar to C27H6.5 [C.elegans]//0.00059:201:68//Hs.40806:AA018786
F-PLACE1003850//ESTs//0.0088:220:61//Hs.145504:AI254165
F-PLACE1003858//EST//0.77:137:61//Hs.146935:AI168124
F-PLACE1003864//ESTs//0.11:225:59//Hs.160910:AI370359
25 F-PLACE1003870//EST//7.2e-18:283:69//Hs.135497:AI091257
F-PLACE1003885//H.sapiens PAP mRNA//2.4e-75:759:72//Hs.49007:X76770
F-PLACE1003886
F-PLACE1003888//Human mRNA for phospholipase C, complete cds//8.4e-55:702:67//Hs.153322:D42108
F-PLACE1003892//ESTs//2.4e-13:258:67//Hs.28039:H24050
30 F-PLACE1003900//ESTs//3.5e-14:271:66//Hs.28589:AI004944
F-PLACE1003903//CTP synthetase//1.6e-49:528:71//Hs.84112:X52142
F-PLACE1003915//ESTs, Highly similar to ARGINYL-TRNA SYNTHETASE, MITOCHONDRIAL PRECURSOR [Saccharomyces cerevisiae]//1.2e-49:251:98//Hs.65831:F03069
F-PLACE1003923//Interferon, alpha 16//0.48:278:60//Hs.56303:M28585
35 F-PLACE1003932//EST//0.00060:221:63//Hs.163044:AA707537
F-PLACE1003936//ESTs//0.86:211:62//Hs.150751:AI123536
F-PLACE1003968//Human 5'-AMP-activated protein kinase, gamma-1 subunit mRNA, complete cds//2.0e-47:522:71//Hs.3136:U42412
F-PLACE1004103//ESTs//8.6e-35:226:89//Hs.78973:AI026812
40 F-PLACE1004104//ESTs//1.0:179:61//Hs.163935:AA506940
F-PLACE1004114//ESTs//1.3e-52:323:89//Hs.35156:AA148516
F-PLACE1004118//Spleen focus forming virus (SFFV) proviral integration oncogene spi1//0.85:164:64//Hs.153045:X52056
F-PLACE1004128//Guanine nucleotide binding protein (G protein), beta polypeptide 1//3.1e-41:422:74//Hs.3620:X04526
45 F-PLACE1004149//ESTs, Weakly similar to F48F7.1 [C.elegans]//8.2e-82:418:96//Hs.156161:AI333779
F-PLACE1004156//ESTs//0.10:166:63//Hs.133279:AI053552
F-PLACE1004161//Human mRNA for KIAA0200 gene, complete cds//0.85:269:64//Hs.76986:D83785
F-PLACE1004183//EST//1.3e-40:224:94//Hs.156603:AI343666
50 F-PLACE1004197//ESTs//2.8e-91:441:98//Hs.97269:AA292201
F-PLACE1004203//Homo sapiens GPI-anchored membrane protein CDw108 precursor, mRNA, complete cds//1.3e-145:695:98//Hs.24640:AF069493
F-PLACE1004242//ESTs//0.99:213:60//Hs.117311:AA699722
F-PLACE1004256//EST//0.019:364:58//Hs.122395:AA789273
55 F-PLACE1004257//ESTs//0.77:154:64//Hs.112582:AA608689
F-PLACE1004258//ESTs, Weakly similar to vanilloid receptor subtype 1 [R.norvegicus]//1.1e-98:479:97//Hs.31718:N29128
F-PLACE1004270//Homo sapiens CAGF9 mRNA, partial cds//0.00010:369:63//Hs.110826:U80736

EP 1 074 617 A2

F-PLACE1004274//Homo sapiens mRNA for KIAA0445 protein, complete cds//0.085:573:56//Hs.154139:AB007914

F-PLACE1004277//Homo sapiens two pore domain K⁺ channel (TASK-2) mRNA, complete cds//2.0e-157:756:97//Hs.127007:AF084830

5 F-PLACE1004284//ESTs//3.6e-71:344:99//Hs.145870:AI271884

F-PLACE1004289//ESTs//2.6e-57:370:85//Hs.16740:AA586576

F-PLACE1004302//FACTOR VIII INTRON 22 PROTEIN//0.032:513:59//Hs.83363:M34677

F-PLACE1004316//H.sapiens mRNA for apoptosis specific protein//9.3e-152:797:94//Hs.11171:Y11588

F-PLACE1004336

10 F-PLACE1004358//Homo sapiens connector enhancer of KSR-like protein CNK1 mRNA, complete cds//1.9e-140:688:97//Hs.16232:AF100153

F-PLACE1004376//ESTs, Weakly similar to F27D4.4 [C.elegans]//3.9e-109:521:98//Hs.14079:AA306552

F-PLACE1004384//Human HsLIM15 mRNA for HsLim15, complete cds//2.0e-49:466:76//Hs.37181:D64108

F-PLACE1004388

15 F-PLACE1004405//EST//0.010:191:64//Hs.147600:AI217871

F-PLACE1004425//ESTs//2.1e-20:124:80//Hs.94195:W03579

F-PLACE1004428//H.sapiens mRNA for Branched chain Acyl-CoA Oxidase//1.0:552:58//Hs.9795:X95190

F-PLACE1004437//Human NAD⁺-specific isocitrate dehydrogenase beta subunit precursor, mRNA, nuclear gene encoding mitochondrial protein, complete cds//9.9e-131:536:99//Hs.155410:U49283

20 F-PLACE1004451//ESTs//5.9e-18:203:73//Hs.156097:AI348867

F-PLACE1004460

F-PLACE1004467//ESTs//8.0e-17:345:66//Hs.112993:AA824363

F-PLACE1004471//EST//9.3e-69:463:84//Hs.116391:AA644085

F-PLACE1004473//ESTs//0.93:358:58//Hs.33263:AA724416

25 F-PLACE1004491//EST//2.5e-58:285:99//Hs.97603:AA398163

F-PLACE1004506//CD81 ANTIGEN//7.2e-06:228:63//Hs.54457:M33680

F-PLACE1004510//Homo sapiens cofactor of initiator function (CIF150) mRNA, complete cds//2.5e-147:699:97//Hs.122752:AF026445

F-PLACE1004516//EST//1.0e-26:343:71//Hs.142595:N24150

30 F-PLACE1004518

F-PLACE1004548//EST//0.84:193:62//Hs.99583:AA461314

F-PLACE1004550//ESTs, Weakly similar to No definition line found [C.elegans]//4.0e-120:627:94//Hs.107387:AA058854

F-PLACE1004564//EST//1.0:240:62//Hs.16824:T91371

35 F-PLACE1004629//Centromere protein B (80kD)//0.0015:242:64//Hs.85004:X05299

F-PLACE1004645

F-PLACE1004646//Retinal pigment epithelium-specific protein (65kD)//1.4e-12:386:63//Hs.2133:U18991

F-PLACE1004658//ESTs//0.52:273:61//Hs.97252:AA291590

F-PLACE1004664

40 F-PLACE1004672//Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene//1.5e-66:357:95//Hs.77705:U07563

F-PLACE1004674//Homo sapiens calcium binding protein (ALG-2) mRNA, complete cds//1.4e-110:625:91//Hs.80019:AF035606

F-PLACE1004681//EST//0.00092:303:61//Hs.149560:AI281589

45 F-PLACE1004686//ESTs//3.0e-31:186:76//Hs.139130:AA704561

F-PLACE1004691//Homo sapiens clone 23963 mRNA sequence//0.54:242:61//Hs.48483:AF007131

F-PLACE1004693//ESTs, Weakly similar to pot. ORF III [H.sapiens]//0.56:96:71//Hs.125740:AA884845

F-PLACE1004716//ESTs//2.0e-79:388:98//Hs.150999:AI306542

F-PLACE1004722//ESTs//7.5e-06:105:72//Hs.128796:AA485891

50 F-PLACE1004736//ESTs//1.7e-27:203:86//Hs.119593:AA700148

F-PLACE1004740//ESTs//1.0e-25:174:89//Hs.29696:AA910680

F-PLACE1004743

F-PLACE1004751//ESTs, Highly similar to CMP-N-ACETYLNEURAMINATE-BETA-1,4-GALACTOSIDE ALPHA-2,3-SIALYLTRANSFERASE [Rattus norvegicus]//2.0e-41:260:90//Hs.6863:W52470

55 F-PLACE1004773//Homo sapiens inversin protein mRNA, complete cds//1.7e-172:828:97//Hs.104715:AF084367

F-PLACE1004777//Human myosin IXb mRNA, complete cds//1.0e-29:556:63//Hs.159629:U42391

F-PLACE1004793

F-PLACE1004804

F-PLACE1004813//EST//2.8e-42:296:83//Hs.155725:AI310340
 F-PLACE1004814//ESTs, Weakly similar to U1 SMALL NUCLEAR RIBONUCLEOPROTEIN 70 KD [Xenopus laevis]//2.4e-78:415:95//Hs.80965:AA493284
 F-PLACE1004815//Human mRNA for KIAA0364 gene, complete cds//4.3e-14:294:69//Hs.22111:AB002362
 5 F-PLACE1004824//ESTs//0.0072:128:69//Hs.164062:AA934047
 F-PLACE1004827//ESTs//0.78:38:100//Hs.18925:W30943
 F-PLACE1004836//Homo sapiens Notch3 (NOTCH3) mRNA, complete cds//0.78:338:57//Hs.8546:U97669
 F-PLACE1004838
 F-PLACE1004840//Protein phosphatase 1, catalytic subunit, beta isoform//0.89:200:66//Hs.21537:X80910
 10 F-PLACE1004868
 F-PLACE1004885//ESTs//0.41:181:61//Hs.116796:AA633772
 F-PLACE1004900
 F-PLACE1004902//ESTs//4.7e-72:367:96//Hs.54971:AI424382
 F-PLACE1004913//ESTs//0.031:166:63//Hs.130110:AA904929
 15 F-PLACE1004918//Human tumor susceptibility protein (TSG101) mRNA, complete cds//4.1e-24:402:64//Hs.118910:U82130
 F-PLACE1004930//Homo sapiens TNF-induced protein GG2-1 mRNA, complete cds//9.7e-86:519:88//Hs.17839:AF099936
 F-PLACE1004934//ESTs//7.2e-43:231:78//Hs.133503:AA628592
 20 F-PLACE1004937//ESTs//0.97:80:68//Hs.144264:C00851
 F-PLACE1004969
 F-PLACE1004972//Human retinoic acid- and interferon-inducible 58K protein RI58 mRNA, complete cds//0.031:235:60//Hs.27610:U34605
 F-PLACE1004979//Homo sapiens mRNA for KIAA0575 protein, complete cds//4.9e-43:331:83//Hs.153468:AB011147
 25 F-PLACE1004982//ESTs//0.020:148:63//Hs.129377:AI218520
 F-PLACE1004985//ESTs//7.9e-05:372:61//Hs.87606:AA242831
 F-PLACE1005026//ESTs//4.6e-29:212:89//Hs.137451:AA351459
 F-PLACE1005027//ESTs//6.5e-91:455:97//Hs.30890:H15159
 30 F-PLACE1005046//ESTs//3.7e-56:250:96//Hs.152730:AI308943
 F-PLACE1005052//EST//1.8e-36:370:73//Hs.123424:AA813594
 F-PLACE1005055//Homo sapiens mRNA for KIAA0576 protein, partial cds//6.2e-161:761:98//Hs.14687:AB011148
 F-PLACE1005066//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//3.0e-11:757:56//Hs.122967:AF059569
 35 F-PLACE1005077//EST//0.79:283:591//Hs.89276:AA283899
 F-PLACE1005085//ESTs//3.5e-18:231:72//Hs.142654:AA324740
 F-PLACE1005086//Homo sapiens mRNA for KIAA0575 protein, complete cds//1.9e-49:401:80//Hs.153468:AB011147
 40 F-PLACE1005101//Homo sapiens (clone zap128) mRNA, 3' end of cds//8.2e-20:194:80//Hs.75437:L40401
 F-PLACE1005102//Homo sapiens HIV-1 inducer of short transcripts binding protein (FBI1) mRNA, complete cds//8.9e-18:538:62//Hs.104640:AF000561
 F-PLACE1005108//Treacher Collins syndrome susceptibility protein//0.73:405:57//Hs.73166:U76366
 F-PLACE1005111//ESTs//0.66:191:63//Hs.106446:N93227
 45 F-PLACE1005128//Breakpoint cluster region protein BCR//5.6e-08:291:63//Hs.2557:Y00661
 F-PLACE1005146//ESTs, Weakly similar to hypothetical protein II [H.sapiens]//4.8e-12:360:63//Hs.142177:H11741
 F-PLACE1005162//Human mRNA for KIAA0118 gene, partial cds//3.9e-49:563:72//Hs.154326:D42087
 F-PLACE1005176//Homo sapiens mRNA for KIAA0641 protein, complete cds//0.82:259:60//Hs.128316:AB014541
 50 F-PLACE1005181//ESTs, Weakly similar to No definition line found [C.elegans]//4.4e-126:583:99//Hs.25347:AI138605
 F-PLACE1005187//ESTs//6.2e-34:222:90//Hs.124265:N70417
 F-PLACE1005206//EST//0.089:167:62//Hs.140487:AA767009
 55 F-PLACE1005232//ESTs, Weakly similar to synapse-associated protein sap47-1 [D.melanogaster]//0.56:192:60//Hs.47334:W72370
 F-PLACE1005243
 F-PLACE1005261//ESTs//0.52:245:58//Hs.6682:T76941

F-PLACE1005266//Kallmann syndrome 1 sequence//7.8e-06:484:60//Hs.89591:M97252
 F-PLACE1005277//Homo sapiens mRNA for KIAA0610 protein, partial cds//5.1e-150:706:98//Hs.118087:AB011182
 F-PLACE1005287//ESTs//8.1e-107:501:99//Hs.145703:AA447947
 5 F-PLACE1005305//GTP:AMP PHOSPHOTRANSFERASE MITOCHONDRIAL//4.4e-37:597:66//Hs.101642:X60673
 F-PLACE1005308//High-mobility group (nonhistone chromosomal) protein 2//0.83:239:62//Hs.80684:X62534
 F-PLACE1005313
 F-PLACE1005327//ESTs, Weakly similar to No definition line found [C.elegans]//6.0e-81:459:91//Hs.146177:R51650
 10 F-PLACE1005331//Homo sapiens chromosome 19, cosmid F20569//3.7e-66:412:88//Hs.134031:AC004794
 F-PLACE1005335//Homo sapiens mRNA for KIAA0754 protein, partial cds//0.96:510:56//Hs.159183:AB018297
 F-PLACE1005373
 F-PLACE1005374//ESTs//7.5e-77:437:91//Hs.143266:AI141348
 15 F-PLACE1005409//ESTs//2.4e-05:267:63//Hs.163307:AA856751
 F-PLACE1005453//ESTs//0.12:333:58//Hs.134672:AI087951
 F-PLACE1005467//HOMEODOMAIN/POU DOMAIN PROTEIN RDC-1//0.0043:148:67//Hs.74095:L20433
 F-PLACE1005471//ESTs//3.4e-24:135:97//Hs.49275:N66925
 F-PLACE1005477//Human Line-1 repeat mRNA with 2 open reading frames//3.5e-126:744:87//Hs.23094:M19503
 20 F-PLACE1005480//ESTs//3.7e-26:184:70//Hs.113198:N39323
 F-PLACE1005481//EST//0.27:153:64//Hs.120066:AA707973
 F-PLACE1005494//ESTs//2.4e-50:257:98//Hs.159003:AA633029
 F-PLACE1005502//ESTs//0.15:408:57//Hs.45106:AA504105
 F-PLACE1005526//ESTs//3.2e-61:305:98//Hs.122574:AA776747
 25 F-PLACE1005528//ESTs//9.9e-32:249:78//Hs.142531:N91572
 F-PLACE1005530//ESTs//1.0e-94:491:95//Hs.131731:AI339335
 F-PLACE1005550//ESTs//0.084:290:58//Hs.157775:AI359385
 F-PLACE1005554//EST//0.38:213:58//Hs.102749:N64144
 F-PLACE1005557//ESTs, Highly similar to MITOCHONDRIAL 60S RIBOSOMAL PROTEIN L2 PRECURSOR
 30 [Saccharomyces cerevisiae]//4.5e-51:258:97//Hs.7736:W81261
 F-PLACE1005574//ESTs//3.2e-09:236:66//Hs.146884:AI160278
 F-PLACE1005584//Fragile X mental retardation 2//1.2e-05:151:69//Hs.54472:U48436
 F-PLACE1005595//ESTs//2.1e-98:512:95//Hs.118552:W74594
 F-PLACE1005603//EST//1.0:90:66//Hs.111204:AA211851
 35 F-PLACE1005611//ESTs, Weakly similar to B0035.14 [C.elegans]//3.5e-32:197:92//Hs.8241:AA283057
 F-PLACE1005623//ESTs//3.0e-30:191:92//Hs.77570:N48234
 F-PLACE1005630//ESTs//2.3e-32:175:97//Hs.122278:AA781867
 F-PLACE1005639//ESTs//0.88:218:58//Hs.117389:AA701991
 F-PLACE1005646//Homo sapiens RNA helicase-related protein mRNA, complete cds//2.1e-151:721:98//Hs.8765:
 40 AF083255
 F-PLACE1005656//Ribonucleotide reductase M2 polypeptide//3.9e-53:480:74//Hs.75319:X59618
 F-PLACE1005666//Homo sapiens mRNA for KIAA0448 protein, complete cds//0.086:223:59//Hs.27349:AB007917
 F-PLACE1005698//Human membrane-associated lectin type-C mRNA//6.1e-65:374:85//Hs.23759:M98457
 45 F-PLACE1005727//ESTs//8.7e-65:330:96//Hs.127027:AA935437
 F-PLACE1005730//ESTs//2.9e-14:270:67//Hs.28589:AI004944
 F-PLACE1005739//Homo sapiens mRNA for serin protease with IGF-binding motif, complete cds//0.75:289:59//
 Hs.75111:D87258
 F-PLACE1005755//Insulin-like growth factor binding protein 2//3.6e-05:377:62//Hs.162:X16302
 50 F-PLACE1005763//ESTs, Highly similar to S-ACYL FATTY ACID SYNTHASE THIOESTERASE, MEDIUM CHAIN
 [Rattus norvegicus]//5.7e-49:252:88//Hs.24309:AI125696
 F-PLACE1005799//ESTs//5.2e-13:392:58//Hs.110530:AA191493
 F-PLACE1005802
 F-PLACE1005803
 55 F-PLACE1005804//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds//4.5e-128:636:96//Hs.125315:
 AF027156
 F-PLACE1005813//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds//8.4e-156:739:98//Hs.11183:
 AF065482

EP 1 074 617 A2

F-PLACE1005828//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//4.1e-42:327:81//Hs.138404:R70986

F-PLACE1005834//Retinoblastoma 1 (including osteosarcoma)//0.038:436:58//Hs.75770:L41870

5 F-PLACE1005845//ESTs//4.8e-50:309:89//Hs.107149:AI379497

F-PLACE1005850//ESTs//7.1e-40:253:79//Hs.158096:AA186905

F-PLACE1005851//ESTs//7.6e-93:483:95//Hs.135608:AA732242

F-PLACE1005876//ESTs//0.97:282:60//Hs.98664:AI381487

F-PLACE1005884//ESTs//0.070:276:60//Hs.106057:AI031552

10 F-PLACE1005890//ESTs//1.5e-91:500:93//Hs.136993:AA843300

F-PLACE1005898

F-PLACE1005921

F-PLACE1005923//ESTs//0.50:308:58//Hs.52489:R61504

F-PLACE1005925//ESTs//0.024:93:68//Hs.149868:AI288274

F-PLACE1005932//TYROSINE-PROTEIN KINASE RECEPTOR EPH PRECURSOR//0.97:342:57//Hs.89839:M18391

15 F-PLACE1005934//ESTs//8.6e-10:74:93//Hs.25092:AA922142

F-PLACE1005936//DNA excision repair protein ERCC5//1.0:144:63//Hs.48576:X69978

F-PLACE1005951//B94 PROTEIN//0.00025:371:61//Hs.75522:M92357

F-PLACE1005953//ESTs//2.8e-06:290:61//Hs.140996:R73468

20 F-PLACE1005955//ESTs, Weakly similar to Y53C12A.3 [C.elegans]//0.15:136:66//Hs.107747:AI357868

F-PLACE1005966//Human zinc finger/leucine zipper protein (AF10) mRNA, complete cds//1.0:215:63//Hs.7885:U13948

F-PLACE1005968

F-PLACE1005990

25 F-PLACE1006002//Putative mismatch repair/binding protein hMSH3//1.9e-48:312:77//Hs.42674:U61981

F-PLACE1006003//EST//0.00018:171:67//Hs.138882:W73256

F-PLACE1006011

F-PLACE1006017//ESTs//3.1e-21:159:88//Hs.142173:AA757743

F-PLACE1006037//Homo sapiens mRNA for KIAA0789 protein, complete cds//0.021:202:64//Hs.158319:AB018332

30 F-PLACE1006040//Homo sapiens mRNA for alpha endosulfine//1.1e-148:719:97//Hs.98782:X99906

F-PLACE1006076//EST//0.29:92:64//Hs.161536:N80395

F-PLACE1006119//Homo sapiens Ran-GTP binding protein mRNA, partial cds//4.1e-147:679:99//Hs.4976:AF039023

35 F-PLACE1006129

F-PLACE1006139

F-PLACE1006143//Human mRNA for KIAA0355 gene, complete cds//9.3e-43:357:79//Hs.153014:AB002353

F-PLACE1006157//ESTs, Weakly similar to ETX1 (alternatively spliced) [H.sapiens]//2.9e-12:119:84//Hs.23153:R92857

40 F-PLACE1006159//ESTs//2.3e-87:443:96//Hs.23740:H17868

F-PLACE10061641//ESTs//0.099:223:60//Hs.8108:AA902721

F-PLACE1006167//Homo sapiens chromosome 19, cosmid F23149//1.1e-68:333:92//Hs.152894:AC005239

F-PLACE1006170//ESTs//0.081:171:67//Hs.135187:AI074005

F-PLACE1006187//Homo sapiens cyclin E2 mRNA, complete cds//1.2e-150:694:99//Hs.30464:AF091433

45 F-PLACE1006195//ESTs//8.9e-14:229:70//Hs.141470:N49608

F-PLACE1006196//ESTs, Weakly similar to protein synthesis initiation factor 4A-II homolog//3.5e-59:369:88//Hs.135623:AA134719

F-PLACE1006205

F-PLACE1006223//ESTs, Weakly similar to TERATOCARCINOMA-DERIVED GROWTH FACTOR 1 [H.sapiens]//0.0089:166:63//Hs.127179:AI279486

50 F-PLACE1006225

F-PLACE1006236//EST//0.060:89:69//Hs.136977:AA830668

F-PLACE1006239//ESTs//0.028:105:66//Hs.142336:AA358185

F-PLACE1006246//ESTs//0.060:330:60//Hs.105695:AI085802

55 F-PLACE1006248//Homo sapiens mRNA for KIAA0648 protein, partial cds//7.3e-168:791:98//Hs.31921:AB014548

F-PLACE1006262

F-PLACE1006288//Homo sapiens mRNA for Pex3 protein//4.8e-37:186:100//Hs.7277:AJ001625

F-PLACE1006318
 F-PLACE1006325//ESTs//3.7e-25:206:83//Hs.102319:AI246503
 F-PLACE1006335//ESTs//2.0e-27:161:95//Hs.163529:AI361492
 F-PLACE1006357//ESTs//0.013:268:61//Hs.105775:AA526249
 5 F-PLACE1006360//ESTs//4.8e-27:146:98//Hs.100739:Z98481
 F-PLACE1006368//Homo sapiens clone 24540 mRNA sequence//0.65:272:59//Hs.153529:AF070581
 F-PLACE1006371//Homo sapiens jerky gene product homolog mRNA, complete cds//2.6e-07:403:61//Hs.105940:AF004715
 F-PLACE1006382//EST//0.98:77:68//Hs.136933:AA814693
 10 F-PLACE1006385//Homo sapiens epsin 2b mRNA, complete cds//1.6e-111:539:97//Hs.22396:AF062085
 F-PLACE1006412//Human mRNA for KIAA0298 gene, complete cds//1.0e-36:424:74//Hs.21560:AB002296
 F-PLACE1006414//Homo sapiens PCAF associated factor 65 alpha mRNA, complete cds//4.3e-111:525:98//Hs.131846:AF069735
 F-PLACE1006438//Homo sapiens mRNA for KIAA0557 protein, partial cds//2.2e-24:531:65//Hs.101414:AB011129
 15 F-PLACE1006445//Homo sapiens chromosome 16 zinc finger protein ZNF200 (ZNF200) mRNA, complete cds//1.0:248:60//Hs.88219:AF060866
 F-PLACE1006469//Human SA mRNA for SA gene product, complete cds//0.24:210:62//Hs.89659:AC004381
 F-PLACE1006470
 20 F-PLACE1006482//Homo sapiens basic-leucine zipper transcription factor MafK (MAFK) mRNA, complete cds//5.0e-46:520:71//Hs.131953:AF059194
 F-PLACE1006488//ESTs//6.2e-47:239:97//Hs.158161:AA312511
 F-PLACE1006492//ESTs//0.82:37:100//Hs.160417:AA488493
 F-PLACE1006506//HUMAN IMMUNODEFICIENCY VIRUS TYPE I ENHANCER-BINDING PROTEIN 2//0.98:505:56//Hs.75063:AL023584
 25 F-PLACE1006521//ESTs//0.032:222:63//Hs.23171:AA706542
 F-PLACE1006531//EST//2.1e-53:258:100//Hs.117316:AA699358
 F-PLACE1006534//EST//1.8e-07:78:89//Hs.157551:AI356219
 F-PLACE1006540//Homo sapiens mRNA for cadherin-6, complete cds//0.96:383:58//Hs.32963:D31784
 30 F-PLACE1006552//Human (clone N5-4) protein p84 mRNA, complete cds//0.058:464:57//Hs.1540:L36529
 F-PLACE1006598//Homo sapiens mRNA for KIAA0737 protein, complete cds//4.1e-17:372:65//Hs.17630:AB018280
 F-PLACE1006615//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds//2.2e-168:781:99//Hs.155377:U97670
 35 F-PLACE1006617//ESTs//6.0e-08:354:60//Hs.42624:H99088
 F-PLACE1006626//NUCLEOLIN//0.0044:186:66//Hs.79110:M60858
 F-PLACE1006629//Homo sapiens (clone s2i71) mRNA fragment//0.097:229:63//Hs.26956:L40396
 F-PLACE1006640//ESTs//0.00019:380:59//Hs.13672:AI131473
 F-PLACE1006673//ESTs, Weakly similar to T14B4.2 gene product [C.elegans]//1.6e-12:113:83//Hs.3385:N25917
 40 F-PLACE1006678
 F-PLACE1006704//Homo sapiens ALR mRNA, complete cds//0.16:284:60//Hs.153638:AF010403
 F-PLACE1006731//Homo sapiens SOX22 protein (SOX22) mRNA, complete cds//1.6e-05:382:63//Hs.43627:U35612
 F-PLACE1006754//Biliary glycoprotein//8.9e-27:305:72//Hs.50964:X16354
 45 F-PLACE1006760//ESTs//0.10:207:62//Hs.152589:AA954152
 F-PLACE1006779//Kallmann syndrome 1 sequence//0.00025:251:64//Hs.89591:M97252
 F-PLACE1006782//ESTs//1.2e-90:423:100//Hs.132826:AI075783
 F-PLACE1006792//ESTs//1.5e-10:439:58//Hs.138501:AI051228
 F-PLACE1006795//TYROSINE-PROTEIN KINASE RECEPTOR ETK1 PRECURSOR//4.5e-10:84:95//Hs.123642:M83941
 50 F-PLACE1006800//ESTs//0.00068:360:61//Hs.157876:AI422017
 F-PLACE1006805//ESTs//4.6e-103:491:98//Hs.140465:AA769892
 F-PLACE1006815//Homo sapiens mRNA for KIAA0618 protein, complete cds//0.47:403:56//Hs.15832:AB014518
 F-PLACE1006819//Human Line-1 repeat mRNA with 2 open reading frames//3.7e-103:619:87//Hs.23094:M19503
 55 F-PLACE1006829//ESTs//1.5e-22:141:94//Hs.142988:AA142876
 F-PLACE1006860//EST//0.0062:206:65//Hs.158793:AI376773
 F-PLACE1006867//ESTs//0.068:218:62//Hs.91166:AA551273
 F-PLACE1006878//Homo sapiens mRNA for KIAA0711 protein, complete cds//1.0:268:58//Hs.5333:AB018254

F-PLACE1006883//ESTs//1.6e-75:398:94//Hs.119544:T95601
 F-PLACE1006901//ESTs//1.9e-13:87:96//Hs.134737:AI089187
 F-PLACE1006904//EST//1.0:91:70//Hs.148270:AA906443
 F-PLACE1006917
 5 F-PLACE1006932//ESTs//0.98:110:70//Hs.100855:AI423913
 F-PLACE1006935//EST//1.0:92:65//Hs.124554:AA847211
 F-PLACE1006956//PERIPHERIN//0.13:443:57//Hs.37044:L14565
 F-PLACE1006958//Heat shock 70kD protein 4//6.4e-40:456:70//Hs.127:L12723
 F-PLACE1006961//ESTs, Highly similar to RSP5 PROTEIN [Saccharomyces cerevisiae]//3.2e-07:67:98//Hs.
 10 21806:AA630312
 F-PLACE1006962//H.sapiens ir1B mRNA//2.3e-16:202:71//Hs.135202:X63417
 F-PLACE1006966//Homo sapiens syntaxin 4 binding protein UNC-18c (UNC-18c) mRNA, complete cds//0.14:
 191:67//Hs.8813:AF032922
 F-PLACE1006989//Cyclin B1//0.99:224:59//Hs.23960:M25753
 15 F-PLACE1007014//Homo sapiens NBMPR-insensitive nucleoside transporter ei (ENT2) mRNA, complete cds//
 3.1e-05:594:58//Hs.32951:AF034102
 F-PLACE1007021//ESTs//7.2e-89:446:96//Hs.7111:U55971
 F-PLACE1007045//Human Line-1 repeat mRNA with 2 open reading frames//1.0e-117:775:84//Hs.23094:M19503
 F-PLACE1007053//Homo sapiens mRNA for ARNO3 protein//0.35:63:82//Hs.129811:AJ223957
 20 F-PLACE1007068//Polycystic kidney disease 1 (autosomal dominant)//0.22:361:60//Hs.75813:L33243
 F-PLACE1007097//ESTs//2.9e-25:197:83//Hs.105665:H78987
 F-PLACE1007105//Amylo-1,6-glucosidase, 4-alpha-glucanotransferase (glycogen debranching enzyme, glyco-
 gen storage disease type III)//0.18:268:63//Hs.904:U84010
 F-PLACE1007111//EST//0.0066:260:60//Hs.147903:AI223385
 25 F-PLACE1007112
 F-PLACE1007132//ESTs//3.1e-30:195:76//Hs.46158:AI160121
 F-PLACE1007140//TRANSCRIPTION ELONGATION FACTOR S-II//0.13:302:60//Hs.78869:M81601
 F-PLACE1007178//ESTs//9.6e-54:289:95//Hs.12251:H12965
 F-PLACE1007226//Homo sapiens Notch3 (NOTCH3) mRNA, complete cds//0.00090:412:59//Hs.8546:U97669
 30 F-PLACE1007238//Human plectin (PLEC1) mRNA, complete cds//1.4e-07:492:64//Hs.79706:U53204
 F-PLACE1007239//Human mRNA for transcription elongation factor S-II, hS-II-T1, complete cds//2.0e-58:405:87//
 Hs.80598:D50495
 F-PLACE1007242//EST//0.014:55:89//Hs.88432:AA262141
 F-PLACE1007243//ESTs//2.0e-43:227:97//Hs.124775:AA648467
 35 F-PLACE1007257//Homo sapiens mRNA for dia-156 protein//3.7e-144:677:98//Hs.121556:Y15909
 F-PLACE1007274
 F-PLACE1007276//ATPase, Cu++ transporting, alpha polypeptide (Menkes syndrome)//0.94:167:64//Hs.606:
 L06133
 F-PLACE1007282
 40 F-PLACE1007286//ESTs//1.0e-25:333:71//Hs.134860:AI091436
 F-PLACE1007301//EST//0.78:171:61//Hs.160990:H52412
 F-PLACE1007317//Homo sapiens oxysterol 7alpha-hydroxylase (CYP7b1) mRNA, complete cds//0.88:298:58//
 Hs.144877:AF029403
 F-PLACE1007342
 45 F-PLACE1007346//Homo sapiens estrogen-responsive B box protein (EBBP) mRNA, complete cds//1.7e-121:
 567:98//Hs.76596:AF096870
 F-PLACE1007367//H.sapiens mRNA for MACH-alpha-2 protein//2.2e-55:532:77//Hs.19949:X98173
 F-PLACE1007375
 F-PLACE1007386//ESTs//0.00066:61:91//Hs.149318:AI248642
 50 F-PLACE1007402//EST//1.7e-06:193:65//Hs.132124:AI041287
 F-PLACE1007409//Homo sapiens mitoxantrone resistance protein 1 mRNA, partial sequence//3.8e-18:128:92//
 Hs.14387:AF093771
 F-PLACE1007416
 F-PLACE1007450//ESTs//2.6e-36:194:97//Hs.22359:AI024436
 55 F-PLACE1007452//EST//1.8e-34:197:94//Hs.134795:AI090359
 F-PLACE1007454//Homo sapiens (clone s153) mRNA fragment//2.6e-53:317:93//Hs.6445:L40391
 F-PLACE1007460//ESTs//0.0012:168:64//Hs.151708:AA554714
 F-PLACE1007478//ESTs//1.0e-42:440:74//Hs.141722:AA769103

F-PLACE1007484//ESTs//7.1e-18:127:91//Hs.100251:AA535975
 F-PLACE1007488
 F-PLACE1007507//ESTs//1.2e-99:274:98//Hs.123462:AA903385
 F-PLACE1007511//Keratin 19//4.2e-31:586:64//Hs.23761:Y00503
 5 F-PLACE1007524//ESTs//6.8e-71:356:97//Hs.163067:AA897296
 F-PLACE1007525//ESTs//0.073:242:59//Hs.128711:AA856979
 F-PLACE1007537//Homo sapiens PYRIN (MEFV) mRNA, complete cds//0.93:468:57//Hs.113283:AF018080
 F-PLACE1007544//ESTs//1.7e-74:360:98//Hs.128632:AI076755
 F-PLACE1007547//Homo sapiens mRNA for KIAA0661 protein, complete cds//1.0e-70:733:71//Hs.65238:
 10 AB014561
 F-PLACE1007557//EST//0.58:80:72//Hs.130267:AI001863
 F-PLACE1007583//ESTs//1.8e-46:234:98//Hs.155071:AA584257
 F-PLACE1007598//ESTs//1.7e-83:400:99//Hs.120206:AI089163
 F-PLACE1007618//Homo sapiens mRNA for KIAA0633 protein, partial cds//7.2e-12:778:56//Hs.33010:AB014533
 15 F-PLACE1007621
 F-PLACE1007632//ESTs//1.7e-32:175:97//Hs.122278:AA781867
 F-PLACE1007645
 F-PLACE1007649
 F-PLACE1007677//ESTs//3.0e-13:125:82//Hs.143382:AA476266
 20 F-PLACE1007688//ESTs//6.8e-06:311:61//Hs.132926:AI027055
 F-PLACE1007690//ESTs//1.9e-13:83:98//Hs.150088:AI348503
 F-PLACE1007697//TRANSFORMING GROWTH FACTOR BETA 1 PRECURSOR//0.99:216:63//Hs.1103:X02812
 F-PLACE1007705//Human mRNA for RTP, complete cds//4.8e-58:637:70//Hs.75789:D87953
 F-PLACE1007706//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds//4.1e-149:709:97//Hs.4812:
 25 AF061243
 F-PLACE1007725//ESTs, Weakly similar to No definition line found [C.elegans]//4.5e-36:233:89//Hs.108797:
 AA476815
 F-PLACE1007729//ESTs, Moderately similar to RETRO VIRUS-RELATED PROTEASE [H.sapiens]//0.00033:270:
 64//Hs.104129:AA923278
 30 F-PLACE1007730//Homo sapiens mRNA for KIAA0685 protein, complete cds//2.6e-156:728:98//Hs.153121:
 AB014585
 F-PLACE1007737//Coagulation factor II (thrombin) receptor//1.1e-18:364:68//Hs.159347:M62424
 F-PLACE1007743//ESTs//0.029:421:58//Hs.106090:AA457030
 F-PLACE1007746//ESTs//6.7e-55:330:89//Hs.153392:AI089469
 35 F-PLACE1007791//EST//0.39:261:62//Hs.145991:AI277656
 F-PLACE1007807//ESTs//2.0e-54:385:83//Hs.163930:AA640504
 F-PLACE1007810//ESTs//6.1e-53:416:81//Hs.152395:AA533107
 F-PLACE1007829//EST//0.28:271:61//Hs.125514:AA883841
 F-PLACE1007843//EST//0.020:307:59//Hs.145535:AI261635
 40 F-PLACE1007846//Human Line-1 repeat mRNA with 2 open reading frames//6.3e-38:396:77//Hs.23094:M19503
 F-PLACE1007852
 F-PLACE1007858//Homo sapiens mRNA for KIAA0766 protein, complete cds//1.3e-190:894:98//Hs.28020:
 AB018309
 F-PLACE1007866//ESTs//3.0e-50:333:86//Hs.15792:AI038387
 45 F-PLACE1007877
 F-PLACE1007897//EST//1.0:59:72//Hs.138770:N70943
 F-PLACE1007908//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487//7.3e-156:755:97//Hs.
 92381:AB007956
 F-PLACE1007946//ESTs//8.9e-16:250:68//Hs.88527:N24002
 50 F-PLACE1007954//ESTs//1.6e-05:76:90//Hs.63314:AA056538
 F-PLACE1007955//Homo sapiens cyclin-D binding Myb-like protein mRNA, complete cds//8.9e-173:813:98//Hs.
 5671:AF084530
 F-PLACE1007958//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds//8.2e-155:
 730:98//Hs.78106:AF079529
 55 F-PLACE1007969//ESTs, Weakly similar to hnRNA-binding protein M4 [H.sapiens]//5.1e-45:264:92//Hs.42222:
 W28567
 F-PLACE1007990//ESTs//1.2e-104:493:99//Hs.118445:AI097043
 F-PLACE1008000//Homo sapiens vcl 1 mRNA, complete cds//5.7e-63:578:74//Hs.150380:AF087693

- F-PLACE1008002//ESTs//0.52:236:59//Hs.134292:AA603031
 F-PLACE1008044
 F-PLACE1008045//COL10A1//0.29:221:58//Hs.37075:X60382
 5 F-PLACE1008080//Human homeodomain protein (Prox 1) mRNA, complete cds//0.00037:151:71//Hs.159437:U44060
 F-PLACE1008095//Human hybrid receptor gp250 precursor mRNA, complete cds//1.0:461:58//Hs.155494:U60975
 F-PLACE1008111//Homo sapiens B lymphocyte chemoattractant BLC mRNA, complete cds//0.034:497:58//Hs.100431:AF044197
 10 F-PLACE1008122//ESTs//0.95:198:60//Hs.126776:N28769
 F-PLACE1008129//ESTs//1.1e-99:499:96//Hs.131807:AA778874
 F-PLACE1008132//EST//3.3e-27:218:83//Hs.145258:AI218683
 F-PLACE1008177//ESTs, Moderately similar to meiosis-specific nuclear structural protein 1 [M.musculus]//5.1e-20:124:95//Hs.146238:AI263135
 15 F-PLACE1008181//ESTs//0.018:285:61//Hs.88843:AA281427
 F-PLACE1008198//ESTs//5.9e-07:410:60//Hs.63348:AA643524
 F-PLACE1008201
 F-PLACE1008209
 F-PLACE1008231//ESTs//0.40:188:61//Hs.130266:AI001856
 20 F-PLACE1008244//Miller-Dieker syndrome chromosome region//0.22:247:61//Hs.77318:L13385
 F-PLACE1008273
 F-PLACE1008275//EST//0.77:74:71//Hs.145907:AI275113
 F-PLACE1008280//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501//2.6e-25:389:70//Hs.159897:AB007970
 25 F-PLACE1008309//Homo sapiens serine phosphatase FCP1a (FCP1) mRNA, complete cds//0.16:263:63//Hs.4076:AF081287
 F-PLACE1008329//EST//1.3e-09:94:85//Hs.144135:R82071
 F-PLACE1008330//Homo sapiens mRNA for KIAA0557 protein, partial cds//1.5e-45:291:83//Hs.101414:AB011129
 30 F-PLACE1008331//ESTs, Weakly similar to ORF2-like protein [H.sapiens]//5.4e-74:356:98//Hs.105382:AA496362
 F-PLACE1008356//Homo sapiens mRNA for KIAA0679 protein, partial cds//3.4e-139:659:98//Hs.5734:AB014579
 F-PLACE1008368//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//0.011:355:60//Hs.122967:AF059569
 F-PLACE1008369//ESTs//0.00074:443:61//Hs.102756:AA526911
 35 F-PLACE1008392//EST//7.4e-08:324:60//Hs.149930:AI289171
 F-PLACE1008398
 F-PLACE1008401//Homo sapiens methyl-CpG binding protein MBD2 (MBD2) mRNA, complete cds//2.5e-09:461:62//Hs.25674:AF072242
 F-PLACE1008402//Homo sapiens mRNA for p115, complete cds//1.4e-149:711:98//Hs.7763:D86326
 40 F-PLACE1008405//ESTs//2.8e-102:529:95//Hs.116278:AA628943
 F-PLACE1008424//Human DNA sequence from clone 753P9 on chromosome Xq25-26.1. Contains the gene coding for Aminopeptidase P (EC 3.4.11.9, XAA-Pro/X-Pro/Proline/Aminoacylproline Aminopeptidase) and a novel gene. Contains ESTs, STSs, GSSs and a gaaa repeat polymorphism//0.98:113:67//Hs.57922:AL023653
 F-PLACE1008426//ESTs//3.2e-77:393:95//Hs.37585:W28499
 45 F-PLACE1008429//Orf1 5' to PD-ECGF/TP...orf2 5' to PD-ECGF/TP [human, epidermoid carcinoma cell line A431, mRNA, 3 genes, 1718 nt]//0.019:530:58//Hs.72248:S72487
 F-PLACE1008437
 F-PLACE1008455//ESTs//0.51:279:61//Hs.122319:AA782335
 F-PLACE1008457//ESTs//3.0e-30:229:75//Hs.60740:AA053901
 50 F-PLACE1008465//Human mRNA for KIAA0383 gene, partial cds//0.0084:210:63//Hs.27590:AB002381
 F-PLACE1008488//Human density enhanced phosphatase-1 mRNA, complete cds//6.8e-07:469:60//Hs.1177:U10886
 F-PLACE1008524//Homo sapiens TWIK-related acid-sensitive K⁺ channel (TASK) mRNA, complete cds//1.0:304:60//Hs.24040:AF006823
 55 F-PLACE1008531//ESTs//1.1e-17:190:76//Hs.156041:AI274697
 F-PLACE1008532//Thromboxane A2 receptor//5.6e-17:231:71//Hs.89887:D38081
 F-PLACE1008533//Homo sapiens PAC clone DJ130H16 from 22q12.1-qter//1.1e-45:507:71//Hs.8003:AC004997
 F-PLACE1008568//Homo sapiens mRNA for neuronatin alpha, complete cds//1.0:95:71//Hs.117546:U31767

F-PLACE1008584//ESTs//1.4e-13:252:68//Hs.153429:AI283069
 F-PLACE1008603//Homo sapiens mRNA for KIAA0791 protein, complete cds//3.9e-175:812:98//Hs.23255:AB018334
 5 F-PLACE1008621//ESTs, Weakly similar to reverse transcriptase [H.sapiens]//1.2e-15:350:66//Hs.151087:AA649326
 F-PLACE1008625//ESTs//0.86:269:57//Hs.94998:N26794
 F-PLACE1008626//ESTs//0.55:69:71//Hs.92096:F10560
 F-PLACE1008627//ESTs//3.0e-62:302:99//Hs.120766:H82458
 F-PLACE1008629//EST//0.0012:174:67//Hs.121195:AA757211
 10 F-PLACE1008630//ESTs//4.5e-77:371:99//Hs.132960:AA252394
 F-PLACE1008643//Human mRNA for PK-120//4.7e-25:299:64//Hs.76415:D38535
 F-PLACE1008650//Homo sapiens pleiotropic regulator 1 (PLRG1) mRNA, complete cds//3.5e-135:622:99//Hs.147967:AF044333
 F-PLACE1008693//EST//0.19:36:94//Hs.138817:N93728
 15 F-PLACE1008696//Human mitochondrial NADH dehydrogenase-ubiquinone Fe-S protein 8, 23 kDa subunit precursor (NDUFS8) nuclear mRNA encoding mitochondrial protein, complete cds//8.3e-25:137:97//Hs.90443:AF038406
 F-PLACE1008715//Homo sapiens mRNA for matrilin-3//0.99:183:63//Hs.119534:AJ224741
 F-PLACE1008748//ESTs//0.88:204:63//Hs.15139:AA527080
 20 F-PLACE1008757//ESTs, Weakly similar to unknown protein [R.norvegicus]//4.3e-17:285:69//Hs.35460:H65503
 F-PLACE1008790//Homo sapiens importin alpha 7 subunit mRNA, complete cds//1.4e-121:503:97//Hs.6458:AF060543
 F-PLACE1008798//ESTs, Weakly similar to putative p150 [H.sapiens]//0.30:127:68//Hs.111380:AA258772
 F-PLACE1008807//ESTs//0.81:346:58//Hs.116901:AA663542
 25 F-PLACE1008808//Homo sapiens putative checkpoint control protein HRAD1 mRNA, complete cds//6.7e-104:376:98//Hs.7179:AF011905
 F-PLACE1008813//Glutamate decarboxylase 1 (brain, 67kD)//0.17:318:61//Hs.75668:M81883
 F-PLACE1008851//ESTs, Highly similar to CELL DIVISION CONTROL PROTEIN 2 HOMOLOG [Plasmodium falciparum (isolate k1 / thailand)]//0.73:354:59//Hs.26322:AA156858
 30 F-PLACE1008854//ESTs//3.0e-26:391:66//Hs.133260:AI052728
 F-PLACE1008867//ESTs//5.9e-08:64:93//Hs.91115:AI221563
 F-PLACE1008887//Human Line-1 repeat mRNA with 2 open reading frames//5.5e-51:701:68//Hs.23094:M19503
 F-PLACE1008902//EST//0.85:425:60//Hs.140573:AA826323
 F-PLACE1008920//Homo sapiens mRNA for KIAA0765 protein, partial cds//2.1e-159:753:98//Hs.62318:AB018308
 35 F-PLACE1008925//ESTs//0.025:133:67//Hs.103218:W84771
 F-PLACE1008934//ESTs//0.27:307:59//Hs.135168:AI394026
 F-PLACE1008941//ESTs//3.3e-53:266:98//Hs.108677:AA488937
 F-PLACE1008947//Human TBP-associated factor (hTAFII130) mRNA, partial cds//2.4e-13:625:58//Hs.24644:U75308
 40 F-PLACE1009020//ESTs//3.3e-11:122:81//Hs.131777:AI024950
 F-PLACE1009027//Homo sapiens mRNA for doublecortin//1.2e-151:763:96//Hs.34780:AJ003112
 F-PLACE1009039//EST//0.76:111:63//Hs.160997:H55762
 F-PLACE1009045//ESTs//2.2e-76:399:95//Hs.114919:AA457689
 45 F-PLACE1009048//GLYCOPROTEIN HORMONES ALPHA CHAIN PRECURSOR//2.6e-16:93:100//Hs.119689:S70585
 F-PLACE1009050//ESTs//1.4e-92:451:98//Hs.66373:AI239698
 F-PLACE1009060//ESTs//1.4e-14:86:100//Hs.131725:AI090525
 F-PLACE1009090//ESTs//2.7e-20:198:78//Hs.110044:AA181800
 50 F-PLACE1009091//ESTs//0.99:342:57//Hs.46903:AI093091
 F-PLACE1009094//ESTs//1.0:225:63//Hs.120374:AI337031
 F-PLACE1009099//H.sapiens ZNF81 gene//2.2e-79:733:74//Hs.104020:X68011
 F-PLACE1009110//ESTs//2.6e-91:453:96//Hs.143756:AI040890
 F-PLACE1009111//ESTs//2.7e-15:159:77//Hs.146811:AA410788
 55 F-PLACE1009113//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds//1.1e-139:671:97//Hs.99742:AF035586
 F-PLACE1009130//Human mRNA for KIAA0032 gene, complete cds//1.1e-24:718:59//Hs.35804:D25215
 F-PLACE1009150//Human HsLIM15 mRNA for HsLim15, complete cds//1.7e-50:440:78//Hs.37181:D64108

EP 1 074 617 A2

F-PLACE1009155//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//4.0e-46:440:69//Hs.158095:AB007953

F-PLACE1009158//Human growth/differentiation factor 1 (GDF-1) mRNA, complete cds//0.28:245:61//Hs.92614:M62302

5 F-PLACE1009166//EST//0.98:114:67//Hs.137706:AA977250

F-PLACE1009172//EST//6.2e-34:257:84//Hs.161081:N22770

F-PLACE1009174//ESTs//6.0e-24:234:77//Hs.155196:AI282821

F-PLACE1009183//EST//0.021:261:62//Hs.144222:N90100

10 F-PLACE1009186//ESTs, Weakly similar to No definition line found [C.elegans]//3.6e-117:588:95//Hs.54943:Z78396

F-PLACE1009190//EST//0.046:95:70//Hs.131646:AI025689

F-PLACE1009200//EST//2.5e-41:195:78//Hs.162404:AA573131

F-PLACE1009230//CARCINOEMBRYONIC ANTIGEN PRECURSOR//5.3e-29:157:77//Hs.146403:M29540

F-PLACE1009246//EST//0.13:178:62//Hs.23298:R22575

15 F-PLACE1009298//ESTs, Highly similar to VACUOLAR SORTING PROTEIN 35 [Saccharomyces cerevisiae]//1.9e-21:121:98//Hs.124768:AA307735

F-PLACE1009308//SERUM PROTEIN MSE55//0.44:195:62//Hs.148101:M88338

F-PLACE1009319//Homo sapiens post-synaptic density protein 95 (PSD95) mRNA, complete cds//9.7e-08:411:59//Hs.23731:U83192

20 F-PLACE1009328//Human Line-1 repeat mRNA with 2 open reading frames//2.3e-91:594:86//Hs.23094:M19503

F-PLACE1009335//EST//0.037:169:63//Hs.148875:AI240767

F-PLACE1009338//ESTs//5.7e-22:123:98//Hs.66783:AA059473

F-PLACE1009368

F-PLACE1009375

25 F-PLACE1009388//Homo sapiens KIAA0395 mRNA, partial cds//1.7e-41:317:81//Hs.43681:AL022394

F-PLACE1009398//Zinc finger protein 84 (HPF2)//1.4e-79:730:74//Hs.9450:M27878

F-PLACE1009404//MICROTUBULE-ASSOCIATED PROTEIN TAU//0.099:207:61//Hs.101174:AF047863

F-PLACE1009410//Homo sapiens BAF57 (BAF57) gene, complete cds//1.4e-27:210:86//Hs.3404:AF035262

F-PLACE1009434//Human mRNA for KIAA0005 gene, complete cds//2.8e-45:599:68//Hs.155291:D13630

30 F-PLACE1009443//H.sapiens 5T4 gene for 5T4 Oncofetal antigen//0.11:350:58//Hs.82128:AJ012159

F-PLACE1009444//PHOSPHATIDYLINOSITOL 4-KINASE ALPHA//1.5e-22:146:93//Hs.76987:AF012872

F-PLACE1009459//H.sapiens garp gene mRNA, complete CDS//1.0:241:60//Hs.151641:Z24680

F-PLACE1009468//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE BETA 2//0.00039:347:60//Hs.994:M95678

35 F-PLACE1009476//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-67A//4.1e-91:464:96//Hs.155049:AC004531

F-PLACE1009477//ESTs//0.30:221:61//Hs.107287:AI308839

F-PLACE1009493//Homo sapiens mRNA for LAK-4p, complete cds//1.6e-30:608:63//Hs.16165:AB002405

F-PLACE1009524//Human Sec7p-like protein mRNA, partial cds//2.3e-68:526:78//Hs.8517:U70728

40 F-PLACE1009539//ESTs//3.3e-18:186:83//Hs.71922:AA148417

F-PLACE1009542//EST//7.8e-11:265:65//Hs.159692:AI416956

F-PLACE1009571//ESTs//6.1e-15:94:97//Hs.151458:AA600866

F-PLACE1009581//Microtubule-associated protein 1A//1.0:196:59//Hs.147918:U38291

F-PLACE1009595//EST//1.8e-28:179:92//Hs.60090:AA004806

45 F-PLACE1009596//ESTs, Weakly similar to LIS-1 protein [H.sapiens]//4.1e-16:281:66//Hs.13889:AI341394

F-PLACE1009607//Homo sapiens PYRIN (MEFV) mRNA, complete cds//4.9e-52:313:79//Hs.113283:AF018080

F-PLACE1009613//ESTs//0.50:297:60//Hs.25114:AI074011

F-PLACE1009621//ESTs//1.4e-98:470:98//Hs.124695:AI094085

F-PLACE1009622//ESTs//9.8e-14:94:93//Hs.117227:AA682773

50 F-PLACE1009637//ESTs//4.9e-92:440:98//Hs.126587:AA917087

F-PLACE1009639

F-PLACE1009659//Homo sapiens mRNA for KIAA0587 protein, complete cds//4.4e-173:816:98//Hs.21862:AB011159

F-PLACE1009665//ESTs//9.1e-45:383:79//Hs.61199:AA024494

55 F-PLACE1009670//Homo sapiens genethonin 1 mRNA, complete cds//8.1e-149:701:98//Hs.109590:AF062534

F-PLACE1009708//ESTs, Weakly similar to HYPOTHETICAL TRP-ASP REPEATS CONTAINING PROTEIN IN HXT14-PHA2 INTERGENIC REGION [S.cerevisiae]//7.5e-51:295:92//Hs.48541:AA827926

F-PLACE1009721//EST//0.18:467:58//Hs.124358:AA830650

- F-PLACE1009731//ESTs//1.0:207:63//Hs.60440:AA195789
 F-PLACE1009763//Homo sapiens UBA3 (UBA3) mRNA, complete cds//1.3e-126:602:98//Hs.154320:AF046024
 F-PLACE1009794//ESTs//4.0e-41:252:91//Hs.42927:N20989
 5 F-PLACE1009798//Human DNA sequence from clone 1189B24 on chromosome Xq25-26.3. Contains NADH-Ubi-quinone Oxidoreductase MLRQ subunit (EC 1.6.5.3, EC 1.6.99.3, CI-MLRQ), Tubulin Beta and Proto-oncogene Tyrosine-protein Kinase FER (EC 2.7.1.112, P94-FER, C-FER; TYK3) pseudogenes, and part of a novel gene similar to hypothetical proteins S. pombe C22F3.14C and C. elegans C16A3.8. Contains ESTs and GSSs//5.5e-130:600:95//Hs.16411:AL030996
 F-PLACE1009845
 10 F-PLACE1009861
 F-PLACE1009879//ESTs//6.3e-12:293:66//Hs.147071:AI200021
 F-PLACE1009886
 F-PLACE1009888//EST//0.044:255:58//Hs.160695:AI282889
 F-PLACE1009908
 15 F-PLACE1009921//Apoptosis (APO-1) antigen 1//0.62:407:57//Hs.82359:X63717
 F-PLACE1009924//EST//2.9e-29:155:99//Hs.162937:AA634379
 F-PLACE1009925
 F-PLACE1009935//CATHEPSIN K PRECURSOR//0.43:153:66//Hs.83942:X82153
 F-PLACE1009947//ESTs//1.8e-07:56:100//Hs.149940:AI306446
 20 F-PLACE1009971//Acyl-Coenzyme A dehydrogenase, C-2 to C-3 short chain//0.89:243:61//Hs.127610:Z80345
 F-PLACE1009992//ESTs//0.99:123:68//Hs.91202:AI139114
 F-PLACE1009995//ESTs, Weakly similar to C01A2.4 [C.elegans]//3.3e-24:174:88//Hs.11449:AI201540
 F-PLACE1009997//Homo sapiens mRNA for KIAA0629 protein, partial cds//3.7e-36:196:96//Hs.153545:AB014529
 25 F-PLACE1010023
 F-PLACE1010031//ESTs//1.3e-16:132:87//Hs.46847:W02878
 F-PLACE1010053//ESTs, Moderately similar to M-phase phosphoprotein 4 [H.sapiens]//5.2e-63:312:98//Hs.142151:AA984061
 F-PLACE1010069//ESTs//6.6e-33:171:98//Hs.128844:AA977596
 30 F-PLACE1010074//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds//5.9e-168:792:98//Hs.11183:AF065482
 F-PLACE1010076//ESTs//0.88:379:55//Hs.5884:N21424
 F-PLACE1010083//Homo sapiens mRNA for KIAA0456 protein, partial cds//9.6e-154:727:98//Hs.5003:AB007925
 F-PLACE1010089//ESTs, Highly similar to PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE [Mus musculus]//1.8e-38:212:95//Hs.98067:AA236822
 35 F-PLACE1010096//ESTs, Highly similar to hypothetical protein, 100K [R.norvegicus]//1.8e-08:100:89//Hs.11469:U69567
 F-PLACE1010102//Homo sapiens stimulator of Fe transport mRNA, complete cds//0.0035:339:60//Hs.129683:AF020761
 40 F-PLACE1010105//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//1.2e-26:728:60//Hs.122967:AF059569
 F-PLACE1010106//EST//8.5e-28:394:70//Hs.142044:AA166682
 F-PLACE1010134//H.sapiens hbrm mRNA//1.2e-14:380:64//Hs.77590:X72889
 F-PLACE1010148//Human trans-Golgi p230 mRNA, complete cds//0.26:708:57//Hs.158245:U41740
 45 F-PLACE1010152
 F-PLACE1010181//EST//1.3e-21:312:71//Hs.141501:N50792
 F-PLACE1010194//ESTs//2.6e-55:284:97//Hs.155940:AA459582
 F-PLACE1010202//ESTs, Weakly similar to No definition line found [C.elegans]//2.3e-72:391:94//Hs.35225:H69637
 50 F-PLACE1010231
 F-PLACE1010261//Homo sapiens mRNA for KIAA0448 protein, complete cds//1.9e-146:693:97//Hs.27349:AB007917
 F-PLACE1010270//ESTs//2.0e-104:514:98//Hs.124062:H04590
 F-PLACE1010274//ESTs, Weakly similar to C01A2.4 [C.elegans]//6.8e-25:149:93//Hs.11449:AI201540
 55 F-PLACE1010293//EST//4.5e-36:358:74//Hs.162398:AA572813
 F-PLACE1010310//HOMEBOX/POU DOMAIN PROTEIN RDC-1//2.1e-10:352:62//Hs.74095:L20433
 F-PLACE1010321//Human hSIAH2 mRNA, complete cds//0.071:604:58//Hs.20191:U76248
 F-PLACE1010324//ESTs//0.22:286:58//Hs.130853:AI367875

F-PLACE1010329//EST//5.7e-05:351:60//Hs.120644:AA742659
 F-PLACE1010341//EST//4.5e-16:255:72//Hs.141206:H53117
 F-PLACE1010362//ESTs//1.9e-41:246:92//Hs.128771:AA236855
 F-PLACE1010364//EST//0.11:292:58//Hs.135771:AI005648
 5 F-PLACE1010383//EST//6.1e-08:107:76//Hs.136441:AA564986
 F-PLACE1010401
 F-PLACE1010481//Human BLu protein (BLu) mRNA, complete cds//0.94:254:61//Hs.125257:U70824
 F-PLACE1010491//Homo sapiens Cre binding protein-like 2 mRNA, complete cds//7.2e-152:702:99//Hs.13313:
 AF039081
 10 F-PLACE1010492//ESTs//1.0:201:60//Hs.146036:AI038500
 F-PLACE1010522//ESTs//3.9e-52:263:97//Hs.125149:AI302100
 F-PLACE1010529//Homo sapiens chromodomain-helicase-DNA-binding protein mRNA, complete cds//1.0:175:
 64//Hs.159273:AF054177
 F-PLACE1010547//ESTs//0.96:288:57//Hs.87156:AA233472
 15 F-PLACE1010562//EST//1.0:164:66//Hs.147868:AI222979
 F-PLACE1010579//EST//0.39:279:58//Hs.158960:AI380148
 F-PLACE1010580//ESTs, Moderately similar to PUTATIVE ATP-DEPENDENT RNA HELICASE C12C2.06
 [Schizosaccharomyces pombe]//3.8e-31:193:91//Hs.145229:N44661
 F-PLACE1010599//Homo sapiens peroxisomal membrane anchor protein HsPex14p (PEX14) mRNA, complete
 20 cds//9.9e-148:707:97//Hs.19851:AF045186
 F-PLACE1010616//EST//3.1e-43:213:100//Hs.128215:AA972394
 F-PLACE1010622//NUCLEOLIN//0.00040:282:60//Hs.79110:M60858
 F-PLACE1010624//Homo sapiens Jagged 2 mRNA, complete cds//1.2e-05:516:61//Hs.106387:AF029778
 F-PLACE1010628//EST, Weakly similar to line-1 protein ORF2 [H.sapiens]//0.012:258:62//Hs.144375:AA484200
 25 F-PLACE1010629//EST//8.3e-23:218:79//Hs.161975:AA501461
 F-PLACE1010630//EST//0.29:319:58//Hs.137277:N62225
 F-PLACE1010631//Homo sapiens mRNA for KIAA0530 protein, partial cds//9.5e-66:363:95//Hs.10801:AB011102
 F-PLACE1010661//ESTs//3.9e-89:504:92//Hs.122666:W27076
 F-PLACE1010662
 30 F-PLACE1010702//Human repressor transcriptional factor (ZNF85) mRNA, complete cds//1.1e-74:697:74//Hs.
 37138:U35376
 F-PLACE1010714//EST//0.018:253:59//Hs.148028:AI270027
 F-PLACE1010720//Homo sapiens chromosome-associated protein-C (hCAP-C) mRNA, partial cds//6.1e-77:393:
 96//Hs.50758:AF092564
 35 F-PLACE1010739//Homo sapiens mRNA for Sec24 protein (Sec24A isoform), partial//0.97:314:59//Hs.14574:
 AJ131244
 F-PLACE1010743//Human myosin-IXb mRNA, complete cds//2.4e-56:409:86//Hs.159629:U42391
 F-PLACE1010761//ESTs, Weakly similar to U1 SMALL NUCLEAR RIBONUCLEOPROTEIN 70 KD [Xenopus lae-
 vis]//5.1e-80:407:96//Hs.80965:AA493284
 40 F-PLACE1010771//ESTs, Highly similar to TRANSCRIPTIONAL REGULATOR PROTEIN HCNGP [Mus musculus]
 //6.0e-45:251:94//Hs.11379:AA594140
 F-PLACE1010786
 F-PLACE1010800
 F-PLACE1010802//EST//0.94:128:64//Hs.120366:AA719157
 45 F-PLACE1010811//ESTs//0.89:339:59//Hs.127314:N48085
 F-PLACE1010833//ESTs, Weakly similar to allograft inflammatory factor-1 [H.sapiens]//2.9e-28:245:79//Hs.
 132736:AA583494
 F-PLACE1010856//ESTs//1.5e-06:95:87//Hs.17401:W81048
 F-PLACE1010857//ESTs, Weakly similar to KIAA0157 gene product is novel. [H.sapiens]//5.8e-67:336:97//Hs.
 50 130135:AA905493
 F-PLACE1010870//Zinc finger protein 43 (HTF6)//9.7e-40:498:69//Hs.74107:X59244
 F-PLACE1010877//Homo sapiens mRNA for KIAA0610 protein, partial cds//3.7e-149:694:98//Hs.118087:
 AB011182
 F-PLACE1010891//ESTs//6.9e-54:377:87//Hs.24453:R31671
 55 F-PLACE1010896//Human homologue of yeast sec7 mRNA, complete cds//0.64:167:65//Hs.1050:M85169
 F-PLACE1010900
 F-PLACE1010916//EST//0.55:151:66//Hs.145800:AI269981
 F-PLACE1010917

EP 1 074 617 A2

F-PLACE1010925//ESTs//2.6e-81:437:94//Hs.5876:H26537
F-PLACE1010926//Homo sapiens mRNA for KIAA0554 protein, partial cds//3.1e-139:653:98//Hs.74750:AB011126
5 F-PLACE1010942//Homo sapiens intersectin short form mRNA, complete cds//2.9e-91:437:98//Hs.66392:AF064244
F-PLACE1010944//ESTs//1.3e-17:117:91//Hs.29444:W30985
F-PLACE1010947//EST//0.97:93:72//Hs.162299:AA555154
F-PLACE1010954//Apolipoprotein B (including Ag(x) antigen)//0.28:444:59//Hs.585:X04506
F-PLACE1010960//ESTs//0.98:238:60//Hs.163674:AA506632
10 F-PLACE1010965//ESTs//3.1e-74:376:96//Hs.115679:AI379721
F-PLACE1011026//EST//0.022:222:60//Hs.47154:N50931
F-PLACE1011032//EST//1.1e-05:88:79//Hs.118024:N34032
F-PLACE1011041//Human density enhanced phosphatase-1 mRNA, complete cds//0.28:179:67//Hs.1177:U10886
15 F-PLACE1011046//1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE BETA 2//6.2e-11:207:68//Hs.994:M95678
F-PLACE1011054//H.sapiens OBF-1 mRNA for octamer binding factor 1//6.1e-35:310:78//Hs.2407:Z49194
F-PLACE1011056//Human putative serine/threonine protein kinase PRK (prk) mRNA, complete cds//0.74:228:61//Hs.153640:U56998
20 F-PLACE1011057//EST//2.5e-80:388:98//Hs.126466:AA913320
F-PLACE1011090//ESTs//1.4e-94:469:97//Hs.106448:R76663
F-PLACE1011109//ESTs//0.13:303:62//Hs.49294:AA418037
F-PLACE1011114//ESTs//5.8e-12:75:100//Hs.147422:AI214317
F-PLACE1011133//ESTs//0.17:225:62//Hs.132853:AI370857
25 F-PLACE1011143//ESTs//0.013:264:63//Hs.115368:AA629949
F-PLACE1011160
F-PLACE1011165//Galactokinase 2//2.7e-32:194:92//Hs.129228:M84443
F-PLACE1011185//EST//1.4e-34:261:83//Hs.140250:AA708114
F-PLACE1011203//Homo sapiens chromosome 18q11 beta-1,4-galactosyltransferase mRNA, complete cds//6.9e-124:576:99//Hs.159140:AF038664
30 F-PLACE1011214//ESTs, Weakly similar to B0035.14 [C.elegans]//9.7e-101:469:99//Hs.8241:AA283057
F-PLACE1011219//ESTs, Weakly similar to coded for by C. elegans cDNA CEESL70F [C.elegans]//2.6e-62:221:88//Hs.101821:W27452
F-PLACE1011221//ESTs//0.46:238:62//Hs.32853:AA015751
35 F-PLACE1011229//Homo sapiens mRNA for KIAA0529 protein, partial cds//1.4e-147:675:99//Hs.23168:AB011101
F-PLACE1011263//Homo sapiens BAC clone GS166A23 from 7p21//5.9e-71:350:98//Hs.15144:AC005014
F-PLACE1011273//ESTs//1.0:222:59//Hs.35274:AA495803
F-PLACE1011291//Homo sapiens clone 24712 unknown mRNA, partial cds//3.4e-09:191:65//Hs.140950:AF070637
40 F-PLACE1011296//ESTs//0.019:137:63//Hs.140654:AA865915
F-PLACE1011310//EST//0.066:336:58//Hs.162529:AA584160
F-PLACE1011325//ESTs//7.4e-43:229:96//Hs.21081:H08310
F-PLACE1011332//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds//4.8e-151:696:99//Hs.5819:AF102265
45 F-PLACE1011340//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501//1.5e-20:120:81//Hs.159897:AB007970
F-PLACE1011371//Human mRNA for PK-120//9.5e-35:684:63//Hs.76415:D38535
F-PLACE1011375//ESTs, Moderately similar to potassium channel protein Raw3 [R.norvegicus]//6.7e-68:325:99//Hs.107245:AA627053
50 F-PLACE1011399//ESTs//8.6e-05:285:61//Hs.130105:AA904868
F-PLACE1011419//ESTs//0.70:240:62//Hs.159650:N95552
F-PLACE1011433//Homo sapiens mRNA for KIAA0530 protein, partial cds//1.5e-158:743:98//Hs.10801:AB011102
55 F-PLACE1011452//Human Line-1 repeat mRNA with 2 open reading frames//1.9e-53:557:72//Hs.23094:M19503
F-PLACE1011465//EST//3.1e-58:380:85//Hs.131605:AI025204
F-PLACE1011472//Homo sapiens mRNA for KIAA0712 protein, complete cds//1.5e-152:703:99//Hs.111138:AB018255

F-PLACE1011477//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds//1.7e-146:675:99//Hs.11183:
 AF065482
 F-PLACE1011492//ESTs//2.0e-35:186:98//Hs.125886:AA884264
 F-PLACE1011503//EST//0.67:149:65//Hs.149774:AI285997
 5 F-PLACE1011520//ESTs//0.00014:213:64//Hs.119889:AA705319
 F-PLACE1011563//ESTs//2.2e-61:394:86//Hs.117718:AA883476
 F-PLACE1011567//Homo sapiens DEC-205 mRNA, complete cds//3.1e-46:325:84//Hs.153563:AF011333
 F-PLACE1011576//Homo sapiens hematopoietic cell derived zinc finger protein mRNA, complete cds//4.3e-67:
 268:86//Hs.86371:AF054180
 10 F-PLACE1011586//Homo sapiens hLRpl05 mRNA for LDL receptor related protein 105, complete cds//0.98:153:
 65//Hs.143641:AB009462
 F-PLACE1011635//Homo sapiens Jagged 2 mRNA, complete cds//0.00029:585:57//Hs.106387:AF029778
 F-PLACE1011641
 F-PLACE1011643//Homo sapiens mRNA for KIAA0293 gene, partial cds//0.00058:499:58//Hs.12784:AB006631
 15 F-PLACE1011646//EST//3.2e-26:201:68//Hs.140349:AA757661
 F-PLACE1011649//ESTs//0.25:145:64//Hs.23033:R46086
 F-PLACE1011650//ESTs//0.041:96:77//Hs.119351:AA447745
 F-PLACE1011664//Human mRNA for stac, complete cds//1.0:245:60//Hs.56045:D86640
 F-PLACE1011675//Cell division cycle 27//0.098:448:57//Hs.73151:S78234
 20 F-PLACE1011682//EST//9.6e-06:119:72//Hs.93664:N23366
 F-PLACE1011719//Human mRNA for KIAA0352 gene, complete cds//0.92:365:60//Hs.17262:AB002350
 F-PLACE1011725
 F-PLACE1011729//EST//0.56:304:58//Hs.86378:AA210853
 F-PLACE1011749//ESTs//4.3e-88:443:96//Hs.132850:AA779891
 25 F-PLACE1011762//ESTs//0.012:149:68//Hs.145075:AI208240
 F-PLACE1011778//ESTs//0.00016:199:64//Hs.160395:AI393693
 F-PLACE1011783//EST//1.0:119:66//Hs.162191:AA534660
 F-PLACE1011858//Human novel homeobox mRNA for a DNA binding protein//8.9e-05:477:59//Hs.37035:U07664
 F-PLACE1011874//EST//0.20:118:66//Hs.127351:AA954775
 30 F-PLACE1011875//Homo sapiens mRNA for KIAA0580 protein, partial cds//5.3e-110:526:98//Hs.22572:AB011152
 F-PLACE1011891//ESTs//1.8e-58:397:88//Hs.84698:AA725913
 F-PLACE1011896//ESTs, Weakly similar to Y53C12A.3 [C.elegans]//9.4e-09:478:56//Hs.107747:AI357868
 F-PLACE1011922//ESTs//0.49:249:62//Hs.152627:AA595817
 F-PLACE1011923//Homo sapiens serum-inducible kinase mRNA, complete cds//3.7e-140:664:98//Hs.3838:
 35 AF059617
 F-PLACE1011962//EST//1.7e-07:81:85//Hs.104333:AA250763
 F-PLACE1011964//EST//6.6e-38:412:74//Hs.140562:AA826514
 F-PLACE1011982//ESTs//0.40:405:60//Hs.127743:AI261591
 F-PLACE1011995//ESTs//1.7e-22:486:64//Hs.105157:AA527514
 40 F-PLACE1012031//Homo sapiens mRNA for KIAA0713 protein, partial cds//4.0e-148:690:98//Hs.88756:
 AB018256
 F-PLACE20000003//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487//6.5e-54:290:81//Hs.
 92381:AB007956
 F-PLACE20000006//ESTs//0.067:224:62//Hs.144100:AI205503
 45 F-PLACE20000007//ESTs//8.1e-23:147:91//Hs.128530:AA325330
 F-PLACE20000011//Interleukin 10//4.2e-42:362:78//Hs.2180:M57627
 F-PLACE20000014//EST//0.10:214:61//Hs.160247:AI138831
 F-PLACE20000015//Interleukin 10//1.4e-44:393:78//Hs.2180:M57627
 F-PLACE20000017
 50 F-PLACE20000021//Homo sapiens TRF1-interacting ankyrin-related ADP-ribose polymerase mRNA, partial cds//
 5.7e-85:844:72//Hs.7928:AF082557
 F-PLACE20000030
 F-PLACE20000033//Human adhesion molecule ninjurin mRNA, complete cds//0.85:234:66//Hs.11342:U91512
 F-PLACE20000034//Homo sapiens mRNA for KIAA0607 protein, partial cds//0.058:348:62//Hs.94653:AB011179
 55 F-PLACE20000039//Human plectin (PLEC1) mRNA, complete cds//0.0058:473:59//Hs.79706:U53204
 F-PLACE20000047//ESTs//4.9e-32:328:75//Hs.141024:H07128
 F-PLACE20000050//ESTs//3.0e-36:270:83//Hs.155512:AA663966
 F-PLACE20000061

EP 1 074 617 A2

F-PLACE2000062//Human membrane-associated lectin type-C mRNA//2.9e-114:662:86//Hs.23759:M98457
F-PLACE2000072//Homo sapiens ZNF202 alpha (ZNF202) mRNA, complete cds//7.1e-135:631:98//Hs.9443:AF027219
5 F-PLACE2000097//ESTs//0.021:117:70//Hs.132811:AI034333
F-PLACE2000100
F-PLACE2000103//ESTs//1.1e-56:284:98//Hs.144786:AI219219
F-PLACE2000111//H.sapiens mRNA for l-acylglycerol-3-phosphate O-acyltransferase//0.76:215:65//Hs.6587:U56417
F-PLACE2000115
10 F-PLACE2000124//Human mRNA for KIAA0355 gene, complete cds//2.8e-49:400:79//Hs.153014:AB002353
F-PLACE2000132
F-PLACE2000136//ESTS, Moderately similar to hypothetical protein [H.sapiens]//1.2e-08:245:64//Hs.140343:AA718911
F-PLACE2000140//Adenylate kinase 2 (adk2)//3.7e-24:162:90//Hs.83833:U54645
15 F-PLACE2000164
F-PLACE2000170
F-PLACE2000172//ESTs//0.64:239:62//Hs.31175:AI219179
F-PLACE2000176
F-PLACE2000187
20 F-PLACE2000216
F-PLACE2000223//EST//0.0092:171:60//Hs.162830:AA643933
F-PLACE2000235//Human mRNA for KIAA0298 gene, complete cds//1.6e-38:792:63//Hs.21560:AB002296
F-PLACE2000246//Homo sapiens mRNA for KIAA0795 protein, partial cds//1.5e-74:367:98//Hs.22926:AB018338
F-PLACE2000264//Homo sapiens mRNA for KIAA0792 protein, complete cds//2.0e-29:366:73//Hs.119387:AB007958
25 F-PLACE2000274//Homo sapiens mRNA for dynein heavy chain//1.0e-23:650:62//Hs.144672:AJ000522
F-PLACE2000302//ESTs//1.7e-05:66:89//Hs.55572:W37560
F-PLACE2000305//ESTs//1.6e-78:382:98//Hs.136731:AA745869
F-PLACE2000317
30 F-PLACE2000335//Fc fragment of IgE, high affinity I, receptor for; beta polypeptide//6.1e-24:295:76//Hs.30:M89796
F-PLACE2000341//Human sodium iodide symporter mRNA, complete cds//6.8e-21:593:61//Hs.103983:U66088
F-PLACE2000342//Centromere protein B (80kD)//1.4e-06:326:61//Hs.85004:X05299
F-PLACE2000347//ESTs, Moderately similar to F18547_1 [H.sapiens]//3.7e-16:139:82//Hs.28209:AI073817
35 F-PLACE2000359//ESTs//5.0e-19:251:71//Hs.58272:W76645
F-PLACE2000366//ESTs//1.7e-37:399:75//Hs.136646:AA748045
F-PLACE2000371//EST//0.65:107:65//Hs.157677:AI358861
F-PLACE2000373//ESTs//0.30:207:59//Hs.143902:AI131032
F-PLACE2000379//ESTs//1.3e-64:402:87//Hs.146307:AA584638
40 F-PLACE2000394//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0484//1.0e-87:694:80//Hs.158095:AB007953
F-PLACE2000398
F-PLACE2000399
F-PLACE2000404
45 F-PLACE2000411
F-PLACE2000419//Homo sapiens PYRIN (MEFV) mRNA, complete cds//8.0e-52:463:74//Hs.113283:AF018080
F-PLACE2000425//EST//0.44:168:62//Hs.44677:N34966
F-PLACE2000427
F-PLACE2000433//ESTs//4.7e-18:213:74//Hs.110187:AA699719
50 F-PLACE2000435//EST//4.7e-05:159:64//Hs.123604:AA815257
F-PLACE2000438//H.sapiens mRNA for UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase (T2)//1.9e-20:418:64//Hs.130181:X85019
F-PLACE2000450//Homo sapiens PYRIN (MEFV) mRNA, complete cds//4.0e-83:324:81//Hs.113283:AF018080
F-PLACE2000455//ESTs, Moderately similar to !!!! ALU SUBFAMILY SC WARNING ENTRY !!!! [H.sapiens]//4.0e-05:100:73//Hs.104239:AA488082
55 F-PLACE2000458//H.sapiens mRNA for hFat protein//0.0010:545:57//Hs.91107:X87241
F-PLACE2000465//ESTs//4.4e-38:377:75//Hs.55855:AA621381
F-PLACE2000477//Homo sapiens PYRIN (MEFV) mRNA, complete cds//1.8e-68:520:81//Hs.113283:AF018080

- F-PLACE3000004//Human EYA3 homolog (EYA3) mRNA, complete cds//3.9e-14:204:73//Hs.46925:Y10262 ,
 F-PLACE3000009//Human mRNA for KIAA0386 gene, complete cds//4.8e-59:696:69//Hs.101359:AB002384
 F-PLACE3000020//Prostaglandin 12 (prostaglandin) receptor (IP)//0.00081:500:61//Hs.393:D38128
 F-PLACE3000029
 5 F-PLACE3000059//ESTs//0.0026:49:100//Hs.42913:AI082248
 F-PLACE3000070//ESTs//5.6e-15:202:74//Hs.154993:AA142842
 F-PLACE3000103//Homo sapiens cofactor of initiator function (CIF150) mRNA, complete cds//1.0:186:62//Hs.122752:AF026445
 F-PLACE3000119//Homo sapiens mRNA for KIAA0752 protein, partial cds//2.8e-48:283:83//Hs.23711:AB018295
 10 F-PLACE3000121
 F-PLACE3000124//Thromboxane A2 receptor//1.1e-55:195:83//Hs.89887:D38081
 F-PLACE3000136//Homo sapiens mRNA for KIAA0703 protein, complete cds//1.0:194:59//Hs.6168:AB014603
 F-PLACE3000142//EST//0.41:179:59//Hs.137438:AA282243
 F-PLACE3000145//ESTs//3.5e-25:145:96//Hs.163950:AA683016
 15 F-PLACE3000147//EST//5.0e-43:285:86//Hs.160895:AI365871
 F-PLACE3000148
 F-PLACE3000155//Homo sapiens mRNA for KIAA0672 protein, complete cds//5.6e-80:382:99//Hs.6336:AB014572
 F-PLACE3000156//ESTs//0.00015:277:62//Hs.156834:AI336023
 20 F-PLACE3000157//Calcium channel, voltage-dependent, P/Q type, alpha 1A subunit//0.54:320:60//Hs.96253:U79666
 F-PLACE3000158//Homo sapiens mRNA for KIAA0575 protein, complete cds//4.9e-66:319:88//Hs.153468:AB011147
 F-PLACE3000160
 25 F-PLACE3000169//Small inducible cytokine A5 (RANTES)//1.3e-64:501:80//Hs.155464:AF088219
 F-PLACE3000194
 F-PLACE3000197
 F-PLACE3000199//EST//1.0:108:68//Hs.98488:AA426546
 F-PLACE3000207//EST//1.0e-32:184:75//Hs.160146:AI049975
 30 F-PLACE3000208//CLASS II HISTOCOMPATIBILITY ANTIGEN, M ALPHA CHAIN PRECURSOR//1.0:271:61//Hs.77522:X62744
 F-PLACE3000218//EST//1.3e-46:317:84//Hs.162197:AA535216
 F-PLACE3000220//EST//9.3e-95:443:99//Hs.112702:AA609377
 F-PLACE3000221//Homo sapiens DNA fragmentation factor 40 kDa subunit (DFF40) mRNA, complete cds//9.2e-56:200:85//Hs.133089:AF064019
 35 F-PLACE3000226
 F-PLACE3000230//EST//6.1e-16:173:72//Hs.148578:AI201568
 F-PLACE3000242//Human DNA sequence from clone 1409 on chromosome Xp11.1-11.4. Contains a Inter-Alpha-Trypsin Inhibitor Heavy Chain LIKE gene, a alternatively spliced Melanoma-Associated Antigen MAGE LIKE gene and a 6-Phosphofructo-2-kinase (Fructose-2,6-bisphosphatase) LIKE pseudogene. Contains ESTs, STSs and genomic marker DXS8032//1.2e-54:434:80//Hs.4943:Z98046
 40 F-PLACE3000244
 F-PLACE3000254//NUCLEOLIN//2.6e-05:445:60//Hs.79110:M60858
 F-PLACE3000271//ESTs//1.6e-25:195:72//Hs.108452:H78650
 45 F-PLACE3000276//ESTs//1.0e-13:274:66//Hs.28589:AI004944
 F-PLACE3000304//EST//0.043:210:61//Hs.132378:AI026770
 F-PLACE3000310
 F-PLACE3000320//EST//1.2e-12:188:70//Hs.145771:AI269586
 F-PLACE3000322//Small inducible cytokine A5 (RANTES)//4.7e-29:252:80//Hs.155464:AF088219
 50 F-PLACE3000331
 F-PLACE3000339//Homo sapiens mRNA for KIAA0645 protein, complete cds//0.91:222:61//Hs.155987:AB014545
 F-PLACE3000341//EST//1.8e-05:394:58//Hs.112894:AA620741
 F-PLACE3000350//ESTs, Highly similar to SERINE/THREONINE-PROTEIN KINASE SULU [Caenorhabditis elegans]//2.9e-59:474:77//Hs.125850:AA885355
 55 F-PLACE3000352//H.sapiens OBF-1 mRNA for octamer binding factor 1//2.5e-48:442:78//Hs.2407:Z49194
 F-PLACE3000353//H.sapiens mRNA for UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase (T1)//0.78:234:63//Hs.7498:U41514

F-PLACE3000362//EST//6.5e-25:302:73//Hs.140504:AA810441
 F-PLACE3000363
 F-PLACE3000365//ESTs//0.81:200:60//Hs.141556:N49928
 F-PLACE3000373//ESTs//0.0071:82:73//Hs.136310:AA442641
 5 F-PLACE3000388//ESTs//7.9e-16:235:71//Hs.44701:AA830432
 F-PLACE3000399//Clathrin, light polypeptide (Lcb)//5.2e-70:391:81//Hs.73919:X81637
 F-PLACE3000400//ESTs//0.53:162:66//Hs.49303:AA810785
 F-PLACE3000401//EST//2.3e-35:178:100//Hs.162851:AA632270
 F-PLACE3000402//ESTs//2.4e-84:425:96//Hs.148962:AI219715
 10 F-PLACE3000405//EST//2.1e-39:452:73//Hs.140414:AA778541
 F-PLACE3000406//Homo sapiens apoptotic protease activating factor 1 (Apaf-1) mRNA, complete cds//1.9e-07:
 116:78//Hs.77579:AF013263
 F-PLACE3000413//ESTs, Weakly similar to methyl sterol oxidase [H.sapiens]//1.6e-51:260:98//Hs.122512:
 H61502
 15 F-PLACE3000416//Homo sapiens mRNA for KIAA0801 protein, complete cds//0.00020:630:57//Hs.17585:
 AB018344
 F-PLACE3000425//EST//3.8e-34:286:79//Hs.135301:AI039161
 F-PLACE3000455//Homo sapiens mRNA for cytochrome b small subunit of complex II, complete cds//3.6e-32:
 183:93//Hs.108326:AB006202
 20 F-PLACE3000475//ESTs//1.9e-09:422:61//Hs.145783:AA081874
 F-PLACE3000477//H.sapiens mRNA for chemokine receptor D6//1.0:426:54//Hs.117572:U94888
 F-PLACE4000009//TRICHOHYALIN//3.1e-09:692:60//Hs.82276:L09190
 F-PLACE4000014//Homo sapiens mRNA for KIAA0809 protein, partial cds//3.6e-118:331:100//Hs.105399:
 AB018352
 25 F-PLACE4000034//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-69G12//1.1e-06:244:63//Hs.154050:
 AC004131
 F-PLACE4000049//Homo sapiens clone 24619 mRNA sequence//4.3e-45:371:79//Hs.139088:AF070533
 F-PLACE4000052//Human ATP binding cassette transporter (ABCR) mRNA, complete cds//1.4e-53:669:67//Hs.
 40993:AF000148
 30 F-PLACE4000063
 F-PLACE4000089//ESTs//2.2e-10:121:85//Hs.49391:W00713
 F-PLACE4000093//ESTs//0.0053:273:60//Hs.136952:AA825819
 F-PLACE4000100//ESTs//8.0e-21:246:73//Hs.140207:N32058
 F-PLACE4000106//Homo sapiens mRNA for KIAA0462 protein, partial cds//3.8e-147:684:99//Hs.129937:
 35 AB007931
 F-PLACE4000128//Homo sapiens ES/130 mRNA, complete cds//0.23:398:60//Hs.98614:AF006751
 F-PLACE4000129
 F-PLACE4000131//ESTs//2.4e-13:194:72//Hs.41418:H90627
 F-PLACE4000147//ESTs//0.0060:324:60//Hs.85640:AA535856
 40 F-PLACE4000156//Zinc finger protein 136 (clone pHZ-20)//2.3e-89:764:76//Hs.69740:U09367
 F-PLACE4000192
 F-PLACE4000211
 F-PLACE4000222//EST//1.9e-15:317:66//Hs.149206:AI246594
 F-PLACE4000230//Human mRNA for KIAA0331 gene, complete cds//0.0048:258:60//Hs.146395:AB002329
 45 F-PLACE4000233//ESTs//4.4e-38:240:80//Hs.114605:AI304317
 F-PLACE4000247//Homo sapiens mitochondrial outer membrane protein (TOM40) mRNA, nuclear gene encoding
 mitochondrial protein, complete cds//0.0095:156:69//Hs.30928:AF043250
 F-PLACE4000250//ESTs//3.8e-72:377:94//Hs.124234:T89609
 F-PLACE4000252//ESTs//1.0:196:64//Hs.144869:AA493886
 50 F-PLACE4000259//Homo sapiens mRNA for KIAA0788 protein, partial cds//6.2e-27:191:87//Hs.2397:Z70200
 F-PLACE4000261
 F-PLACE4000269//ESTs, Weakly similar to coded for by C. elegans cDNA yk52b10.3 [C.elegans]//9.5e-41:202:
 100//Hs.118849:AA215645
 F-PLACE4000270
 55 F-PLACE4000300
 F-PLACE4000320//FKBP-RAPAMYCIN ASSOCIATED PROTEIN//4.5e-23:135:96//Hs.155952:U88966
 F-PLACE4000323//EST//6.7e-09:180:68//Hs.116769:AA630365
 F-PLACE4000326//ESTs//2.1e-94:453:98//Hs.103177:W72798

EP 1 074 617 A2

F-PLACE4000344//EST//6.4e-05:135:67//Hs.146729:AI147292
 F-PLACE4000367
 F-PLACE4000369
 F-PLACE4000379//EST//3.9e-42:381:79//Hs.162335:AA564256
 5 F-PLACE4000387//ESTs//0.19:93:69//Hs.154173:AI379823
 F-PLACE4000392//ESTs//0.0015:381:59//Hs.120172:AA709046
 F-PLACE4000401//Homo sapiens mRNA for KIAA0640 protein, partial cds//3.1e-47:605:71//Hs.153026:
 AB014540
 F-PLACE4000411//ESTs, Moderately similar to plakophilin 2b [H.sapiens]//4.7e-33:159:81//Hs.154257:AI275982
 10 F-PLACE4000431//Homo sapiens mRNA for KIAA0788 protein, partial cds//1.3e-45:263:92//Hs.2397:Z70200
 F-PLACE4000445
 F-PLACE4000450
 F-PLACE4000465//ESTs//1.5e-11:273:65//Hs.145783:AA081874
 F-PLACE4000487//Sialophorin (gpL115, leukosialin, CD43)//3.0e-14:189:71//Hs.80738:X52075
 15 F-PLACE4000489//ESTs//0.94:104:68//Hs.125119:R38951
 F-PLACE4000494//ESTs//1.0:185:60//Hs.143053:AI126289
 F-PLACE4000521//ESTs//0.0027:161:70//Hs.135740:AA651731
 F-PLACE4000522//ESTs, Highly similar to NEUROGENIC LOCUS NOTCH PROTEIN HOMOLOG 1 PRECUR-
 SOR [Homo sapiens]//0.047:119:65//Hs.129053:AA767022
 20 F-PLACE4000548
 F-PLACE4000558//Homo sapiens mRNA for DFFRY protein, abundant transcript//0.0035:510:59//Hs.39163:
 AF000986
 F-PLACE4000581
 F-PLACE4000590//ESTs, Highly similar to POL POLYPROTEIN [Friend murine leukemia virus (isolate 57)]//3.4e-
 13:275:68//Hs.113980:AI034080
 25 F-PLACE4000593//ESTs, Weakly similar to F25D7.1 [C.elegans]//5.2e-28:239:79//Hs.109084:AI004675
 F-PLACE4000612//Keratin 9//0.27:207:64//Hs.2783:Z29074
 F-PLACE4000638//Homo sapiens mRNA from chromosome 5q21-22, clone:sF2//3.5e-47:562:69//Hs.129685:
 AB002446
 30 F-PLACE4000650
 F-PLACE4000654
 F-PLACE4000670//ESTs//6.1e-88:411:100//Hs.130688:AI028132
 F-SKNMC1000011//Centromere protein B (80kD)//0.0013:243:62//Hs.85004:X05299
 F-SKNMC1000013//ESTs, Highly similar to MULTIDRUG RESISTANCE PROTEIN HOMOLOG 50 [Drosophila
 melanogaster]//2.5e-36:197:96//Hs.118634:U66688
 35 F-SKNMC1000046//Homo sapiens mRNA for KIAA0654 protein, partial cds//2.5e-148:706:98//Hs.109299:
 AB014554
 F-SKNMC1000050//Calpain, large polypeptide L2//4.1e-53:330:90//Hs.76288:M23254
 F-SKNMC1000091//ESTs//3.3e-64:420:88//Hs.90997:AA946877
 40 F-THYRO1000017//Human mRNA for KIAA0315 gene, partial cds//1.0:310:60//Hs.3989:AB002313
 F-THYRO1000026//H.sapiens OBF-1 mRNA for octamer binding factor 1//2.9e-35:299:81//Hs.2407:Z49194
 F-THYRO1000034
 F-THYRO1000035//ESTs//4.1e-37:317:79//Hs.141254:AI334099
 F-THYRO1000040//ESTs//0.30:331:59//Hs.87176:AI148326
 45 F-THYRO1000070//Human mRNA for KIAA0347 gene, complete cds//0.069:278:63//Hs.101996:AB002345
 F-THYRO1000072//Homo sapiens clone 23584 mRNA sequence//8.7e-86:722:77//Hs.6654:AB014557
 F-THYRO1000085
 F-THYRO1000092//ESTs//3.1e-100:469:99//Hs.132207:AI148065
 F-THYRO1000107
 50 F-THYRO1000111//Human Line-1 repeat mRNA with 2 open reading frames//6.8e-106:690:86//Hs.23094:M19503
 F-THYRO1000121
 F-THYRO1000124//Human mRNA for alanine aminotransferase//0.0026:420:58//Hs.103502:U70732
 F-THYRO1000129//Homo sapiens TED protein (TED).mRNA, complete cds//2.8e-155:732:98//Hs.87619:
 AF087142
 55 F-THYRO1000132//ESTs//1.9e-35:164:79//Hs.139179:AA650203
 F-THYRO1000156//EST//0.32:102:68//Hs.139634:AA478416
 F-THYRO1000163//Small inducible cytokine A5 (RANTES)//5.2e-50:331:85//Hs.155464:AF088219
 F-THYRO1000173//Human clathrin assembly protein 50 (AP50) mRNA, complete cds//1.1e-05:261:61//Hs.

- 152936:D63475
 F-THYRO1000186//H.sapiens mRNA for phosphoinositide 3-kinase//3.7e-41:270:87//Hs.101238:Y11312
 F-THYRO1000187//EST//0.11:227:62//Hs.101773:H23270
 F-THYRO1000190//ESTs//0.82:194:63//Hs.128818:AA976883
 5 F-THYRO1000197//Homo sapiens mRNA for poly(A)-specific ribonuclease//2.4e-175:805:99//Hs.43445:AJ005698
 F-THYRO1000199//Homo sapiens mRNA for KIAA0652 protein, complete cds//4.0e-88:616:84//Hs.79672:AB014552
 F-THYRO1000206//EST//0.96:291:61//Hs.104962:AA443848
 10 F-THYRO1000221//Human clone 23589 mRNA sequence//0.035:242:62//Hs.11506:U79297
 F-THYRO1000241//EST//0.48:102:69//Hs.160764:AI313322
 F-THYRO1000242//Zinc finger protein 84 (HPF2)//1.2e-42:534:64//Hs.9450:M27878
 F-THYRO1000253//Homo sapiens mRNA for KIAA0690 protein, partial cds//0.61:211:64//Hs.60103:AB014590
 F-THYRO1000270
 15 F-THYRO1000279//ESTs//0.0020:104:72//Hs.121476:AI215500
 F-THYRO1000288//Homo sapiens mRNA for Hs Ste24p, complete cds//1.3e-180:848:98//Hs.25846:AB016068
 F-THYRO1000320//ESTs, Weakly similar to Similar to glutamate decarboxylase [C.elegans]//7.6e-92:431:99//Hs.122719:AA777803
 F-THYRO1000327//Autocrine motility factor receptor//2.8e-52:290:93//Hs.80731:M63175
 20 F-THYRO1000343//Homo sapiens mRNA for KIAA0790 protein, partial cds//7.2e-164:763:98//Hs.12002:AB018333
 F-THYRO1000358//Human selenium-binding protein (hSBP) mRNA, complete cds//6.9e-34:177:84//Hs.7833:U29091
 F-THYRO1000368//ESTs//0.0011:55:96//Hs.34994:AA252919
 25 F-THYRO1000381//Homo sapiens mRNA for KIAA0562 protein, complete cds//0.081:240:62//Hs.118401:AB011134
 F-THYRO1000387//EST//3.6e-14:197:71//Hs.139399:AA416855
 F-THYRO1000394//ESTs, Weakly similar to No definition line found [C.elegans]//5.8e-39:245:91//Hs.119095:T79413
 30 F-THYRO1000395//EST//5.8e-69:333:99//Hs.156524:AA724572
 F-THYRO1000401//ESTs//1.8e-24:132:98//Hs.54852:W26238
 F-THYRO1000438//EST//1.9e-05:217:63//Hs.115930:AA579773
 F-THYRO1000452//B cell lymphoma protein 6 (zinc finger protein 51)//0.096:306:60//Hs.155024:U00115
 F-THYRO1000471//Tyrosine aminotransferase//5.6e-44:403:77//Hs.2999:X52520
 35 F-THYRO1000484//EST, Weakly similar to putative p150 [H.sapiens]//8.9e-22:248:76//Hs.162011:AA513663
 F-THYRO1000488
 F-THYRO1000501//H.sapiens Staf50 mRNA//3.2e-75:615:77//Hs.68054:X82200
 F-THYRO1000502//ESTs//1.0:350:57//Hs.119749:AA689298
 F-THYRO1000505//Interleukin 13//0.95:245:60//Hs.845:U31120
 40 F-THYRO1000558//EST//1.3e-24:351:64//Hs.142326:AA351877
 F-THYRO1000569//Homo sapiens mRNA for dihydropyrimidinase related protein 4, complete cds//0.28:229:61//Hs.100058:AB006713
 F-THYRO1000570//EST//0.80:171:61//Hs.112790:AA609949
 F-THYRO1000585//Homo sapiens protein associated with Myc mRNA, complete cds//2.4e-168:808:97//Hs.151411:AF075587
 45 F-THYRO1000596//EST//9.5e-94:461:96//Hs.135397:AI056322
 F-THYRO1000602//EST//4.9e-06:80:80//Hs.162135:AA526331
 F-THYRO1000605//Guanylate cyclase 1, soluble, alpha 2//0.44:182:62//Hs.2685:Z50053
 F-THYRO1000625//Thromboxane A2 receptor//4.5e-45:323:82//Hs.89887:D38081
 50 F-THYRO1000637//ESTs//4.4e-24:255:75//Hs.101014:AA194941
 F-THYRO1000641//ESTs//0.00017:375:58//Hs.32703:AA054125
 F-THYRO1000658//CD4 receptor {exons 1 and 2} [human, T-lymphocyte, mRNA, 3429 nt]//1.8e-09:127:77//Hs.116007:S79267
 F-THYRO1000662
 55 F-THYRO1000666//ESTs//1.9e-28:149:99//Hs.105187:AI394157
 F-THYRO1000676//CD4 receptor {exons 1 and 2} [human, T-lymphocyte, mRNA, 3429 nt]//5.7e-49:281:77//Hs.116007:S79267
 F-THYRO1000684//ESTs, Weakly similar to band-6-protein [H.sapiens]//0.46:368:57//Hs.26557:AA480380

F-THYRO1000699//ESTs//1.6e-10:314:65//Hs.139212:AA243452
 F-THYRO1000712//ESTs//3.3e-42:211:99//Hs.69330:AI056324
 F-THYRO1000715//Human plectin (PLEC1) mRNA, complete cds//2.9e-06:631:59//Hs.79706:U53204
 F-THYRO1000734//ESTs//8.4e-08:226:64//Hs.125754:AA806085
 5 F-THYRO1000748//Homo sapiens KIAA0411 mRNA, complete cds//3.1e-35:339:74//Hs.7977:AB007871
 F-THYRO1000756//Homo sapiens protocadherin (PCDH8) mRNA, complete cds//1.0:209:62//Hs.19492:AF061573
 F-THYRO1000777//Human mRNA for KIAA0147 gene, partial cds//0.00069:636:57//Hs.158132:D63481
 F-THYRO1000783//Homo sapiens Arp2/3 protein complex subunit p41-Arc (ARC41) mRNA, complete cds//0.70:452:58//Hs.11538:AF006084
 10 F-THYRO1000787
 F-THYRO1000793
 F-THYRO1000796
 F-THYRO1000805//Homo sapiens mRNA from chromosome 5q21-22, clone:sF2//9.4e-36:561:68//Hs.129685:AB002446
 15 F-THYRO1000815//Human mRNA for KIAA0118 gene, partial cds//1.2e-45:465:75//Hs.154326:D42087
 F-THYRO1000829//ESTs//1.7e-66:361:95//Hs.7906:H16339
 F-THYRO1000843
 F-THYRO1000852//ESTs//6.2e-23:204:81//Hs.144452:AA838788
 20 F-THYRO1000855//ESTs//0.049:159:64//Hs.163532:AI424170
 F-THYRO1000865//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//3.0e-33:190:75//Hs.133526:N21103
 F-THYRO1000895//ESTs//3.8e-24:191:84//Hs.132722:AA618531
 F-THYRO1000916//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0487//1.8e-43:318:79//Hs.92381:AB007956
 25 F-THYRO1000926//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds//3.0e-179:839:98//Hs.78106:AF079529
 F-THYRO1000934//PYRROLINE-5-CARBOXYLATE REDUCTASE//1.1e-33:759:63//Hs.79217:M77836
 F-THYRO1000951//MUELLERIAN INHIBITING FACTOR PRECURSOR//0.055:662:56//Hs.112432:AC005263
 30 F-THYRO1000952//Human mRNA for KIAA0208 gene, complete cds//0.98:177:65//Hs.83558:D86963
 F-THYRO1000974//Homo sapiens putative ATP-dependent mitochondrial RNA helicase (SUV3) mRNA, nuclear gene encoding mitochondrial protein, complete cds//2.7e-15:123:90//Hs.106469:AF042169
 F-THYRO1000975//EST//0.45:172:62//Hs.105449:AA513907
 F-THYRO1000983
 35 F-THYRO1000984//EST//0.0075:119:65//Hs.150347:AA984646
 F-THYRO1000988//ESTs//0.056:99:71//Hs.153409:AI224307
 F-THYRO1001003
 F-THYRO1001031//Thiopurine S-methyltransferase//3.8e-44:568:71//Hs.51124:AF019369
 F-THYRO1001033//H.sapiens mRNA for cylicin II//0.0061:287:60//Hs.3232:Z46788
 40 F-THYRO1001062//ISLET AMYLOID POLYPEPTIDE PRECURSOR//3.2e-45:394:79//Hs.51048:X68830
 F-THYRO1001093//Human mRNA for KIAA0355 gene, complete cds//3.4e-33:421:72//Hs.153014:AB002353
 F-THYRO1001100//Human DNA-binding protein mRNA, 3'end//2.1e-74:741:74//Hs.159249:Z99130
 F-THYRO1001120//Homo sapiens deltex (Dx) mRNA, complete cds//4.5e-18:447:62//Hs.124024:AF053700
 F-THYRO1001121//ESTs//0.92:257:61//Hs.118246:N95416
 45 F-THYRO1001133//EST//1.1e-38:367:75//Hs.144175:H70425
 F-THYRO1001134//ESTs//1.4e-28:186:91//Hs.109468:W52074
 F-THYRO1001142//ESTs//1.8e-44:332:82//Hs.146811:AA410788
 F-THYRO1001173
 F-THYRO1001177//ESTs//7.7e-40:240:84//Hs.155384:Z78385
 50 F-THYRO1001189//ESTs//2.1e-36:323:76//Hs.120206:AI089163
 F-THYRO1001204
 F-THYRO1001213//Small inducible cytokine A5 (RANTES)//3.1e-43:256:81//Hs.155464:AF088219
 F-THYRO1001262//ESTs//7.9e-44:279:87//Hs.138856:H47461
 F-THYRO1001271//Homo sapiens mRNA for synaptogyrin 3//0.0045:273:60//Hs.6467:AJ002309
 55 F-THYRO1001287//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds//0.014:178:66//Hs.125315:AF027156
 F-THYRO1001290//ESTs//3.9e-43:145:99//Hs.147797:AA069836
 F-THYRO1001313//ESTs//1.0:244:61//Hs.127488:AA528182

- F-THYRO1001320//ESTs//0.062:126:67//Hs.133296:AI311872
 F-THYRO1001321//Homo sapiens DEC-205 mRNA, complete cds//2.5e-35:560:68//Hs.153563:AF011333
 F-THYRO1001322//ESTs//0.12:238:61//Hs.29169:N66545
 F-THYRO1001347//ESTs//7.5e-61:293:99//Hs.129962:AA927207
 5 F-THYRO1001363//ESTs//1.0e-16:178:78//Hs.163954:N57939
 F-THYRO1001365//Homo sapiens KIAA0417 mRNA, complete cds//3.6e-18:187:79//Hs.12385:AB007877
 F-THYRO1001374//Homo sapiens mRNA for KIAA0707 protein, partial cds//7.4e-157:740:97//Hs.138488:AB014607
 F-THYRO1001401//EST//4.6e-14:171:76//Hs.157587:AI356993
 10 F-THYRO1001403//ESTs//2.2e-50:464:79//Hs.118046:N49946
 F-THYRO1001405//ESTs//1.7e-44:226:98//Hs.156667:AI347694
 F-THYRO1001406//Hydroxysteroid (17-beta) dehydrogenase 3//2.8e-20:459:62//Hs.477:U05659
 F-THYRO1001411//ESTs//1.9e-41:342:78//Hs.146811:AA410788
 F-THYRO1001426//Human ring zinc-finger protein (ZNF127-Xp) gene and 5' flanking sequence//4.6e-33:153:81//
 15 Hs.102877:U41315
 F-THYRO1001434//ESTs//1.1e-07:274:60//Hs.151093:AI224099
 F-THYRO1001458//Myosin, heavy polypeptide 9, non-muscle//6.2e-60:653:71//Hs.44782:Z82215
 F-THYRO1001480//ISLET AMYLOID POLYPEPTIDE PRECURSOR//1.3e-42:370:78//Hs.51048:X68830
 F-THYRO1001487//EST//1.0:88:71//Hs.160760:AI311943
 20 F-THYRO1001534//ESTs//1.2e-94:457:98//Hs.125523:AA883904
 F-THYRO1001537//ESTs//3.5e-94:469:97//Hs.106448:R76663
 F-THYRO1001541//EST//1.4e-10:158:65//Hs.145159:AI150211
 F-THYRO1001559//ESTs//1.4e-07:91:81//Hs.43507:N24046
 F-THYRO1001570//ESTs//2.3e-41:280:80//Hs.119752:AA703335
 25 F-THYRO1001573//Homo sapiens clone 24778 unknown mRNA//2.7e-105:546:95//Hs.25306:AF070572
 F-THYRO1001584//Human RGP3 mRNA, complete cds//0.14:335:58//Hs.82294:U27655
 F-THYRO1001595//Human RSU-1/RSP-1 mRNA, complete cds//3.6e-35:165:84//Hs.75551:L12535
 F-THYRO1001602//ESTs//3.1e-42:350:80//Hs.138384:R72849
 F-THYRO1001605//EST//0.11:426:57//Hs.151206:AI126071
 30 F-THYRO1001617//ESTs//5.2e-43:345:81//Hs.8710:W07046
 F-THYRO1001637//ESTs, Weakly similar to anion exchanger [H.sapiens]//5.2e-13:108:86//Hs.141045:AA191659
 F-THYRO1001656//Solute carrier family 2 (facilitated glucose transporter), member 4//0.099:540:55//Hs.95958:M91463
 F-THYRO1001661//ESTs//0.12:53:92//Hs.151586:W45568
 35 F-THYRO1001671//Homo sapiens mRNA for 2'-5' oligoadenylate synthetase 59 kDa isoform//8.0e-166:780:98//
 Hs.118633:AJ225089
 F-THYRO1001673//Von Hippel-Lindau syndrome//4.6e-25:212:73//Hs.78160:AF010238
 F-THYRO1001703//Homo sapiens clone 24767 mRNA sequence//0.27:421:57//Hs.122908:AF070552
 F-THYRO1001706//ESTs//1.8e-24:142:95//Hs.112536:AI147691
 40 F-THYRO1001721//ESTs, Highly similar to RING CANAL PROTEIN [Drosophila melanogaster]//2.5e-51:296:92//
 Hs.3826:U69560
 F-THYRO100173 8//EST//6.9e-30:180:94//Hs.58641:W81229
 F-THYRO1001745//ESTs//6.1e-49:244:98//Hs.97534:AA398813
 F-THYRO1001746//EST//0.96:119:63//Hs.144107:AI053590
 45 F-THYRO1001772//ESTS, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//2.2e-21:
 182:81//Hs.118053:N75725
 F-THYRO1001793//ESTs//1.9e-93:439:99//Hs.150116:AI299324
 F-THYRO1001809//Human mRNA for KIAA0297 gene, partial cds//0.47:168:67//Hs.11711:AB002295
 F-THYRO1001828
 50 F-THYRO1001854//EST//0.038:128:67//Hs.160649:AI241823
 F-THYRO1001895//Intercellular adhesion molecule 1 (CD54), human rhinovirus receptor//9.6e-13:288:65//Hs.
 51061:M24283
 F-THYRO1001907//EST//1.9e-12:126:80//Hs.139296:AA350198
 F-VESEN1000122
 55 F-Y79AA1000013//ESTs//1.7e-72:369:96//Hs.97176:AA447885
 F-Y79AA1000033
 F-Y79AA1000037//Murine leukemia viral (bmi-1) oncogene homolog//7.8e-21:230:66//Hs.431:L13689
 F-Y79AA1000059//Homo sapiens immunophilin homolog ARA9 mRNA, complete cds//7.3e-40:629:64//Hs.75305:

U78521
 F-Y79AA1000065//CD81 ANTIGEN//0.0050:241:60//Hs.54457:M33680
 F-Y79AA1000131//Guanylate cyclase 1, soluble, alpha 2//0.078:477:58//Hs.2685:Z50053
 F-Y79AA1000181//Fatty acid synthase {3' region} [human, breast and HepG2 cells, mRNA Partial, 2237 nt]//
 5 0.0022:684:58//Hs.83190:U29344
 F-Y79AA1000202//ESTs//2.5e-17:143:86//Hs.76925:AA211860
 F-Y79AA1000214//Homo sapiens histone H2A.F/Z variant (H2AV) mRNA, complete cds//3.9e-73:345:100//Hs.
 9242:AF081192
 F-Y79AA1000230//Polymeric immunoglobulin receptor//0.98:335:59//Hs.842:X73079
 10 F-Y79AA1000231//ESTs//0.11:209:66//Hs.132184:AI278623
 F-Y79AA1000258//Homo sapiens metase (MET-1) mRNA, complete cds//0.30:444:61//Hs.99941:L23134
 F-Y79AA1000268//Human mRNA for KIAA0367 gene, partial cds//9.1e-11:300:64//Hs.23311:AB002365
 F-Y79AA1000313//Human mRNA for KIAA0129 gene, complete cds//0.89:744:56//Hs.44361:D50919
 F-Y79AA1000328
 15 F-Y79AA1000342//Homo sapiens OPA-containing protein mRNA, complete cds//8.4e-15:223:75//Hs.85313:
 AF071309
 F-Y79AA1000346
 F-Y79AA1000349//ALPHA-2C-1 ADRENERGIC RECEPTOR//8.3e-06:180:73//Hs.123022:J03853
 F-Y79AA1000355
 20 F-Y79AA1000368//ESTs//0.0062:235:64//Hs.114777:AA782908
 F-Y79AA1000405//ESTs//0.76:244:62//Hs.153027:AA648897
 F-Y79AA1000410//Small inducible cytokine A5 (RANTES)//8.1e-31:229:83//Hs.155464:AF088219
 F-Y79AA1000420//ESTs//1.1e-53:271:87//Hs.13056:AA181018
 F-Y79AA1000469//Homo sapiens I-1 receptor candidate protein mRNA, complete cds//0.0047:315:66//Hs.26285:
 25 AF082516
 F-Y79AA1000480
 F-Y79AA1000538//ESTs//5.7e-09:110:77//Hs.98790:AA284871
 F-Y79AA1000539//ESTs//2.6e-52:412:77//Hs.81648:W26521
 F-Y79AA1000540//Homo sapiens chromosome 7q22 sequence//0.70:133:69//Hs.151555:AF053356
 30 F-Y79AA1000560//Homo sapiens gamma2-adaptin (G2AD) mRNA, complete cds//1.2e-07:371:63//Hs.8991:
 AF068706
 F-Y79AA1000574//Human mRNA for GC box bindig protein, complete cds//0.95:258:62//Hs.150557:D31716
 F-Y79AA1000589//Homo sapiens clone 614 unknown mRNA, complete sequence//2.8e-154:755:97//Hs.21811:
 AF091080
 35 F-Y79AA10006277//Homo sapiens zinc finger protein (ZF5128) mRNA, complete cds//1.7e-136:644:98//Hs.60580:
 AF060503
 F-Y79AA1000705//Homo sapiens CHD1 mRNA, complete cds//0.0023:523:59//Hs.22670:AF006513
 F-Y79AA1000734//Homo sapiens peroxisomal biogenesis factor (PEX11b) mRNA, complete cds//1.6e-181:850:
 98//Hs.83023:AF093670
 40 F-Y79AA1000748//ESTs//4.2e-12:95:90//Hs.33687:R85969
 F-Y79AA1000752//ESTs//8.1e-114:551:97//Hs.153471:AI198377
 F-Y79AA1000774//ESTs//2.9e-59:296:98//Hs.150536:W20067
 F-Y79AA1000782//EST//0.97:78:69//Hs.147351:AI208468
 F-Y79AA1000784//Homo sapiens RanBP7/importin 7 mRNA, complete cds//1.1e-178:847:97//Hs.5151:
 45 AF098799
 F-Y79AA1000794//G-rich RNA sequence binding factor 1//0.83:228:61//Hs.79295:U07231
 F-Y79AA1000800//Homo sapiens GABA-B receptor mRNA, complete cds//0.12:244:60//Hs.12307:AF056085
 F-Y79AA1000802//Homo sapiens actin binding protein MAYVEN mRNA, complete cds//0.87:466:59//Hs.122967:
 AF059569
 50 F-Y79AA1000805
 F-Y79AA1000824//Titin//1.0:437:58//Hs.83049:X90568
 F-Y79AA1000827//Fatty acid synthase {3' region} [human, breast and HepG2 cells, mRNA Partial, 2237 nt]//
 0.0048:630:57//Hs.83190:U29344
 F-Y79AA1000833//TUBULIN ALPHA-4 CHAIN//6.9e-107:603:90//Hs.75318:X06956
 55 F-Y79AA1000850//ESTs, Weakly similar to T22C1.7 [C.elegans]//6.0e-77:368:99//Hs.86660:AA398644
 F-Y79AA1000962//Homo sapiens orphan nuclear hormone receptor BD73 mRNA, 3' end//0.14:499:58//Hs.37288:
 D16815
 F-Y79AA1000966//ESTs//0.80:52:86//Hs.6671:AI341699

- F-Y79AA1000968//ESTs, Moderately similar to initiation factor eIF-2B gamma subunit [R.norvegicus]//6.9e-69:310:94//Hs.76822:AI359536
- F-Y79AA1000969//LYMPHOTOXIN-BETA RECEPTOR PRECURSOR//1.0:150:64//Hs.1116:L04270
- F-Y79AA1000976//Arachidonate 15-lipoxygenase//0.87:174:66//Hs.73809:M23892
- 5 F-Y79AA1000985//Human plectin (PLEC1) mRNA, complete cds//0.091:385:58//Hs.79706:U53204
- F-Y79AA1001023
- F-Y79AA1001041//Human mutY homolog (hMYH) gene, complete cds//0.99:37:100//Hs.78489:U63329
- F-Y79AA1001048//Acyl-Coenzyme A dehydrogenase, very long chain//8.7e-30:772:60//Hs.82208:L46590
- F-Y79AA1001061//ESTs//6.3e-41:303:84//Hs.55855:AA621381
- 10 F-Y79AA1001068//EST//3.0e-23:165:90//Hs.157607:AI357511
- F-Y79AA1001077//ESTs//4.9e-40:237:94//Hs.11197:AA309047
- F-Y79AA1001078
- F-Y79AA1001105//Homo sapiens homeodomain protein (OG12) mRNA, complete cds//6.5e-11:247:66//Hs.55967:AF022654
- 15 F-Y79AA1001145//ESTs//1.3e-20:234:75//Hs.55855:AA621381
- F-Y79AA1001167//Homo sapiens mRNA for KIAA0750 protein, complete cds//1.0:155:63//Hs.5444:AB018293
- F-Y79AA1001177//Human hSIAH2 mRNA, complete cds//6.5e-09:299:65//Hs.20191:U76248
- F-Y79AA1001185//ESTs//1.7e-56:318:93//Hs.102991:AA639646
- F-Y79AA1001211//ESTs//9.1e-108:503:99//Hs.100605:AA305965
- 20 F-Y79AA1001216//Peroxisome receptor 1//0.00028:458:57//Hs.158084:Z48054
- F-Y79AA1001228//Fragile X mental retardation 2//0.040:207:64//Hs.54472:U48436
- F-Y79AA1001233//ESTRADIOL 17 BETA-DEHYDROGENASE 1//6.5e-25:731:60//Hs.85279:U34879
- F-Y79AA1001236//Homo sapiens mRNA for JM23 protein, complete coding sequence (clone IMAGE 34581 and IMAGE 45355 and LLNLc1101133Q7 (RZPD Berlin))//4.0e-135:441:97//Hs.23170:AJ005892
- 25 F-Y79AA1001281//ESTs//2.7e-21:157:88//Hs.163825:AI393240
- F-Y79AA1001299//Human Ini1 mRNA, complete cds//2.2e-116:323:93//Hs.155626:U04847
- F-Y79AA1001312//ESTs//3.7e-95:448:99//Hs.104469:W38395
- F-Y79AA1001323//ESTs//8.9e-50:340:86//Hs.144198:AI017555
- F-Y79AA1001384
- 30 F-Y79AA1001391//Human Hoxb-13 mRNA, complete cds//8.6e-42:505:70//Hs.66731:U81599
- F-Y79AA1001394//ESTs, Weakly similar to F54B3.3 [C.elegans]//1.5e-90:424:96//Hs.154221:H23167
- F-Y79AA1001402//ESTs//1.0:245:62//Hs.134695:AI088489
- F-Y79AA1001493//SRY (sex determining region Y)-box 4//0.38:311:61//Hs.83484:X70683
- F-Y79AA1001511//ESTs//9.9e-105:487:99//Hs.153581:AA630465
- 35 F-Y79AA1001533//ESTs, Highly similar to RETROVIRUS-RELATED POL POLYPROTEIN [Homo sapiens]//0.95:256:63//Hs.29974:AI360447
- F-Y79AA1001541//EST//0.96:202:61//Hs.99141:AA447744
- F-Y79AA1001548//ESTs//2.6e-25:166:90//Hs.164036:AA845659
- F-Y79AA1001555//ESTs//1.6e-35:191:97//Hs.52885:H29851
- 40 F-Y79AA1001581//Cyclin-dependept kinase inhibitor 1C (p57, Kip2)//2.5e-05:272:64//Hs.106070:U22398
- F-Y79AA1001585//ESTs//1.1e-84:473:93//Hs.42547:AA210783
- F-Y79AA1001594//ESTs//1.7e-08:169:71//Hs.97366:AA393109
- F-Y79AA1001603//ESTs//4.6e-07:429:59//Hs.160422:AI363426
- F-Y79AA1001613//Homo sapiens mRNA for KIAA0683 protein, complete cds//0.00078:520:57//Hs.12334:AB014583
- 45 F-Y79AA1001647//ESTs, Weakly similar to ZK1058.5 [C.elegans]//9.4e-79:421:94//Hs.107039:W27244
- F-Y79AA1001665//VON WILLEBRAND FACTOR PRECURSOR//1.0:386:60//Hs.110802:X04385
- F-Y79AA1001679//Guanine nucleotide binding protein (G protein), beta polypeptide 1//0.88:243:61//Hs.3620:X04526
- 50 F-Y79AA1001692//Insulin-like growth factor binding protein 2//1.9e-06:426:59//Hs.162:X16302
- F-Y79AA1001696//ESTs//2.3e-44:249:94//Hs.163665:AA250877
- F-Y79AA1001705//Homo sapiens interleukin-1 receptor-associated kinase (IRAK) mRNA, complete cds//0.19:609:58//Hs.77297:L76191
- F-Y79AA1001711//ESTs//5.2e-29:224:83//Hs.100461:AI018620
- 55 F-Y79AA1001781//Homo sapiens KIAA0443 mRNA, complete cds//0.49:183:66//Hs.113082:AB007903
- F-Y79AA1001805//ESTs//1.1e-62:315:98//Hs.16141:W56079
- F-Y79AA1001827//ESTs, Weakly similar to Similar to S.cerevisiae YD9335.03c protein [H.sapiens]//2.9e-62:313:98//Hs.15709:W81213

EP 1 074 617 A2

F-Y79AA1001846//ESTs//9.4e-16:146:82//Hs.140588:H60533
 F-Y79AA1001848//ESTs, Weakly similar to KIAA0390 [H.sapiens]//1.6e-19:142:90//Hs.103349:AI141124
 F-Y79AA1001866//Homo sapiens mRNA for zinc finger protein 10//5.1e-09:215:67//Hs.104115:X52332
 F-Y79AA1001874//Homo sapiens Jagged 2 mRNA, complete cds//5.4e-06:412:62//Hs.106387:AF029778
 5 F-Y79AA1001875//ESTs//6.8e-09:198:67//Hs.138036:AI343173
 F-Y79AA1001923//Homo sapiens growth-arrest-specific protein (gas) mRNA, complete cds//0.98:430:58//Hs.78501:L13720
 F-Y79AA1001963//ESTs//8.1e-131:642:97//Hs.54971:AI424382
 F-Y79AA1002027//ESTs//0.00042:58:91//Hs.5375:AA620611
 10 F-Y79AA1002083//ESTs//2.5e-51:285:95//Hs.117205:W88943
 F-Y79AA1002089//ESTs, Weakly similar to putative p150 [H.sapiens]//8.3e-53:348:88//Hs.18122:AI338045
 F-Y79AA1002093
 F-Y79AA1002103//ESTs//1.5e-15:223:71//Hs.97427:AA411865
 F-Y79AA1002115
 15 F-Y79AA1002125//ESTs//6.5e-41:206:99//Hs.159257:N40395
 F-Y79AA1002139//ESTs, Weakly similar to B0035.14 [C.elegans]//1.2e-24:165:90//Hs.6473:AA853955
 F-Y79AA1002204//Homo sapiens mRNA for KIAA0638 protein, partial cds//9.5e-05:393:62//Hs.77864:AB014538
 F-Y79AA1002208//ESTs//2.7e-13:211:69//Hs.112469:AA598515
 F-Y79AA1002209//ESTs, Weakly similar to TYROSYL-TRNA SYNTHETASE [Bacillus caldodenax]//2.3e-113:568:
 20 96//Hs.111637:AA305890
 F-Y79AA1002210//ESTs, Weakly similar to D2045.8 [C.elegans]//8.6e-33:338:73//Hs.26662:U55984
 F-Y79AA1002211//ESTs//2.6e-15:121:75//Hs.159584:AA524477
 F-Y79AA1002220//EST//0.010:360:60//Hs.136341:AA482508
 F-Y79AA1002229//Human mRNA for KIAA0086 gene, complete cds//0.0041:203:63//Hs.1560:D42045
 25 F-Y79AA1002234//Homo sapiens mRNA for KIAA0692 protein, partial cds//4.1e-176:821:98//Hs.100729:
 AB014592
 F-Y79AA1002246//Human involucrin mRNA//5.6e-05:525:59//Hs.157091:M13903
 F-Y79AA1002258//Homo sapiens mRNA for KIAA0655 protein, partial cds//2.2e-160:748:98//Hs.96731:
 AB014555
 30 F-Y79AA1002298//ESTs//2.5e-05:115:77//Hs.87164:T84489
 F-Y79AA1002307//Homo sapiens mRNA for KIAA0634 protein, partial cds//2.1e-130:622:97//Hs.30898:
 AB014534
 F-Y79AA1002311//ESTs//4.9e-19:126:94//Hs.58595:AA830999
 F-Y79AA1002351//Human high conductance inward rectifier potassium channel alpha subunit mRNA, complete
 35 cds//0.028:587:58//Hs.2363:L36069
 F-Y79AA1002361//ESTs//8.7e-29:149:100//Hs.156074:AA824377
 F-Y79AA1002399
 F-Y79AA1002407//ESTs//1.5e-25:183:89//Hs.110031:T52569
 F-Y79AA1002416//CTP synthetase//9.1e-51:489:72//Hs.84112:X52142
 40 F-Y79AA1002431
 F-Y79AA1002433//EST//0.0037:94:71//Hs.136780:AA772318
 F-Y79AA1002472//Homo sapiens DNA from chromosome 19, BAC 33152//1.1e-37:263:69//Hs.55452:AC003973
 F-Y79AA1002482//ESTs//1.4e-49:313:80//Hs.132590:AI160765
 F-Y79AA1002487//Insulin-like growth factor binding protein 2//0.43:249:61//Hs.162:X16302
 45

Homology Search Result Data 5.

[0310] The result of the homology search of the Human Unigene using the clone sequence of 3'-end.

[0311] Data include

the name of clone,
 title of the top hit data,
 the P-value: the length of the compared sequence: identity (%), and
 the Accession No. of the top hit data, as in the order separated by //.

[0312] Blank indicates that the 3'-end sequence corresponding to the 5'-end was not determined in the clone.

[0313] Data are not shown for the clones in which the P-value was higher than 1.

EP 1 074 617 A2

R-HEMBA1000005//ESTs, Highly similar to HYPOTHETICAL 31.6 KD PROTEIN F54F2.9 IN CHROMOSOME III [Caenorhabditis elegans]//5.6e-93:501:93//Hs.13015:AA628434
R-HEMBA1000030//Human POU domain protein (Brn-3b) mRNA, complete cds//0.83:314:61//Hs.266:U06233
R-HEMBA1000042//Archain//1.4e-45:282:89//Hs.33642:X81198
5 R-HEMBA1000046//Human mRNA for KIAA0118 gene, partial cds//8.3e-52:528:72//Hs.154326:D42087
R-HEMBA1000050//EST//0.043:155:63//Hs.149031:AI243340
R-HEMBA1000076//ESTs//3.1e-77:394:97//Hs.111742:R39329
R-HEMBA1000111//ESTs//1.7e-33:228:85//Hs.146811:AA410788
R-HEMBA1000129//ESTs, Weakly similar to contains similarity to helicases [C.elegans]//4.4e-90:502:90//Hs.
10 55918:AA151667
R-HEMBA1000141//Homo sapiens mRNA for KIAA0797 protein, partial cds//2.1e-100:514:94//Hs.27197:AB018340
R-HEMBA1000150//Homo sapiens mRNA for KIAA0640 protein, partial cds//3.1e-45:435:77//Hs.153026:AB014540
15 R-nnnnnnnnnnnnnn//ESTs, Moderately similar to The KIAA0138 gene product is novel. [H.sapiens]//7.7e-92:428:100//Hs.126925:AA931237
R-HEMBA1000158
R-nnnnnnnnnnnnnn//ESTs, Weakly similar to F13B12.1 [C.elegans]//1.3e-05:58:91//Hs.5570:AI377863
R-HEMBA1000180//ESTs//7.7e-90:461:95//Hs.159200:N50545
20 R-HEMBA1000185//ESTs//1.3e-72:371:96//Hs.134506:AA308366
R-HEMBA1000193//ESTs//4.2e-103:481:99//Hs.143251:AA769927
R-HEMBA1000201//Human Ini1 mRNA, complete cds//3.0e-25:137:99//Hs.155626:U04847
R-HEMBA1000213//ESTs//5.4e-85:465:94//Hs.23412:AA133311
R-HEMBA1000216//ESTs//3.0e-37:311:79//Hs.137875:AA993532
25 R-nnnnnnnnnnnnnn//EST//2.2e-100:498:96//Hs.161570:W80404
R-HEMBA1000231//Homo sapiens KIAA0414 mRNA, partial cds//2.7e-34:287:70//Hs.127649:AB007874
R-HEMBA1000243//Homo sapiens mRNA for KIAA0475 protein, complete cds//1.3e-23:276:75//Hs.5737:AB007944
R-HEMBA1000244//ESTs//2.3e-88:455:96//Hs.8929:AA719019
30 R-HEMBA1000251//ESTs//0.96:411:56//Hs.120277:AI243808
R-HEMBA1000264//ESTs//3.7e-97:487:96//Hs.29258:W37424
R-nnnnnnnnnnnnnn//ESTs, Moderately similar to ovarian-specific protein [R.norvegicus]//4.9e-14:208:73//Hs.93332:AA811920
R-HEMBA1000282//ESTs//2.5e-38:216:94//Hs.120757:R92485
35 R-HEMBA1000288//ESTs//2.6e-43:289:86//Hs.151365:AA643962
R-HEMBA1000290//ESTs//5.1e-110:543:96//Hs.139068:AA516409
R-HEMBA1000302//Homo sapiens mRNA for KIAA0527 protein, partial cds//1.0:122:67//Hs.129748:AB011099
R-nnnnnnnnnnnnnn//ESTs//7.4e-76:386:97//Hs.22276:AA191323
R-nnnnnnnnnnnnnn//Human Ca2+-dependent activator protein for secretion mRNA, complete cds//8.8e-30:160:98//
40 Hs.151301:U36448
R-HEMBA1000307//ESTs, Highly similar to 8A-2V protein [M.musculus]//1.1e-103:489:99//Hs.108881:AI018024
R-nnnnnnnnnnnnnn//ESTs//9.3e-99:472:98//Hs.163512:AA903238
R-HEMBA1000338//EST//5.1e-49:278:92//Hs.150815:AI302560
R-HEMBA1000351//Human high-affinity copper uptake protein (hCTR1) mRNA, complete cds//1.1e-42:270:88//
45 Hs.73614:U83460
R-HEMBA1000355//ESTs//1.0e-105:531:96//Hs.61762:AI422243
R-HEMBA1000357//Human kpni repeat mrna (cdna clone pcd-kpni-4), 3' end//9.4e-89:432:87//Hs.139107:K00629
R-HEMBA1000366//ESTs//1.1e-99:524:95//Hs.11785:T65857
50 R-HEMBA1000369//ESTs//6.5e-70:355:96//Hs.124847:AA843938
R-HEMBA1000376//Human mRNA for KIAA0205 gene, complete cds//3.6e-44:388:77//Hs.3610:D86960
R-HEMBA1000387//Human high-affinity copper uptake protein (hCTR1) mRNA, complete cds//5.5e-47:337:83//Hs.73614:U83460
R-HEMBA1000390//Oxytocin receptor//2.4e-16:428:62//Hs.2820:X64878
55 R-HEMBA1000392//ESTs//3.9e-105:531:96//Hs.130661:AI340248
R-HEMBA1000396//ESTs, Weakly similar to line-1 protein ORF2 [H.sapiens]//1.1e-44:447:75//Hs.42849:N31920
R-HEMBA1000411//ESTs, Weakly similar to ankyrin 3, long form [H.sapiens]//6.1e-92:373:99//Hs.48675:AI005282

EP 1 074 617 A2

R-HEMBA1000418//ESTs//3.1e-66:315:100//Hs.94133:AI270700
 R-HEMBA1000422//ESTs//1.6e-99:464:99//Hs.33024:AA002140
 R-HEMBA1000428//Homo sapiens mRNA for oligophrenin 1//4.9e-85:535:87//Hs.158122:AJ001189
 R-HEMBA1000434//ESTs//3.7e-53:266:99//Hs.22782:Z38143
 5 R-HEMBA1000442//ESTs//0.93:322:57//Hs.144763:AI218014
 R-HEMBA1000456//ESTs//4.1e-48:277:93//Hs.6937:AA524349
 R-HEMBA1000459//ESTs//0.010:184:63//Hs.128797:AI246316
 R-HEMBA1000460
 R-HEMBA1000464//EST//0.082:87:70//Hs.147977:AI262370
 10 R-HEMBA1000469//Small inducible cytokine A5 (RANTES)//1.4e-65:494:81//Hs.155464:AF088219
 R-HEMBA1000488//ESTs, Weakly similar to The KIAA0132 gene product is related to Drosophila melanogaster ring canel protein. [H.sapiens]//1.1e-31:181:94//Hs.61454:AA312449
 R-HEMBA1000490//ESTs//6.4e-17:132:86//Hs.32855:N25528
 R-HEMBA1000491//ESTs//2.2e-22:171:85//Hs.8035:AA195087
 15 R-HEMBA1000504//ESTs//0.016:282:58//Hs.130778:AI077571
 R-HEMBA1000505//EST//6.1e-15:116:87//Hs.162783:AA627318
 R-HEMBA1000508//ESTs//1.1e-28:244:81//Hs.132722:AA618531
 R-HEMBA1000518//EST//0.60:141:60//Hs.97831:AA400885
 R-HEMBA1000519//ESTs//2.8e-64:334:96//Hs.97885:AA402414
 20 R-HEMBA1000520//ESTs//6.9e-104:503:97//Hs.18370:AA947280
 R-HEMBA1000523//Cleavage stimulation factor, 3' pre-RNA, subunit 3, 77kD//4.0e-55:203:92//Hs.155510:U15782
 R-HEMBA1000531//ESTs, Weakly similar to HEAT SHOCK 70 KD PROTEIN 1 [H.sapiens]//1.3e-117:550:99//Hs.99722:AI422277
 25 R-HEMBA1000540//ESTs//4.7e-72:350:98//Hs.109755:AA180809
 R-HEMBA1000545//Homo sapiens clone 23892 mRNA sequence//3.7e-68:549:80//Hs.91916:AF035317
 R-nnnnnnnnnnnnn//ESTs//2.3e-66:342:97//Hs.71916:AA219699
 R-HEMBA1000557//EST//1.5e-49:297:90//Hs.149580:AI281881
 R-HEMBA1000561//ESTs, Moderately similar to zinc finger protein [R.norvegicus]//1.8e-108:550:96//Hs.26799:W74481
 30 R-HEMBA1000563//Adenosine kinase//0.16:367:58//Hs.94382:U50196
 R-HEMBA1000568//ESTs//5.1e-42:321:82//Hs.141024:H07128
 R-nnnnnnnnnnnnn
 R-HEMBA1000575//ESTs//3.8e-45:352:80//Hs.146811:AA410788
 35 R-HEMBA1000588//ESTs//0.18:122:67//Hs.140507:AA761944
 R-HEMBA1000591//Homo sapiens mRNA for EIB-55kDa-associated protein//3.9e-113:591:94//Hs.155218:AJ007509
 R-HEMBA1000592//TYROSINE-PROTEIN KINASE
 ITK/TSK//0.024:309:61//Hs.89519:L10717
 40 R-HEMBA1000594//ESTs//8.6e-07:172:68//Hs.160289:AI168041
 R-HEMBA1000604//Human telomerase-associated protein TP-1 mRNA, complete cds//1.5e-19:129:93//Hs.158334:U86136
 R-HEMBA1000608//ESTs//2.2e-95:506:94//Hs.6103:AA496424
 R-HEMBA1000622//ESTs//3.8e-10:440:61//Hs.137538:AA769438
 45 R-HEMBA1000636//ESTs, Weakly similar to 50S RIBOSOMAL PROTEIN L20 [E.coli]//1.4e-86:422:97//Hs.26252:AA643235
 R-HEMBA1000637//Homo sapiens mRNA for KIAA0690 protein, partial cds//3.7e-99:443:97//Hs.60103:AB014590
 R-HEMBA1000655//Human mRNA for KIAA0392 gene, partial cds//1.3e-50:426:79//Hs.40100:AB002390
 50 R-HEMBA1000657//ESTs//3.0e-74:419:93//Hs.109477:AA477929
 R-HEMBA1000662//EST//1.1e-90:425:99//Hs.122144:AA780136
 R-HEMBA1000673//ESTs//1.2e-101:473:99//Hs.138215:AI123922
 R-HEMBA1000682//ESTs, Weakly similar to putative pi 50 [H.sapiens]//3.5e-114:553:97//Hs.111730:AA604403
 R-HEMBA1000686//ESTs, Weakly similar to C27F2.7 gene product [C.elegans]//6.8e-18:137:86//Hs.7049:AI141736
 55 R-HEMBA1000702//Human mRNA for tryptophan hydroxylase (EC 1.14.16.4)//7.4e-52:345:84//Hs.144563:AF057280
 R-HEMBA1000705//EST//0.21:139:63//Hs.132687:AI033672

EP 1 074 617 A2

R-HEMBA1000719//ESTs//8.4e-90:484:94//Hs.29005:AA477213
 R-HEMBA1000722//ESTs, Weakly similar to similar to enoyl-CoA hydratases/isomerases [C.elegans]//7.2e-113:
 572:95//Hs.28644:AI018612
 R-HEMBA1000726//ERYTHROCYTE BAND 7 INTEGRAL MEMBRANE PROTEIN//2.8e-40:449:75//Hs.74478:
 5 U33931
 R-HEMBA1000727//ESTs//0.0047:267:60//Hs.133095:AA927777
 R-HEMBA1000747//EST//3.9e-20:160:85//Hs.99048:AA446110
 R-HEMBA1000749//Small inducible cytokine A5 (RANTES)//4.7e-37:286:82//Hs.155464:AF088219
 R-HEMBA1000752//EST//0.041:39:94//Hs.127772:AA961131
 10 R-HEMBA1000769//Homo sapiens mRNA for chemokine LEC precursor, complete cds//1.6e-32:309:75//Hs.
 10458:AF088219
 R-HEMBA1000773//EST//7.5e-05:201:63//Hs.122887:AA767612
 R-HEMBA1000774//Kangai 1 (suppression of tumorigenicity 6, prostate; CD82 antigen (R2 leukocyte antigen,
 antigen detected by monoclonal and antibody IA4))//1.3e-48:284:90//Hs.103458:X53795
 15 R-HEMBA1000791//Human mRNA for KIAA0118 gene, partial cds//1.2e-45:291:87//Hs.154326:D42087
 R-HEMBA1000817//ESTs//8.3e-95:445:99//Hs.107357:AA983939
 R-HEMBA1000822//ESTs//1.1e-107:522:97//Hs.92832:AA631027
 R-HEMBA1000827//Homo sapiens Ser/Arg-related nuclear matrix protein (SRM160) mRNA, complete cds//2.2e-
 44:228:98//Hs.18192:AF048977
 20 R-HEMBA1000843//Homo sapiens LIM protein mRNA, complete cds//6.6e-46:410:77//Hs.154103:AF061258
 R-HEMBA1000851
 R-HEMBA1000852//Aldehyde dehydrogenase 10 (fatty aldehyde dehydrogenase)//3.7e-33:284:80//Hs.159608:
 U46689
 R-HEMBA1000867//EST//2.0e-17:211:74//Hs.145670:AI265794
 25 R-HEMBA1000869//ESTs//3.1e-16:237:71//Hs.116518:AA653202
 R-HEMBA1000870//ESTs//1.6e-43:222:98//Hs.69564:AA203608
 R-HEMBA1000872//ESTs//1.9e-93:453:98//Hs.152622:AA594951
 R-HEMBA1000876//Small inducible cytokine A5 (RANTES)//3.0e-41:329:79//Hs.155464:AF088219
 R-HEMBA1000908//ESTs//1.6e-51:291:92//Hs.12247:AI203154
 30 R-HEMBA1000910//EST//0.98:139:64//Hs.132687:AI033672
 R-HEMBA1000918//EST//9.6e-30:152:84//Hs.162136:AA526508
 R-HEMBA1000919
 R-HEMBA1000934//ESTs//4.1e-38:254:89//Hs.87784:AA460597
 R-HEMBA1000942//ESTs//3.5e-20:172:69//Hs.160065:AI018619
 35 R-HEMBA1000943//Homo sapiens mRNA for KIAA0748 protein, complete cds//1.3e-44:281:78//Hs.33187:
 AB018291
 R-HEMBA1000946//ESTs//1.6e-68:352:96//Hs.21331:H93074
 R-HEMBA1000960//Homo sapiens tapasin (NGS-17) mRNA, complete cds//4.0e-61:347:81//Hs.5247:AF029750
 R-HEMBA1000968//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0508//6.8e-51:362:84//Hs.
 40 159187:AB007977
 R-HEMBA1000971//ESTs//2.8e-41:246:91//Hs.104287:AI363498
 R-HEMBA1000972//Homo sapiens mRNA for XPR2 protein//7.3e-44:341:81//Hs.44766:AJ007590
 R-HEMBA1000974//ESTs//1.4e-32:166:100//Hs.149274:AI018170
 R-HEMBA1000975//Oxytocin receptor//2.7e-46:563:73//Hs.2820:X64878
 45 R-HEMBA1000985//ESTs//4.4e-05:125:69//Hs.147434:AI214464
 R-HEMBA1000986//ESTs//7.8e-44:266:84//Hs.163784:N54902
 R-HEMBA1000991//EST//1.4e-42:162:86//Hs.149580:AI281881
 R-HEMBA1001007
 R-HEMBA1001008//ESTs//2.3e-82:463:92//Hs.10339:AA058764
 50 R-HEMBA1001009//ESTs, Weakly similar to non-lens beta gamma-crystallin like protein [H.sapiens]//2.6e-58:280:
 100//Hs.128738:AA970836
 R-HEMBA1001017//Homo sapiens mRNA for KIAA0468 protein, complete cds//3.3e-115:587:95//Hs.158287:
 AB007937
 R-HEMBA1001019//Cell division cycle 2, G1 to S and G2 to M//1.1e-24:140:95//Hs.58393:X05360
 55 R-HEMBA1001020//ESTs//0.52:86:72//Hs.69683:AA115292
 R-HEMBA1001022//ESTs//3.4e-18:102:100//Hs.63243:AI123912
 R-HEMBA1001024//ESTs//1.9e-07:262:61//Hs.124399:AA832336
 R-HEMBA1001026//ESTs//0.0017:142:67//Hs.144109:AI345543

R-nnnnnnnnnnnnn//Ankyrin G//0.23:244:60//Hs.75893:U13616
 R-HEMBA1001051//Homo sapiens mRNA for KIAA0621 protein, partial cds//6.4e-21:186:79//Hs.132942:AB014521
 5 R-HEMBA1001052//ESTs//5.4e-107:497:99//Hs.121773:AI357886
 R-HEMBA1001060//ESTs//1.1e-31:298:80//Hs.24821:AA044813
 R-HEMBA1001071//Alpha-1 type 3 collagen//9.1e-34:179:98//Hs.119571:X14420
 R-HEMBA1001077//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0492//2.7e-21:417:64//Hs.127338:AB007961
 R-HEMBA1001080
 10 R-HEMBA1001085//ESTs//1.9e-47:385:79//Hs.146811:AA410788
 R-HEMBA1001088//ESTs//2.8e-102:548:93//Hs.127273:AA522674
 R-HEMBA1001094
 R-HEMBA1001099//ESTs//0.24:41:97//Hs.18612:T99245
 R-HEMBA1001109//Small inducible cytokine A5 (RANTES)//2.4e-46:396:80//Hs.155464:AF088219
 15 R-HEMBA1001121//ESTs//1.7e-15:216:71//Hs.141605:H92974
 R-HEMBA1001122//ESTs//2.0e-90:474:94//Hs.107884:AA131320
 R-HEMBA1001123//B-CELL GROWTH FACTOR PRECURSOR//2.7e-45:319:84//Hs.99879:M15530
 R-HEMBA1001133//ESTs//1.2e-92:443:99//Hs.99626:AA632341
 R-HEMBA1001137//ESTs//2.0e-86:426:97//Hs.157103:W60265
 20 R-HEMBA1001140//Small inducible cytokine A5 (RANTES)//2.9e-45:323:83//Hs.155464:AF088219
 R-HEMBA1001172//ESTs, Moderately similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//1.1e-39:309:82//Hs.96337:AA225358
 R-HEMBA1001174//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0492//0.21:238:60//Hs.127338:AB007961
 25 R-HEMBA1001197//ESTs//0.010:388:61//Hs.14881:R91896
 R-HEMBA1001208//ESTs, Highly similar to Similar to S.cerevisiae hypothetical protein 5 [H.sapiens]//0.27:305:62//Hs.100238:U69194
 R-HEMBA1001226//Homo sapiens PYRIN (MEFV) mRNA, complete cds//5.0e-54:333:81//Hs.113283:AF018080
 R-HEMBA1001235//EST//2.3e-07:42:92//Hs.141620:N63316
 30 R-HEMBA1001247//ESTs, Weakly similar to WWP2 [H.sapiens]//2.9e-20:160:87//Hs.103102:W55932
 R-HEMBA1001257//ESTs//3.3e-112:544:97//Hs.128749:AA779728
 R-HEMBA1001265//ESTs//8.7e-116:564:98//Hs.155150:AI061435
 R-nnnnnnnnnnnnn//ESTs, Weakly similar to Lpa8p [S.cerevisiae]//2.4e-35:239:87//Hs.103919:AA159181
 R-HEMBA1001286//ESTs//1.4e-97:507:95//Hs.26244:AI352674
 35 R-HEMBA1001289//ESTs//8.2e-44:122:96//Hs.76267:AA877534
 R-HEMBA1001294//ESTs//1.0:140:65//Hs.149638:AI298324
 R-HEMBA1001299//Small inducible cytokine A5 (RANTES)//1.1e-45:307:84//Hs.155464:AF088219
 R-HEMBA1001302//Homo sapiens mRNA for APC 2 protein, complete cds//0.53:89:68//Hs.20912:AB012162
 R-HEMBA1001303//EST//0.00053:271:60//Hs.156148:AI333214
 40 R-HEMBA1001310//ESTs//1.4e-91:486:93//Hs.86228:AA206019
 R-HEMBA1001319//ESTs//0.051:228:61//Hs.99404:AA953977
 R-HEMBA1001323//ESTs//6.2e-83:401:98//Hs.47343:AI282950
 R-HEMBA1001326//ESTs, Weakly similar to HYPOTHETICAL 55.1 KD PROTEIN IN FAB1-PES4 INTERGENIC REGION [S.cerevisiae]//1.3e-77:458:92//Hs.9398:N41838
 45 R-HEMBA1001327//ESTs//0.60:251:58//Hs.117162:AA701259
 R-HEMBA1001330//Homo sapiens PYRIN (MEFV) mRNA, complete cds//1.1e-46:249:78//Hs.113283:AF018080
 R-HEMBA1001351//ESTs//0.13:230:57//Hs.138510:R94816
 R-HEMBA1001361//ESTs//3.5e-107:570:94//Hs.7727:AA142837
 R-HEMBA1001375//ESTs//1.1e-96:454:99//Hs.59584:AA587334
 50 R-HEMBA1001377//ESTs//8.5e-91:459:95//Hs.61859:AA628550
 R-HEMBA1001383//ESTs//0.077:381:58//Hs.163093:AA745458
 R-HEMBA1001387//ESTs//2.0e-85:405:99//Hs.152127:AI246482
 R-HEMBA1001388//ESTs//1.5e-83:395:99//Hs.105191:AA133439
 R-HEMBA1001391//ESTs//7.7e-90:455:96//Hs.120905:R22204
 55 R-HEMBA1001398//Thromboxane A2 receptor//4.0e-46:279:89//Hs.89887:D38081
 R-HEMBA1001405//ESTs//1.2e-98:485:97//Hs.73287:W16714
 R-HEMBA1001407//ESTs//2.2e-76:365:99//Hs.110128:AA584364
 R-HEMBA1001411//ESTs//1.2e-102:476:100//Hs.143162:AI380343

R-HEMBA1001413//ESTs//3.7e-66:321:98//Hs.152472:AA041199
 R-HEMBA1001415
 R-HEMBA1001432//Putative mismatch repair/binding protein hMSH3//7.9e-42:183:82//Hs.42674:U61981
 R-HEMBA1001433//ESTs//1.4e-34:240:77//Hs.95611:U51704
 5 R-HEMBA1001435//ESTs//5.6e-23:292:70//Hs.116315:AA629263
 R-HEMBA1001442//ESTs//0.76:414:58//Hs.156189:AI419982
 R-HEMBA1001446//ESTs//2.2e-95:447:99//Hs.154091:AA767546
 R-HEMBA1001450//ESTs//1.0e-93:491:94//Hs.16130:AA195077
 R-HEMBA1001454//Human Line-1 repeat mRNA with 2 open reading frames//1.7e-47:304:88//Hs.23094:M19503
 10 R-HEMBA1001455//ESTs//7.1e-103:482:99//Hs.97407:AI417220
 R-HEMBA1001463
 R-HEMBA1001476//Human mRNA for KIAA0186 gene, complete cds//2.0e-25:409:66//Hs.36232:D80008
 R-HEMBA1001478
 R-HEMBA1001497
 15 R-HEMBA1001510//ESTs//3.3e-44:381:78//Hs.139882:AA864426
 R-HEMBA1001515//Human Line-1 repeat mRNA with 2 open reading frames//5.9e-79:528:84//Hs.23094:M19503
 R-HEMBA1001517//ESTs//5.8e-32:272:81//Hs.119512:AA487269
 R-HEMBA1001522//ESTs//1.7e-84:364:95//Hs.117858:AA-702493
 R-HEMBA1001526//ESTs//1.8e-93:527:93//Hs.10624:N64723
 20 R-HEMBA1001533//ESTs//1.9e-42:211:100//Hs.55830:AA580270
 R-HEMBA1001557//ESTs//4.2e-83:413:97//Hs.47546:AA181348
 R-HEMBA1001566//Small inducible cytokine A5 (RANTES)//3.4e-50:304:88//Hs.155464:AF088219
 R-HEMBA1001569//POU domain, class 3, transcription factor 4//2.3e-06:259:62//Hs.2229:X82324
 R-HEMBA1001570//Homo sapiens pendrin (PDS) mRNA, complete cds//3.5e-47:456:77//Hs.159275:AF030880
 25 R-HEMBA1001579//ESTs//0.11:299:60//Hs.106090:AA457030
 R-HEMBA1001581//ESTs//0.016:350:61//Hs.124664:AI015652
 R-HEMBA1001585//Human mRNA for KIAA0331 gene, complete cds//0.30:251:63//Hs.146395:AB002329
 R-HEMBA1001589
 R-HEMBA1001595//ESTs, Weakly similar to SEPTIN 2 [D.melanogaster]//6.9e-71:431:88//Hs.26625:W25874
 30 R-HEMBA1001608//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//1.3e-73:533:82//Hs.103948:
 K00627
 R-HEMBA1001620//ESTs, Highly similar to MYO-INOSITOL-1-PHOSPHATE SYNTHASE [Arabidopsis thaliana]
 //4.5e-93:537:90//Hs.20218:AA628530
 R-nnnnnnnnnnnnn/Homo sapiens antigen NY-CO-16 mRNA, complete cds//0.054:362:60//Hs.132206:AF039694
 35 R-HEMBA1001636//ESTs//4.9e-53:267:97//Hs.47459:AA700158
 R-HEMBA1001640//ESTs//2.9e-27:299:72//Hs.65236:AA927623
 R-nnnnnnnnnnnnn/ESTs, Weakly similar to Mi-2 protein [H.sapiens]//1.2e-86:442:95//Hs.63888:AA203398
 R-HEMBA1001655//ESTs//1.5e-101:516:95//Hs.86541:AA214554
 R-HEMBA1001658
 40 R-HEMBA1001661//Homo sapiens protocadherin 68 (PCH68) mRNA, complete cds//1.3e-16:427:61//Hs.106511:
 AF029343
 R-HEMBA1001672//Homo sapiens methyl-CpG binding protein MBD3 (MBD3) mRNA, complete cds//1.4e-93:493:
 92//Hs.107254:AC005943
 R-HEMBA1001675
 45 R-HEMBA1001678//Homo sapiens voltage dependent anion channel protein mRNA, complete cds//4.2e-103:534:
 94//Hs.7381:AF038962
 R-HEMBA1001681//ESTs//6.0e-49:292:92//Hs.65588:AA523424
 R-HEMBA1001702//ESTs//9.0e-98:478:97//Hs.28661:AA805916
 R-HEMBA1001709//Homo sapiens mRNA for KIAA0698 protein, complete cds//6.3e-98:483:96//Hs.31720:
 50 AB014598
 R-HEMBA1001711//ESTs//5.8e-83:398:98//Hs.34804:AA514960
 R-HEMBA1001712//ESTs//0.028:202:63//Hs.105790:AA528095
 R-HEMBA1001714//ESTs, Highly similar to ATPASE INHIBITOR, MITOCHONDRIAL PRECURSOR [Rattus nor-
 vegicus]//1.8e-46:236:98//Hs.132948:AA194452
 55 R-HEMBA1001718//Small inducible cytokine A5 (RANTES)//8.6e-43:166:88//Hs.155464:AF088219
 R-HEMBA1001723//ESTs, Highly similar to HYPOTHETICAL TRP-ASP REPEATS CONTAINING PROTEIN IN
 SIS1-MRPL2 INTERGENIC REGION [Saccharomyces cerevisiae]//7.1e-88:431:96//Hs.29203:AI344105
 R-HEMBA1001731//EST//0.25:100:68//Hs.149171:AI245712

R-HEMBA1001734//Human mRNA for KIAA0355 gene, complete cds//2.6e-39:366:77//Hs.153014:AB002353
 R-HEMBA1001744
 R-HEMBA1001745//ESTs//6.6e-05:244:62//Hs.157663:AI358623
 R-HEMBA1001746//EST//4.9e-65:409:88//Hs.124673:AA858162
 5 R-HEMBA1001761//ESTs//1.9e-44:315:84//Hs.159510:AA297145
 R-HEMBA1001781//ESTs//3.0e-98:462:99//Hs.60059:AI057306
 R-HEMBA1001784//EST//1.0e-12:250:68//Hs.152366:AA486721
 R-HEMBA1001791//EST//1.4e-47:292:89//Hs.163333:AA879053
 R-HEMBA1001800//ESTs//8.4e-37:314:79//Hs.105151:AA970243
 10 R-HEMBA1001803//ESTs//4.5e-99:465:99//Hs.135159:AI095823
 R-nnnnnnnnnnnn//Zinc finger protein 148 (pHZ-52)//0.78:232:57//Hs.112180:AF039019
 R-HEMBA1001808//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0500//9.0e-114:548:98//Hs.118164:AB007969
 R-HEMBA1001809//EST//3.8e-63:292:89//Hs.158591:AI369334
 15 R-HEMBA1001815//Calcium modulating ligand//1.1e-47:299:87//Hs.13572:AF068179
 R-HEMBA1001819//ZINC FINGER PROTEIN HF.12//1.2e-16:259:69//Hs.155470:X07290
 R-HEMBA1001820//ESTs//2.6e-86:404:100//Hs.112881:AA620707
 R-nnnnnnnnnnnn//ESTs//2.2e-101:480:99//Hs.159940:AA971578
 R-HEMBA1001824//ESTs, Weakly similar to MATRIN 3 [H.sapiens]//6.2e-27:147:97//Hs.23476:AA401210
 20 R-HEMBA1001835//EST//0.79:216:64//Hs.47437:N52250
 R-HEMBA1001844//ESTs//4.7e-62:319:95//Hs.55200:N98513
 R-HEMBA1001847//ESTs//2.3e-102:522:95//Hs.20879:AA845446
 R-HEMBA1001861//Homo sapiens mRNA for KIAA0617 protein, complete cds//1.1e-109:553:96//Hs.78946:AB014517
 25 R-HEMBA1001864//ESTs//7.4e-94:449:99//Hs.132776:AI142853
 R-HEMBA1001866//Myelin oligodendrocyte glycoprotein {alternative products}//1.9e-37:357:76//Hs.53217:Z48051
 R-nnnnnnnnnnnn//ESTs, Weakly similar to trithorax homolog HTX, version 2 [H.sapiens]//2.3e-32:193:94//Hs.9489:R84329
 30 R-HEMBA1001888//H.sapiens mRNA for urea transporter//2.0e-47:425:78//Hs.66710:X96969
 R-HEMBA1001896//ESTs//3.5e-56:274:99//Hs.129018:H03128
 R-HEMBA1001910
 R-HEMBA1001912//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//1.5e-73:347:100//Hs.30991:AA994438
 35 R-HEMBA1001913//ESTs, Highly similar to GCN20 PROTEIN [Saccharomyces cerevisiae]//5.1e-57:320:91//Hs.91251:U66685
 R-HEMBA1001915//ESTs//4.9e-88:459:95//Hs.122810:AI273706
 R-HEMBA1001918//ESTs//1.2e-106:505:99//Hs.98518:AI027125
 R-HEMBA1001921//Homo sapiens germinal center kinase related protein kinase mRNA, complete cds//5.5e-107:534:96//Hs.154934:AF000145
 40 R-HEMBA1001939//ESTs, Moderately similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//2.9e-99:482:98//Hs.96849:AA879470
 R-HEMBA1001940//Human mRNA for KIAA0392 gene, partial cds//5.6e-45:336:82//Hs.40100:AB002390
 R-HEMBA1001942//EST//2.6e-84:397:99//Hs.145444:AI203668
 45 R-HEMBA1001945//ESTs//1.4e-92:437:99//Hs.144565:AI192452
 R-HEMBA1001950//ESTs//3.9e-43:280:88//Hs.84429:N28866
 R-HEMBA1001960//ESTs//0.040:243:62//Hs.29567:AA640421
 R-HEMBA1001962//ESTs//0.0071:113:69//Hs.49792:N70048
 R-HEMBA1001964//ESTs//3.0e-38:239:87//Hs.158126:W26825
 50 R-HEMBA1001967//Human DNA sequence from clone 341E18 on chromosome 6p11.2-12.3. Contains a Serine/Threonine Protein Kinase gene (presumptive isolog of a Rat gene) and a novel alternatively spliced gene. Contains a putative CpG island, ESTs and GSSs//1.8e-106:517:97//Hs.11050:AL031178
 R-HEMBA1001979//EST//0.039:167:63//Hs.129451:AA993932
 R-HEMBA1001987//ESTs//3.1e-44:320:83//Hs.136839:H93717
 55 R-HEMBA1001991//Human mRNA for KIAA0355 gene, complete cds//9.5e-47:303:88//Hs.153014:AB002353
 R-HEMBA1002003//Homo sapiens mRNA for protein phosphatase 2C (beta)//1.6e-91:448:97//Hs.5687:AJ005801
 R-HEMBA1002008//ESTs//9.2e-47:297:87//Hs.142314:AA347930
 R-HEMBA1002018//ESTs//9.4e-21:118:97//Hs.7871:AI041837

R-HEMBA1002022//Human mRNA for KIAA0075 gene, partial cds//0.25:196:63//Hs.1189:D38550
 R-HEMBA1002035//ESTs//7.7e-101:475:99//Hs.8858:AI131538
 R-HEMBA1002039//H.sapiens mRNA for phosphoinositide 3-kinase//0.68:256:64//Hs.101238:Y11312
 5 R-HEMBA1002049//Homo sapiens mRNA for KIAA0563 protein, complete cds//2.4e-51:254:85//Hs.15731:AB011135
 R-HEMBA1002084//EST//0.31:219:60//Hs.162396:AA572764
 R-HEMBA1002092//EST//6.4e-72:342:99//Hs.148533:AI200996
 R-HEMBA1002100//EST//5.6e-38:258:85//Hs.103094:W52354
 R-HEMBA1002102//Thiopurine S-methyltransferase//1.4e-46:403:79//Hs.51124:AF019369
 10 R-HEMBA1002113//Prostaglandin 12 (prostacyclin) synthase //1.4e-76:280:90//Hs.61333:D83402
 R-HEMBA1002119//Homo sapiens OR7E12P pseudogene, complete sequence//1.4e-87:362:94//Hs.103443:AF065854
 R-HEMBA1002125//ESTs, Weakly similar to Y53C12A.3 [C.elegans]//1.7e-16:94:100//Hs.107747:AI357868
 R-HEMBA1002139//H.sapiens mRNA for nebulin//0.0019:68:88//Hs.83870:X83957
 15 R-HEMBA1002144//ESTs//3.1e-30:259:72//Hs.141575:AA211734
 R-HEMBA1002150//ESTs//7.1e-105:543:95//Hs.32275:AA595199
 R-HEMBA1002151//ESTs//2.2e-35:178:100//Hs.77703:W19642
 R-HEMBA1002153//EST//4.5e-49:458:77//Hs.141708:W44337
 R-HEMBA1002160//Homo sapiens nephrocystin (NPHP1) mRNA, partial cds//1.4e-36:400:75//Hs.75474:
 20 AF023674
 R-HEMBA1002161//Homo sapiens EVI5 homolog mRNA, complete cds//1.9e-33:294:77//Hs.26929:AF008915
 R-HEMBA1002162//ESTs//1.0e-47:317:85//Hs.48919:N64043
 R-HEMBA1002166//Thromboxane A2 receptor//6.8e-46:296:81//Hs.89887:D38081
 R-HEMBA1002177//EST//2.6e-42:215:99//Hs.116880:AA662457
 25 R-HEMBA1002185//Homo sapiens class-I MHC-restricted T cell associated molecule (CRTAM) mRNA, complete
 cds//6.0e-42:419:73//Hs.159523:AF001622
 R-HEMBA1002189//Homo sapiens mRNA for KIAA0792 protein, complete cds//1.4e-29:244:72//Hs.119387:
 AB007958
 R-HEMBA1002191//ESTs//2.6e-31:275:66//Hs.133852:AI076357
 30 R-HEMBA1002199//Human Line-1 repeat mRNA with 2 open reading frames//4.3e-84:557:84//Hs.23094:M19503
 R-HEMBA1002204//EST//0.00057:113:71//Hs.144868:AI202342
 R-HEMBA1002212//ESTs//1.5e-48:277:93//Hs.104741:AI393315
 R-HEMBA1002215//ESTs//1.1e-23:158:90//Hs.152529:AA897151
 R-HEMBA1002226//Homo sapiens mRNA for KIAA0706 protein, complete cds//5.1e-21:230:75//Hs.139648:
 35 AB014606
 R-HEMBA1002229//Homo sapiens growth suppressor related (DOC-1R) mRNA, complete cds//1.5e-47:238:98//
 Hs.25664:AF089814
 R-HEMBA1002237//ESTs//6.9e-35:357:76//Hs.116518:AA653202
 R-HEMBA1002253//EST//6.0e-19:125:81//Hs.140596:AA829426
 40 R-HEMBA1002257
 R-HEMBA1002267//ESTs, Weakly similar to HYPOTHETICAL 27.8 KD PROTEIN IN VMA7-RPS31A INTERGEN-
 IC REGION [S.cerevisiae]//1.3e-31:201:91//Hs.114673:W72675
 R-HEMBA1002270//ESTs//4.6e-100:483:97//Hs.34940:AI264314
 R-HEMBA1002321//ESTs//2.3e-85:403:99//Hs.120388:AA723595
 45 R-HEMBA1002328//ESTs//1.3e-90:423:100//Hs.117936:AI280818
 R-HEMBA1002337//ESTs//8.7e-24:147:93//Hs.9893:AA007679
 R-HEMBA1002341//Homo sapiens mRNA for KIAA0771 protein, partial cds//7.8e-130:642:96//Hs.6162:
 AB018314
 R-HEMBA1002348//ESTs//5.0e-71:387:93//Hs.30494:H04822
 50 R-HEMBA1002349//ESTs//9.7e-88:420:98//Hs.132972:AA543094
 R-nnnnnnnnnnnn//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds//3.9e-123:
 661:93//Hs.119023:AF092563
 R-HEMBA1002381//ESTs//1.3e-73:352:99//Hs.56121:AA781435
 R-HEMBA1002389//EST//2.3e-05:132:69//Hs.37558:H58237
 55 R-HEMBA1002417//Homo sapiens chromosome 19, cosmid R28784//3.9e-63:358:91//Hs.25527:AC005954
 R-HEMBA1002419//ESTs, Weakly similar to APK1 antigen [H.sapiens]//5.6e-87:429:96//Hs.13209:AI417849
 R-HEMBA1002430//ESTs//0.10:388:57//Hs.119238AA476267
 R-HEMBA1002439//Human mRNA for KIAA0080 gene, partial cds//2.0e-22:181:80//Hs.74554:D38522

R-HEMBA1002458//ESTs//1.8e-88:448:95//Hs.97914:AA769069
 R-HEMBA1002460//Catalase//0.67:314:60//Hs.76359:X04085
 R-HEMBA1002462//EST//0.032:44:88//Hs.161536:N80395
 R-nnnnnnnnnnnn//ESTs, Weakly similar to F08G12.1 [C.elegans]//5.4e-95:488:95//Hs.108115:AA582193
 5 R-HEMBA1002477//Homo sapiens KIAA0395 mRNA, partial cds//2.5e-37:281:80//Hs.43681:AL022394
 R-HEMBA-1002486//Small inducible cytokine A5 (RANTES)//1.1e-49:311:88//Hs.155464:AF088219
 R-HEMBA1002495//ESTs//1.2e-94:457:98//Hs.42140:AI188995
 R-HEMBA1002498//ESTs//1.7e-35:240:78//Hs.119871:AA705133
 R-HEMBA1002503//ESTs//2.3e-14:64:85//Hs.140190:AA701449
 10 R-HEMBA1002508//ESTs//0.00057:160:62//Hs.149661:AA872990
 R-nnnnnnnnnnnn//Homo sapiens mRNA for histone deacetylase-like protein (JM21)//2.3e-113:456:92//Hs.6764:AJ011972
 R-HEMBA1002515//EST//1.0:153:63//Hs.118045:N51715
 R-HEMBA1002538//Homo sapiens mRNA for KIAA0454 protein, partial cds//5.1e-106:564:93//Hs.129928:AB007923
 15 R-HEMBA1002542//ESTs//1.0e-101:539:93//Hs.93872:AA524700
 R-HEMBA1002547//EST//8.7e-27:151:96//Hs.132145:AI041804
 R-HEMBA1002552//EST//5.9e-49:335:85//Hs.149580:AI281881
 R-HEMBA1002555//ESTs//1.1e-77:461:91//Hs.38750:N30012
 20 R-HEMBA1002558//Homo sapiens 4F5S mRNA, complete cds//1.3e-42:264:89//Hs.32567:AF073519
 R-HEMBA1002561//Small inducible cytokine A5 (RANTES)//6.4e-40:196:78//Hs.155464:AF088219
 R-nnnnnnnnnnnn//Homo sapiens protein associated with Myc mRNA, complete cds//1.4e-120:587:97//Hs.151411:AF075587
 R-HEMBA1002583//ESTs//7.1e-79:410:95//Hs.21599:AA478904
 25 R-HEMBA1002590//EST//3.3e-54:278:97//Hs.138637:N20838
 R-HEMBA1002592//ESTs//2.6e-44:500:74//Hs.110934:N26055
 R-HEMBA1002621
 R-HEMBA1002624//Homo sapiens mRNA for KIAA0808 protein, complete cds//2.2e-77:380:97//Hs.91338:AB018351
 30 R-HEMBA1002628//ESTs//0.0020:167:66//Hs.140605:AA830881
 R-HEMBA1002629//ESTs//0.00014:50:100//Hs.119132:AA398715
 R-HEMBA1002645//EST//2.1e-37:285:82//Hs.141728:W73041
 R-HEMBA1002651//EST//2.2e-23:374:69//Hs.139357:AA420970
 R-HEMBA1002659//Human 53K isoform of Type II phosphatidylinositol-4-phosphate 5-kinase (PIPK) mRNA, complete cds//1.5e-53:406:81//Hs.108966:U48696
 35 R-HEMBA1002661//Homo sapiens mRNA for KIAA0764 protein, complete cds//1.1e-41:296:84//Hs.6232:AB018307
 R-HEMBA1002666//EST//4.4e-09:79:88//Hs.72015:AA151945
 R-HEMBA1002678//EST, Moderately similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//7.6e-104:560:92//Hs.161748:T64896
 40 R-nnnnnnnnnnnn//EST//0.15:136:69//Hs.129570:AA995396
 R-HEMBA1002688//T-CELL SURFACE PROTEIN TACTILE PRECURSOR//0.16:247:62//Hs.142023:M88282
 R-HEMBA1002696//ESTs//3.5e-94:529:92//Hs.16725:AA196477
 R-HEMBA1002712//Homo sapiens mRNA for KIAA0772 protein, complete cds//6.0e-46:302:86//Hs.15519:AB018315
 45 R-HEMBA1002716//ESTs//1.3e-109:555:96//Hs.9812:AA147884
 R-HEMBA1002728//Homo sapiens mRNA for KIAA0621 protein, partial cds//3.8e-37:287:81//Hs.132942:AB014521
 R-HEMBA1002730//ESTs//1.2e-95:488:95//Hs.22030:AA521168
 50 R-HEMBA1002742//ESTs//1.0e-91:437:99//Hs.139987:AA652163
 R-HEMBA1002746//ESTs//4.4e-97:468:98//Hs.129903:AA576526
 R-HEMBA1002748//ESTs//5.0e-98:475:98//Hs.125461:AI375792
 R-HEMBA1002750//ESTs//1.6e-42:223:97//Hs.40460:N36090
 R-HEMBA1002768//Homo sapiens mRNA for KIAA0554 protein, partial cds//4.0e-106:545:95//Hs.74750:AB011126
 55 R-HEMBA1002770//EST//0.34:294:59//Hs.43091:N22127
 R-HEMBA1002777//ESTs//3.0e-85:316:98//Hs.17537:C06491
 R-HEMBA1002779//Human mRNA for KIAA0013 gene, complete cds//0.25:342:58//Hs.48824:D87717

- R-HEMBA1002780//Homo sapiens DEC-205 mRNA, complete cds//4.2e-46:449:75//Hs.153563:AF011333
R-HEMBA1002794//ESTs//1.2e-115:559:97//Hs.79741:AI279709
R-HEMBA1002801//EST//0.00049:287:60//Hs.126466:AA913320
5 R-HEMBA1002810//Homo sapiens formin binding protein 21 mRNA, complete cds//1.4e-116:559:97//Hs.28307:AF071185
R-HEMBA1002816//Human plectin (PLEC1) mRNA, complete cds//0.28:281:62//Hs.79706:U53204
R-HEMBA1002826//EST//6.7e-25:134:99//Hs.134683:AI092013
R-HEMBA1002833//ESTs, Highly similar to ribosome-binding protein p34 [R.norvegicus]//4.3e-25:137:98//Hs.5337:AA243757
10 R-HEMBA1002850//ESTs//0.010:323:57//Hs.18282:W67514
R-HEMBA1002863//ESTs//1.1e-67:359:94//Hs.124699:W27830
R-HEMBA1002876//ESTs//0.72:202:62//Hs.144816:AI220827
R-HEMBA1002886//EST//3.2e-85:401:99//Hs.96580:AA405670
R-HEMBA1002896//Homo sapiens SH3-containing adaptor molecule-1 mRNA, complete cds//1.2e-107:541:95//
15 Hs.33787:AF037261
R-HEMBA1002921//Human mRNA for KIAA0189 gene, complete cds//0.84:103:71//Hs.95140:D80011
R-HEMBA1002924//ESTs//3.5e-86:423:98//Hs.27513:N34820
R-HEMBA1002934//Human mRNA for KIAA0118 gene, partial cds//2.1e-50:308:88//Hs.154326:D42087
R-HEMBA1002935//ESTs//1.0e-73:384:95//Hs.118193:N74481
20 R-HEMBA1002937//ESTs//0.052:167:65//Hs.145504:AI254165
R-HEMBA1002939//ESTs//1.6e-94:467:97//Hs.9893:AA007679
R-HEMBA1002944//ESTs//2.7e-17:176:80//Hs.143768:AA229732
R-HEMBA1002951//ESTs//3.7e-119:565:98//Hs.16218:AI190892
R-HEMBA1002954//EST//0.076:285:58//Hs.98706:AA431085
25 R-HEMBA1002968//Thiopurine S-methyltransferase//1.9e-46:314:85//Hs.51124:AF019369
R-HEMBA1002970//EST//0.00050:164:64//Hs.129630:AI000405
R-HEMBA1002971//Homo sapiens mRNA for KIAA0679 protein, partial cds//2.3e-30:162:99//Hs.5734:AB014579
R-HEMBA1002973//Small inducible cytokine A5 (RANTES)//5.7e-42:318:81//Hs.155464:AF088219
R-nnnnnnnnnnnn//ESTs//3.2e-18:102:100//Hs.146255:AA197064
30 R-HEMBA1002999//ESTs, Moderately similar to lamina associated polypeptide 1C [R.norvegicus]//7.9e-113:560:96//Hs.125749:AI377682
R-HEMBA1003021//Homo sapiens PYRIN (MEFV) mRNA, complete cds//3.3e-42:290:85//Hs.113283:AF018080
R-HEMBA1003033//ESTs//2.8e-77:417:94//Hs.138860:W47480
R-HEMBA1003034//ESTs//3.7e-42:429:74//Hs.132818:AI038577
35 R-HEMBA1003035//ESTs//0.025:156:64//Hs.8473:T40827
R-HEMBA1003037//ESTs//0.69:381:57//Hs.47312:AI240366
R-HEMBA1003041//ESTs, Highly similar to PUTATIVE SERINE/THREONINE-PROTEIN KINASE C41C4.4 IN CHROMOSOME II PRECURSOR [Caenorhabditis elegans]//5.6e-34:280:79//Hs.114905:AA088442
R-HEMBA1003046//Homo sapiens mitochondrial processing peptidase beta-subunit mRNA, complete cds//1.3e-119:578:97//Hs.44097:AF054182
40 R-HEMBA1003064//ESTs//7.8e-85:419:96//Hs.87020:AA706627
R-HEMBA1003067//Von Hippel-Lindau syndrome//2.0e-30:299:75//Hs.78160:AF010238
R-HEMBA1003071//ESTs//2.3e-74:360:98//Hs.17270:AA701903
R-HEMBA1003077//ESTs, Weakly similar to KIAA0405 [H.sapiens]//1.1e-90:434:99//Hs.14146:W92235
45 R-HEMBA1003078//ESTs//5.9e-16:156:77//Hs.142684:AA902402
R-HEMBA1003079//ESTs//0.16:341:58//Hs.95923:AI075249
R-HEMBA1003083//Small inducible cytokine A5 (RANTES)//1.9e-39:284:83//Hs.155464:AF088219
R-HEMBA1003086//EST//1.0e-48:372:82//Hs.161917:AA483223
R-HEMBA1003096//ESTs, Weakly similar to Mouse 19.5 mRNA, complete cds [M.musculus]//4.2e-100:531:94//
50 Hs.104800:AA709155
R-HEMBA1003098//ESTs//4.2e-107:537:96//Hs.107213:AA121624
R-HEMBA1003117//ESTs//2.4e-67:331:97//Hs.157158:AI150058
R-HEMBA1003129//Human nucleolar fibrillar center protein (ASE-1) mRNA, complete cds//2.1e-13:109:88//Hs.118717:U86751
55 R-HEMBA1003133//ESTs//1.1e-34:180:98//Hs.159387:AI370845
R-HEMBA1003136//ESTs, Weakly similar to MANNOSE-1-PHOSPHATE GUANYLTRANSFERASE [Saccharomyces cerevisiae]//9.2e-114:577:95//Hs.27059:AI088615
R-HEMBA1003142//Small inducible cytokine A5 (RANTES)//1.1e-45:285:88//Hs.155464:AF088219

R-HEMBA1003148//Homo sapiens mRNA for dachshund protein//3.6e-118:586:96//Hs.63931:AJ005670
 R-HEMBA1003166//ESTs//1.6e-96:479:96//Hs.119940:AA705933
 R-HEMBA1003175//ESTs//2.7e-74:407:92//Hs.139167:AA715389
 R-HEMBA1003197//ESTs//1.6e-68:384:94//Hs.120969:W92000
 5 R-HEMBA1003199//Sjogren syndrome antigen B (autoantigen La)//0.19:328:57//Hs.83715:X69804
 R-HEMBA1003202//Homo sapiens mRNA for KIAA0640 protein, partial cds//1.3e-40:290:83//Hs.153026:AB014540
 R-HEMBA1003204//ESTs//1.1e-34:215:91//Hs.108090:AA424943
 R-HEMBA1003212//ESTs//1.9e-81:441:93//Hs.28471:W20265
 10 R-HEMBA1003220//ESTs, Weakly similar to MITOCHONDRIAL 40S RIBOSOMAL PROTEIN S28 PRECURSOR [S.cerevisiae]//1.6e-40:232:93//Hs.107707:N32817
 R-HEMBA1003222//ESTs, Weakly similar to weak similarity to HSP90 [C.elegans]//1.1e-42:310:85//Hs.23294:W27666
 R-HEMBA1003229//ESTs//4.8e-18:133:90//Hs.61763:AA035305
 15 R-HEMBA1003235//ESTs//7.7e-35:201:78//Hs.163979:AA828834
 R-HEMBA1003250//Homo sapiens p21-activated kinase 3 (PAK3) mRNA, complete cds//7.4e-05:534:58//Hs.152663:AF068864
 R-HEMBA1003257//EST//1.4e-95:473:97//Hs.32443:H28929
 R-HEMBA1003273//Small inducible cytokine A5 (RANTES)//2.6e-38:253:86//Hs.155464:AF088219
 20 R-HEMBA1003276//ESTs//7.6e-55:269:99//Hs.23817:AA526392
 R-HEMBA1003278//ESTs//2.6e-45:301:71//Hs.51652:AI084785
 R-HEMBA1003281
 R-HEMBA1003291//Homo sapiens mRNA for KIAA0537 protein, complete cds//9.7e-117:551:99//Hs.12836:AB011109
 25 R-HEMBA1003296//ESTs//4.8e-17:210:72//Hs.44451:AA203266
 R-HEMBA1003304//ESTs//2.8e-98:468:98//Hs.120849:AI148353
 R-HEMBA1003309//ESTs//1.8e-97:455:99//Hs.11571:AA713504
 R-HEMBA1003314//Homo sapiens mRNA for leucine zipper bearing kinase, complete cds//8.9e-113:545:97//Hs.124224:AB001872
 30 R-HEMBA1003322//ESTs//4.9e-79:419:95//Hs.138760:N66869
 R-HEMBA1003327//Homo sapiens clone 23622 mRNA sequence//1.4e-16:177:78//Hs.151608:AF052119
 R-HEMBA1003328//H.sapiens mRNA for MACH-alpha-2 protein//2.1e-43:269:88//Hs.19949:X98173
 R-HEMBA1003330//Homo sapiens poly(A) binding protein II (PABP2) gene, complete cds//0.66:64:76//Hs.117176:AF026029
 35 R-HEMBA1003348//ESTs//1.4e-35:185:78//Hs.117879:H77357
 R-HEMBA1003369//ESTs, Weakly similar to F59C6.9 [C.elegans]//3.2e-113:553:97//Hs.65539:AI148540
 R-HEMBA1003370//ESTs//2.0e-46:319:86//Hs.37573:H59651
 R-HEMBA1003373//ESTs//1.6e-31:136:81//Hs.114849:AI139588
 R-HEMBA1003376//ESTs//3.0e-47:383:80//Hs.138852:AA284247
 40 R-HEMBA1003380//ESTs, Moderately similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//1.8e-11:261:65//Hs.87578:AI125363
 R-HEMBA1003384//EST//0.00013:82:75//Hs.141237:H57847
 R-HEMBA1003395//ESTs//5.2e-78:379:98//Hs.162208:AA536127
 R-HEMBA1003402//ESTs//8.6e-14:108:89//Hs.55424:AA774204
 45 R-HEMBA1003417//ESTs//1.7e-24:188:85//Hs.70266:Z78309
 R-HEMBA1003417//ESTs//4.2e-74:396:94//Hs.55220:D11563
 R-HEMBA1003418//ESTs//3.1e-107:545:95//Hs.3494:AI421013
 R-HEMBA1003433//Homo sapiens nibrin (NBS) mRNA, complete cds//3.2e-115:544:98//Hs.25812:AF058696
 R-HEMBA1003461//ESTs//2.8e-62:304:99//Hs.148747:AI225121
 50 R-HEMBA1003463//ESTs//2.3e-112:549:97//Hs.104627:AA885516
 R-HEMBA1003480//Homo sapiens PYRIN (MEFV) mRNA, complete cds//7.7e-76:529:84//Hs.113283:AF018080
 R-HEMBA1003528//ESTs//2.1e-59:312:96//Hs.22505:R41688
 R-HEMBA1003531//ESTs//2.2e-17:116:93//Hs.140217:AA702760
 R-HEMBA1003538//Complement component C1r//4.7e-25:333:68//Hs.1279:M14058
 55 R-HEMBA1003545//ESTs//8.7e-89:432:98//Hs.99497:AA776817
 R-HEMBA1003548//EST//0.0091:274:60//Hs.148336:AA911673
 R-HEMBA1003555//ESTs, Weakly similar to NUCLEOTIDE-BINDING PROTEIN [H.sapiens]//2.8e-93:495:93//Hs.91619:AA552351

- R-HEMBA1003556//ESTs//7.1e-44:406:77//Hs.141575:AA211734
R-HEMBA1003560//ESTs//4.0e-34:182:97//Hs.14811:AA434522
R-HEMBA1003568//ESTs//2.0e-101:486:98//Hs.118570:AI342058
5 R-HEMBA1003569//ESTs, Moderately similar to metastasis-associated gene [H.sapiens]//4.0e-63:343:93//Hs.58598:AA625440
R-HEMBA1003571//Homo sapiens clone 23632 mRNA sequence//3.7e-47:338:84//Hs.46918:AF052099
R-HEMBA1003579//EST//0.00057:239:60//Hs.162828:AA643892
R-HEMBA1003581//ESTs//2.6e-10:118:79//Hs.44856:N37065
R-HEMBA1003591//ESTs//2.4e-96:460:98//Hs.128741:AI244212
10 R-HEMBA1003595//Human mRNA for KIAA0118 gene, partial cds//1.7e-48:421:78//Hs.154326:D42087
R-HEMBA1003597//EST//1.6e-38:313:80//Hs.160911:AI371042
R-HEMBA1003598//ESTs//0.0085:273:61//Hs.145333:AI251374
R-HEMBA1003615
R-HEMBA1003617//ESTs//1.0e-111:574:95//Hs.4552:W68167
15 R-HEMBA1003621//EST//1.7e-31:288:78//Hs.140909:R49387
R-HEMBA1003622//EST//1.1e-46:468:75//Hs.139093:AA166888
R-HEMBA1003630//ESTs//1.4e-21:411:69//Hs.128729:AA973021
R-HEMBA1003637//ESTs, Weakly similar to !!!! ALU SUBFAMILY SB WARNING ENTRY !!!! [H.sapiens]//9.3e-24:189:84//Hs.142208:AA209438
20 R-HEMBA1003640//ISLET AMYLOID POLYPEPTIDE PRECURSOR//2.5e-42:332:81//Hs.51048:X68830
R-HEMBA1003645//ESTs//2.4e-77:423:94//Hs.99539:R59010
R-HEMBA1003646//ESTs//2.6e-98:549:91//Hs.96427:AA151783
R-HEMBA1003656//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488//5.6e-44:245:77//Hs.67619:AB007957
25 R-HEMBA1003662//Human TBX2 (TBX2) mRNA, complete cds//2.6e-17:144:84//Hs.32931:U28049
R-HEMBA1003667//Farnesyltransferase, CAAX box, beta//1.3e-22:170:88//Hs.117596:L00635
R-HEMBA1003679//ESTs, Weakly similar to trithorax homolog HTX, version 2 [H.sapiens]//4.1e-87:434:97//Hs.9489:R84329
R-HEMBA1003680//Human DNA-binding protein (HRC1) mRNA, complete cds//0.86:315:61//Hs.72925:M91083
30 R-HEMBA1003684//ESTs, Highly similar to ZINC FINGER PROTEIN 7 [Homo sapiens]//1.1e-101:528:95//Hs.22934:AA581379
R-HEMBA1003690//ESTs//0.0021:119:69//Hs.98641:AA429916
R-HEMBA1003692//Human cytochrome P450-IIB (hIIB3) mRNA, complete cds//2.0e-43:360:80//Hs.110194:M29873
35 R-HEMBA1003711//ESTs//1.0e-70:375:94//Hs.150407:AI279064
R-HEMBA1003714//VASOACTIVE INTESTINAL POLYPEPTIDE RECEPTOR 1 PRECURSOR//0.94:367:62//Hs.1139:X77777
R-HEMBA1003715//Homo sapiens PYRIN (MEFV) mRNA, complete cds//5.1e-77:299:85//Hs.113283:AF018080
R-HEMBA1003720//Homo sapiens TWIK-related acid-sensitive K⁺ channel (TASK) mRNA, complete cds//1.2e-33:377:74//Hs.24040:AF006823
40 R-HEMBA1003725//ESTs//3.8e-103:481:99//Hs.122518:AA778847
R-HEMBA1003729//ESTs//2.5e-51:277:95//Hs.26270:AA258839
R-HEMBA1003733//ESTs//1.9e-69:350:96//Hs.139278:AA702592
R-HEMBA1003742//ESTs, Moderately similar to T13H5.2 [C.elegans]//4.6e-70:348:96//Hs.11282:AI147040
45 R-HEMBA1003758//ESTs//1.7e-52:306:85//Hs.138852:AA284247
R-HEMBA1003760//ESTs//7.4e-76:420:93//Hs.26501:H05089
R-HEMBA1003773//ESTs, Highly similar to SIGNAL RECOGNITION PARTICLE RECEPTOR BETA SUBUNIT [Mus musculus]//1.9e-77:364:100//Hs.12152:AA156214
R-HEMBA1003783//ESTs, Weakly similar to C01H6.7 [C.elegans]//2.1e-101:558:93//Hs.18171:AA524327
50 R-HEMBA1003784//EST//0.83:127:62//Hs.144002:F01600
R-HEMBA1003799//EST//9.7e-30:362:71//Hs.156577:AA860236
R-HEMBA1003803//ESTs, Weakly similar to Y53C12A.3 [C.elegans]//2.8e-16:93:100//Hs.107747:AI357868
R-HEMBA1003804//Interleukin 15//0.13:227:62//Hs.111867:AB007295
R-HEMBA1003805//ESTs//0.029:199:65//Hs.91582:T25344
55 R-HEMBA1003807//EST//2.4e-13:137:81//Hs.145645:AI264163
R-HEMBA1003836//Small inducible cytokine A5 (RANTES)//3.2e-39:284:83//Hs.155464:AF088219
R-HEMBA1003838//ESTs, Weakly similar to NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 2 [Paramecium tetraurelia]//6.5e-71:357:96//Hs.107573:AA524333

EP 1 074 617 A2

R-HEMBA1003856//ESTs//8.2e-20:266:71//Hs.48312:N68161
 R-HEMBA1003864//ESTs//1.6e-99:528:93//Hs.26890:AA449033
 R-HEMBA1003866//POLYPOSIS LOCUS PROTEIN 1//0.30:146:64//Hs.74648:M73547
 5 R-HEMBA1003879//EST, Weakly similar to DNA-REPAIR PROTEIN COMPLEMENTING XP-A CELLS [Homo sa-
 piens]//2.1e-59:295:98//Hs.161661:AA166911
 R-HEMBA1003880//Homo sapiens clone 24760 mRNA sequence//3.8e-34:286:79//Hs.61408:AF070621
 R-HEMBA1003885//ESTs//4.6e-50:293:90//Hs.142314:AA347930
 R-HEMBA1003893//Calcium modulating ligand//2.1e-43:294:86//Hs.13572:AF068179
 R-HEMBA1003902//ESTs//1.8e-43:300:85//Hs.146811:AA410788
 10 R-HEMBA1003908//ESTs//3.5e-91:477:94//Hs.6638:AA536187
 R-HEMBA1003926//ESTs//7.9e-44:294:87//Hs.164036:AA845659
 R-HEMBA1003937//Homo sapiens mRNA for KIAA0585 protein, partial cds//3.5e-48:276:81//Hs.72660:AB011157
 R-HEMBA1003939
 R-HEMBA1003942//ESTs//1.6e-81:428:94//Hs.50418:AA524669
 15 R-HEMBA1003950//ESTs//8.1e-54:283:95//Hs.145528:AI261545
 R-HEMBA1003953//ESTs//3.8e-30:194:89//Hs.99681:AA504591
 R-HEMBA1003958//ESTs//4.0e-45:394:77//Hs.141602:N63562
 R-HEMBA1003959//ESTs//5.2e-28:197:86//Hs.9951:W56253
 R-HEMBA1003976//ESTs//2.0e-29:232:84//Hs.133947:AI074525
 20 R-HEMBA1003978//ESTs//3.2e-115:549:98//Hs.76798:AI050882
 R-HEMBA1003985//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//2.2e-91:
 448:97//Hs.117834:AA766771
 R-HEMBA1003987//ESTs//8.1e-36:193:88//Hs.151844:N92756
 R-HEMBA1003989//Human mRNA for KIAA0241 gene, partial cds//3.6e-43:360:81//Hs.150275:D87682
 25 R-HEMBA1004000//EST//5.5e-62:308:97//Hs.50438:N74105
 R-HEMBA1004011//ESTs//8.6e-85:431:96//Hs.36185:R99899
 R-HEMBA1004012//ESTs//1.3e-40:309:83//Hs.140329:AA714011
 R-HEMBA1004015//ESTs//5.1e-97:453:99//Hs.111446:AI333774
 R-HEMBA1004024//ESTs//5.2e-19:159:79//Hs.138856:H47461
 30 R-HEMBA1004038//ESTs//1.3e-41:346:79//Hs.146173:AA906191
 R-HEMBA1004042//ESTs//0.0012:201:69//Hs.24248:AA528253
 R-HEMBA1004045//ESTs, Weakly similar to putative p150 [H.sapiens]//1.5e-22:365:70//Hs.99692:AA811804
 R-HEMBA1004048//ESTs//9.5e-104:497:98//Hs.77735:AI125469
 R-HEMBA1004049//HEAT SHOCK 70 KD PROTEIN 1//6.3e-31:176:96//Hs.8997:M11717
 35 R-HEMBA1004055//ESTs//1.7e-115:577:96//Hs.59503:W63754
 R-HEMBA1004056//Homo sapiens PYRIN (MEFV) mRNA, complete cds//5.2e-78:577:82//Hs.113283:AF018080
 R-HEMBA1004074//EST//1.0:152:61//Hs.149093:AI243988
 R-HEMBA1004086//ESTs//4.0e-53:266:98//Hs.34658:N98652
 R-HEMBA1004097//ESTs//4.4e-46:279:91//Hs.110533:H16251
 40 R-HEMBA1004131//Human mRNA for KIAA0128 gene, partial cds//3.0e-43:534:69//Hs.90998:D50918
 R-HEMBA1004132//ESTs//4.6e-47:316:86//Hs.141602:N63562
 R-HEMBA1004133
 R-HEMBA1004138//EST//1.7e-08:211:64//Hs.129189:AA988736
 R-HEMBA1004143//ESTs//4.0e-25:137:97//Hs.21307:AA203320
 45 R-HEMBA1004146//Small inducible cytokine A5 (RANTES)//4.1e-27:191:86//Hs.155464:AF088219
 R-HEMBA1004150//GRANALCIN//0.99:357:59//Hs.79381:M81637
 R-HEMBA1004164//Human mRNA for KIAA0118 gene, partial cds//9.5e-47:313:84//Hs.154326:D42087
 R-HEMBA1004168//Homo sapiens geminin mRNA, complete cds//7.7e-112:563:96//Hs.59988:AF067855
 R-HEMBA1004199
 50 R-HEMBA1004200//EST//3.1e-89:441:97//Hs.141173:R97701
 R-HEMBA1004202//ESTs, Weakly similar to GTP-BINDING PROTEIN YPTM1 [Zea mays]//1.7e-107:552:94//Hs.
 10092:AI189282
 R-HEMBA1004203//Homo sapiens mRNA for KIAA0618 protein, complete cds//1.5e-96:275:98//Hs.15832:
 AB014518
 55 R-HEMBA1004207//Leptin receptor//1.1e-117:573:97//Hs.54515:U50748
 R-HEMBA1004225//EST//9.7e-34:186:95//Hs.137567:R20617
 R-HEMBA1004227//ESTs, Moderately similar to !!!! ALU SUBFAMILY SQ WARNING ENTRY !!!! [H.sapiens]//4.0e-
 16:117:91//Hs.92033:AA255832

R-HEMBA1004238//Human mRNA for KIAA0355 gene, complete cds//3.0e-46:338:83//Hs.153014:AB002353
 R-HEMBA1004241//ESTs//1.3e-10:93:87//Hs.137511:AA456389
 R-HEMBA1004246//Homo sapiens LIM protein mRNA, complete cds//2.7e-43:511:72//Hs.154103:AF061258
 R-HEMBA1004248//ESTs, Highly similar to INSULIN-INDUCED GROWTH RESPONSE PROTEIN CL-6 [Rattus
 5 norvegicus]//2.1e-61:221:86//Hs.7089:W37284
 R-HEMBA1004264//ESTs//1.5e-80:425:95//Hs.107206:AA234962
 R-HEMBA1004267//ESTs, Moderately similar to !!!! ALU SUBFAMILY SP WARNING ENTRY !!!! [H.sapiens]//1.4e-
 89:465:95//Hs.113660:D20018
 R-HEMBA1004272//ESTs//4.5e-111:577:94//Hs.115696:N57931
 10 R-HEMBA1004272//ESTs, Highly similar to BETA-ADAPTIN [Homo sapiens; Rattus norvegicus; Bos taurus]//4.4e-
 92:559:89//Hs.28298:AA203228
 R-HEMBA1004286//Homo sapiens TGF beta receptor associated protein-1 mRNA, complete cds//6.2e-108:538:
 15 97//Hs.101766:AF022795
 R-HEMBA1004289//Sulfotransferase, dehydroepiandrosterone (DHEA) -preferring//1.7e-34:223:75//Hs.81884:
 U13061
 R-HEMBA1004295//ESTs, Weakly similar to weakly similar to ANK repeat region of Fowlpox virus BamHI-orf7
 protein [C.elegans]//3.6e-93:496:94//Hs.14337:AA534961
 20 R-HEMBA1004306//ESTs//3.4e-26:363:68//Hs.70279:AA757426
 R-HEMBA1004312//ESTs//4.8e-64:351:94//Hs.138611:H82679
 R-HEMBA1004321//Zinc finger protein 44 (KOX 7)//2.6e-37:415:64//Hs.51199:X16281
 R-HEMBA1004323//ESTs//2.1e-40:280:70//Hs.153300:AA928904
 R-HEMBA1004327//ESTs//3.8e-72:343:99//Hs.151708:AA554714
 25 R-HEMBA1004330//ESTs//4.0e-52:270:97//Hs.24654:AA456561
 R-HEMBA1004334//ESTs//1.6e-46:234:98//Hs.47159:AI310231
 R-HEMBA1004335//ESTs//1.9e-25:250:76//Hs.155880:AA703336
 R-HEMBA1004341//ESTs//3.7e-101:480:98//Hs.69321:AA633240
 R-HEMBA1004353//Homo sapiens mRNA for c-myc binding protein, complete cds//1.3e-75:444:90//Hs.80686:
 30 D89667
 R-HEMBA1004354//Human mRNA for KIAA0355 gene, complete cds//5.9e-39:286:83//Hs.153014:AB002353
 R-HEMBA1004356//SINGLE-STRANDED DNA-BINDING PROTEIN MSSP-1//1.3e-107:576:93//Hs.55458:
 X77494
 R-HEMBA1004366//ESTs//2.3e-94:524:91//Hs.111496:AA652869
 35 R-HEMBA1004372//EST//0.27:198:60//Hs.162665:AA605057
 R-HEMBA1004389//ESTs//4.1e-102:490:98//Hs.153708:AA687264
 R-HEMBA1004394//ESTs//1.5e-94:471:96//Hs.151647:AA002084
 R-HEMBA1004396//Small inducible cytokine A5 (RANTES)//6.2e-41:285:83//Hs.155464:AF088219
 R-HEMBA1004405//ESTs//2.0e-44:329:83//Hs.136839:H93717
 40 R-HEMBA1004408//ESTs, Weakly similar to homologous to mouse Rsu-1 [H.sapiens]//6.1e-89:420:99//Hs.88365:
 AA648933
 R-HEMBA1004429//ESTs, Weakly similar to homeotic protein protein zhx-1 [M.musculus]//3.0e-112:552:96//Hs.
 12940:AI123518
 R-HEMBA1004433//Human Line-1 repeat mRNA with 2 open reading frames//2.9e-32:463:68//Hs.23094:M19503
 45 R-HEMBA1004460//ESTs//2.0e-104:574:93//Hs.46848:AA195829
 R-HEMBA1004461//ESTs//2.9e-102:503:98//Hs.16370:AA017033
 R-HEMBA1004479//ELK1, member of ETS oncogene family//1.1e-45:310:75//Hs.116549:AL009172
 R-HEMBA1004482//ESTs//9.1e-05:322:62//Hs.34489:AA759306
 R-HEMBA1004502//ESTs//6.9e-112:566:96//Hs.93985:N50034
 50 R-HEMBA1004506//EST//5.3e-59:456:80//Hs.72412:AA160941
 R-HEMBA1004507
 R-HEMBA1004509//ESTs, Moderately similar to HYPOTHETICAL 52.2 KD PROTEIN IN MPR1-GCN20 INTER-
 GENIC REGION [Saccharomyces cerevisiae]//2.9e-82:262:99//Hs.12820:AA004271
 R-HEMBA1004534//ESTs, Highly similar to ENDOTHELIAL ACTIN-BINDING PROTEIN [Homo sapiens]//1.1e-43:
 55 281:89//Hs.58414:AA196947
 R-HEMBA1004538//EST//3.3e-15:270:71//Hs.136667:AA707972
 R-HEMBA1004554
 R-HEMBA1004560//ESTs//8.2e-25:179:88//Hs.96560:W22924

EP 1 074 617 A2

R-HEMBA1004573//ESTs, Moderately similar to ALR [H.sapiens]//1.0:305:60//Hs.30272:AA134913
 R-HEMBA1004577//ESTs//7.9e-50:319:89//Hs.22660:AA582243
 R-HEMBA1004586//ESTs//2.6e-73:384:96//Hs.9582:R39769
 R-nnnnnnnnnnnnn//ESTs//6.0e-22:190:82//Hs.42530:N41661
 5 R-HEMBA1004610//ESTs//1.2e-91:438:98//Hs.47823:AA780767
 R-HEMBA1004617//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501//4.6e-52:327:85//Hs.159897:AB007970
 R-HEMBA1004629//ESTs//2.3e-19:215:76//Hs.111995:AI375915
 R-HEMBA1004631//ESTs//3.6e-99:470:98//Hs.49303:AA810785
 10 R-HEMBA1004632//ESTs//1.0:128:66//Hs.159182:AA831152
 R-HEMBA1004637//ESTs, Highly similar to HYPOTHETICAL 83.6 KD PROTEIN R05D3.2 IN CHROMOSOME III [Caenorhabditis elegans]//4.8e-111:532:98//Hs.12263:AA282393
 R-HEMBA1004638//ESTs//1.2e-66:341:95//Hs.122687:AI278454
 R-HEMBA1004666//ESTs//2.1e-65:333:96//Hs.98873:AA625442
 15 R-HEMBA1004669//ESTs//0.00039:116:74//Hs.138725:N76348
 R-HEMBA1004670//ESTs//1.7e-16:116:89//Hs.56825:AI057560
 R-HEMBA1004672//EST//6.7e-76:315:97//Hs.20821:R19368
 R-HEMBA1004693//ESTs//6.4e-68:327:99//Hs.159066:AI093252
 R-HEMBA1004697//ESTs//9.3e-98:467:98//Hs.62637:AA043562
 20 R-HEMBA1004705//EST//0.0034:271:58//Hs.112503:AA599042
 R-HEMBA1004709//EST//1.3e-55:392:85//Hs.149580:AI281881
 R-HEMBA1004711//Small inducible cytokine A5 (RANTES)//1.9e-47:449:76//Hs.155464:AF088219
 R-HEMBA1004725//EST//1.8e-71:424:88//Hs.155712:AI309235
 R-HEMBA1004730//Homo sapiens clone 23892 mRNA sequencer//2.1e-44:467:73//Hs.91916:AF035317
 25 R-HEMBA1004733//EST//0.99:84:65//Hs.161372:AI423151
 R-HEMBA1004734//ESTs//1.8e-82:421:96//Hs.21275:N73275
 R-HEMBA1004736//Ataxia telangiectasia mutated (includes complementation groups A, C and D)//9.5e-39:296:82//Hs.51187:U82828
 R-HEMBA1004748//ESTs//1.7e-43:166:86//Hs.37573:H59651
 30 R-HEMBA1004751//ESTs//8.0e-23:155:88//Hs.149464:AI279428
 R-HEMBA1004752//Thromboxane A2 receptor//2.7e-45:281:89//Hs.89887:D38081
 R-HEMBA1004753//40S RIBOSOMAL PROTEIN S20//8.3e-67:475:84//Hs.8102:L06498
 R-HEMBA1004756//ESTs//2.0e-81:384:99//Hs.129545:N68679
 R-HEMBA1004758//EST//2.0e-43:367:80//Hs.133006:AI049504
 35 R-HEMBA1004763//ESTs//2.0e-108:567:94//Hs.3757:W87380
 R-HEMBA1004768//ESTs, Weakly similar to RETROVIRUS-RELATED POL POLYPROTEIN [Mus musculus]//1.4e-47:379:81//Hs.141273:H66705
 R-HEMBA1004770//ESTs//0.0014:246:61//Hs.124857:AA687092
 R-HEMBA1004771//ESTs//1.1e-12:323:63//Hs.124146:AA699633
 40 R-HEMBA1004776//ESTs//2.5e-112:567:95//Hs.12680:W74476
 R-HEMBA1004778//ESTs//1.4e-33:272:75//Hs.141123:AA848167
 R-nnnnnnnnnnnnn
 R-HEMBA1004803//ESTs//1.0e-48:319:86//Hs.139231:W87732
 R-HEMBA1004806
 45 R-HEMBA1004807//ESTs//6.2e-77:362:100//Hs.140945:N47676
 R-HEMBA1004816//EST//4.3e-18:246:72//Hs.150552:AI053784
 R-HEMBA1004820//Human arginine-rich nuclear protein mRNA, complete cds//5.0e-14:141:85//Hs.80510:M74002
 R-HEMBA1004847
 50 R-HEMBA1004850//ESTs//1.2e-83:395:99//Hs.30925:AA577120
 R-HEMBA1004863//ESTs//7.5e-21:204:79//Hs.35036:H95267
 R-HEMBA1004864
 R-HEMBA1004865//EST//6.7e-18:191:75//Hs.129944:AA429362
 R-HEMBA1004880//EST//4.4e-70:346:98//Hs.145094:AA452409
 55 R-HEMBA1004889//ESTs//4.8e-117:496:97//Hs.15641:W63676
 R-HEMBA1004900//ESTs//1.2e-15:283:68//Hs.157606:AI357470
 R-HEMBA1004909//ESTs//7.3e-44:366:79//Hs.140329:AA714011
 R-HEMBA1004918//Human mRNA for KIAA0392 gene, partial cds//4.6e-50:313:89//Hs.40100:AB002390

- R-HEMBA1004923//ESTs//0.013:162:64//Hs.143655:AI128388
R-HEMBA1004929//EST//2.3e-48:250:97//Hs.131589:AI025053
R-HEMBA1004930//Cytochrome P450, subfamily I (aromatic compound-inducible), polypeptide 2//1.2e-70:547:80//Hs.1361:M55053
- 5 R-HEMBA1004933//ESTs, Weakly similar to R06C7.6 [C.elegans]//5.3e-110:530:98//Hs.18029:AI422883
R-HEMBA1004934//ESTs//1.3e-103:522:96//Hs.40415:AA037215
R-HEMBA1004944//ESTs//6.0e-21:97:84//Hs.141973:N21434
R-HEMBA1004954//ESTs//7.9e-112:596:93//Hs.6226:W61007
R-HEMBA1004956//ESTs//3.1e-58:280:100//Hs.120750:AA741074
- 10 R-HEMBA1004960//ESTs//6.9e-89:476:93//Hs.163738:AA601040
R-HEMBA1004972//ESTs//3.0e-72:381:95//Hs.55014:AA934035
R-HEMBA1004973//ESTs//2.7e-91:441:98//Hs.28144:AI292065
R-HEMBA1004977//ESTs//2.0e-95:446:99//Hs.29690:AI168404
R-HEMBA1004978//Homo sapiens natural killer cell group 2-F (NKG2-F) mRNA, complete cds//0.43:187:67//Hs.129734:AJ001683
- 15 R-HEMBA1004980//Human mRNA for KIAA0331 gene, complete cds//6.4e-53:305:91//Hs.146395:AB002329
R-HEMBA1004983//ESTs//0.16:482:57//Hs.131929:AI021894
R-HEMBA1004995
R-HEMBA1005008//EST, Weakly similar to mariner transposase [H.sapiens]//6.9e-51:482:78//Hs.141601:N63520
- 20 R-HEMBA1005009//ESTs, Highly similar to ACTIN I [Naegleria fowleri]//3.8e-109:551:96//Hs.103180:AI365212
R-HEMBA1005019//Homo sapiens mRNA for KIAA0648 protein, partial cds//2.0e-105:542:94//Hs.31921:AB014548
R-HEMBA1005029//ESTs, Weakly similar to LINE-1 REVERSE TRANSCRIPTASE HOMOLOG [Homo sapiens]//8.4e-95:491:94//Hs.16085:AI261382
- 25 R-HEMBA1005035//Human mRNA for KIAA0033 gene, partial cds//2.3e-64:312:85//Hs.22271:D26067
R-HEMBA1005039//ESTs, Weakly similar to zinc finger protein [H.sapiens]//2.6e-48:443:78//Hs.139019:N99348
R-HEMBA1005047//ESTs, Highly similar to RAS-RELATED PROTEIN RAB-5A [Canis familiaris]//1.2e-87:542:87//Hs.16258:AI376436
R-HEMBA1005050//ESTs//6.3e-46:311:86//Hs.159510:AA297145
- 30 R-HEMBA1005062//ESTs//1.1e-14:216:68//Hs.129935:AA994451
R-HEMBA1005066//Human clone 23574 mRNA sequence//2.2e-24:303:73//Hs.79385:U90905
R-HEMBA1005075//EST//0.65:214:62//Hs.133991:AI075789
R-HEMBA1005079//Human BENE mRNA, partial cds//1.9e-44:304:83//Hs.85889:U17077
R-HEMBA1005083//ESTs//2.8e-74:356:98//Hs.132272:AI393958
- 35 R-HEMBA1005101//Homo sapiens SYT interacting protein SIP mRNA, complete cds//1.7e-111:545:96//Hs.11170:AF080561
R-HEMBA1005113//ESTs//1.1e-101:512:95//Hs.7972:AI052739
R-HEMBA1005123//Ley I-L//3.6e-58:519:77//Hs.37062:AC005952
R-HEMBA1005133//H.sapiens mRNA for MACH-alpha-2 protein//8.3e-46:309:85//Hs.19949:X98173
- 40 R-HEMBA1005149//Homo sapiens mRNA, chromosome 1 specific transcript KIAA0488//4.7e-36:394:75//Hs.67619:AB007957
R-HEMBA1005152//Homo sapiens antigen NY-CO-16 mRNA, complete cds//3.6e-32:362:77//Hs.132206:AF039694
R-HEMBA1005159//EST//7.4e-47:252:94//Hs.134930:AI093397
- 45 R-HEMBA1005185//ESTs//5.2e-48:305:89//Hs.14920:AA910914
R-HEMBA1005201//ESTs//4.7e-58:293:97//Hs.23752:C05766
R-HEMBA1005202//ESTs//1.0:169:59//Hs.153423:AI198239
R-HEMBA1005219//Homo sapiens putative tumor suppressor protein (123F2) mRNA, complete cds//0.84:191:61//Hs.26931:AF061836
- 50 R-HEMBA1005223//ESTs//0.75:90:70//Hs.127446:AA167284
R-HEMBA1005232//EST//0.056:162:67//Hs.65649:F13687
R-HEMBA1005241//ESTs//3.6e-113:564:96//Hs.12770:W84331
R-HEMBA1005244//ESTs//6.4e-22:118:100//Hs.21396:AA114834
R-HEMBA1005251//ESTs//8.5e-36:213:92//Hs.161554:AA393896
- 55 R-HEMBA1005252//Homo sapiens mRNA for KIAA0585 protein, partial cds//6.1e-49:277:93//Hs.72660:AB011157
R-HEMBA1005274//ESTs//3.7e-65:322:98//Hs.105166:AA668862
R-HEMBA1005275//ESTs//2.1e-29:298:73//Hs.33393:R83391
R-HEMBA1005293//ESTs//3.5e-93:448:98//Hs.12066:AI208611

R-HEMBA1005296//ESTs//4.3e-33:168:100//Hs.13916:AI025750
 R-HEMBA1005304//Small inducible cytokine A5 (RANTES)//2.8e-50:315:82//Hs.155464:AF088219
 R-HEMBA1005311//Homo sapiens 4F5S mRNA, complete cds//1.3e-44:318:83//Hs.32567:AF073519
 R-HEMBA1005314//ESTs//3.0e-103:491:98//Hs.41606:AI095046
 5 R-HEMBA1005315//EST//1.9e-29:370:72//Hs.161483:N59169
 R-HEMBA1005318//ESTs//3.9e-110:535:97//Hs.26771:AA126472
 R-HEMBA1005331//Intercellular adhesion molecule 2//7.6e-39:256:87//Hs.83733:X15606
 R-HEMBA1005353//ESTs//1.7e-81:406:96//Hs.155374:AI341467
 R-HEMBA1005359//Homo sapiens neuronal thread protein AD7c-NTP mRNA, complete cds//4.7e-46:294:81//Hs.
 10 129735:AF010144
 R-HEMBA1005367//Alcohol dehydrogenase 2 (class I), beta polypeptide//1.0:210:62//Hs.4:X03350
 R-HEMBA1005372//ESTs//6.2e-95:451:99//Hs.135219:AI091653
 R-HEMBA1005374//ESTs//1.5e-107:502:99//Hs.118208:AA947305
 R-HEMBA1005389//Fc fragment of IgA, receptor for//1.0e-39:311:80//Hs.54486:X54150
 15 R-HEMBA1005394//ESTs, Weakly similar to coded for by C. elegans cDNA yk30b3.5 [C.elegans]//4.0e-88:489:
 92//Hs.43864:AA131568
 R-HEMBA1005403//EST//0.0011:78:75//Hs.127061:AA863278
 R-HEMBA1005408//ESTs//3.2e-29:395:71//Hs.117532:AA676725
 R-HEMBA1005410//ESTs//1.5e-18:271:70//Hs.144604:AI052059
 20 R-HEMBA1005411//ESTs//1.1e-35:335:77//Hs.141181:R98757
 R-HEMBA1005423//Homo sapiens cyclin-dependent kinase inhibitor (CDKN2C) mRNA, complete cds//1.8e-118:
 453:99//Hs.4854:AF041248
 R-HEMBA1005426//Chromosome 1 specific transcript KIAA0491//0.25:264:61//Hs.136309:AB007960
 R-HEMBA1005443//Homo sapiens (clone s153) mRNA fragment//1.7e-47:305:87//Hs.6445:L40391
 25 R-HEMBA1005447//ESTs//5.7e-83:529:86//Hs.114253:AA745961
 R-HEMBA1005468//ESTs//7.3e-23:249:73//Hs.61199:AA024494
 R-HEMBA1005469//Human mRNA for KIAA0355 gene, complete cds//4.5e-45:320:85//Hs.153014:AB002353
 R-HEMBA1005472//Human kpni repeat mrna (cdna clone pcd-kpni-8), 3' end//8.4e-73:464:87//Hs.103948:
 K00627
 30 R-HEMBA1005475//ESTs//0.32:192:59//Hs.62694:AA100445
 R-HEMBA1005497
 R-HEMBA1005500//ESTs//2.2e-43:307:85//Hs.146811:AA410788
 R-HEMBA1005506//75 kda infertility-related sperm protein [human, testis, mRNA Partial, 2427 nt]//0.11:295:60//
 Hs.62608:S58544
 35 R-HEMBA1005508//ESTs//2.8e-55:319:93//Hs.50150:N90870
 R-HEMBA1005511//ESTs, Weakly similar to similar to mouse MMR1 [C.elegans]//2.6e-82:387:99//Hs.67466:
 AI219740
 R-HEMBA1005517//ESTs//4.6e-77:469:90//Hs.126787:AA203322
 R-HEMBA1005518//ESTs//1.5e-108:561:94//Hs.123167:AA601045
 40 R-HEMBA1005520//Putative mismatch repair/binding protein hMSH3//7.5e-44:179:84//Hs.42674:U61981
 R-HEMBA1005526//ESTs//8.7e-46:308:86//Hs.146811:AA410788
 R-HEMBA1005528//ESTs, Highly similar to POP2 PROTEIN [Saccharomyces cerevisiae]//8.6e-115:578:95//Hs.
 17035:AI080471
 R-HEMBA1005530//ESTs//1.5e-110:551:96//Hs.107294:W72350
 45 R-HEMBA1005548//ESTs//1.7e-100:510:96//Hs.9115:N90926
 R-HEMBA1005552//Interleukin 10//2.4e-38:306:80//Hs.2180:M57627
 R-HEMBA1005558//ESTs, Weakly similar to unknown [S.cerevisiae]//5.3e-77:439:91//Hs.22897:R43193
 R-HEMBA1005568//ESTs, Weakly similar to !!!! ALU SUBFAMILY J WARNING ENTRY !!!! [H.sapiens]//3.4e-31:
 182:76//Hs.133526:N21103
 50 R-HEMBA1005570//ESTs//3.3e-67:411:88//Hs.142245:AA489709
 R-HEMBA1005576//EST//0.91:52:73//Hs.149518:AI280497
 R-HEMBA1005577
 R-HEMBA1005581//Homo sapiens mRNA for MEGF5, partial cds//3.1e-28:561:64//Hs.57929:AB011538
 R-HEMBA1005582//ESTs//6.0e-73:371:97//Hs.103758:C06392
 55 R-HEMBA1005583//ESTs//8.3e-79:413:95//Hs.62348:AA419539
 R-HEMBA1005588//Human c-yes-1 mRNA//2.6e-52:403:83//Hs.75680:M15990
 R-HEMBA1005593//ESTs//3.3e-30:139:80//Hs.142273:W37905
 R-HEMBA1005595//ESTs//1.1e-97:454:100//Hs.27497:AI274820

EP 1 074 617 A2

R-HEMBA1005606//EST//1.0e-12:313:64//Hs.162402:AA573125
 R-HEMBA1005609//ESTs//0.49:278:58//Hs.76235:W56390
 R-HEMBA1005616//EST//1.3e-98:470:99//Hs.122230:AA781422
 5 R-HEMBA1005621//ESTs, Weakly similar to MITOTIC MAD2 PROTEIN [S.cerevisiae]//2.8e-95:539:92//Hs.
 19400:AA662845
 R-HEMBA1005627//Human mRNA for adipogenesis inhibitory factor//5.5e-38:317:78//Hs.1721:X58377
 R-HEMBA1005631//Human mRNA for KIAA0393 gene, complete cds//2.3e-11:279:65//Hs.15245:AF041081
 R-HEMBA1005632//EST//1.5e-10:181:70//Hs.120259:AA731522
 10 R-HEMBA1005634//Homo sapiens mRNA for chemokine LEC precursor, complete cds//1.4e-25:234:80//Hs.
 10458:AF088219
 R-HEMBA1005666//ESTs//2.3e-103:534:95//Hs.14512:AA205973
 R-HEMBA1005670//ESTs//2.6e-39:166:81//Hs.139414:AI279477
 R-HEMBA1005679//Esterase D/formylglutathione hydrolase//1.3e-50:322:88//Hs.82193:M13450
 R-HEMBA1005680//Homo sapiens LIM protein mRNA, complete cds//3.3e-43:343:81//Hs.154103:AF061258
 15 R-HEMBA1005685//Human homeodomain protein (Prox 1) mRNA, complete cds//0.0050:235:64//Hs.159437:
 U44060
 R-HEMBA1005699//Human putative EPH-related PTK receptor ligand LERK-8 (Eplg8) mRNA, complete cds//
 1.7e-47:376:84//Hs.26988:U66406
 R-HEMBA1005705//ESTs//3.0e-53:259:99//Hs.55314:AA772055
 20 R-HEMBA1005717//EST//2.5e-59:287:99//Hs.146870:AI159943
 R-HEMBA1005732//Homo sapiens mRNA for cartilage-associated protein (CASP)//1.2e-45:398:79//Hs.155481:
 AJ006470
 R-HEMBA1005737//ESTs//2.5e-57:416:83//Hs.23245:AA053815
 R-nnnnnnnnnnnnn//EST//0.098:125:68//Hs.136945:AA765672
 25 R-HEMBA1005755//EST//2.2e-22:180:84//Hs.141488:N47096
 R-HEMBA1005765//Human peptide transporter (HPEPT1) mRNA, complete cds//3.9e-47:404:80//Hs.2217:
 U21936
 R-HEMBA1005780//ESTs//1.3e-106:512:97//Hs.11901:AA173974
 R-HEMBA1005813//Homo sapiens mRNA for chemokine LEC precursor, complete cds//2.0e-33:195:84//Hs.
 30 10458:AF088219
 R-HEMBA1005815//ESTs//7.6e-19:290:71//Hs.112218:AI038601
 R-HEMBA1005822//ESTs//5.4e-49:246:98//Hs.34804:AA514960
 R-HEMBA1005829//ESTs//2.7e-72:344:99//Hs.54548:AI039201
 R-HEMBA1005834//ESTs//1.6e-44:317:82//Hs.157029:AI080618
 35 R-HEMBA1005852//ESTs//1.6e-102:544:93//Hs.9911:AA098911
 R-HEMBA1005853//ESTs//1.8e-78:398:95//Hs.140248:AA757917
 R-HEMBA1005884//EST//2.6e-18:275:67//Hs.139357:AA420970
 R-HEMBA1005891//ESTs//2.1e-89:427:98//Hs.67317:AI022252
 R-HEMBA1005894
 40 R-HEMBA1005909//ESTs//2.6e-91:436:99//Hs.147492:AI215686
 R-HEMBA1005911//ESTs//1.1e-85:446:95//Hs.134494:AI076363
 R-HEMBA1005921//ESTs//1.4e-84:428:95//Hs.127993:AA970632
 R-HEMBA1005931//Homo sapiens mRNA for KIAA0526 protein, complete cds//9.5e-45:446:75//Hs.59403:
 AB011098
 45 R-HEMBA1005934//ESTs//0.20:142:65//Hs.97079:AA370867
 R-HEMBA1005962//ESTs//1.8e-87:409:100//Hs.161292:AI199418
 R-HEMBA1005963
 R-HEMBA1005990//Homo sapiens I-1 receptor candidate protein mRNA, complete cds//2.2e-113:580:95//Hs.
 26285:AF082516
 50 R-HEMBA1005991//Human antisecretory factor-1 mRNA, complete cds//2.0e-45:551:70//Hs.148495:AF050199
 R-HEMBA1005999//ESTs//7.5e-24:201:69//Hs.157029:AI080618
 R-HEMBA1006002//ESTs//3.1e-112:573:95//Hs.61233:AI379875
 R-HEMBA1006005//EST//1.0:105:63//Hs.145273:AI249436
 R-nnnnnnnnnnnnn//Homo sapiens mRNA for KIAA0725 protein, partial cds//2.4e-28:444:67//Hs.26450:AB018268
 55 R-HEMBA1006035//ESTs//4.5e-94:465:97//Hs.44625:N49951
 R-HEMBA1006036//ESTs//6.1e-90:420:100//Hs.126771:AA916508
 R-HEMBA1006042//EST//1.5e-88:424:98//Hs.132551:AA948490
 R-nnnnnnnnnnnnn

- R-HEMBA1006081//ESTs//7.8e-68:356:95//Hs.27410:N25612
 R-HEMBA1006090//EST//5.1e-66:320:99//Hs.99551:AA461517
 R-HEMBA1006091//ESTs//2.0e-84:441:94//Hs.9658:AA506313
 5 R-HEMBA1006100//Human high-affinity copper uptake protein (hCTR1) mRNA, complete cds//3.4e-43:328:82//
 Hs.73614:U83460
 R-HEMBA1006108//ESTs//1.5e-44:228:98//Hs.26368:AA789297
 R-HEMBA1006121//ESTs//1.6e-116:547:99//Hs.34151:AI279293
 R-HEMBA1006124//EST//1.6e-20:286:64//Hs.148457:AI198931
 R-HEMBA1006130//ESTs//8.8e-47:231:99//Hs.16470:AA121635
 10 R-nnnnnnnnnnnn//Homo sapiens mRNA for KIAA0792 protein, complete cds//8.7e-27:296:73//Hs.119387:
 AB007958
 R-HEMBA1006142//ESTs//1.5e-27:255:70//Hs.139507:T77542
 R-HEMBA1006155//ESTs//4.9e-64:353:94//Hs.84560:R41212
 R-HEMBA1006158//Deoxyuridine triphosphatase//0.99:162:62//Hs.82113:U31930
 15 R-HEMBA1006173//ESTs//7.5e-85:462:92//Hs.79092:H29627
 R-HEMBA1006182//ESTs//5.5e-29:218:72//Hs.141466:H96906
 R-HEMBA1006198//ESTs//2.1e-34:282:82//Hs.142068:AA176125
 R-HEMBA1006235//Homo sapiens clone 24422 mRNA sequence//6.9e-112:545:97//Hs.109268:AF070557
 R-HEMBA1006248//ESTs, Highly similar to ZINC FINGER PROTEIN MFG1 [Mus musculus]//3.3e-114:581:95//
 20 Hs.23617:AA928683
 R-HEMBA1006252//Human mRNA for KIAA0080 gene, partial cds//7.0e-48:284:76//Hs.74554:D38522
 R-HEMBA1006253//Homo sapiens 45kDa splicing factor mRNA, complete cds//5.7e-30:179:91//Hs.15836:
 AF083384
 R-HEMBA1006259//Homo sapiens KIAA0421 mRNA, partial cds//1.5e-45:326:84//Hs.41742:AB007881
 25 R-HEMBA1006268//ESTs, Highly similar to c-Jun leucine zipper interactive [M.musculus]//1.2e-97:529:93//Hs.
 10552:AA524401
 R-HEMBA1006272//ESTs, Moderately similar to RETROVIRUS-RELATED PROTEASE [H.sapiens]//2.7e-88:484:
 92//Hs.104129:AA923278
 R-nnnnnnnnnnnn//H.sapiens PAP mRNA//5.2e-56:585:71//Hs.49007:X76770
 30 R-HEMBA1006283//ESTs, Weakly similar to NUCLEAR POLYADENYLATED RNA-BINDING PROTEIN NAB2 [S.
 cerevisiae]//1.6e-66:377:91//Hs.108674:W25821
 R-HEMBA1006284//ESTs//3.7e-110:544:96//Hs.55296:AI084735
 R-HEMBA1006291//ESTs//2.2e-91:457:96//Hs.114611:N37019
 R-HEMBA1006293//ESTs//5.4e-78:370:99//Hs.155111:AI202037
 35 R-HEMBA1006309//ERYTHROCYTE BAND 7 INTEGRAL MEMBRANE PROTEIN//3.7e-40:167:86//Hs.74478:
 U33931
 R-HEMBA1006310//ESTs, Weakly similar to reverse transcriptase [M.musculus]//5.6e-76:417:94//Hs.111754:
 AI204587
 R-HEMBA1006328//Small inducible cytokine A5 (RANTES)//2.8e-60:397:78//Hs.155464:AF088219
 40 R-HEMBA1006334//Human occludin mRNA, complete cds//0.72:369:59//Hs.93518:U49184
 R-HEMBA1006344//Human plectin (PLEC1) mRNA, complete cds//0.016:217:64//Hs.79706:U53204
 R-HEMBA1006347//ESTs, Highly similar to HYPOTHETICAL 97.6 KD PROTEIN IN SHP1-SEC17 INTERGENIC
 REGION [Saccharomyces cerevisiae]//3.6e-119:582:97//Hs.42343:AI417075
 R-HEMBA1006349//ESTs//5.2e-57:305:94//Hs.6338:AA411382
 45 R-HEMBA1006359//ESTs//8.2e-90:426:99//Hs.100873:AA678008
 R-HEMBA1006364//ESTs//2.2e-98:582:91//Hs.23837:AA541787
 R-HEMBA1006377//EST//0.0097:145:621//Hs.133027:AI049830
 R-HEMBA1006380//Homo sapiens mRNA for KIAA0594 protein, partial cds//1.0e-41:349:79//Hs.154872:
 AB011166
 50 R-HEMBA1006381//ESTs//5.1e-46:320:85//Hs.37573:H59651
 R-HEMBA1006398//Human Line-1 repeat mRNA with 2 open reading frames//9.0e-87:5 82:84//Hs.23094:M19503
 R-HEMBA1006416//ESTs//1.5e-17:251:73//Hs.33950:AI218923
 R-HEMBA1006419//EST//8.5e-65:353:94//Hs.141309:H72778
 R-HEMBA1006421//Oxytocin receptor//1.2e-12:249:68//Hs.2820:X64878
 55 R-HEMBA1006424//ESTs, Weakly similar to pot. ORF II [H.sapiens]//6.3e-13:263:66//Hs.43127:AA258004
 R-HEMBA1006426//ESTs//6.5e-84:401:99//Hs.37303:C16964
 R-HEMBA1006438//EST//0.87:266:57//Hs.99456:AA457380
 R-HEMBA1006445//ESTs//2.0e-81:414:96//Hs.58153:W72033